



Nemko USA, Inc.
Phone (858) 755-5525 Fax (858) 452-1810
11696 Sorrento Valley Rd., Suite F
San Diego, CA 92121-1024

Verification Test Report: 2007 128454-1-FCC25

Applicant: Harris Corporation
1680 University Avenue
Rochester, New York, 14610
858-452-4648

Equipment Under Test: Land Portable BGAN Terminal
Model: RF-7800B-DU024

FCC ID: AQZRF-7800B-DU024

In Accordance With: FCC Part 25, Subpart C
Satellite Communications

Tested By: Nemko USA Inc.
11696 Sorrento Valley Road
San Diego, CA 92121-1024

Date: April 13, 2009

Total Number of Pages: 44

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

DOCUMENT HISTORY

REVISION	DATE	COMMENTS
-	April 13, 2009	Prepared By: Alan Laudani
-	April 13, 2009	Initial Release: Alan Laudani

NOTE: Nemko USA, Inc. hereby makes the following statements so as to conform to Chapter 10 (Test Reports) Requirements of ANSI C63.4 (2003) "Methods and Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz":

- o The unit described in this report was received at Nemko USA, Inc.'s facilities on March 1, 2009. Testing was performed on the unit described in this report from March 3, 2009 to April 10, 2009.
- o The Test Results reported herein apply only to the Unit actually tested, and to substantially identical Units.
- o This report does not imply the endorsement of the Federal Communications Commission (FCC), NVLAP or any other government agency.

This Report is the property of Nemko USA, Inc., and shall not be reproduced, except in full, without prior written approval of Nemko USA, Inc. However, all ownership rights are hereby returned unconditionally to Harris Corporation, and approval is hereby granted to Harris Corporation and its employees and agents to reproduce all or part of this report for any legitimate business purpose without further reference to Nemko USA, Inc.

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

TABLE OF CONTENTS

DOCUMENT HISTORY	2
CERTIFICATION	4
Section 1. Summary of Test Results	5
Section 2. General Equipment Specifications.....	6
DESCRIPTION AND METHOD OF EXERCISING THE EUT	6
EUT CONFIGURATION	7
DESIGN MODIFICATIONS FOR COMPLIANCE	8
Section 3. RF Power Output.....	10
PARA. NO.: 2.1046	10
Section 4. Occupied Bandwidth	11
PARA. NO.: 2.1047	11
Section 6. Spurious Emissions At Antenna Terminals	15
PARA. NO.: 2.1051	15
Section 5. Field Strength of Spurious	35
PARA. NO.: 2.1053	35
Section 6. Frequency Stability	37
PARA. NO.: 2.1055	37
Section 7. Field Strength of Spurious Emissions.....	40
PARA. NO.: 2.1053	40
Section 8. Test Set Up Block Diagrams	41
PARA. NO. 2.1046 - R.F. POWER OUTPUT	41
PARA. NO. 2.1049 - OCCUPIED BANDWIDTH	41
PARA. NO. 2.1051 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS	42
PARA. NO. 2.1053 - FIELD STRENGTH OF SPURIOUS RADIATION.....	42
PARA. NO. 2.1055 - FREQUENCY STABILITY.....	43
Section 9. Test Equipment List.....	44

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C


CERTIFICATION

Nemko USA, Inc., an independent Electromagnetic Compatibility (EMC) Test Laboratory, produced this Test Report and performed the Radio Frequency Interference (RFI) testing and data evaluation contained herein.

Nemko USA, Inc.'s measurement facility is currently registered with the United States Federal Communications Commission (FCC) in accordance with the provisions of 47 United States Code (CFR) Part 2, Subpart I, Section 2.948(a). A current description of Nemko USA, Inc.'s measurement facility is on file with the FCC. Nemko USA Inc. has additionally satisfied the FCC that it complies with the requirements set forth in 47 CFR Part 2, Subpart I, Section 2.948(d) regarding the accreditation of EMC laboratories. As a result, the FCC has placed Nemko USA Inc. on its list of EMC laboratories approved to perform Declaration of Conformity (DOC) procedure testing.

The RFI testing, test data collection and test data evaluation were accomplished in accordance with the ANSI C63.4: 2003 Standard, and in accordance with the applicable sections of the FCC rules (47 CFR Parts 2 and 18)." digital devices. The testing was also accomplished in accordance with Industry Canada's ICES-003 standard for unintentional radiating device per EMCAB-3, Issue 4 (December 2005). The administrative summary of this test report provides a description of the test sample

I hereby certify that the test data, test data evaluation, and equipment configurations used to compile this test report are a true and accurate representation of the test sample's radio frequency interference characteristics as of the test date(s), and, for the design of the test sample.



Alan Laudani,
EMC/RF Test Engineer

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Section 1. Summary of Test Results

All measurements are traceable to national standards.

These tests were conducted on a sample of the equipment for the purpose of demonstrating compliance with FCC Part 25, Subpart C.

Summary Of Test Data

Name Of Test	Part 2	Part 25	Result
RF Power Output	2.1046	25.204	Pass
Occupied Bandwidth	2.1049	25.202	Pass
Spurious Emissions at Antenna Terminals	2.1051	25.202(f)	Pass
Field Strength of Spurious Emissions	2.1053	25.202(f)	Pass
Field Strength of Spurious Emissions	2.1053	25.202(h)	Pass
Frequency Stability	2.1055	25.202(d)	Pass

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Section 2. General Equipment Specifications

Manufacturer:	Harris Corporation
Model No.:	RF-7800B-DU024
Serial No.:	1
Date Received In Laboratory:	March 1, 2009
Nemko Identification No.:	25609-1

Description and Method of Exercising the EUT

The RF-7800B-DU024 is a Land Portable BGAN Terminal. The RF-7800B-DU024 comprises a FCC Part 25 Transmitter in the frequency range 1626.5 MHz to 1660.5 MHz. An Ethernet connection allows for frequency changes during RF testing of the Part 25 device. The Part 25 radio continues to transmit without the Ethernet connection and to be used for network connection in normal operation.

The RF-7800B-DU024 was manufactured by Hughes Network Systems of 9605 Scranton Road Suite 500, San Diego, CA 92121.

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C


EUT Configuration

DEVICE	MANUFACTURER MODEL # SERIAL #	POWER CABLE
EUT - Land Portable BGAN Terminal	Harris Corporation Model: RF-7800B-DU024 Serial #: 1	3 wire, shielded 20 AWG
Support Laptop computer	Toshiba Model: Protege 4000 Serial #: X1086201PU	1.5m, unshielded, 12 VDC coaxial
Support Laptop Mouse	Pocket Mouse Model: 72114 SN: A014011482	NA
Laptop – AC Adapter	Toshiba Model: PA2450U Serial #: 0561919	1.5m, unshielded, 18 AWG, 2-wire, IEC connector
DC power supply	Kikusui Electronics Corp Model: PAD Serial #: Nemko 97	1.5m, unshielded, 18 AWG, 3-wire, IEC connector
I/Q Modulation Generator	Rohde & Schwarz Model: AMIQ SN: 833750/020 Calibration Due 10/31/09	1.5m, unshielded, 18 AWG, 3-wire, IEC connector
Signal Generator	Rohde & Schwarz Model: SMIQ 03B SN: 1125.5555.03 Calibration Due 4/30/09	1.5m, unshielded, 18 AWG, 3-wire, IEC connector
Vector Signal Analyzer w/ RF Section for VSA	Hewlett Packard Model: 89441A SN:3416A03318 Calibration Due 11/29/09	(2) 1.5m, unshielded, 18 AWG, 3-wire, IEC connector
Power Splitter	Mini Circuits Model: AN2PD-1900W SN: 476100731	NA

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Power Splitter	Mini Circuits Model: ZAPD-21 SN: 15542	NA
Power Splitter	KPMCI Model: 03SJ0 SN: 00002	NA
20 dB Attenuator	Weinshel Corp Model: 33-20-34 SN: BB9251	NA

Connection	I/O Cable
EUT Ethernet to Laptop	3m, CAT5, 5m, unshielded cable
Support Equipment to EUT	Coax, 50 ohm—see test configuration diagram



Design Modifications for Compliance

The following design modifications were made to the EUT during testing.

None. No design modifications were made to the EUT during testing.

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Section 3. RF Power Output

Para. No.: 2.1046

Test Performed By: A. Laudani	Date of Test: April 6, 2009
-------------------------------	-----------------------------

Minimum Standard: 25.204

a) In bands shared coequally with terrestrial radio communication services, the equivalent isotropically radiated power transmitted in any direction towards the horizon by an earth station, other than an ESV, operating in frequency bands between 1 and 15 GHz, shall not exceed the following limits except as provided for in paragraph (c) of this section:

+40 dBW in any 4 kHz band for $\Theta \leq 0^\circ$

+40 + 3 Θ dBW in any 4 kHz band for $0^\circ < \Theta \leq 5^\circ$

where Θ is the angle of elevation of the horizon viewed from the center of radiation of the antenna of the earth station and measured in degrees as positive above the horizontal plane and negative below it.

Test Results: EUT complies.

Antenna Gain: 11.76dBi

Measurement Data:

Frequency	Output Power (dBm)	Antenna Gain dBi	E.I.R.P (dBm)	E.I.R.P (dBW)
1631.8	25.66	11.70	37.4	7.4
1643.7	25.37	11.70	37.1	7.1
1660.2	25.57	11.76	37.3	7.3

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Section 4. Occupied Bandwidth

Para. No.: 2.1047

Test Performed By: A. Laudani	Date of Test: April 6, 2009
-------------------------------	-----------------------------

Minimum Standard: 25.202 No limit noted.


Test Results: 99% or -20dB BW

Frequency MHz	Bandwidth (kHz)
1631.8	185.9
1643.7	189.2
1660.2	185.6

Measurement Data: See plots below.


Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Low Channel




Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Mid Channel



Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

High Channel



Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Section 6. Spurious Emissions At Antenna Terminals

Para. No.: 2.1051

Test Performed By: A. Laudani	Date of Test: April 6, 2009
--------------------------------------	------------------------------------

Minimum Standard: 25.202 Frequencies, frequency tolerance and emission limitations

f) *Emission limitations.* The mean power of emissions shall be attenuated below the mean output power of the transmitter in accordance with the following schedule:


- (1) In any 4 kHz band, the center frequency of which is removed from the assigned frequency by more than 50 percent up to and including 100 percent of the authorized bandwidth: 25 dB;
- (2) In any 4 kHz band, the center frequency of which is removed from the assigned frequency by more than 100 percent up to and including 250 percent of the authorized bandwidth: 35 dB;
- (3) In any 4 kHz band, the center frequency of which is removed from the assigned frequency by more than 250 percent of the authorized bandwidth: An amount equal to 43 dB plus 10 times the logarithm (to the base 10) of the transmitter power in watts;
- (4) In any event, when an emission outside of the authorized bandwidth causes harmful interference, the Commission may, at its discretion, require greater attenuation than specified in paragraphs (f) (1), (2) and (3) of this section.

Test Results: EUT Complies.

Test Data: See attached plots.

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Lowest channel. Frequency Mask Part 1




Red Vertical Lines = Frequency at 50 to 100% x 200 kHz BW = +/- 100 kHz to 200 kHz from center frequency

Red Vertical Lines = Frequency at 100 to 250% x 200 kHz BW = +/- 200 kHz to +/- 1 MHz from center frequency


Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Lowest channel. Frequency Mask. Part 2




Red Vertical Lines = Frequency at 250% x 200 kHz BW = +/- 1 MHz from center frequency


Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C




Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C



Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C




Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C



Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Mid Channel. Frequency Mask.




Red Vertical Lines =
Frequency at 50% x 200 kHz BW
= +/- 100 kHz from center frequency


Red Vertical Lines =
Frequency at 50 to 100% x 200 kHz BW =
+/- 100 kHz to 200 kHz from center frequency

Red Vertical Lines =
Frequency at 100 to 250% x 200 kHz BW =
+/-200 kHz to +/- 1 MHz from center frequency

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C




Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C




Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C



Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C




Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C



Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

High Channel. Frequency Mask.




Red Vertical Lines =
Frequency at 50% x 200 kHz BW
= +/- 100 kHz from center frequency


Red Vertical Lines =
Frequency at 50 to 100% x 200 kHz BW =
+/- 100 kHz to 200 kHz from center frequency

Red Vertical Lines =
Frequency at 100 to 250% x 200 kHz BW =
+/-200 kHz to +/- 1 MHz from center frequency


Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C




Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C




Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C




Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C



Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C



Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C



Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Section 5. Field Strength of Spurious

Para. No.: 2.1053

Test Performed By: A. Laudani	Date of Test: March 4, 2009
--------------------------------------	------------------------------------

Minimum Standard: 25.202 Frequencies, frequency tolerance and emission limitations

Test Results: EUT Complies

No emissions found due to radio spurious emissions within 20 dB of the limits.

Emissions searched from 30 MHz to 10 times the transmit frequency or 17 GHz.

Emissions below attributed to digital processing circuitry—non radio emissions whose mode and limits are met by FCC Part 15B—limits more restrictive than FCC Part 25.202.

Transmissions blocked by transmitting into a load.

Modes: Ping from laptop computer and continuous transmit full power with maximum modulation.

No emissions found due to radio spurious emissions within 20 dB of the limits.

Test Data: See attached table.

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Section 6. Frequency Stability

Para. No.: 2.1055

Test Performed By: Alan Laudani	Date of Test: March 3, 2009
--	------------------------------------

Minimum Standard: 25.202 Frequencies, frequency tolerance and emission limitations

(d) *Frequency tolerance, Earth stations.* The carrier frequency of each earth station transmitter authorized in these services shall be maintained within 0.001 percent of the reference frequency.

Test Results: EUT Complies

Measurement Data: Standard Test Frequency: 1643.7 MHz
Standard Test Voltage: 24.0 Vdc

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Limits 0.001%

Limit (Hz) ± 16437

Voltage Nominal 24.0 V	3-Mar-09	
	Frequency center	Freq.difference
Temperature(°C)	MHz	Hz
-30	1643.700300	0
-20	1643.700300	0
-10	1643.700300	0
0	1643.700300	0
10	1643.700300	0
20	1643.700300	0
30	1643.700300	0
40	1643.700300	0
50	1643.700300	0

Voltage 85% 20.4 V	Frequency center	Freq.difference
Temperature(°C)		
-30	1643.700300	0
-20	1643.700300	0
-10	1643.700300	0
0	1643.700300	0
10	1643.700300	0
20	1643.700300	0
30	1643.700300	0
40	1643.700300	0
50	1643.700300	0

Voltage 1.15% 27.6 V	Frequency center	Freq.difference
Temperature(°C)		
-30	1643.700300	0
-20	1643.700300	0
-10	1643.700300	0
0	1643.700300	0
10	1643.700300	0
20	1643.700300	0
30	1643.700300	0
40	1643.700300	0
50	1643.700300	0

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Voltage Turn Off

Date:	6-Apr-09
Mode:	CW
Channel:	1643.700300 MHz

Voltage	Output Power	Frequency Difference
Volt	dBm	HZ
20.4	22.89	0
18.0	22.89	0
16.0	22.91	0
14.0	22.93	0
12.0	22.93	0
10.0	22.93	0
9.0	Off	on freq

Testing is done at 25°C Humidity: 21 %

Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Section 7. Field Strength of Spurious Emissions

Para. No.: 2.1053

Test Performed By: A. Laudani	Date of Test:
--------------------------------------	----------------------

Minimum Standard: 25.216

25.216(h)

(h) Mobile earth stations manufactured more than six months after Federal Register publication of the rule changes adopted in FCC 03–283 with assigned uplink frequencies in the 1626.5–1660.5 MHz band shall suppress the power density of emissions in the 1605–1610 MHz band-segment to an extent determined by linear interpolation from –70 dBW/MHz at 1605 MHz to –46 dBW/MHz at 1610 MHz, averaged over any 2 millisecond active transmission interval. The e.i.r.p of discrete emissions of less than 700 Hz bandwidth from such stations shall not exceed a level determined by linear interpolation from –80 dBW at 1605 MHz to –56 dBW at 1610 MHz, averaged over any 2 millisecond active transmission interval.

(j) A Root-Mean-Square detector shall be used for all power density measurements.

Antenna Gain:


Test Results: The EUT does not transmit between 1605 MHz and 1610 MHz

Test Data: No data to present.


Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Section 8. Test Set Up Block Diagrams

Para. No. 2.1046 - R.F. Power Output




Para. No. 2.1049 - Occupied Bandwidth




Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Para. No. 2.1051 - Spurious Emissions at Antenna Terminals




Para. No. 2.1053 - Field Strength of Spurious Radiation



Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Para. No. 2.1055 - Frequency Stability



Nemko USA, Inc.	11696 Sorrento Valley Road, Suite F, San Diego, CA 92121 Phone (858) 755-5525 Fax (858) 452-1810
	Test Report Number: 2007 128454-1-FCC25
FCC ID: AQZRF-7800B-DU024	Specification: FCC Part 25 Subpart C

Section 9. Test Equipment List

Nemko ID	Device	Manufacturer	Model	Serial Number	Cal Date	Cal Due Date
N149	Environmental Chamber	Cincinnati Sub-Zero	ZPHS-32-2-2-H/AC	ZP0552665	5/30/2007	5/30/2008
317	Preamplifier	HP	8449A	2749A00167	2/9/2007	02/09/08
110	Antenna, LPA	Electrometrics	LPA-25	1217	12/18/2006	12/18/07
114	Antenna, Bicon	EMCO	3104	2997	12/20/2006	12/20/07
529	Antenna, DRWG	EMCO	3115	2505	8/27/2007	08/27/08
898/899	EMI Receiver & filter set	HP	8546A	3625A00348	1/18/2007	01/18/08
835	Spectrum Analyzer	Rohde & Schwarz	RHDFSEK	829058/005	6/20/2007	06/20/08
813	Multimeter	Fluke	111	78130060	29-Aug-08	29-Aug-09
911	Spectrum Analyzer	Agilent	E4440A	US41421266	06-Nov-08	06-Nov-09