

EXHIBIT 1

Label Drawing

Label Drawing

Please refer **Exhibit 2 Figure 2 (Page 10)** for Label Placement Location

LOCATED ON REAR ENCLOSURE






<p>AOC COLOR MONITOR</p> <p>Model No: 5V1r</p> <p>Power Rating: 100-240V~50/60Hz 1.5A</p> <p>AOC International 311 Sinclair Frontage Road Milpitas, CA 95035 USA</p> <p>Geprüft nach Tested Acc. to MFR II: MFR 1990.8/1990.10</p> <p>Made in China 40A155-073</p>	<p style="text-align: center;">FCC ID: ARSCM569N</p> <p>This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p>This Class B digital apparatus meets all requirements of the Canadian Interference - Causing Equipment Regulations. Cet appareil numérique de la classe B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.</p> <p>THIS DEVICE COMPLIES WITH FDA RADIATION PERFORMANCE STANDARDS, 21 CFR SUBCHAPTER J.</p> <p>Die in diesem Gerät entstehende Röntgenstrahlung ist ausreichend abgeschirmt. Beschleunigungsspannung: max. 25KV Cathode Ray Tube intrinsically safe according to appendix II Röntgenverordnung Eigensichere Kathodenstrahlröhre nach Anlage II Röntgenverordnung</p>
<p> E135889 LISTED L.T.E. MONITOR 1001</p> <p> LFR50441</p>	<p></p> <p> ENERGY STAR MFG. PRACTICE PREFERRED</p> <p></p>

Figure 2
General Appearance (Rear View)

