

Federal Communications Commission Authorization and Evaluation Division 7435 Oakland Mills Rd. Columbia, MD. 21046

Date: Feb. 11, 2004

Attention: Authorization and Evaluation Division

Subject: RFI related modifications incorporated into unit 17" LCD MONITOR (EUT) with - FCC ID: ARSLM1784

Dear Sirs:

This letter serves as our declaration that all modifications listed below were implemented in the sample submitted for testing. We further declare that the same modifications will be implemented into all production units to enhance compliance of the units to FCC limits.

The modifications include the following:

- 1. Added two ferrite cores on the video cable one in the inside and one in the outside of the monitor. (see photo 2 & 5)
- 2. Added metal shielding on the component side of the logical board and the power board for EMI. (see photo 4)
- 3. Added aluminium foils on the cable connecting from signal cable to metal cover. (see photo 5)
- 4. Added gasket tape on the ribbon cable connecting the logical board and control board. (see photo 6)
- 5. Added a ferrite core on the DC cable of power adapter. (see photo 17)

If you have any further questions or comments regarding the above, please don't hesitate to contact Mr. Mike Su of ADT Lab. at fax No.: 886-2-2605-2943 or E-mail: <u>mike@ adt.com.tw</u>

Sincerely yours,

R& D Project Manager Top Victory Electronics (Taiwan) Co. Ltd.