

DWG CHANGES				
ZONE	ED	DESCRIPTION OF CHANGE	DATE	CAD APP
	01	INITIAL RELEASE	08/JUN/2021	LT GC
	02	ADD NOTE FOR LABELS CONTENT	08/MAR/2021	LT LL

LABELS SHOWN ARE FOR POSITION REPRESENTATION ONLY



NOKIA
7705 SAR-Hmc
 INPUT: 12/24/48V
 1/0.5/0.25A

Class I, Division 2, Groups A,B,C,D T4
 Ex ec IIC T4 Gc -40°C ≤ Ta ≤ 65°C
 Class I, Zone 2, AEx ec IIC T4 Gc
 Note: special conditions, see manual

Install in restricted access areas.
 Permanently connect to earth ground.
 External Fuse/Breaker: MAX 5A per feed.
 WARNING – DO NOT CONNECT OR DISCONNECT WHEN ENERGIZED
 WARNING – DO NOT OPEN, MAINTAIN OR SERVICE IN AN AREA WHERE AN EXPLOSIVE ATMOSPHERE MAY BE PRESENT

IMEI: 355812/01/006432/6

IPU3ADAEAA
 NS113669993
 3HE03620AAAK01
 MR: 01

600 March Road, Kanata, Ontario, Canada K2K 2E6

FCC

CAN ICES-3 (A) /NMB-3(A)
 CONTAINS FCC ID: 2AU8H-MG401
 CONTAINS IC: 26149-MG401

PW: 46M34p9AwC 50-3294-03

CLEAN SURFACE WITH ISOPROPYL ALCOHOL
 PRIOR TO ATTACHING LABELS 80 & 81