EXHIBIT 7


Section 2.1033 (c)(11) EQUIPMENT IDENTIFICATION LABEL

A photograph or drawing of the equipment identification plate or label showing the information to be placed thereon.

Response

The engineering drawings of the equipment identification label to be affixed for both AC and DC AWS MROs are attached to this exhibit.


A photo shows the placement of the equipment identification label.



Title: 849179387 lightRadio Boilerplate Label Designer: KL Date: 01-24-2014		Client: Alcatel-Lucent - Ka-Shu Lee Material Specifications: 10 ml velvet/matte polycarbonate 8B35V (VTM-2) or equivalent with 3M 467 permanent adhesive Subsurdice print Black and Coo Gray 1 OS2000		
				Drawn: SRJ
Checked:	Date:	Certifications: Label shall meet UL and CSA requirements where applicable. — Vendor must be UL and/or CSA approved. Documentation ventifying the vendor thing the vendor's certifications for the material shall be provided by the vendor with each package/container.		
Approved: Ka-Shu Lee	Date: 02-10-2014	Font Info: 8.5pt Frutiger Roman, 5.5pt Helvetica Bo	old & 6pt Helvetica Reg. & 7,6 pt Helvetica Med Condensed	
	Comcode No.: 849179387	Drawing Issue#:	Artmaster Issue#: 1w1	
	All units are in millimeters • Tolerance	IN THIS DOCUMENT IS THE PROPERTY OF ALC is: 2 places .25mm - Symbology agrees with: ISi stance and environmental hazardous substance rec		
tmaster Must Be Obtained ar-Tek Industries • 3545-G		ood, CO 80110 • tele: 973-293-0165 • fax: :	973-293-0164 • email: sjensen@mar-tekind.co	

AM ISSUE	DESCRIPTION	DATE	DRAWN
1w1	Initial Release.	01-24-2014	S. JENSEN

EXHIBIT 7



Title: 849184163 lightRadio Boilerplate Label		Client: Alcatel-Lucent - Ka-Shu Lee		
Designer: KL Date: 01-24-2014		Material Specifications: 10 mil velvet/matte poly with 3M 467 permahent Subsurface print Black	carbonate 8B35V (VTM-2) or equivalent adhesive and Cool Gray 1 OS20000	
Drawn: SRJ	Date: 01-24-2014	Certifications: Label shall meet UL and CSA regularements where applicable.		
Checked:	Date:	Certifications: Label shall meet UL and CSA requirements where applicable. Vendor must be UL and/or CSA approved. Documentation ventrying the vendor's coertifications for the material shall be priorided by the vendor with feach package/container.		
Approved: Ka-Shu Lee	Date: 02-10-2014	Font Info: 8.5pt Frutiger Roman, 5.5pt Helvetica Bold	& 6pt Helvetica Reg. & 7,6 pt Helvetica Med Condensed	
	Comcode No.: 849184163	Drawing Issue#:	Artmaster Issue#: 1w1	
	All units are in millimeters . Tolerance	IN THIS DOCUMENT IS THE PROPERTY OF ALCA is: 2 places .25mm • Symbology agrees with: ISO 1 stance and environmental hazardous substance requi	1101 and ISO 1302	
rtmaster Must Be Obtained lar-Tek Industries • 3545-G		ood, CO 80110 • tele: 973-293-0165 • fax: 97	3-293-0164 • email: sjensen@mar-tekind.co	

AM ISSUE	DESCRIPTION	DATE	DRAWN
1w1	Initial Release.	01-24-2014	S. JENSEN



FCC Label