

EXHIBIT 6: TEST SET UP PHOTOGRAPHS

The photographs in this exhibit show the test equipment configuration for each test performed.

Lucent UMTS850 Flexent® OneBTS™ MCPA Wireless Base Station, incorporating the Cellular Frequency UMTS-CDMA “Multi-Carrier CDMA Radio” (MCR850), Model BNJ65, covering the Cellular Frequency spectrum 869 – 894 MHz.

**TEST: Measurement of RF Power Output
Measurement of Modulation Characteristics
Measurement of Occupied Bandwidth
Measurement of Spurious Emissions at the Antenna Terminals**

View: UMTS MCPA850 Equipment Frame Front and Left Side View, Showing Test Configuration for Measuring Emissions and RF Characteristics Conducted to the MCR850 Transmit Terminal .




EXHIBIT 6: TEST SET UP PHOTOGRAPHS

TEST: Measurement of Radiated Spurious Emissions

View: UMTS MCPA850 Equipment Frame Front and Left Side View, Showing Test Configuration in the Whippany Semi-Anechoic Chamber.




EXHIBIT 6: TEST SET UP PHOTOGRAPHS

TEST: Measurement of Frequency Stability

View: UMTS850 Equipment Frame Front View, Showing Test Configuration Utilized for the Measurement of Frequency Stability

Temperature/Environmental Chamber Internal View Showing Equipment Frame Under Test (EUT).



EXHIBIT 6: TEST SET UP PHOTOGRAPHS

TEST: Measurement of Frequency Stability

View: UMTS850 Equipment Frame Front View, Showing Test Configuration Utilized for the Measurement of Frequency Stability

Temperature/Environmental Chamber External View Showing Test and Measurement Equipment Set-up.

