

EXHIBIT 6: TEST SET UP PHOTOGRAPHS

The photographs in this exhibit show the test equipment configuration for each test performed.

Lucent UMTS1900 Flexent® OneBTS™ MCP Wireless Base Station, incorporating the PCS UMTS-CDMA “Multi-Carrier CDMA Radio” (MCR1900), Model BNJ64, covering the Broadband PCS frequency spectrum 1930 – 1990 MHz.

TEST: **Measurement of RF Power Output**
 Measurement of Modulation Characteristics
 Measurement of Occupied Bandwidth
 Measurement of Spurious Emissions at the Antenna Terminals

View: **UMTS Equipment Frame Front View, Showing Test Configuration for Measuring Emissions and RF Characteristics Conducted to the MCR1900 Transmit Terminal .**




EXHIBIT 6: TEST SET UP PHOTOGRAPHS

TEST: Measurement of Radiated Spurious Emissions

View: UMTS Equipment Frame Front View, Showing Test Configuration in the Whippany Semi-Anechoic Chamber.




EXHIBIT 6: TEST SET UP PHOTOGRAPHS

TEST: Measurement of Frequency Stability

View: UMTS1900 Equipment Frame Front View, Showing Test Configuration Utilized for the Measurement of Frequency Stability

Temperature/Environmental Chamber Internal View Showing Equipment Frame Under Test (EUT).



EXHIBIT 6: TEST SET UP PHOTOGRAPHS

TEST: Measurement of Frequency Stability

View: UMTS1900 Equipment Frame Front View, Showing Test Configuration Utilized for the Measurement of Frequency Stability

Temperature/Environmental Chamber External View Showing Test and Measurement Equipment Set-up.

