


**EXHIBIT 4: EXTERNAL PHOTOGRAPHS**

The Alcatel-Lucent UMTS Dual Band Indoor Macrocell Wireless Base Station, incorporating the **UMTS-CDMA Transceiver System (1900)** comprised of the PCS UMTS-CDMA Multi-Carrier CDMA Radio (MCR1900), BNJ64; the P2PAM power amplifier (PA), and the 60 MHz wideband, low loss, Dual Duplex (DDpx) bandpass filters is configured for 3-Sector operation 1900MHz + 3-Sector operation 850MHz as shown in the following photographs. However, the Dual Band Macrocell, subject of this certification, includes only 1900 MHz radios and power amplifiers.

**View: UMTS1900 Equipment Frame Front and Right Side View.**



**EXHIBIT 4: EXTERNAL PHOTOGRAPHS - Continued**

**View: UMTS1900 Equipment Frame Rear and Right Side View.**



**EXHIBIT 4: EXTERNAL PHOTOGRAPHS - Continued**

**View: UMTS1900 Equipment Frame Front View with Door Removed**



**EXHIBIT 4: EXTERNAL PHOTOGRAPHS - Continued**

**View: UMTS1900 Equipment Frame Front View Closeup, Showing the Parrallel P2PAM Power Amplifiers (PA).**

