

EXHIBIT 4: EXTERNAL PHOTOGRAPHS

Lucent UMTS Flexent® OneBTS™ W1900M Wireless Base Station, incorporating the PCS UMTS-CDMA Multi-Carrier CDMA Radio (MCR1900), BNJ64; the P2PAM power amplifier, and the 60 MHz wideband, low loss, Dual Duplex (DDpx) bandpass filters configured for 3S1C operation at 40 Watts/Carrier is shown in the following photographs.

View: UMTS1900 Equipment Frame Front and Left Side View.




EXHIBIT 4: EXTERNAL PHOTOGRAPHS

View: UMTS1900 Equipment Frame Front and Right Side View with Door Removed




EXHIBIT 4: EXTERNAL PHOTOGRAPHS

View: UMTS1900 Equipment Frame Front View Closeup, Showing the Digital Shelves with Multi-Carrier CDMA Radio (MCR1900), BNJ64, and the Power Amplifier Shelf at the Bottom and Top of Photo, Respectively.




EXHIBIT 4: EXTERNAL PHOTOGRAPHS

View: UMTS1900 Equipment Frame Front View Closeup, Showing the 60 MHz Dual Duplex Filter Shelf and the Power Amplifier Shelf at the Top and Bottom of Photo, Respectively.

