


EXHIBIT 2: FCC ID LABEL SAMPLE AND LOCATION INFORMATION

SECTION 2.1033(c) (11) also SECTION 2.925 (a) (1)


A photograph or drawing of the equipment identification plate or label showing the information to be placed thereon.

The Alcatel-Lucent UMTS **9341 RRH 60W 1900MHz** Base Station system, subject of this certification, is comprised of two separate modules interconnected by fiber optic cable: 1) the digital Base Band Unit (BBU), and 2) the Remote Radio Head (RRH). They have the flexibility of being installed either in close proximity to (i.e., co-located) or remotely located from each other. The BBU incorporates the digital channel cards, reference oscillator module, T1/E1 and alarm interface, and the RF-to-Optical and Optical-to-RF conversion circuitry. The 60W 1900 MHz RRH incorporates the Future Technology Radio (FTR), power amplifier (PA) and passive filter with single transmit (Tx) and diversity receive functionality (Rx0, Rx1). Each equipment unit will have their respective labels incorporated onto a single conspicuously displayed label. The RF Remote Radio Head will display the Part 2, Subpart J, Section 2.925 FCC Identifier Label “FCC ID: AS5ONEBTS-22”. In addition, both the RF RRH and the digital Base Band Unit (BBU) will display the required Part 15, Section 15.19 label statement “This device complies with Part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference.”

The FCC Identifier Label to be displayed on the **60W 1900MHz RRH** is:




Approximate Label Location



The label to be displayed on the BBU is:

Digital Base Band Unit (BBU) Label Drawing



Top View of the Digital Base Band Unit Showing the Label Placement

Approximate Label Location

