

# Raytheon

Raytheon Marine Company

Raytheon Pathfinder  
Series Radar

ASLMTX5

ID Label Drawings

## Index

4kW Rating plate Label



3029-268

Pedestal Outline

SK500392

USED ON:


FCC ID:ASLMTX5  
 CANADA:149 381106A

**WARNING**  
High voltage

C	CANADIAN REF. NO ADDED	SM	22.7.99
B	WARNING HIGH VOLTAGE ADDED	SM	24.5.99
A	FIRST ISSUE		ORIGINAL
ISS	DESCRIPTION OF CHANGE		DATE


ITEM No	DRG/PART No	QTY	DESCRIPTION
PARTS LIST			
<b>Autohelm</b>			
TOLERANCES UNLESS OTHERWISE STATED			
X	±0,50	MACHINING: SURFACE 1.6/	
.X	±0,25	SHARP INTERNAL CORNERS TO HAVE RADIUS 0,4 MAX	
.XX	±0,10	DEBURR ALL EDGES	
.XXX	±0,05		
ANGLES	±1°		
DIMENSIONS IN MM		SCALE: 2:1	

DRAWN TO BS308  DO NOT SCALE - IF IN DOUBT ASK	
MATERIAL	3029-185
FINISH	N/A
FROZEN DATE/ISSUE/BY:	Not Frozen

TITLE	
4KW, 8PW RATING PLATE LABEL	
DRAWING No.	3029-268
SHT 1 OF 1	A3

THE INFORMATION CONTAINED HEREIN SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE PRIOR WRITTEN PERMISSION OF AUTOHELM.

USED ON:



- NOTE 1.  
 1. RATING PLATE LABEL TO BE POSITIONED AT REAR RIGHT HAND SIDE, ON LOWER RADIUS, AS SHOWN ABOVE.  
 2. RATING PLATE LABEL 3029-268 IS FOR THE 4KW PEDESTALS. ①  
 3029-283 IS FOR THE 10KW PEDESTALS. ①

D	NOTE 2 ADDED, SEE NOTE 1 & 2 WAS SEE NOTE 1.	L.D.Y	08.12.99
C	RATING PLATE LABEL POSN ADDED	SM	10.05.99
B	MAXIMUM ANTENNA DIAMETER ADDED	L.D.Y	26.04.99
A	FIRST ISSUE		ORIGINAL
ISS	DESCRIPTION OF CHANGE		DATE

ITEM No	DRG/PART No	QTY	DESCRIPTION
PARTS LIST			
1			
2			

**Raytheon**

TOLERANCES UNLESS OTHERWISE STATED	
X	±0,50
.X	±0,25
.XX	±0,10
.XXX	±0,05
ANGLES	±1°
DIMENSIONS IN MM	

MACHINING: SURFACE 1,6	SHARP INTERNAL CORNERS TO HAVE RADIUS 0,4 MAX
DEBURR ALL EDGES	
SCALE: 1:5	
DRAWN TO BS308 Ⓢ DO NOT SCALE - IF IN DOUBT ASK	
MATERIAL	
FINISH	

DR'N: L.D.Y	DATE: 19.03.99
CK'D:	
APP'D:	
TITLE PEDESTAL OUTLINE	
DRAWING No.	SK500392
SHT 1 OF 1	

A  
2