

机种: 9482CMB1515194A

工厂: 3010

BOM清单

项目

类别	层次	部品编号	部品规格	名称	排序字符串	数量	单位	安装地点
L	1		CMB1515 KB MI ASSM	CMB1515 KB MI ASSM	FA	1	EA	
L	2		CMB1515 KB SMT ASSM	CMB1515 KB SMT组件	KB MI	1	EA	
L	3	123010001412	PCB, KB, CMB1515, FR4, 1. 2, 184*163, ENIG, 4P	双面板	KB SMT	1	EA	
L	3	121604000100	RES, 10 Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	1	EA	R361;
L	3	121604000101	RES, 100 Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	1	EA	R362;
L	3	121604000102	RES, 1k Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	2	EA	R306 R316;
L	3	121604000103	RES, 10k Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	3	EA	R330 R331 R363;
L	3	121604000152	RES, 1k5 Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	2	EA	R307 R317;
L	3	121604000181	RES, 180 Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	2	EA	R301 R311;
L	3	121604000220	RES, 22 Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	3	EA	R337 R338 R339;
L	3	121604000221	RES, 220 Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	2	EA	R302 R312;
L	3	121604000222	RES, 2k2 Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	2	EA	R308 R318;
L	3	121604000225	RES, 2. 2M Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	1	EA	R340;
L	3	121604000331	RES, 330 Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	2	EA	R303 R313;
L	3	121604000332	RES, 3k3 Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	2	EA	R309 R319;
L	3	121604000471	RES, 470 Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	2	EA	R304 R314;
L	3	121604000473	RES, 47k Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	1	EA	R341;
L	3	121604000681	RES, 680 Ω, ±5%, 1/16W, 0603	贴片电阻	KB SMT	2	EA	R305 R315;
L	3	121606000681	RES, 680 Ω, ±5%, 1/10W, 0805	贴片电阻	KB SMT	14	EA	R347-360;
L	3	121803000102	CAP, 1nF, ±10%, 16V, X7R, 0603	贴片电容	KB SMT	3	EA	C307 C310-311;
L	3	121803000103	CAP, 10nF, ±10%, 50V, X7R, 0603	贴片电容	KB SMT	2	EA	C308-309;
L	3	121803000104	CAP, 0. 1uF, +80%-20%, 16V, Y5V, 0603	贴片电容	KB SMT	3	EA	C302 C305-306;
L	3	121806010105	CAP, 1uF, ±10%, 25V, X7R, 0805	贴片电容	KB SMT	2	EA	C303-304;
L	3	121806000225	CAP, 2. 2uF, +80%-20%, 16V, Y5V, 0805	贴片电容(升)	KB SMT	1	EA	C301;
L	3	121668000012	V-RES, EZJZ1V800AA, 0603, 3pF, DC18V	压敏感电阻	KB SMT	3	EA	ZR418-420;
L	3	122224000025	ZENER DIODE, 6V8, 1/2W, 1206, ±5%	稳压二极管	KB SMT	3	EA	ZD102-104;
L	3	122200000019	SW DIODE, TCLKL4148, 1/2W, 500mA, LL-34 KEL	贴片开关二极管	KB SMT	1	EA	D101;
L	3	122410000634	IC, PT6530-LQ(L), LQFP100, PRINCETON	LCD驱动IC	KB SMT	1	EA	IC101;
L	3	123405000017	LED, BLUE, SBS-0604BC-T3, 0603, 25mA	发光二极管	KB SMT	20	EA	LED301-320;
L	3	123210000076	TACT SW, 4. 3mm, WT1101EW1-43D, 180gf, SMD	轻触开关	KB SMT	16	EA	SW301-316;
L	2	123405000057	LED, WHITE, FCWHWA0-A0, φ3, , 25mA	发光二极管	KB MI	2	EA	LED102-103;
L	2	122212010002	PHOTO DIODE, IRM, 2638AF4, 5V, 1. 1A	光敏二极管	KB MI	1	EA	IC301;
L	2	123805000687	SOCKET, 4P, 3. 5mm, DIP180, AUX-IN, CM1511	插座	KB MI	1	EA	CON201;
L	2	123800000217	CONNECTOR, 17P, 2. 0mm, ESTF2-17T-02, SMD	插头	KB MI	1	EA	CON101;
L	2	121656000001	ENCODER, EVEN01F1724B, H17. 5, BA	编码电位器	KB MI	1	EA	EN301;
L	2	123400000188	LCD, CZ510, ETN, NEGATIVE, B-M(85338)	液晶显示屏	KB MI	1	EA	LCD301;
L	2	121210001020000	CMB1515, FRONT PANEL, PC	前面板	KB MI	1	EA	
L	2	121210001021000	CMB1515, REAR PANEL, PC	后面板	KB MI	1	EA	
L	2	121220000469018	CMB1515, LENS, PMMA, BLK, CZ500	镜片	KB MI	1	EA	
L	2	121230202210019	CMB1515, M-FUNC BUTTON, PC, MET+444C, CZ500	多功能钮	KB MI	1	EA	
L	2	121270500278014	CMB1515, DECO-BLOCK-L, ABS, PLT+TI, CZ500	装饰块1	KB MI	1	EA	
L	2	121270500279014	CMB1515, DECO-BLOCK-R, ABS, PLT+TI, CZ500	装饰块2	KB MI	1	EA	
L	2	121270500280014	CMB1515, DECO-BLOCK-R-D, ABS, PLT+TI, CZ500	装饰块3	KB MI	1	EA	
L	2	121230202214019	CMB1515, SRC BUTTON, PC, MET+444C, CZ500	SRC钮	KB MI	1	EA	
L	2	121240500864014	CMB1515, BUTTON BKT SRC, ABS, PLT+TI, CZ500	按钮支架	KB MI	1	EA	
L	2	121230502215014	CMB1515, VOL KNOB, ABS, PLT+TI, CZ500	音量旋钮	KB MI	1	EA	
L	2	121230302211018	CMB1515, NUM BUTTON-1, PC, GEN+BLK, CZ100	数字钮1	KB MI	1	EA	
L	2	121230302212018	CMB1515, NUM BUTTON-2, PC, GEN+BLK, CZ100	数字钮2	KB MI	1	EA	
L	2	121260000359018	CMB1515, BUT LI-GUIDE, PC, SILK, BLK, CZ100	多功能钮导光环	KB MI	1	EA	

项目类别	层次	部品编号	部品规格	名称	排序字符串	数量	单位	安装地点
L	2	121230302216018	CMB1515, EJECT BUTTON, PC, GEN+BLK	出碟钮	KB MI	1	EA	
L	2	121230002213000	CMB1515, OPEN BUTTON, PC	出屏钮	KB MI	1	EA	
L	2	121260000358000	CMB1515, VOL LI-GUIDE, PC	旋钮导光环	KB MI	1	EA	
L	2	121270000285000	CMB1515, DECO-BLOCK-VOL-SPIN, PC	旋钮装饰块	KB MI	1	EA	
L	2	121260000360000	CMB1515, CDM LI-GUIDE-L, PC	碟口导光块	KB MI	1	EA	
L	2	121260000361000	CMB1515, CDM LI-GUIDE-R, PC	碟口导光块	KB MI	1	EA	
L	2	121260000362000	CMB1515, LCD LI-GUIDE, PMMA	导光板	KB MI	1	EA	
L	2	121460000405	CMB1515, REFLECTOR SHEET, MYLAR, T0. 15	反光片	KB MI	1	EA	
L	2	121490000489	CMB1515, ZEBRA STRIP, 75*2*6	斑马条	KB MI	2	EA	
L	2	121002000143	CMB1515, LCD COVER, SPTE, T0. 5	LCD罩	KB MI	1	EA	
L	2	121490000490	CMB1515, RUBBER RING, RUBBER	橡胶环	KB MI	1	EA	
L	2	121460000404	CMB1515, FILTER SHEET, PC, T0. 15	滤光片	KB MI	1	EA	
L	2	121460000407	CMB1515, LI-SHIELD SHEET, TIN FOIL, T0. 05	护光片	KB MI	1	EA	
L	2	121035000569	CMV129, SPRING FOR VOL KNOB, PWR, ϕ 0. 7	弹簧	KB MI	1	EA	
L	2	121035000605	CMV129, SPRING FOR OPEN, PWR, ϕ 0. 25	弹簧	KB MI	1	EA	
L	2	121040000184	SCREW, PTP, BLACK ZINC, M2*10	螺钉	KB MI	4	EA	
L	2	121460000359	CMV129, INSULATING SHEET, PC, CONNECT	绝缘片	KB MI	1	EA	
L	2	121290601295017	DM751, BRAND BADGE, ABS, BRZ+SIL, CLARION	铭牌(升)	KB MI	1	EA	
L	2	121405000002	CM206, REMOTE MAT, EVA, 7*6*2	遥控头垫片	KB MI	1	EA	
L	2	121040000021	SCREW, BB, BLACK ZINC, M1. 6*4. 5	螺钉	KB MI	4	EA	
L	2	121445000195	CMB1515, DOUBLE TAPE FOR LENS, 3M	双面胶	KB MI	1	EA	
L	2	121445000022	CD206, DOUBLE TAPE FOR LENS, 3M	双面胶	KB MI	3	EA	
L	1	723CMB1515MBPPO	CMB1515 MB MI ASSM	CMB1515 MB MI ASSM	FA	1	EA	
L	2	722CMB1515MBPPO	CMB1515 MB SMT ASSM	CMB1515 MB SMT ASS	MB MI	1	EA	
L	3	721CMB1515MBPPO	CMB1515 MB AI ASSM	CMB1515 MB AI ASSM	MB SMT	1	EA	
L	4	123010001524	PCB, MB, CMB1515, FR4, 1. 6, 165*194, OSP, 1, SMK	双面板	MB RI	1	EA	
L	4	121830060106	E. CAP, 10 μ F, \pm 20%, 5*5, 16V, 105 $^{\circ}$ C, TP2. 5	电解电容	MB RI	3	EA	C332 C354 C422;
L	4	121830020107	E. CAP, 100 μ F, \pm 20%, 6. 3*5, 16V, 105 $^{\circ}$ C, TP2. 5	电解电容	MB RI	25	EA	C101 C111 C115;C204-205 C327 C359;C408 C516 C607 C608;C616-617 C702;C706-708 C711 C903;C905 C909-910 C951; C953 C960;
L	4	121830050225	E. CAP, 2. 2 μ F, \pm 20%, 4*5, 50V, 105 $^{\circ}$ C, TP2. 5	电解电容	MB RI	11	EA	C514 C601-604;C609-612 C701 C709;
L	4	121830090226	E. CAP, 22 μ F, \pm 20%, 4*5, 16V, 105 $^{\circ}$ C, TP2. 5	电解电容	MB RI	7	EA	C333-334 C347 C353;C358 C381 C513;
L	4	121830110476	E. CAP, 47 μ F, \pm 20%, 5*5, 16V, 105 $^{\circ}$ C, TP2. 5	电解电容	MB RI	1	EA	C412;
L	3	121614000022	RES, 2 Ω , \pm 5%, 1/2W, SMT, 2010	贴片电阻	MB SMT	8	EA	R5-7 R124-125 R220;R400-401;
L	3	121606000100	RES, 10 Ω , \pm 5%, 1/10W, 0805	贴片电阻	MB SMT	1	EA	R109
L	3	121608000100	RES, 10 Ω , \pm 5%, 1/8W, 1206	贴片电阻	MB SMT	3	EA	R263 R381 R505;
L	3	121604000101	RES, 100 Ω , \pm 5%, 1/16W, 0603	贴片电阻	MB SMT	35	EA	R108 R110 R114 R116;R276-277 R325 R328;R334-335 R455;R601-604 R617-620;R625-628 R709-710;R717 R720 R727-730;
L	3	121618000101	NET RES, 100 Ω *4, \pm 5%, 1/16W, 0603	贴片排阻	MB SMT	5	EA	R818;R926-928;
L	3	121608000101	RES, 100 Ω , \pm 5%, 1/8W, 1206	贴片电阻	MB SMT	2	EA	R231-235;
L	3	121604000102	RES, 1k Ω , \pm 5%, 1/16W, 0603	贴片电阻	MB SMT	24	EA	R701 ;R639;
L	3	121608000102	RES, 1k Ω , \pm 5%, 1/4W, 1206	贴片电阻	MB SMT	1	EA	R101-102 R121 R123;R215;R217-218 R279 R331;R346 R403 R417 R428;R501-502 R805-808;R902 R912 R918 R924;
L	3	121604000103	RES, 10k Ω , \pm 5%, 1/16W, 0603	贴片电阻	MB SMT	38	EA	R412;
L	3	121604000104	RES, 100k Ω , \pm 5%, 1/16W, 0603	贴片电阻	MB SMT	19	EA	R909;
L	3	121618000104	NET RES, 100k Ω *4, \pm 5%, 1/16W, 0603	贴片排阻	MB SMT	1	EA	R106-107 R111-113;R115 R119 R122;R212-213 R219 R311;R347 R359 R360 R402;R404 R406 R419 R422;R429 R456 R486 R712;
L	3	121604000105	RES, 1M Ω , \pm 5%, 1/16W, 0603	贴片电阻	MB SMT	2	EA	R723-724 R813-816;R819 R829 R901 R911;R914 R917 R923;R411; R382-383 R420 R431;R485 R511 R629-632;R711 R715 R721
L	3	121604000123	RES, 12k Ω , \pm 5%, 1/16W, 0603	贴片电阻	MB SMT	1	EA	R725;R733-734 R833 R913;R933;
L	3	121604000153	RES, 15k Ω , \pm 5%, 1/16W, 0603	贴片电阻(升)	MB SMT	2	EA	R1;

项目类别	层次	部品编号	部品规格	名称	排序字符串	数量	单位	安装地点
L	3	121604000182	RES, 1k8 Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	2	EA	R204 R206;
L	3	121604000222	RES, 2k2 Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	8	EA	R425 R519-520;R525-526 R714 R719;R931;
L	3	121604000223	RES, 22k Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	7	EA	R407 R514 R932;R605-R608;
L	3	121604000224	RES, 220k Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	1	EA	R415;
L	3	121604000332	RES, 3k3 Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	7	EA	R542-543 R922; R801-804
L	3	121604000333	RES, 33k Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	5	EA	R427 R609-612;
L	3	121604000334	RES, 330k Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	4	EA	R481-484;
L	3	121604000471	RES, 470 Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	1	EA	R716;
L	3	121604000472	RES, 4k7 Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	13	EA	R120 R211 R269-271;R333 R503 R506-507;R544-545 R722 R915;
L	3	121604000473	RES, 47k Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	17	EA	R264-268 R301-305;R308 R405;R702-703 R707 R713;R834;
L	3	121604000562	RES, 5k6 Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	6	EA	R339-340 R510 R916;R523-524;
L	3	121604000563	RES, 56k Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	1	EA	R512;
L	3	121604000681	RES, 680 Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	2	EA	R426 R430;
L	3	121604000682	RES, 6.8k Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	7	EA	R341-342 R357-358;R409 R521-522;
L	3	121604000752	RES, 7k5 Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	5	EA	R704-706;R708 R817;
L	3	121604000822	RES, 8.2K Ω, ±5%, 1/16W, 0603	贴片电阻	MB SMT	2	EA	R201-202;
L	3	121803000101	CAP, 100pF, ±10%, 50V, NPO, 0603	贴片电容	MB SMT	1	EA	C103;
L	3	121803000102	CAP, 1nF, ±10%, 16V, X7R, 0603	贴片电容	MB SMT	9	EA	C329-330 C349-350;C481 C810-813;
L	3	121803000103	CAP, 10nF, ±10%, 50V, X7R, 0603	贴片电容	MB SMT	2	EA	C540-541;
L	3	121803000104	CAP, 0.1uF, +80%-20%, 16V, Y5V, 0603	贴片电容	MB SMT	31	EA	C102 C112 C114;C206 C208 C212;C325-326 C336 C357;C360 C382
L	3	121803010105	CAP, 1uF, +80%-20%, 16V, Y5V, 0603	贴片电容	MB SMT	2	EA	C403 C410;C438 C515 C521;C614;C703-704 C817-818;
L	3	121806000105	CAP, 1uF, +80%-20%, 50V, Y5V, 0805	贴片电容	MB SMT	6	EA	C902 C904 C906 C911;C915 C952 C961-962;C964;
L	3	121803000120	CAP, 12pF, ±5%, 50V, NPO, 0603	贴片电容	MB SMT	2	EA	C211 C912;
L	3	121803000153	CAP, 15nF, ±10%, 50V, X7R, 0603	贴片电容	MB SMT	2	EA	C320-321 C323-324;C815 C913;
L	3	121803000222	CAP, 2.2nF, ±10%, 50V, X7R, 0603	贴片电容	MB SMT	2	EA	C406-407;
L	3	121803000224	CAP, 0.22uF, +80%-20%, 50V, Y5V, 0603	贴片电容	MB SMT	1	EA	C705 C710;
L	3	121806000225	CAP, 2.2uF, +80%-20%, 16V, Y5V, 0805	贴片电容(升)	MB SMT	21	EA	C538-539;
L	3	121803000330	CAP, 33pF, ±5%, 50V, NPO, 0603	贴片电容	MB SMT	2	EA	C814;
L	3	121803000332	CAP, 3.3nF, ±10%, 50V, X7R, 0603	贴片电容	MB SMT	1	EA	C328 C331 C335 C337;C351-352 C355-356;C501-509 C511-
L	3	121803000471	CAP, 470pF, ±10%, 50V, X7R, 0603	贴片电容	MB SMT	2	EA	512;C517-518;
L	3	121803000681	CAP, 680pF, ±10%, 16V, X7R, 0603	贴片电容	MB SMT	2	EA	C404-405;
L	3	124800000049	FUSE, FMD110-16, 1.1A, 16V	保险丝	MB SMT	2	EA	C116;
L	3	121668000012	V-RES, EZJZ1V800AA, 0603, 3pF, DC18V	压敏感电阻	MB SMT	32	EA	C542-543;
L	3	122040000060	CHIP BEAD, 1206 10uH, 100MHz, 0.1 Ω	磁珠	MB SMT	2	EA	C536-537;
L	3	121827000225	SMD E-CAP, 2.2uF, ±20%, 4*5.3, 50V, 105°C	贴片电解电容	MB SMT	9	EA	R214 R332;
L	3	121827020476	SMD E-CAP, 47uF, ±20%, 5*5.3, 16V	贴片电解电容	MB SMT	1	EA	R118 R203 R205 R207;R210 R222 R224;R318-321 R323;R326-327
L	3	122206000003	REC DIODE, 1N4001, 1A, 1V, 50V, 1210	整流二极管	MB SMT	4	EA	R329-330;R516-518 R635-638;R718 R726 R732 R735;
L	3	122200000019	SW DIODE, TCLL4148, 1/2W, 500mA, LL-34 KEL	贴片开关二极管	MB SMT	14	EA	R929-930;R471 R472 R473;
L	3	122224000002	ZENER DIODE, 10V, 1/2W, MINI MELF	稳压二极管	MB SMT	2	EA	L201 L304;
L	3	122224000025	ZENER DIODE, 6V8, 1/2W, 1206, ±5%	稳压二极管	MB SMT	3	EA	C801-802 C804-809;C914;
L	3	122245000017	TR, KRA102S (PNP), SOT-23	三极管	MB SMT	1	EA	C816;
L	3	122245000018	TR, KRC102 (NPN), SOT-23	三极管	MB SMT	19	EA	D102 D418 D971;D905;
L	3	142245000021	TR, KRC231S (NPN), SOT-23	三极管	MB SMT	8	EA	D419 D421-422 D501;D701-702 D721;D902-904 D972-973;D413
L	3	122251000001	TR, 2N3904 (NPN), SOT-23	三极管	MB SMT	6	EA	D414;
L	3	122245000048	TR, MMBT3906LT1 (PNP), SOT-23, KEC	三极管	MB SMT	6	EA	ZD401 ZD601;
L	3	122245000029	TR, KTC8550, SOT-23, KEC	三极管	MB SMT	3	EA	ZD402 ZD902 ZD904;
L	3	122266000045	MOSFET, A03401A, SOT-23	场效应管	MB SMT	7	EA	Q407;
								Q103-104 Q202 Q204;Q304-305 Q307-308;Q314 Q401 Q405
								Q421;Q722 Q902 Q908-909;Q980 Q982 Q411;
								Q601-604 Q703-706;
								Q402 Q406 Q409 Q501;Q805 Q905;
								Q404 Q408 Q701 Q721;Q906 Q981;
								Q201 Q904 Q907;
								Q101-102 Q203 Q313;Q901 Q983 Q410;

项目类别	层次	部品编号	部品规格	名称	排序字符串	数量	单位	安装地点
L	3	122400000068	IC, AMS1117-3V3, SOT-223, AMS	电源IC	MB SMT	1	EA	U101;
L	3	122400000841	IC, L78M06CDT-TR, TO-252, ST	电源IC	MB SMT	1	EA	U201;
L	3	122400000999	IC, D3121, SOP8, Silicroe	放大IC	MB SMT	2	EA	U302-303;
L	3	122400000416	IC, UTC4558, SOP-8, UTC	运放IC	MB SMT	1	EA	U603;
L	3	122400000017	IC, 74HC4052D, PHILIPS	门电路	MB SMT	1	EA	U305;
L	3	122410000308	IC, MAX232ESE, SOP16, MAXIM	控制IC	MB SMT	1	EA	U307;
L	3	122400000384	IC, TDA7419TR, SOP28, ST	音效IC	MB SMT	1	EA	U501;
L	3	122410000424	IC, UPD78F0547, LQFP-12*12, NEC	主控IC	烧录IC	1	EA	U401;
L	3	123805000625	SOCKET, 15P, 1.5mm, 1.5T-2-WT-NA, SMD	插座	MB SMT	1	EA	CON311;
L	3	122290000027	TVS DIODE, SMCJ33CA, 1500W, SMD	TVP二极管	MB SMT	1	EA	TVS901;
L	3	122290000003	ESD 静电防护二极管	ESD 静电防护二极管	MB SMT	3	EA	Z202-204;
L	3	123815000268	FFC SOCKET, 25P, 1.0mm, UPPER CON, SMT	FFC插座	MB SMT	1	EA	CON406;
L	3	121803000152	CAP, 1.5nF, ±10%, 50V, X7R, 0603	贴片电容	MB SMT	2	EA	C605 C606;
L	3	122400001137	IC, NJM2792, SSOP-20, JRC	运放IC	MB SMT	1	EA	U601;
L	2	121670000109	THERMAL RES, GBX050, PTC (RILAIIDA)	热敏感电阻	MB MI	2	EA	R126 R157;
L	2	121650000022	RCF, 2Ω, ±5%, 2W	碳膜电阻	MB MI	4	EA	R216 R416 R903 R920;
L	2	121640000047	RCF, 4Ω, ±5%, 1/8W	碳膜电阻	MB MI	1	EA	R103;
L	2	121648000560	RCF, 56Ω, ±5%, 1W	碳膜电阻	MB MI	1	EA	R908;
L	2	121842030338	E. CAP, 3300uF, ±20%, 13*26, 16V, 105°C	电解电容	MB MI	1	EA	C901;
L	2	121890002209	CAP, 0.22F, 5.5V, 10.5*5.5, TYPE H, SUPER	法拉电容	MB MI	1	EA	C209;
L	2	122820000042	TCXO, 32.768K, ±20ppm, -20+70°C, 12.5pF, DIP	晶体	MB MI	1	EA	XT402;
L	2	122825000055	TCXO, 8M, ±10ppm, -30+85°C, 20pF, DIP	晶体	MB MI	1	EA	XT401;
L	2	122206000006	REC DIODE, 1N5401, 3A, 1V, 100V, DO-27, HY	整流二极管	MB MI	1	EA	D901;
L	2	122254000018	TR, BD435, TO-126C, CJ	三极管	MB MI	1	EA	Q403;
L	2	122400000187	IC, KIA7035AF, TO-92, KEC	电源IC	MB MI	1	EA	U403;
L	2	122400000218	IC, LM2950-5V, TO-92, HTC	电源IC	MB MI	1	EA	U902;
L	2	122400000701	IC, TB2923, HZIP25-P-1.00F, TOSHIBA	功放IC	MB MI	1	EA	U801;
L	2	123210000104	TACH SW, SKHLLAA010, 80gf, 4.3mm, DIP	轻触开关	MB MI	1	EA	SW1;
L	2	124815000104	KST-CF111LVD-178F, AM/FM/LW	调谐器	MB MI	1	EA	TUN101;
L	2	122015000036	CHOKE, 200uH, 1A, 24*30*11mm, ±30%, FERRITE	扼流线圈	MB MI	1	EA	L901;
L	2	123805010452	SOCKET, 17P, 2.0mm, DIP90°, ESTF2-17Z-02, PWR	插座	MB MI	1	EA	CON102;
L	2	123805000702	SOCKET, 16P, 2.5mm, DIP, CSC5016-1101FSZ, SMK	插座	MB MI	1	EA	CON801;
L	2	123800000023	SOCKET, 2P, 2.0mm DIP180°	插座	MB MI	1	EA	CON1;
L	2	123805000231	SOCKET, 3P, 2.0mm, DIP90°	插座	MB MI	1	EA	CON312;
L	2	122230000001	LIGHTNING DIODE, YP-701M, 700V, L=4	防雷二极管	MB MI	1	EA	D101;
L	1	723CMB1515SBPP0	CMB1515 SB MI ASSM	CMB1515 SB MI ASSM	FA	1	EA	
L	2	722CMB1515SBPP0	CMB1515 SB SMT ASSM	CMB1515 SB SMT ASS	SB MI	1	EA	
L	3	123010031379	PCB, SB, CMB747, FR4, 1.2, 131*273, OSP, 3P	双面板	SB SMT	1	EA	
L	3	121604000000	RES, 0Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	7	EA	R726 R6 R707 R763;R708 R4 R5;
L	3	121604000047	RES, 4Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	2	EA	R601 R603;
L	3	121604000100	RES, 10Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	8	EA	R710 R789 R712 R790;R714 R791 R715 R788; R410 R720 R735 R741;R746 R702 R721 R736;R742 R747 R706 R723;R737 R743 R749 R713;R727 R739 R744 R755;R718 R734 R740
L	3	121604000101	RES, 100Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	26	EA	R745; R701 R602; R625 R760 R626 R761;R627 R762 R628 R502;R629 R8 R9 R403- 406; R901 R613 R709 R771;R509 R516 R902 R614;R717 R772 R510 R517;R616 R719 R773 R512;R610 R631 R768 R778;R514 R2 R612
L	3	121604000102	RES, 1kΩ, ±5%, 1/16W, 0603	贴片电阻	SB SMT	15	EA	R634; R770 R508 R515 R3;R705 R704; R401 R780 R785 R402;R781 R786 R604 R782;R787 R729 R783
L	3	121604000103	RES, 10kΩ, ±5%, 1/16W, 0603	贴片电阻	SB SMT	30	EA	R733;R784;
L	3	121604000104	RES, 100kΩ, ±5%, 1/16W, 0603	贴片电阻	SB SMT	13	EA	R618 R703;
L	3	121604000105	RES, 1MΩ, ±5%, 1/16W, 0603	贴片电阻	SB SMT	2	EA	

项目类别	层次	部品编号	部品规格	名称	排序字符串	数量	单位	安装地点
L	3	121604000151	RES, 150 Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	1	EA	R609;
L	3	121604000183	RES, 18k Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	1	EA	R608;
L	3	121604000221	RES, 220 Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	1	EA	R753;
L	3	121604000222	RES, 2k2 Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	4	EA	R411 R617 R407 R653;
L	3	121604000273	RES, 27k Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	2	EA	R620 R623;
L	3	121604000330	RES, 33 Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	1	EA	R758;
L	3	121604000332	RES, 3k3 Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	1	EA	R501;
L	3	121604000471	RES, 470 Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	1	EA	R605;
L	3	121604000472	RES, 4k7 Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	2	EA	R511 R513;
L	3	121604000473	RES, 47k Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	4	EA	R414 R415 R711 R606;
L	3	121604000562	RES, 5k6 Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	1	EA	R650;
L	3	121608000010	RES, 1 Ω, ±5%, 1/8W, 1206	贴片电阻	SB SMT	2	EA	R1 R10;
L	3	121803000101	CAP, 100pF, ±10%, 50V, NPO, 0603	贴片电容	SB SMT	11	EA	C600 C639 C748 C621;C648 C632 C717 C633;C746 C636 C747; C401 C609 C619 C703;C708 C713 C719 C738;C904 C403 C603 C610;C620 C704 C709 C714;C720 C739 C721 C404;C606 C612 C622
L	3	121803000104	CAP, 0. 1uF, +80%-20%, 16V, Y5V, 0603	贴片电容	SB SMT	44	EA	C705; C710 C722 C741 C408;C607 C613 C624 C706;C711 C716 C723 C742;C608 C614 C625 C707;C712 C718 C737 C902;
L	3	121803000150	CAP, 15pF, ±5%, 50V, NPO, 0603	贴片电容	SB SMT	4	EA	C419 C420 C428 C429;
L	3	121803000151	CAP, 150pF, ±10%, 16V, X7R, 0603	贴片电容	SB SMT	2	EA	C411 C412;
L	3	121803000180	CAP, 18pF, ±5%, 50V, NPO, 0603	贴片电容	SB SMT	6	EA	C680 C627 C681 C682;C698 C626;
L	3	121803000220	CAP, 22pF, ±5%, 50V, NPO, 0603	贴片电容	SB SMT	6	EA	C702 C901 C601 C903;C602 C701;
L	3	121803000224	CAP, 0. 22uF, +80%-20%, 50V, Y5V, 0603	贴片电容	SB SMT	1	EA	E610;
L	3	121803000272	CAP, 2. 7nF, ±10%, 16V, X7R, 0603	贴片电容	SB SMT	1	EA	C616;
L	3	121803000561	CAP, 560pF, ±10%, 16V, X7R, 0603	贴片电容	SB SMT	4	EA	C422 C423 C424 C425;
L	3	121803000681	CAP, 680pF, ±10%, 16V, X7R, 0603	贴片电容	SB SMT	1	EA	E617;
L	3	121803010105	CAP, 1uF, +80%-20%, 16V, Y5V, 0603	贴片电容	SB SMT	11	EA	C402 C410 C405 C406;C407 C421 C409 C740;C417 C418 C715;
L	3	121806000225	CAP, 2. 2uF, +80%-20%, 16V, Y5V, 0805	贴片电容(升)	SB SMT	1	EA	C905;
L	3	121827000106	SMD E-CAP, 10uF, ±20%, 4*5. 3, 16V, 105℃	贴片电解电容	SB SMT	2	EA	E413 E402;
L	3	121827000107	SMD E-CAP, 100uF, ±20%, 6. 3*5. 5, 16V, 105℃	贴片电解电容	SB SMT	5	EA	E603 E713 E710 E606;E901;
L	3	121827020227	SMD E-CAP, 220uF, ±20%, 6. 3*7. 7, 16V, 105℃	贴片电解电容	SB SMT	1	EA	E601;
L	3	121845020475	TAN. CAP, 4. 7uF, 16V, ±20%, A	钽电容	SB SMT	1	EA	E611;
L	3	121845030106	TAN. CAP, 10uF, 10V, ±20%, A	钽电容	SB SMT	1	EA	E401;
L	3	121845040107	TAN. CAP, 100uF, 10V, ±20%, C, AVX	钽电容	SB SMT	8	EA	E604 E609 E612 E607;E608 E702 E715 E1;
L	3	122040000011	CHIP BEAD, 0603, 800mA, 100MHz, 0. 6 Ω	磁珠	SB SMT	1	EA	L901;
L	3	122200000019	SW DIODE, TCLKL4148, 1/2W, 500mA, LL-34 KEL	贴片开关二极管	SB SMT	3	EA	D601 D602 D703;
L	3	122233000005	SCHTTKY DIODE, RB551, 0. 5A, 20V, SOD-323, CJ	肖特基二极管	SB SMT	3	EA	D701 D702 D704;
L	3	122245000048	TR, MMBT3906LT1 (PNP), SOT-23, KEC	三极管	SB SMT	1	EA	Q501;
L	3	122251000001	TR, 2N3904 (NPN), SOT-23	三极管	SB SMT	2	EA	Q602 Q601;
L	3	122266000002	MOSFET, 2SK3018, UMT3	场效应管	SB SMT	3	EA	Q502 Q503 Q504;
L	3	122400001047	IC, SA1117-1. 8, SOT-223, SL	电源IC	SB SMT	1	EA	U803;
L	3	122400001048	IC, SA1117-3. 3, SOT-223, SL	电源IC	SB SMT	1	EA	U708;
L	3	122400000179	IC, IS42S16400-7T, TSOPII-54, ISSI	存储器	SB SMT	1	EA	U703;
L	3	122410000091	IC, SST39VF1601-70-4C-EKE, TSOP-48, SST	存储器	烧录IC	1	EA	U704;
L	3	122400001094	IC, BA5968FP, HSOP28, ROHM MOTOR DRIVER	马达驱动IC	SB SMT	1	EA	IC1;
L	3	122410000591	IC, BX8805, TQFP-128, MCS-LOGIC	解码IC	SB SMT	1	EA	U701;
L	3	122410000593	IC, BU9543KV, VQFP64, ROHM	伺服IC	SB SMT	1	EA	U601;
L	3	122410000594	IC, XC6206P122PR, 1. 2V, SOT-89, TOREX	三端稳压IC	SB SMT	1	EA	U709;
L	3	122410000595	IC, LBMA-2C66B, BTHCI	蓝牙处理IC	SB SMT	1	EA	U901;
L	3	122410000596	IC, SN74HC157DR, SOIC-16PIN, TI	逻辑IC	SB SMT	1	EA	U705;
L	3	122410000597	IC, CS42L51, 32L QFN, 5*5mm BODY	编码IC	SB SMT	1	EA	U401;
L	3	123800000006	FPC SOCKET, 15P, 1. 0mm, SMD, UP	FPC插座	SB SMT	1	EA	CN602;
L	3	121604000333	RES, 33k Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	1	EA	R635;
L	3	121604000682	RES, 6. 8k Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	1	EA	R652;

项目类别	层次	部品编号	部品规格	名称	排序字符串	数量	单位	安装地点
L	3	122040000055	CHIP BEAD, 1206 2A, 100MHz, 31Ω	磁珠	SB SMT	1	EA	L707;
L	3	121803000682	CAP, 6.8nF, ±10%, 50V, X7R, 0603	贴片电容	SB SMT	1	EA	C615;
L	3	121604000623	RES, 62kΩ, ±5%, 1/16W, 0603	贴片电阻	SB SMT	2	EA	R624 R619;
L	3	122400001048	IC, SA1117-3.3, SOT-223, SL	电源IC	SB SMT	1	EA	U1;
L	3	121809010106	CAP, 10uF, +80%-20%, 16V, Y5V, 1206	贴片电容	SB SMT	2	EA	C1 C724;
L	3	121606000010	RES, 1Ω, ±5%, 1/10W, 0805	贴片电阻	SB SMT	1	EA	R776;
L	3	122245000029	TR, KTC8550, SOT-23, KEC	三极管	SB SMT	1	EA	Q604;
L	3	122410000598	IC, MF1341S2162, QFN-20, IPOD CP 2.0B (FGE)	协处理器	SB SMT	1	EA	U702;
L	3	123815000268	FFC SOCKET, 25P, 1.0mm, UPPER CON, SMT	FFC插座	SB SMT	1	EA	CN701;
L	3	122825000080	TCXO, 16.9344M, ±10ppm, -30+80°C, 20pF, SMD	晶体	SB SMT	1	EA	Y601;
L	3	122040000206	CHIP BEAD, 0805, 300mA, CBG, 300Ω	贴片磁珠	SB SMT	1	EA	FB1;
L	3	121604000010	RES, 1Ω, ±5%, 1/16W, 0603	贴片电阻	SB SMT	2	EA	R412 R413;
L	2	123820000130	FFC, 25P, 1.0mm, 120mm, TYPE A	软排线	SB MI	1	EA	
L	2	122820000006	TCXO, 12.0M, ±30ppm, -20+70°C, 18pF, DIP	晶体	SB MI	1	EA	Y701;
L	2	123210000004	END-SENSE SW, SW111	限位开关	SB MI	1	EA	SW601;
L	2	123405000004	INFRARED RECEIVER, IR928-6C	红外接收	SB MI	2	EA	D604 D605;
L	2	123800000022	SOCKET, 2P, 2.0mm DIP90°	插座	SB MI	1	EA	MIC401;
L	2	124840000044	DECK, CL-50, MULTIMEDIA, JVC726	机芯	SB MI	1	EA	
L	2	124845000098	ANT, CMB747-SB, BMA36-100MM, SUNWELL	蓝牙天线	SB MI	1	EA	ANT901;
L	2	121104050025	SCREW, PWTS, BLUE ZINC, M2*4	螺钉	SB MI	4	EA	
L	2	121405000004	CM206, SPONGE FOR DECK FPC, EVA, 34*24*2	海绵	SB MI	1	EA	
L	2	127070011337	DV-200, LASER LABEL, 50*25	标贴	SB MI	1	EA	
L	1	122400000988	IC, L7806CV, TO-220, ST	稳压IC	FA	1	EA	IC202;
L	1	122400000198	IC, L7809CV, TO-220, ST	电源IC	FA	1	EA	IC901;
L	1	123830000904	I/O, CMB1515, 12P+4P, LINE OUT/S OUT/SWC	整机输出线	FA	1	EA	CON3+CON305;
L	1	123830000905	I/O, CMB1515, 15P, HD BUS/XM BUS, 150mm	整机输出线	FA	1	EA	CON101+CON311+CON312;
L	1	123830000950	I/O, CMB1515, 2P, MIC, 120mm	整机输出线	FA	1	EA	
L	1	124805000313	REMOTE, CZ500, RCB-176-200, CLARION	遥控器	FA	1	EA	
L	1	线束组件	委外加工	整机输出线	FA	1	EA	
L	2	123800000287	CONNECTOR, 18P, 2.5mm, 101CSS-200-80F, SMK	插头	委外	1	EA	
L	2	123890000188	CONNECT TERGANT, CMB1515, CTA1114-0801F, SM	排针	委外	2	EA	
L	2	123890000189	CONNECT TERGANT, CMB1515, CTA1118-0611F, SM	排针	委外	14	EA	
L	1	124800000051	FUSE, ATC-5, 15A, 32V, BUSSMAN	保险丝	FA	1	EA	
L	1	121000001864	DVU1284, DECK BKT BACK, SECC, T1.0	机芯后支架	FA	1	EA	
L	1	121010000268	DM7234N, HEATSINK, AL	散热片	FA	1	EA	
L	1	121460000375	DM7234N, INSULATING SHEET, FIBRE, TO.3	绝缘片	FA	1	EA	
L	1	121000050316	CM216, SHORT SHEET, SECC, TO.5	安装短套	FA	1	EA	
L	1	121050000003	CMV100, MOUNTING BOLT, STEEL, L48	安装螺栓	FA	1	EA	
L	1	121410000026	CMV100, BOLT RUBBER CUSHION, RUBBER	螺栓橡胶套	FA	1	EA	
L	1	121106070011	SCREW, BTB, BLUE ZINC, M2.6*5	螺钉	FA	8	EA	机芯后支架+2, 面板支架侧1, 主板3, 上下盖2
L	1	121040000089	SCREW, BTS, BLACK ZINC, M2.6*10	螺钉	FA	2	EA	固定机芯(从面板支架正面打进)
L	1	121040000054	SCREW, BM, BLACK ZINC, M2.6*5	螺钉	FA	1	EA	面板支架正面
L	1	121104070007	SCREW, BTS, BLUE ZINC, M2.6*5	螺钉	FA	2	EA	机芯后支架
L	1	121101050013	SCREW, PA, BLUE ZINC, M2.6*8	螺钉	FA	2	EA	固定ISO插座
L	1	121050000023	HE*AGONAL NUT, BLUE ZINC, M3*2.5,	螺母	FA	2	EA	电源IC
L	1	121100070059	SCREW, BM, BLUE ZINC, M3*8	螺钉	FA	2	EA	电源IC
L	1	121405000040	CMV100, RUBBER MAT MAIN PCB, RUBBER, 6*6*3	橡胶垫	FA	2	EA	主板底部
L	1	121104070008	SCREW, BTS, BLUE ZINC, M2.6*8	螺钉	FA	2	EA	散热片
L	1	121106070015	SCREW, BTB, BLUE ZINC, M2.6*14	螺钉	FA	2	EA	功放IC
L	1	121100070063	SCREW, BM, BLUE ZINC, M5*6	螺钉	FA	4	EA	
L	1	121090000327	DM7234N, SIDE KEY NEW, SECC, T1.0	取机钥匙	FA	2	EA	
L	1	127060000019	CMV100, POLY BAG MANUAL, PE	胶袋	FA	1	EA	
L	1	127060000020	CMV100, POLY BAG RIM, PE	胶袋	FA	3	EA	面板, 装饰框, 线束
L	1	127060000021	CMV100, POLY BAG SCREW, PE	胶袋	FA	1	EA	

项目类别	层次	部品编号	部品规格	名称	排序字符串	数量	单位	安装地点
L	1	127060000023	CMV100, POLY BAG SIDE LOCK, PE	胶袋	FA	1	EA	
L	1	127060020025	CMV100, POLY BAG UNIT, PE	胶袋	FA	1	EA	
L	1	127060000027	CMV100, POLY BAG REMOTE CELL, PE	胶袋	FA	1	EA	防盗螺丝
L	1	121100050070	SCREW, PM, BLUE ZINC, M1. 6*4	螺钉	FA	1	EA	防盗螺丝
L	1	121405000032	CM700, MAT, EVA, 60*5*1	海绵垫	FA	1	EA	
L	1	121405000075	CD101, SPONGE PANEL BOX, SPONGE, 180*52*6	海绵垫	FA	2	EA	
L	1	121000001863	DVU1284, BOT COVER, SECC, T0. 5	底盖(升)	FA	1	EA	
L	1	121000002185	CMB1515, FRAME, SECC, T0. 8, SMK	中框	FA	1	EA	
L	1	121000001854	DM7234N, TOP COVER, SECC, T0. 5	顶盖	FA	1	EA	
L	1	127045000231	CMB7522, TOP EPE FORM, 660*245*1. 0	珍珠棉	FA	167	MEA	
L	1	121270000277000	CMB1515, RIM, ABS	装饰框	FA	1	EA	
L	1	127045000223	CMB7522, EPE FOAM-LEFT, EPE, 285*103*51	左珍珠棉	FA	1	EA	
L	1	127045000229	CMB1515, EPE FOAM-RIGHT, EPE, 285*103*51	右珍珠棉	FA	1	EA	
L	1	121240000865000	CMB1515, CABINET, ABS	面板支架	SA MI	1	EA	
L	1	121450000127	DVU1284, DUSTPROOF CLOTH DISK, HYMERON	碟口防尘布	SA MI	1	EA	
L	1	121035000364	CD126, SPRING FOR OPEN CAP, PWR, φ 0. 3	弹簧	SA MI	1	EA	
L	1	121290000848000	CD126, CAP OPEN, POM	弹臂(升)	SA MI	1	EA	
L	1	121000001004	CD126, BRACKET FOR LOCK, SECC, T1. 0	锁扣支架	SA MI	1	EA	
L	1	121290010847000	CD126, LOCKER, POM	锁扣	SA MI	1	EA	
L	1	121035010145	CMV100, SPRING LOCK BOTTOM, PWR, φ 0. 3	弹簧	SA MI	1	EA	
L	1	121040000185	SCREW, PTP, BLACK ZINC, M2*5	螺钉	SA MI	1	EA	
L	1	127070005920	CMB1515194A, SN LABEL, CLARION	标贴	FA	2	EA	
L	1	127070000427	CM110, QC PASS LABEL	标贴	FA	1	EA	
L	1	127070011752	DV-200, WARRANTY LABEL, 45*25	警告标贴	FA	1	EA	
L	1	127070005175	CMU7051, SCREW LABEL	标贴	FA	1	EA	
L	1	127020001895	CMB1515194A, GIFT BOX, 290*241*107	彩盒	FA	1	EA	
L	1	127000001736	CM1511194A, CARTON, K=A, 670*255*310	卡通箱	FA	167	MEA	
L	1	127070005918	CMB1515194A, MODEL LABEL, CLARION	主机标贴	FA	1	EA	
L	1	127075002415	CMB1515194A, MANUAL	说明书	FA	1	EA	
L	1	127070005482	DM751, WARRANTY CARD	保修卡	FA	1	EA	
L	1	127070005919	CMB1515194A, BARCODE LABEL	条形码标贴	FA	3	EA	
L	1	127070005943	CMB1515194A, REMOTE WARNING LABEL	遥控器警示标贴	FA	1	EA	
L	1	141250010033	CMV100, PANEL BOX, PP, PUSH	面板盒	FA	1	EA	