

Clarion Co., Ltd.

■ Headquarters & Technology Center
7-2 Shintoshin Chuo-Ku, Saitama-Shi,
Saitama, 330-0081, Japan
TEL: +81-48-601-3700

■ Headquarters-Annex Office
Land Axis Tower 30F, 11-2, Shintoshin, Chuo-
Ku, Saitama-Shi, Saitama, 330-6030, Japan
TEL: +81-48-601-3700

Declaration about Application Model and Tested Model



April 10, 2015

UL Japan, Inc.
4383-326 Asama-cho, Ise-shi,
Mie 516-0021 Japan

FCC ID : AX2PF3693
Applicant: Clarion Co Ltd

To Whom It May Concern:

This application model, PF-3693, is essentially the same device with the tested model, PF-3547.
For the differences between PF-3693 and PF-3547, please refer to the following list.

	Tested Model	Application Model
Model Name	PF-3547	PF-3693
Place of Production	Mexico	Japan
Tuner System	Phase Diversity Control *1	Single Tuner
HD Radio	✓	None
XM Tuner	✓	None
RBDS *2 (Radio Broadcast Data System)	✓	None
Acoustic Characteristic	6 Speakers System	4 Speakers System
Paint (Front Color)	aluminium black	shiny black
Appearance		
Remarks	--	The escutcheon is different due to the difference of the vehicle is mounted.

*1 : Phase Diversity Control :

The method for stability improvement of Radio reception performance by synthesizing and tuning both the gain and phase of the received signals from two tuners

*2 : RBDS is the Data Broadcasting Receiver.

These differences cause no influence to radio specification.
There is no degradation of EMC characteristic.
We consider them electrically identical.

Sincerely,



Masahiko Shibata
Clarion Co Ltd