



Timecode Systems
GENERATE. SYNC. SHARE

MODULAR APPROVAL REQUEST

16 October 2014

TRaC Global
100 Frobisher Business Park
Leigh Sinton Road
Malvern
Worcestershire
WR14 1BX
UK

RE: FCC Modular Approval FCC ID: AYV-TCB11

To Whom It May Concern:

Please be advised that the manufacturer requests that the above-referenced model be approved for Licensed Modular Approval in accordance with the FCC Rules and Regulations.

Our Product meets the FCC meet the FCC modular approval policies in the following ways:

i The radio elements must have the radio frequency circuitry shielded. Physical/discrete and tuning capacitors may be located external to the shield, but must be on the module assembly;

The RF circuitry is shielded within a metal shield can.

ii The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal;

The RF sections of the module have buffered modulation/data inputs from a host, using chipset and individual component buffering.

iii The module must contain power supply regulation on the module;

The module has a power supply regulator.

iv The module must contain a permanently attached antenna, or contain a unique antennaconnector, and be marketed and operated only with specific antenna(s), per Sections 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b);

The module has a unique PCB uFL antenna connector, and the module will be marketed and operated only with specified external antennas.

v The module must demonstrate compliance in a stand-alone configuration;

Please refer to the Test Report and Supporting Documentation, all based around stand-alone configuration.

vi The module must be labelled with its permanently affixed FCC ID label, or use an electronic display (See KDB Publication 997198 about labelling requirements);

The module will have a permanently affixed FCC ID label.

vii The module must comply with all specific rules applicable to the transmitter. The grantee must provide comprehensive instructions to explain compliance requirements;

The module will be supplied with comprehensive instructions that explain compliance requirements.

viii The module must comply with RF exposure requirements. For any transmitters intended for use in portable devices, SAR compliance must be demonstrated to be independent of the host device. See KDB Publication 447498 Item 2) as a guide to determine if a transmitter can be tested without being limited to a host device. If SAR compliance can only be demonstrated in specific host types or platforms, then the module type must be "limited."

Please refer to Test Reports and Documentation to indicate mode of use and any required SAR compliance.

Thank you for your attention to this matter.

Yours faithfully

Timecode Systems Ltd

A handwritten signature in black ink, appearing to read 'P Scurrill', written on a light-colored background.

Paul Scurrill