

LIST OF EXHIBITS

<u>DESCRIPTION</u>	<u>EXHIBIT</u>	<u>REFERENCE</u>
I. Identification label information & General Information	1	
1. Production Plans	1a	
2. Data Submittal Procedure		2.1061
II. Certification of Data	2	
III. External Photographs	3	2.1033
IV. Circuit Descriptions	4	
V. Schematic Diagrams	5	2.1033
VI. Test Report	6	
1. Data Index	6	
2. RF Output Data	6A	2.1046
3. Occupied Bandwidth	6B	2.1049(i)
4. Conducted Spurious Emissions	6C	2.1051
6. Powerline Conducted Spurious Emissions	6D	15.208
6. Radiated Spurious Emissions	6E	2.1053, 15.209
7. Frequency Stability, Transient Behavior 90214 (Temperature & Supply Voltage)	6F	2.1047, 90.213,
VII. Test Set-up Procedures	7	
VIII. Instruction Manual	8	
IX. Internal Photographs.	9	2.1033
X. Parts List and Tune-Up procedures	10	
XI. RF Exposure Information	11	2.1091, 2.1093
XII. Operational Description	12	
1. Technical Characteristics		
2. Application		
XIII. Cover Letter	13	

**LOCATION**

A nameplate of the type presented below will be affixed to every transmitter. It will be placed on the outside of the housing at the bottom back of the transmitter.

**TYPE**

The label is a paper polyester film laminate with a pressure sensitive adhesive backing. The adhesive is a permanent type acrylic with a minimum peel strength of 40 oz/inch.

<b>Model:</b>	<b>P44- UHF2 FLN2583A</b>
<b>FCC ID:</b>	<b>AZ4FLN2583A</b>
<b>Made in Israel by</b>	<b>MOTOROLA INC.</b>

Label Text

**EXHIBIT 1A - GENERAL INFORMATION**

**1. Production Plans**

Quantity production is planned.

**2. Data Submittal Procedure:**

Data is supplied in accordance with Part 2, Sub-part J of the Commissions' rules. The intended use of this transceiver includes applications covered in the Code of Federal Regulations Title 47, Parts 15 and 90. Transmitter power shall not exceed 4 watts and this power level shall **not** be adjustable by the user.