



Exhibit 7B: SAR Test Report Photographs

Motorola Solutions Inc
EME Test Laboratory
8000 West Sunrise Blvd
Fort Lauderdale, FL. 33322



A handwritten signature in black ink that reads 'Deanna Zakharia'.

Deanna Zakharia
EMS EME Lab Senior Resource Manager,
Laboratory Director

Approval Date: 3/21/2013

Report Revision History

Date	Revision	Comments
3/20/2013	0	Initial release

1.0 Highest SAR Test Position per body location

1.1 Body


DUT w/ fixed antenna, offered battery PMNN4434AR, body worn PMLN6455A against the phantom and audio cable HMN9026D attached.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
Fixed Antenna	6	36	43

1.2 Face

DUT w/ back side separated 2.5cm from phantom with fixed antenna, and battery PMNN4434AR.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
Fixed Antenna	27	34	39

1.3 Head
Not applicable.

1.4 Hand
Not applicable.

2.0 Other SAR tested positions at the body

2.1 Body worn
Refer to section 1.1

2.2 Front Side against phantom
Not applicable.

2.3 Back side against phantom
Not applicable.

2.4 Front 2.5cm separation
Not applicable

2.5 Antenna 2.5cm separation
Not applicable

2.6 Back 2.5cm separation
Not applicable

3.0 Other SAR tested positions at the face

3.1 Back of DUT at 2.5cm separation
NA

3.2 Front of DUT at 2.5cm separation
Refer to section 1.2

4.0 Other SAR tested positions at the head

4.1 Left ear touch
Not applicable.

4.2 Left ear tilt
Not applicable.

4.3 Right ear touch
Not applicable.

4.4 Right ear tilt
Not applicable.

5.0 Other SAR tested positions at the hand

5.1 Left side
Not applicable.

5.2 Right side
Not applicable.

5.3 Top side
Not applicable.

5.4 Bottom side
Not applicable.

5.5 Back side
Not applicable.

6.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the offered accessories. Refer to Part 1 of 2, section 7.0 for more details. See part 1 of 2 section 7.0 for additional details on the offered accessories.

6.1 Antenna dimension and photo(s):

Not applicable: device has fixed (non-removable) antenna.

6.2 Body worn accessories



**DUT Back View
Holster PMLN6455A**



**DUT Side View
Holster PMLN6455A**

6.3 Battery accessories:



Left to right: Back and side views of battery PMNN4434AR

6.4 Audio accessories:



Left to right: HMN9026D, HMN9025D, NTN9159F



Left to right: HCSN4000D, HCSN4001C



Left to right: HMN9039E, HMN9038A, RLN5714B



Left to right: HMN9030A, RLN6423A



Left to right: HKLN4477B, RMN5114A

6.5 DUT Dimensions

	Height (mm)	Width (mm)	Depth (mm)
Radio only (w/o battery)	114.6	57.5	33.6
Radio with battery PMNN4434AR	114.6	57.5	37.5

For illustration purposes the following figure reflects the location of the device’s dimensions.



Radio with Battery

H = 114.60 mm
 W = 57.50 mm
 D1 = 41.75
 D2 = 37.50



Radio only

H = 114.60 mm
 W = 57.50 mm
 D = 33.60 mm

Note: H = Height; W = Width; D = Depth

D1: Depth at the bottom
 D2: Depth at the PTT