

**Exhibit 7B: SAR Test Report Photographs**

Motorola Solutions Inc.
EME Test Laboratory
8000 West Sunrise Blvd
Fort Lauderdale, FL. 33322



A handwritten signature in black ink that reads 'Deanna Zakharia'.

Deanna Zakharia
EMS EME Lab Senior Resource Manager,
Laboratory Director

Approval Date: 2/14/2014

Report Revision History

Date	Revision	Comments
02/12/2014	O	Initial release

1.0 Highest SAR Test Position per body location

1.1 Body

DUT w/ antenna PMAE4065A with battery PMNN4448AR, audio PMLN6130A, and body worn kit PMLN4651A against the phantom. Same position used for the other applicable offered antenna and batteries.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAE4065A	*7-9	*28-33	*45-50
FAF5259A	8	28	36

(*) Depending on applicable offered battery

1.2 Face

DUT w/ antenna PMAE4065A with battery PMNN4448AR positioned 2.5cm from the phantom. Same position used for the other applicable offered antenna and batteries.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAE4065A	28	41	46
FAF5259A	28	41	44

1.3 Head
Not applicable.

1.4 Hand
Not applicable

2.0 Other SAR tested positions at the body

2.1 Body worn


DUT w/antenna PMAE4065A, battery PMNN4448AR, audio PMLN6130A and body worn PMLN6085A against the phantom. Same position used for the other applicable offered antenna and batteries.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAE4065A	*24-28	*66-71	*97-98
FAF5259A	24	66	82

(*) Depending on applicable offered battery

DUT w/antenna PMAE4065A, battery PMNN4448AR, audio PMLN6130A and body worn PMLN7008A against the phantom. Same position used for the other applicable offered antenna and batteries.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAE4065A	7-8	*29-34	*45-52
FAF5259A	7	29	38

(*)Depending on applicable offered battery

DUT w/antenna PMAE4065A, battery PMNN4448AR, audio PMLN6130A and body worn PMLN6085A (no belt loop) with NTN5243A carry strap against the phantom. Same position used for the other applicable offered antenna and batteries.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAE4065A	0	41	46
FAF5259A	0	41	44

2.2 Front Side against phantom
Not applicable.

2.3 Back side against phantom
Not applicable.

2.4 Front 2.5cm separation
Not applicable

2.5 Antenna 2.5cm separation
Not applicable

2.6 Back 2.5cm separation
Not applicable

3.0 Other SAR tested positions at the face

3.1 Back of DUT at 2.5cm separation
Not applicable

3.2 Front of DUT at 2.5cm separation
Not applicable

4.0 Other SAR tested positions at the head

4.1 Left ear touch
Not applicable.

4.2 Left ear tilt
Not applicable.

4.3 Right ear touch
Not applicable.

4.4 Right ear tilt
Not applicable.

5.0 Other SAR tested positions at the hand

5.1 Left side
Not applicable.

5.2 Right side
Not applicable.

5.3 Top side
Not applicable.

5.4 Bottom side
Not applicable.

5.5 Back side
Not applicable.

6.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the tested accessories. Refer to Part 1 of 2, section 7.0 for additional details on the offered accessories.

6.1 Antenna dimension and photo(s):

Antenna Kit #	Physical Length (mm)	Electrical Length
PMAE4065A	150	$\frac{1}{4}$ wave
FAF5259A	93	$\frac{1}{4}$ wave



Left: PMAE4065A, Right: FAF5259A

6.2 Body worn accessories



**DUT Back View
Belt clip
PMLN4651A**



**DUT Side View
Belt clip
PMLN4651A**



**DUT Back View
PMLN7008A**



**DUT Side View
PMLN7008A**



**DUT Back View
Carry holder
PMLN6085A**



**DUT Side View
Carry holder
PMLN6085A**



**Carry strap
NTN5243A**

6.3 Battery accessories:**NNTN8128B****PMNN4424AR****PMNN4448AR****6.4 Audio accessories:****PMLN6130A**

6.5 DUT Dimensions

	Height (mm)	Width (mm)	Depth (mm)
Radio only (w/o battery)	131	60	35
Radio with battery NNTN8128B	131	60	40
Radio with battery PMNN4424AR	131	60	45
Radio with battery PMNN4448AR	131	60	45

For illustration purposes only - the following figure reflects the location of the device's dimensions.



Note: H = Height; W = Width; D = Depth

$$W1 = (\text{Width @ Top}) / (\text{Width @ PTT}) - \text{NA}$$

$$D2 = (\text{Depth @ Bottom}) / (\text{Depth @ PTT}) - \text{NA}$$