

EXHIBIT 2

Statement of Certification

(Pursuant to FCC Part 2.907, 2.908 and RSP 100 Sec 4)

2.1 Statement of Certification

Transceiver type described herein (AZ489FT4971/109U-89FT4971) is in compliance with all applicable parts of the FCC rules and ISED RSS standards.

Each unit manufactured, imported, or marketed will conform to the samples tested herein, within the statistical variations that can be expected due to high volume production and test measurement error.

NAME: Ong Khye Siang



SIGNATURE:

DATE: 20 March 2024

TITLE: Engineering Manager

2.2 **Spectrum Efficiency Declaration**

The device supports TDMA (F2) transmission with 12.5 kHz spacing. Each transmit slot is 30 ms long and it is followed by 30 ms standby/ receive. Transmission in digital TDMA mode (according to 6.25e efficiency standard) allows improved spectrum utilization whereby, the existing 12.5 kHz channel now allows two voice conversations to take place instead of one. Furthermore, the portable radio has integrated voice & data feature that extends the capability of the system to send & receive data through conventional infrastructure.

This device is also capable of supporting a minimum data rate of 400 bits per second per 6.25kHz of channel bandwidth.

NAME: Ong Khye Siang



SIGNATURE:

DATE: 20 March 2024

TITLE: Engineering Manager

2.3 **Product Family Declaration**

FCC Model Number	ISED Model Number (HVIN)	Product Name (PMN)	Software Version (FVIN)	Description
AAH11YDC9JA2AN	AAH11YDC9JA2AN	R2	I02.24.01.3006	MOTOTRBO R2 400-480M 4W NKP
AAH11YDC9JC2AN	AAH11YDC9JC2AN	R2	I02.24.01.3006	MOTOTRBO R2 400-480M 4W NKP ANALOG

Note:

- *The difference between AAH11YDC9JA2AN and AAH11YDC9JC2AN is only the software features.*

- To differentiate the radio from different manufacturers, on the product label, the Radio's Serial Number plant code (4th character of the radio serial number) will be "E" for the radio that is built by Jabil Malaysia, 'Z' for the radio that is built by Jabil Mexico.

For Jabil Malaysia, the 6th character of the serial number denotes the Jabil manufacturing site. Jabil Sungai Petani : A, C, E, G, J, L, N, Q, S, U, W, Y
 Jabil Batu Kawan : B, D, F, K, M, P, R, T, V, X, Z

For example,

902EZY0228 (from Jabil Sungai Petani (JSP) Malaysia)
 902EZ~~X~~0228 (from Jabil Batu Kawan (JBK) Malaysia)
 902ZZL0228 (from Jabil Mexico (JMX) Mexico)

NAME: Iman Binti Izulman

SIGNATURE:

DATE: 20 March 2024

TITLE: Electrical Engineering