



CERTIFICATE 2518.05

Exhibit 7B: SAR Test Report Photographs

Motorola Solutions Inc
EME Test Laboratory
Motorola Solutions Malaysia Sdn Bhd
Plot 2A, Medan Bayan Lepas
Mukim 12 SWD 11900 Bayan Lepas Penang, Malaysia.



Saw Sun Hock (Approval Signatory)
Approval Date: 11/15/2022

Report Revision History

| Date | Revision | Comments |
|-------------|-----------------|-----------------|
| 11/11/2022 | A | Initial release |

1.0 Highest SAR Test Position per body location

1.1 Body


DUT with fixed antenna, offered battery AA Alkaline and body worn kit 1564028V01 (PMLN7438A) positioned against the phantom with an audio accessory IXTN4011A attached.



| Antenna kit # | Separation Distances (mm) | | |
|---------------|-----------------------------|------------------|-----------------|
| | @ bottom surface of the DUT | @ antenna's base | @ antenna's tip |
| Fixed | 8 | 15 | 16 |

1.2 Face

Front of DUT with fixed antenna and offered battery AA Alkaline separated 2.5cm from the phantom without an audio accessory attached.



| Antenna kit # | Separation Distances (mm) | | |
|---------------|-----------------------------|------------------|-----------------|
| | @ bottom surface of the DUT | @ antenna's base | @ antenna's tip |
| Fixed | 25 | 35 | 38 |

1.3 Head
Not applicable.

1.4 Hand
Not applicable

2.0 Other SAR tested positions at the body

2.1 Body worn

DUT with fixed antenna, offered battery AA Alkaline and body worn kit 42015005001 against the phantom with an audio accessory IXTN4011A attached.



| Antenna kit # | Separation Distances (mm) | | |
|---------------|-----------------------------|------------------|-----------------|
| | @ bottom surface of the DUT | @ antenna's base | @ antenna's tip |
| Fixed | 0 | 8 | 10 |

2.2 Front Side against phantom
Not applicable.

2.3 Back side against phantom
Not applicable.

2.4 Front 2.5cm separation
Not applicable

2.5 Antenna 2.5cm separation
Not applicable

2.6 Back 2.5cm separation
Not applicable

3.0 Other SAR tested positions at the face

3.1 Back of DUT at 2.5cm separation
Not applicable

3.2 Front of DUT at 2.5cm separation
Refer to section 1.2

4.0 Other SAR tested positions at the head

4.1 Left ear touch
Not applicable.

4.2 Left ear tilt
Not applicable.

4.3 Right ear touch
Not applicable.

4.4 Right ear tilt
Not applicable.

5.0 Other SAR tested positions at the hand

5.1 Left side
Not applicable.

5.2 Right side
Not applicable.

5.3 Top side
Not applicable.

5.4 Bottom side
Not applicable.

5.5 Back side
Not applicable.

6.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the tested accessories. Refer to Part 1 of 2, section 7.0 for additional details on the offered accessories.

6.1 Antenna dimension and photo(s):

| Antenna Kit # | Physical Length (mm) |
|---------------|----------------------|
| Fixed | 78 |



6.2 Body worn accessories



**Belt clip
1564028V01 (PMLN7438A)**



**Lanyard
42015005001**



DUT w/ Belt Clip 1564028V01 (PMLN7438A)
Side view and back view

6.3 Battery accessories:



1532: Back, side and front view



AA Alkaline



PMNN4477A: Side, front and back

6.4 Audio accessories:



IXTN4011A (IXTN4011AR)

6.5 DUT Dimensions

| | Height (mm) | Width (mm) | Depth (mm) |
|--------------------------------|------------------------|-----------------------|-----------------------|
| Radio only (w/o battery) | 122 | 57 | 33 |
| Radio with battery 1532 | 122 | 57 | 33 |
| Radio with battery AA Alkaline | 122 | 57 | 33 |
| Radio with battery PMNN4477A | 122 | 57 | 33 |

For illustration purposes only - the following figure reflects the location of the device Dimension.



Note: H = Height; W = Width; D = Depth

W1 = (Width @ Top) / (Width @ PTT)

D2 = (Depth @ Bottom) / (Depth @ PTT)