



Exhibit 7B: SAR Test Report Photographs

Motorola Solutions Inc
EME Test Laboratory
Motorola Solutions Malaysia Sdn Bhd (Innoplex)
Plot 2A, Medan Bayan Lepas
Mukim 12 SWD 11900 Bayan Lepas Penang, Malaysia.



DTS150NBDLAA (PMUF1955A)

Tiong

Tiong Nguk Ing
Deputy Technical Manager (Approved Signatory)
Approval Date: 10/8/2018

Report Revision History

Date	Revision	Comments
9/17/2018	A	Initial release
10/05/2018	B	Battery part number changed to PMNN4578A

1.0 Highest SAR Test Position per body location

1.1 Body


DUT with antenna PMAF4024A with offered battery PMNN4468B and body worn PMLN7939A against the phantom with an audio HKLN4606A attached.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAF4024A	13	38	58

1.2 Face

Front of DUT with antenna PMAF4024A with offered battery PMNN4468B separated 2.5cm from the phantom without an audio accessory attached.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAF4024A	25	32	40

1.3 Head
Not applicable.

1.4 Hand
Not applicable

2.0 Other SAR tested positions at the body

2.1 Body worn
Not applicable

2.2 Front Side against phantom
Not applicable.

2.3 Back side against phantom
Not applicable.

2.4 Front 2.5cm separation
Not applicable

2.5 Antenna 2.5cm separation
Not applicable

2.6 Back 2.5cm separation
Not applicable

3.0 Other SAR tested positions at the face

3.1 Back of DUT at 2.5cm separation
Not applicable.

3.2 Front of DUT at 2.5cm separation
Refer to section 1.2.

4.0 Other SAR tested positions at the head

4.1 Left ear touch
Not applicable.

4.2 Left ear tilt
Not applicable.

4.3 Right ear touch
Not applicable.

4.4 Right ear tilt
Not applicable.

5.0 Other SAR tested positions at the hand

- 5.1 Left side**
Not applicable.
- 5.2 Right side**
Not applicable.
- 5.3 Top side**
Not applicable.
- 5.4 Bottom side**
Not applicable.
- 5.5 Back side**
Not applicable.

6.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the tested accessories. Refer to Part 1 of 2, section 7.0 for additional details on the offered accessories.

6.1 Antenna dimension and photo(s):

Antenna Kit #	Physical Length (mm)	Electrical Length
PMAF4024A	140	1/2 wave



PMAF4024A

6.2 Body worn accessory



PMLN7939A (Back View)

PMLN7939A (Front View)

PMLN7939A (Side View)

6.3 Battery accessory:



PMNN4578A (Side, Front and Back view)

6.4 Tested Audio accessory:



HKLN4606A

6.5 DUT Dimensions

	Height (mm)	Width (mm)	Depth (mm)
Radio only (w/o battery)	128	59	26
Radio with battery PMNN4468B	128	59	26

For illustration purposes only - the following figure reflects the location of the device’s dimensions.



Note: H = Height; W = Width; D = Depth

W1 = (Width @ Top) / (Width @ PTT)

D2 = (Depth @ Bottom) / (Depth @ PTT)