

EXHIBIT 2

Attestation and Product Family Declaration

(Pursuant to FCC Part 2.907, 2.908 and RSP 100 Sec 4)

2.1 **Statement of Certification**

Transceiver type described herein (AZ489FT7149/109U-89FT7149) is in compliance with all applicable parts of the FCC rules and ISED RSS standards.

Each unit manufactured, imported, or marketed will conform to the samples tested herein, within the statistical variations that can be expected due to high volume production and test measurement error.

NAME: Sean Cadogan

SIGNATURE:



DATE: 5th August 2024

TITLE: Engineering Manager

2.2 **Spectrum Efficiency Declaration**

The device supports TDMA (F2) transmission with 12.5 kHz spacing. Each transmit slot is 30 ms long and it is followed by 30 ms standby / receive. Transmission in digital TDMA mode (according to 6.25e efficiency standard) allows improved spectrum utilization whereby, the existing 12.5 kHz channel now allows two voice conversations to take place instead of one. Furthermore, the portable radio has integrated voice & data feature that extends the capability of the system to send & receive data through conventional infrastructure.

This device is also capable of supporting a minimum data rate of 4800 bits per second per 6.25kHz channel bandwidth.

NAME: Sean Cadogan

SIGNATURE:



DATE: 5th August 2024

TITLE: Engineering Manager

2.3 **Product Family Declaration**

FCC Model Number	Hardware Version Identification Number (HVIN)	Product Marketing Name (PMN)	Software Version (FVIN)	Description
H35KET9PW8AN	H35KET9PW8AN	APX N70	D03.75.21/ D03.75.46/ D03.75.58	APX N70 VHF Portable, Model 4.5
H35KET9PW8AN-H	H35KET9PW8AN-H	APX N70	D03.75.21/ D03.75.46/ D03.75.58	APX N70 VHF Portable, Model 4.5 (UL model)

Differences of the models offered

Note:

- 1) Wifi 2.4GHz and BT do not transmit at the same time as it is limited by Wifi/BT coexistence.
- 2) Wifi 5GHz and 2.4GHz do not transmit at the same time as it is limited by Chip architecture.
- 3) LTE and WiFi 5GHz and 2.4GHz will transmit at the same time.
- 4) LTE and BT will transmit at the same time.
- 5) H35KET9PW8AN model is electrically and mechanically identical to H35KET9PW8AN-H
- 6) The SW version differences are due to changes in the radio SW for platform and app fixes. There is no modem (LTE) or BT or WLAN performance changes between this SW versions.

NAME: Sean Cadogan

SIGNATURE: 

DATE: 5th August 2024

TITLE: Engineering Manager