EXHIBIT 1

IDENTIFICATION LABEL

(Pursuant to FCC Part 2.1033(c)(11), 2.1033(b)(7) and RSP 100 Annex C and Sec 3)

LOCATION

	See the Attached Photograph or Sketch
	Bottom of the device
	Front of the device
<u>X</u>	Back of the device
	Back of the device under Belt Clip
	In the Battery Compartment Electronic labeling: In the user manual (Section: XX)
<u> </u>	Electronic labeling. In the user manual (Section, $\lambda\lambda$)

TYPE

<u> </u>	The label is a polyester film with a pressure sensitive adhesive backing.
	The adhesive is a permanent type acrylic with the minimum peel strength
	of 8.89 N/mm.
	The label is an electronic print accessible in the device.

MARKINGS (TEXT)

- X See the Attached Photograph and Exhibit 3 for the actual location of the FCC/IC label on the device.
 - X _ Label Attached Below.
 - _____ See Attached Drawing.




Figure 1: FCC/IC Label for APX N50




Figure 2: FCC/IC Label for APX N30







Restricted to occupational use to satisty FCC RF exposure limits. See user manual for operating requirements



Figure 3: FCC/IC Label for APX N50 Hazloc




Figure 4: FCC/IC Label for APX N30 Hazloc