EXHIBIT 1

IDENTIFICATION LABEL

(Pursuant to FCC Part 2.1033(c)(11), 2.1033(b)(7) and RSP 100 Annex C and Sec 3)

LOCATION

	See the Attached Photograph or Sketch
	Bottom of the device
	Front of the device
<u>_X</u>	Back of the device
	Back of the device under Belt Clip
	In the Battery Compartment
	Electronic labeling: In the user manual (Section: XX)

TYPE

X The label is a poly carbonate film laminate with a pressure sensitive adhesive backing. The adhesive is a permanent type acrylic with the minimum peel strength of 40 oz/inch.

MARKINGS (TEXT)

- X See the Attached Photograph and Exhibit 3 for the actual location of the FCC/IC label on the device.
- X Label Attached Below.

_____ See Attached Drawing.



Figure 1A: FCC/IC Label for Limited Keypad Model (LKP) AAH02JDH9VA1AN / PMUD2627EABNKA



Figure 1B: FCC/IC Label for TIA4950 Limited Keypad Model (LKP) AAH02JDH9VA1AN / PMUD3505BABNKA



Figure 1C: FCC/IC Label for Non Keypad Model (NKP) AAH02JDC9VA1AN / PMUD2629EAANKA



Figure 1D: FCC/IC Label for TIA4950 Non Keypad Model (NKP) AAH02JDC9VA1AN / PMUD3506BAANKA

*** END ***