EXHIBIT 1

IDENTIFICATION LABEL

(Pursuant to FCC Part 2.1033(c)(11), 2.1033(b)(7) and RSP 100 Annex C and Sec 3)

LOCATION		
	<u>X</u>	See the Attached Photograph or Sketch Bottom of the device Front of the device Back of the device Back of the device under Belt Clip In the Battery Compartment Electronic labeling: In the user manual (Section: XX)
TYPE		
	X	The label is a poly carbonate film laminate with a pressure sensitive adhesive backing. The adhesive is a permanent type acrylic with the minimum peel strength of 40 oz/inch.
		The label is an electronic print accessible in the device.
MARKINGS (TEXT)		
	X	See the Attached Photograph and Exhibit 3 for the actual location of the FCC/IC label on the device.
	X	Label Attached Below. See Attached Drawing.




Figure 1A: AAH06UCN9RB1AN (IC Model: PMUF2000AAB)



Figure 1B: AAH06UCN9RB1AN (IC Model: PMUF2000ABB)

R7

S/T: PMUF2000AAB

VER : D02.22.02.1009

S/N: 865EYN0219

2311 IP68 Made in Malaysia





MODEL : AAH06UCN9WB1AN IC MODEL NUMBER : PMUF2000AAB

IC: 109U - 89FT7169 FCC ID: AZ489FT7169





RESTRICTED TO OCCUPATIONAL USE TO SATISFY FCC RF EXPOSURE LIMITS. SEE USER MANUAL FOR OPERATING REQUIREMENTS.

Figure 1C: AAH06UCN9WB1AN (IC Model: PMUF2000AAB)

R7

S/T: PMUF2000ABB

VER : D02.22.02.1009

S/N: 865EYN0285

2311 IP68 Made in Malaysia





MODEL: AAH06UCN9WB1AN IC MODEL NUMBER: PMUF2000ABB

IC: 109U - 89FT7169 FCC ID: AZ489FT7169





RESTRICTED TO OCCUPATIONAL USE TO SATISFY FCC RF EXPOSURE LIMITS. SEE USER MANUAL FOR OPERATING REQUIREMENTS.

Figure 1D: AAH06UCN9WB1AN (IC Model: PMUF2000ABB)




Figure 1E: AAH06UCC9RB1AN (IC Model: PMUF2001AAA)



Figure 1F: AAH06UCC9RB1AN (IC Model: PMUF2001ABA)





MODEL: AAH06UCC9WB1AN
IC MODEL NUMBER: PMUF2001AAA

IC: 109U - 89FT7169 FCC ID: AZ489FT7169





RESTRICTED TO OCCUPATIONAL USE TO SATISFY FCC RF EXPOSURE LIMITS. SEE USER MANUAL FOR OPERATING REQUIREMENTS.

Figure 1G: AAH06UCC9WB1AN (IC Model: PMUF2001AAA)

R7

S/T : PMUF2001ABA

VER : D02.22.02.1009

S/N: 865EYN0399

2306 IP68 Made in Malaysia





MODEL : AAH06UCC9WB1AN IC MODEL NUMBER : PMUF2001ABA

IC: 109U - 89FT7169 FCC ID: AZ489FT7169





RESTRICTED TO OCCUPATIONAL USE TO SATISFY FCC RF EXPOSURE LIMITS. SEE USER MANUAL FOR OPERATING REQUIREMENTS.

Figure 1H: AAH06UCC9WB1AN (IC Model: PMUF2001ABA)

*** END ***