

| | | |
|---|---|--|
|  |   SMM 826 |   CERTIFICATE 2518.05 |
|---|---|--|

Exhibit 7B: SAR Test Report Photographs

Motorola Solutions Inc
EME Test Laboratory
Motorola Solutions Malaysia Sdn Bhd
Plot 2A, Medan Bayan Lepas
Mukim 12 SWD 11900 Bayan Lepas Penang, Malaysia.



Report Revision History

| Date | Revision | Comments |
|-------------|-----------------|-----------------|
| 09/12/2024 | A | Initial release |

1.0 Highest SAR Test Position per body location

1.1 Body

DUT w/ antenna PMAD4118A with offered battery PMNN4889A and body worn kit PMLN4651A against the phantom without an audio accessory attached.



| Antenna kit # | Separation Distances (mm) | | |
|---------------|-----------------------------|------------------|-----------------|
| | @ bottom surface of the DUT | @ antenna's base | @ antenna's tip |
| PMAD4118A | 8 | 33 | 54 |

1.2 Face

Back of DUT w/ antenna PMAD4147A with offered battery PMNN4890A separated 2.5cm from the phantom without an audio accessory attached.



| Antenna kit # | Separation Distances (mm) | | |
|---------------|-----------------------------|------------------|-----------------|
| | @ bottom surface of the DUT | @ antenna's base | @ antenna's tip |
| PMAD4147A | 27 | 40 | 46 |

1.3 Head
Not applicable.

1.4 Hand
Not applicable

2.0 Other SAR tested positions at the body

2.1 Body worn

DUT with antenna PMAD4121B with offered battery PMNN4888A and body worn kit HLN6602A against the phantom with audio PMMN4170A. Same position used for the other applicable offered antenna and battery accessories.



| Antenna kit # | Separation Distances (mm) | | |
|---------------|-----------------------------|------------------|-----------------|
| | @ bottom surface of the DUT | @ antenna's base | @ antenna's tip |
| PMAD4121B | *0-2 | *20-22 | *25-27 |
| PMAD4116A | 2 | 20 | 14 |
| PMAD4117A | 2 | 20 | 14 |
| PMAD4118A | 2 | 20 | 14 |
| PMAD4120A | 2 | 20 | 25 |
| PMAD4147A | 2 | 20 | 18 |

(*) Depending on applicable offered battery

DUT with antenna PMAD4118A with offered battery PMNN4889A and body worn kit PMLN4651A against the phantom with audio PMMN4170A. Same position used for the other applicable offered antenna and battery accessories.



| Antenna kit # | Separation Distances (mm) | | |
|---------------|-----------------------------|------------------|-----------------|
| | @ bottom surface of the DUT | @ antenna's base | @ antenna's tip |
| PMAD4118A | *6-8 | *28-33 | *45-54 |
| PMAD4116A | 6 | 28 | 45 |
| PMAD4117A | 6 | 28 | 45 |
| PMAD4120A | 6 | 28 | 36 |
| PMAD4121B | 6 | 28 | 36 |
| PMAD4147A | 6 | 28 | 60 |

(*) Depending on applicable offered battery

DUT with antenna PMAD4118A with offered battery PMNN4888A and body worn kit PMLN7008A against the phantom with audio PMMN4170A. Same position used for the other applicable offered antenna and battery accessories.



| Antenna kit # | Separation Distances (mm) | | |
|---------------|-----------------------------|------------------|-----------------|
| | @ bottom surface of the DUT | @ antenna's base | @ antenna's tip |
| PMAD4118A | 6 | *28-34 | *50-53 |
| PMAD4116A | 6 | 28 | 50 |
| PMAD4117A | 6 | 28 | 50 |
| PMAD4120A | 6 | 28 | 40 |
| PMAD4121B | 6 | 28 | 40 |
| PMAD4147A | 8 | 30 | 55 |

(*) Depending on applicable offered battery

DUT with antenna PMAD4118A with offered battery PMNN4888A and body worn kit PMLN8662A w/o belt loop w/ NTN5243A against the phantom with audio PMMN4170A. Same position used for the other applicable offered antenna and battery accessories.



| Antenna kit # | Separation Distances (mm) | | |
|---------------|-----------------------------|------------------|-----------------|
| | @ bottom surface of the DUT | @ antenna's base | @ antenna's tip |
| PMAD4118A | 0 | *80-95 | *45-55 |
| PMAD4116A | 0 | 80 | 45 |
| PMAD4117A | 0 | 80 | 45 |
| PMAD4120A | 0 | 80 | 48 |
| PMAD4121B | 0 | 65 | 48 |
| PMAD4147A | 0 | 100 | 48 |

(*) Depending on applicable offered battery

DUT with antenna PMAD4147A with offered battery PMNN4888A and body worn kit PMLN8663A w/ NTN5243A against the phantom with audio PMMN4170A. Same position used for the other applicable offered antenna and battery accessories.



| Antenna kit # | Separation Distances (mm) | | |
|---------------|-----------------------------|------------------|-----------------|
| | @ bottom surface of the DUT | @ antenna's base | @ antenna's tip |
| PMAD4147A | 0 | *60-70 | *148-155 |
| PMAD4116A | 0 | 60 | 118 |
| PMAD4117A | 0 | 60 | 118 |
| PMAD4118A | 0 | 60 | 118 |
| PMAD4120A | 0 | 60 | 95 |
| PMAD4121B | 0 | 60 | 95 |

(*) Depending on applicable offered battery

DUT with antenna PMAD4147A with offered battery PMNN4888A and body worn kit PMLN8664A w/ NTN5243A against the phantom with audio PMMN4170A. Same position used for the other applicable offered antenna and battery accessories.



| Antenna kit # | Separation Distances (mm) | | |
|---------------|-----------------------------|------------------|-----------------|
| | @ bottom surface of the DUT | @ antenna's base | @ antenna's tip |
| PMAD4147A | 0 | *46-52 | *100-111 |
| PMAD4116A | 0 | 50 | 85 |
| PMAD4117A | 0 | 50 | 85 |
| PMAD4118A | 0 | 50 | 85 |
| PMAD4120A | 0 | 50 | 69 |
| PMAD4121B | 0 | 50 | 69 |

(*) Depending on applicable offered battery

2.2 Front Side against phantom
Not applicable.

2.3 Back side against phantom
Not applicable.

2.4 Front 2.5cm separation
Not applicable

2.5 Antenna 2.5cm separation
Not applicable

2.6 Back 2.5cm separation
Not applicable

3.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the tested accessories. Refer to Part 1 of 2, section 7.0 for additional details on the offered accessories.

3.1 Antenna dimension and photo(s): LMR

| Antenna Kit # | Physical Length (mm) | Electrical Length |
|---------------|----------------------|-------------------|
| PMAD4116A | 150 | ½ wave |
| PMAD4117A | 150 | ½ wave |
| PMAD4118A | 150 | ½ wave |
| PMAD4119A | 90 | ¼ wave |
| PMAD4120A | 90 | ¼ wave |
| PMAD4121B | 90 | ¼ wave |
| PMAD4147A | 200 | ¼ wave |




From left to right: PMAD4116A, PMAD4117A, PMAD4118A, PMAD4119A, PMAD4120A, PMAD4121B and PMAD4147A

3.2 Antenna photo: BT/WLAN

| Antenna Kit # | Physical Length (mm) | Electrical Length |
|---------------|----------------------|-------------------|
| AN000389A01 | Internal | ¼ wave |

Danube LKP/NKP Radio Antenna



3.3 Body worn accessories



i). HLN6602A



ii). PMLN4651A

iii). PMLN7008A



iv). PMLN8662A w/o belt loop w/ NTN5243A



v). PMLN8663A w/ NTN5243A



vi). PMLN8664A w/ NTN5243A



i). HLN6602A



ii). PMLN4651A



iii). PMLN7007A



iv). PMLN8662A w/o belt loop w/ NTN5243A



v). PMLN8663A w/ NTN5243A



vi). PMLN8664A w/ NTN5243A

3.4 Battery accessories:



i). PMNN4888A front, side and back views



ii). PMNN4889A front, side and back views



iii). PMNN4890A front, side and back views

3.5 Audio accessories:



PMMN4170A

3.6 DUT Dimensions

| | Height (mm) | Width (mm) | Depth (mm) |
|------------------------------|-------------|------------|------------|
| Radio only (w/o battery) | 126 | 68 | 36 |
| Radio with battery PMNN4888A | 126 | 68 | 41 |
| Radio with battery PMNN4889A | 126 | 68 | 45 |
| Radio with battery PMNN4890A | 126 | 68 | 46 |

For illustration purposes only - the following figure reflects the location of the device’s dimensions.



Note: H = Height; W = Width; D = Depth

$$W1 = (\text{Width @ Top}) / (\text{Width @ PTT})$$

$$D2 = (\text{Depth @ Bottom}) / (\text{Depth @ PTT})$$