

**Note:** This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.

Choose certainty.
Add value.

# **TEST REPORT COVER PAGE**

	Product Information							
Product Name /	MOBILE TWO-WAY RADIO	Applicant Company Number:	109U					
Description:								
Model Number(s):	AAM28UMN9RA1AN	UPN Number:	92FT7083					
All Used IC Test Site(s)	2932I-1	SAR Test Lab Company						
Reg. #:		Number:						

Reg. #:			1	Number:				
	D I.d.			Information		D10	D 1.7	Davido
RSS # & Issue #	Band 1 RSS-247	Band 2	Band 3	Band 4	Band 5	Band 6	Band 7	Band 8
RSS # & ISSUE #	& Issue 1							
Frequency Min (MHz)	2412							
Frequency Max (MHz)	2462			74.1				
RF Power Min (W)		7.7		-		63		
Conducted / EIRP / ERP		77		100		Phys.		
RF Power Max (W)	0.019	1						
Conducted		/						
Field Strength Units @	112.0				- 7			
distance	dBμV/m			III				
	@ 3m			VA AV				
Measured BW (kHz)	17840			100				
(99%, 26dB, 6dB, etc.)	(99%)			10.47				
Calculated BW (kHz)	17900	1	-49	March				
As per TRC-43				114				
Emission Classification	17M9D1							
(FID, GID, DID, etc.)	D							
Transmitter Spurious Units	3.6GHz	L (2						
@ distance	50.4	38. 29	5 II II II	1 16		7.3		
	dBμV/m @ 3m	11/10				1		
	B	В	В	В	В	В	В	В
RSS # & Issue #				Б	7			
Frequency Min (MHz)	7.7							
Frequency Max (MHz)				72				
RF Power Min (W)				17.0	1			
Conducted / EIRP / ERP		O-		/				
RF Power Max (W)								
Conducted / EIRP / ERP								
Field Strength Units @								
distance								
Measured BW (kHz)								
(99%, 26dB, 6dB, etc.)								
Calculated BW (kHz)								
As per TRC-43								
Emission Classification								
(FID, GID, DID, etc.) Transmitter Spurious Units								
@ distance								
<u>uistarice</u>		Λ.	roomoni	Signatura				
ATTECTATIONS The section				Signature			stal atamaka - 17	a\ a.a.d (!:-
ATTESTATION: The test m								
the radio equipment identific standards and all of the requ					icable test co	muitions spe	cinea in the a	eparrmenta
standards and all of the requ Applicant / Agent Name:		er Hwee	nave been i	Applicant / Ag	nent Title:	Assis	tant Vice Pres	rident
Applicant / Agent Name: Applicant / Agent Signature:		CI I I WEE		Signature Da	yeni nile. to:		ec 2015	oiu <del>c</del> iii
Applicant / Agent Signature.	_	•		Signature Da	l <del>o</del> .	11 0	50 2010	
		lΜ						
	γσ	1						

PSB Singapore

**Note:** This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.

Choose certainty.
Add value.

FORMAL REPORT ON TESTING IN ACCORDANCE WITH

47 CFR FCC Parts 15B & C RSS-GEN Issue 4: 2014 RSS-247 Issue 1: 2015

OF A

MOBILE TWO-WAY RADIO (2.4GHz WiFi)
[ Model : AAM28UMN9RA1AN ]

[ FCC ID: AZ492FT7083 & IC: 109U-92FT7083 ]

TEST FACILITY TÜV SÜD PSB Pte Ltd

Electrical & Electronics Centre (EEC), Product Services,

No. 1 Science Park Drive, Singapore 118221

FCC REG. NO. 99142 (3m and 10m Semi-Anechoic Chamber, Science Park)

IND. CANADA REG. NO. 2932I-1 (3m and 10m Semi-Anechoic Chamber, Science Park)

PREPARED FOR Motorola Solutions Malaysia Sdn Bhd

Plot 2, Technoplex Industrial Park Mukim 12 Swd,

Medan Bayan Lepas, Bayan Lepas Industrial Park, 11900 Bayan Lepas,

Pulau Penang, Malaysia

Tel: +604 2528543 Fax: +604 8503099

**QUOTATION NUMBER** 2191027954

JOB NUMBER 7191124055

**TEST PERIOD** 01 Sep 2015 – 20 Oct 2015

PREPARED BY

Quek Keng Huat

Higher Associate Engineer

APPROVED BY

Lim Cher Hwee Assistant Vice President

TÜV SÜD PSB Laboratory: TÜV SÜD PSB Pte. Ltd.

No.1 Science Park Drive

Singapore 118221

Phone: +65-6885 1333 Fax: +65-6776 8670 E-mail: testing@tuv-sud-psb.sg www.tuv-sud-psb.sg Co. Reg: 199002667R Regional Head Office: TÜV SÜD Asia Pacific Pte. Ltd. 3 Science Park Drive, #04-01/05 The Franklin, Singapore 118223



# **TABLE OF CONTENTS**

TEST SUMMARY	4
PRODUCT DESCRIPTION	7
SUPPORTING EQUIPMENT DESCRIPTION	9
EUT OPERATING CONDITIONS	10
CONDUCTED EMISSION TEST	11
RADIATED EMISSION TEST	14
SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST	22
MAXIMUM PEAK POWER TEST	61
RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST	64
RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST	99
BAND EDGE COMPLIANCE (CONDUCTED) TEST	
BAND EDGE COMPLIANCE (RADIATED) TEST	215
PEAK POWER SPECTRAL DENSITY TEST	226
MAXIMUM PERMISSIBLE EXPOSURE (MPE) TEST	247
ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS	249
ANNEX B USER MANUALTECHNICAL DESCRIPTION BLOCK & CIRCUIT DIAGRAMS	258
ANNEX C FCC, IC LABEL & POSITION	259
ANNEX D TEST SITE DESCRIPTION	261



# **TEST SUMMARY**

The product was tested in accordance with the customer's specifications.

# **Test Results Summary**

Test Standard	Description	Pass / Fail
47 CFR FCC Part 15 and RS	S-GEN Issue 4: 2014 and RSS-247 Issue 1: 20	15
15.207 RSS-GEN 8.8	Conducted Emissions	Pass
15.205, 15.209 RSS-GEN 8.9, 8.10	Radiated Emissions (Spurious Emissions inclusive Restricted Bands Requirement)	Pass
15.247(a)(2) RSS-247 5.2(1)	Spectrum Bandwidth (6dB and 99% Bandwidth Measurement)	Pass
15.247(b)(3) RSS-247 5.4(4)	Maximum Peak Power	Pass
15.247(d) RSS-247 5.5	RF Conducted Spurious Emissions (Non-Restricted Bands)	Pass
15.247(d) RSS-247 5.5	RF Conducted Spurious Emissions (Restricted Bands)	Pass
15.247(d) RSS-247 5.5	Band Edge Compliance (Conducted)	Pass
15.247(d) RSS-247 5.5	Band Edge Compliance (Radiated)	Pass
15.247(e) RSS-247 5.2(2)	Peak Power Spectral Density	Pass
1.1310 RSS-102 4.0, RSS-GEN 3.2	Maximum Permissible Exposure	Pass



#### **TEST SUMMARY**

#### **Notes**

1. The channels as listed below, under the different configurations were tested for 802.11b WLAN.

,	_ / _ /		
Transmit Channel	Frequency (GHz)	<u>Modulation</u>	<u>Data Rate</u>
Channel 1 (Lower Channel)	2.412	DBPSK	1Mbps
Channel 6 (Middle Channel)	2.437	DBPSK	1Mbps
Channel 11 (Upper Channel)	2.462	DBPSK	1Mbps
Channel 1 (Lower Channel)	2.412	DQPSK	2Mbps
Channel 6 (Middle Channel)	2.437	DQPSK	2Mbps
Channel 11 (Upper Channel)	2.462	DQPSK	2Mbps
Channel 1 (Lower Channel)	2.412	CCK	11Mbps
Channel 6 (Middle Channel)	2.437	CCK	11Mbps
Channel 11 (Upper Channel)	2.462	CCK	11Mbps
			,

2. The channels as listed below, under the different configurations were tested for 802.11g WLAN.

The Charmers as listed below, und	er the different configurati	ons were tested for our	Z. I I g VV LAIN.
Transmit Channel	Frequency (GHz)	<u>Modulation</u>	Data Rate
Channel 1 (Lower Channel)	2.412	BPSK	9Mbps
Channel 6 (Middle Channel)	2.437	BPSK	9Mbps
Channel 11 (Upper Channel)	2.462	BPSK	9Mbps
	10.00		
Channel 1 (Lower Channel)	2.412	QPSK	18Mbps
Channel 6 (Middle Channel)	2.437	QPSK	18Mbps
Channel 11 (Upper Channel)	2.462	QPSK	18Mbps
Channel 1 (Lower Channel)	2.412	16QAM	36Mbps
Channel 6 (Middle Channel)	2.437	16QAM	36Mbps
Channel 11 (Upper Channel)	2.462	16QAM	36Mbps
Channel 1 (Lower Channel)	2.412	64QAM	54Mbps
Channel 6 (Middle Channel)	2.437	64QAM	54Mbps
Channel 11 (Upper Channel)	2.462	64QAM	54Mbps
			-

3. The channels as listed below, under the different configurations were tested for 802.11n WLAN.

Transmit Channel	Frequency (GHz)	<u>Modulation</u>	Data Rate
Channel 1 (Lower Channel)	2.412	BPSK	6.5Mbps
Channel 6 (Middle Channel)	2.437	BPSK	6.5Mbps
Channel 11 (Upper Channel)	2.462	BPSK	6.5Mbps
Channel 1 (Lower Channel)	2.412	QPSK	19.5Mbps
Channel 6 (Middle Channel)	2.437	QPSK	19.5Mbps
Channel 11 (Upper Channel)	2.462	QPSK	19.5Mbps
Channel 1 (Lower Channel)	2.412	16QAM	39Mbps
Channel 6 (Middle Channel)	2.437	16QAM	39Mbps
Channel 11 (Upper Channel)	2.462	16QAM	39Mbps
Channel 1 (Lower Channel)	2.412	64QAM	65Mbps
Channel 6 (Middle Channel)	2.437	64QAM	65Mbps
Channel 11 (Upper Channel)	2.462	64QAM	65Mbps



#### **TEST SUMMARY**

#### **Notes (Continued)**

- 4. The EUT is a Class B device when in non-transmitting state and meets the 47 CFR FCC Part15B Class B requirements.
- 5. All test measurement procedures are according to ANSI C63.4: 2014, ANSI C63.10: 2013 and KDB 558074 D01 DTS Measurement Guidance V03R03.
- 6. 99% Bandwidth Measurement is applicable to RSS-247 only.
- 7. RSS-102 is RSS-102 Issue 4: 2015.
- 8. The unit was also investigated for inter-modulation products between the co-located WiFi and the land mobile radios. All inter-modulation products between the co-located radios were found to be compliant to the FCC limits of 15.209 and Industry Canada RSS-GEN.
- 9. The EUT uses a 4dBi internal PIFA which connects to the RF port via a spring contact. The EUT meets the requirement of FCC 15.203.
- 10. The maximum measured RF power of the Equipment Under Test is 12.79dBm.
- 11. All tests except Maximum Peak Power and Band Edge Compliance (Radiated) were tested at the maximum power of the RF module which is higher than the supported maximum EUT RF power. The Maximum Peak Power and Band Edge Compliance (Radiated) tests were tested at the maximum RF power of the EUT.

#### **Modifications**

No modifications were made.



#### PRODUCT DESCRIPTION

Description : The Equipment Under Test (EUT) is a **Mobile Two-Way Radio**.

Manufacturer : Motorola Solutions Malaysia Sdn Bhd

Plot 2, Technoplex Industrial Park Mukim 12 Swd,

Medan Bayan Lepas, Bayan Lepas Industrial Park, 11900 Bayan Lepas,

Pulau Penang,

Malaysia

Model Number : AAM28UMN9RA1AN

FCC ID : AZ492FT7083

IC : 109U-92FT7083

Serial Number : 203TRP2540

Microprocessor : Ti OMAPL138BZWTA3R

Operating / Transmitting

Frequency

Bluetooth / Bluetooth LE

2.402GHz (lower channel) to 2.480GHz (upper channel) 79 channels (Bluetooth), 40 channels (Bluetooth LE)

WiF

2.412GHz (lower channel) to 2.462GHz (upper channel)

11 channels

Land Mobile

806MHz to 870MHz /Channel Spacing 12.5kHz/25kHz 896MHz to 941MHz /Channel Spacing 12.5kHz/25kHz

Clock / Oscillator Frequency : Reference Clock: 19.2MHz,

LO 1: 924.35MHz - 943.35MHz LO 2: 861.65MHz - 867.65MHz

Modulation : Bluetooth

Gaussian Frequency Shift Keying (GFSK)

(π/4) DQPSK 8DPSK

WiFi

Differential Binary Phase Shift Keying (DBPSK)
Differential Quadrature Phase Shift Keying (DQPSK)

Complementary Code Keying (CCK)
Binary Phase Shift Keying (BPSK)
Quadrature Phase Shift Keying (QPSK)
16-Quadrature Amplitude Modulation (16QAM)
64-Quadrature Amplitude Modulation (64QAM)

Land Mobile

Frequency Modulation (FM)

Antenna Gain : 4.0 dBi (PIFA Antenna)



### PRODUCT DESCRIPTION

(Continued)

Port / Connectors : Refer to manufacturer's user manual / operating manual

Rated Input Power : 120V 60Hz

Accessories : Refer to manufacturer's user manual / operating manual





# SUPPORTING EQUIPMENT DESCRIPTION

Equipment Description (Including Brand Name)	Model, Serial & FCC ID Number	Cable Description (List Length, Type & Purpose)
Fujitsu Laptop	M/N: S6310	Nil
	S/N: R7100269	
	FCC ID: DoC	
Fujitsu AC Adapter	M/N: CP293662-01	1.80m unshielded power cable
	S/N: O6X00399B	
	FCC ID: DoC	
Microsoft Wheel Mouse	M/N: X08-71118	Nil
	S/N: Nil	
-24	FCC ID: DoC	
Alfatronix Limited Desktop Power	M/N: AD MT 3100/DM	Nil
Supply	S/N: Nil	
	FCC ID: DoC	
Motorola IMPRES Keypad	M/N: RMN5127C	Nil
Microphone	S/N: Nil	
	FCC ID: DoC	





#### **EUT OPERATING CONDITIONS**

### 47 CFR FCC Part 15, RSS-GEN Issue 4 and RSS-247 Issue 1

- 1. Conducted Emissions
- 2. Radiated Emissions (Spurious Emissions inclusive Restricted Bands Requirement)
- 3. Spectrum Bandwidth (6dB and 99% Bandwidth Measurement)
- 4. Maximum Peak Power
- 5. RF Conducted Spurious Emissions Emission (Non-Restricted Bands)
- 6. RF Conducted Spurious Emissions Emission (Restricted Bands)
- 7. Band Edge Compliance (Conducted)
- 8. Band Edge Compliance (Radiated)
- 9. Peak Power Spectral Density
- 10. Maximum Permissible Exposure

The EUT was exercised by operating in maximum continuous transmission in test mode, i.e transmitting at lower, middle and upper channels respectively at one time.





### **CONDUCTED EMISSION TEST**

# 47 CFR FCC Part 15.207 and RSS-GEN 8.8 Conducted Emission Limits

Frequency Range	Limit Values (dBµV)				
(MHz)	Quasi-peak (Q-P)	Average (AV)			
0.15 - 0.5	66 – 56 *	56 – 46 *			
0.5 - 5.0	56	46			
5.0 - 30.0	60	50			
* Decreasing linearly with the loga	rithm of the frequency				

# 47 CFR FCC Part 15.207 and RSS-GEN 8.8 Conducted Emission Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Schaffner EMI Receiver	SMR4503	040	11 Feb 2016	1 year
Agilent EMC Analyzer-SA7	E7403A	US41160167	28 May 2016	1 year
Schaffner LISN –LISN10 (EUT)	NNB42	04/10055	31 Oct 2016	1 year
EMCO LISN (for supporting) – LISN6	3825/2	9309-2127	31 Oct 2016	1 year





#### **CONDUCTED EMISSION TEST**

#### 47 CFR FCC Part 15.207 and RSS-GEN 8.8 Conducted Emission Test Setup

- 1. The EUT and supporting equipment were set up in accordance with the requirements of the standard on top of a 1.5m x 1m x 0.8m high, non-metallic table.
- 2. The power supply for the EUT was fed through a  $50\Omega/50\mu H$  EUT LISN, connected to filtered mains.
- The RF OUT of the EUT LISN was connected to the EMI test receiver via a low-loss coaxial cable.
- 4. All other supporting equipment were powered separately from another LISN.

### 47 CFR FCC Part 15.207 and RSS-GEN 8.8 Conducted Emission Test Method

- 1. The EUT was switched on and allowed to warm up to its normal operating condition.
- 2. A scan was made on the NEUTRAL line over the required frequency range using an EMI test receiver.
- 3. High peaks, relative to the limit line, were then selected.
- 4. The EMI test receiver was then tuned to the selected frequencies and the necessary measurements made with a receiver bandwidth setting of 9kHz. Both Quasi-peak and Average measurements were made
- 5. Steps 2 to 4 were then repeated for the LIVE line.

# **Sample Calculation Example**

At 20 MHz Q-P limit =  $60.0 \text{ dB}_{\mu}\text{V}$ 

Transducer factor of LISN, pulse limiter & cable loss at 20 MHz = 11.2 dB

Q-P reading obtained directly from EMI Receiver = 40.0 dBµV

(Calibrated for system losses)

Therefore, Q-P margin = 60.0 - 40.0 = 20.0

i.e. 20.0 dB below Q-P limit



#### **CONDUCTED EMISSION TEST**

#### 47 CFR FCC Part 15.207 and RSS-GEN 8.8 Conducted Emission Results

Test Input Power	120V 60Hz	Temperature	24°C
Line Under Test	AC Mains	Relative Humidity	60%
Modulation	802.11b @ 11Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Derrick Ng

Frequency (MHz)	Peak Value (dBµV)	Q-P Limit (dBµV)	Q-P Margin (dB)	AV Value (dBµV)	AV Limit (dBµV)	AV Margin (dB)	Line	Channel
0.7011	40.6	56.0	15.4	*See Note 3	46.0	5.4	Neutral	1
1.0685	40.3	56.0	15.7	*See Note 3	46.0	5.7	Live	1
1.7175	39.9	56.0	16.1	*See Note 3	46.0	6.1	Neutral	1
2.5013	39.5	56.0	16.5	*See Note 3	46.0	6.5	Live	1
3.1136	40.9	56.0	15.1	*See Note 3	46.0	5.1	Neutral	1
3.9341	38.6	56.0	17.4	*See Note 3	46.0	7.4	Live	1

#### **Notes**

- 1. All possible modes of operation were investigated from 150kHz to 30MHz. Only the worst case emissions measured, using the correct CISPR detectors, are reported. All other emissions were relatively insignificant.
- 2. A "positive" margin indicates a PASS as it refers to the margin present below the limit line at the particular frequency. Conversely, a "negative" margin indicates a FAIL.
- 3. As the measured peak shows compliance to the Q-P & Average limits, as such no Q-P & Average measurements was carried out. The EUT is deemed to meet both requirements.
- 4. EMI receiver Resolution Bandwidth (RBW) and Video Bandwidth (VBW) settings: 9kHz 30MHz

RBW: 9kHz VBW: 30kHz

5. <u>Conducted Emissions Measurement Uncertainty</u>

All test measurements carried out are traceable to national standards. The uncertainty of the measurement at a confidence level of approximately 95%, with a coverage factor of 2, in the range 9kHz - 30MHz is  $\pm 2.2dB$ .



### **RADIATED EMISSION TEST**

#### 47 CFR FCC Part 15.205 and RSS-GEN 8.10 Restricted Bands

N	ИHz			MHz			MHz			GHz	
0.090	-	0.110	16.42	-	16.423	399.9	-	410	4.5	-	5.15
0.495	-	0.505	16.69475	-	16.69525	608	-	614	5.35	-	5.46
2.1735	-	2.1905	16.80425	-	16.80475	960	-	1240	7.25	-	7.75
4.125	-	4.128	25.5	-	25.67	1300	-	1427	8.025	-	8.5
4.17725	-	4.17775	37.5	-	38.25	1435	-	1626.5	9.0	-	9.2
4.20725	-	4.20775	73	-	74.6	1645.5	-	1646.5	9.3	-	9.5
6.215	-	6.218	74.8	-	75.2	1660	-	1710	10.6	-	12.7
6.26775	-	6.26825	108	-	121.94	1718.8	-	1722.2	13.25	-	13.4
6.31175	-	6.31225	123	-	138	2200	-	2300	14.47	-	14.5
8.291	-	8.294	149.9	-	150.05	2310	-	2390	15.35	-	16.2
8.362	-	8.366	156.52475	-	156.52525	2483.5	N	2500	17.7	-	21.4
8.37625	-	8.38675	156.7	-	156.9	2690	2	2900	22.01	-	23.12
8.41425	-	8.41475	162.0125	-	167.17	3260	D-7	3267	23.6	-	24.0
12.29	-	12.293	167.72	1.	173.2	3332		3339	31.2	-	31.8
12.51975	-	12.52025	240	gr.	285	3345.8	-	3358	36.43	-	36.5
12.57675	-	12.57725	322	F1 -	335.4	3600	-	4400	Ab	ove 3	3.6
13.36	-	13.41									

### 47 CFR FCC Part 15.209 and RSS-GEN 8.9 Radiated Emission Limits

Frequency Range (MHz)	Quasi-Peak Limit Values (dBµV/m)
0.009 - 0.490	20 log [2400 / F (kHz)] @ 300m
0.490 - 1.705	20 log [24000 / F (kHz)] @ 30m
1.705 - 30.0	30.0 @ 30m
30 - 88	40.0 @ 3m
88 - 216	43.5 @ 3m
216 - 960	46.0 @ 3m
Above 960	54.0* @ 3m
	04.0 © 5111

<sup>\*</sup> For frequency bands 9kHz – 90kHz, 110kHz – 490kHz and above 1GHz, average detector was used. A peak limit of 20dB above the average limit does apply.

## 47 CFR FCC Part 15.209, RSS-GEN 8.9 and 8.10 Radiated Emission Test Instrumentation

Instrument	Model	S/No	Cal Due	Cal Interval
			Date	
R&S Test Receiver – ESI1	ESI40	100010	14 Jul 2016	1 year
Schaffner Bilog Antenna –(30MHz-2GHz)	CBL6112D	2549	29 Jan 2016	1 year
BL3 (Ref)				
ETS Horn Antenna(18GHz-40GHz)(Ref)	3116	0004-2474	02 Oct 2016	1 year
EMCO Horn Antenna(1GHz-18GHz)	3115	0003-6088	20 Apr 2016	1 year
R&S Preamplifier (1GHz -18GHz)	SCU18	102191	13 Mar 2016	1 year
Agilent Preamplifier(1GHz-26.5GHz) (PA18)	8449D	3008A02305	06 Oct 2016	1 year
Com-Power Preamplifier (1MHz-1GHz)	PAM-103	441096	09 Oct 2016	1 year
Micro-Tronics Bandstop Filter (2.4-2.5 GHz)	BRM50701	017	13 Aug 2016	1 year



#### **RADIATED EMISSION TEST**

#### 47 CFR FCC Part 15.209, RSS-GEN 8.9 and 8.10 Radiated Emission Test Setup

- The EUT and supporting equipment were set up in accordance with the requirements of the standard on top of a 1.5m X 1.0m X 0.8m high, non-metallic table. For >1GHz measurements, the EUT is raised further to a height of 1.5m with a non-metallic foam block.
- further to a height of 1.5m with a non-metallic foam block.

  The filtered power supply for the EUT and supporting equipment were tapped from the appropriate power sockets located on the turntable.
- 3. The relevant broadband antenna was set at the required test distance away from the EUT and supporting equipment boundary.

#### 47 CFR FCC Part 15.209, RSS-GEN 8.9 and 8.10 Radiated Emission Test Method

- 1. The EUT was switched on and allowed to warm up to its normal operating condition.
- 2. A prescan was carried out to pick the worst emission frequencies from the EUT. For EUT which is a portable device, the prescan was carried out by rotating the EUT through three orthogonal axes to determine which altitude and equipment arrangement produces such emissions.
- 3. The test was carried out at the selected frequency points obtained from the prescan in step 2. Maximization of the emissions, was carried out by rotating the EUT, changing the antenna polarization, and adjusting the antenna height in the following manner:
  - Vertical or horizontal polarisation (whichever gave the higher emission level over a full rotation of the EUT) was chosen.
  - b. The EUT was then rotated to the direction that gave the maximum emission.
  - c. Finally, the antenna height was adjusted to the height that gave the maximum emission.
- 4. A Quasi-peak measurement was made for that frequency point if it was less than or equal to 1GHz. For frequency point in the range of 9kHz 90kHz, 110kHz 490kHz and above 1GHz, both Peak and Average measurements were carried out.
- 5. Steps 3 and 4 were repeated for the next frequency point, until all selected frequency points were measured.
- 6. The frequency range covered was from the lowest radio frequency signal generated from the EUT, without going below 9kHz to 10<sup>th</sup> harmonics of the EUT fundamental frequency, using the loop antenna for frequency below 30MHz, Bi-log antenna for frequencies from 30MHz up to 1GHz, and the Horn antenna above 1GHz.

#### **Sample Calculation Example**

At 300 MHz

Q-P limit (Class B) =  $46.0 \text{ dB}\mu\text{V/m}$ 

Log-periodic antenna factor & cable loss at 300 MHz = 18.5 dB

Q-P reading obtained directly from EMI Receiver = 40.0 dB<sub>µ</sub>V/m

(Calibrated level including antenna factors & cable losses)

Therefore, Q-P margin = 46.0 - 40.0 = 6.0

i.e. 6.0 dB below Q-P limit



### **RADIATED EMISSION TEST**

### 47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results

Test Input Power	120V 60Hz	Temperature	24°C
Test Distance	3m (30MHz – 1GHz)	Relative Humidity	60%
	802.11b @ 1Mbps (Worst Mode)	Atmospheric Pressure	1030mbar
		Tested By	Lim Kay Tak

Spurious Emissions ranging from 30MHz - 1GHz

Frequency (MHz)	Q-P Value (dBμV/m)	Q-P Limit (dBµV/m)	Q-P Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Channel (Worst)
30.8730	9.8	40.0	30.2	224	39	V	11
44.7580	1.8	40.0	38.2	328	232	V	11
324.0050	35.8	46.0	10.2	100	258	Н	11
397.0920	21.9	46.0	24.1	100	314	Н	11
449.5810	9.7	46.0	36.3	100	148	V	11
456.8530	9.0	46.0	37.0	135	282	V	11

Test Input Power	120V 60Hz	Temperature	24°C
Test Distance	3m (1GHz –25GHz)	Relative Humidity	60%
	802.11b @ 1Mbps (Worst Mode)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions above 1GHz - 25GHz

Frequency (GHz)	Peak Value (dBµV/m)	Peak Limit (dBμV/m)	Peak Margin (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.1619	43.2	74.0	30.8	26.4	54.0	27.6	100	44	Н	1
1.3238	44.5	74.0	29.1	28.2	54.0	25.8	100	295	Н	1
1.6578	43.4	74.0	30.6	28.3	54.0	25.7	100	266	Н	1
1.9918	41.7	74.0	32.3	29.5	54.0	24.5	100	247	V	1
3.6009	47.9	74.0	26.1	39.8	54.0	14.2	100	351	V	1
4.8255	37.6	74.0	36.4	31.6	54.0	22.4	100	290	Н	1

Frequency (GHz)	Peak Value (dBμV/m)	Peak Limit (dBμV/m)	Peak Margin (dB)	AV Value (dΒμV/m)	AV Limit (dΒμV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.3238	42.7	74.0	31.3	26.4	74.0	47.6	100	230	Н	6
1.5465	45.3	74.0	28.7	29.4	74.0	44.6	100	60	Н	6
1.6578	43.6	74.0	30.4	28.5	74.0	45.5	100	317	V	6
1.9918	41.9	74.0	32.1	29.7	74.0	44.3	100	293	V	6
3.6009	48.3	74.0	25.7	40.2	74.0	33.8	100	205	V	6
4.8255	38.2	74.0	35.8	32.2	74.0	41.8	100	284	Н	6



### **RADIATED EMISSION TEST**

# 47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results

Frequency (GHz)	Peak Value (dBμV/m)	Peak Limit (dBμV/m)	Peak Margin (dB)	AV Value (dBμV/m)	AV Limit (dΒμV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.0810	42.7	74.0	31.3	25.6	74.0	48.4	100	145	Н	11
1.1619	42.3	74.0	31.7	25.5	74.0	48.5	100	44	Н	11
1.6578	43.1	74.0	30.9	28.0	74.0	46.0	100	61	Н	11
1.9918	40.9	74.0	33.1	28.7	74.0	45.3	100	351	V	11
2.4067	46.1	74.0	27.9	32.9	74.0	41.1	100	29	V	11
3.6009	48.0	74.0	26.0	39.9	74.0	34.1	100	351	V	11





### **RADIATED EMISSION TEST**

### 47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results

Test Input Power	120V 60Hz	Temperature	24°C
Test Distance	3m (30MHz – 1GHz)	Relative Humidity	60%
	802.11g @ 18Mbps (Worst Mode)	Atmospheric Pressure	1030mbar
		Tested By	Lim Kay Tak

Spurious Emissions ranging from 30MHz - 1GHz

Frequency (MHz)	Q-P Value (dBμV/m)	Q-P Limit (dBµV/m)	Q-P Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Channel (Worst)
96.7530	21.3	43.5	22.2	200	12	V	1
324.4990	23.1	46.0	22.9	200	355	V	1
395.1790	27.2	46.0	18.8	100	355	V	1
467.8220	24.3	46.0	21.7	200	210	Н	1
540.4650	37.8	46.0	8.2	100	218	Н	1
560.0980	32.9	46.0	13.1	200	210	Н	1

Test Input Power	120V 60Hz	Temperature	24°C
Test Distance	3m (1GHz –25GHz)	Relative Humidity	60%
	802.11g @ 9Mbps (Worst Mode)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions above 1GHz - 25GHz

Frequency (GHz)	Peak Value (dBμV/m)	Peak Limit (dBμV/m)	Peak Margin (dB)	AV Value (dBμV/m)	AV Limit (dΒμV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.3441	44.0	74.0	30.0	27.7	54.0	26.3	400	359	V	1
1.6882	43.8	74.0	30.2	29.0	54.0	25.0	300	98	V	1
1.8602	44.3	74.0	29.7	31.3	54.0	22.7	100	16	V	1
1.9918	41.5	74.0	32.5	29.3	54.0	24.7	100	47	Н	1
2.1335	43.3	74.0	30.7	30.9	54.0	23.1	100	16	V	1
3.6009	50.4	74.0	23.6	42.3	54.0	11.7	200	343	V	1

Frequency (GHz)	Peak Value (dBμV/m)	Peak Limit (dBμV/m)	Peak Margin (dB)	AV Value (dΒμV/m)	AV Limit (dΒμV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.1619	42.2	74.0	31.8	25.4	54.0	28.6	100	33	Н	6
1.5465	43.2	74.0	30.8	27.3	54.0	26.7	100	49	Н	6
1.6781	44.5	74.0	29.5	29.6	54.0	24.4	100	313	V	6
1.9918	41.0	74.0	33.0	28.8	54.0	25.2	100	41	Н	6
2.5168	44.3	74.0	29.7	31.1	54.0	22.9	100	28	V	6
3.6009	48.3	74.0	25.7	40.2	54.0	13.8	100	354	V	6



### **RADIATED EMISSION TEST**

# 47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results

Frequency (GHz)	Peak Value (dBμV/m)	Peak Limit (dBμV/m)	Peak Margin (dB)	AV Value (dΒμV/m)	AV Limit (dΒμV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.1619	42.5	74.0	31.5	25.7	74.0	48.3	100	35	Н	11
1.6679	43.6	74.0	30.4	28.6	74.0	45.4	100	304	V	11
1.8602	39.7	74.0	34.3	26.7	74.0	47.3	100	42	Н	11
1.9918	43.2	74.0	30.8	31.0	74.0	43.0	100	253	V	11
2.1335	39.3	74.0	34.7	26.9	74.0	47.1	100	35	Н	11
3.6009	48.1	74.0	25.9	40.0	74.0	34.0	100	219	V	11





#### **RADIATED EMISSION TEST**

# 47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results

Test Input Power	120V 60Hz	Temperature	24°C
Test Distance	3m (30MHz – 1GHz)	Relative Humidity	60%
	802.11n @ 65Mbps (Worst Mode)	Atmospheric Pressure	1030mbar
		Tested By	Lim Kay Tak

Spurious Emissions ranging from 30MHz – 1GHz

Frequency (MHz)	Q-P Value (dBμV/m)	Q-P Limit (dBµV/m)	Q-P Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Channel (Worst)
96.7530	21.0	43.5	22.5	100	106	V	11
179.2130	18.1	43.5	25.4	200	301	Н	11
324.4990	23.3	46.0	22.7	300	181	V	11
395.1790	27.1	46.0	18.9	200	356	V	11
540.4650	37.1	46.0	8.9	100	202	Н	11
560.0980	32.8	46.0	13.2	100	218	Н	11

Test Input Power	120V 60Hz	Temperature	24°C
Test Distance	3m (1GHz –25GHz)	Relative Humidity	60%
	802.11n @ 19.5Mbps (Worst Mode)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions above 1GHz - 25GHz

Frequency (GHz)	Peak Value (dBμV/m)	Peak Limit (dBμV/m)	Peak Margin (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.1518	42.9	74.0	31.1	26.0	54.0	28.0	100	239	Н	1
1.1619	42.7	74.0	31.3	25.9	54.0	28.1	100	42	Н	1
1.6578	43.0	74.0	31.0	27.9	54.0	26.1	100	320	V	1
1.9918	41.2	74.0	32.8	29.0	54.0	25.0	100	253	V	1
2.2245	38.5	74.0	35.5	25.9	54.0	28.1	100	217	Н	1
3.6009	47.7	74.0	26.3	39.6	54.0	14.4	100	120	V	1

Frequency (GHz)	Peak Value (dBμV/m)	Peak Limit (dB <sub>µ</sub> V/m)	Peak Margin (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.1619	42.9	74.0	31.1	26.1	54.0	27.9	100	40	Н	6
1.3441	42.1	74.0	31.9	25.8	54.0	28.2	100	328	V	6
1.6578	42.4	74.0	31.6	27.3	54.0	26.7	100	313	V	6
1.7084	42.2	74.0	31.8	27.6	54.0	26.4	100	48	Η	6
1.9918	41.2	74.0	32.8	29.0	54.0	25.0	100	354	V	6
3.6009	47.4	74.0	26.6	39.3	54.0	14.7	100	246	V	6



#### **RADIATED EMISSION TEST**

#### 47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results

Spurious Emissions above 1GHz - 25GHz

Frequency (GHz)	Peak Value (dBμV/m)	Peak Limit (dBμV/m)	Peak Margin (dB)	AV Value (dΒμV/m)	AV Limit (dΒμV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.4655	44.4	74.0	29.6	28.3	54.0	25.7	100	327	V	11
1.6578	42.6	74.0	31.4	27.5	54.0	26.5	100	319	V	11
1.8602	44.5	74.0	29.5	31.5	54.0	22.5	100	0	V	11
1.9918	41.1	74.0	32.9	28.9	54.0	25.1	100	353	V	11
2.1335	43.6	74.0	30.4	31.2	54.0	22.8	100	345	V	11
3.6009	47.5	74.0	26.5	39.4	54.0	14.6	100	0	V	11

#### <u>Notes</u>

- 1. All possible modes of operation were investigated. Only the worst case emissions measured, using the correct CISPR detectors, are reported. All other emissions were relatively insignificant.
- Quasi-peak measurement was used for frequency measurement up to 1GHz. Average and peak
  measurements were used for emissions above 1GHz. The average measurement was done by
  averaging over a complete cycle of the pulse train, including the blanking interval as the pulse train
  duration does not exceed 0.1 second.
- 3. A "positive" margin indicates a PASS as it refers to the margin present below the limit line at the particular frequency. Conversely, a "negative" margin indicates a FAIL.
- 4. EMI receiver Resolution Bandwidth (RBW) and Video Bandwidth (VBW) settings:

<u>30MHz - 1GHz</u>

RBW: 100kHz VBW: 1MHz

>1GHz

RBW: 1MHz VBW: 3MHz

- 5. The upper frequency of radiated emission investigations was according to requirements stated in Section 15.33(a) for intentional radiators & Section 15.33(b) for unintentional radiators.
- The upper frequency of radiated emission investigations was according to requirements stated in RSS-GEN 6.13.
- 7. The channel in the table refers to the transmit channel of the EUT.
- 8. Radiated Emissions Measurement Uncertainty

All test measurements carried out are traceable to national standards. The uncertainty of the measurement at a confidence level of approximately 95%, with a coverage factor of 2, in the range 30MHz – 25GHz is ±4.0dB.



# SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

# 47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Limits

The EUT shows compliance to the requirements of this section, which states that the minimum bandwidth of the EUT employing digital modulation techniques shall be at least 500kHz.

# 47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year

# 47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Test Setup

- 1. The EUT and supporting equipment were set up as shown in the setup photo.
- 2. The power supply for the EUT was connected to a filtered mains.
- 3. The RF antenna connector was connected to the spectrum analyser via a low-loss coaxial cable.
- 4. The resolution bandwidth (RBW) and the video bandwidth (VBW) of the spectrum analyser were respectively set to the following:
  - RBW = 100kHz VBW = 3 times RBW
- 5. All other supporting equipment were powered separately from another filtered mains.

# 47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Test Method

- 1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode at lower channel.
- 2. The center frequency of the spectrum analyser was set to the transmitting frequency with the frequency span wide enough to capture the 6dB and 99% bandwidth of the transmitting frequency.
- 3. The spectrum analyser was set to max hold to capture the transmitting frequency. The signal capturing was continuous until no further changes were observed.
- 4. The peak of the transmitting frequency was detected with the marker peak function of the spectrum analyser. For 6dB bandwidth measurement, the frequencies below the 6dB peak frequency at lower (f<sub>L</sub>) and upper (f<sub>H</sub>) sides of the transmitting frequency were marked and measured by using the marker-delta function of the spectrum analyser. For 99% bandwidth measurement, the spectrum analyser power measurement was activated with bandwidth measurement as 99%.
- 5. For 6dB bandwidth measurement, the 6dB bandwidth of the transmitting frequency is the frequency difference between the marked lower and upper frequencies,  $|f_H f_L|$ . For 99% bandwidth measurement, the measured 99% bandwidth shown on the spectrum analyser was recorded.
- 6. The steps 2 to 5 were repeated with the transmitting frequency was set to middle and upper channel respectively.



# SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

# 47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Results

Test Input Power	120V 60Hz	Temperature	24°C
		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

#### 802.11b

Channel	Channel Frequency (GHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)	Modulation  @ Data Rate
	-/4	10.00	13.37	DBPSK @ 1Mbps
1 (lower ch)	2.412	9.67	13.22	DQPSK @ 2Mbps
		10.17	13.29	CCK @ 11Mbps
		10.00	13.46	DBPSK @ 1Mbps
6 (mid ch)	2.437	9.83	13.42	DQPSK @ 2Mbps
		9.67	13.60	CCK @ 11Mbps
		10.12	13.52	DBPSK @ 1Mbps
11 (upper ch)	2.462	9.71	13.60	DQPSK @ 2Mbps
		9.21	13.70	CCK @ 11Mbps

Test Input Power	120V 60Hz	Temperature	24°C
		Relative Humidity	60%
	/ C.	Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

### 802.11g

Channel	Channel Frequency (GHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)	Modulation @ Data Rate
1 (lower ch)	2.412	16.42	16.53	BPSK @ 9Mbps
		16.46	16.53	QPSK @ 18Mbps
		16.50	16.50	16QAM @ 36Mbps
		16.54	16.60	64QAM @ 54Mbps
	2.437	16.42	16.41	BPSK @ 9Mbps
6 (mid ch)		16.46	16.53	QPSK @ 18Mbps
o (mia cm)		16.54	16.51	16QAM @ 36Mbps
		16.50	16.65	64QAM @ 54Mbps
11 (upper ch)	2.462	16.46	16.55	BPSK @ 9Mbps
		16.50	16.51	QPSK @ 18Mbps
		16.50	16.57	16QAM @ 36Mbps
		16.50	16.66	64QAM @ 54Mbps



# SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

# 47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Results

Test Input Power	120V 60Hz	Temperature 24°C	
		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin


#### 802.11n

Channel	Channel Frequency (GHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)	Modulation @ Data Rate
1 (lower ch)	0.440	17.71	17.62	BPSK @ 6.5Mbps (MCS0)
		17.71	17.70	QPSK @ 19.5Mbps (MCS2)
	2.412	17.75	17.65	16QAM @ 39Mbps (MCS4)
	11	17.75	17.64	64QAM @ 65Mbps (MCS7)
6 (mid ch)	2.437	17.67	17.65	BPSK @ 6.5Mbps (MCS0)
		17.71	17.72	QPSK @ 19.5Mbps (MCS2)
	2.437	17.75	17.76	16QAM @ 39Mbps (MCS4)
		17.75	17.83	64QAM @ 65Mbps (MCS7)
11 (upper ch)	2.462	17.67	17.68	BPSK @ 6.5Mbps (MCS0)
		17.67	17.67	QPSK @ 19.5Mbps (MCS2)
		17.75	17.65	16QAM @ 39Mbps (MCS4)
		17.75	17.84	64QAM @ 65Mbps (MCS7)




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11b



Plot 1 - Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 2 - Channel 1 (lower ch) @ DQPSK 2Mbps



### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

# Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11b




Plot 3 - Channel 1 (lower ch) @ CCK 11Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11g



Plot 4 - Channel 1 (lower ch) @ BPSK 9Mbps




Plot 5 - Channel 1 (lower ch) @ QPSK 18Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11g



Plot 6 - Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 7 - Channel 1 (lower ch) @ 64QAM 54Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11n



Plot 8 - Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 9 - Channel 1 (lower ch) @ QPSK 19.5Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11n



Plot 10 - Channel 1 (lower ch) @ 16QAM 39Mbps




Plot 11 - Channel 1 (lower ch) @ 64QAM 65Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11b



Plot 12 - Channel 6 (middle ch) @ DBPSK 1Mbps




Plot 13 - Channel 6 (middle ch) @ DQPSK 2Mbps



### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11b




Plot 14 - Channel 6 (middle ch) @ CCK 11Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11g



Plot 15 - Channel 6 (middle ch) @ BPSK 9Mbps




Plot 16 - Channel 6 (middle ch) @ QPSK 18Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11g



Plot 17 - Channel 6 (middle ch) @ 16QAM 36Mbps




Plot 18 - Channel 6 (middle ch) @ 64QAM 54Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11n



Plot 19 - Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 20 - Channel 6 (middle ch) @ QPSK 19.5Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11n



Plot 21 - Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 22 - Channel 6 (middle ch) @ 64QAM 65Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11b



Plot 23 - Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 24 - Channel 11 (upper ch) @ DQPSK 2Mbps



### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11b




Plot 25 - Channel 11 (upper ch) @ CCK 11Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11g



Plot 26 - Channel 11 (upper ch) @ BPSK 9Mbps




Plot 27 - Channel 11 (upper ch) @ QPSK 18Mbps




#### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11g



Plot 28 - Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 29 - Channel 11 (upper ch) @ 64QAM 54Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11n



Plot 30 - Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 31 - Channel 11 (upper ch) @ QPSK 19.5Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (6dB Bandwidth Measurement) Plots - 802.11n



Plot 32 - Channel 11 (upper ch) @ 16QAM 39Mbps



Plot 33 - Channel 11 (upper ch) @ 64QAM 65Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

### Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11b



Plot 34 - Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 35 - Channel 1 (lower ch) @ DQPSK 2Mbps



#### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11b



Plot 36 - Channel 1 (lower ch) @ CCK 11Mbps




#### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

### Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11g



Plot 37 - Channel 1 (lower ch) @ BPSK 9Mbps




Plot 38 - Channel 1 (lower ch) @ QPSK 18Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11g



Plot 39 - Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 40 - Channel 1 (lower ch) @ 64QAM 54Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11n



Plot 41 - Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 42 - Channel 1 (lower ch) @ QPSK 19.5Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11n



Plot 43 - Channel 1 (lower ch) @ 16QAM 39Mbps



Plot 44 - Channel 1 (lower ch) @ 64QAM 65Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11b



Plot 45 - Channel 6 (middle ch) @ DBPSK 1Mbps




Plot 46 - Channel 6 (middle ch) @ DQPSK 2Mbps



### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11b



Plot 47 - Channel 6 (middle ch) @ CCK 11Mbps




#### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11g



Plot 48 - Channel 6 (middle ch) @ BPSK 9Mbps




Plot 49 - Channel 6 (middle ch) @ QPSK 18Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11g



Plot 50 - Channel 6 (middle ch) @ 16QAM 36Mbps




Plot 51 - Channel 6 (middle ch) @ 64QAM 54Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11n



Plot 52 - Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 53 - Channel 6 (middle ch) @ QPSK 19.5Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11n



Plot 54 - Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 55 - Channel 6 (middle ch) @ 64QAM 65Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11b



Plot 56 - Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 57 - Channel 11 (upper ch) @ DQPSK 2Mbps



### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11b




Plot 58 - Channel 11 (upper ch) @ CCK 11Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11g



Plot 59 - Channel 11 (upper ch) @ BPSK 9Mbps




Plot 60 - Channel 11 (upper ch) @ QPSK 18Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11g



Plot 61 - Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 62 - Channel 11 (upper ch) @ 64QAM 54Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11n



Plot 63 - Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 64 - Channel 11 (upper ch) @ QPSK 19.5Mbps




### SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

#### Spectrum Bandwidth (99% Bandwidth Measurement) Plots - 802.11n



Plot 65 - Channel 11 (upper ch) @ 16QAM 39Mbps



Plot 66 - Channel 11 (upper ch) @ 64QAM 65Mbps



#### **MAXIMUM PEAK POWER TEST**

#### 47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Limits

The EUT shows compliance to the requirements of this section, which states the maximum peak power of the EUT employing digital modulation shall not exceed 1W (30dBm).

#### 47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Boonton Electronics RF Power Meter	4532	72901	27 Aug 2016	1 year
Boonton Electronics Peak Power Sensor	56218-S/1	1417	27 Aug 2016	1 year

#### 47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Test Setup

- 1. The EUT and supporting equipment were set up as shown in the setup photo.
- 2. The power supply for the EUT was connected to a filtered mains.
- 3. The RF antenna connector was connected to the power meter.
- 4. All other supporting equipment were powered separately from another filtered mains.

#### 47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Test Method

- 1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode at lower channel with specified modulation and data rate.
- 2. The maximum peak power of the transmitting frequency was detected and recorded.
- 3. Repeat steps 1 to 2 with all possible modulations and data rates.
- 4. The steps 2 to 3 were repeated with the transmitting frequency was set to middle and upper respectively.



### **MAXIMUM PEAK POWER TEST**

### 47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Results

Test Input Power	120V 60Hz	Temperature	24°C
Antenna Gain	4.0 dBi	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

### 802.11b

Channel	Channel Frequency (GHz)	Maximum Peak Power (W)	Limit (W)	Modulation @ Data Rate
	A.	0.018	1.0	DBPSK @ 1Mbps
1 (lower ch)	2.412	0.017	1.0	DQPSK @ 2Mbps
		0.019	1.0	CCK @ 11Mbps
		0.017	1.0	DBPSK @ 1Mbps
6 (mid ch)	2.437	0.016	1.0	DQPSK @ 2Mbps
	//	0.017	1.0	CCK @ 11Mbps
		0.017	1.0	DBPSK @ 1Mbps
11 (upper ch)	2.462	0.017	1.0	DQPSK @ 2Mbps
		0.017	1.0	CCK @ 11Mbps

802.11g

Channel	Channel Frequency (GHz)	Maximum Peak Power (W)	Limit (W)	Modulation @ Data Rate
		0.012	1.0	BPSK @ 9Mbps
1 (lower oh)	2.412	0.012	1.0	QPSK @ 18Mbps
1 (lower ch)		0.011	1.0	16QAM @ 36Mbps
		0.011	1.0	64QAM @ 54Mbps
		0.011	1.0	BPSK @ 9Mbps
6 (mid ch)	2.437	0.011	1.0	QPSK @ 18Mbps
o (mia cri)		0.010	1.0	16QAM @ 36Mbps
		0.011	1.0	64QAM @ 54Mbps
	2.462	0.012	1.0	BPSK @ 9Mbps
11 (upper ch)		0.012	1.0	QPSK @ 18Mbps
		0.011	1.0	16QAM @ 36Mbps
		0.010	1.0	64QAM @ 54Mbps



### **MAXIMUM PEAK POWER TEST**

### 47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Results

Test Input Power	120V 60Hz	Temperature	24°C
Antenna Gain	4.0 dBi	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

#### 802.11n

Channel	Channel Frequency (GHz)	Maximum Peak Power (W)	Limit (W)	Modulation @ Data Rate
	A.	0.007	1.0	BPSK @ 6.5Mbps (MCS0)
1 (lower ob)	2.412	0.007	1.0	QPSK @ 19.5Mbps (MCS2)
1 (lower ch)		0.007	1.0	16QAM @ 39Mbps (MCS4)
		0.007	1.0	64QAM @ 65Mbps (MCS7)
6 (mid ah)	2.437	0.007	1.0	BPSK @ 6.5Mbps (MCS0)
		0.007	1.0	QPSK @ 19.5Mbps (MCS2)
6 <i>(mid ch)</i>	2.437	0.006	1.0	16QAM @ 39Mbps (MCS4)
		0.007	1.0	64QAM @ 65Mbps (MCS7)
11 (upper ch)	2.462	0.007	1.0	BPSK @ 6.5Mbps (MCS0)
		0.007	1.0	QPSK @ 19.5Mbps (MCS2)
		0.007	1.0	16QAM @ 39Mbps (MCS4)
		0.007	1.0	64QAM @ 65Mbps (MCS7)

### **Notes**

1. Nil.

Motorola Solutions Malaysia Sdn Bhd Mobile Two-Way Radio [ Model : AAM28UMN9RA1AN ] [ FCC ID : AZ492FT7083 & IC : 109U-92FT7083 ]



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

# 47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) <u>Limits</u>

The EUT shows compliance to the requirements of this section, which states in any 100kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator (EUT) is operating, the radio frequency power that is produced by the EUT shall be at least 20dB below that in the 100kHz bandwidth within the band that contains the highest level of desired power.

### 47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year

# 47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) Test Setup

- 1. The EUT and supporting equipment were set up as shown in the setup photo.
- 2. The power supply for the EUT was connected to a filtered mains.
- The RF antenna connector was connected to the spectrum analyser via a low-loss coaxial cable.
- 4. The resolution bandwidth (RBW) and the video bandwidth (VBW) of the spectrum analyser were respectively set to 100kHz and 300kHz.
- 5. All other supporting equipment were powered separately from another filtered mains.

# 47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) Test Method

- 1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode, with the transmitting frequency was set to lower channel with specified modulation and data rate.
- The start and stop frequencies of the spectrum analyser were set to 30MHz and 10GHz.
- 3. The spectrum analyser was set to max hold to capture any spurious emissions within the span. The signal capturing was continuous until no further spurious emissions were detected.
- 4. The steps 2 to 3 were repeated with frequency span was set from 10GHz to 25GHz.
- 5. Repeat steps 1 to 4 with all possible modulations and data rates.
- 6. The steps 2 to 5 were repeated with the transmitting frequency was set to middle and upper channel respectively.



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

# 47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) Results


Test Input Power	120V 60Hz	Temperature	24°C
Attached Plots	67 – 84 (802.11b) 85 – 108 (802.11g) 109 – 132 (802.11n)	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Chang Wai Kit

All spurious signals found were below the specified limit. Please refer to the attached plots.






#### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 67 - Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 68 - Channel 1 (lower ch) @ DBPSK 1Mbps



#### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 69 - Channel 1 (lower ch) @ DQPSK 2Mbps




Plot 70 - Channel 1 (lower ch) @ DQPSK 2Mbps



#### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 71 - Channel 1 (lower ch) @ CCK 11Mbps




Plot 72 - Channel 1 (lower ch) @ CCK 11Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 73 - Channel 6 (middle ch) @ DBPSK 1Mbps




Plot 74 - Channel 6 (middle ch) @ DBPSK 1Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 75 - Channel 6 (middle ch) @ DQPSK 2Mbps




Plot 76 - Channel 6 (middle ch) @ DQPSK 2Mbps



#### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 77 - Channel 6 (middle ch) @ CCK 11Mbps




Plot 78 - Channel 6 (middle ch) @ CCK 11Mbps



#### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 79 - Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 80 - Channel 11 (upper ch) @ DBPSK 1Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 81 - Channel 11 (upper ch) @ DQPSK 2Mbps




Plot 82 - Channel 11 (upper ch) @ DQPSK 2Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 83 - Channel 11 (upper ch) @ CCK 11Mbps




Plot 84 - Channel 11 (upper ch) @ CCK 11Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 85 - Channel 1 (lower ch) @ BPSK 9Mbps




Plot 86 - Channel 1 (lower ch) @ BPSK 9Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 87 - Channel 1 (lower ch) @ QPSK 18Mbps




Plot 88 - Channel 1 (lower ch) @ QPSK 18Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 89 - Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 90 - Channel 1 (lower ch) @ 16QAM 36Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 91 - Channel 1 (lower ch) @ 64QAM 54Mbps




Plot 92 - Channel 1 (lower ch) @ 64QAM 54Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 93 - Channel 6 (middle ch) @ BPSK 9Mbps




Plot 94 - Channel 6 (middle ch) @ BPSK 9Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 95 - Channel 6 (middle ch) @ QPSK 18Mbps




Plot 96 - Channel 6 (middle ch) @ QPSK 18Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 97 - Channel 6 (middle ch) @ 16QAM 36Mbps




Plot 98 - Channel 6 (middle ch) @ 16QAM 36Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 99 - Channel 6 (middle ch) @ 64QAM 54Mbps




Plot 100 - Channel 6 (middle ch) @ 64QAM 54Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 101 - Channel 11 (upper ch) @ BPSK 9Mbps




Plot 102 - Channel 11 (upper ch) @ BPSK 9Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 103 - Channel 11 (upper ch) @ QPSK 18Mbps




Plot 104 - Channel 11 (upper ch) @ QPSK 18Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 105 - Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 106 - Channel 11 (upper ch) @ 16QAM 36Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 107 - Channel 11 (upper ch) @ 64QAM 54Mbps




Plot 108 - Channel 11 (upper ch) @ 64QAM 54Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 109 - Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 110 - Channel 1 (lower ch) @ BPSK 6.5Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 111 - Channel 1 (lower ch) @ QPSK 19.5Mbps




Plot 112 - Channel 1 (lower ch) @ QPSK 19.5Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 113 - Channel 1 (lower ch) @ 16QAM 39Mbps




Plot 114 - Channel 1 (lower ch) @ 16QAM 39Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 115 - Channel 1 (lower ch) @ 64QAM 65Mbps




Plot 116 - Channel 1 (lower ch) @ 64QAM 65Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 117 - Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 118 - Channel 6 (middle ch) @ BPSK 6.5Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 119 - Channel 6 (middle ch) @ QPSK 19.5Mbps




Plot 120 - Channel 6 (middle ch) @ QPSK 19.5Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 121 - Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 122 - Channel 6 (middle ch) @ 16QAM 39Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 123 - Channel 6 (middle ch) @ 64QAM 65Mbps




Plot 124 - Channel 6 (middle ch) @ 64QAM 65Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 125 - Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 126 - Channel 11 (upper ch) @ BPSK 6.5Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 127 - Channel 11 (upper ch) @ QPSK 19.5Mbps




Plot 128 - Channel 11 (upper ch) @ QPSK 19.5Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST




Plot 129 - Channel 11 (upper ch) @ 16QAM 65Mbps




Plot 130 - Channel 11 (upper ch) @ 16QAM 65Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST



Plot 131 - Channel 11 (upper ch) @ 64QAM 54Mbps



Plot 132 - Channel 11 (upper ch) @ 64QAM 54Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

### 47 CFR FCC Part 15.205 and RSS-GEN 8.10 Restricted Bands

N	ИHz			MHz			MHz			GHz	
0.090	-	0.110	16.42	-	16.423	399.9	-	410	4.5	-	5.15
0.495	-	0.505	16.69475	-	16.69525	608	-	614	5.35	-	5.46
2.1735	-	2.1905	16.80425	-	16.80475	960	-	1240	7.25	-	7.75
4.125	-	4.128	25.5	-	25.67	1300	-	1427	8.025	-	8.5
4.17725	-	4.17775	37.5	-	38.25	1435	-	1626.5	9.0	-	9.2
4.20725	-	4.20775	73	-	74.6	1645.5	-	1646.5	9.3	-	9.5
6.215	-	6.218	74.8	-	75.2	1660	-	1710	10.6	-	12.7
6.26775	-	6.26825	108	-	121.94	1718.8	-	1722.2	13.25	-	13.4
6.31175	-	6.31225	123	-	138	2200	-	2300	14.47	-	14.5
8.291	-	8.294	149.9	-	150.05	2310	-	2390	15.35	-	16.2
8.362	-	8.366	156.52475	-	156.52525	2483.5	N	2500	17.7	-	21.4
8.37625	-	8.38675	156.7	-	156.9	2690	2	2900	22.01	-	23.12
8.41425	-	8.41475	162.0125	-	167.17	3260	D-7	3267	23.6	-	24.0
12.29	-	12.293	167.72	1.	173.2	3332		3339	31.2	-	31.8
12.51975	-	12.52025	240	gr.	285	3345.8	-	3358	36.43	-	36.5
12.57675	-	12.57725	322	F1 -	335.4	3600	-	4400	Ab	ove 3	3.6
13.36	-	13.41									

## 47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands) Limits

The EUT shows compliance to the requirements of this section, which states that emissions which fall in the restricted bands must comply with the radiated emission limits specified in the table below:

Frequency Range (MHz)	EIRP (dBm)	Radiated Emissions (dBµV/m)				
0.009 - 0.490	-6.7 – (-41.4) **	67.6 – 20logF* @ 300m **				
0.490 – 1.705	-41.4 – (-52.3) **	87.6 – 20logF* @ 30m **				
1.705 – 30	-45.7	29.5 @ 30m				
30 - 88	-55.2	40.0 @ 3m				
88 - 216	-51.7	43.5 @ 3m				
216 - 960	-49.2	46.0 @ 3m				
>960	-41.2 ***	54.0 @ 3m ***				
* F is frequency in kHz.						
** Decreasing linearly with the logarithm of the frequency.						
*** Above 1GHz, a peak limit of 20dB above the average limit does apply.						

## 47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands) Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year
Micro-tronics Bandstop Filter (2.4GHz)	BRM50701	017	13 Aug 2016	1 year



### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

## 47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands) Test Setup

- 1. The EUT and supporting equipment were set up as shown in the setup photo.
- 2. The power supply for the EUT was connected to a filtered mains.
- 3. The RF antenna connector was connected to the spectrum analyser via a low-loss coaxial cable.
- 4. The resolution bandwidth (RBW) of the spectrum analyser was set to the following settings. The video bandwidth (VBW) was set to at least three times of the RBW.

Frequency (MHz)	RBW (kHz)
0.009 - 0.150	0.2
0.150 - 30.0	9.0
30.0 - 1000	100.0
> 1000	1000.0

- 5. The detector of the spectrum analyser was set to peak detection mode.
- 6. All other supporting equipment were powered separately from another filtered mains.

## 47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands) Test Method

- 1. Measurement in the range 9kHz 1000MHz
- 1.1 The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode, with the transmitting frequency was set to lower channel with specified modulation and data rate.
- 1.2 The start and stop frequencies of the spectrum analyser were set according to the supported RBW.
- 1.3 The spectrum analyser was set to max hold to capture any spurious emissions within the span. The signal capturing was continuous until no further spurious emissions were detected.
- 1.4 No further measurement was required if all the captured emissions complied to the limits. Else, the spectrum analyser was set to zoom to the captured emission with the detector of the spectrum analyser was set to quasi-peak. The emission level of the captured frequency was measured.
- 1.5 The step 1.4 was repeated until all the captured emissions which exceeding the limits were measured.
- 1.6 Repeat steps 1.1 to 1.5 with all possible modulations and data rates.
- 1.7 The steps 1.2 to 1.6 were repeated with the transmitting frequency was set to middle and upper channel respectively.
- 2. Measurement above 1000MHz
- 2.1 The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode, with the transmitting frequency was set to lower channel with specified modulation and data rate.
- 2.2 The start and stop frequencies of the spectrum analyser were set according to the supported frequency band of the set RBW with the number of points in a sweep was set to equal or greater than 2 times of the ratio of span over RBW.
- 2.3 The detector of the spectrum analyser was set to power average (RMS) mode with the sweep time was set to equal or greater than 10 times of the product of number of measurement points in a sweep and transmission symbol time.
- 2.4 The spectrum analyser was then allowed to capture any spurious emissions within a single sweep. The peak marker function of the spectrum analyser was used to locate the highest power level.
- 2.5 The steps 2.2 to 2.4 were repeated until all the required frequency bands were measured.
- 2.6 Repeat steps 2.1 to 2.5 with all possible modulations and data rates.
- 2.7 The steps 2.2 to 2.6 were repeated with the transmitting frequency was set to middle and upper channel respectively.
- 2.8 The measurements were repeated with the detector of the spectrum analyser was set to peak detecting mode. The sweep time was set to auto coupler.



### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

# 47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands) Results


Test Input Power	120V 60Hz	Temperature	24°C
Attached Plots	133 – 186 (802.11b) 187 – 258 (802.11g) 259 – 330 (802.11n)	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Chang Wai Kit

All spurious signals found were below the specified limit. Please refer to the attached plots.






### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 133 - Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 134 - Channel 1 (lower ch) @ DBPSK 1Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 135 - Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 136 - Channel 1 (lower ch) @ DBPSK 1Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 137 - Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 138 - Channel 1 (lower ch) @ DBPSK 1Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 139 - Channel 1 (lower ch) @ DQPSK 2Mbps




Plot 140 - Channel 1 (lower ch) @ DQPSK 2Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 141 - Channel 1 (lower ch) @ DQPSK 2Mbps




Plot 142 - Channel 1 (lower ch) @ DQPSK 2Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 143 - Channel 1 (lower ch) @ DQPSK 2Mbps




Plot 144 - Channel 1 (lower ch) @ DQPSK 2Mbps



### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 145 - Channel 1 (lower ch) @ CCK 11Mbps




Plot 146 - Channel 1 (lower ch) @ CCK 11Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 147 - Channel 1 (lower ch) @ CCK 11Mbps




Plot 148 - Channel 1 (lower ch) @ CCK 11Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 149 - Channel 1 (lower ch) @ CCK 11Mbps




Plot 150 - Channel 1 (lower ch) @ CCK 11Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 151 - Channel 6 (middle ch) @ DBPSK 1Mbps




Plot 152 - Channel 6 (middle ch) @ DBPSK 1Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 153 - Channel 6 (middle ch) @ DBPSK 1Mbps




Plot 154 - Channel 6 (middle ch) @ DBPSK 1Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 155 - Channel 6 (middle ch) @ DBPSK 1Mbps




Plot 156 - Channel 6 (middle ch) @ DBPSK 1Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 157 - Channel 6 (middle ch) @ DQPSK 2Mbps




Plot 158 - Channel 6 (middle ch) @ DQPSK 2Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 159 - Channel 6 (middle ch) @ DQPSK 2Mbps




Plot 160 - Channel 6 (middle ch) @ DQPSK 2Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 161 - Channel 6 (middle ch) @ DQPSK 2Mbps




Plot 162 - Channel 6 (middle ch) @ DQPSK 2Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 163 - Channel 6 (middle ch) @ CCK 11Mbps




Plot 164 - Channel 6 (middle ch) @ CCK 11Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 165 - Channel 6 (middle ch) @ CCK 11Mbps




Plot 166 - Channel 6 (middle ch) @ CCK 11Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 167 - Channel 6 (middle ch) @ CCK 11Mbps




Plot 168 - Channel 6 (middle ch) @ CCK 11Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 169 - Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 170 - Channel 11 (upper ch) @ DBPSK 1Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 171 - Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 172 - Channel 11 (upper ch) @ DBPSK 1Mbps



#### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 173 - Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 174 - Channel 11 (upper ch) @ DBPSK 1Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 175 - Channel 11 (upper ch) @ DQPSK 2Mbps




Plot 176 - Channel 11 (upper ch) @ DQPSK 2Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 177 - Channel 11 (upper ch) @ DQPSK 2Mbps




Plot 178 - Channel 11 (upper ch) @ DQPSK 2Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 179 - Channel 11 (upper ch) @ DQPSK 2Mbps




Plot 180 - Channel 11 (upper ch) @ DQPSK 2Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 181 - Channel 11 (upper ch) @ CCK 11Mbps




Plot 182 - Channel 11 (upper ch) @ CCK 11Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 183 - Channel 11 (upper ch) @ CCK 11Mbps




Plot 184 - Channel 11 (upper ch) @ CCK 11Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 185 - Channel 11 (upper ch) @ CCK 11Mbps




Plot 186 - Channel 11 (upper ch) @ CCK 11Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 187 - Channel 1 (lower ch) @ BPSK 9Mbps




Plot 188 - Channel 1 (lower ch) @ BPSK 9Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 189 - Channel 1 (lower ch) @ BPSK 9Mbps




Plot 190 - Channel 1 (lower ch) @ BPSK 9Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 191 - Channel 1 (lower ch) @ BPSK 9Mbps




Plot 192 - Channel 1 (lower ch) @ BPSK 9Mbps



#### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 193 - Channel 1 (lower ch) @ QPSK 18Mbps




Plot 194 - Channel 1 (lower ch) @ QPSK 18Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 195 - Channel 1 (lower ch) @ QPSK 18Mbps




Plot 196 - Channel 1 (lower ch) @ QPSK 18Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 197 - Channel 1 (lower ch) @ QPSK 18Mbps




Plot 198 - Channel 1 (lower ch) @ QPSK 18Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 199 - Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 200 - Channel 1 (lower ch) @ 16QAM 36Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 201 - Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 202 - Channel 1 (lower ch) @ 16QAM 36Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 203 - Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 204 - Channel 1 (lower ch) @ 16QAM 36Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 205 - Channel 1 (lower ch) @ 64QAM 54Mbps




Plot 206 - Channel 1 (lower ch) @ 64QAM 54Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 207 - Channel 1 (lower ch) @ 64QAM 54Mbps




Plot 208 - Channel 1 (lower ch) @ 64QAM 54Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 209 - Channel 1 (lower ch) @ 64QAM 54Mbps




Plot 210 - Channel 1 (lower ch) @ 64QAM 54Mbps



#### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 211 - Channel 6 (middle ch) @ BPSK 9Mbps




Plot 212 - Channel 6 (middle ch) @ BPSK 9Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 213 - Channel 6 (middle ch) @ BPSK 9Mbps




Plot 214 - Channel 6 (middle ch) @ BPSK 9Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 215 - Channel 6 (middle ch) @ BPSK 9Mbps




Plot 216 - Channel 6 (middle ch) @ BPSK 9Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 217 - Channel 6 (middle ch) @ QPSK 18Mbps




Plot 218 - Channel 6 (middle ch) @ QPSK 18Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 219 - Channel 6 (middle ch) @ QPSK 18Mbps




Plot 220 - Channel 6 (middle ch) @ QPSK 18Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 221 - Channel 6 (middle ch) @ QPSK 18Mbps




Plot 222 - Channel 6 (middle ch) @ QPSK 18Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 223 - Channel 6 (middle ch) @ 16QAM 36Mbps




Plot 224 - Channel 6 (middle ch) @ 16QAM 36Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 225 - Channel 6 (middle ch) @ 16QAM 36Mbps




Plot 226 - Channel 6 (middle ch) @ 16QAM 36Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 227 - Channel 6 (middle ch) @ 16QAM 36Mbps




Plot 228 - Channel 6 (middle ch) @ 16QAM 36Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 229 - Channel 6 (middle ch) @ 64QAM 54Mbps




Plot 230 - Channel 6 (middle ch) @ 64QAM 54Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 231 - Channel 6 (middle ch) @ 64QAM 54Mbps




Plot 232 - Channel 6 (middle ch) @ 64QAM 54Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 233 - Channel 6 (middle ch) @ 64QAM 54Mbps




Plot 234 - Channel 6 (middle ch) @ 64QAM 54Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 235 - Channel 11 (upper ch) @ BPSK 9Mbps




Plot 236 - Channel 11 (upper ch) @ BPSK 9Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 237 - Channel 11 (upper ch) @ BPSK 9Mbps




Plot 238 - Channel 11 (upper ch) @ BPSK 9Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 239 - Channel 11 (upper ch) @ BPSK 9Mbps




Plot 240 - Channel 11 (upper ch) @ BPSK 9Mbps



#### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 241 - Channel 11 (upper ch) @ QPSK 18Mbps




Plot 242 - Channel 11 (upper ch) @ QPSK 18Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 243 - Channel 11 (upper ch) @ QPSK 18Mbps




Plot 244 - Channel 11 (upper ch) @ QPSK 18Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 245 - Channel 11 (upper ch) @ QPSK 18Mbps




Plot 246 - Channel 11 (upper ch) @ QPSK 18Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 247 - Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 248 - Channel 11 (upper ch) @ 16QAM 36Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 249 - Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 250 - Channel 11 (upper ch) @ 16QAM 36Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 251 - Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 252 - Channel 11 (upper ch) @ 16QAM 36Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 253 - Channel 11 (upper ch) @ 64QAM 54Mbps




Plot 254 - Channel 11 (upper ch) @ 64QAM 54Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 255 - Channel 11 (upper ch) @ 64QAM 54Mbps




Plot 256 - Channel 11 (upper ch) @ 64QAM 54Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 257 - Channel 11 (upper ch) @ 64QAM 54Mbps




Plot 258 - Channel 11 (upper ch) @ 64QAM 54Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 259 - Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 260 - Channel 1 (lower ch) @ BPSK 6.5Mbps



#### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 261 - Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 262 - Channel 1 (lower ch) @ BPSK 6.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 263 - Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 264 - Channel 1 (lower ch) @ BPSK 6.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 265 - Channel 1 (lower ch) @ QPSK 19.5Mbps




Plot 266 - Channel 1 (lower ch) @ QPSK 19.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 267 - Channel 1 (lower ch) @ QPSK 19.5Mbps




Plot 268 - Channel 1 (lower ch) @ QPSK 19.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 269 - Channel 1 (lower ch) @ QPSK 19.5Mbps




Plot 270 - Channel 1 (lower ch) @ QPSK 19.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 271 - Channel 1 (lower ch) @ 16QAM 39Mbps




Plot 272 - Channel 1 (lower ch) @ 16QAM 39Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 273 - Channel 1 (lower ch) @ 16QAM 39Mbps




Plot 274 - Channel 1 (lower ch) @ 16QAM 39Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 275 - Channel 1 (lower ch) @ 16QAM 39Mbps




Plot 276 - Channel 1 (lower ch) @ 16QAM 39Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 277 - Channel 1 (lower ch) @ 64QAM 65Mbps




Plot 278 - Channel 1 (lower ch) @ 64QAM 65Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 279 - Channel 1 (lower ch) @ 64QAM 65Mbps




Plot 280 - Channel 1 (lower ch) @ 64QAM 65Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 281 - Channel 1 (lower ch) @ 64QAM 65Mbps




Plot 282 - Channel 1 (lower ch) @ 64QAM 65Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 283 - Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 284 - Channel 6 (middle ch) @ BPSK 6.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 285 - Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 286 - Channel 6 (middle ch) @ BPSK 6.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 287 - Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 288 - Channel 6 (middle ch) @ BPSK 6.5Mbps



#### RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 289 - Channel 6 (middle ch) @ QPSK 19.5Mbps




Plot 290 - Channel 6 (middle ch) @ QPSK 19.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 291 - Channel 6 (middle ch) @ QPSK 19.5Mbps




Plot 292 - Channel 6 (middle ch) @ QPSK 19.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 293 - Channel 6 (middle ch) @ QPSK 19.5Mbps




Plot 294 - Channel 6 (middle ch) @ QPSK 19.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 295 - Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 296 - Channel 6 (middle ch) @ 16QAM 39Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 297 - Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 298 - Channel 6 (middle ch) @ 16QAM 39Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 299 - Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 300 - Channel 6 (middle ch) @ 16QAM 39Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 301 - Channel 6 (middle ch) @ 64QAM 65Mbps




Plot 302 - Channel 6 (middle ch) @ 64QAM 65Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 303 - Channel 6 (middle ch) @ 64QAM 65Mbps




Plot 304 - Channel 6 (middle ch) @ 64QAM 65Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 305 - Channel 6 (middle ch) @ 64QAM 65Mbps




Plot 306 - Channel 6 (middle ch) @ 64QAM 65Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 307 - Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 308 - Channel 11 (upper ch) @ BPSK 6.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 309 - Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 310 - Channel 11 (upper ch) @ BPSK 6.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 311 - Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 312 - Channel 11 (upper ch) @ BPSK 6.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 313 - Channel 11 (upper ch) @ QPSK 19.5Mbps




Plot 314 - Channel 11 (upper ch) @ QPSK 19.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 315 - Channel 11 (upper ch) @ QPSK 19.5Mbps




Plot 316 - Channel 11 (upper ch) @ QPSK 19.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 317 - Channel 11 (upper ch) @ QPSK 19.5Mbps




Plot 318 - Channel 11 (upper ch) @ QPSK 19.5Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 319 - Channel 11 (upper ch) @ 16QAM 39Mbps




Plot 320 - Channel 1 (lower ch) @ 16QAM 39Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 321 - Channel 11 (upper ch) @ 16QAM 39Mbps




Plot 322 - Channel 11 (upper ch) @ 16QAM 39Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST



Plot 323 - Channel 11 (upper ch) @ 16QAM 39Mbps




Plot 324 - Channel 11 (upper ch) @ 16QAM 39Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 325 - Channel 11 (upper ch) @ 64QAM 65Mbps




Plot 326 - Channel 11 (upper ch) @ 64QAM 65Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST




Plot 327 - Channel 11 (upper ch) @ 64QAM 65Mbps




Plot 328 - Channel 11 (upper ch) @ 64QAM 65Mbps



## RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST



Plot 329 - Channel 11 (upper ch) @ 64QAM 65Mbps



Plot 330 - Channel 11 (upper ch) @ 64QAM 65Mbps



## BAND EDGE COMPLIANCE (CONDUCTED) TEST

#### 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Limits

The EUT shows compliance to the requirements of this section, which states in any 100kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator (EUT) is operating, the radio frequency power that is produced by the EUT shall be at least 20dB below that in the 100kHz bandwidth within the band that contains the highest level of desired power.

#### 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year

## 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Test Setup

- 1. The EUT and supporting equipment were set up as shown in the setup photo.
- 2. The power supply for the EUT was connected to a filtered mains.
- 3. The RF antenna connector was connected to the spectrum analyser via a low-loss coaxial cable.
- 4. The resolution bandwidth (RBW) and the video bandwidth (VBW) of the spectrum analyser were respectively set to 100kHz and 300kHz.
- 5. All other supporting equipment were powered separately from another filtered mains.

## 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Test Method

- 1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode with specified modulation and data rate.
- 2. The frequency span of the spectrum analyser was set to wide enough to capture the lower band edge of the transmission band, 2.400GHz and any spurious emissions at the band edge.
- 3. The spectrum analyser was set to max hold to capture any spurious emissions within the span. The signal capturing was continuous until no further spurious emissions were detected.
- 4. Repeat steps 1 to 3 with all possible modulations and data rates.
- 5. The steps 2 to 4 were repeated with the frequency span of the spectrum analyser was set to wide enough to capture the upper band edge frequency of the transmission band, 2.4835GHz and the any spurious emissions at the band-edge.



## **BAND EDGE COMPLIANCE (CONDUCTED) TEST**

## 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Results

Test Input Power	120V 60Hz	Temperature	24°C
Attached Plots	331 – 336 (802.11b) 337 – 344 (802.11g) 345 – 352 (802.11n)	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Chang Wai Kit

No significant signal was found and they were below the specified limit.





## **BAND EDGE COMPLIANCE (CONDUCTED) TEST**




Plot 331 - Lower Band Edge at 2.4000GHz @ DBPSK 1Mbps



Plot 332 - Lower Band Edge at 2.4000GHz @ DQPSK 2Mbps



## **BAND EDGE COMPLIANCE (CONDUCTED) TEST**



Plot 333 - Lower Band Edge at 2.4000GHz @ CCK 11Mbps






## **BAND EDGE COMPLIANCE (CONDUCTED) TEST**




Plot 334 – Upper Band Edge at 2.4835GHz @ DBPSK 1Mbps



Plot 335 - Upper Band Edge at 2.4835GHz @ DQPSK 2Mbps



## **BAND EDGE COMPLIANCE (CONDUCTED) TEST**




Plot 336 – Upper Band Edge at 2.4835GHz @ CCK 11Mbps



## **BAND EDGE COMPLIANCE (CONDUCTED) TEST**




Plot 337 - Lower Band Edge at 2.4000GHz @ BPSK 9Mbps



Plot 338 - Lower Band Edge at 2.4000GHz @ QPSK 18Mbps



## **BAND EDGE COMPLIANCE (CONDUCTED) TEST**



Plot 339 - Lower Band Edge at 2.4000GHz @ 16QAM 36Mbps



Plot 340 - Lower Band Edge at 2.4000GHz @ 64QAM 54Mbps



## **BAND EDGE COMPLIANCE (CONDUCTED) TEST**




Plot 341 – Upper Band Edge at 2.4835GHz @ BPSK 9Mbps




Plot 342 - Upper Band Edge at 2.4835GHz @ QPSK 18Mbps



## **BAND EDGE COMPLIANCE (CONDUCTED) TEST**



Plot 343 – Upper Band Edge at 2.4835GHz @ 16QAM 36Mbps




Plot 344 - Upper Band Edge at 2.4835GHz @ 64QAM 54Mbps



## BAND EDGE COMPLIANCE (CONDUCTED) TEST




Plot 345 - Lower Band Edge at 2.4000GHz @ BPSK 6.5Mbps



Plot 346 - Lower Band Edge at 2.4000GHz @ QPSK 19.5Mbps



## **BAND EDGE COMPLIANCE (CONDUCTED) TEST**



Plot 347 - Lower Band Edge at 2.4000GHz @ 16QAM 39Mbps



Plot 348 - Lower Band Edge at 2.4000GHz @ 64QAM 65Mbps



## **BAND EDGE COMPLIANCE (CONDUCTED) TEST**



Plot 349 – Upper Band Edge at 2.4835GHz @ BPSK 6.5Mbps



Plot 350 - Upper Band Edge at 2.4835GHz @ QPSK 19.5Mbps



## **BAND EDGE COMPLIANCE (CONDUCTED) TEST**



Plot 351 - Upper Band Edge at 2.4835GHz @ 16QAM 39Mbps



Plot 352 - Upper Band Edge at 2.4835GHz @ 64QAM 65Mbps



## BAND EDGE COMPLIANCE (RADIATED) TEST

#### 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Limits

The EUT shows compliance to the requirements of this section, which states in any 100kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator (EUT) is operating, the radio frequency power that is produced by the EUT shall be at least 20dB below that in the 100kHz bandwidth within the band that contains the highest level of desired power. In addition, radiated emissions which fall in the restricted bands shall comply to the radiated emission limits specified in 15.209.

## 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
R&S Test Receiver – ESI1	ESI40	100010	14 Jul 2016	1 year
EMCO Horn Antenna(1GHz-18GHz)	3115	0003-6088	20 Apr 2016	1 year
R&S Preamplifier (1GHz -18GHz)	SCU18	102191	13 Mar 2016	1 year

## 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Test Setup

- The EUT and supporting equipment were set up as shown in the setup photo.
- 2. The power supply for the EUT was connected to a filtered mains.
- 3. The resolution bandwidth (RBW) and the video bandwidth (VBW) of the spectrum analyser were respectively set to 100kHz and 300kHz to show compliance of spurious at band edges are at least 20dB below the carriers. For restricted band spurious at band edges, peak and average measurement plots were taken using the following setting:
  - a. Peak Plot:
    - RBW = 1MHz, VBW = 3MHz
  - b. Average Plot
    - RBW = 1MHz, VBW = 30Hz
- 4. All other supporting equipment were powered separately from another filtered mains.

#### 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Test Method

- 1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode with specified modulation and data rate.
- 2. The frequency span of the spectrum analyser was set to wide enough to capture the lower band edge of the transmission band, 2.400GHz and any spurious emissions at the band edge.
- 3. The spectrum analyser was set to max hold to capture any spurious emissions within the span. The signal capturing was continuous until no further spurious emissions were detected. For the average measurement, it was done via a video average mode with a reduced VBW.
- 4. Repeat steps 1 to 3 with all possible modulations and data rates.
- 5. The steps 2 to 4 were repeated with the frequency span of the spectrum analyser was set to wide enough to capture the upper band edge frequency of the transmission band, 2.4835GHz and the any spurious emissions at the band-edge.



## **BAND EDGE COMPLIANCE (RADIATED) TEST**

## 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Results


Test Input Power	120V 60Hz	Temperature	24°C
Attached Plots	353 – 358 (802.11b) 359 – 364 (802.11g) 365 – 370 (802.11n)	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin


No significant signal was found and they were below the specified limit.





#### Band Edge Compliance (Radiated) Plots (20dB Delta from Carrier at Band Edge) - 802.11b






Plot 354 - Upper Band Edge at 2.4835GHz @ CCK 11Mbps




#### BAND EDGE COMPLIANCE (RADIATED) TEST

#### Band Edge Compliance (Radiated) Plots (Restricted Band) - 802.11b




Plot 355 - Peak Plot at Lower Band Edge at 2.4000GHz @ CCK 11Mbps




Plot 356 - Average Plot at Lower Band Edge at 2.4000GHz @ CCK 11Mbps



#### Band Edge Compliance (Radiated) Plots (Restricted Band) - 802.11b



Plot 357 - Peak Plot at Upper Band Edge at 2.4835GHz @ CCK 11Mbps





Plot 358 - Average Plot at Upper Band Edge at 2.4835GHz @ CCK 11Mbps



#### BAND EDGE COMPLIANCE (RADIATED) TEST

#### Band Edge Compliance (Radiated) Plots (20dB Delta from Carrier at Band Edge) - 802.11g







Plot 360 - Upper Band Edge at 2.4835GHz @ 64QAM 54Mbps



#### Band Edge Compliance (Radiated) Plots (Restricted Band) - 802.11g




Plot 361 - Peak Plot at Lower Band Edge at 2.4000GHz @ 64QAM 54Mbps




Plot 362 - Average Plot at Lower Band Edge at 2.4000GHz @ 64QAM 54Mbps



#### Band Edge Compliance (Radiated) Plots (Restricted Band) - 802.11g




Plot 363 - Peak Plot at Upper Band Edge at 2.4835GHz @ 64QAM 54Mbps



Plot 364 - Average Plot at Upper Band Edge at 2.4835GHz @ 64QAM 54Mbps



#### Band Edge Compliance (Radiated) Plots (20dB Delta from Carrier at Band Edge) - 802.11n




[dB(µV/m)] 90 80 2.4835GHz 70 Level 60 50 40 30 2450.000 2470.000 2500.000 2460.000 2480.000 2490.000 Frequency [MHz]


Plot 366 - Upper Band Edge at 2.4835GHz @ 64QAM 65Mbps



#### Band Edge Compliance (Radiated) Plots (Restricted Band) - 802.11n




Plot 367 - Peak Plot at Lower Band Edge at 2.4000GHz @ 64QAM 65Mbps




Plot 368 - Average Plot at Lower Band Edge at 2.4000GHz @ 64QAM 65Mbps



#### Band Edge Compliance (Radiated) Plots (Restricted Band) - 802.11n



Plot 369 - Peak Plot at Upper Band Edge at 2.4835GHz @ 64QAM 65Mbps



Plot 370 - Average Plot at Upper Band Edge at 2.4835GHz @ 64QAM 65Mbps



#### PEAK POWER SPECTRAL DENSITY TEST

#### 47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Limits

The EUT shows compliance to the requirements of this section, which states the peak power spectral density conducted from the intentional radiator (EUT) to the antenna shall not be greater than 8dBm (6.3mW) in any 3kHz band during any time interval of continuous transmission.

#### 47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year

#### 47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Test Setup

- 1. The EUT and supporting equipment were set up as shown in the setup photo.
- The power supply for the EUT was connected to a filtered mains.
- 3. The RF antenna connector was connected to the spectrum via a low-loss coaxial cable.
- 4. The resolution bandwidth (RBW), video bandwidth (VBW) and span of the spectrum analyser were set to the following:

RBW = 3kHz

VBW = 9kHz

Span = 1.5 times the channel bandwidth

Sweep time = auto couple

5. All other supporting equipment were powered separately from another filtered mains.

#### 47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Test Method

- 1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode at lower channel with specified modulation and data rate.
- 2. The peak of the transmitting frequency was detected with the marker peak function of the spectrum analyser.
- 3. The peak power density of the transmitting frequency was plotted and recorded.
- 4. Repeat steps 1 to 3 with all possible modulations and data rates.
- 5. The steps 2 to 4 were repeated with the transmitting frequency was set to middle and upper channel respectively.



#### PEAK POWER SPECTRAL DENSITY TEST

#### 47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Results

Test Input Power	120V 60Hz	Temperature	24°C
		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Chang Wai Kit

#### 802.11b

Channel	Channel Frequency (GHz)	Peak Power Spectral Density (mW)	Limit (mW)	Modulation @ Data Rate
	1/4	0.0579	6.3	DBPSK @ 1Mbps
1 (lower ch)	2.412	0.1773	6.3	DQPSK @ 2Mbps
		0.1412	6.3	CCK @ 11Mbps
		0.0515	6.3	DBPSK @ 1Mbps
6 <i>(mid ch)</i>	2.437	0.1528	6.3	DQPSK @ 2Mbps
		0.1291	6.3	CCK @ 11Mbps
		0.0517	6.3	DBPSK @ 1Mbps
11 (upper ch)	2.462	0.1382	6.3	DQPSK @ 2Mbps
		0.1112	6.3	CCK @ 11Mbps

Test Input Power	120V 60Hz	Temperature	24°C	
		Relative Humidity	60%	
		Atmospheric Pressure	1030mbar	
		Tested By	Chang Wai Kit	

802.11g

Channel	Channel Frequency (GHz)	Peak Power Spectral Density (mW)	Limit (mW)	Modulation @ Data Rate
	2.412	0.0854	6.3	BPSK @ 9Mbps
1 (lower ch)		0.0750	6.3	QPSK @ 18Mbps
i (lower cii)		0.0805	6.3	16QAM @ 36Mbps
		0.1177	6.3	64QAM @ 54Mbps
	2.437	0.1336	6.3	BPSK @ 9Mbps
6 (mid ch)		0.1129	6.3	QPSK @ 18Mbps
6 (mid ch)		0.1125	6.3	16QAM @ 36Mbps
		0.1223	6.3	64QAM @ 54Mbps
	2.462	0.1029	6.3	BPSK @ 9Mbps
11 (upper ch)		0.1185	6.3	QPSK @ 18Mbps
		0.0959	6.3	16QAM @ 36Mbps
		0.1122	6.3	64QAM @ 54Mbps



#### PEAK POWER SPECTRAL DENSITY TEST

#### 47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Results

Test Input Power	120V 60Hz	Temperature	24°C
		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Chang Wai Kit

#### 802.11n


Channel	Channel Frequency (GHz)	Peak Power Spectral Density (mW)	Limit (mW)	Modulation @ Data Rate
	1	0.1356	6.3	BPSK @ 6.5Mbps (MCS0)
1 (lower ob)	2.442	0.1338	6.3	QPSK @ 19.5Mbps (MCS2)
1 (lower ch)	2.412	0.1123	6.3	16QAM @ 39Mbps (MCS4)
		0.1211	6.3	64QAM @ 65Mbps (MCS7)
	2.437	0.0975	6.3	BPSK @ 6.5Mbps (MCS0)
G (mid oh)		0.1102	6.3	QPSK @ 19.5Mbps (MCS2)
6 (mid ch)		0.1231	6.3	16QAM @ 39Mbps (MCS4)
	1//	0.1000	6.3	64QAM @ 65Mbps (MCS7)
		0.1060	6.3	BPSK @ 6.5Mbps (MCS0)
11 (upper ch)	2.462	0.1264	6.3	QPSK @ 19.5Mbps (MCS2)
11 (upper ch)		0.1087	6.3	16QAM @ 39Mbps (MCS4)
		0.1058	6.3	64QAM @ 65Mbps (MCS7)






#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots - 802.11b



Plot 371 - Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 372 - Channel 1 (lower ch) @ DQPSK 2Mbps



#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots - 802.11b




Plot 373 - Channel 1 (lower ch) @ CCK 11Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots – 802.11g



Plot 374 - Channel 1 (lower ch) @ BPSK 9Mbps




Plot 375 - Channel 1 (lower ch) @ QPSK 18Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots - 802.11g



Plot 376 - Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 377 - Channel 1 (lower ch) @ 64QAM 54Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots – 802.11n



Plot 378 - Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 379 - Channel 1 (lower ch) @ QPSK 19.5Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots - 802.11n



Plot 380 - Channel 1 (lower ch) @ 16QAM 39Mbps




Plot 381 - Channel 1 (lower ch) @ 64QAM 65Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots - 802.11b



Plot 382 - Channel 6 (middle ch) @ DBPSK 1Mbps




Plot 383 - Channel 6 (middle ch) @ DQPSK 2Mbps



#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots - 802.11b




Plot 384 - Channel 6 (middle ch) @ CCK 11Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots - 802.11g



Plot 385 - Channel 6 (middle ch) @ BPSK 9Mbps




Plot 386 - Channel 6 (middle ch) @ QPSK 18Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots – 802.11g



Plot 387 - Channel 6 (middle ch) @ 16QAM 36Mbps




Plot 388 - Channel 6 (middle ch) @ 64QAM 54Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots - 802.11n



Plot 389 - Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 390 - Channel 6 (middle ch) @ QPSK 19.5Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots – 802.11n



Plot 391 - Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 392 - Channel 6 (middle ch) @ 64QAM 65Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots - 802.11b



Plot 393 - Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 394 - Channel 11 (upper ch) @ DQPSK 2Mbps



#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots - 802.11b




Plot 395 - Channel 11 (upper ch) @ CCK 11Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots - 802.11g



Plot 396 - Channel 11 (upper ch) @ BPSK 9Mbps




Plot 397 - Channel 11 (upper ch) @ QPSK 18Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots – 802.11g



Plot 398 - Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 399 - Channel 11 (upper ch) @ 64QAM 54Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots - 802.11n



Plot 400 - Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 401 - Channel 11 (upper ch) @ QPSK 19.5Mbps




#### PEAK POWER SPECTRAL DENSITY TEST

#### Peak Power Spectral Density Plots - 802.11n



Plot 402 - Channel 11 (upper ch) @ 16QAM 39Mbps



Plot 403 Channel 11 (upper ch) @ 64QAM 65Mbps



#### MAXIMUM PERMISSIBLE EXPOSURE (MPE) TEST

#### 47 CFR FCC Part 1.1310, RSS-102 4.0 and RSS-GEN 3.2 Maximum Permissible Exposure (MPE) Limits

The EUT shows compliance to the requirements of this section, which states the MPE limits for general population / uncontrolled exposure are as shown below:

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm <sup>2</sup> )	Average Time (min)	
0.3 - 1.34	614	1.63	100 Note 2	30	
1.34 - 30	824 / f	2.19 / f	180 / f <sup>2 Note 2</sup>	30	
30 - 300	27.5	0.073	0.2	30	
300 - 1500	-	-	f / 1500	30	
1500 - 100000		-	1.0	30	
Notes					
1. f = frequency in MHz					
Plane wave equivalent power density					

#### 47 CFR FCC Part 1.1310, RSS-102 4.0 and RSS-GEN 3.2 Maximum Permissible Exposure Computation

The power density at 20cm distance was computed from the following formula:

(30GP) / (377d²) Power density in W/m² = S P where =

0.019W =

Test distance at 0.2m

Numerical isotropic gain, 2.51 (4.0dBi)

Substituting the relevant parameters into the formula:

[(30GP) / 377d<sup>2</sup>]

= 0.0949 W/m<sup>2</sup>

0.0095 mW/cm<sup>2</sup>

<sup>:.</sup> The power density of the EUT at 20cm distance is 0.0095mW/cm<sup>2</sup> based on the above computation and found to be lower than the power density limit of 1.0mW/cm<sup>2</sup>.



Please note that this Report is issued under the following terms :

- 1. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that TÜV SÜD PSB approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that TÜV SÜD PSB in any way "guarantees" the later performance of the product/equipment. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product/equipment.
- 2. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. TÜV SÜD PSB therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any information supplied.
- 3. Nothing in this report shall be interpreted to mean that TÜV SÜD PSB has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
- 4. This report shall not be reproduced wholly or in parts and no reference shall be made by the Client to TÜV SÜD PSB or to the report or results furnished by TÜV SÜD PSB in any advertisements or sales promotion.
- 5. Unless otherwise stated, the tests were carried out in TÜV SÜD PSB Pte Ltd, No.1 Science Park Drive Singapore 118221.

July 2011





#### ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS

# ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS

Motorola Solutions Malaysia Sdn Bhd Mobile Two-Way Radio [ Model : AAM28UMN9RA1AN ] [ FCC ID : AZ492FT7083 & IC : 109U-92FT7083 ]



#### ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS



Conducted Emissions Test Setup (Front View)



**Conducted Emissions Test Setup (Rear View)** 



#### ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS

#### TEST SETUP (30MHz to 1GHz)



Radiated Emissions Test Setup (Front View)



Radiated Emissions Test Setup (Rear View)



#### ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS

#### **TEST SETUP (Above 1GHz)**



Radiated Emissions Test Setup (Front View)



Radiated Emissions Test Setup (Rear View)



#### ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS



Spectrum Bandwidth (6dB Bandwidth Measurement) Test Setup



**Maximum Peak Power Test Setup** 



#### ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS



RF Conducted Spurious Emissions (Non-Restricted Bands) Test Setup



RF Conducted Spurious Emissions (Restricted Bands) Test Setup



#### ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS



**Band Edge Compliance (Conducted) Test Setup** 



Band Edge Compliance (Radiated) Test Setup



#### ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS



**Peak Power Spectral Density Test Setup** 





#### ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS

#### **EUT PHOTOGRAPHS**





**Rear View** 



#### ANNEX B USER MANUALTECHNICAL DESCRIPTION BLOCK & CIRCUIT DIAGRAMS

#### **ANNEX B**

# USER MANUAL TECHNICAL DESCRIPTION BLOCK & CIRCUIT DIAGRAMS

(Please refer to manufacturer for details)



ANNEX C FCC, IC LABEL & POSITION





#### ANNEX C FCC, IC LABEL & POSITION

Labelling requirements per Section 2.925, 15.19 & per Section 8.0

The label shown will be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time of purchase.



PARTITION OF THE PARTIT

Physical Location of FCC & IC Label on EUT



#### ANNEX D TEST SITE DESCRIPTION





#### ANNEX D TEST SITE DESCRIPTION

#### Radiated Emission Test Site Description


The Radiated Emission test facility consists of a RF-shielded enclosure (Model: 04" x 07") manufactured by Lindgren whose dimensions are shown below. The exterior of the chamber is made of rigid steel panels while the interior is covered with RF absorbing panels on the 4 walls and ceiling. The steel-clad ground place is covered with vinyl flooring.

The turntable is mounted flushed with the chamber floor and is driven by a pneumatic motor, which is capable of supporting 4,000 kg.

The boresight antenna mast is driven by a pneumatic motor with heights variation from 1m- 4m for both vertical and horizontal polarity and with tilt capability.

Both turntable and antenna mast in the chamber are controlled by system controller stationed outside the chamber.

The physical layout of the chamber is show below:





#### ANNEX D TEST SITE DESCRIPTION

#### **Conducted Emission Test Site Description**

The Conducted Emission facility consists of an RF-shielded enclosure measuring 4.3m x 3.7m x 2.45m manufactured by Universal Shielding Corporation. The Conducted Emission data were taken using two LISNs.

The physical layout of the test site is show below:

