



Mode	27																																																																											
	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																											
ANT	1																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5028.71</td> <td>54.99</td> <td>74.00</td> <td>-19.01</td> <td>42.88</td> <td>34.16</td> <td>9.68</td> <td>31.73</td> <td>0.00</td> <td>100</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5028.71	54.99	74.00	-19.01	42.88	34.16	9.68	31.73	0.00	100	81	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>97.45</td> <td>-----</td> <td>-----</td> <td>84.91</td> <td>34.54</td> <td>9.88</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	97.45	-----	-----	84.91	34.54	9.88	31.88	0.00	100	81	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5028.71	54.99	74.00	-19.01	42.88	34.16	9.68	31.73	0.00	100	81	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5290.00	97.45	-----	-----	84.91	34.54	9.88	31.88	0.00	100	81	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5093.09</td> <td>43.82</td> <td>54.00</td> <td>-10.18</td> <td>31.65</td> <td>34.20</td> <td>9.74</td> <td>31.77</td> <td>0.00</td> <td>100</td> <td>81</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5093.09	43.82	54.00	-10.18	31.65	34.20	9.74	31.77	0.00	100	81	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>88.70</td> <td>-----</td> <td>-----</td> <td>76.16</td> <td>34.54</td> <td>9.88</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>81</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	88.70	-----	-----	76.16	34.54	9.88	31.88	0.00	100	81	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5093.09	43.82	54.00	-10.18	31.65	34.20	9.74	31.77	0.00	100	81	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5290.00	88.70	-----	-----	76.16	34.54	9.88	31.88	0.00	100	81	AVERAGE																																																																



Mode	27																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																											
ANT	1																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.09</td> <td>58.13</td> <td>74.00</td> <td>-15.87</td> <td>45.63</td> <td>34.52</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>81 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5354.09	58.13	74.00	-15.87	45.63	34.52	9.91	31.93	0.00	100	81 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5354.09	58.13	74.00	-15.87	45.63	34.52	9.91	31.93	0.00	100	81 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.71</td> <td>48.60</td> <td>54.00</td> <td>-5.40</td> <td>36.11</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>81 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5351.71	48.60	54.00	-5.40	36.11	34.51	9.91	31.93	0.00	100	81 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5351.71	48.60	54.00	-5.40	36.11	34.51	9.91	31.93	0.00	100	81 AVERAGE																																		



Mode	27																																																																							
	Band Edge - L																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																							
ANT	1																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5009.57</td> <td>54.26</td> <td>74.00</td> <td>-19.74</td> <td>42.21</td> <td>34.12</td> <td>9.66</td> <td>31.73</td> <td>0.00</td> <td>100</td> <td>91 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5009.57	54.26	74.00	-19.74	42.21	34.12	9.66	31.73	0.00	100	91 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>95.26</td> <td>-----</td> <td>-----</td> <td>82.69</td> <td>34.58</td> <td>9.88</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>91 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5290.00	95.26	-----	-----	82.69	34.58	9.88	31.89	0.00	100	91 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5009.57	54.26	74.00	-19.74	42.21	34.12	9.66	31.73	0.00	100	91 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5290.00	95.26	-----	-----	82.69	34.58	9.88	31.89	0.00	100	91 PEAK																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5144.13</td> <td>43.75</td> <td>54.00</td> <td>-10.25</td> <td>31.57</td> <td>34.20</td> <td>9.78</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>91 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5144.13	43.75	54.00	-10.25	31.57	34.20	9.78	31.00	0.00	100	91 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>86.72</td> <td>-----</td> <td>-----</td> <td>74.18</td> <td>34.54</td> <td>9.88</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>91 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5290.00	86.72	-----	-----	74.18	34.54	9.88	31.80	0.00	100	91 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5144.13	43.75	54.00	-10.25	31.57	34.20	9.78	31.00	0.00	100	91 AVERAGE																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5290.00	86.72	-----	-----	74.18	34.54	9.88	31.80	0.00	100	91 AVERAGE																																																														



Mode	27																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.03</td> <td>56.11</td> <td>74.00</td> <td>-17.89</td> <td>43.62</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>91 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5351.03	56.11	74.00	-17.89	43.62	34.50	9.91	31.92	0.00	100	91 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5351.03	56.11	74.00	-17.89	43.62	34.50	9.91	31.92	0.00	100	91 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.52</td> <td>46.27</td> <td>54.00</td> <td>-7.73</td> <td>33.78</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>91 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.52	46.27	54.00	-7.73	33.78	34.50	9.91	31.92	0.00	100	91 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5350.52	46.27	54.00	-7.73	33.78	34.50	9.91	31.92	0.00	100	91 AVERAGE																															



Mode	27																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>44.30</td> <td>68.20</td> <td>-23.90</td> <td>53.05</td> <td>37.86</td> <td>14.28</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	44.30	68.20	-23.90	53.05	37.86	14.28	60.89	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>43.91</td> <td>68.20</td> <td>-24.29</td> <td>52.66</td> <td>37.86</td> <td>14.28</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	43.91	68.20	-24.29	52.66	37.86	14.28	60.89	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10580.00	44.30	68.20	-23.90	53.05	37.86	14.28	60.89	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10580.00	43.91	68.20	-24.29	52.66	37.86	14.28	60.89	0.00	---	---	PEAK																																																																							



Mode	28																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Aux6</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.36</td> <td>57.99</td> <td>74.00</td> <td>-16.01</td> <td>45.26</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>287</td> <td>26</td> <td>PEAK</td> <td>0.00</td> </tr> <tr> <td>2</td> <td>5467.90</td> <td>60.10</td> <td>68.20</td> <td>-8.10</td> <td>47.36</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>287</td> <td>26</td> <td>PEAK</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Aux6	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	dB	1	5458.36	57.99	74.00	-16.01	45.26	34.70	10.02	31.99	0.00	287	26	PEAK	0.00	2	5467.90	60.10	68.20	-8.10	47.36	34.70	10.04	32.00	0.00	287	26	PEAK	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>95.75</td> <td>-----</td> <td>83.01</td> <td>34.64</td> <td>10.13</td> <td>32.03</td> <td>0.00</td> <td>287</td> <td>26</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	95.75	-----	83.01	34.64	10.13	32.03	0.00	287	26	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Aux6																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	dB																																																																																												
1	5458.36	57.99	74.00	-16.01	45.26	34.70	10.02	31.99	0.00	287	26	PEAK	0.00																																																																																									
2	5467.90	60.10	68.20	-8.10	47.36	34.70	10.04	32.00	0.00	287	26	PEAK	0.00																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5530.00	95.75	-----	83.01	34.64	10.13	32.03	0.00	287	26	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.08</td> <td>48.72</td> <td>54.00</td> <td>-5.28</td> <td>35.98</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>287</td> <td>26</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.08	48.72	54.00	-5.28	35.98	34.70	10.03	31.99	0.00	287	26	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>87.18</td> <td>-----</td> <td>74.44</td> <td>34.64</td> <td>10.13</td> <td>32.03</td> <td>0.00</td> <td>287</td> <td>26</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	87.18	-----	74.44	34.64	10.13	32.03	0.00	287	26	AVERAGE																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5459.08	48.72	54.00	-5.28	35.98	34.70	10.03	31.99	0.00	287	26	AVERAGE																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5530.00	87.18	-----	74.44	34.64	10.13	32.03	0.00	287	26	AVERAGE																																																																																											



Mode	28																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																											
ANT	1																																											
Pol.	Horizontal	Fundamental																																										
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p>	Blank																																										
<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Aux6</th> </tr> <tr> <th>1</th> <th>5751.84</th> <th>53.45</th> <th>68.20</th> <th>-14.75</th> <th>40.49</th> <th>34.60</th> <th>10.37</th> <th>32.01</th> <th>0.00</th> <th>287</th> <th>26</th> <th>PEAK</th> <th>0.00</th> </tr> </thead> <tbody> <tr> <td></td> <td>MHz</td> <td>dBuV/m</td> <td>dBuV/m</td> <td>dB</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>dB</td> <td>dB</td> <td>cm</td> <td>deg</td> <td></td> <td>dB</td> </tr> </tbody> </table>			Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Aux6	1	5751.84	53.45	68.20	-14.75	40.49	34.60	10.37	32.01	0.00	287	26	PEAK	0.00		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		dB
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Aux6																															
1	5751.84	53.45	68.20	-14.75	40.49	34.60	10.37	32.01	0.00	287	26	PEAK	0.00																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		dB																															



Mode	28																																																															
	Band Edge - L																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																															
ANT	1																																																															
Pol.	Vertical	Fundamental																																																														
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Aux6 Factor (dB)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.88</td> <td>56.38</td> <td>74.00</td> <td>-17.62</td> <td>43.66</td> <td>34.70</td> <td>10.01</td> <td>31.99</td> <td>0.00</td> <td>127</td> <td>93 PEAK</td> <td>0.00</td> </tr> <tr> <td>2</td> <td>5464.30</td> <td>57.01</td> <td>68.20</td> <td>-11.19</td> <td>44.27</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>127</td> <td>93 PEAK</td> <td>0.00</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Aux6 Factor (dB)	1	5451.88	56.38	74.00	-17.62	43.66	34.70	10.01	31.99	0.00	127	93 PEAK	0.00	2	5464.30	57.01	68.20	-11.19	44.27	34.70	10.03	31.99	0.00	127	93 PEAK	0.00	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Aux6 Factor (dB)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>93.45</td> <td>-----</td> <td>80.72</td> <td>34.63</td> <td>10.14</td> <td>32.04</td> <td>0.00</td> <td>127</td> <td>93 PEAK</td> <td></td> </tr> </tbody> </table>	Peak	Freq (MHz)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Aux6 Factor (dB)	1	5530.00	93.45	-----	80.72	34.63	10.14	32.04	0.00	127	93 PEAK	
Peak	Freq (MHz)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Aux6 Factor (dB)																																																					
1	5451.88	56.38	74.00	-17.62	43.66	34.70	10.01	31.99	0.00	127	93 PEAK	0.00																																																				
2	5464.30	57.01	68.20	-11.19	44.27	34.70	10.03	31.99	0.00	127	93 PEAK	0.00																																																				
Peak	Freq (MHz)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Aux6 Factor (dB)																																																					
1	5530.00	93.45	-----	80.72	34.63	10.14	32.04	0.00	127	93 PEAK																																																						
Avg	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Aux6 Factor (dB)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.00</td> <td>45.66</td> <td>54.00</td> <td>-8.34</td> <td>32.92</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>127</td> <td>93 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Aux6 Factor (dB)	1	5459.00	45.66	54.00	-8.34	32.92	34.70	10.03	31.99	0.00	127	93 AVERAGE	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Aux6 Factor (dB)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>84.34</td> <td>-----</td> <td>71.61</td> <td>34.63</td> <td>10.14</td> <td>32.04</td> <td>0.00</td> <td>127</td> <td>93 AVERAGE</td> <td></td> </tr> </tbody> </table>	Peak	Freq (MHz)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Aux6 Factor (dB)	1	5530.00	84.34	-----	71.61	34.63	10.14	32.04	0.00	127	93 AVERAGE															
Peak	Freq (MHz)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Aux6 Factor (dB)																																																					
1	5459.00	45.66	54.00	-8.34	32.92	34.70	10.03	31.99	0.00	127	93 AVERAGE																																																					
Peak	Freq (MHz)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Aux6 Factor (dB)																																																					
1	5530.00	84.34	-----	71.61	34.63	10.14	32.04	0.00	127	93 AVERAGE																																																						



Mode	28																																															
	Band Edge - R																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																															
ANT	1																																															
Pol.	Vertical	Fundamental																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Aux6</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5755.13</td> <td>54.74</td> <td>68.20</td> <td>-13.46</td> <td>41.76</td> <td>34.61</td> <td>10.37</td> <td>32.00</td> <td>0.00</td> <td>127</td> <td>93</td> <td>PEAK</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Aux6	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	dB	1 5755.13	54.74	68.20	-13.46	41.76	34.61	10.37	32.00	0.00	127	93	PEAK	0.00	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Aux6																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	dB																																					
1 5755.13	54.74	68.20	-13.46	41.76	34.61	10.37	32.00	0.00	127	93	PEAK	0.00																																				



Mode	28																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak																																																																														
Avg																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>43.75</td> <td>74.00</td> <td>-30.25</td> <td>52.01</td> <td>38.00</td> <td>14.61</td> <td>60.87</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11060.00	43.75	74.00	-30.25	52.01	38.00	14.61	60.87	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>43.42</td> <td>74.00</td> <td>-30.58</td> <td>51.68</td> <td>38.00</td> <td>14.61</td> <td>60.87</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11060.00	43.42	74.00	-30.58	51.68	38.00	14.61	60.87	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11060.00	43.75	74.00	-30.25	52.01	38.00	14.61	60.87	0.00	---																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11060.00	43.42	74.00	-30.58	51.68	38.00	14.61	60.87	0.00	---																																																																					



		29																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																		
ANT		1																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. Shows a peak at 5458 MHz. Limit line is at 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5370.34</td> <td>53.41</td> <td>74.00</td> <td>-20.59</td> <td>40.85</td> <td>34.58</td> <td>9.92</td> <td>31.94</td> <td>0.00</td> <td>325</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5459.52</td> <td>52.43</td> <td>68.20</td> <td>-15.77</td> <td>39.69</td> <td>34.70</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>325</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5370.34	53.41	74.00	-20.59	40.85	34.58	9.92	31.94	0.00	325	28	PEAK	2	5459.52	52.43	68.20	-15.77	39.69	34.70	10.04	32.00	0.00	325	28	PEAK	<p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Shows a peak at 5610 MHz. Limit line is at 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>102.34</td> <td>-----</td> <td>89.49</td> <td>34.67</td> <td>10.26</td> <td>32.08</td> <td>0.00</td> <td>325</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	102.34	-----	89.49	34.67	10.26	32.08	0.00	325	28	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5370.34	53.41	74.00	-20.59	40.85	34.58	9.92	31.94	0.00	325	28	PEAK																																																																																								
2	5459.52	52.43	68.20	-15.77	39.69	34.70	10.04	32.00	0.00	325	28	PEAK																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5610.00	102.34	-----	89.49	34.67	10.26	32.08	0.00	325	28	PEAK																																																																																									
Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. Shows a peak at 5459.62 MHz. Limit line is at 48.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.62</td> <td>43.65</td> <td>54.00</td> <td>-10.35</td> <td>30.91</td> <td>34.70</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>325</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.62	43.65	54.00	-10.35	30.91	34.70	10.03	31.99	0.00	325	28	AVERAGE	<p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Shows a peak at 5610.00 MHz. Limit line is at 48.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>92.56</td> <td>-----</td> <td>79.71</td> <td>34.67</td> <td>10.26</td> <td>32.08</td> <td>0.00</td> <td>325</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	92.56	-----	79.71	34.67	10.26	32.08	0.00	325	28	AVERAGE															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5459.62	43.65	54.00	-10.35	30.91	34.70	10.03	31.99	0.00	325	28	AVERAGE																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5610.00	92.56	-----	79.71	34.67	10.26	32.08	0.00	325	28	AVERAGE																																																																																									



Mode	29																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																												
ANT	1																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5746.44</td> <td>55.47</td> <td>68.20</td> <td>-12.73</td> <td>42.51</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>325</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5746.44	55.47	68.20	-12.73	42.51	34.61	10.36	32.01	0.00	325	28	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5746.44	55.47	68.20	-12.73	42.51	34.61	10.36	32.01	0.00	325	28	PEAK																																		



Mode	29																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.76</td> <td>53.06</td> <td>74.00</td> <td>-20.94</td> <td>40.33</td> <td>34.70</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>119</td> <td>80</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.18</td> <td>52.22</td> <td>68.20</td> <td>-15.98</td> <td>39.47</td> <td>34.70</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>119</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5454.76	53.06	74.00	-20.94	40.33	34.70	10.02	31.99	0.00	119	80	PEAK	2	5467.18	52.22	68.20	-15.98	39.47	34.70	10.04	31.99	0.00	119	80	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>100.89</td> <td>-----</td> <td>88.04</td> <td>34.68</td> <td>10.25</td> <td>32.08</td> <td>0.00</td> <td>119</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5610.00	100.89	-----	88.04	34.68	10.25	32.08	0.00	119	80	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																								
1	5454.76	53.06	74.00	-20.94	40.33	34.70	10.02	31.99	0.00	119	80	PEAK																																																																																					
2	5467.18	52.22	68.20	-15.98	39.47	34.70	10.04	31.99	0.00	119	80	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	5610.00	100.89	-----	88.04	34.68	10.25	32.08	0.00	119	80	PEAK																																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.70</td> <td>43.22</td> <td>54.00</td> <td>-10.78</td> <td>30.50</td> <td>34.70</td> <td>10.01</td> <td>31.99</td> <td>0.00</td> <td>119</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5451.70	43.22	54.00	-10.78	30.50	34.70	10.01	31.99	0.00	119	80	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>90.67</td> <td>-----</td> <td>77.84</td> <td>34.66</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>119</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5610.00	90.67	-----	77.84	34.66	10.26	32.09	0.00	119	80	AVERAGE																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	5451.70	43.22	54.00	-10.78	30.50	34.70	10.01	31.99	0.00	119	80	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	5610.00	90.67	-----	77.84	34.66	10.26	32.09	0.00	119	80	AVERAGE																																																																																						



Mode	29																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																												
ANT	1																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.52</td> <td>54.31</td> <td>68.20</td> <td>-13.89</td> <td>41.35</td> <td>34.64</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>119</td> <td>80 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5729.52	54.31	68.20	-13.89	41.35	34.64	10.35	32.03	0.00	119	80 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5729.52	54.31	68.20	-13.89	41.35	34.64	10.35	32.03	0.00	119	80 PEAK																																		



Mode	29																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>43.63</td> <td>74.00</td> <td>-30.37</td> <td>51.68</td> <td>38.10</td> <td>14.72</td> <td>60.87</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11220.00	43.63	74.00	-30.37	51.68	38.10	14.72	60.87	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>43.43</td> <td>74.00</td> <td>-30.57</td> <td>51.48</td> <td>38.10</td> <td>14.72</td> <td>60.87</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11220.00	43.43	74.00	-30.57	51.48	38.10	14.72	60.87	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11220.00	43.63	74.00	-30.37	51.68	38.10	14.72	60.87	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11220.00	43.43	74.00	-30.57	51.48	38.10	14.72	60.87	0.00	---	---	PEAK																																																																							



Mode	30																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5600.29</td> <td>54.05</td> <td>68.20</td> <td>-14.15</td> <td>41.19</td> <td>34.70</td> <td>10.24</td> <td>32.00</td> <td>0.00</td> <td>112</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>51.43</td> <td>68.32</td> <td>-16.89</td> <td>38.64</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>112</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.60</td> <td>57.70</td> <td>110.23</td> <td>-52.53</td> <td>44.74</td> <td>34.66</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>112</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.95</td> <td>62.54</td> <td>115.34</td> <td>-52.80</td> <td>49.57</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>112</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5600.29	54.05	68.20	-14.15	41.19	34.70	10.24	32.00	0.00	112	196	PEAK	2	5650.03	51.43	68.32	-16.89	38.64	34.60	10.28	32.09	0.00	112	196	PEAK	3	5717.60	57.70	110.23	-52.53	44.74	34.66	10.34	32.04	0.00	112	196	PEAK	4	5721.95	62.54	115.34	-52.80	49.57	34.66	10.34	32.03	0.00	112	196	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.78</td> <td>-----</td> <td>-----</td> <td>90.82</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>112</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	103.78	-----	-----	90.82	34.61	10.36	32.01	0.00	112	196	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5600.29	54.05	68.20	-14.15	41.19	34.70	10.24	32.00	0.00	112	196	PEAK																																																																																																											
2	5650.03	51.43	68.32	-16.89	38.64	34.60	10.28	32.09	0.00	112	196	PEAK																																																																																																											
3	5717.60	57.70	110.23	-52.53	44.74	34.66	10.34	32.04	0.00	112	196	PEAK																																																																																																											
4	5721.95	62.54	115.34	-52.80	49.57	34.66	10.34	32.03	0.00	112	196	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5745.00	103.78	-----	-----	90.82	34.61	10.36	32.01	0.00	112	196	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>96.40</td> <td>-----</td> <td>-----</td> <td>83.44</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>112</td> <td>196</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	96.40	-----	-----	83.44	34.61	10.36	32.01	0.00	112	196	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5745.00	96.40	-----	-----	83.44	34.61	10.36	32.01	0.00	112	196	AVERAGE																																																																																																											



Mode	30																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																												
ANT	1																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5622.91</td> <td>53.88</td> <td>68.20</td> <td>-14.32</td> <td>41.06</td> <td>34.65</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.46</td> <td>53.19</td> <td>68.64</td> <td>-15.45</td> <td>40.40</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.34</td> <td>59.52</td> <td>110.71</td> <td>-51.19</td> <td>46.55</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.66</td> <td>64.58</td> <td>114.67</td> <td>-50.09</td> <td>51.61</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5622.91	53.88	68.20	-14.32	41.06	34.65	10.26	32.09	0.00	100	105	PEAK	2	5650.46	53.19	68.64	-15.45	40.40	34.60	10.28	32.09	0.00	100	105	PEAK	3	5719.34	59.52	110.71	-51.19	46.55	34.66	10.34	32.03	0.00	100	105	PEAK	4	5721.66	64.58	114.67	-50.09	51.61	34.66	10.34	32.03	0.00	100	105	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.16</td> <td>-----</td> <td>-----</td> <td>92.20</td> <td>34.62</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	105.16	-----	-----	92.20	34.62	10.36	32.02	0.00	100	105	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5622.91	53.88	68.20	-14.32	41.06	34.65	10.26	32.09	0.00	100	105	PEAK																																																																																	
2	5650.46	53.19	68.64	-15.45	40.40	34.60	10.28	32.09	0.00	100	105	PEAK																																																																																	
3	5719.34	59.52	110.71	-51.19	46.55	34.66	10.34	32.03	0.00	100	105	PEAK																																																																																	
4	5721.66	64.58	114.67	-50.09	51.61	34.66	10.34	32.03	0.00	100	105	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	105.16	-----	-----	92.20	34.62	10.36	32.02	0.00	100	105	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.89</td> <td>-----</td> <td>-----</td> <td>84.93</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	97.89	-----	-----	84.93	34.61	10.36	32.01	0.00	100	105	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	97.89	-----	-----	84.93	34.61	10.36	32.01	0.00	100	105	AVERAGE																																																																																	



Mode	30																																																																									
	Harmonic																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.74</td> <td>74.00</td> <td>-27.26</td> <td>54.49</td> <td>38.20</td> <td>14.91</td> <td>60.86</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	46.74	74.00	-27.26	54.49	38.20	14.91	60.86	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>47.13</td> <td>74.00</td> <td>-26.87</td> <td>54.88</td> <td>38.20</td> <td>14.91</td> <td>60.86</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	47.13	74.00	-26.87	54.88	38.20	14.91	60.86	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 11490.00	46.74	74.00	-27.26	54.49	38.20	14.91	60.86	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 11490.00	47.13	74.00	-26.87	54.88	38.20	14.91	60.86	0.00																																																																		



Mode	31																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>45.63</td> <td>74.00</td> <td>-28.37</td> <td>53.14</td> <td>38.34</td> <td>14.97</td> <td>60.82</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	45.63	74.00	-28.37	53.14	38.34	14.97	60.82	0.00									--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>45.92</td> <td>74.00</td> <td>-28.08</td> <td>53.43</td> <td>38.34</td> <td>14.97</td> <td>60.82</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	45.92	74.00	-28.08	53.43	38.34	14.97	60.82	0.00									--- Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11570.00	45.63	74.00	-28.37	53.14	38.34	14.97	60.82	0.00																																																																																				
								--- Peak																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11570.00	45.92	74.00	-28.08	53.43	38.34	14.97	60.82	0.00																																																																																				
								--- Peak																																																																																				



Mode	32																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>58.36</td> <td>111.18</td> <td>-52.82</td> <td>44.94</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.00</td> <td>55.19</td> <td>105.86</td> <td>-50.67</td> <td>41.72</td> <td>34.95</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.13</td> <td>54.08</td> <td>68.94</td> <td>-14.86</td> <td>40.46</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>196</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.38</td> <td>54.72</td> <td>68.20</td> <td>-13.48</td> <td>41.07</td> <td>35.13</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.88	58.36	111.18	-52.82	44.94	34.91	10.45	31.94	0.00	100	196	PEAK	2	5873.00	55.19	105.86	-50.67	41.72	34.95	10.47	31.95	0.00	100	196	PEAK	3	5924.13	54.08	68.94	-14.86	40.46	35.10	10.51	31.99	0.00	100	196	PEAK	4	5932.38	54.72	68.20	-13.48	41.07	35.13	10.52	32.00	0.00	100	196	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.74</td> <td>-----</td> <td>-----</td> <td>93.46</td> <td>34.80</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>196</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.74	-----	-----	93.46	34.80	10.43	31.95	0.00	100	196	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5854.88	58.36	111.18	-52.82	44.94	34.91	10.45	31.94	0.00	100	196	PEAK																																																																																																																				
2	5873.00	55.19	105.86	-50.67	41.72	34.95	10.47	31.95	0.00	100	196	PEAK																																																																																																																				
3	5924.13	54.08	68.94	-14.86	40.46	35.10	10.51	31.99	0.00	100	196	PEAK																																																																																																																				
4	5932.38	54.72	68.20	-13.48	41.07	35.13	10.52	32.00	0.00	100	196	PEAK																																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5825.00	106.74	-----	-----	93.46	34.80	10.43	31.95	0.00	100	196	PEAK																																																																																																																				
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>98.85</td> <td>-----</td> <td>-----</td> <td>85.57</td> <td>34.80</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>196</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.85	-----	-----	85.57	34.80	10.43	31.95	0.00	100	196	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5825.00	98.85	-----	-----	85.57	34.80	10.43	31.95	0.00	100	196	AVERAGE																																																																																																																				



Mode	32																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>56.19</td> <td>111.18</td> <td>-54.99</td> <td>42.77</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td></td> <td>73 PEAK</td> </tr> <tr> <td>2</td> <td>5874.25</td> <td>55.79</td> <td>105.51</td> <td>-49.72</td> <td>42.32</td> <td>34.95</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td></td> <td>73 PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>52.31</td> <td>68.20</td> <td>-15.89</td> <td>38.68</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td></td> <td>73 PEAK</td> </tr> <tr> <td>4</td> <td>5941.25</td> <td>54.87</td> <td>68.20</td> <td>-13.33</td> <td>41.17</td> <td>35.17</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td></td> <td>73 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5854.88	56.19	111.18	-54.99	42.77	34.91	10.45	31.94	0.00	100		73 PEAK	2	5874.25	55.79	105.51	-49.72	42.32	34.95	10.47	31.95	0.00	100		73 PEAK	3	5925.00	52.31	68.20	-15.89	38.68	35.10	10.52	31.99	0.00	100		73 PEAK	4	5941.25	54.87	68.20	-13.33	41.17	35.17	10.53	32.00	0.00	100		73 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.25</td> <td>-----</td> <td>-----</td> <td>94.94</td> <td>34.82</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>73 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.25	-----	-----	94.94	34.82	10.43	31.94	0.00	100	73 PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																								
1	5854.88	56.19	111.18	-54.99	42.77	34.91	10.45	31.94	0.00	100		73 PEAK																																																																																																								
2	5874.25	55.79	105.51	-49.72	42.32	34.95	10.47	31.95	0.00	100		73 PEAK																																																																																																								
3	5925.00	52.31	68.20	-15.89	38.68	35.10	10.52	31.99	0.00	100		73 PEAK																																																																																																								
4	5941.25	54.87	68.20	-13.33	41.17	35.17	10.53	32.00	0.00	100		73 PEAK																																																																																																								
Peak	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5825.00	108.25	-----	-----	94.94	34.82	10.43	31.94	0.00	100	73 PEAK																																																																																																									
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.79</td> <td>-----</td> <td>-----</td> <td>87.51</td> <td>34.80</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>73 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.79	-----	-----	87.51	34.80	10.43	31.95	0.00	100	73 AVERAGE																																																																														
Peak	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5825.00	100.79	-----	-----	87.51	34.80	10.43	31.95	0.00	100	73 AVERAGE																																																																																																									



Mode	32																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.87</td> <td>74.00</td> <td>-27.13</td> <td>54.12</td> <td>38.50</td> <td>15.02</td> <td>60.77</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	46.87	74.00	-27.13	54.12	38.50	15.02	60.77	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>47.80</td> <td>74.00</td> <td>-26.20</td> <td>55.05</td> <td>38.50</td> <td>15.02</td> <td>60.77</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11650.00</td> <td>36.75</td> <td>54.00</td> <td>-17.25</td> <td>44.00</td> <td>38.50</td> <td>15.02</td> <td>60.77</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	47.80	74.00	-26.20	55.05	38.50	15.02	60.77	0.00	100	0	PEAK	2 11650.00	36.75	54.00	-17.25	44.00	38.50	15.02	60.77	0.00	100	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11650.00	46.87	74.00	-27.13	54.12	38.50	15.02	60.77	0.00	---	---	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11650.00	47.80	74.00	-26.20	55.05	38.50	15.02	60.77	0.00	100	0	PEAK																																																																																	
2 11650.00	36.75	54.00	-17.25	44.00	38.50	15.02	60.77	0.00	100	0	AVERAGE																																																																																	



Mode	33																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5637.70</td> <td>54.14</td> <td>68.20</td> <td>-14.06</td> <td>41.35</td> <td>34.62</td> <td>10.27</td> <td>32.10</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.19</td> <td>53.45</td> <td>69.18</td> <td>-15.73</td> <td>40.65</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.92</td> <td>63.14</td> <td>110.88</td> <td>-47.74</td> <td>50.17</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.24</td> <td>68.10</td> <td>116.00</td> <td>-47.90</td> <td>55.13</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5637.70	54.14	68.20	-14.06	41.35	34.62	10.27	32.10	0.00	294	360	PEAK	2	5651.19	53.45	69.18	-15.73	40.65	34.60	10.29	32.09	0.00	294	360	PEAK	3	5719.92	63.14	110.88	-47.74	50.17	34.66	10.34	32.03	0.00	294	360	PEAK	4	5722.24	68.10	116.00	-47.90	55.13	34.66	10.34	32.03	0.00	294	360	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.01</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>95.05</td> <td>34.62</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	108.01	-----	-----	-----	95.05	34.62	10.36	32.02	0.00	294	360	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																														
1	5637.70	54.14	68.20	-14.06	41.35	34.62	10.27	32.10	0.00	294	360	PEAK																																																																																																														
2	5651.19	53.45	69.18	-15.73	40.65	34.60	10.29	32.09	0.00	294	360	PEAK																																																																																																														
3	5719.92	63.14	110.88	-47.74	50.17	34.66	10.34	32.03	0.00	294	360	PEAK																																																																																																														
4	5722.24	68.10	116.00	-47.90	55.13	34.66	10.34	32.03	0.00	294	360	PEAK																																																																																																														
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																													
1	5745.00	108.01	-----	-----	-----	95.05	34.62	10.36	32.02	0.00	294	360	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.37</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>86.41</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>294</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	99.37	-----	-----	-----	86.41	34.61	10.36	32.01	0.00	294	360	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																													
1	5745.00	99.37	-----	-----	-----	86.41	34.61	10.36	32.01	0.00	294	360	AVERAGE																																																																																																													



Mode	33																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Vertical	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.46</td> <td>54.50</td> <td>68.20</td> <td>-13.70</td> <td>41.70</td> <td>34.62</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>109</td> <td>119 PEAK</td> </tr> <tr> <td>2</td> <td>5651.91</td> <td>53.08</td> <td>69.72</td> <td>-16.64</td> <td>40.28</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>109</td> <td>119 PEAK</td> </tr> <tr> <td>3</td> <td>5719.77</td> <td>64.90</td> <td>118.84</td> <td>-45.94</td> <td>51.93</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>109</td> <td>119 PEAK</td> </tr> <tr> <td>4</td> <td>5721.08</td> <td>65.62</td> <td>113.35</td> <td>-47.73</td> <td>52.65</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>109</td> <td>119 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5640.46	54.50	68.20	-13.70	41.70	34.62	10.28	32.10	0.00	109	119 PEAK	2	5651.91	53.08	69.72	-16.64	40.28	34.60	10.29	32.09	0.00	109	119 PEAK	3	5719.77	64.90	118.84	-45.94	51.93	34.66	10.34	32.03	0.00	109	119 PEAK	4	5721.08	65.62	113.35	-47.73	52.65	34.66	10.34	32.03	0.00	109	119 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.25</td> <td>-----</td> <td>93.29</td> <td>34.60</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>109</td> <td>119 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.25	-----	93.29	34.60	10.37	32.01	0.00	109	119 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	5640.46	54.50	68.20	-13.70	41.70	34.62	10.28	32.10	0.00	109	119 PEAK																																																																																																														
2	5651.91	53.08	69.72	-16.64	40.28	34.60	10.29	32.09	0.00	109	119 PEAK																																																																																																														
3	5719.77	64.90	118.84	-45.94	51.93	34.66	10.34	32.03	0.00	109	119 PEAK																																																																																																														
4	5721.08	65.62	113.35	-47.73	52.65	34.66	10.34	32.03	0.00	109	119 PEAK																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	5745.00	106.25	-----	93.29	34.60	10.37	32.01	0.00	109	119 PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.11</td> <td>-----</td> <td>86.15</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>109</td> <td>119 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.11	-----	86.15	34.61	10.36	32.01	0.00	109	119 AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	5745.00	99.11	-----	86.15	34.61	10.36	32.01	0.00	109	119 AVERAGE																																																																																																															



Mode	33																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																			
Peak Avg																																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>47.23</td> <td>74.00</td> <td>-26.77</td> <td>54.98</td> <td>38.20</td> <td>14.91</td> <td>60.86</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11490.00</td> <td>36.61</td> <td>54.00</td> <td>-17.39</td> <td>44.36</td> <td>38.20</td> <td>14.91</td> <td>60.86</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	47.23	74.00	-26.77	54.98	38.20	14.91	60.86	0.00	300	0	PEAK	2	11490.00	36.61	54.00	-17.39	44.36	38.20	14.91	60.86	0.00	300	0	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>48.37</td> <td>74.00</td> <td>-25.63</td> <td>56.12</td> <td>38.20</td> <td>14.91</td> <td>60.86</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11490.00</td> <td>36.53</td> <td>54.00</td> <td>-17.47</td> <td>44.28</td> <td>38.20</td> <td>14.91</td> <td>60.86</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	48.37	74.00	-25.63	56.12	38.20	14.91	60.86	0.00	100	0	PEAK	2	11490.00	36.53	54.00	-17.47	44.28	38.20	14.91	60.86	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11490.00	47.23	74.00	-26.77	54.98	38.20	14.91	60.86	0.00	300	0	PEAK																																																																																																									
2	11490.00	36.61	54.00	-17.39	44.36	38.20	14.91	60.86	0.00	300	0	AVERAGE																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11490.00	48.37	74.00	-25.63	56.12	38.20	14.91	60.86	0.00	100	0	PEAK																																																																																																									
2	11490.00	36.53	54.00	-17.47	44.28	38.20	14.91	60.86	0.00	100	0	AVERAGE																																																																																																									



Mode	34																																																																																					
	Harmonic																																																																																					
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>47.18</td> <td>74.00</td> <td>-26.82</td> <td>54.69</td> <td>38.34</td> <td>14.97</td> <td>60.82</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	47.18	74.00	-26.82	54.69	38.34	14.97	60.82	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7715.00</td> <td>48.43</td> <td>74.00</td> <td>-25.57</td> <td>60.82</td> <td>35.90</td> <td>12.07</td> <td>60.36</td> <td>0.00</td> <td>--- --- Peak</td> </tr> <tr> <td>2 11570.00</td> <td>47.50</td> <td>74.00</td> <td>-26.50</td> <td>55.01</td> <td>38.34</td> <td>14.97</td> <td>60.82</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7715.00	48.43	74.00	-25.57	60.82	35.90	12.07	60.36	0.00	--- --- Peak	2 11570.00	47.50	74.00	-26.50	55.01	38.34	14.97	60.82	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 11570.00	47.18	74.00	-26.82	54.69	38.34	14.97	60.82	0.00	--- --- PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 7715.00	48.43	74.00	-25.57	60.82	35.90	12.07	60.36	0.00	--- --- Peak																																																																													
2 11570.00	47.50	74.00	-26.50	55.01	38.34	14.97	60.82	0.00	--- --- PEAK																																																																													



Mode	35																																																																																																											
	Band Edge																																																																																																											
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>59.35</td> <td>110.90</td> <td>-51.55</td> <td>45.93</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>10</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.75</td> <td>60.52</td> <td>110.69</td> <td>-50.17</td> <td>47.10</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>10</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.38</td> <td>52.92</td> <td>68.76</td> <td>-15.84</td> <td>39.29</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>10</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.75</td> <td>55.42</td> <td>68.20</td> <td>-12.78</td> <td>41.74</td> <td>35.15</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>10</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5855.00	59.35	110.90	-51.55	45.93	34.91	10.45	31.94	0.00	300	10	PEAK	2	5855.75	60.52	110.69	-50.17	47.10	34.91	10.45	31.94	0.00	300	10	PEAK	3	5924.38	52.92	68.76	-15.84	39.29	35.10	10.52	31.99	0.00	300	10	PEAK	4	5936.75	55.42	68.20	-12.78	41.74	35.15	10.53	32.00	0.00	300	10	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.73</td> <td>-----</td> <td>-----</td> <td>95.42</td> <td>34.82</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>10</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5825.00	108.73	-----	-----	95.42	34.82	10.43	31.94	0.00	300	10	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1	5855.00	59.35	110.90	-51.55	45.93	34.91	10.45	31.94	0.00	300	10	PEAK																																																																																																
2	5855.75	60.52	110.69	-50.17	47.10	34.91	10.45	31.94	0.00	300	10	PEAK																																																																																																
3	5924.38	52.92	68.76	-15.84	39.29	35.10	10.52	31.99	0.00	300	10	PEAK																																																																																																
4	5936.75	55.42	68.20	-12.78	41.74	35.15	10.53	32.00	0.00	300	10	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																	
1	5825.00	108.73	-----	-----	95.42	34.82	10.43	31.94	0.00	300	10	PEAK																																																																																																
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.39</td> <td>-----</td> <td>-----</td> <td>88.11</td> <td>34.80</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>10</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5825.00	101.39	-----	-----	88.11	34.80	10.43	31.95	0.00	300	10	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																	
1	5825.00	101.39	-----	-----	88.11	34.80	10.43	31.95	0.00	300	10	AVERAGE																																																																																																



Mode	35																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>59.61</td> <td>111.18</td> <td>-51.57</td> <td>46.19</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>276</td> <td></td> <td>91 PEAK</td> </tr> <tr> <td>2</td> <td>5869.38</td> <td>56.58</td> <td>106.87</td> <td>-50.29</td> <td>43.12</td> <td>34.94</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>276</td> <td></td> <td>91 PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>52.33</td> <td>68.20</td> <td>-15.87</td> <td>38.70</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>276</td> <td></td> <td>91 PEAK</td> </tr> <tr> <td>4</td> <td>5927.50</td> <td>54.33</td> <td>68.20</td> <td>-13.87</td> <td>40.69</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>276</td> <td></td> <td>91 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5854.88	59.61	111.18	-51.57	46.19	34.91	10.45	31.94	0.00	276		91 PEAK	2	5869.38	56.58	106.87	-50.29	43.12	34.94	10.47	31.95	0.00	276		91 PEAK	3	5925.00	52.33	68.20	-15.87	38.70	35.10	10.52	31.99	0.00	276		91 PEAK	4	5927.50	54.33	68.20	-13.87	40.69	35.11	10.52	31.99	0.00	276		91 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.26</td> <td>-----</td> <td>-----</td> <td>94.95</td> <td>34.82</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>276</td> <td></td> <td>91 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	108.26	-----	-----	94.95	34.82	10.43	31.94	0.00	276		91 PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5854.88	59.61	111.18	-51.57	46.19	34.91	10.45	31.94	0.00	276		91 PEAK																																																																																																											
2	5869.38	56.58	106.87	-50.29	43.12	34.94	10.47	31.95	0.00	276		91 PEAK																																																																																																											
3	5925.00	52.33	68.20	-15.87	38.70	35.10	10.52	31.99	0.00	276		91 PEAK																																																																																																											
4	5927.50	54.33	68.20	-13.87	40.69	35.11	10.52	31.99	0.00	276		91 PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5825.00	108.26	-----	-----	94.95	34.82	10.43	31.94	0.00	276		91 PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.87</td> <td>-----</td> <td>-----</td> <td>87.59</td> <td>34.80</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>276</td> <td></td> <td>91 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	100.87	-----	-----	87.59	34.80	10.43	31.95	0.00	276		91 AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5825.00	100.87	-----	-----	87.59	34.80	10.43	31.95	0.00	276		91 AVERAGE																																																																																																											



Mode	35																																																																																																											
	Harmonic																																																																																																											
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>47.60</td> <td>74.00</td> <td>-26.40</td> <td>54.85</td> <td>38.50</td> <td>15.02</td> <td>60.77</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>36.65</td> <td>54.00</td> <td>-17.35</td> <td>43.90</td> <td>38.50</td> <td>15.02</td> <td>60.77</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11650.00	47.60	74.00	-26.40	54.85	38.50	15.02	60.77	0.00	300	0	PEAK	2	11650.00	36.65	54.00	-17.35	43.90	38.50	15.02	60.77	0.00	300	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>47.60</td> <td>74.00</td> <td>-26.40</td> <td>54.85</td> <td>38.50</td> <td>15.02</td> <td>60.77</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>36.63</td> <td>54.00</td> <td>-17.37</td> <td>43.88</td> <td>38.50</td> <td>15.02</td> <td>60.77</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11650.00	47.60	74.00	-26.40	54.85	38.50	15.02	60.77	0.00	100	0	PEAK	2	11650.00	36.63	54.00	-17.37	43.88	38.50	15.02	60.77	0.00	100	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11650.00	47.60	74.00	-26.40	54.85	38.50	15.02	60.77	0.00	300	0	PEAK																																																																																																
2	11650.00	36.65	54.00	-17.35	43.90	38.50	15.02	60.77	0.00	300	0	AVERAGE																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11650.00	47.60	74.00	-26.40	54.85	38.50	15.02	60.77	0.00	100	0	PEAK																																																																																																
2	11650.00	36.63	54.00	-17.37	43.88	38.50	15.02	60.77	0.00	100	0	AVERAGE																																																																																																






Mode	36																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5611.01</td> <td>52.88</td> <td>68.20</td> <td>-15.32</td> <td>40.03</td> <td>34.68</td> <td>10.25</td> <td>32.00</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.84</td> <td>51.77</td> <td>68.92</td> <td>-17.15</td> <td>38.97</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5715.79</td> <td>71.09</td> <td>109.72</td> <td>-38.63</td> <td>58.12</td> <td>34.67</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>68.35</td> <td>111.19</td> <td>-42.84</td> <td>55.38</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5611.01	52.88	68.20	-15.32	40.03	34.68	10.25	32.00	0.00	294	360	PEAK	2	5650.84	51.77	68.92	-17.15	38.97	34.60	10.29	32.09	0.00	294	360	PEAK	3	5715.79	71.09	109.72	-38.63	58.12	34.67	10.34	32.04	0.00	294	360	PEAK	4	5720.13	68.35	111.19	-42.84	55.38	34.66	10.34	32.03	0.00	294	360	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>105.38</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>92.42</td> <td>34.61</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	105.38	-----	-----	-----	92.42	34.61	10.36	32.01	0.00	294	360	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	5611.01	52.88	68.20	-15.32	40.03	34.68	10.25	32.00	0.00	294	360	PEAK																																																																																																														
2	5650.84	51.77	68.92	-17.15	38.97	34.60	10.29	32.09	0.00	294	360	PEAK																																																																																																														
3	5715.79	71.09	109.72	-38.63	58.12	34.67	10.34	32.04	0.00	294	360	PEAK																																																																																																														
4	5720.13	68.35	111.19	-42.84	55.38	34.66	10.34	32.03	0.00	294	360	PEAK																																																																																																														
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5755.00	105.38	-----	-----	-----	92.42	34.61	10.36	32.01	0.00	294	360	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>96.72</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>83.75</td> <td>34.61</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>294</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	96.72	-----	-----	-----	83.75	34.61	10.37	32.01	0.00	294	360	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5755.00	96.72	-----	-----	-----	83.75	34.61	10.37	32.01	0.00	294	360	AVERAGE																																																																																																													



Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.45</td> <td>52.87</td> <td>112.15</td> <td>-59.28</td> <td>39.45</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.00</td> <td>54.43</td> <td>106.14</td> <td>-51.71</td> <td>40.97</td> <td>34.94</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.26</td> <td>53.52</td> <td>68.85</td> <td>-15.33</td> <td>39.90</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5941.03</td> <td>55.35</td> <td>68.20</td> <td>-12.85</td> <td>41.66</td> <td>35.16</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>294</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.45	52.87	112.15	-59.28	39.45	34.91	10.45	31.94	0.00	294	360	PEAK	2	5872.00	54.43	106.14	-51.71	40.97	34.94	10.47	31.95	0.00	294	360	PEAK	3	5924.26	53.52	68.85	-15.33	39.90	35.10	10.51	31.99	0.00	294	360	PEAK	4	5941.03	55.35	68.20	-12.85	41.66	35.16	10.53	32.00	0.00	294	360	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.45	52.87	112.15	-59.28	39.45	34.91	10.45	31.94	0.00	294	360	PEAK																																																																									
2	5872.00	54.43	106.14	-51.71	40.97	34.94	10.47	31.95	0.00	294	360	PEAK																																																																									
3	5924.26	53.52	68.85	-15.33	39.90	35.10	10.51	31.99	0.00	294	360	PEAK																																																																									
4	5941.03	55.35	68.20	-12.85	41.66	35.16	10.53	32.00	0.00	294	360	PEAK																																																																									



Mode	36																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5688.37</td> <td>53.94</td> <td>68.20</td> <td>-14.26</td> <td>41.09</td> <td>34.68</td> <td>10.25</td> <td>32.08</td> <td>0.00</td> <td>279</td> <td></td> <td>92 PEAK</td> </tr> <tr> <td>2</td> <td>5653.01</td> <td>54.11</td> <td>70.54</td> <td>-16.43</td> <td>41.30</td> <td>34.61</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>279</td> <td></td> <td>92 PEAK</td> </tr> <tr> <td>3</td> <td>5713.31</td> <td>69.28</td> <td>109.03</td> <td>-39.75</td> <td>56.31</td> <td>34.67</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>279</td> <td></td> <td>92 PEAK</td> </tr> <tr> <td>4</td> <td>5720.44</td> <td>67.81</td> <td>111.89</td> <td>-44.08</td> <td>54.84</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>279</td> <td></td> <td>92 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5688.37	53.94	68.20	-14.26	41.09	34.68	10.25	32.08	0.00	279		92 PEAK	2	5653.01	54.11	70.54	-16.43	41.30	34.61	10.29	32.09	0.00	279		92 PEAK	3	5713.31	69.28	109.03	-39.75	56.31	34.67	10.34	32.04	0.00	279		92 PEAK	4	5720.44	67.81	111.89	-44.08	54.84	34.66	10.34	32.03	0.00	279		92 PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>103.96</td> <td>-----</td> <td>91.00</td> <td>34.60</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>279</td> <td></td> <td>92 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	103.96	-----	91.00	34.60	10.37	32.01	0.00	279		92 PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																								
1	5688.37	53.94	68.20	-14.26	41.09	34.68	10.25	32.08	0.00	279		92 PEAK																																																																																																								
2	5653.01	54.11	70.54	-16.43	41.30	34.61	10.29	32.09	0.00	279		92 PEAK																																																																																																								
3	5713.31	69.28	109.03	-39.75	56.31	34.67	10.34	32.04	0.00	279		92 PEAK																																																																																																								
4	5720.44	67.81	111.89	-44.08	54.84	34.66	10.34	32.03	0.00	279		92 PEAK																																																																																																								
Peak	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5755.00	103.96	-----	91.00	34.60	10.37	32.01	0.00	279		92 PEAK																																																																																																									
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>94.92</td> <td>-----</td> <td>81.95</td> <td>34.61</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>279</td> <td></td> <td>92 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	94.92	-----	81.95	34.61	10.37	32.01	0.00	279		92 AVERAGE																																																																														
Peak	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5755.00	94.92	-----	81.95	34.61	10.37	32.01	0.00	279		92 AVERAGE																																																																																																									



Mode	36																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																
ANT	1																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.06</td> <td>53.46</td> <td>113.04</td> <td>-59.58</td> <td>40.04</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>279</td> <td>92 PEAK</td> </tr> <tr> <td>2</td> <td>5871.61</td> <td>54.58</td> <td>106.25</td> <td>-51.67</td> <td>41.12</td> <td>34.94</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>279</td> <td>92 PEAK</td> </tr> <tr> <td>3</td> <td>5920.75</td> <td>55.85</td> <td>71.43</td> <td>-15.58</td> <td>42.25</td> <td>35.00</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>279</td> <td>92 PEAK</td> </tr> <tr> <td>4</td> <td>5931.67</td> <td>55.06</td> <td>68.20</td> <td>-13.14</td> <td>41.41</td> <td>35.13</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>279</td> <td>92 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.06	53.46	113.04	-59.58	40.04	34.91	10.45	31.94	0.00	279	92 PEAK	2	5871.61	54.58	106.25	-51.67	41.12	34.94	10.47	31.95	0.00	279	92 PEAK	3	5920.75	55.85	71.43	-15.58	42.25	35.00	10.51	31.99	0.00	279	92 PEAK	4	5931.67	55.06	68.20	-13.14	41.41	35.13	10.52	32.00	0.00	279	92 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.06	53.46	113.04	-59.58	40.04	34.91	10.45	31.94	0.00	279	92 PEAK																																																																						
2	5871.61	54.58	106.25	-51.67	41.12	34.94	10.47	31.95	0.00	279	92 PEAK																																																																						
3	5920.75	55.85	71.43	-15.58	42.25	35.00	10.51	31.99	0.00	279	92 PEAK																																																																						
4	5931.67	55.06	68.20	-13.14	41.41	35.13	10.52	32.00	0.00	279	92 PEAK																																																																						



Mode	36																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>46.39</td> <td>74.00</td> <td>-27.61</td> <td>54.10</td> <td>38.22</td> <td>14.92</td> <td>60.85</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11510.00	46.39	74.00	-27.61	54.10	38.22	14.92	60.85	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>47.20</td> <td>74.00</td> <td>-26.80</td> <td>54.91</td> <td>38.22</td> <td>14.92</td> <td>60.85</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11510.00</td> <td>36.50</td> <td>54.00</td> <td>-17.50</td> <td>44.26</td> <td>38.20</td> <td>14.90</td> <td>60.86</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11510.00	47.20	74.00	-26.80	54.91	38.22	14.92	60.85	0.00	100	0	PEAK	2 11510.00	36.50	54.00	-17.50	44.26	38.20	14.90	60.86	0.00	100	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11510.00	46.39	74.00	-27.61	54.10	38.22	14.92	60.85	0.00	---	---	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11510.00	47.20	74.00	-26.80	54.91	38.22	14.92	60.85	0.00	100	0	PEAK																																																																																	
2 11510.00	36.50	54.00	-17.50	44.26	38.20	14.90	60.86	0.00	100	0	AVERAGE																																																																																	



Mode	37																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5623.40</td> <td>53.67</td> <td>68.20</td> <td>-14.53</td> <td>40.85</td> <td>34.65</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>319</td> <td>12</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.90</td> <td>51.99</td> <td>68.97</td> <td>-16.98</td> <td>39.19</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>319</td> <td>12</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.43</td> <td>52.84</td> <td>105.42</td> <td>-52.58</td> <td>39.87</td> <td>34.70</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>319</td> <td>12</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.32</td> <td>53.39</td> <td>111.62</td> <td>-58.23</td> <td>40.42</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>319</td> <td>12</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5623.40	53.67	68.20	-14.53	40.85	34.65	10.26	32.09	0.00	319	12	PEAK	2	5650.90	51.99	68.97	-16.98	39.19	34.60	10.29	32.09	0.00	319	12	PEAK	3	5700.43	52.84	105.42	-52.58	39.87	34.70	10.32	32.05	0.00	319	12	PEAK	4	5720.32	53.39	111.62	-58.23	40.42	34.66	10.34	32.03	0.00	319	12	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>106.09</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>92.97</td> <td>34.69</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>319</td> <td>12</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	106.09	-----	-----	-----	92.97	34.69	10.40	31.97	0.00	319	12	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																														
1	5623.40	53.67	68.20	-14.53	40.85	34.65	10.26	32.09	0.00	319	12	PEAK																																																																																																														
2	5650.90	51.99	68.97	-16.98	39.19	34.60	10.29	32.09	0.00	319	12	PEAK																																																																																																														
3	5700.43	52.84	105.42	-52.58	39.87	34.70	10.32	32.05	0.00	319	12	PEAK																																																																																																														
4	5720.32	53.39	111.62	-58.23	40.42	34.66	10.34	32.03	0.00	319	12	PEAK																																																																																																														
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																													
1	5795.00	106.09	-----	-----	-----	92.97	34.69	10.40	31.97	0.00	319	12	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>97.46</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>84.32</td> <td>34.70</td> <td>10.41</td> <td>31.97</td> <td>0.00</td> <td>319</td> <td>12</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	97.46	-----	-----	-----	84.32	34.70	10.41	31.97	0.00	319	12	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																													
1	5795.00	97.46	-----	-----	-----	84.32	34.70	10.41	31.97	0.00	319	12	AVERAGE																																																																																																													



Mode	37																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																		
ANT	1																																																																		
Pol.	Horizontal	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.37</td> <td>54.32</td> <td>112.35</td> <td>-58.03</td> <td>40.90</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>319</td> <td>12</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.88</td> <td>55.33</td> <td>106.17</td> <td>-50.84</td> <td>41.87</td> <td>34.94</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>319</td> <td>12</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.58</td> <td>54.81</td> <td>68.61</td> <td>-13.80</td> <td>41.18</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>319</td> <td>12</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.77</td> <td>54.94</td> <td>68.20</td> <td>-13.26</td> <td>41.29</td> <td>35.12</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>319</td> <td>12</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.37	54.32	112.35	-58.03	40.90	34.91	10.45	31.94	0.00	319	12	PEAK	2	5871.88	55.33	106.17	-50.84	41.87	34.94	10.47	31.95	0.00	319	12	PEAK	3	5924.58	54.81	68.61	-13.80	41.18	35.10	10.52	31.99	0.00	319	12	PEAK	4	5928.77	54.94	68.20	-13.26	41.29	35.12	10.52	31.99	0.00	319	12	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.37	54.32	112.35	-58.03	40.90	34.91	10.45	31.94	0.00	319	12	PEAK																																																							
2	5871.88	55.33	106.17	-50.84	41.87	34.94	10.47	31.95	0.00	319	12	PEAK																																																							
3	5924.58	54.81	68.61	-13.80	41.18	35.10	10.52	31.99	0.00	319	12	PEAK																																																							
4	5928.77	54.94	68.20	-13.26	41.29	35.12	10.52	31.99	0.00	319	12	PEAK																																																							



Mode	37																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																												
ANT	1																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.95</td> <td>53.66</td> <td>68.20</td> <td>-14.54</td> <td>40.87</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.90</td> <td>51.97</td> <td>68.97</td> <td>-17.00</td> <td>39.17</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.60</td> <td>52.43</td> <td>105.75</td> <td>-53.32</td> <td>39.45</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.32</td> <td>51.93</td> <td>111.62</td> <td>-59.69</td> <td>38.96</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5648.95	53.66	68.20	-14.54	40.87	34.60	10.28	32.09	0.00	100	105	PEAK	2	5650.90	51.97	68.97	-17.00	39.17	34.60	10.29	32.09	0.00	100	105	PEAK	3	5701.60	52.43	105.75	-53.32	39.45	34.70	10.33	32.05	0.00	100	105	PEAK	4	5720.32	51.93	111.62	-59.69	38.96	34.66	10.34	32.03	0.00	100	105	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>104.11</td> <td>-----</td> <td>-----</td> <td>91.04</td> <td>34.66</td> <td>10.39</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5795.00	104.11	-----	-----	91.04	34.66	10.39	31.98	0.00	100	105	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5648.95	53.66	68.20	-14.54	40.87	34.60	10.28	32.09	0.00	100	105	PEAK																																																																																	
2	5650.90	51.97	68.97	-17.00	39.17	34.60	10.29	32.09	0.00	100	105	PEAK																																																																																	
3	5701.60	52.43	105.75	-53.32	39.45	34.70	10.33	32.05	0.00	100	105	PEAK																																																																																	
4	5720.32	51.93	111.62	-59.69	38.96	34.66	10.34	32.03	0.00	100	105	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5795.00	104.11	-----	-----	91.04	34.66	10.39	31.98	0.00	100	105	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>95.46</td> <td>-----</td> <td>-----</td> <td>82.34</td> <td>34.69</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark	1	5795.00	95.46	-----	-----	82.34	34.69	10.40	31.97	0.00	100	105	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5795.00	95.46	-----	-----	82.34	34.69	10.40	31.97	0.00	100	105	AVERAGE																																																																																	



Mode	37																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																		
ANT	1																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.52</td> <td>54.63</td> <td>111.99</td> <td>-57.36</td> <td>41.21</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.83</td> <td>55.09</td> <td>105.35</td> <td>-50.26</td> <td>41.62</td> <td>34.95</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.81</td> <td>53.22</td> <td>69.18</td> <td>-15.96</td> <td>39.60</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5941.17</td> <td>54.53</td> <td>68.20</td> <td>-13.67</td> <td>40.84</td> <td>35.16</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.52	54.63	111.99	-57.36	41.21	34.91	10.45	31.94	0.00	100	105	PEAK	2	5874.83	55.09	105.35	-50.26	41.62	34.95	10.47	31.95	0.00	100	105	PEAK	3	5923.81	53.22	69.18	-15.96	39.60	35.10	10.51	31.99	0.00	100	105	PEAK	4	5941.17	54.53	68.20	-13.67	40.84	35.16	10.53	32.00	0.00	100	105	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.52	54.63	111.99	-57.36	41.21	34.91	10.45	31.94	0.00	100	105	PEAK																																																							
2	5874.83	55.09	105.35	-50.26	41.62	34.95	10.47	31.95	0.00	100	105	PEAK																																																							
3	5923.81	53.22	69.18	-15.96	39.60	35.10	10.51	31.99	0.00	100	105	PEAK																																																							
4	5941.17	54.53	68.20	-13.67	40.84	35.16	10.53	32.00	0.00	100	105	PEAK																																																							



Mode	37																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>46.76</td> <td>74.00</td> <td>-27.24</td> <td>54.21</td> <td>38.38</td> <td>14.98</td> <td>60.81</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11590.00	46.76	74.00	-27.24	54.21	38.38	14.98	60.81	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>47.33</td> <td>74.00</td> <td>-26.67</td> <td>54.78</td> <td>38.38</td> <td>14.98</td> <td>60.81</td> <td>0.00</td> <td>0</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>2 11590.00</td> <td>36.67</td> <td>54.00</td> <td>-17.33</td> <td>44.12</td> <td>38.38</td> <td>14.98</td> <td>60.81</td> <td>0.00</td> <td>0</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11590.00	47.33	74.00	-26.67	54.78	38.38	14.98	60.81	0.00	0	100	PEAK	2 11590.00	36.67	54.00	-17.33	44.12	38.38	14.98	60.81	0.00	0	100	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11590.00	46.76	74.00	-27.24	54.21	38.38	14.98	60.81	0.00	---	---	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11590.00	47.33	74.00	-26.67	54.78	38.38	14.98	60.81	0.00	0	100	PEAK																																																																																	
2 11590.00	36.67	54.00	-17.33	44.12	38.38	14.98	60.81	0.00	0	100	AVERAGE																																																																																	



Mode	38																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5626.72</td> <td>53.37</td> <td>68.20</td> <td>-14.83</td> <td>40.54</td> <td>34.65</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>116</td> <td>193</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.51</td> <td>51.41</td> <td>68.68</td> <td>-17.27</td> <td>38.62</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>116</td> <td>193</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5704.52</td> <td>53.70</td> <td>106.57</td> <td>-52.87</td> <td>40.73</td> <td>34.69</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>116</td> <td>193</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.10</td> <td>53.53</td> <td>113.40</td> <td>-59.87</td> <td>40.56</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>116</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5626.72	53.37	68.20	-14.83	40.54	34.65	10.27	32.09	0.00	116	193	PEAK	2	5650.51	51.41	68.68	-17.27	38.62	34.60	10.28	32.09	0.00	116	193	PEAK	3	5704.52	53.70	106.57	-52.87	40.73	34.69	10.33	32.05	0.00	116	193	PEAK	4	5721.10	53.53	113.40	-59.87	40.56	34.66	10.34	32.03	0.00	116	193	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>103.35</td> <td>-----</td> <td>90.23</td> <td>34.69</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>116</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	103.35	-----	90.23	34.69	10.40	31.97	0.00	116	193	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																								
1	5626.72	53.37	68.20	-14.83	40.54	34.65	10.27	32.09	0.00	116	193	PEAK																																																																																																								
2	5650.51	51.41	68.68	-17.27	38.62	34.60	10.28	32.09	0.00	116	193	PEAK																																																																																																								
3	5704.52	53.70	106.57	-52.87	40.73	34.69	10.33	32.05	0.00	116	193	PEAK																																																																																																								
4	5721.10	53.53	113.40	-59.87	40.56	34.66	10.34	32.03	0.00	116	193	PEAK																																																																																																								
Peak	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5795.00	103.35	-----	90.23	34.69	10.40	31.97	0.00	116	193	PEAK																																																																																																									
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>95.05</td> <td>-----</td> <td>81.93</td> <td>34.69</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>116</td> <td>193</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	95.05	-----	81.93	34.69	10.40	31.97	0.00	116	193	AVERAGE																																																																														
Peak	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5795.00	95.05	-----	81.93	34.69	10.40	31.97	0.00	116	193	AVERAGE																																																																																																									



Mode	38																																																																															
	Band Edge - R																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.21</td> <td>58.12</td> <td>112.70</td> <td>-54.58</td> <td>44.70</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>116</td> <td>193</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.52</td> <td>55.00</td> <td>105.44</td> <td>-50.44</td> <td>41.53</td> <td>34.95</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>116</td> <td>193</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.74</td> <td>53.35</td> <td>68.50</td> <td>-15.15</td> <td>39.72</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>116</td> <td>193</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5926.29</td> <td>54.75</td> <td>68.20</td> <td>-13.45</td> <td>41.11</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>116</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.21	58.12	112.70	-54.58	44.70	34.91	10.45	31.94	0.00	116	193	PEAK	2	5874.52	55.00	105.44	-50.44	41.53	34.95	10.47	31.95	0.00	116	193	PEAK	3	5924.74	53.35	68.50	-15.15	39.72	35.10	10.52	31.99	0.00	116	193	PEAK	4	5926.29	54.75	68.20	-13.45	41.11	35.11	10.52	31.99	0.00	116	193	PEAK	Blank
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	5854.21	58.12	112.70	-54.58	44.70	34.91	10.45	31.94	0.00	116	193	PEAK																																																																				
2	5874.52	55.00	105.44	-50.44	41.53	34.95	10.47	31.95	0.00	116	193	PEAK																																																																				
3	5924.74	53.35	68.50	-15.15	39.72	35.10	10.52	31.99	0.00	116	193	PEAK																																																																				
4	5926.29	54.75	68.20	-13.45	41.11	35.11	10.52	31.99	0.00	116	193	PEAK																																																																				



Mode	38																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																												
ANT	1																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV/m)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5603.32</td> <td>53.79</td> <td>68.20</td> <td>-14.41</td> <td>40.94</td> <td>34.69</td> <td>10.24</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.31</td> <td>53.86</td> <td>68.53</td> <td>-14.67</td> <td>41.07</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.21</td> <td>54.05</td> <td>105.64</td> <td>-51.59</td> <td>41.07</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>54.72</td> <td>111.17</td> <td>-56.45</td> <td>41.75</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV/m)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5603.32	53.79	68.20	-14.41	40.94	34.69	10.24	32.00	0.00	100	73	PEAK	2	5650.31	53.86	68.53	-14.67	41.07	34.60	10.28	32.09	0.00	100	73	PEAK	3	5701.21	54.05	105.64	-51.59	41.07	34.70	10.33	32.05	0.00	100	73	PEAK	4	5720.12	54.72	111.17	-56.45	41.75	34.66	10.34	32.03	0.00	100	73	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV/m)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>105.79</td> <td>-----</td> <td>-----</td> <td>92.67</td> <td>34.69</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV/m)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5795.00	105.79	-----	-----	92.67	34.69	10.40	31.97	0.00	100	73	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV/m)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5603.32	53.79	68.20	-14.41	40.94	34.69	10.24	32.00	0.00	100	73	PEAK																																																																																	
2	5650.31	53.86	68.53	-14.67	41.07	34.60	10.28	32.09	0.00	100	73	PEAK																																																																																	
3	5701.21	54.05	105.64	-51.59	41.07	34.70	10.33	32.05	0.00	100	73	PEAK																																																																																	
4	5720.12	54.72	111.17	-56.45	41.75	34.66	10.34	32.03	0.00	100	73	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV/m)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5795.00	105.79	-----	-----	92.67	34.69	10.40	31.97	0.00	100	73	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV/m)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>97.28</td> <td>-----</td> <td>-----</td> <td>84.16</td> <td>34.69</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV/m)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5795.00	97.28	-----	-----	84.16	34.69	10.40	31.97	0.00	100	73	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV/m)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5795.00	97.28	-----	-----	84.16	34.69	10.40	31.97	0.00	100	73	AVERAGE																																																																																	



Mode	38																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.83</td> <td>59.18</td> <td>111.29</td> <td>-52.11</td> <td>45.76</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.35</td> <td>54.95</td> <td>106.04</td> <td>-51.09</td> <td>41.49</td> <td>34.94</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.58</td> <td>53.20</td> <td>68.61</td> <td>-15.41</td> <td>39.57</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5944.27</td> <td>54.80</td> <td>68.20</td> <td>-13.40</td> <td>41.10</td> <td>35.18</td> <td>10.53</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.83	59.18	111.29	-52.11	45.76	34.91	10.45	31.94	0.00	100	73	PEAK	2	5872.35	54.95	106.04	-51.09	41.49	34.94	10.47	31.95	0.00	100	73	PEAK	3	5924.58	53.20	68.61	-15.41	39.57	35.10	10.52	31.99	0.00	100	73	PEAK	4	5944.27	54.80	68.20	-13.40	41.10	35.18	10.53	32.01	0.00	100	73	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.83	59.18	111.29	-52.11	45.76	34.91	10.45	31.94	0.00	100	73	PEAK																																																																									
2	5872.35	54.95	106.04	-51.09	41.49	34.94	10.47	31.95	0.00	100	73	PEAK																																																																									
3	5924.58	53.20	68.61	-15.41	39.57	35.10	10.52	31.99	0.00	100	73	PEAK																																																																									
4	5944.27	54.80	68.20	-13.40	41.10	35.18	10.53	32.01	0.00	100	73	PEAK																																																																									



Mode	38																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>46.46</td> <td>74.00</td> <td>-27.54</td> <td>53.91</td> <td>38.38</td> <td>14.98</td> <td>60.81</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11590.00	46.46	74.00	-27.54	53.91	38.38	14.98	60.81	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>47.13</td> <td>74.00</td> <td>-26.87</td> <td>54.58</td> <td>38.38</td> <td>14.98</td> <td>60.81</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11590.00</td> <td>36.60</td> <td>54.00</td> <td>-17.40</td> <td>44.05</td> <td>38.38</td> <td>14.98</td> <td>60.81</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11590.00	47.13	74.00	-26.87	54.58	38.38	14.98	60.81	0.00	100	0	PEAK	2 11590.00	36.60	54.00	-17.40	44.05	38.38	14.98	60.81	0.00	100	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11590.00	46.46	74.00	-27.54	53.91	38.38	14.98	60.81	0.00	---	---	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11590.00	47.13	74.00	-26.87	54.58	38.38	14.98	60.81	0.00	100	0	PEAK																																																																																	
2 11590.00	36.60	54.00	-17.40	44.05	38.38	14.98	60.81	0.00	100	0	AVERAGE																																																																																	



Mode	39																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																												
ANT	1																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV/m)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5623.10</td> <td>54.06</td> <td>68.20</td> <td>-14.14</td> <td>41.24</td> <td>34.65</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>293</td> <td>8</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.05</td> <td>52.32</td> <td>68.34</td> <td>-16.02</td> <td>39.53</td> <td>34.60</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>293</td> <td>8</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5704.65</td> <td>72.83</td> <td>106.60</td> <td>-33.77</td> <td>59.86</td> <td>34.69</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>293</td> <td>8</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>71.74</td> <td>111.01</td> <td>-39.27</td> <td>58.77</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>293</td> <td>8</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV/m)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5623.10	54.06	68.20	-14.14	41.24	34.65	10.26	32.09	0.00	293	8	PEAK	2	5650.05	52.32	68.34	-16.02	39.53	34.60	10.28	32.09	0.00	293	8	PEAK	3	5704.65	72.83	106.60	-33.77	59.86	34.69	10.33	32.05	0.00	293	8	PEAK	4	5720.05	71.74	111.01	-39.27	58.77	34.66	10.34	32.03	0.00	293	8	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV/m)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>103.25</td> <td>103.25</td> <td>0.00</td> <td>90.20</td> <td>34.65</td> <td>10.39</td> <td>31.99</td> <td>0.00</td> <td>293</td> <td>8</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV/m)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5775.00	103.25	103.25	0.00	90.20	34.65	10.39	31.99	0.00	293	8	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV/m)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5623.10	54.06	68.20	-14.14	41.24	34.65	10.26	32.09	0.00	293	8	PEAK																																																																																	
2	5650.05	52.32	68.34	-16.02	39.53	34.60	10.28	32.09	0.00	293	8	PEAK																																																																																	
3	5704.65	72.83	106.60	-33.77	59.86	34.69	10.33	32.05	0.00	293	8	PEAK																																																																																	
4	5720.05	71.74	111.01	-39.27	58.77	34.66	10.34	32.03	0.00	293	8	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV/m)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5775.00	103.25	103.25	0.00	90.20	34.65	10.39	31.99	0.00	293	8	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV/m)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>93.85</td> <td>93.85</td> <td>0.00</td> <td>80.82</td> <td>34.64</td> <td>10.38</td> <td>31.99</td> <td>0.00</td> <td>293</td> <td>8</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV/m)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5775.00	93.85	93.85	0.00	80.82	34.64	10.38	31.99	0.00	293	8	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV/m)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5775.00	93.85	93.85	0.00	80.82	34.64	10.38	31.99	0.00	293	8	AVERAGE																																																																																	



Mode	39																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>70.28</td> <td>111.36</td> <td>-41.08</td> <td>56.86</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>293</td> <td>8 PEAK</td> </tr> <tr> <td>2</td> <td>5866.18</td> <td>68.90</td> <td>107.77</td> <td>-38.87</td> <td>55.46</td> <td>34.93</td> <td>10.46</td> <td>31.95</td> <td>0.00</td> <td>293</td> <td>8 PEAK</td> </tr> <tr> <td>3</td> <td>5923.93</td> <td>53.76</td> <td>69.09</td> <td>-15.33</td> <td>40.14</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>293</td> <td>8 PEAK</td> </tr> <tr> <td>4</td> <td>5930.58</td> <td>54.69</td> <td>68.20</td> <td>-13.51</td> <td>41.05</td> <td>35.12</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>293</td> <td>8 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	70.28	111.36	-41.08	56.86	34.91	10.45	31.94	0.00	293	8 PEAK	2	5866.18	68.90	107.77	-38.87	55.46	34.93	10.46	31.95	0.00	293	8 PEAK	3	5923.93	53.76	69.09	-15.33	40.14	35.10	10.51	31.99	0.00	293	8 PEAK	4	5930.58	54.69	68.20	-13.51	41.05	35.12	10.52	32.00	0.00	293	8 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.80	70.28	111.36	-41.08	56.86	34.91	10.45	31.94	0.00	293	8 PEAK																																																																						
2	5866.18	68.90	107.77	-38.87	55.46	34.93	10.46	31.95	0.00	293	8 PEAK																																																																						
3	5923.93	53.76	69.09	-15.33	40.14	35.10	10.51	31.99	0.00	293	8 PEAK																																																																						
4	5930.58	54.69	68.20	-13.51	41.05	35.12	10.52	32.00	0.00	293	8 PEAK																																																																						



Mode	39																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Vertical	Fundamental																																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.50</td> <td>54.39</td> <td>68.20</td> <td>-13.81</td> <td>41.54</td> <td>34.68</td> <td>10.25</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td></td> <td>93 PEAK</td> </tr> <tr> <td>2</td> <td>5651.10</td> <td>51.91</td> <td>69.12</td> <td>-17.21</td> <td>39.11</td> <td>34.60</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td></td> <td>93 PEAK</td> </tr> <tr> <td>3</td> <td>5702.20</td> <td>67.88</td> <td>105.92</td> <td>-38.04</td> <td>54.90</td> <td>34.70</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td></td> <td>93 PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>70.39</td> <td>111.81</td> <td>-41.42</td> <td>57.42</td> <td>34.66</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td></td> <td>93 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5610.50	54.39	68.20	-13.81	41.54	34.68	10.25	32.00	0.00	100		93 PEAK	2	5651.10	51.91	69.12	-17.21	39.11	34.60	10.29	32.09	0.00	100		93 PEAK	3	5702.20	67.88	105.92	-38.04	54.90	34.70	10.33	32.05	0.00	100		93 PEAK	4	5720.40	70.39	111.81	-41.42	57.42	34.66	10.34	32.03	0.00	100		93 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>99.57</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>86.50</td> <td>34.66</td> <td>10.39</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td></td> <td>93 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	99.57	-----	-----	-----	86.50	34.66	10.39	31.98	0.00	100		93 PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	5610.50	54.39	68.20	-13.81	41.54	34.68	10.25	32.00	0.00	100		93 PEAK																																																																																																														
2	5651.10	51.91	69.12	-17.21	39.11	34.60	10.29	32.09	0.00	100		93 PEAK																																																																																																														
3	5702.20	67.88	105.92	-38.04	54.90	34.70	10.33	32.05	0.00	100		93 PEAK																																																																																																														
4	5720.40	70.39	111.81	-41.42	57.42	34.66	10.34	32.03	0.00	100		93 PEAK																																																																																																														
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5775.00	99.57	-----	-----	-----	86.50	34.66	10.39	31.98	0.00	100		93 PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>91.50</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>78.43</td> <td>34.66</td> <td>10.39</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td></td> <td>93 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	91.50	-----	-----	-----	78.43	34.66	10.39	31.98	0.00	100		93 AVERAGE																																																																														
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5775.00	91.50	-----	-----	-----	78.43	34.66	10.39	31.98	0.00	100		93 AVERAGE																																																																																																													





Mode	39																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																
ANT	1																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>66.31</td> <td>110.96</td> <td>-44.65</td> <td>52.89</td> <td>34.91</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>93 PEAK</td> </tr> <tr> <td>2</td> <td>5867.75</td> <td>65.43</td> <td>107.33</td> <td>-41.90</td> <td>51.97</td> <td>34.94</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>93 PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>53.15</td> <td>68.58</td> <td>-15.43</td> <td>39.52</td> <td>35.10</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>93 PEAK</td> </tr> <tr> <td>4</td> <td>5930.75</td> <td>54.06</td> <td>68.20</td> <td>-13.34</td> <td>41.22</td> <td>35.12</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>93 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.98	66.31	110.96	-44.65	52.89	34.91	10.45	31.94	0.00	100	93 PEAK	2	5867.75	65.43	107.33	-41.90	51.97	34.94	10.47	31.95	0.00	100	93 PEAK	3	5924.63	53.15	68.58	-15.43	39.52	35.10	10.52	31.99	0.00	100	93 PEAK	4	5930.75	54.06	68.20	-13.34	41.22	35.12	10.52	32.00	0.00	100	93 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.98	66.31	110.96	-44.65	52.89	34.91	10.45	31.94	0.00	100	93 PEAK																																																																						
2	5867.75	65.43	107.33	-41.90	51.97	34.94	10.47	31.95	0.00	100	93 PEAK																																																																						
3	5924.63	53.15	68.58	-15.43	39.52	35.10	10.52	31.99	0.00	100	93 PEAK																																																																						
4	5930.75	54.06	68.20	-13.34	41.22	35.12	10.52	32.00	0.00	100	93 PEAK																																																																						



Mode	39																																																																																																															
	Harmonic																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>47.32</td> <td>74.00</td> <td>-26.68</td> <td>54.90</td> <td>38.30</td> <td>14.95</td> <td>60.83</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>11550.00</td> <td>36.37</td> <td>54.00</td> <td>-17.63</td> <td>44.13</td> <td>38.20</td> <td>14.90</td> <td>60.86</td> <td>0.00</td> <td>300</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	47.32	74.00	-26.68	54.90	38.30	14.95	60.83	0.00	300	0 PEAK	2	11550.00	36.37	54.00	-17.63	44.13	38.20	14.90	60.86	0.00	300	0 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>47.25</td> <td>74.00</td> <td>-26.75</td> <td>54.83</td> <td>38.30</td> <td>14.95</td> <td>60.83</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>11550.00</td> <td>36.35</td> <td>54.00</td> <td>-17.65</td> <td>44.11</td> <td>38.20</td> <td>14.90</td> <td>60.86</td> <td>0.00</td> <td>100</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	47.25	74.00	-26.75	54.83	38.30	14.95	60.83	0.00	100	0 PEAK	2	11550.00	36.35	54.00	-17.65	44.11	38.20	14.90	60.86	0.00	100	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11550.00	47.32	74.00	-26.68	54.90	38.30	14.95	60.83	0.00	300	0 PEAK																																																																																																					
2	11550.00	36.37	54.00	-17.63	44.13	38.20	14.90	60.86	0.00	300	0 AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11550.00	47.25	74.00	-26.75	54.83	38.30	14.95	60.83	0.00	100	0 PEAK																																																																																																					
2	11550.00	36.35	54.00	-17.65	44.11	38.20	14.90	60.86	0.00	100	0 AVERAGE																																																																																																					

Note: For all plots, above 15GHz, the higher trace is noise floors which can be ignored.



Mode	22																																																																																																																																																																																																	
	LF																																																																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																																																																																																																	
ANT	1																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																
Peak	<p>Data: 7</p>  <p>Site : 03CH06-KS Condition : U-NII-1-U-NII-2A-U-N 3m LF 6111D SN44483 HORIZONTAL Project : 341404-01</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Read</th> <th>Cable</th> <th>Antenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>35.82</td> <td>22.82</td> <td>-17.18</td> <td>40.00</td> <td>32.73</td> <td>0.53</td> <td>21.92</td> <td>32.36</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>63.95</td> <td>15.33</td> <td>-24.67</td> <td>40.00</td> <td>34.75</td> <td>0.88</td> <td>12.14</td> <td>32.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>275.41</td> <td>18.38</td> <td>-27.62</td> <td>46.00</td> <td>28.98</td> <td>2.24</td> <td>19.33</td> <td>32.17</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>415.09</td> <td>21.78</td> <td>-24.22</td> <td>46.00</td> <td>29.09</td> <td>2.75</td> <td>22.27</td> <td>32.33</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>578.05</td> <td>26.15</td> <td>-19.85</td> <td>46.00</td> <td>29.71</td> <td>3.25</td> <td>25.62</td> <td>32.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>859.35</td> <td>31.22</td> <td>-14.78</td> <td>46.00</td> <td>29.75</td> <td>3.95</td> <td>29.26</td> <td>31.74</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor				1	35.82	22.82	-17.18	40.00	32.73	0.53	21.92	32.36	---	---	Peak	2	63.95	15.33	-24.67	40.00	34.75	0.88	12.14	32.44	---	---	Peak	3	275.41	18.38	-27.62	46.00	28.98	2.24	19.33	32.17	---	---	Peak	4	415.09	21.78	-24.22	46.00	29.09	2.75	22.27	32.33	---	---	Peak	5	578.05	26.15	-19.85	46.00	29.71	3.25	25.62	32.43	---	---	Peak	6	859.35	31.22	-14.78	46.00	29.75	3.95	29.26	31.74	---	---	Peak	<p>Data: 8</p>  <p>Site : 03CH06-KS Condition : U-NII-1-U-NII-2A-U-N 3m LF 6111D SN44483 VERTICAL Project : 341404-01</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Read</th> <th>Cable</th> <th>Antenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>34.85</td> <td>33.55</td> <td>-6.45</td> <td>40.00</td> <td>42.93</td> <td>0.52</td> <td>22.45</td> <td>32.35</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>63.95</td> <td>25.73</td> <td>-14.27</td> <td>40.00</td> <td>45.15</td> <td>0.88</td> <td>12.14</td> <td>32.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>96.93</td> <td>22.59</td> <td>-20.91</td> <td>43.50</td> <td>37.76</td> <td>1.31</td> <td>15.71</td> <td>32.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>156.10</td> <td>15.62</td> <td>-27.88</td> <td>43.50</td> <td>29.38</td> <td>1.67</td> <td>16.74</td> <td>32.17</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>358.83</td> <td>19.96</td> <td>-26.04</td> <td>46.00</td> <td>28.86</td> <td>2.55</td> <td>20.77</td> <td>32.22</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>814.73</td> <td>29.42</td> <td>-16.58</td> <td>46.00</td> <td>29.04</td> <td>3.85</td> <td>28.52</td> <td>31.99</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor				1	34.85	33.55	-6.45	40.00	42.93	0.52	22.45	32.35	---	---	Peak	2	63.95	25.73	-14.27	40.00	45.15	0.88	12.14	32.44	---	---	Peak	3	96.93	22.59	-20.91	43.50	37.76	1.31	15.71	32.19	---	---	Peak	4	156.10	15.62	-27.88	43.50	29.38	1.67	16.74	32.17	---	---	Peak	5	358.83	19.96	-26.04	46.00	28.86	2.55	20.77	32.22	---	---	Peak	6	814.73	29.42	-16.58	46.00	29.04	3.85	28.52	31.99	---	---	Peak
Peak	Freq	Level	Over	Limit	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor																																																																																																																																																																																										
1	35.82	22.82	-17.18	40.00	32.73	0.53	21.92	32.36	---	---	Peak																																																																																																																																																																																							
2	63.95	15.33	-24.67	40.00	34.75	0.88	12.14	32.44	---	---	Peak																																																																																																																																																																																							
3	275.41	18.38	-27.62	46.00	28.98	2.24	19.33	32.17	---	---	Peak																																																																																																																																																																																							
4	415.09	21.78	-24.22	46.00	29.09	2.75	22.27	32.33	---	---	Peak																																																																																																																																																																																							
5	578.05	26.15	-19.85	46.00	29.71	3.25	25.62	32.43	---	---	Peak																																																																																																																																																																																							
6	859.35	31.22	-14.78	46.00	29.75	3.95	29.26	31.74	---	---	Peak																																																																																																																																																																																							
Peak	Freq	Level	Over	Limit	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor																																																																																																																																																																																										
1	34.85	33.55	-6.45	40.00	42.93	0.52	22.45	32.35	---	---	Peak																																																																																																																																																																																							
2	63.95	25.73	-14.27	40.00	45.15	0.88	12.14	32.44	---	---	Peak																																																																																																																																																																																							
3	96.93	22.59	-20.91	43.50	37.76	1.31	15.71	32.19	---	---	Peak																																																																																																																																																																																							
4	156.10	15.62	-27.88	43.50	29.38	1.67	16.74	32.17	---	---	Peak																																																																																																																																																																																							
5	358.83	19.96	-26.04	46.00	28.86	2.55	20.77	32.22	---	---	Peak																																																																																																																																																																																							
6	814.73	29.42	-16.58	46.00	29.04	3.85	28.52	31.99	---	---	Peak																																																																																																																																																																																							




Mode	35																																																																																																																																																											
	LF																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHZ																																																																																																																																																											
ANT	1																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
Peak QP	<p>Data: 9</p> <p>Site : 03CH06-KS Condition : U-NII-3 3m LF 6111D SM44483 HORIZONTAL Project : 341404-01</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit dB</th> <th>Limit Line dBuV/m</th> <th>Read Level dBuV</th> <th>CableAntenna Loss Factor</th> <th>Preamp Factor</th> <th>A/Pos cm</th> <th>T/Pos deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>22.64</td><td>-17.36</td><td>40.00</td><td>29.38</td><td>0.45</td><td>25.10</td><td>32.29</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>63.95</td><td>15.81</td><td>-24.19</td><td>40.00</td><td>35.23</td><td>0.88</td><td>12.14</td><td>32.44</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>459.71</td><td>22.66</td><td>-23.34</td><td>46.00</td><td>29.05</td><td>2.89</td><td>23.27</td><td>32.55</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>569.32</td><td>26.06</td><td>-19.94</td><td>46.00</td><td>29.74</td><td>3.22</td><td>25.55</td><td>32.45</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>852.56</td><td>31.64</td><td>-14.36</td><td>46.00</td><td>30.19</td><td>3.94</td><td>29.29</td><td>31.78</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>945.68</td><td>32.94</td><td>-13.06</td><td>46.00</td><td>28.98</td><td>4.14</td><td>30.85</td><td>31.03</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq MHz	Level dBuV/m	Over Limit dB	Limit Line dBuV/m	Read Level dBuV	CableAntenna Loss Factor	Preamp Factor	A/Pos cm	T/Pos deg	Remark	1	30.00	22.64	-17.36	40.00	29.38	0.45	25.10	32.29	---	Peak	2	63.95	15.81	-24.19	40.00	35.23	0.88	12.14	32.44	---	Peak	3	459.71	22.66	-23.34	46.00	29.05	2.89	23.27	32.55	---	Peak	4	569.32	26.06	-19.94	46.00	29.74	3.22	25.55	32.45	---	Peak	5	852.56	31.64	-14.36	46.00	30.19	3.94	29.29	31.78	---	Peak	6	945.68	32.94	-13.06	46.00	28.98	4.14	30.85	31.03	---	Peak	<p>Site : 03CH06-KS Condition : U-NII-3 3m LF 6111D SM44483 VERTICAL Project : 341404-01</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit dB</th> <th>Limit Line dBuV/m</th> <th>Read Level dBuV</th> <th>CableAntenna Loss Factor</th> <th>Preamp Factor</th> <th>A/Pos cm</th> <th>T/Pos deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>34.85</td><td>32.54</td><td>-7.46</td><td>40.00</td><td>41.92</td><td>0.52</td><td>22.45</td><td>32.35</td><td>---</td><td>QP</td></tr> <tr><td>2</td><td>64.92</td><td>27.23</td><td>-12.77</td><td>40.00</td><td>46.57</td><td>0.89</td><td>12.20</td><td>32.43</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>96.93</td><td>23.35</td><td>-20.15</td><td>43.50</td><td>38.52</td><td>1.31</td><td>15.71</td><td>32.19</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>256.01</td><td>17.89</td><td>-28.11</td><td>46.00</td><td>28.06</td><td>2.15</td><td>19.85</td><td>32.17</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>466.50</td><td>23.59</td><td>-22.41</td><td>46.00</td><td>29.87</td><td>2.91</td><td>23.39</td><td>32.58</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>979.63</td><td>33.00</td><td>-21.00</td><td>54.00</td><td>28.69</td><td>4.22</td><td>30.76</td><td>30.67</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq MHz	Level dBuV/m	Over Limit dB	Limit Line dBuV/m	Read Level dBuV	CableAntenna Loss Factor	Preamp Factor	A/Pos cm	T/Pos deg	Remark	1	34.85	32.54	-7.46	40.00	41.92	0.52	22.45	32.35	---	QP	2	64.92	27.23	-12.77	40.00	46.57	0.89	12.20	32.43	---	Peak	3	96.93	23.35	-20.15	43.50	38.52	1.31	15.71	32.19	---	Peak	4	256.01	17.89	-28.11	46.00	28.06	2.15	19.85	32.17	---	Peak	5	466.50	23.59	-22.41	46.00	29.87	2.91	23.39	32.58	---	Peak	6	979.63	33.00	-21.00	54.00	28.69	4.22	30.76	30.67	---	Peak
Peak	Freq MHz	Level dBuV/m	Over Limit dB	Limit Line dBuV/m	Read Level dBuV	CableAntenna Loss Factor	Preamp Factor	A/Pos cm	T/Pos deg	Remark																																																																																																																																																		
1	30.00	22.64	-17.36	40.00	29.38	0.45	25.10	32.29	---	Peak																																																																																																																																																		
2	63.95	15.81	-24.19	40.00	35.23	0.88	12.14	32.44	---	Peak																																																																																																																																																		
3	459.71	22.66	-23.34	46.00	29.05	2.89	23.27	32.55	---	Peak																																																																																																																																																		
4	569.32	26.06	-19.94	46.00	29.74	3.22	25.55	32.45	---	Peak																																																																																																																																																		
5	852.56	31.64	-14.36	46.00	30.19	3.94	29.29	31.78	---	Peak																																																																																																																																																		
6	945.68	32.94	-13.06	46.00	28.98	4.14	30.85	31.03	---	Peak																																																																																																																																																		
Peak	Freq MHz	Level dBuV/m	Over Limit dB	Limit Line dBuV/m	Read Level dBuV	CableAntenna Loss Factor	Preamp Factor	A/Pos cm	T/Pos deg	Remark																																																																																																																																																		
1	34.85	32.54	-7.46	40.00	41.92	0.52	22.45	32.35	---	QP																																																																																																																																																		
2	64.92	27.23	-12.77	40.00	46.57	0.89	12.20	32.43	---	Peak																																																																																																																																																		
3	96.93	23.35	-20.15	43.50	38.52	1.31	15.71	32.19	---	Peak																																																																																																																																																		
4	256.01	17.89	-28.11	46.00	28.06	2.15	19.85	32.17	---	Peak																																																																																																																																																		
5	466.50	23.59	-22.41	46.00	29.87	2.91	23.39	32.58	---	Peak																																																																																																																																																		
6	979.63	33.00	-21.00	54.00	28.69	4.22	30.76	30.67	---	Peak																																																																																																																																																		



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.25	-	-	10Hz
802.11n HT20	97.92	1.703	0.587	0.62kHz
802.11n HT40	96.03	0.841	1.190	1.2kHz
802.11ac VHT40	96.07	0.851	1.175	1.2kHz
802.11ac VHT80	91.67	0.414	2.413	2.7kHz

802.11a






802.11n HT20




802.11n HT40





802.11ac VHT40



802.11ac VHT80

