

## BT and WIFI 2.4GHz / 5GHz Declaration

To whom it may concern,

This is a Bluetooth/WIFI 2.4GHz / 5GHz combination antenna with FCC/IC ID: AZ499FT7172/109U-99FT7172. This Bluetooth/WIFI 2.4GHz / 5GHz co-existence mechanism is to ensure that the Bluetooth and WIFI 2.4GHz / 5GHz transmitters would not simultaneously operate. Therefore, Bluetooth and WIFI 2.4GHz / 5GHz antennas in FCC/IC ID: AZ499FT7172/109U-99FT7172 should not be considered to be able to transmit simultaneously.

Though the users can use Bluetooth and WIFI 2.4GHz / 5GHz simultaneously, the real situation is that Bluetooth and WIFI 2.4GHz / 5GHz are used by time sharing and no overlap transmission. Should you have any questions, please have my best attention.

Sincerely yours,

Name: Douglas Timothy Tan Choon Chen

Title: Electrical Engineer

Tel: +042241886

E-mail: douglastimothychoo.tan@motorolasolutions.com

Date: 01/08/23



## **WLAN Channels and Mode Declaration**

We, **Motorola Solutions, Inc.**, declare that the device, **FCC ID: AZ499FT7172**, does not support any non-US channels in all the operational mode(s) in the US market. All non-US frequencies, US 2.4G channel 12-13 and Country code selection are disabled through proprietary software and are not user changeable. For ISED with IC: **109U-99FT7172**, the device operating in 5600-5650MHz band shall operate as client mode without active scanning function.

Should you have any question or comment regarding this matter, please do not hesitate to contact me.

Sincerely yours,

Name: Douglas Timothy Tan Choon Chen

Title: Electrical Engineer

Tel: +042241886

E-mail: douglastimothychoo.tan@motorolasolutions.com

Date: 01/08/23



## **DTS-UNII Device Declaration Letter**

We ha	om it may concern, ve declared below fea e FCC ID: <b>AZ499FT71</b>	atured for FCC equipm	ent authorization,		
(1)	DFS Device ☐ M aster ☐ C lient with R adar detection capability , ☐ Client without radar detection capability ☐ N /A				
		ilent without radar dete	solion capability — 1	1//	
(2)	Active / Passive Sca	anning , ad-hoc mode	access point capability		
	Frequency Band (MHz)	Active Scanning (the device can transmit a probe	passive scanning (where the device is can listen only with no probes)	Ad Hoc Mode or WIFI Direct capability	Access point capability
	5150-5250	(beacon)) ⊠Yes , □ N o	□Yes , ⊠No	□Yes , ⊠No	□Yes , ⊠No
-	5250-5350	□Yes , ⊠No	⊠Yes, □ No	□Yes , ⊠No	□Yes, ⊠No
	5470-5725	□Yes , ⊠No	⊠Yes, □ No	□Yes , ⊠No	□Yes, ⊠ No
	5725-5850	⊠Yes , □ N o	□Yes , ⊠No	□Yes , ⊠No	□Yes , ⊠No
(4) Meet 15.202 requirement - ⊠ Yes, □No, □A master device is defined as a device operating in a mode in which it has the capability to transmit without receiving an enabling signal. In this mode it is able to select a channel and initiate a network by sending enabling signals to other devices □A client device is defined as a device operating in a mode in which the transmissions of the device are under control of the master. A device in client mode is not able to initiate a network.					
classe operat softwa end us ⊠App was co	ing in some and passi s or those that operat ions through software ire and / or hardware i ser or an installer.	ve scanning in others) e on non-DFS frequen , the application must is implemented to ensi	in different bands (devicies) or modular device provide software and cure that proper operation	erate in different modes vices with multiple equipes which configure the operations description or modes cannot be mades in plement, and how	oment modes of n how the nodified by

Name: Douglas Timothy Tan Choon Chen

Title: Electrical Engineer

Tel: +042241886

E-mail: douglastimothychoo.tan@motorolasolutions.com

Date: 01/08/23