Test report No. : 32IE0081-SH-05-A Page : 9 of 44 Issued date : October 10, 2012

FCC ID : AZD218

APPENDIX 1: Photographs of EUT and SAR test setup


Appendix 1-1: Photograph of Platform (2)-Digital camera (2) (model: PC1896) and antenna position




Test report No. : 32IE0081-SH-05-A Page : 10 of 44 Issued date : October 10, 2012

FCC ID : AZD218

Appendix 1-2: EUT and support equipment





Description of EUT and Support Equipment

No.	Item	Model number	Serial number	Manufacturer	Remark			
A	Wireless Module	WM218	350	Mitsumi	EUT.			
В	Digital Camera (2)	PC1896	64	Canon	Platform (2).			
C1 C2 C3	Battery Pack for Digital camera (2) DC3.6V, 680mAh, 2.5Wh (Li-ion)	NB-11L	01 02 03	Canon	Accessory of platform (2), Battery No. #1. Accessory of platform (2), Battery No. #2. Accessory of platform (2), Battery No. #3.			
D1 D2	Battery Charger for Battery Pack: NB-11L	CB-2LD	01 02	Canon	Support equipment.			
*. The following equipment was used for the antenna terminal port conducted power measurement.								
E	Digital Camera (Host)	PC1739	431030032124	Canon	Support equipment.			
-	DC Coupler	DR-90	-	Canon	Support equipment. With DC cable: 0.15m, Unshielded.			
-	AC Adaptor	CA-DC10N	-	Canon	Support equipment. With DC cable: 1.9m, Unshielded. With AC cable: 1.9m, Unshielded.			


<Platform type of EUT and SAR accessory>

Platform No.	Platform type	Model	SAR accessory	Battery option
Platform (1)	Digital camera (1)	PC1889	none	Single (Model: NB-11L, DC3.6V, 680mAh, 2.5Wh (Li-ion))
Platform (2)	Digital camera (2)	PC1896	none	Single (Model: NB-11L, DC3.6V, 680mAh, 2.5Wh (Li-ion))

Test report No. : 32IE0081-SH-05-A Page : 11 of 44 Issued date : October 10, 2012

FCC ID : AZD218

Appendix 1-3: Photograph of test setup / Platform (2) - Digital camera (2)



Test report No. : 32IE0081-SH-05-A Page : 12 of 44 Issued date : October 10, 2012

FCC ID : AZD218

Appendix 1-3: Photograph of test setup / Platform (2) - Digital camera (2) (cont'd)

