



In-Band Emissions

Test place Shonan EMC Lab. No.5 Shielded Room
Date April 27, 2024
Temperature / Humidity 26 deg. C / 37 % RH
Engineer Yosuke Murakami
Mode Tx 11ax-20 (OFDMA) 242-tone RU


11ax-20(OFDMA), 242-tone RU



11ax-20(OFDMA), 242-tone RU




11ax-20(OFDMA), 242-tone RU




In-Band Emissions

Test place Shonan EMC Lab. No.5 Shielded Room
Date April 27, 2024
Temperature / Humidity 26 deg. C / 37 % RH
Engineer Yosuke Murakami
Mode Tx 11ax-20 (OFDMA) 242-tone RU


11ax-20(OFDMA), 242-tone RU



11ax-20(OFDMA), 242-tone RU



11ax-20(OFDMA), 242-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
April 27, 2024
26 deg. C / 37 % RH
Yosuke Murakami
Tx 11ax-20 (OFDMA) 242-tone RU

11ax-20(OFDMA), 242-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
April 27, 2024
26 deg. C / 37 % RH
Yosuke Murakami
Tx 11ax-40 (OFDM)

11ax-40(OFDM)




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
April 27, 2024
26 deg. C / 37 % RH
Yosuke Murakami
Tx 11ax-40 (OFDM)

11ax-40(OFDM)




In-Band Emissions

Test place	Shonan EMC Lab. No.5 Shielded Room
Date	April 27, 2024
Temperature / Humidity	26 deg. C / 37 % RH
Engineer	Yosuke Murakami
Mode	Tx 11ax-40 (OFDM)

11ax-40(OFDM)

7085 MHz




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 26-tone RU

11ax-40(OFDMA), 26-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 26-tone RU

11ax-40(OFDMA), 26-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 26-tone RU

11ax-40(OFDMA), 26-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 26-tone RU

11ax-40(OFDMA), 26-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 26-tone RU

11ax-40(OFDMA), 26-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 26-tone RU

11ax-40(OFDMA), 26-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 26-tone RU

11ax-40(OFDMA), 26-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 52-tone RU

11ax-40(OFDMA), 52-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 52-tone RU

11ax-40(OFDMA), 52-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 52-tone RU

11ax-40(OFDMA), 52-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 52-tone RU

11ax-40(OFDMA), 52-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 52-tone RU

11ax-40(OFDMA), 52-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 52-tone RU

11ax-40(OFDMA), 52-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 52-tone RU

11ax-40(OFDMA), 52-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 106 -tone RU

11ax-40(OFDMA), 106-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 106 -tone RU

11ax-40(OFDMA), 106-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 106 -tone RU

11ax-40(OFDMA), 106-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 106 -tone RU

11ax-40(OFDMA), 106-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 106 -tone RU

11ax-40(OFDMA), 106-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 106 -tone RU

11ax-40(OFDMA), 106-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 106 -tone RU

11ax-40(OFDMA), 106-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 242-tone RU

11ax-40(OFDMA), 242-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 242-tone RU

11ax-40(OFDMA), 242-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 242-tone RU

11ax-40(OFDMA), 242-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 242-tone RU

11ax-40(OFDMA), 242-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 242-tone RU

11ax-40(OFDMA), 242-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 242-tone RU

11ax-40(OFDMA), 242-tone RU




In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
May 10, 2024
25 deg. C / 31 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 242-tone RU


11ax-40(OFDMA), 242-tone RU




In-Band Emissions

Test place Shonan EMC Lab. No.5 Shielded Room
Date April 27, 2024
Temperature / Humidity 26 deg. C / 37 % RH
Engineer Yosuke Murakami
Mode Tx 11ax-40 (OFDMA) 484-tone RU


11ax-40(OFDMA), 484-tone RU



11ax-40(OFDMA), 484-tone RU




11ax-40(OFDMA), 484-tone RU




In-Band Emissions

Test place Shonan EMC Lab. No.5 Shielded Room
Date April 27, 2024
Temperature / Humidity 26 deg. C / 37 % RH
Engineer Yosuke Murakami
Mode Tx 11ax-40 (OFDMA) 484-tone RU


11ax-40(OFDMA), 484-tone RU



11ax-40(OFDMA), 484-tone RU



11ax-40(OFDMA), 484-tone RU



In-Band Emissions

Test place
Date
Temperature / Humidity
Engineer
Mode

Shonan EMC Lab. No.5 Shielded Room
April 27, 2024
26 deg. C / 37 % RH
Yosuke Murakami
Tx 11ax-40 (OFDMA) 484-tone RU

11ax-40(OFDMA), 484-tone RU

