THIS MUST BE SIGNED BY THE APPLICANT/AGENT AND SHOULD BE PLACED ON APPROPRIATE LETTERHEAD

Request for Modular/Limited Modular Approval

Date: May 20, 2020

Subject: Manufacturer's Declaration for \square - Modular Approval \square - Split Modular Approval

□ - Limited Modular Approval □ - Limited Split Modular Approval

Confidentiality Request for:	AZP-FEX02T	

8 Basic Requirements – FCC Part 15.212(a)(1) For Items Marked "NO(*)", the Limited Module Description Must be Filled Out on the Following Pages			
Modular Approval Requirement		Requirement Met	
 The modular transmitter must have its own RF shielding. This is intended to ensure the does not have to rely upon the shielding provided by the device into which it is install modular transmitter emissions to comply with FCC limits. It is also intended to preve between the RF circuitry of the module and any wires or circuits in the device into wh installed. Such coupling may result in non-compliant operation. The physical crystal capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i) 	ed in order for all nt coupling nich the module is	⊠ - YES	□ - NO(*)
Details: The module contains a metal shield which covers all RF components and	circuitry.		
2. The modular transmitter must have buffered modulation/data inputs (if such inputs ar ensure that the module will comply with FCC requirements under conditions of exces over-modulation. 15.212(a)(1)(ii)		🛛 - YES	□ - NO(*)
Details: All inputs to the modules are buffered through logic or microprocessor inp	outs.		
3. The modular transmitter must have its own power supply regulation on the module. T ensure that the module will comply with FCC requirements regardless of the design o supplying circuitry in the device into which the module is installed. 15.212(a)(1)(iii)		🛛 - YES	□ - NO(*)
Details: The module contains its own power supply regulation. Please refer to schematic filed with this application			
4. The modular transmitter must comply with the antenna and transmission system requires 15.203, 15.204(b), 15.204(c), 15.212(a), and 2.929(b). The antenna must either be per attached or employ a "unique" antenna coupler (at all connections between the modular antenna, including the cable). The "professional installation" provision of § 15.203 is to modules but can apply to limited modular approvals under paragraph 15.212(b). 1.	manently ile and the s not applicable	🛛 - YES	□ - NO(*)
Details: The module connects to its antenna using a TNC MALE REVERSE POLARITY/SMA/I-PEX connector which is considered a non-standard connector. A list of antennas tested and approved with this device may be found in user manual provided with the application			
5. The modular transmitter must be tested in a stand-alone configuration, i.e., the modul inside another device during testing. This is intended to demonstrate that the module i complying with Part 15 emission limits regardless of the device into which it is event Unless the transmitter module will be battery powered, it must comply with the AC li requirements found in Section 15.207. AC or DC power lines and data input/output li the module must not contain ferrites, unless they will be marketed with the module (s 15.27(a)). The length of these lines shall be length typical of actual use or, if that leng least 10 centimeters to insure that there is no coupling between the case of the module equipment. Any accessories, peripherals, or support equipment connected to the module shall be unmodified or commercially available (see Section 15.31(i)). 15.212(a)(1)(v	as capable of ually installed. ne conducted nes connected to ee Section th is unknown, at and supporting ale during testing	⊠ - YES	□ - NO(*)
Details: The module was tested stand-alone as shown in test setup photographs filed with this application			

THIS MUST BE SIGNED BY THE APPLICANT/AGENT AND SHOULD BE PLACED ON APPROPRIATE LETTERHEAD

	Modular Approval Requirement	Doquiro	ment Met
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748).	Keyune	ment wiet
	If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.	🛛 - YES	□ - NO(*)
	If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)		
	Details: There is a label on the module as shown in the labeling exhibit filed with this application. Host specific labeling instructions are shown in the installation manual filed with this application.		
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	🛛 - YES	□ - NO(*)
	Details: The module complies with FCC Part 15C requirements. Instructions to the OEM installer ar installation manual filed with this application.	re provided in	the
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)

Details: The module meets Portable exclusion levels as shown in the RF exposure information filed with this application.

THIS MUST BE SIGNED BY THE APPLICANT/AGENT AND SHOULD BE PLACED ON APPROPRIATE LETTERHEAD

Limited Module Description – When Applicable

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: N/A

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement	Requirement Met		
 For <u>non-Software Defined Radio</u> transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280. 	Provided in Separate Cover Letter	🖾 - N/A	
Details: N/A			
 For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812. 	 Provided in Separate Cover Letter 	🖾 - N/A	
Details: N/A			

Split Modular Requirements			
Requirement	Provided in Manual		
1. For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained.	Provided in Separate Cover Letter	🛛 - N/A	
Details: N/A			

THIS MUST BE SIGNED BY THE APPLICANT/AGENT AND SHOULD BE PLACED ON APPROPRIATE LETTERHEAD

OEM Integration Manual Guidance – KDB 996369 D03 Section 2					
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third-parties to use and/or integrate the module into a host device.					
Requirement					
Is this module intended for sale to third parties?	⊠ - YES	 - No, If No, and LMA applies, the applicant can optionally choose to not make the following detailed info public. However there still needs to be basic integration instructions for a users manual and the information below must still be included in the operational description. If the applicant wishes to keep this info confidential, this will require a separate statement cover letter explaining the module is not for sale to third parties and that integration instructions are internal confidential documents. 			
Itom	s required to be in the man		<u>intui documents.</u>		
Items required to be in the manual – See KDB 996369 D03, Section 2 As of May 1, 2019, the FCC requires ALL the following information to be in the installation manual. Modular transmitter applicants should include information in their instructions for all these items indicating clearly when they are not applicable. For example information on trace antenna design could indicate "Not Applicable". Also if a module is limited to only a grantees own products and not intended for sale to third parties, the user instructions may not need to be detailed and the following items can be placed in the operational description, but this should include a cover letter as cited above.					
1. List of applicable FCC rules. KI					
	ated to the transmitter.		-		
 Summarize the specific operational use conditions. KDB 996369 D03, Section 2.3 Conditions such as limits on antennas, cable loss, reduction of power for point to point systems, professional installation info Limited Module Procedures. KDB 996369 D03, Section 2.4 					
a. Describe alternative means that the grantee uses to verify the host meets the necessary limiting conditionsb. When RF exposure evaluation is necessary, state how control will be maintained such that compliance is ensured, such as Class II for new hosts, etc.			 All Items shown to the left are provided in the Modular Integration 		
4. Trace antenna designs. KDB 99			Guide (or UM) for Full		
a. Layout of trace design, parts list, antenna, connectors, isolation requirements, tests for design verification, and production test procedures for ensuring compliance. If confidential, the method used to keep confidential must be identified and information provided in the operational description.					
 5. RF exposure considerations. KDB 996369 D03, Section 2.6 a. Clearly and explicitly state conditions that allow host manufacturers to use the module. Two types of instructions are necessary: first to the host manufacturer to define conditions (mobile, portable – xx cm from body) and second additional text needed to be provided to the end user in the host product manuals. G. Antennas. KDB 996369 D03, Section 2.7					
 Label and compliance informatic a. Advice to host in "Contains FCC II Information on test modes and a a. Test modes that s clarifications nece 	on. KDB 996369 D03, Section tegrators that they need to pro- D: " with their finished produ- dditional testing requirement hould be taken into consider essary for stand-alone and si on on how to configure test	on 2.8 ovide a physical or e-label stating act ts. KDB 996369 D03, Section 2.9 ation by host integrators including multaneous configurations. modes for evaluation	left is found in the theory of operation.		

Sincerely,

By:

Ben Cheng (Signature/Title¹)

Ben Cheng_____ (Print name)

¹ - Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.

053019-02a