


A.7 MAXIMUM PEAK OUTPUT POWER


Test Date	2021/11/08 ~ 09	Temp./Hum.	23°C/62 ~ 67%
Cable Loss	0.5dB	Tested By	Sam Chang
Test Voltage	DC 7.4V (Via Battery)		

A.7.1 Maximum Peak Output Power

Mode	Centre Frequency (MHz)	Maximum Peak Output Power		Limit
		dBm	W	
S-FHSS	2403.25	16.76	0.0474	21dBm (0.125W)
	2425.00	15.67	0.0369	
	2447.50	14.26	0.0267	
T-FHSS	2407.50	15.10	0.0324	
	2435.50	13.00	0.0200	
	2467.50	10.12	0.0103	
F-4G	2406.00	16.81	0.0480	
	2442.00	17.13	0.0516	
	2478.00	17.38	0.0547	

A.7.2 Measurement Plots








A.8 EMISSION LIMITATIONS MEASUREMENT

Test Date	2021/11/08 ~ 09	Temp./Hum.	23°C/62 ~ 67%
Cable Loss	0.5dB	Tested By	Sam Chang
Test Voltage	DC 7.4V (Via Battery)		


A.8.1 Band Edge








A.8.2 Spurious Emission




Note: All results have been included cable loss.



Note: All results have been included cable loss.




Note: All results have been included cable loss.



Note: All results have been included cable loss.

Audix Technology Corp.
 No. 491, Zhongfu Rd., Linkou Dist.,
 New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



Note: All results have been included cable loss.



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

APPDNDIX B

TEST PHOTOGRAPHS

(Model: T10PX)