

## DFS client device channel plan and software operational declaration

We, **Verifone, Inc.**, declare that the device, **FCC ID: B32CM5P**, does not have "Ad Hoc on non-US frequencies" and/or "on DFS frequencies. Also, the client software and associated drivers will not initiate any transmission on DFS frequencies without initiation by a master. This includes restriction on transmissions for beacons and support for ad-hoc peer-to-peer modes.

СН	1	2	3	4	5	6	7	8	9	10	11
Frequency (MHz)	2412	2417	2422	2427	2432	2437	2442	2447	2452	2457	2462
Scan Type	Active	Active	Active	Active							
СН	36	38	40	42	44	46	48	52	54	56	58
Frequency (MHz)	5180	5190	5200	5210	5220	5230	5240	5260	5270	5280	5290
Scan Type	Active	Passive	Passive	Passive	Passive						
СН	60	62	64								
Frequency (MHz)	5300	5310	5320								
Scan Type	Passive	Passive	Passive								
СН	100	102	104	106	108	110	112	116	118	120	122
		≘	1				≣			1	122
Frequency (MHz)	5500	5510	5520	5530	5540	5550	5560	5580	5590	5600	5610
Frequency (MHz) Scan Type	<u> </u>	5510 Passive	<u> </u>	İ	ļ	5550 Passive	= 	i		ļ	5610
ļ	<u> </u>	I	<u> </u>	İ	ļ	i	= 	i		5600	5610
Scan Type	Passive	Passive	5600 Passive	5610							
Scan Type CH	Passive 124	Passive 126 5630	Passive 128	Passive 132 5660	Passive 134 5670	Passive 136 5680	Passive 138 5690	Passive 140 5700	Passive 142	5600 Passive 144 5720	5610
Scan Type CH Frequency (MHz)	Passive 124 5620	Passive 126 5630	Passive 128 5640	Passive 132 5660	Passive 134 5670	Passive 136 5680	Passive 138 5690	Passive 140 5700	Passive 142 5710	5600 Passive 144 5720	5610
Scan Type CH Frequency (MHz) Scan Type	Passive 124 5620 Passive	Passive 126 5630 Passive	Passive 128 5640 Passive	Passive 132 5660 Passive	Passive 134 5670 Passive	Passive 136 5680 Passive	Passive 138 5690 Passive	Passive 140 5700 Passive	Passive 142 5710	5600 Passive 144 5720	5610

Also, on DFS channels, the WLAN driver in the device operates under the control of an AP at all times, except when in ad-hoc mode, on US non-DFS channels. The device passively scans DFS frequencies until a master device is detected. The control of this functionality is not accessible to anyone under any conditions. Furthermore, the firmware is protected by special signature and CRC checksum. Signature and CRC checksum will be calculated and verified before firmware upgrade. Unauthorized modification to firmware will lead the failure of verification thus firmware upgrade is not allowed.

Sincerely yours,

\_\_\_\_\_

Don Perkins
Director, Engineering, R & D
Verifone, Inc.

Tel.: 916-625-1833 Fax: 916-625-1800

E-mail: Don\_P3@verifone.com