

Appendix F. Maximum Target Conducted Power

The maximum conducted average power (Unit: dBm) including tune-up tolerance is shown as below.

WLAN Tune-up Power (Full)			
WLAN 5.2GHz			
Mode	Channel	Frequency	Max Tune up
802.11ac VHT20	36	5180	9.5
	40	5200	9.5
	44	5220	9.5
	48	5240	9.5
802.11ac VHT40	38	5190	9.5
	46	5230	9.5
802.11ac VHT80	42	5210	13

WLAN Tune-up Power (Full)			
WLAN 5.3GHz			
Mode	Channel	Frequency	Max Tune up
802.11ac VHT20	52	5260	9.5
	56	5280	9.5
	60	5300	9.5
	64	5320	9.5
802.11ac VHT40	54	5270	9.5
	62	5310	9.5
802.11ac VHT80	58	5290	13

WLAN Tune-up Power (Full)			
WLAN 5.6GHz			
Mode	Channel	Frequency	Max Tune up
802.11ac VHT20	100	5500	11
	116	5580	12
	120	5600	11.5
	124	5620	11.5
	132	5660	11.5
	140	5700	11
802.11ac VHT40	102	5510	11
	110	5550	12
	118	5590	11.5
	126	5630	11.5
	134	5670	11
802.11ac VHT80	106	5530	12
	122	5610	12

WLAN Tune-up Power (Full)			
WLAN 5.8GHz			
Mode	Channel	Frequency	Max Tune up
802.11ac VHT20	149	5745	11
	153	5765	10.5
	157	5785	10.5
	161	5805	10.5
	165	5825	10.5
802.11ac VHT40	151	5755	11
	159	5795	11
802.11ac VHT80	155	5775	12