













Mode	19																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.12</td><td>60.82</td><td>74.00</td><td>-13.18</td><td>48.72</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>314 19 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.12	60.82	74.00	-13.18	48.72	34.20	9.79	31.89	0.00	314 19 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>103.29</td><td>-----</td><td>-----</td><td>91.13</td><td>34.20</td><td>9.83</td><td>31.87</td><td>0.00</td><td>314 19 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	103.29	-----	-----	91.13	34.20	9.83	31.87	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.12	60.82	74.00	-13.18	48.72	34.20	9.79	31.89	0.00	314 19 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5190.00	103.29	-----	-----	91.13	34.20	9.83	31.87	0.00	314 19 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.76</td><td>50.38</td><td>54.00</td><td>-3.62</td><td>38.28</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>314 19 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	50.38	54.00	-3.62	38.28	34.20	9.79	31.89	0.00	314 19 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>94.14</td><td>-----</td><td>-----</td><td>81.98</td><td>34.20</td><td>9.83</td><td>31.87</td><td>0.00</td><td>314 19 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	94.14	-----	-----	81.98	34.20	9.83	31.87	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.76	50.38	54.00	-3.62	38.28	34.20	9.79	31.89	0.00	314 19 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5190.00	94.14	-----	-----	81.98	34.20	9.83	31.87	0.00	314 19 AVERAGE																																																																																								





Mode	19																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5363.34</td><td>53.78</td><td>74.00</td><td>-20.22</td><td>41.01</td><td>34.63</td><td>9.92</td><td>31.78</td><td>0.00</td><td>314</td><td>19 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5363.34	53.78	74.00	-20.22	41.01	34.63	9.92	31.78	0.00	314	19 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5363.34	53.78	74.00	-20.22	41.01	34.63	9.92	31.78	0.00	314	19 PEAK																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5370.63</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>30.68</td><td>34.64</td><td>9.92</td><td>31.77</td><td>0.00</td><td>314</td><td>19 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5370.63	43.47	54.00	-10.53	30.68	34.64	9.92	31.77	0.00	314	19 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5370.63	43.47	54.00	-10.53	30.68	34.64	9.92	31.77	0.00	314	19 AVERAGE																																													





Mode	19																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.04</td><td>58.65</td><td>74.00</td><td>-15.35</td><td>46.57</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.04	58.65	74.00	-15.35	46.57	34.19	9.78	31.89	0.00	100	276 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>99.46</td><td>-----</td><td>-----</td><td>87.31</td><td>34.20</td><td>9.82</td><td>31.87</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	99.46	-----	-----	87.31	34.20	9.82	31.87	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5147.04	58.65	74.00	-15.35	46.57	34.19	9.78	31.89	0.00	100	276 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5190.00	99.46	-----	-----	87.31	34.20	9.82	31.87	0.00	100	276 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>47.70</td><td>54.00</td><td>-6.30</td><td>35.60</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>100</td><td>276 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	47.70	54.00	-6.30	35.60	34.20	9.79	31.89	0.00	100	276 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>90.89</td><td>-----</td><td>-----</td><td>78.73</td><td>34.20</td><td>9.83</td><td>31.87</td><td>0.00</td><td>100</td><td>276 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	90.89	-----	-----	78.73	34.20	9.83	31.87	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.60	47.70	54.00	-6.30	35.60	34.20	9.79	31.89	0.00	100	276 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5190.00	90.89	-----	-----	78.73	34.20	9.83	31.87	0.00	100	276 AVERAGE																																																																																									





Mode	19																																																			
	Band Edge - R																																																			
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																			
ANT	1																																																			
Pol.	Vertical						Fundamental																																													
Peak							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.27</td><td>53.96</td><td>74.00</td><td>-20.04</td><td>40.94</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>100</td><td>276</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5433.27	53.96	74.00	-20.04	40.94	34.77
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	5433.27	53.96	74.00	-20.04	40.94	34.77	9.99	31.74	0.00	100	276	PEAK																																								
Avg							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.11</td><td>43.46</td><td>54.00</td><td>-10.54</td><td>30.39</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>276</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.11	43.46	54.00	-10.54	30.39	34.78
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	5458.11	43.46	54.00	-10.54	30.39	34.78	10.02	31.73	0.00	100	276	AVERAGE																																								





Mode	19																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>45.65</td><td>68.20</td><td>-22.55</td><td>55.33</td><td>37.46</td><td>14.14</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	45.65	68.20	-22.55	55.33	37.46	14.14	61.28	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>45.27</td><td>68.20</td><td>-22.93</td><td>54.94</td><td>37.47</td><td>14.14</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	45.27	68.20	-22.93	54.94	37.47	14.14	61.28	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10380.00	45.65	68.20	-22.55	55.33	37.46	14.14	61.28	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10380.00	45.27	68.20	-22.93	54.94	37.47	14.14	61.28	0.00	---	---	PEAK																																																																																								







Mode	20																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>46.28</td><td>68.20</td><td>-21.92</td><td>55.72</td><td>37.63</td><td>14.20</td><td>61.27</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	46.28	68.20	-21.92	55.72	37.63	14.20	61.27	0.00	---											PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>46.40</td><td>68.20</td><td>-21.80</td><td>55.82</td><td>37.64</td><td>14.21</td><td>61.27</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	46.40	68.20	-21.80	55.82	37.64	14.21	61.27	0.00	---											PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10460.00	46.28	68.20	-21.92	55.72	37.63	14.20	61.27	0.00	---																																																																																																															
										PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10460.00	46.40	68.20	-21.80	55.82	37.64	14.21	61.27	0.00	---																																																																																																															
										PEAK																																																																																																															





Mode	21																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																	
Peak Avg																																																																																																																																								
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7026.40</td><td>61.36</td><td>68.20</td><td>-6.84</td><td>74.34</td><td>35.60</td><td>11.51</td><td>60.09</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10540.00</td><td>46.07</td><td>68.20</td><td>-22.13</td><td>55.30</td><td>37.78</td><td>14.25</td><td>61.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7026.40	61.36	68.20	-6.84	74.34	35.60	11.51	60.09	0.00	---	---	Peak	2	10540.00	46.07	68.20	-22.13	55.30	37.78	14.25	61.26	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7026.40</td><td>62.28</td><td>68.20</td><td>-5.92</td><td>75.26</td><td>35.60</td><td>11.51</td><td>60.09</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10540.00</td><td>45.42</td><td>68.20</td><td>-22.78</td><td>54.61</td><td>37.81</td><td>14.26</td><td>61.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7026.40	62.28	68.20	-5.92	75.26	35.60	11.51	60.09	0.00	---	---	Peak	2	10540.00	45.42	68.20	-22.78	54.61	37.81	14.26	61.26	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	7026.40	61.36	68.20	-6.84	74.34	35.60	11.51	60.09	0.00	---	---	Peak																																																																																																																												
2	10540.00	46.07	68.20	-22.13	55.30	37.78	14.25	61.26	0.00	---	---	PEAK																																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	7026.40	62.28	68.20	-5.92	75.26	35.60	11.51	60.09	0.00	---	---	Peak																																																																																																																												
2	10540.00	45.42	68.20	-22.78	54.61	37.81	14.26	61.26	0.00	---	---	PEAK																																																																																																																												



Mode	22																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5102.40</td><td>55.34</td><td>74.00</td><td>-18.66</td><td>43.42</td><td>34.10</td><td>9.74</td><td>31.92</td><td>0.00</td><td>268 355 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.40	55.34	74.00	-18.66	43.42	34.10	9.74	31.92	0.00	268 355 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>103.70</td><td>-----</td><td>-----</td><td>91.12</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>268 355 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	103.70	-----	-----	91.12	34.50	9.89	31.81	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5102.40	55.34	74.00	-18.66	43.42	34.10	9.74	31.92	0.00	268 355 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5310.00	103.70	-----	-----	91.12	34.50	9.89	31.81	0.00	268 355 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5107.52</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>32.59</td><td>34.12</td><td>9.75</td><td>31.91</td><td>0.00</td><td>268 355 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.52	44.55	54.00	-9.45	32.59	34.12	9.75	31.91	0.00	268 355 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>95.68</td><td>-----</td><td>-----</td><td>83.06</td><td>34.53</td><td>9.89</td><td>31.80</td><td>0.00</td><td>268 355 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	95.68	-----	-----	83.06	34.53	9.89	31.80	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5107.52	44.55	54.00	-9.45	32.59	34.12	9.75	31.91	0.00	268 355 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5310.00	95.68	-----	-----	83.06	34.53	9.89	31.80	0.00	268 355 AVERAGE																																																																																								





Mode	22																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																
ANT	1																																																
Pol.	Horizontal						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.20</td><td>61.27</td><td>74.00</td><td>-12.73</td><td>48.53</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>268</td><td>355</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.20	61.27	74.00	-12.73	48.53	34.61
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5356.20	61.27	74.00	-12.73	48.53	34.61	9.91	31.78	0.00	268	355	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>50.51</td><td>54.00</td><td>-3.49</td><td>37.78</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>268</td><td>355</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	50.51	54.00	-3.49	37.78	34.60
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5350.10	50.51	54.00	-3.49	37.78	34.60	9.91	31.78	0.00	268	355	AVERAGE																																					





		22																																																																																																			
Mode	Band Edge - L																																																																																																				
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical					Fundamental																																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.88</td><td>55.80</td><td>74.00</td><td>-18.20</td><td>43.72</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>148</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.88	55.80	74.00	-18.20	43.72	34.19	9.78	31.89	0.00	148	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>103.38</td><td>-----</td><td>-----</td><td>90.78</td><td>34.52</td><td>9.89</td><td>31.81</td><td>0.00</td><td>148</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	103.38	-----	-----	90.78	34.52	9.89	31.81	0.00	148	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5146.88	55.80	74.00	-18.20	43.72	34.19	9.78	31.89	0.00	148	0 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5310.00	103.38	-----	-----	90.78	34.52	9.89	31.81	0.00	148	0 PEAK																																																																																										
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5115.36</td><td>44.38</td><td>54.00</td><td>-9.62</td><td>32.40</td><td>34.13</td><td>9.76</td><td>31.91</td><td>0.00</td><td>148</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5115.36	44.38	54.00	-9.62	32.40	34.13	9.76	31.91	0.00	148	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>95.02</td><td>-----</td><td>-----</td><td>82.40</td><td>34.53</td><td>9.89</td><td>31.80</td><td>0.00</td><td>148</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	95.02	-----	-----	82.40	34.53	9.89	31.80	0.00	148	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5115.36	44.38	54.00	-9.62	32.40	34.13	9.76	31.91	0.00	148	0 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5310.00	95.02	-----	-----	82.40	34.53	9.89	31.80	0.00	148	0 AVERAGE																																																																																										






Mode	22																																																	
	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																	
ANT	1																																																	
Pol.	Vertical						Fundamental																																											
Peak							Blank																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.80</td><td>60.09</td><td>74.00</td><td>-13.91</td><td>47.35</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>148</td><td>0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.80	60.09	74.00	-13.91	47.35
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	5353.80	60.09	74.00	-13.91	47.35	34.61	9.91	31.78	0.00	148	0 PEAK																																							
Avg							Blank																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.10</td><td>50.23</td><td>54.00</td><td>-3.77</td><td>37.50</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>148</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	50.23	54.00	-3.77	37.50
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	5350.10	50.23	54.00	-3.77	37.50	34.60	9.91	31.78	0.00	148	0 AVERAGE																																							




Mode	22																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7080.30</td><td>58.92</td><td>68.20</td><td>-9.28</td><td>71.98</td><td>35.60</td><td>11.55</td><td>60.21</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10620.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>54.96</td><td>37.88</td><td>14.31</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7080.30	58.92	68.20	-9.28	71.98	35.60	11.55	60.21	0.00	---	Peak	2	10620.00	45.89	74.00	-28.11	54.96	37.88	14.31	61.26	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7080.30</td><td>59.53</td><td>68.20</td><td>-8.67</td><td>72.59</td><td>35.60</td><td>11.55</td><td>60.21</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10620.00</td><td>45.46</td><td>74.00</td><td>-28.54</td><td>54.53</td><td>37.88</td><td>14.31</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7080.30	59.53	68.20	-8.67	72.59	35.60	11.55	60.21	0.00	---	Peak	2	10620.00	45.46	74.00	-28.54	54.53	37.88	14.31	61.26	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7080.30	58.92	68.20	-9.28	71.98	35.60	11.55	60.21	0.00	---	Peak																																																																																																																		
2	10620.00	45.89	74.00	-28.11	54.96	37.88	14.31	61.26	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7080.30	59.53	68.20	-8.67	72.59	35.60	11.55	60.21	0.00	---	Peak																																																																																																																		
2	10620.00	45.46	74.00	-28.54	54.53	37.88	14.31	61.26	0.00	---	PEAK																																																																																																																		







Mode	23																																																																		
	Band Edge - L																																																																		
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																		
ANT	1																																																																		
Pol.	Horizontal																																																																		
Peak	Fundamental																																																																		
																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>58.27</td><td>74.00</td><td>-15.73</td><td>45.19</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>253</td><td>0 PEAK</td></tr><tr><td>2</td><td>5469.36</td><td>62.28</td><td>68.20</td><td>-5.92</td><td>49.20</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>253</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	58.27	74.00	-15.73	45.19	34.78	10.03	31.73	0.00	253	0 PEAK	2	5469.36	62.28	68.20	-5.92	49.20	34.76	10.04	31.72	0.00	253
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5458.96	58.27	74.00	-15.73	45.19	34.78	10.03	31.73	0.00	253	0 PEAK																																																								
2	5469.36	62.28	68.20	-5.92	49.20	34.76	10.04	31.72	0.00	253	0 PEAK																																																								
Avg																																																																			
																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>49.47</td><td>54.00</td><td>-4.53</td><td>36.39</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>253</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	49.47	54.00	-4.53	36.39	34.78	10.03	31.73	0.00	253	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5459.92	49.47	54.00	-4.53	36.39	34.78	10.03	31.73	0.00	253	0 AVERAGE																																																								




Mode	23																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.80</td><td>54.51</td><td>68.20</td><td>-13.69</td><td>41.43</td><td>34.60</td><td>10.35</td><td>31.87</td><td>0.00</td><td>253</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.80	54.51	68.20	-13.69	41.43	34.60	10.35	31.87	0.00	253	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5737.80	54.51	68.20	-13.69	41.43	34.60	10.35	31.87	0.00	253	0 PEAK																																											





		23																																																																																																																	
Mode	Band Edge - L																																																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.92</td><td>57.65</td><td>74.00</td><td>-16.35</td><td>44.57</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>155</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5468.72</td><td>63.91</td><td>68.20</td><td>-4.29</td><td>50.83</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>155</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.92	57.65	74.00	-16.35	44.57	34.79	10.02	31.73	0.00	155	360	PEAK	2	5468.72	63.91	68.20	-4.29	50.83	34.76	10.04	31.72	0.00	155	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>105.73</td><td>-----</td><td>-----</td><td>92.65</td><td>34.66</td><td>10.11</td><td>31.69</td><td>0.00</td><td>155</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	105.73	-----	-----	92.65	34.66	10.11	31.69	0.00	155	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5455.92	57.65	74.00	-16.35	44.57	34.79	10.02	31.73	0.00	155	360	PEAK																																																																																																							
2	5468.72	63.91	68.20	-4.29	50.83	34.76	10.04	31.72	0.00	155	360	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5510.00	105.73	-----	-----	92.65	34.66	10.11	31.69	0.00	155	360	PEAK																																																																																																							
Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>50.63</td><td>54.00</td><td>-3.37</td><td>37.55</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>155</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	50.63	54.00	-3.37	37.55	34.78	10.03	31.73	0.00	155	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>97.81</td><td>-----</td><td>-----</td><td>84.72</td><td>34.68</td><td>10.11</td><td>31.70</td><td>0.00</td><td>155</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	97.81	-----	-----	84.72	34.68	10.11	31.70	0.00	155	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5459.76	50.63	54.00	-3.37	37.55	34.78	10.03	31.73	0.00	155	360	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5510.00	97.81	-----	-----	84.72	34.68	10.11	31.70	0.00	155	360	AVERAGE																																																																																																							





Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5758.92</td><td>55.56</td><td>68.20</td><td>-12.64</td><td>42.51</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>155</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5758.92	55.56	68.20	-12.64	42.51	34.60	10.37	31.92	0.00	155	360	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5758.92	55.56	68.20	-12.64	42.51	34.60	10.37	31.92	0.00	155	360	PEAK																																												







Mode	23																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7344.83</td><td>49.25</td><td>74.00</td><td>-24.75</td><td>62.65</td><td>35.70</td><td>11.70</td><td>60.00</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>7344.83</td><td>45.79</td><td>54.00</td><td>-8.21</td><td>59.19</td><td>35.70</td><td>11.70</td><td>60.00</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr><tr><td>3</td><td>11020.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>55.26</td><td>38.00</td><td>14.58</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7344.83	49.25	74.00	-24.75	62.65	35.70	11.70	60.00	0.00	300	0 PEAK	2	7344.83	45.79	54.00	-8.21	59.19	35.70	11.70	60.00	0.00	300	0 AVERAGE	3	11020.00	46.62	74.00	-27.38	55.26	38.00	14.58	61.22	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7344.83</td><td>52.43</td><td>74.00</td><td>-21.57</td><td>65.83</td><td>35.70</td><td>11.70</td><td>60.00</td><td>0.00</td><td>134</td><td>17 PEAK</td></tr><tr><td>2</td><td>7344.83</td><td>50.15</td><td>54.00</td><td>-3.85</td><td>63.55</td><td>35.70</td><td>11.70</td><td>60.00</td><td>0.00</td><td>134</td><td>17 AVERAGE</td></tr><tr><td>3</td><td>11020.00</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>54.96</td><td>38.00</td><td>14.58</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7344.83	52.43	74.00	-21.57	65.83	35.70	11.70	60.00	0.00	134	17 PEAK	2	7344.83	50.15	54.00	-3.85	63.55	35.70	11.70	60.00	0.00	134	17 AVERAGE	3	11020.00	46.32	74.00	-27.68	54.96	38.00	14.58	61.22	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	7344.83	49.25	74.00	-24.75	62.65	35.70	11.70	60.00	0.00	300	0 PEAK																																																																																																																																													
2	7344.83	45.79	54.00	-8.21	59.19	35.70	11.70	60.00	0.00	300	0 AVERAGE																																																																																																																																													
3	11020.00	46.62	74.00	-27.38	55.26	38.00	14.58	61.22	0.00	---	---	PEAK																																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	7344.83	52.43	74.00	-21.57	65.83	35.70	11.70	60.00	0.00	134	17 PEAK																																																																																																																																													
2	7344.83	50.15	54.00	-3.85	63.55	35.70	11.70	60.00	0.00	134	17 AVERAGE																																																																																																																																													
3	11020.00	46.32	74.00	-27.68	54.96	38.00	14.58	61.22	0.00	---	---	PEAK																																																																																																																																												





Mode	24																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																																																																																																																										
ANT	1																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7398.15</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>61.61</td><td>35.70</td><td>11.73</td><td>60.92</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7398.15</td><td>44.34</td><td>54.00</td><td>-9.66</td><td>57.83</td><td>35.70</td><td>11.73</td><td>60.92</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11100.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>55.29</td><td>38.00</td><td>14.63</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7398.15	48.12	74.00	-25.88	61.61	35.70	11.73	60.92	0.00	300	0	PEAK	2	7398.15	44.34	54.00	-9.66	57.83	35.70	11.73	60.92	0.00	300	0	AVERAGE	3	11100.00	46.71	74.00	-27.29	55.29	38.00	14.63	61.21	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7398.15</td><td>50.03</td><td>74.00</td><td>-23.97</td><td>63.52</td><td>35.70</td><td>11.73</td><td>60.92</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7398.15</td><td>47.25</td><td>54.00</td><td>-6.75</td><td>60.74</td><td>35.70</td><td>11.73</td><td>60.92</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11100.00</td><td>47.23</td><td>74.00</td><td>-26.77</td><td>55.81</td><td>38.00</td><td>14.63</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7398.15	50.03	74.00	-23.97	63.52	35.70	11.73	60.92	0.00	100	0	PEAK	2	7398.15	47.25	54.00	-6.75	60.74	35.70	11.73	60.92	0.00	100	0	AVERAGE	3	11100.00	47.23	74.00	-26.77	55.81	38.00	14.63	61.21	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	7398.15	48.12	74.00	-25.88	61.61	35.70	11.73	60.92	0.00	300	0	PEAK																																																																																																																																															
2	7398.15	44.34	54.00	-9.66	57.83	35.70	11.73	60.92	0.00	300	0	AVERAGE																																																																																																																																															
3	11100.00	46.71	74.00	-27.29	55.29	38.00	14.63	61.21	0.00	---	---	PEAK																																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	7398.15	50.03	74.00	-23.97	63.52	35.70	11.73	60.92	0.00	100	0	PEAK																																																																																																																																															
2	7398.15	47.25	54.00	-6.75	60.74	35.70	11.73	60.92	0.00	100	0	AVERAGE																																																																																																																																															
3	11100.00	47.23	74.00	-26.77	55.81	38.00	14.63	61.21	0.00	---	---	PEAK																																																																																																																																															



Mode	25																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																			
ANT	1																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5441.68</td><td>53.64</td><td>74.00</td><td>-20.36</td><td>40.60</td><td>34.78</td><td>10.00</td><td>31.74</td><td>0.00</td><td>216</td><td>0 PEAK</td></tr><tr><td>2</td><td>5467.44</td><td>54.04</td><td>68.20</td><td>-14.16</td><td>40.95</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>216</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5441.68	53.64	74.00	-20.36	40.60	34.78	10.00	31.74	0.00	216	0 PEAK	2	5467.44	54.04	68.20	-14.16	40.95	34.77	10.04	31.72	0.00	216	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5441.68	53.64	74.00	-20.36	40.60	34.78	10.00	31.74	0.00	216	0 PEAK																																																									
2	5467.44	54.04	68.20	-14.16	40.95	34.77	10.04	31.72	0.00	216	0 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>110.00</td><td>-----</td><td>-----</td><td>96.80</td><td>34.60</td><td>10.30</td><td>31.70</td><td>0.00</td><td>216</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	110.00	-----	-----	96.80	34.60	10.30	31.70	0.00	216	0 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5670.00	110.00	-----	-----	96.80	34.60	10.30	31.70	0.00	216	0 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.16</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>30.77</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>216</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.16	43.85	54.00	-10.15	30.77	34.79	10.02	31.73	0.00	216	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5454.16	43.85	54.00	-10.15	30.77	34.79	10.02	31.73	0.00	216	0 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>100.26</td><td>-----</td><td>-----</td><td>87.06</td><td>34.60</td><td>10.30</td><td>31.70</td><td>0.00</td><td>216</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.26	-----	-----	87.06	34.60	10.30	31.70	0.00	216	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5670.00	100.26	-----	-----	87.06	34.60	10.30	31.70	0.00	216	0 AVERAGE																																																									





Mode	25																																																												
	Band Edge - R																																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																												
ANT	1																																																												
Pol.	Horizontal						Fundamental																																																						
Peak							Blank																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.84</td><td>63.56</td><td>68.20</td><td>-4.64</td><td>50.46</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>216</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.84	63.56	68.20	-4.64	50.46	34.60	10.35	31.85	0.00	216	0 PEAK					
		Limit	Over	Read	Ant	Cable						Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																			
1	5728.84	63.56	68.20	-4.64	50.46	34.60	10.35	31.85	0.00	216	0 PEAK																																																		
Avg							Blank																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.96</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>30.27</td><td>34.00</td><td>10.01</td><td>31.73</td><td>0.00</td><td>210</td><td>360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.96	43.35	54.00	-10.65	30.27	34.00	10.01	31.73	0.00	210	360 AVERAGE					
		Limit	Over	Read	Ant	Cable						Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																			
1	5450.96	43.35	54.00	-10.65	30.27	34.00	10.01	31.73	0.00	210	360 AVERAGE																																																		





Mode	25																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Vertical					Fundamental																																																																																																							
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5382.16</td><td>54.32</td><td>74.00</td><td>-19.68</td><td>41.50</td><td>34.66</td><td>9.93</td><td>31.77</td><td>0.00</td><td>137 360 PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>52.83</td><td>68.20</td><td>-15.37</td><td>39.74</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>137 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5382.16	54.32	74.00	-19.68	41.50	34.66	9.93	31.77	0.00	137 360 PEAK	2	5466.64	52.83	68.20	-15.37	39.74	34.77	10.04	31.72	0.00	137 360 PEAK	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>109.54</td><td>-----</td><td>-----</td><td>96.35</td><td>34.60</td><td>10.30</td><td>31.71</td><td>0.00</td><td>137 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	109.54	-----	-----	96.35	34.60	10.30	31.71	0.00	137 360 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5382.16	54.32	74.00	-19.68	41.50	34.66	9.93	31.77	0.00	137 360 PEAK																																																																																																			
2	5466.64	52.83	68.20	-15.37	39.74	34.77	10.04	31.72	0.00	137 360 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	109.54	-----	-----	96.35	34.60	10.30	31.71	0.00	137 360 PEAK																																																																																																			
Avg	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.76</td><td>43.84</td><td>54.00</td><td>-10.16</td><td>30.76</td><td>34.00</td><td>10.01</td><td>31.73</td><td>0.00</td><td>137 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.76	43.84	54.00	-10.16	30.76	34.00	10.01	31.73	0.00	137 360 AVERAGE	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>101.14</td><td>-----</td><td>-----</td><td>87.94</td><td>34.60</td><td>10.30</td><td>31.70</td><td>0.00</td><td>137 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	101.14	-----	-----	87.94	34.60	10.30	31.70	0.00	137 360 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5451.76	43.84	54.00	-10.16	30.76	34.00	10.01	31.73	0.00	137 360 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	101.14	-----	-----	87.94	34.60	10.30	31.70	0.00	137 360 AVERAGE																																																																																																			







Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.20</td><td>64.48</td><td>68.20</td><td>-3.72</td><td>51.37</td><td>34.60</td><td>10.35</td><td>31.84</td><td>0.00</td><td>137</td><td>360</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.20	64.48	68.20	-3.72	51.37	34.60	10.35	31.84	0.00	137	360	Peak	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.20	64.48	68.20	-3.72	51.37	34.60	10.35	31.84	0.00	137	360	Peak																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.44</td><td>43.54</td><td>54.00</td><td>-10.46</td><td>30.48</td><td>34.79</td><td>10.00</td><td>31.73</td><td>0.00</td><td>142</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.44	43.54	54.00	-10.46	30.48	34.79	10.00	31.73	0.00	142	0	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5443.44	43.54	54.00	-10.46	30.48	34.79	10.00	31.73	0.00	142	0	AVERAGE																																												





Mode	25																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7558.11</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>59.70</td><td>35.70</td><td>11.91</td><td>61.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>54.77</td><td>38.04</td><td>14.80</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7558.11	46.27	74.00	-27.73	59.70	35.70	11.91	61.04	0.00	---	PEAK	2	11340.00	46.42	74.00	-27.58	54.77	38.04	14.80	61.19	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7558.11</td><td>48.02</td><td>74.00</td><td>-25.98</td><td>61.45</td><td>35.70</td><td>11.91</td><td>61.04</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>7558.11</td><td>44.25</td><td>54.00</td><td>-9.75</td><td>57.68</td><td>35.70</td><td>11.91</td><td>61.04</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>54.32</td><td>38.04</td><td>14.80</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7558.11	48.02	74.00	-25.98	61.45	35.70	11.91	61.04	0.00	100	0 PEAK	2	7558.11	44.25	54.00	-9.75	57.68	35.70	11.91	61.04	0.00	100	0 AVERAGE	3	11340.00	45.97	74.00	-28.03	54.32	38.04	14.80	61.19	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	7558.11	46.27	74.00	-27.73	59.70	35.70	11.91	61.04	0.00	---	PEAK																																																																																																																															
2	11340.00	46.42	74.00	-27.58	54.77	38.04	14.80	61.19	0.00	---	PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	7558.11	48.02	74.00	-25.98	61.45	35.70	11.91	61.04	0.00	100	0 PEAK																																																																																																																															
2	7558.11	44.25	54.00	-9.75	57.68	35.70	11.91	61.04	0.00	100	0 AVERAGE																																																																																																																															
3	11340.00	45.97	74.00	-28.03	54.32	38.04	14.80	61.19	0.00	---	PEAK																																																																																																																															







Mode	26																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.52</td><td>58.75</td><td>74.00</td><td>-15.25</td><td>46.67</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>300</td><td>19 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.52	58.75	74.00	-15.25	46.67	34.19	9.78	31.89	0.00	300	19 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>98.93</td><td>-----</td><td>-----</td><td>86.75</td><td>34.21</td><td>9.83</td><td>31.86</td><td>0.00</td><td>300</td><td>19 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.93	-----	-----	86.75	34.21	9.83	31.86	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5143.52	58.75	74.00	-15.25	46.67	34.19	9.78	31.89	0.00	300	19 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	98.93	-----	-----	86.75	34.21	9.83	31.86	0.00	300	19 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.76</td><td>49.27</td><td>54.00</td><td>-4.73</td><td>37.17</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>300</td><td>19 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	49.27	54.00	-4.73	37.17	34.20	9.79	31.89	0.00	300	19 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>98.00</td><td>-----</td><td>-----</td><td>77.90</td><td>34.21</td><td>9.83</td><td>31.86</td><td>0.00</td><td>300</td><td>19 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.00	-----	-----	77.90	34.21	9.83	31.86	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.76	49.27	54.00	-4.73	37.17	34.20	9.79	31.89	0.00	300	19 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	98.00	-----	-----	77.90	34.21	9.83	31.86	0.00	300	19 AVERAGE																																																																																									



Mode	26																																																								
	Band Edge - R																																																								
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																								
ANT	1																																																								
Pol.	Horizontal										Fundamental																																														
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.46</td><td>53.35</td><td>74.00</td><td>-20.65</td><td>40.61</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>300</td><td>19 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5354.46	53.35	74.00	-20.65	40.61	34.61	9.91	31.78	0.00	300	19 PEAK	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5354.46	53.35	74.00	-20.65	40.61	34.61	9.91	31.78	0.00	300	19 PEAK																																														
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5300.20</td><td>44.11</td><td>54.00</td><td>-9.89</td><td>31.29</td><td>34.66</td><td>9.93</td><td>31.77</td><td>0.00</td><td>300</td><td>19 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5300.20	44.11	54.00	-9.89	31.29	34.66	9.93	31.77	0.00	300	19 AVERAGE	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5300.20	44.11	54.00	-9.89	31.29	34.66	9.93	31.77	0.00	300	19 AVERAGE																																														





Mode	26																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.84</td><td>58.29</td><td>74.00</td><td>-15.71</td><td>46.20</td><td>34.20</td><td>9.78</td><td>31.89</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.84	58.29	74.00	-15.71	46.20	34.20	9.78	31.89	0.00	100	269 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>94.82</td><td>-----</td><td>-----</td><td>82.59</td><td>34.24</td><td>9.84</td><td>31.85</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	94.82	-----	-----	82.59	34.24	9.84	31.85	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5147.84	58.29	74.00	-15.71	46.20	34.20	9.78	31.89	0.00	100	269 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	94.82	-----	-----	82.59	34.24	9.84	31.85	0.00	100	269 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.40</td><td>48.29</td><td>54.00</td><td>-5.71</td><td>36.22</td><td>34.18</td><td>9.78</td><td>31.89</td><td>0.00</td><td>100</td><td>269 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.40	48.29	54.00	-5.71	36.22	34.18	9.78	31.89	0.00	100	269 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>86.96</td><td>-----</td><td>-----</td><td>74.76</td><td>34.22</td><td>9.84</td><td>31.86</td><td>0.00</td><td>100</td><td>269 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	86.96	-----	-----	74.76	34.22	9.84	31.86	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5142.40	48.29	54.00	-5.71	36.22	34.18	9.78	31.89	0.00	100	269 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	86.96	-----	-----	74.76	34.22	9.84	31.86	0.00	100	269 AVERAGE																																																																																									







Mode	26																																																									
	Band Edge - R																																																									
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																									
ANT	1																																																									
Pol.	Vertical						Fundamental																																																			
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5370.48</td><td>52.85</td><td>74.00</td><td>-21.15</td><td>40.06</td><td>34.64</td><td>9.92</td><td>31.77</td><td>0.00</td><td>100</td><td>269</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5370.48	52.85	74.00	-21.15	40.06	34.64	9.92	31.77	0.00	100	269	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5370.48	52.85	74.00	-21.15	40.06	34.64	9.92	31.77	0.00	100	269	PEAK																																														
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.56</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>31.12</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>269</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.56	43.86	54.00	-10.14	31.12	34.61	9.91	31.78	0.00	100	269	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5353.56	43.86	54.00	-10.14	31.12	34.61	9.91	31.78	0.00	100	269	AVERAGE																																														





Mode	26																																																									
	Harmonic																																																									
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																									
ANT	1																																																									
Pol.	Horizontal						Vertical																																																			
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>47.02</td><td>68.20</td><td>-21.18</td><td>56.68</td><td>37.47</td><td>14.15</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	47.02	68.20	-21.18	56.68	37.47	14.15	61.28	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	10420.00	47.02	68.20	-21.18	56.68	37.47	14.15	61.28	0.00	---	---	PEAK																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>46.44</td><td>68.20</td><td>-21.76</td><td>55.97</td><td>37.56</td><td>14.18</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	46.44	68.20	-21.76	55.97	37.56	14.18	61.27	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	10420.00	46.44	68.20	-21.76	55.97	37.56	14.18	61.27	0.00	---	---	PEAK																																														







		27																																																					
Mode	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5129.60</td><td>55.52</td><td>74.00</td><td>-18.48</td><td>43.49</td><td>34.16</td><td>9.77</td><td>31.90</td><td>0.00</td><td>292</td><td>19 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5129.60	55.52	74.00	-18.48	43.49	34.16	9.77	31.90	0.00	292
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5129.60	55.52	74.00	-18.48	43.49	34.16	9.77	31.90	0.00	292	19 PEAK																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>99.28</td><td>-----</td><td>86.73</td><td>34.48</td><td>9.88</td><td>31.81</td><td>0.00</td><td>292</td><td>19 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.28	-----	86.73	34.48	9.88	31.81	0.00	292	19 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5290.00	99.28	-----	86.73	34.48	9.88	31.81	0.00	292	19 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.44</td><td>45.18</td><td>54.00</td><td>-8.82</td><td>33.13</td><td>34.17</td><td>9.78</td><td>31.90</td><td>0.00</td><td>292</td><td>19 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.44	45.18	54.00	-8.82	33.13	34.17	9.78	31.90	0.00	292
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5137.44	45.18	54.00	-8.82	33.13	34.17	9.78	31.90	0.00	292	19 AVERAGE																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.41</td><td>-----</td><td>77.06</td><td>34.48</td><td>9.88</td><td>31.81</td><td>0.00</td><td>292</td><td>19 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.41	-----	77.06	34.48	9.88	31.81	0.00	292	19 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5290.00	90.41	-----	77.06	34.48	9.88	31.81	0.00	292	19 AVERAGE																																													





Mode	27																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>59.41</td><td>74.00</td><td>-14.59</td><td>46.68</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>292</td><td>19 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	59.41	74.00	-14.59	46.68
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	5350.10	59.41	74.00	-14.59	46.68	34.60	9.91	31.78	0.00	292	19 PEAK																																								
Avg							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.00</td><td>50.57</td><td>54.00</td><td>-3.43</td><td>37.84</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>292</td><td>19 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.00	50.57	54.00	-3.43	37.84
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	5351.00	50.57	54.00	-3.43	37.84	34.60	9.91	31.78	0.00	292	19 AVERAGE																																								





Mode	27																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.28</td><td>55.29</td><td>74.00</td><td>-18.71</td><td>43.19</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>150</td><td>13 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.28	55.29	74.00	-18.71	43.19	34.20	9.79	31.89	0.00	150	13 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>99.01</td><td>-----</td><td>-----</td><td>86.46</td><td>34.48</td><td>9.88</td><td>31.81</td><td>0.00</td><td>150</td><td>13 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.01	-----	-----	86.46	34.48	9.88	31.81	0.00	150
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.28	55.29	74.00	-18.71	43.19	34.20	9.79	31.89	0.00	150	13 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	99.01	-----	-----	86.46	34.48	9.88	31.81	0.00	150	13 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5107.20</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>33.12</td><td>34.11</td><td>9.75</td><td>31.91</td><td>0.00</td><td>150</td><td>13 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.20	45.07	54.00	-8.93	33.12	34.11	9.75	31.91	0.00	150	13 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.44</td><td>-----</td><td>-----</td><td>77.94</td><td>34.44</td><td>9.88</td><td>31.82</td><td>0.00</td><td>150</td><td>13 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.44	-----	-----	77.94	34.44	9.88	31.82	0.00	150
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5107.20	45.07	54.00	-8.93	33.12	34.11	9.75	31.91	0.00	150	13 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	90.44	-----	-----	77.94	34.44	9.88	31.82	0.00	150	13 AVERAGE																																																																																									







Mode	27																																															
	Band Edge - R																																															
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																															
ANT	1																																															
Pol.	Vertical					Fundamental																																										
Peak						Blank																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5355.20</td><td>60.22</td><td>74.00</td><td>-13.78</td><td>47.48</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>150</td><td>13</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.20	60.22	74.00	-13.78	47.48	34.61
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5355.20	60.22	74.00	-13.78	47.48	34.61	9.91	31.78	0.00	150	13	PEAK																																				
Avg						Blank																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.10</td><td>50.27</td><td>54.00</td><td>-3.73</td><td>37.54</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>150</td><td>13</td><td>AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.10	50.27	54.00	-3.73	37.54	34.60
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5351.10	50.27	54.00	-3.73	37.54	34.60	9.91	31.78	0.00	150	13	AVERAGE																																				




Mode	27																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7053.90</td><td>60.12</td><td>68.20</td><td>-8.08</td><td>73.14</td><td>35.60</td><td>11.53</td><td>60.15</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>45.08</td><td>68.20</td><td>-23.12</td><td>54.30</td><td>37.79</td><td>14.25</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.90	60.12	68.20	-8.08	73.14	35.60	11.53	60.15	0.00	---	Peak	2	10580.00	45.08	68.20	-23.12	54.30	37.79	14.25	61.26	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7053.90</td><td>60.45</td><td>68.20</td><td>-7.75</td><td>73.47</td><td>35.60</td><td>11.53</td><td>60.15</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>46.38</td><td>68.20</td><td>-21.82</td><td>55.58</td><td>37.80</td><td>14.26</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.90	60.45	68.20	-7.75	73.47	35.60	11.53	60.15	0.00	---	Peak	2	10580.00	46.38	68.20	-21.82	55.58	37.80	14.26	61.26	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7053.90	60.12	68.20	-8.08	73.14	35.60	11.53	60.15	0.00	---	Peak																																																																																																																			
2	10580.00	45.08	68.20	-23.12	54.30	37.79	14.25	61.26	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7053.90	60.45	68.20	-7.75	73.47	35.60	11.53	60.15	0.00	---	Peak																																																																																																																			
2	10580.00	46.38	68.20	-21.82	55.58	37.80	14.26	61.26	0.00	---	PEAK																																																																																																																			







		28																																																																																																																	
Mode	Band Edge - L																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal					Fundamental																																																																																																													
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.64</td><td>56.25</td><td>74.00</td><td>-17.75</td><td>43.17</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>248</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.84</td><td>57.97</td><td>68.20</td><td>-10.23</td><td>44.89</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>248</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.64	56.25	74.00	-17.75	43.17	34.79	10.02	31.73	0.00	248	360	PEAK	2	5469.84	57.97	68.20	-10.23	44.89	34.76	10.04	31.72	0.00	248	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>98.04</td><td>-----</td><td>-----</td><td>84.96</td><td>34.65</td><td>10.12</td><td>31.69</td><td>0.00</td><td>248</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.04	-----	-----	84.96	34.65	10.12	31.69	0.00	248	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5454.64	56.25	74.00	-17.75	43.17	34.79	10.02	31.73	0.00	248	360	PEAK																																																																																																							
2	5469.84	57.97	68.20	-10.23	44.89	34.76	10.04	31.72	0.00	248	360	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5530.00	98.04	-----	-----	84.96	34.65	10.12	31.69	0.00	248	360	PEAK																																																																																																							
Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.96</td><td>47.97</td><td>54.00</td><td>-6.03</td><td>34.89</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>248</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.96	47.97	54.00	-6.03	34.89	34.79	10.02	31.73	0.00	248	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>89.69</td><td>-----</td><td>-----</td><td>76.61</td><td>34.64</td><td>10.13</td><td>31.69</td><td>0.00</td><td>248</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.69	-----	-----	76.61	34.64	10.13	31.69	0.00	248	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5454.96	47.97	54.00	-6.03	34.89	34.79	10.02	31.73	0.00	248	360	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5530.00	89.69	-----	-----	76.61	34.64	10.13	31.69	0.00	248	360	AVERAGE																																																																																																							




Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.20</td><td>54.97</td><td>68.20</td><td>-13.23</td><td>41.89</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>248</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.20	54.97	68.20	-13.23	41.89	34.60	10.36	31.88	0.00	248	360	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5742.20	54.97	68.20	-13.23	41.89	34.60	10.36	31.88	0.00	248	360	PEAK																																												





Mode	28																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5440.24</td><td>58.71</td><td>74.00</td><td>-15.29</td><td>45.67</td><td>34.78</td><td>10.00</td><td>31.74</td><td>0 PEAK</td></tr><tr><td>2</td><td>5467.28</td><td>58.95</td><td>68.20</td><td>-9.25</td><td>45.86</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5440.24	58.71	74.00	-15.29	45.67	34.78	10.00	31.74	0 PEAK	2	5467.28	58.95	68.20	-9.25	45.86	34.77	10.04	31.72	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>100.79</td><td>-----</td><td>-----</td><td>87.71</td><td>34.63</td><td>10.14</td><td>31.69</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5530.00	100.79	-----	-----	87.71	34.63	10.14	31.69
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	5440.24	58.71	74.00	-15.29	45.67	34.78	10.00	31.74	0 PEAK																																																																																										
2	5467.28	58.95	68.20	-9.25	45.86	34.77	10.04	31.72	0 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	5530.00	100.79	-----	-----	87.71	34.63	10.14	31.69	0 PEAK																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5458.64</td><td>50.17</td><td>54.00</td><td>-3.83</td><td>37.10</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5458.64	50.17	54.00	-3.83	37.10	34.78	10.02	31.73	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>92.26</td><td>-----</td><td>-----</td><td>79.18</td><td>34.65</td><td>10.12</td><td>31.69</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5530.00	92.26	-----	-----	79.18	34.65	10.12	31.69	0 AVERAGE									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	5458.64	50.17	54.00	-3.83	37.10	34.78	10.02	31.73	0 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	5530.00	92.26	-----	-----	79.18	34.65	10.12	31.69	0 AVERAGE																																																																																										







Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.00</td><td>54.94</td><td>68.20</td><td>-13.26</td><td>41.84</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>159</td><td>0</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.00	54.94	68.20	-13.26	41.84	34.60	10.35	31.85	0.00	159	0	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5731.00	54.94	68.20	-13.26	41.84	34.60	10.35	31.85	0.00	159	0	PEAK																																												





Mode	28																																																																																
	Harmonic																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7372.90</td><td>50.66</td><td>74.00</td><td>-23.34</td><td>64.12</td><td>35.70</td><td>11.71</td><td>60.87</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11060.00</td><td>47.17</td><td>74.00</td><td>-26.83</td><td>55.78</td><td>38.00</td><td>14.61</td><td>61.22</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>11060.00</td><td>35.80</td><td>54.00</td><td>-18.20</td><td>44.41</td><td>38.00</td><td>14.61</td><td>61.22</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7372.90	50.66	74.00	-23.34	64.12	35.70	11.71	60.87	0.00	---	Peak	2	11060.00	47.17	74.00	-26.83	55.78	38.00	14.61	61.22	0.00	300	0 PEAK	3	11060.00	35.80	54.00	-18.20	44.41	38.00	14.61	61.22	0.00	300	0 AVERAGE	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	7372.90	50.66	74.00	-23.34	64.12	35.70	11.71	60.87	0.00	---	Peak																																																																						
2	11060.00	47.17	74.00	-26.83	55.78	38.00	14.61	61.22	0.00	300	0 PEAK																																																																						
3	11060.00	35.80	54.00	-18.20	44.41	38.00	14.61	61.22	0.00	300	0 AVERAGE																																																																						
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7371.49</td><td>51.97</td><td>74.00</td><td>-22.03</td><td>65.42</td><td>35.70</td><td>11.71</td><td>60.86</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2</td><td>7371.49</td><td>50.08</td><td>54.00</td><td>-3.92</td><td>63.53</td><td>35.70</td><td>11.71</td><td>60.86</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>46.99</td><td>74.00</td><td>-27.01</td><td>55.60</td><td>38.00</td><td>14.61</td><td>61.22</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7371.49	51.97	74.00	-22.03	65.42	35.70	11.71	60.86	0.00	100	360 PEAK	2	7371.49	50.08	54.00	-3.92	63.53	35.70	11.71	60.86	0.00	100	360 AVERAGE	3	11060.00	46.99	74.00	-27.01	55.60	38.00	14.61	61.22	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	7371.49	51.97	74.00	-22.03	65.42	35.70	11.71	60.86	0.00	100	360 PEAK																																																																						
2	7371.49	50.08	54.00	-3.92	63.53	35.70	11.71	60.86	0.00	100	360 AVERAGE																																																																						
3	11060.00	46.99	74.00	-27.01	55.60	38.00	14.61	61.22	0.00	---	Peak																																																																						







		29																																																																																																																	
Mode	Band Edge - L																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal					Fundamental																																																																																																													
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5428.24</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>40.43</td><td>34.76</td><td>9.98</td><td>31.74</td><td>0.00</td><td>215</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>53.74</td><td>68.20</td><td>-14.46</td><td>40.66</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>215</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.24	53.43	74.00	-20.57	40.43	34.76	9.98	31.74	0.00	215	360	PEAK	2	5467.60	53.74	68.20	-14.46	40.66	34.76	10.04	31.72	0.00	215	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.13</td><td>-----</td><td>-----</td><td>88.91</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>215</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.13	-----	-----	88.91	34.60	10.26	31.64	0.00	215	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5428.24	53.43	74.00	-20.57	40.43	34.76	9.98	31.74	0.00	215	360	PEAK																																																																																																							
2	5467.60	53.74	68.20	-14.46	40.66	34.76	10.04	31.72	0.00	215	360	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5610.00	102.13	-----	-----	88.91	34.60	10.26	31.64	0.00	215	360	PEAK																																																																																																							
Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.92</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>30.91</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>215</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.92	43.99	54.00	-10.01	30.91	34.79	10.02	31.73	0.00	215	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>93.17</td><td>-----</td><td>-----</td><td>79.97</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>215</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.17	-----	-----	79.97	34.60	10.25	31.65	0.00	215	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5455.92	43.99	54.00	-10.01	30.91	34.79	10.02	31.73	0.00	215	360	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5610.00	93.17	-----	-----	79.97	34.60	10.25	31.65	0.00	215	360	AVERAGE																																																																																																							




Mode	29																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5752.52</td><td>55.45</td><td>68.20</td><td>-12.75</td><td>42.39</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>215 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5752.52	55.45	68.20	-12.75	42.39	34.60	10.37	31.91	0.00	215 360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5752.52	55.45	68.20	-12.75	42.39	34.60	10.37	31.91	0.00	215 360 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.72</td><td>43.90</td><td>54.00</td><td>-10.10</td><td>30.82</td><td>34.00</td><td>10.01</td><td>31.73</td><td>0.00</td><td>216 0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.72	43.90	54.00	-10.10	30.82	34.00	10.01	31.73	0.00	216 0 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5448.72	43.90	54.00	-10.10	30.82	34.00	10.01	31.73	0.00	216 0 AVERAGE																																													






Mode	29																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5363.60</td><td>54.12</td><td>74.00</td><td>-19.88</td><td>41.35</td><td>34.63</td><td>9.92</td><td>31.78</td><td>0.00</td><td>129</td><td>0 PEAK</td></tr><tr><td>2</td><td>5464.56</td><td>53.15</td><td>68.20</td><td>-15.05</td><td>40.07</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>129</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.60	54.12	74.00	-19.88	41.35	34.63	9.92	31.78	0.00	129	0 PEAK	2	5464.56	53.15	68.20	-15.05	40.07	34.77	10.03	31.72	0.00	129	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>103.64</td><td>-----</td><td>-----</td><td>90.44</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>129</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.64	-----	-----	90.44	34.60	10.25	31.65	0.00	129	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5363.60	54.12	74.00	-19.88	41.35	34.63	9.92	31.78	0.00	129	0 PEAK																																																																																																						
2	5464.56	53.15	68.20	-15.05	40.07	34.77	10.03	31.72	0.00	129	0 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	103.64	-----	-----	90.44	34.60	10.25	31.65	0.00	129	0 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.24</td><td>44.03</td><td>54.00</td><td>-9.97</td><td>30.95</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>129</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.24	44.03	54.00	-9.97	30.95	34.79	10.02	31.73	0.00	129	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.88</td><td>-----</td><td>-----</td><td>81.68</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>129</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.88	-----	-----	81.68	34.60	10.25	31.65	0.00	129	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.24	44.03	54.00	-9.97	30.95	34.79	10.02	31.73	0.00	129	0 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	94.88	-----	-----	81.68	34.60	10.25	31.65	0.00	129	0 AVERAGE																																																																																																						





Mode	29																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.60</td><td>55.93</td><td>68.20</td><td>-12.27</td><td>42.86</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>129</td><td>0</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.60	55.93	68.20	-12.27	42.86	34.60	10.36	31.89	0.00	129	0	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5744.60	55.93	68.20	-12.27	42.86	34.60	10.36	31.89	0.00	129	0	PEAK																																		






Mode	29																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal										Vertical																																																																																																																																														
Peak Avg																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7478.13</td><td>44.18</td><td>74.00</td><td>-29.82</td><td>57.76</td><td>35.70</td><td>11.82</td><td>61.10</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>55.34</td><td>38.00</td><td>14.72</td><td>61.20</td><td>0.00</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>11220.00</td><td>35.72</td><td>54.00</td><td>-18.28</td><td>44.24</td><td>38.00</td><td>14.69</td><td>61.21</td><td>0.00</td><td>100</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7478.13	44.18	74.00	-29.82	57.76	35.70	11.82	61.10	0.00	---	PEAK	2	11220.00	46.86	74.00	-27.14	55.34	38.00	14.72	61.20	0.00	100	PEAK	3	11220.00	35.72	54.00	-18.28	44.24	38.00	14.69	61.21	0.00	100	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7478.13</td><td>51.73</td><td>74.00</td><td>-22.27</td><td>65.31</td><td>35.70</td><td>11.82</td><td>61.10</td><td>0.00</td><td>300</td><td>PEAK</td></tr><tr><td>2</td><td>7478.13</td><td>49.92</td><td>54.00</td><td>-4.08</td><td>63.50</td><td>35.70</td><td>11.82</td><td>61.10</td><td>0.00</td><td>300</td><td>AVERAGE</td></tr><tr><td>3</td><td>11220.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>54.36</td><td>38.00</td><td>14.72</td><td>61.20</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7478.13	51.73	74.00	-22.27	65.31	35.70	11.82	61.10	0.00	300	PEAK	2	7478.13	49.92	54.00	-4.08	63.50	35.70	11.82	61.10	0.00	300	AVERAGE	3	11220.00	45.88	74.00	-28.12	54.36	38.00	14.72	61.20	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	7478.13	44.18	74.00	-29.82	57.76	35.70	11.82	61.10	0.00	---	PEAK																																																																																																																																														
2	11220.00	46.86	74.00	-27.14	55.34	38.00	14.72	61.20	0.00	100	PEAK																																																																																																																																														
3	11220.00	35.72	54.00	-18.28	44.24	38.00	14.69	61.21	0.00	100	AVERAGE																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	7478.13	51.73	74.00	-22.27	65.31	35.70	11.82	61.10	0.00	300	PEAK																																																																																																																																														
2	7478.13	49.92	54.00	-4.08	63.50	35.70	11.82	61.10	0.00	300	AVERAGE																																																																																																																																														
3	11220.00	45.88	74.00	-28.12	54.36	38.00	14.72	61.20	0.00	---	PEAK																																																																																																																																														








Mode	23																																																																																																											
	30-1G																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>22.14</td><td>40.00</td><td>-17.86</td><td>29.88</td><td>24.57</td><td>0.71</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>57.16</td><td>25.70</td><td>40.00</td><td>-14.30</td><td>44.39</td><td>13.10</td><td>1.12</td><td>32.91</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>174.53</td><td>18.43</td><td>43.50</td><td>-25.07</td><td>33.34</td><td>15.92</td><td>2.00</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>279.29</td><td>24.26</td><td>46.00</td><td>-21.74</td><td>35.56</td><td>18.95</td><td>2.55</td><td>32.80</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>320.03</td><td>27.05</td><td>46.00</td><td>-18.95</td><td>37.42</td><td>19.77</td><td>2.72</td><td>32.86</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>675.05</td><td>28.53</td><td>46.00</td><td>-17.47</td><td>32.35</td><td>25.22</td><td>3.97</td><td>33.01</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.00	22.14	40.00	-17.86	29.88	24.57	0.71	33.02	0.00	---	Peak	2	57.16	25.70	40.00	-14.30	44.39	13.10	1.12	32.91	0.00	---	Peak	3	174.53	18.43	43.50	-25.07	33.34	15.92	2.00	32.83	0.00	---	Peak	4	279.29	24.26	46.00	-21.74	35.56	18.95	2.55	32.80	0.00	---	Peak	5	320.03	27.05	46.00	-18.95	37.42	19.77	2.72	32.86	0.00	---	Peak	6	675.05	28.53	46.00	-17.47	32.35	25.22	3.97	33.01	0.00	---	Peak
		Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	30.00	22.14	40.00	-17.86	29.88	24.57	0.71	33.02	0.00	---	Peak																																																																																																	
2	57.16	25.70	40.00	-14.30	44.39	13.10	1.12	32.91	0.00	---	Peak																																																																																																	
3	174.53	18.43	43.50	-25.07	33.34	15.92	2.00	32.83	0.00	---	Peak																																																																																																	
4	279.29	24.26	46.00	-21.74	35.56	18.95	2.55	32.80	0.00	---	Peak																																																																																																	
5	320.03	27.05	46.00	-18.95	37.42	19.77	2.72	32.86	0.00	---	Peak																																																																																																	
6	675.05	28.53	46.00	-17.47	32.35	25.22	3.97	33.01	0.00	---	Peak																																																																																																	
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>20.50</td><td>40.00</td><td>-19.50</td><td>28.24</td><td>24.57</td><td>0.71</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>57.16</td><td>30.24</td><td>40.00</td><td>-9.76</td><td>48.93</td><td>13.10</td><td>1.12</td><td>32.91</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>222.06</td><td>22.50</td><td>46.00</td><td>-23.50</td><td>36.30</td><td>16.74</td><td>2.27</td><td>32.81</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>320.03</td><td>23.34</td><td>46.00</td><td>-22.66</td><td>33.71</td><td>19.77</td><td>2.72</td><td>32.86</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>559.62</td><td>29.57</td><td>46.00</td><td>-16.43</td><td>33.98</td><td>25.08</td><td>3.61</td><td>33.10</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>683.78</td><td>28.88</td><td>46.00</td><td>-17.12</td><td>32.68</td><td>25.23</td><td>4.00</td><td>33.03</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.00	20.50	40.00	-19.50	28.24	24.57	0.71	33.02	0.00	---	Peak	2	57.16	30.24	40.00	-9.76	48.93	13.10	1.12	32.91	0.00	---	Peak	3	222.06	22.50	46.00	-23.50	36.30	16.74	2.27	32.81	0.00	---	Peak	4	320.03	23.34	46.00	-22.66	33.71	19.77	2.72	32.86	0.00	---	Peak	5	559.62	29.57	46.00	-16.43	33.98	25.08	3.61	33.10	0.00	---	Peak	6	683.78	28.88	46.00	-17.12	32.68	25.23	4.00	33.03	0.00	---	Peak
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	30.00	20.50	40.00	-19.50	28.24	24.57	0.71	33.02	0.00	---	Peak																																																																																																	
2	57.16	30.24	40.00	-9.76	48.93	13.10	1.12	32.91	0.00	---	Peak																																																																																																	
3	222.06	22.50	46.00	-23.50	36.30	16.74	2.27	32.81	0.00	---	Peak																																																																																																	
4	320.03	23.34	46.00	-22.66	33.71	19.77	2.72	32.86	0.00	---	Peak																																																																																																	
5	559.62	29.57	46.00	-16.43	33.98	25.08	3.61	33.10	0.00	---	Peak																																																																																																	
6	683.78	28.88	46.00	-17.12	32.68	25.23	4.00	33.03	0.00	---	Peak																																																																																																	





Mode	30																																																																																																													
	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5618.00</td><td>56.33</td><td>68.20</td><td>-11.87</td><td>43.11</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>167 360 PEAK</td></tr><tr><td>2</td><td>5653.60</td><td>55.01</td><td>70.88</td><td>-15.87</td><td>41.78</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>167 360 PEAK</td></tr><tr><td>3</td><td>5714.40</td><td>71.22</td><td>109.33</td><td>-38.11</td><td>58.09</td><td>34.60</td><td>10.34</td><td>31.81</td><td>0.00</td><td>167 360 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>71.96</td><td>110.90</td><td>-38.94</td><td>58.85</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>167 360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5618.00	56.33	68.20	-11.87	43.11	34.60	10.26	31.64	0.00	167 360 PEAK	2	5653.60	55.01	70.88	-15.87	41.78	34.60	10.29	31.66	0.00	167 360 PEAK	3	5714.40	71.22	109.33	-38.11	58.09	34.60	10.34	31.81	0.00	167 360 PEAK	4	5720.00	71.96	110.90	-38.94	58.85	34.60	10.34	31.83	0.00	167 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.66</td><td>-----</td><td>-----</td><td>98.59</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>167 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	111.66	-----	-----	98.59	34.60	10.36	31.89	0.00	167 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5618.00	56.33	68.20	-11.87	43.11	34.60	10.26	31.64	0.00	167 360 PEAK																																																																																																				
2	5653.60	55.01	70.88	-15.87	41.78	34.60	10.29	31.66	0.00	167 360 PEAK																																																																																																				
3	5714.40	71.22	109.33	-38.11	58.09	34.60	10.34	31.81	0.00	167 360 PEAK																																																																																																				
4	5720.00	71.96	110.90	-38.94	58.85	34.60	10.34	31.83	0.00	167 360 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5745.00	111.66	-----	-----	98.59	34.60	10.36	31.89	0.00	167 360 PEAK																																																																																																				
Avg	Blank																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.05</td><td>-----</td><td>-----</td><td>89.98</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>167 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	103.05	-----	-----	89.98	34.60	10.36	31.89	0.00	167 360 AVERAGE																																																																		
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5745.00	103.05	-----	-----	89.98	34.60	10.36	31.89	0.00	167 360 AVERAGE																																																																																																				





Mode	30																																																																																																																																						
	Band Edge																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																						
ANT	1																																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																																	
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.20</td><td>54.80</td><td>68.20</td><td>-13.40</td><td>41.57</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>136</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>52.64</td><td>68.50</td><td>-15.86</td><td>39.42</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>136</td><td>0 PEAK</td></tr><tr><td>3</td><td>5706.80</td><td>72.64</td><td>107.21</td><td>-34.57</td><td>59.50</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>136</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>72.56</td><td>110.90</td><td>-38.34</td><td>59.45</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>136</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.20	54.80	68.20	-13.40	41.57	34.60	10.28	31.65	0.00	136	0 PEAK	2	5650.40	52.64	68.50	-15.86	39.42	34.60	10.28	31.66	0.00	136	0 PEAK	3	5706.80	72.64	107.21	-34.57	59.50	34.60	10.33	31.79	0.00	136	0 PEAK	4	5720.00	72.56	110.90	-38.34	59.45	34.60	10.34	31.83	0.00	136	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.65</td><td>-----</td><td>-----</td><td>99.58</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>136</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.65	-----	-----	99.58	34.60	10.36	31.89	0.00	136
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5647.20	54.80	68.20	-13.40	41.57	34.60	10.28	31.65	0.00	136	0 PEAK																																																																																																																												
2	5650.40	52.64	68.50	-15.86	39.42	34.60	10.28	31.66	0.00	136	0 PEAK																																																																																																																												
3	5706.80	72.64	107.21	-34.57	59.50	34.60	10.33	31.79	0.00	136	0 PEAK																																																																																																																												
4	5720.00	72.56	110.90	-38.34	59.45	34.60	10.34	31.83	0.00	136	0 PEAK																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5745.00	112.65	-----	-----	99.58	34.60	10.36	31.89	0.00	136	0 PEAK																																																																																																																												
Avg	Blank																																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.35</td><td>-----</td><td>-----</td><td>91.28</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>136</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.35	-----	-----	91.28	34.60	10.36	31.89	0.00	136	0 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5745.00	104.35	-----	-----	91.28	34.60	10.36	31.89	0.00	136	0 AVERAGE																																																																																																																												






Mode	30																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>57.90</td><td>35.82</td><td>12.01</td><td>60.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>54.87</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.81	44.89	74.00	-29.11	57.90	35.82	12.01	60.84	0.00	---	---	PEAK	2	11490.00	46.79	74.00	-27.21	54.87	38.19	14.91	61.18	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>58.34</td><td>35.82</td><td>12.01</td><td>60.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>54.72</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.81	45.33	74.00	-28.67	58.34	35.82	12.01	60.84	0.00	---	---	PEAK	2	11490.00	46.64	74.00	-27.36	54.72	38.19	14.91	61.18	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7659.81	44.89	74.00	-29.11	57.90	35.82	12.01	60.84	0.00	---	---	PEAK																																																																																																																						
2	11490.00	46.79	74.00	-27.21	54.87	38.19	14.91	61.18	0.00	---	---	PEAK																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7659.81	45.33	74.00	-28.67	58.34	35.82	12.01	60.84	0.00	---	---	PEAK																																																																																																																						
2	11490.00	46.64	74.00	-27.36	54.72	38.19	14.91	61.18	0.00	---	---	PEAK																																																																																																																						






Mode	31																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>54.24</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.28	74.00	-27.72	54.24	38.27	14.97	61.20	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>54.32</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.36	74.00	-27.64	54.32	38.27	14.97	61.20	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11570.00	46.28	74.00	-27.72	54.24	38.27	14.97	61.20	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11570.00	46.36	74.00	-27.64	54.32	38.27	14.97	61.20	0.00	---	---	PEAK																																																																																														





Mode	32																																																																																																																																											
	Band Edge																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>64.59</td><td>111.36</td><td>-46.77</td><td>51.58</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>162</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>64.50</td><td>110.73</td><td>-46.23</td><td>51.49</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>162</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>54.36</td><td>69.53</td><td>-15.17</td><td>40.97</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>162</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5946.40</td><td>55.46</td><td>68.20</td><td>-12.74</td><td>41.92</td><td>35.18</td><td>10.53</td><td>32.17</td><td>0.00</td><td>162</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	64.59	111.36	-46.77	51.58	34.72	10.45	32.16	0.00	162	360	PEAK	2	5855.60	64.50	110.73	-46.23	51.49	34.72	10.45	32.16	0.00	162	360	PEAK	3	5923.20	54.36	69.53	-15.17	40.97	35.04	10.51	32.16	0.00	162	360	PEAK	4	5946.40	55.46	68.20	-12.74	41.92	35.18	10.53	32.17	0.00	162	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.31</td><td>-----</td><td>98.31</td><td>34.65</td><td>10.43</td><td>32.08</td><td>0.00</td><td>162</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	111.31	-----	98.31	34.65	10.43	32.08	0.00	162	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5854.80	64.59	111.36	-46.77	51.58	34.72	10.45	32.16	0.00	162	360	PEAK																																																																																																																																
2	5855.60	64.50	110.73	-46.23	51.49	34.72	10.45	32.16	0.00	162	360	PEAK																																																																																																																																
3	5923.20	54.36	69.53	-15.17	40.97	35.04	10.51	32.16	0.00	162	360	PEAK																																																																																																																																
4	5946.40	55.46	68.20	-12.74	41.92	35.18	10.53	32.17	0.00	162	360	PEAK																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5825.00	111.31	-----	98.31	34.65	10.43	32.08	0.00	162	360	PEAK																																																																																																																																	
Avg	Blank																																																																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.79</td><td>-----</td><td>88.79</td><td>34.65</td><td>10.43</td><td>32.08</td><td>0.00</td><td>162</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.79	-----	88.79	34.65	10.43	32.08	0.00	162	360	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5825.00	101.79	-----	88.79	34.65	10.43	32.08	0.00	162	360	AVERAGE																																																																																																																																	






Mode	32																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>66.54</td><td>111.36</td><td>-44.82</td><td>53.53</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>130</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>65.47</td><td>110.62</td><td>-45.15</td><td>52.46</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>130</td><td>40</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.00</td><td>68.94</td><td>-13.94</td><td>41.61</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>130</td><td>40</td><td>PEAK</td></tr><tr><td>4</td><td>5936.40</td><td>55.10</td><td>68.20</td><td>-13.10</td><td>41.61</td><td>35.12</td><td>10.53</td><td>32.16</td><td>0.00</td><td>130</td><td>40</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	66.54	111.36	-44.82	53.53	34.72	10.45	32.16	0.00	130	40	PEAK	2	5856.00	65.47	110.62	-45.15	52.46	34.72	10.45	32.16	0.00	130	40	PEAK	3	5924.00	55.00	68.94	-13.94	41.61	35.04	10.51	32.16	0.00	130	40	PEAK	4	5936.40	55.10	68.20	-13.10	41.61	35.12	10.53	32.16	0.00	130	40	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.57</td><td>-----</td><td>99.57</td><td>34.65</td><td>10.43</td><td>32.08</td><td>0.00</td><td>130</td><td>40</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	112.57	-----	99.57	34.65	10.43	32.08	0.00	130	40	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5854.00	66.54	111.36	-44.82	53.53	34.72	10.45	32.16	0.00	130	40	PEAK																																																																																																																																		
2	5856.00	65.47	110.62	-45.15	52.46	34.72	10.45	32.16	0.00	130	40	PEAK																																																																																																																																		
3	5924.00	55.00	68.94	-13.94	41.61	35.04	10.51	32.16	0.00	130	40	PEAK																																																																																																																																		
4	5936.40	55.10	68.20	-13.10	41.61	35.12	10.53	32.16	0.00	130	40	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5825.00	112.57	-----	99.57	34.65	10.43	32.08	0.00	130	40	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.43</td><td>-----</td><td>90.43</td><td>34.65</td><td>10.43</td><td>32.08</td><td>0.00</td><td>130</td><td>40</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.43	-----	90.43	34.65	10.43	32.08	0.00	130	40	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5825.00	103.43	-----	90.43	34.65	10.43	32.08	0.00	130	40	AVERAGE																																																																																																																																			






Mode	32																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.58</td><td>74.00</td><td>-27.42</td><td>54.43</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.58	74.00	-27.42	54.43	38.35	15.02	61.22	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>54.80</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.95	74.00	-27.05	54.80	38.35	15.02	61.22	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	46.58	74.00	-27.42	54.43	38.35	15.02	61.22	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	46.95	74.00	-27.05	54.80	38.35	15.02	61.22	0.00	---	---	PEAK																																																																																														





Mode	33																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5650.00</td><td>54.43</td><td>68.20</td><td>-13.77</td><td>41.20</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>165</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.43</td><td>68.20</td><td>-13.77</td><td>41.20</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>165</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5706.80</td><td>70.04</td><td>107.21</td><td>-37.17</td><td>56.90</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>165</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>72.98</td><td>110.90</td><td>-37.92</td><td>59.87</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>165</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5650.00	54.43	68.20	-13.77	41.20	34.60	10.28	31.65	0.00	165	360	PEAK	2	5650.00	54.43	68.20	-13.77	41.20	34.60	10.28	31.65	0.00	165	360	PEAK	3	5706.80	70.04	107.21	-37.17	56.90	34.60	10.33	31.79	0.00	165	360	PEAK	4	5720.00	72.98	110.90	-37.92	59.87	34.60	10.34	31.83	0.00	165	360	PEAK	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5745.00</td><td>110.79</td><td>-----</td><td>-----</td><td>97.71</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>165</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	110.79	-----	-----	97.71	34.60	10.36	31.88	0.00	165	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
1	5650.00	54.43	68.20	-13.77	41.20	34.60	10.28	31.65	0.00	165	360	PEAK																																																																																																													
2	5650.00	54.43	68.20	-13.77	41.20	34.60	10.28	31.65	0.00	165	360	PEAK																																																																																																													
3	5706.80	70.04	107.21	-37.17	56.90	34.60	10.33	31.79	0.00	165	360	PEAK																																																																																																													
4	5720.00	72.98	110.90	-37.92	59.87	34.60	10.34	31.83	0.00	165	360	PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
1	5745.00	110.79	-----	-----	97.71	34.60	10.36	31.88	0.00	165	360	PEAK																																																																																																													
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5745.00</td><td>102.94</td><td>-----</td><td>-----</td><td>89.87</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>165</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	102.94	-----	-----	89.87	34.60	10.36	31.89	0.00	165	360	AVERAGE																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
1	5745.00	102.94	-----	-----	89.87	34.60	10.36	31.89	0.00	165	360	AVERAGE																																																																																																													





Mode	33																																																																																																																
	Band Edge																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical					Fundamental																																																																																																											
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5648.40</td><td>54.34</td><td>68.20</td><td>-13.86</td><td>41.11</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>136</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.51</td><td>68.00</td><td>-12.29</td><td>43.28</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>136</td><td>0 PEAK</td></tr><tr><td>3</td><td>5708.00</td><td>70.33</td><td>107.54</td><td>-37.21</td><td>57.20</td><td>34.60</td><td>10.33</td><td>31.80</td><td>0.00</td><td>136</td><td>0 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>75.33</td><td>113.64</td><td>-38.31</td><td>62.22</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>136</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5648.40	54.34	68.20	-13.86	41.11	34.60	10.28	31.65	0.00	136	0 PEAK	2	5650.00	56.51	68.00	-12.29	43.28	34.60	10.29	31.66	0.00	136	0 PEAK	3	5708.00	70.33	107.54	-37.21	57.20	34.60	10.33	31.80	0.00	136	0 PEAK	4	5721.20	75.33	113.64	-38.31	62.22	34.60	10.34	31.83	0.00	136	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.72</td><td>-----</td><td>-----</td><td>99.65</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>136</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	112.72	-----	-----	99.65	34.60	10.36	31.89	0.00	136
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
1	5648.40	54.34	68.20	-13.86	41.11	34.60	10.28	31.65	0.00	136	0 PEAK																																																																																																						
2	5650.00	56.51	68.00	-12.29	43.28	34.60	10.29	31.66	0.00	136	0 PEAK																																																																																																						
3	5708.00	70.33	107.54	-37.21	57.20	34.60	10.33	31.80	0.00	136	0 PEAK																																																																																																						
4	5721.20	75.33	113.64	-38.31	62.22	34.60	10.34	31.83	0.00	136	0 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
1	5745.00	112.72	-----	-----	99.65	34.60	10.36	31.89	0.00	136	0 PEAK																																																																																																						
Avg	Blank																																																																																																																
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.64</td><td>-----</td><td>-----</td><td>90.57</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>136</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	103.64	-----	-----	90.57	34.60	10.36	31.89	0.00	136	0 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
1	5745.00	103.64	-----	-----	90.57	34.60	10.36	31.89	0.00	136	0 AVERAGE																																																																																																						






Mode	33																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																					
ANT	1																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>54.90</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	46.82	74.00	-27.18	54.90	38.19	14.91	61.18	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7660.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>59.41</td><td>35.82</td><td>12.01</td><td>60.84</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>54.81</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7660.00	46.40	74.00	-27.60	59.41	35.82	12.01	60.84	0.00	---	---	Peak	2	11490.00	46.73	74.00	-27.27	54.81	38.19	14.91	61.18	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	11490.00	46.82	74.00	-27.18	54.90	38.19	14.91	61.18	0.00	---	---	PEAK																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	7660.00	46.40	74.00	-27.60	59.41	35.82	12.01	60.84	0.00	---	---	Peak																																																																																																										
2	11490.00	46.73	74.00	-27.27	54.81	38.19	14.91	61.18	0.00	---	---	PEAK																																																																																																										






Mode	34																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>56.96</td><td>35.90</td><td>12.07</td><td>60.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>54.30</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.31	44.20	74.00	-29.80	56.96	35.90	12.07	60.73	0.00	---	---	PEAK	2	11570.00	46.34	74.00	-27.66	54.30	38.27	14.97	61.20	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>58.17</td><td>35.90</td><td>12.07</td><td>60.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>53.79</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7713.31	45.41	74.00	-28.59	58.17	35.90	12.07	60.73	0.00	---	---	PEAK	2	11570.00	45.83	74.00	-28.17	53.79	38.27	14.97	61.20	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7713.31	44.20	74.00	-29.80	56.96	35.90	12.07	60.73	0.00	---	---	PEAK																																																																																																																							
2	11570.00	46.34	74.00	-27.66	54.30	38.27	14.97	61.20	0.00	---	---	PEAK																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																								
1	7713.31	45.41	74.00	-28.59	58.17	35.90	12.07	60.73	0.00	---	---	PEAK																																																																																																																							
2	11570.00	45.83	74.00	-28.17	53.79	38.27	14.97	61.20	0.00	---	---	PEAK																																																																																																																							





Mode	35																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>64.56</td><td>112.27</td><td>-47.71</td><td>51.55</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>171 360 PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>63.78</td><td>110.06</td><td>-46.28</td><td>50.75</td><td>34.73</td><td>10.46</td><td>32.16</td><td>0.00</td><td>171 360 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>54.22</td><td>69.23</td><td>-15.01</td><td>40.83</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>171 360 PEAK</td></tr><tr><td>4</td><td>5954.80</td><td>55.59</td><td>68.20</td><td>-12.61</td><td>42.00</td><td>35.22</td><td>10.54</td><td>32.17</td><td>0.00</td><td>171 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	64.56	112.27	-47.71	51.55	34.72	10.45	32.16	0.00	171 360 PEAK	2	5858.00	63.78	110.06	-46.28	50.75	34.73	10.46	32.16	0.00	171 360 PEAK	3	5923.60	54.22	69.23	-15.01	40.83	35.04	10.51	32.16	0.00	171 360 PEAK	4	5954.80	55.59	68.20	-12.61	42.00	35.22	10.54	32.17	0.00	171 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.37</td><td>-----</td><td>-----</td><td>97.38</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>171 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.37	-----	-----	97.38	34.66	10.43	32.10	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5854.40	64.56	112.27	-47.71	51.55	34.72	10.45	32.16	0.00	171 360 PEAK																																																																																																																								
2	5858.00	63.78	110.06	-46.28	50.75	34.73	10.46	32.16	0.00	171 360 PEAK																																																																																																																								
3	5923.60	54.22	69.23	-15.01	40.83	35.04	10.51	32.16	0.00	171 360 PEAK																																																																																																																								
4	5954.80	55.59	68.20	-12.61	42.00	35.22	10.54	32.17	0.00	171 360 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5825.00	110.37	-----	-----	97.38	34.66	10.43	32.10	0.00	171 360 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.45</td><td>-----</td><td>-----</td><td>88.45</td><td>34.65</td><td>10.43</td><td>32.00</td><td>0.00</td><td>171 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.45	-----	-----	88.45	34.65	10.43	32.00	0.00	171 360 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5825.00	101.45	-----	-----	88.45	34.65	10.43	32.00	0.00	171 360 AVERAGE																																																																																																																								






Mode	35																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>65.55</td><td>111.36</td><td>-45.81</td><td>52.54</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>149</td><td>42 PEAK</td></tr><tr><td>2</td><td>5856.80</td><td>66.32</td><td>110.40</td><td>-44.08</td><td>53.29</td><td>34.73</td><td>10.46</td><td>32.16</td><td>0.00</td><td>149</td><td>42 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.53</td><td>68.64</td><td>-14.11</td><td>41.12</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>149</td><td>42 PEAK</td></tr><tr><td>4</td><td>5946.80</td><td>55.18</td><td>68.20</td><td>-13.02</td><td>41.64</td><td>35.18</td><td>10.53</td><td>32.17</td><td>0.00</td><td>149</td><td>42 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.80	65.55	111.36	-45.81	52.54	34.72	10.45	32.16	0.00	149	42 PEAK	2	5856.80	66.32	110.40	-44.08	53.29	34.73	10.46	32.16	0.00	149	42 PEAK	3	5924.40	54.53	68.64	-14.11	41.12	35.05	10.52	32.16	0.00	149	42 PEAK	4	5946.80	55.18	68.20	-13.02	41.64	35.18	10.53	32.17	0.00	149	42 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.21</td><td>-----</td><td>-----</td><td>99.21</td><td>34.65</td><td>10.43</td><td>32.08</td><td>0.00</td><td>149</td><td>42 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	112.21	-----	-----	99.21	34.65	10.43	32.08	0.00	149
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5854.80	65.55	111.36	-45.81	52.54	34.72	10.45	32.16	0.00	149	42 PEAK																																																																																																																																				
2	5856.80	66.32	110.40	-44.08	53.29	34.73	10.46	32.16	0.00	149	42 PEAK																																																																																																																																				
3	5924.40	54.53	68.64	-14.11	41.12	35.05	10.52	32.16	0.00	149	42 PEAK																																																																																																																																				
4	5946.80	55.18	68.20	-13.02	41.64	35.18	10.53	32.17	0.00	149	42 PEAK																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5825.00	112.21	-----	-----	99.21	34.65	10.43	32.08	0.00	149	42 PEAK																																																																																																																																				
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.84</td><td>-----</td><td>-----</td><td>89.84</td><td>34.65</td><td>10.43</td><td>32.08</td><td>0.00</td><td>149</td><td>42 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	102.84	-----	-----	89.84	34.65	10.43	32.08	0.00	149	42 AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5825.00	102.84	-----	-----	89.84	34.65	10.43	32.08	0.00	149	42 AVERAGE																																																																																																																																				




Mode	35																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																					
ANT	1																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>54.49</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.64	74.00	-27.36	54.49	38.35	15.02	61.22	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.19</td><td>74.00</td><td>-26.81</td><td>55.04</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>37.31</td><td>54.00</td><td>-16.69</td><td>45.16</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	47.19	74.00	-26.81	55.04	38.35	15.02	61.22	0.00	100	0	PEAK	2	11650.00	37.31	54.00	-16.69	45.16	38.35	15.02	61.22	0.00	100	0
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	11650.00	46.64	74.00	-27.36	54.49	38.35	15.02	61.22	0.00	---	---	PEAK																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	11650.00	47.19	74.00	-26.81	55.04	38.35	15.02	61.22	0.00	100	0	PEAK																																																																																																										
2	11650.00	37.31	54.00	-16.69	45.16	38.35	15.02	61.22	0.00	100	0	AVERAGE																																																																																																										






Mode	36																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.12</td><td>54.91</td><td>68.20</td><td>-13.29</td><td>41.68</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>175 360 PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>56.81</td><td>68.36</td><td>-11.55</td><td>43.59</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>175 360 PEAK</td></tr><tr><td>3</td><td>5717.49</td><td>78.69</td><td>110.20</td><td>-31.51</td><td>65.57</td><td>34.60</td><td>10.34</td><td>31.82</td><td>0.00</td><td>175 360 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>79.44</td><td>111.19</td><td>-31.75</td><td>66.33</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>175 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.12	54.91	68.20	-13.29	41.68	34.60	10.28	31.65	0.00	175 360 PEAK	2	5650.22	56.81	68.36	-11.55	43.59	34.60	10.28	31.66	0.00	175 360 PEAK	3	5717.49	78.69	110.20	-31.51	65.57	34.60	10.34	31.82	0.00	175 360 PEAK	4	5720.13	79.44	111.19	-31.75	66.33	34.60	10.34	31.83	0.00	175 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.14</td><td>-----</td><td>-----</td><td>96.08</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>175 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	109.14	-----	-----	96.08	34.60	10.37	31.91	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5647.12	54.91	68.20	-13.29	41.68	34.60	10.28	31.65	0.00	175 360 PEAK																																																																																																																								
2	5650.22	56.81	68.36	-11.55	43.59	34.60	10.28	31.66	0.00	175 360 PEAK																																																																																																																								
3	5717.49	78.69	110.20	-31.51	65.57	34.60	10.34	31.82	0.00	175 360 PEAK																																																																																																																								
4	5720.13	79.44	111.19	-31.75	66.33	34.60	10.34	31.83	0.00	175 360 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5755.00	109.14	-----	-----	96.08	34.60	10.37	31.91	0.00	175 360 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.75</td><td>-----</td><td>-----</td><td>86.69</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>175 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.75	-----	-----	86.69	34.60	10.37	31.91	0.00	175 360 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	5755.00	99.75	-----	-----	86.69	34.60	10.37	31.91	0.00	175 360 AVERAGE																																																																																																																								




Mode	36																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>55.93</td><td>112.15</td><td>-56.22</td><td>42.92</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>175 360 PEAK</td></tr><tr><td>2</td><td>5870.64</td><td>56.65</td><td>106.52</td><td>-49.87</td><td>43.56</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>175 360 PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>53.44</td><td>68.46</td><td>-15.02</td><td>40.03</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>175 360 PEAK</td></tr><tr><td>4</td><td>5942.01</td><td>54.91</td><td>68.20</td><td>-13.29</td><td>41.40</td><td>35.15</td><td>10.53</td><td>32.17</td><td>0.00</td><td>175 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	55.93	112.15	-56.22	42.92	34.72	10.45	32.16	0.00	175 360 PEAK	2	5870.64	56.65	106.52	-49.87	43.56	34.78	10.47	32.16	0.00	175 360 PEAK	3	5924.65	53.44	68.46	-15.02	40.03	35.05	10.52	32.16	0.00	175 360 PEAK	4	5942.01	54.91	68.20	-13.29	41.40	35.15	10.53	32.17	0.00	175 360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.45	55.93	112.15	-56.22	42.92	34.72	10.45	32.16	0.00	175 360 PEAK																																																																														
2	5870.64	56.65	106.52	-49.87	43.56	34.78	10.47	32.16	0.00	175 360 PEAK																																																																														
3	5924.65	53.44	68.46	-15.02	40.03	35.05	10.52	32.16	0.00	175 360 PEAK																																																																														
4	5942.01	54.91	68.20	-13.29	41.40	35.15	10.53	32.17	0.00	175 360 PEAK																																																																														





Mode	36																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.04</td><td>55.03</td><td>68.20</td><td>-13.17</td><td>41.79</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>119</td><td>36 PEAK</td></tr><tr><td>2</td><td>5651.62</td><td>55.28</td><td>69.40</td><td>-14.12</td><td>42.05</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>119</td><td>36 PEAK</td></tr><tr><td>3</td><td>5715.32</td><td>80.77</td><td>109.59</td><td>-28.82</td><td>67.65</td><td>34.60</td><td>10.34</td><td>31.82</td><td>0.00</td><td>119</td><td>36 PEAK</td></tr><tr><td>4</td><td>5720.59</td><td>80.31</td><td>112.25</td><td>-31.94</td><td>67.20</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>119</td><td>36 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.04	55.03	68.20	-13.17	41.79	34.60	10.28	31.64	0.00	119	36 PEAK	2	5651.62	55.28	69.40	-14.12	42.05	34.60	10.29	31.66	0.00	119	36 PEAK	3	5715.32	80.77	109.59	-28.82	67.65	34.60	10.34	31.82	0.00	119	36 PEAK	4	5720.59	80.31	112.25	-31.94	67.20	34.60	10.34	31.83	0.00	119	36 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.63</td><td>-----</td><td>-----</td><td>96.57</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>119</td><td>36 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	109.63	-----	-----	96.57	34.60	10.37	31.91	0.00	119
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5646.04	55.03	68.20	-13.17	41.79	34.60	10.28	31.64	0.00	119	36 PEAK																																																																																																																													
2	5651.62	55.28	69.40	-14.12	42.05	34.60	10.29	31.66	0.00	119	36 PEAK																																																																																																																													
3	5715.32	80.77	109.59	-28.82	67.65	34.60	10.34	31.82	0.00	119	36 PEAK																																																																																																																													
4	5720.59	80.31	112.25	-31.94	67.20	34.60	10.34	31.83	0.00	119	36 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	109.63	-----	-----	96.57	34.60	10.37	31.91	0.00	119	36 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.93</td><td>-----</td><td>-----</td><td>87.87</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>119</td><td>36 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	100.93	-----	-----	87.87	34.60	10.37	31.91	0.00	119	36 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	100.93	-----	-----	87.87	34.60	10.37	31.91	0.00	119	36 AVERAGE																																																																																																																													






Mode	36																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																														
ANT	1																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>58.52</td><td>111.71</td><td>-53.19</td><td>45.51</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>119 36 PEAK</td></tr><tr><td>2</td><td>5870.83</td><td>55.61</td><td>106.47</td><td>-50.86</td><td>42.52</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>119 36 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>55.65</td><td>68.31</td><td>-12.66</td><td>42.24</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>119 36 PEAK</td></tr><tr><td>4</td><td>5930.11</td><td>55.47</td><td>68.20</td><td>-12.73</td><td>42.03</td><td>35.08</td><td>10.52</td><td>32.16</td><td>0.00</td><td>119 36 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	58.52	111.71	-53.19	45.51	34.72	10.45	32.16	0.00	119 36 PEAK	2	5870.83	55.61	106.47	-50.86	42.52	34.78	10.47	32.16	0.00	119 36 PEAK	3	5924.85	55.65	68.31	-12.66	42.24	35.05	10.52	32.16	0.00	119 36 PEAK	4	5930.11	55.47	68.20	-12.73	42.03	35.08	10.52	32.16	0.00	119 36 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.65	58.52	111.71	-53.19	45.51	34.72	10.45	32.16	0.00	119 36 PEAK																																																																					
2	5870.83	55.61	106.47	-50.86	42.52	34.78	10.47	32.16	0.00	119 36 PEAK																																																																					
3	5924.85	55.65	68.31	-12.66	42.24	35.05	10.52	32.16	0.00	119 36 PEAK																																																																					
4	5930.11	55.47	68.20	-12.73	42.03	35.08	10.52	32.16	0.00	119 36 PEAK																																																																					




Mode	36																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>55.01</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	46.96	74.00	-27.04	55.01	38.21	14.92	61.18	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>54.31</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	46.26	74.00	-27.74	54.31	38.21	14.92	61.18	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11510.00	46.96	74.00	-27.04	55.01	38.21	14.92	61.18	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11510.00	46.26	74.00	-27.74	54.31	38.21	14.92	61.18	0.00	---	---	PEAK																																																																																														






Mode	37																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.20</td><td>54.22</td><td>68.20</td><td>-13.98</td><td>40.97</td><td>34.60</td><td>10.28</td><td>31.63</td><td>0.00</td><td>164</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.00</td><td>68.20</td><td>-15.40</td><td>39.57</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>164</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5717.60</td><td>61.00</td><td>110.23</td><td>-49.23</td><td>47.88</td><td>34.60</td><td>10.34</td><td>31.82</td><td>0.00</td><td>164</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>59.60</td><td>111.81</td><td>-52.21</td><td>46.49</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>164</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5641.20	54.22	68.20	-13.98	40.97	34.60	10.28	31.63	0.00	164	360	PEAK	2	5650.00	52.00	68.20	-15.40	39.57	34.60	10.28	31.65	0.00	164	360	PEAK	3	5717.60	61.00	110.23	-49.23	47.88	34.60	10.34	31.82	0.00	164	360	PEAK	4	5720.40	59.60	111.81	-52.21	46.49	34.60	10.34	31.83	0.00	164	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>107.39</td><td>-----</td><td>-----</td><td>94.39</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>164</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	107.39	-----	-----	94.39	34.60	10.40	32.00	0.00	164	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5641.20	54.22	68.20	-13.98	40.97	34.60	10.28	31.63	0.00	164	360	PEAK																																																																																																																																		
2	5650.00	52.00	68.20	-15.40	39.57	34.60	10.28	31.65	0.00	164	360	PEAK																																																																																																																																		
3	5717.60	61.00	110.23	-49.23	47.88	34.60	10.34	31.82	0.00	164	360	PEAK																																																																																																																																		
4	5720.40	59.60	111.81	-52.21	46.49	34.60	10.34	31.83	0.00	164	360	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	107.39	-----	-----	94.39	34.60	10.40	32.00	0.00	164	360	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.04</td><td>-----</td><td>-----</td><td>86.04</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>164</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	99.04	-----	-----	86.04	34.60	10.40	32.00	0.00	164	360	AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	99.04	-----	-----	86.04	34.60	10.40	32.00	0.00	164	360	AVERAGE																																																																																																																																		




Mode	37																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>59.20</td><td>111.36</td><td>-52.16</td><td>46.19</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>164</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>63.52</td><td>110.73</td><td>-47.21</td><td>50.51</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>164</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.50</td><td>68.35</td><td>-12.85</td><td>42.09</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>164</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5925.20</td><td>55.73</td><td>68.20</td><td>-12.47</td><td>42.32</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>164</td><td>360</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	59.20	111.36	-52.16	46.19	34.72	10.45	32.16	0.00	164	360	PEAK	2	5855.60	63.52	110.73	-47.21	50.51	34.72	10.45	32.16	0.00	164	360	PEAK	3	5924.80	55.50	68.35	-12.85	42.09	35.05	10.52	32.16	0.00	164	360	PEAK	4	5925.20	55.73	68.20	-12.47	42.32	35.05	10.52	32.16	0.00	164	360	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5854.80	59.20	111.36	-52.16	46.19	34.72	10.45	32.16	0.00	164	360	PEAK																																																																											
2	5855.60	63.52	110.73	-47.21	50.51	34.72	10.45	32.16	0.00	164	360	PEAK																																																																											
3	5924.80	55.50	68.35	-12.85	42.09	35.05	10.52	32.16	0.00	164	360	PEAK																																																																											
4	5925.20	55.73	68.20	-12.47	42.32	35.05	10.52	32.16	0.00	164	360	PEAK																																																																											





Mode	37																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5634.40</td><td>55.32</td><td>68.20</td><td>-12.88</td><td>42.08</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>124 36 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.26</td><td>68.00</td><td>-15.54</td><td>40.03</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>124 36 PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>57.59</td><td>106.31</td><td>-48.72</td><td>44.45</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>124 36 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>60.55</td><td>111.81</td><td>-51.26</td><td>47.44</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>124 36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.40	55.32	68.20	-12.88	42.08	34.60	10.27	31.63	0.00	124 36 PEAK	2	5650.00	53.26	68.00	-15.54	40.03	34.60	10.29	31.66	0.00	124 36 PEAK	3	5703.60	57.59	106.31	-48.72	44.45	34.60	10.33	31.79	0.00	124 36 PEAK	4	5720.40	60.55	111.81	-51.26	47.44	34.60	10.34	31.83	0.00	124 36 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5634.40	55.32	68.20	-12.88	42.08	34.60	10.27	31.63	0.00	124 36 PEAK																																																																														
2	5650.00	53.26	68.00	-15.54	40.03	34.60	10.29	31.66	0.00	124 36 PEAK																																																																														
3	5703.60	57.59	106.31	-48.72	44.45	34.60	10.33	31.79	0.00	124 36 PEAK																																																																														
4	5720.40	60.55	111.81	-51.26	47.44	34.60	10.34	31.83	0.00	124 36 PEAK																																																																														
Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>109.22</td><td>-----</td><td>-----</td><td>96.22</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>124 36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	109.22	-----	-----	96.22	34.60	10.40	32.00	0.00	124 36 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5795.00	109.22	-----	-----	96.22	34.60	10.40	32.00	0.00	124 36 PEAK																																																																														
Blank																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>100.30</td><td>-----</td><td>-----</td><td>87.31</td><td>34.60</td><td>10.40</td><td>32.01</td><td>0.00</td><td>124 36 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	100.30	-----	-----	87.31	34.60	10.40	32.01	0.00	124 36 AVERAGE																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5795.00	100.30	-----	-----	87.31	34.60	10.40	32.01	0.00	124 36 AVERAGE																																																																														






Mode	37																																																																																												
	Band Edge - R																																																																																												
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																												
ANT	1																																																																																												
Pol.	Vertical						Fundamental																																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>62.33</td><td>112.27</td><td>-49.94</td><td>49.32</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>124</td><td>36 PEAK</td></tr><tr><td>2</td><td>5868.00</td><td>60.62</td><td>107.26</td><td>-46.64</td><td>47.54</td><td>34.77</td><td>10.47</td><td>32.16</td><td>0.00</td><td>124</td><td>36 PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>55.29</td><td>70.12</td><td>-14.83</td><td>41.91</td><td>35.03</td><td>10.51</td><td>32.16</td><td>0.00</td><td>124</td><td>36 PEAK</td></tr><tr><td>4</td><td>5953.20</td><td>55.52</td><td>68.20</td><td>-12.68</td><td>41.94</td><td>35.21</td><td>10.54</td><td>32.17</td><td>0.00</td><td>124</td><td>36 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	62.33	112.27	-49.94	49.32	34.72	10.45	32.16	0.00	124	36 PEAK	2	5868.00	60.62	107.26	-46.64	47.54	34.77	10.47	32.16	0.00	124	36 PEAK	3	5922.40	55.29	70.12	-14.83	41.91	35.03	10.51	32.16	0.00	124	36 PEAK	4	5953.20	55.52	68.20	-12.68	41.94	35.21	10.54	32.17	0.00	124	36 PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5854.40	62.33	112.27	-49.94	49.32	34.72	10.45	32.16	0.00	124	36 PEAK																																																																																		
2	5868.00	60.62	107.26	-46.64	47.54	34.77	10.47	32.16	0.00	124	36 PEAK																																																																																		
3	5922.40	55.29	70.12	-14.83	41.91	35.03	10.51	32.16	0.00	124	36 PEAK																																																																																		
4	5953.20	55.52	68.20	-12.68	41.94	35.21	10.54	32.17	0.00	124	36 PEAK																																																																																		




Mode	37																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>54.16</td><td>38.29</td><td>14.98</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	46.22	74.00	-27.78	54.16	38.29	14.98	61.21	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>54.74</td><td>38.29</td><td>14.98</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	46.80	74.00	-27.20	54.74	38.29	14.98	61.21	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11590.00	46.22	74.00	-27.78	54.16	38.29	14.98	61.21	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11590.00	46.80	74.00	-27.20	54.74	38.29	14.98	61.21	0.00	---	---	PEAK																																																																																													






Mode	38																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.60</td><td>56.22</td><td>68.20</td><td>-11.98</td><td>42.99</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.58</td><td>68.20</td><td>-13.62</td><td>41.35</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>74.75</td><td>105.30</td><td>-30.55</td><td>61.61</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>75.19</td><td>110.90</td><td>-35.71</td><td>62.08</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.60	56.22	68.20	-11.98	42.99	34.60	10.28	31.65	0.00	176	360	PEAK	2	5650.00	54.58	68.20	-13.62	41.35	34.60	10.28	31.65	0.00	176	360	PEAK	3	5700.00	74.75	105.30	-30.55	61.61	34.60	10.32	31.78	0.00	176	360	PEAK	4	5720.00	75.19	110.90	-35.71	62.08	34.60	10.34	31.83	0.00	176	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>104.17</td><td>-----</td><td>91.14</td><td>34.60</td><td>10.38</td><td>31.95</td><td>0.00</td><td>176</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	104.17	-----	91.14	34.60	10.38	31.95	0.00	176	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5647.60	56.22	68.20	-11.98	42.99	34.60	10.28	31.65	0.00	176	360	PEAK																																																																																																																																		
2	5650.00	54.58	68.20	-13.62	41.35	34.60	10.28	31.65	0.00	176	360	PEAK																																																																																																																																		
3	5700.00	74.75	105.30	-30.55	61.61	34.60	10.32	31.78	0.00	176	360	PEAK																																																																																																																																		
4	5720.00	75.19	110.90	-35.71	62.08	34.60	10.34	31.83	0.00	176	360	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5775.00	104.17	-----	91.14	34.60	10.38	31.95	0.00	176	360	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																													
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>94.78</td><td>-----</td><td>81.75</td><td>34.60</td><td>10.38</td><td>31.95</td><td>0.00</td><td>176</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	94.78	-----	81.75	34.60	10.38	31.95	0.00	176	360	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5775.00	94.78	-----	81.75	34.60	10.38	31.95	0.00	176	360	AVERAGE																																																																																																																																			




Mode	38																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>67.53</td><td>111.36</td><td>-43.83</td><td>54.52</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>176 360 PEAK</td></tr><tr><td>2</td><td>5859.60</td><td>70.98</td><td>109.61</td><td>-38.63</td><td>57.94</td><td>34.74</td><td>10.46</td><td>32.16</td><td>0.00</td><td>176 360 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>53.76</td><td>68.64</td><td>-14.88</td><td>40.35</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>176 360 PEAK</td></tr><tr><td>4</td><td>5928.80</td><td>54.81</td><td>68.20</td><td>-13.39</td><td>41.38</td><td>35.07</td><td>10.52</td><td>32.16</td><td>0.00</td><td>176 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	67.53	111.36	-43.83	54.52	34.72	10.45	32.16	0.00	176 360 PEAK	2	5859.60	70.98	109.61	-38.63	57.94	34.74	10.46	32.16	0.00	176 360 PEAK	3	5924.40	53.76	68.64	-14.88	40.35	35.05	10.52	32.16	0.00	176 360 PEAK	4	5928.80	54.81	68.20	-13.39	41.38	35.07	10.52	32.16	0.00	176 360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.80	67.53	111.36	-43.83	54.52	34.72	10.45	32.16	0.00	176 360 PEAK																																																																														
2	5859.60	70.98	109.61	-38.63	57.94	34.74	10.46	32.16	0.00	176 360 PEAK																																																																														
3	5924.40	53.76	68.64	-14.88	40.35	35.05	10.52	32.16	0.00	176 360 PEAK																																																																														
4	5928.80	54.81	68.20	-13.39	41.38	35.07	10.52	32.16	0.00	176 360 PEAK																																																																														





Mode	38																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue test signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.20</td><td>57.46</td><td>68.20</td><td>-10.74</td><td>44.22</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>147</td><td>38 PEAK</td></tr><tr><td>2</td><td>5656.40</td><td>64.06</td><td>72.97</td><td>-8.91</td><td>50.84</td><td>34.60</td><td>10.29</td><td>31.67</td><td>0.00</td><td>147</td><td>38 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>76.42</td><td>105.30</td><td>-28.88</td><td>63.28</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>147</td><td>38 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>78.76</td><td>110.90</td><td>-32.14</td><td>65.65</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>147</td><td>38 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5643.20	57.46	68.20	-10.74	44.22	34.60	10.28	31.64	0.00	147	38 PEAK	2	5656.40	64.06	72.97	-8.91	50.84	34.60	10.29	31.67	0.00	147	38 PEAK	3	5700.00	76.42	105.30	-28.88	63.28	34.60	10.32	31.78	0.00	147	38 PEAK	4	5720.00	78.76	110.90	-32.14	65.65	34.60	10.34	31.83	0.00	147	38 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A single peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>105.11</td><td>-----</td><td>-----</td><td>92.08</td><td>34.60</td><td>10.38</td><td>31.95</td><td>0.00</td><td>147</td><td>38 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	105.11	-----	-----	92.08	34.60	10.38	31.95	0.00	147	38 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5643.20	57.46	68.20	-10.74	44.22	34.60	10.28	31.64	0.00	147	38 PEAK																																																																																																								
2	5656.40	64.06	72.97	-8.91	50.84	34.60	10.29	31.67	0.00	147	38 PEAK																																																																																																								
3	5700.00	76.42	105.30	-28.88	63.28	34.60	10.32	31.78	0.00	147	38 PEAK																																																																																																								
4	5720.00	78.76	110.90	-32.14	65.65	34.60	10.34	31.83	0.00	147	38 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5775.00	105.11	-----	-----	92.08	34.60	10.38	31.95	0.00	147	38 PEAK																																																																																																								
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A single peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.36</td><td>-----</td><td>-----</td><td>83.32</td><td>34.60</td><td>10.38</td><td>31.94</td><td>0.00</td><td>147</td><td>38 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	96.36	-----	-----	83.32	34.60	10.38	31.94	0.00	147	38 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5775.00	96.36	-----	-----	83.32	34.60	10.38	31.94	0.00	147	38 AVERAGE																																																																																																								



Mode	38																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>70.19</td><td>111.36</td><td>-41.17</td><td>57.18</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>147</td><td>38 PEAK</td></tr><tr><td>2</td><td>5866.40</td><td>72.47</td><td>107.71</td><td>-35.24</td><td>59.40</td><td>34.77</td><td>10.46</td><td>32.16</td><td>0.00</td><td>147</td><td>38 PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>55.13</td><td>69.83</td><td>-14.70</td><td>41.74</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>147</td><td>38 PEAK</td></tr><tr><td>4</td><td>5939.60</td><td>56.56</td><td>68.20</td><td>-11.64</td><td>43.06</td><td>35.14</td><td>10.53</td><td>32.17</td><td>0.00</td><td>147</td><td>38 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	70.19	111.36	-41.17	57.18	34.72	10.45	32.16	0.00	147	38 PEAK	2	5866.40	72.47	107.71	-35.24	59.40	34.77	10.46	32.16	0.00	147	38 PEAK	3	5922.80	55.13	69.83	-14.70	41.74	35.04	10.51	32.16	0.00	147	38 PEAK	4	5939.60	56.56	68.20	-11.64	43.06	35.14	10.53	32.17	0.00	147	38 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	5854.80	70.19	111.36	-41.17	57.18	34.72	10.45	32.16	0.00	147	38 PEAK																																																																								
2	5866.40	72.47	107.71	-35.24	59.40	34.77	10.46	32.16	0.00	147	38 PEAK																																																																								
3	5922.80	55.13	69.83	-14.70	41.74	35.04	10.51	32.16	0.00	147	38 PEAK																																																																								
4	5939.60	56.56	68.20	-11.64	43.06	35.14	10.53	32.17	0.00	147	38 PEAK																																																																								





Mode	38																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11550.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>55.35</td><td>38.25</td><td>14.95</td><td>61.19</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>36.30</td><td>54.00</td><td>-17.70</td><td>44.35</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	47.36	74.00	-26.64	55.35	38.25	14.95	61.19	0.00	300	0 PEAK	2	11550.00	36.30	54.00	-17.70	44.35	38.21	14.92	61.18	0.00	300	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>7700.70</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>58.96</td><td>35.90</td><td>12.05</td><td>60.76</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11550.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>55.30</td><td>38.25</td><td>14.95</td><td>61.19</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11550.00</td><td>36.33</td><td>54.00</td><td>-17.67</td><td>44.38</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7700.70	46.15	74.00	-27.85	58.96	35.90	12.05	60.76	0.00	---	---	Peak	2	11550.00	47.31	74.00	-26.69	55.30	38.25	14.95	61.19	0.00	100	0	PEAK	3	11550.00	36.33	54.00	-17.67	44.38	38.21	14.92	61.18	0.00	100	0	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	11550.00	47.36	74.00	-26.64	55.35	38.25	14.95	61.19	0.00	300	0 PEAK																																																																																																																																				
2	11550.00	36.30	54.00	-17.70	44.35	38.21	14.92	61.18	0.00	300	0 AVERAGE																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	7700.70	46.15	74.00	-27.85	58.96	35.90	12.05	60.76	0.00	---	---	Peak																																																																																																																																			
2	11550.00	47.31	74.00	-26.69	55.30	38.25	14.95	61.19	0.00	100	0	PEAK																																																																																																																																			
3	11550.00	36.33	54.00	-17.67	44.38	38.21	14.92	61.18	0.00	100	0	AVERAGE																																																																																																																																			





Mode	38	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	38																																																																																																																																																																																																											
	30-1G																																																																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																																																																																											
ANT	1																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
Peak																																																																																																																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>21.31</td><td>40.00</td><td>-18.69</td><td>29.05</td><td>24.57</td><td>0.71</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>57.16</td><td>25.77</td><td>40.00</td><td>-14.23</td><td>44.46</td><td>13.10</td><td>1.12</td><td>32.91</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>176.47</td><td>21.52</td><td>43.50</td><td>-21.98</td><td>36.45</td><td>15.89</td><td>2.01</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>279.29</td><td>24.70</td><td>46.00</td><td>-21.30</td><td>36.00</td><td>18.95</td><td>2.55</td><td>32.80</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>321.00</td><td>26.33</td><td>46.00</td><td>-19.67</td><td>36.68</td><td>19.79</td><td>2.73</td><td>32.87</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>366.59</td><td>26.02</td><td>46.00</td><td>-19.98</td><td>35.16</td><td>20.84</td><td>2.92</td><td>32.90</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	21.31	40.00	-18.69	29.05	24.57	0.71	33.02	0.00	---	Peak	2	57.16	25.77	40.00	-14.23	44.46	13.10	1.12	32.91	0.00	---	Peak	3	176.47	21.52	43.50	-21.98	36.45	15.89	2.01	32.83	0.00	---	Peak	4	279.29	24.70	46.00	-21.30	36.00	18.95	2.55	32.80	0.00	---	Peak	5	321.00	26.33	46.00	-19.67	36.68	19.79	2.73	32.87	0.00	---	Peak	6	366.59	26.02	46.00	-19.98	35.16	20.84	2.92	32.90	0.00	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>21.43</td><td>40.00</td><td>-18.57</td><td>29.17</td><td>24.57</td><td>0.71</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>59.10</td><td>27.82</td><td>40.00</td><td>-12.18</td><td>46.82</td><td>12.76</td><td>1.14</td><td>32.90</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>320.03</td><td>21.95</td><td>46.00</td><td>-24.05</td><td>32.32</td><td>19.77</td><td>2.72</td><td>32.86</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>418.97</td><td>24.47</td><td>46.00</td><td>-21.53</td><td>32.27</td><td>22.00</td><td>3.12</td><td>32.92</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>556.71</td><td>29.26</td><td>46.00</td><td>-16.74</td><td>33.68</td><td>25.09</td><td>3.60</td><td>33.11</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>683.78</td><td>29.36</td><td>46.00</td><td>-16.64</td><td>33.16</td><td>25.23</td><td>4.00</td><td>33.03</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	21.43	40.00	-18.57	29.17	24.57	0.71	33.02	0.00	---	Peak	2	59.10	27.82	40.00	-12.18	46.82	12.76	1.14	32.90	0.00	---	Peak	3	320.03	21.95	46.00	-24.05	32.32	19.77	2.72	32.86	0.00	---	Peak	4	418.97	24.47	46.00	-21.53	32.27	22.00	3.12	32.92	0.00	---	Peak	5	556.71	29.26	46.00	-16.74	33.68	25.09	3.60	33.11	0.00	---	Peak	6	683.78	29.36	46.00	-16.64	33.16	25.23	4.00	33.03	0.00	---	Peak
		Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																
	1	30.00	21.31	40.00	-18.69	29.05	24.57	0.71	33.02	0.00	---	Peak																																																																																																																																																																																																
	2	57.16	25.77	40.00	-14.23	44.46	13.10	1.12	32.91	0.00	---	Peak																																																																																																																																																																																																
	3	176.47	21.52	43.50	-21.98	36.45	15.89	2.01	32.83	0.00	---	Peak																																																																																																																																																																																																
	4	279.29	24.70	46.00	-21.30	36.00	18.95	2.55	32.80	0.00	---	Peak																																																																																																																																																																																																
	5	321.00	26.33	46.00	-19.67	36.68	19.79	2.73	32.87	0.00	---	Peak																																																																																																																																																																																																
	6	366.59	26.02	46.00	-19.98	35.16	20.84	2.92	32.90	0.00	---	Peak																																																																																																																																																																																																
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1	30.00	21.43	40.00	-18.57	29.17	24.57	0.71	33.02	0.00	---	Peak																																																																																																																																																																																																	
2	59.10	27.82	40.00	-12.18	46.82	12.76	1.14	32.90	0.00	---	Peak																																																																																																																																																																																																	
3	320.03	21.95	46.00	-24.05	32.32	19.77	2.72	32.86	0.00	---	Peak																																																																																																																																																																																																	
4	418.97	24.47	46.00	-21.53	32.27	22.00	3.12	32.92	0.00	---	Peak																																																																																																																																																																																																	
5	556.71	29.26	46.00	-16.74	33.68	25.09	3.60	33.11	0.00	---	Peak																																																																																																																																																																																																	
6	683.78	29.36	46.00	-16.64	33.16	25.23	4.00	33.03	0.00	---	Peak																																																																																																																																																																																																	





Mode	39																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7624.76</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>58.08</td><td>35.75</td><td>11.98</td><td>60.91</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.11</td><td>74.00</td><td>-26.89</td><td>55.29</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.30</td><td>54.00</td><td>-17.70</td><td>44.48</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7624.76	44.90	74.00	-29.10	58.08	35.75	11.98	60.91	0.00	---	PEAK	2	11440.00	47.11	74.00	-26.89	55.29	38.14	14.87	61.19	0.00	300	0 PEAK	3	11440.00	36.30	54.00	-17.70	44.48	38.14	14.87	61.19	0.00	300	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7624.76</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>58.65</td><td>35.75</td><td>11.98</td><td>60.91</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>54.75</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7624.76	45.47	74.00	-28.53	58.65	35.75	11.98	60.91	0.00	---	PEAK	2	11440.00	46.57	74.00	-27.43	54.75	38.14	14.87	61.19	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	7624.76	44.90	74.00	-29.10	58.08	35.75	11.98	60.91	0.00	---	PEAK																																																																																																																																
2	11440.00	47.11	74.00	-26.89	55.29	38.14	14.87	61.19	0.00	300	0 PEAK																																																																																																																																
3	11440.00	36.30	54.00	-17.70	44.48	38.14	14.87	61.19	0.00	300	0 AVERAGE																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	7624.76	45.47	74.00	-28.53	58.65	35.75	11.98	60.91	0.00	---	PEAK																																																																																																																																
2	11440.00	46.57	74.00	-27.43	54.75	38.14	14.87	61.19	0.00	---	PEAK																																																																																																																																





Mode	40																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT20_CH144_5720MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7624.76</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>58.54</td><td>35.75</td><td>11.98</td><td>60.91</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>54.72</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7624.76	45.36	74.00	-28.64	58.54	35.75	11.98	60.91	0.00	---	PEAK	2	11440.00	46.54	74.00	-27.46	54.72	38.14	14.87	61.19	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7624.76</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>58.78</td><td>35.75</td><td>11.98</td><td>60.91</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.74</td><td>74.00</td><td>-27.26</td><td>54.92</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7624.76	45.60	74.00	-28.40	58.78	35.75	11.98	60.91	0.00	---	PEAK	2	11440.00	46.74	74.00	-27.26	54.92	38.14	14.87	61.19	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7624.76	45.36	74.00	-28.64	58.54	35.75	11.98	60.91	0.00	---	PEAK																																																																																																																					
2	11440.00	46.54	74.00	-27.46	54.72	38.14	14.87	61.19	0.00	---	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7624.76	45.60	74.00	-28.40	58.78	35.75	11.98	60.91	0.00	---	PEAK																																																																																																																					
2	11440.00	46.74	74.00	-27.26	54.92	38.14	14.87	61.19	0.00	---	PEAK																																																																																																																					



Mode	41																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH142_5710MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																		
Peak Avg																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7611.43</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>58.06</td><td>35.72</td><td>11.97</td><td>60.93</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>55.48</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>11420.00</td><td>36.26</td><td>54.00</td><td>-17.74</td><td>44.47</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7611.43	44.82	74.00	-29.18	58.06	35.72	11.97	60.93	0.00	---	PEAK	2	11420.00	47.27	74.00	-26.73	55.48	38.12	14.86	61.19	0.00	300	0 PEAK	3	11420.00	36.26	54.00	-17.74	44.47	38.12	14.86	61.19	0.00	300	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7611.43</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>58.38</td><td>35.72</td><td>11.97</td><td>60.93</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>54.41</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7611.43	45.14	74.00	-28.86	58.38	35.72	11.97	60.93	0.00	---	PEAK	2	11420.00	46.20	74.00	-27.80	54.41	38.12	14.86	61.19	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	7611.43	44.82	74.00	-29.18	58.06	35.72	11.97	60.93	0.00	---	PEAK																																																																																																																														
2	11420.00	47.27	74.00	-26.73	55.48	38.12	14.86	61.19	0.00	300	0 PEAK																																																																																																																														
3	11420.00	36.26	54.00	-17.74	44.47	38.12	14.86	61.19	0.00	300	0 AVERAGE																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	7611.43	45.14	74.00	-28.86	58.38	35.72	11.97	60.93	0.00	---	PEAK																																																																																																																														
2	11420.00	46.20	74.00	-27.80	54.41	38.12	14.86	61.19	0.00	---	PEAK																																																																																																																														




Mode	42																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7584.77</td><td>44.68</td><td>74.00</td><td>-29.32</td><td>58.02</td><td>35.70</td><td>11.94</td><td>60.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>53.89</td><td>38.08</td><td>14.83</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7584.77	44.68	74.00	-29.32	58.02	35.70	11.94	60.98	0.00	---	PEAK	2	11380.00	45.61	74.00	-28.39	53.89	38.08	14.83	61.19	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7584.77</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>59.39</td><td>35.70</td><td>11.94</td><td>60.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>53.84</td><td>38.08</td><td>14.83</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7584.77	46.05	74.00	-27.95	59.39	35.70	11.94	60.98	0.00	---	PEAK	2	11380.00	45.56	74.00	-28.44	53.84	38.08	14.83	61.19	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7584.77	44.68	74.00	-29.32	58.02	35.70	11.94	60.98	0.00	---	PEAK																																																																																																																					
2	11380.00	45.61	74.00	-28.39	53.89	38.08	14.83	61.19	0.00	---	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7584.77	46.05	74.00	-27.95	59.39	35.70	11.94	60.98	0.00	---	PEAK																																																																																																																					
2	11380.00	45.56	74.00	-28.44	53.84	38.08	14.83	61.19	0.00	---	PEAK																																																																																																																					



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.26	-	-	10Hz
802.11n HT20	98.14	-	-	10Hz
802.11n HT40	96.30	0.942	1.062	1.1kHz
802.11ac VHT80	93.66	0.463	2.160	2.2kHz

802.11a






802.11n HT20



802.11n HT40





802.11ac VHT80

