

Appendix: Modulation Calibration Parameters

UID	Communication System Name		A dB	B dB $\sqrt{\mu V}$	C	D dB	VR mV	Max Unc ^E (k=2)
0	CW	X	0.00	0.00	1.00	0.00	147.3	± 3.5 %
		Y	0.00	0.00	1.00		134.1	
		Z	0.00	0.00	1.00		148.7	
10010- CAA	SAR Validation (Square, 100ms, 10ms)	X	2.42	64.79	9.94	10.00	20.0	± 9.6 %
		Y	2.73	65.77	10.77		20.0	
		Z	2.41	64.97	9.98		20.0	
10011- CAB	UMTS-FDD (WCDMA)	X	1.30	72.19	18.14	0.00	150.0	± 9.6 %
		Y	1.08	67.68	15.61		150.0	
		Z	1.09	68.66	16.12		150.0	
10012- CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	X	1.21	64.80	16.05	0.41	150.0	± 9.6 %
		Y	1.17	63.60	15.08		150.0	
		Z	1.17	63.92	15.31		150.0	
10013- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	X	4.80	66.61	16.97	1.46	150.0	± 9.6 %
		Y	4.92	66.27	16.78		150.0	
		Z	4.79	66.48	16.86		150.0	
10021- DAC	GSM-FDD (TDMA, GMSK)	X	5.22	73.70	14.93	9.39	50.0	± 9.6 %
		Y	6.04	75.52	16.11		50.0	
		Z	6.48	76.61	16.02		50.0	
10023- DAC	GPRS-FDD (TDMA, GMSK, TN 0)	X	4.93	72.80	14.60	9.57	50.0	± 9.6 %
		Y	5.77	74.76	15.85		50.0	
		Z	5.87	75.20	15.52		50.0	
10024- DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	X	4.31	73.63	13.76	6.56	60.0	± 9.6 %
		Y	5.06	75.39	14.86		60.0	
		Z	6.36	78.12	15.36		60.0	
10025- DAC	EDGE-FDD (TDMA, 8PSK, TN 0)	X	6.52	81.04	30.30	12.57	50.0	± 9.6 %
		Y	4.56	69.44	24.14		50.0	
		Z	5.77	77.95	29.02		50.0	
10026- DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1)	X	9.44	90.57	31.08	9.56	60.0	± 9.6 %
		Y	9.00	87.42	29.44		60.0	
		Z	8.77	89.28	30.76		60.0	
10027- DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	X	6.81	79.46	14.99	4.80	80.0	± 9.6 %
		Y	5.97	78.50	15.15		80.0	
		Z	17.87	89.00	17.74		80.0	
10028- DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2-3)	X	100.00	103.86	20.48	3.55	100.0	± 9.6 %
		Y	13.17	86.99	17.03		100.0	
		Z	100.00	104.94	20.86		100.0	
10029- DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	X	5.89	80.64	26.26	7.80	80.0	± 9.6 %
		Y	6.09	79.77	25.51		80.0	
		Z	5.50	79.40	25.85		80.0	
10030- CAA	IEEE 802.15.1 Bluetooth (GFSK, DH1)	X	3.24	71.51	12.41	5.30	70.0	± 9.6 %
		Y	4.00	73.57	13.63		70.0	
		Z	4.46	75.04	13.72		70.0	
10031- CAA	IEEE 802.15.1 Bluetooth (GFSK, DH3)	X	100.00	102.55	18.81	1.88	100.0	± 9.6 %
		Y	16.77	89.52	16.35		100.0	
		Z	100.00	102.95	18.90		100.0	

10032-CAA	IEEE 802.15.1 Bluetooth (GFSK, DH5)	X	100.00	110.28	21.15	1.17	100.0	± 9.6 %
		Y	100.00	106.66	19.93		100.0	
		Z	100.00	108.73	20.47		100.0	
10033-CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH1)	X	4.35	76.32	17.80	5.30	70.0	± 9.6 %
		Y	4.51	76.93	18.73		70.0	
		Z	4.37	77.01	18.26		70.0	
10034-CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH3)	X	2.42	73.20	15.89	1.88	100.0	± 9.6 %
		Y	2.13	71.21	15.84		100.0	
		Z	2.09	71.44	15.23		100.0	
10035-CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH5)	X	2.06	72.80	15.77	1.17	100.0	± 9.6 %
		Y	1.70	69.67	15.18		100.0	
		Z	1.69	70.20	14.67		100.0	
10036-CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH1)	X	4.90	78.14	18.53	5.30	70.0	± 9.6 %
		Y	5.03	78.70	19.46		70.0	
		Z	4.96	78.98	19.05		70.0	
10037-CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH3)	X	2.27	72.48	15.57	1.88	100.0	± 9.6 %
		Y	2.06	70.85	15.65		100.0	
		Z	1.97	70.84	14.95		100.0	
10038-CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH5)	X	2.09	73.26	16.07	1.17	100.0	± 9.6 %
		Y	1.72	69.97	15.40		100.0	
		Z	1.70	70.51	14.92		100.0	
10039-CAB	CDMA2000 (1xRTT, RC1)	X	4.73	86.02	20.96	0.00	150.0	± 9.6 %
		Y	2.12	73.46	17.05		150.0	
		Z	2.27	75.42	17.00		150.0	
10042-CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Halfrate)	X	3.62	70.63	12.71	7.78	50.0	± 9.6 %
		Y	4.34	72.57	13.90		50.0	
		Z	4.26	72.72	13.53		50.0	
10044-CAA	IS-91/EIA/TIA-553 FDD (FDMA, FM)	X	0.00	105.46	0.48	0.00	150.0	± 9.6 %
		Y	0.00	100.56	3.53		150.0	
		Z	0.00	99.27	0.78		150.0	
10048-CAA	DECT (TDD, TDMA/FDM, GFSK, Full Slot, 24)	X	4.85	68.93	14.53	13.80	25.0	± 9.6 %
		Y	5.57	70.77	15.84		25.0	
		Z	5.34	70.30	15.05		25.0	
10049-CAA	DECT (TDD, TDMA/FDM, GFSK, Double Slot, 12)	X	4.85	71.40	14.30	10.79	40.0	± 9.6 %
		Y	5.55	73.16	15.53		40.0	
		Z	5.33	72.82	14.85		40.0	
10056-CAA	UMTS-TDD (TD-SCDMA, 1.28 Mcps)	X	6.88	77.81	18.63	9.03	50.0	± 9.6 %
		Y	7.12	78.34	19.45		50.0	
		Z	7.65	79.87	19.52		50.0	
10058-DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2-3)	X	4.51	75.83	23.63	6.55	100.0	± 9.6 %
		Y	4.76	75.58	23.17		100.0	
		Z	4.26	74.74	23.21		100.0	
10059-CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps)	X	1.24	65.79	16.46	0.61	110.0	± 9.6 %
		Y	1.21	64.47	15.44		110.0	
		Z	1.19	64.76	15.68		110.0	
10060-CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps)	X	17.92	110.25	28.68	1.30	110.0	± 9.6 %
		Y	3.18	83.63	20.62		110.0	
		Z	4.46	90.18	23.08		110.0	

10061-CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)	X	2.60	77.66	20.46	2.04	110.0	± 9.6 %
		Y	2.24	73.95	18.72		110.0	
		Z	2.19	74.89	19.36		110.0	
10062-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	X	4.64	66.78	16.61	0.49	100.0	± 9.6 %
		Y	4.76	66.43	16.39		100.0	
		Z	4.62	66.61	16.45		100.0	
10063-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps)	X	4.64	66.82	16.65	0.72	100.0	± 9.6 %
		Y	4.77	66.48	16.45		100.0	
		Z	4.63	66.66	16.50		100.0	
10064-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps)	X	4.91	67.03	16.83	0.86	100.0	± 9.6 %
		Y	5.08	66.79	16.68		100.0	
		Z	4.90	66.89	16.70		100.0	
10065-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps)	X	4.77	66.86	16.86	1.21	100.0	± 9.6 %
		Y	4.93	66.63	16.71		100.0	
		Z	4.76	66.72	16.73		100.0	
10066-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps)	X	4.77	66.82	16.96	1.46	100.0	± 9.6 %
		Y	4.94	66.61	16.82		100.0	
		Z	4.76	66.69	16.84		100.0	
10067-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps)	X	5.05	66.96	17.34	2.04	100.0	± 9.6 %
		Y	5.21	66.64	17.16		100.0	
		Z	5.04	66.85	17.24		100.0	
10068-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps)	X	5.08	66.93	17.47	2.55	100.0	± 9.6 %
		Y	5.28	66.78	17.38		100.0	
		Z	5.08	66.82	17.39		100.0	
10069-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps)	X	5.16	66.93	17.65	2.67	100.0	± 9.6 %
		Y	5.36	66.70	17.53		100.0	
		Z	5.15	66.82	17.57		100.0	
10071-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 9 Mbps)	X	4.88	66.63	17.20	1.99	100.0	± 9.6 %
		Y	5.00	66.31	17.02		100.0	
		Z	4.87	66.51	17.10		100.0	
10072-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 12 Mbps)	X	4.85	66.89	17.34	2.30	100.0	± 9.6 %
		Y	4.99	66.62	17.18		100.0	
		Z	4.84	66.77	17.25		100.0	
10073-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 18 Mbps)	X	4.90	67.00	17.59	2.83	100.0	± 9.6 %
		Y	5.03	66.71	17.42		100.0	
		Z	4.89	66.88	17.51		100.0	
10074-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 24 Mbps)	X	4.89	66.89	17.70	3.30	100.0	± 9.6 %
		Y	5.00	66.58	17.54		100.0	
		Z	4.87	66.77	17.62		100.0	
10075-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 36 Mbps)	X	4.92	66.98	17.95	3.82	90.0	± 9.6 %
		Y	5.06	66.77	17.85		90.0	
		Z	4.91	66.85	17.89		90.0	
10076-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 48 Mbps)	X	4.94	66.81	18.07	4.15	90.0	± 9.6 %
		Y	5.05	66.48	17.90		90.0	
		Z	4.93	66.68	18.00		90.0	
10077-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 54 Mbps)	X	4.97	66.87	18.16	4.30	90.0	± 9.6 %
		Y	5.07	66.52	17.97		90.0	
		Z	4.95	66.74	18.10		90.0	

10081-CAB	CDMA2000 (1xRTT, RC3)	X	1.34	73.26	16.07	0.00	150.0	± 9.6 %
		Y	0.97	67.09	13.85		150.0	
		Z	0.92	67.64	13.34		150.0	
10082-CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Fullrate)	X	0.60	57.64	2.97	4.77	80.0	± 9.6 %
		Y	0.87	60.00	4.88		80.0	
		Z	0.76	60.00	4.50		80.0	
10090-DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	X	4.26	73.48	13.72	6.56	60.0	± 9.6 %
		Y	5.02	75.26	14.82		60.0	
		Z	6.25	77.90	15.30		60.0	
10097-CAB	UMTS-FDD (HSDPA)	X	2.07	70.39	17.29	0.00	150.0	± 9.6 %
		Y	1.88	67.66	15.94		150.0	
		Z	1.90	68.62	16.23		150.0	
10098-CAB	UMTS-FDD (HSUPA, Subtest 2)	X	2.03	70.38	17.29	0.00	150.0	± 9.6 %
		Y	1.84	67.61	15.90		150.0	
		Z	1.87	68.58	16.20		150.0	
10099-DAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	X	9.48	90.61	31.08	9.56	60.0	± 9.6 %
		Y	9.03	87.45	29.44		60.0	
		Z	8.82	89.34	30.77		60.0	
10100-CAC	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	X	3.41	72.23	17.88	0.00	150.0	± 9.6 %
		Y	3.29	70.72	16.90		150.0	
		Z	3.20	70.91	17.10		150.0	
10101-CAC	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	X	3.33	68.35	16.58	0.00	150.0	± 9.6 %
		Y	3.35	67.71	16.08		150.0	
		Z	3.26	67.76	16.15		150.0	
10102-CAC	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	X	3.43	68.27	16.64	0.00	150.0	± 9.6 %
		Y	3.46	67.67	16.17		150.0	
		Z	3.36	67.73	16.24		150.0	
10103-CAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	X	5.97	74.16	19.36	3.98	65.0	± 9.6 %
		Y	5.68	72.38	18.48		65.0	
		Z	5.67	73.46	19.11		65.0	
10104-CAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	X	6.06	72.69	19.58	3.98	65.0	± 9.6 %
		Y	6.29	72.44	19.38		65.0	
		Z	5.91	72.35	19.46		65.0	
10105-CAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	X	5.94	72.21	19.69	3.98	65.0	± 9.6 %
		Y	5.74	70.63	18.88		65.0	
		Z	5.66	71.39	19.35		65.0	
10108-CAD	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	2.97	71.53	17.76	0.00	150.0	± 9.6 %
		Y	2.89	69.91	16.72		150.0	
		Z	2.79	70.16	16.95		150.0	
10109-CAD	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	3.00	68.40	16.59	0.00	150.0	± 9.6 %
		Y	3.02	67.55	16.02		150.0	
		Z	2.91	67.70	16.09		150.0	
10110-CAD	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	2.43	70.93	17.53	0.00	150.0	± 9.6 %
		Y	2.36	68.91	16.36		150.0	
		Z	2.26	69.36	16.59		150.0	
10111-CAD	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	2.80	69.98	17.21	0.00	150.0	± 9.6 %
		Y	2.75	68.32	16.42		150.0	
		Z	2.66	68.86	16.51		150.0	

10112-CAD	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	3.12	68.35	16.61	0.00	150.0	± 9.6 %
		Y	3.15	67.50	16.07		150.0	
		Z	3.04	67.70	16.14		150.0	
10113-CAD	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	2.95	70.04	17.29	0.00	150.0	± 9.6 %
		Y	2.90	68.42	16.53		150.0	
		Z	2.82	69.00	16.63		150.0	
10114-CAB	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	X	5.15	67.50	16.74	0.00	150.0	± 9.6 %
		Y	5.22	67.14	16.46		150.0	
		Z	5.12	67.31	16.56		150.0	
10115-CAB	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	X	5.41	67.54	16.76	0.00	150.0	± 9.6 %
		Y	5.58	67.45	16.61		150.0	
		Z	5.39	67.37	16.59		150.0	
10116-CAB	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	X	5.24	67.68	16.76	0.00	150.0	± 9.6 %
		Y	5.34	67.41	16.51		150.0	
		Z	5.21	67.48	16.57		150.0	
10117-CAB	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	X	5.11	67.34	16.68	0.00	150.0	± 9.6 %
		Y	5.22	67.14	16.47		150.0	
		Z	5.08	67.15	16.50		150.0	
10118-CAB	IEEE 802.11n (HT Mixed, 81 Mbps, 16-QAM)	X	5.49	67.74	16.87	0.00	150.0	± 9.6 %
		Y	5.66	67.62	16.71		150.0	
		Z	5.46	67.57	16.70		150.0	
10119-CAB	IEEE 802.11n (HT Mixed, 135 Mbps, 64-QAM)	X	5.22	67.64	16.75	0.00	150.0	± 9.6 %
		Y	5.31	67.35	16.50		150.0	
		Z	5.19	67.44	16.56		150.0	
10140-CAC	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	3.46	68.27	16.55	0.00	150.0	± 9.6 %
		Y	3.51	67.66	16.09		150.0	
		Z	3.39	67.73	16.15		150.0	
10141-CAC	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	3.58	68.36	16.71	0.00	150.0	± 9.6 %
		Y	3.63	67.73	16.25		150.0	
		Z	3.52	67.84	16.32		150.0	
10142-CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	2.28	71.64	17.47	0.00	150.0	± 9.6 %
		Y	2.14	68.93	16.19		150.0	
		Z	2.06	69.59	16.31		150.0	
10143-CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	2.81	71.69	17.26	0.00	150.0	± 9.6 %
		Y	2.64	69.17	16.36		150.0	
		Z	2.57	69.94	16.30		150.0	
10144-CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	2.38	68.20	15.09	0.00	150.0	± 9.6 %
		Y	2.41	66.92	14.79		150.0	
		Z	2.26	67.09	14.41		150.0	
10145-CAD	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	1.42	67.76	13.06	0.00	150.0	± 9.6 %
		Y	1.51	67.21	13.79		150.0	
		Z	1.22	65.54	11.84		150.0	
10146-CAD	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	1.70	65.03	10.63	0.00	150.0	± 9.6 %
		Y	2.51	68.89	13.96		150.0	
		Z	1.73	64.93	10.51		150.0	
10147-CAD	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	1.98	66.79	11.62	0.00	150.0	± 9.6 %
		Y	3.08	71.78	15.41		150.0	
		Z	1.99	66.49	11.39		150.0	

10149-CAC	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	3.01	68.48	16.64	0.00	150.0	± 9.6 %
		Y	3.03	67.61	16.07		150.0	
		Z	2.92	67.77	16.14		150.0	
10150-CAC	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	3.13	68.41	16.66	0.00	150.0	± 9.6 %
		Y	3.16	67.56	16.12		150.0	
		Z	3.05	67.76	16.18		150.0	
10151-CAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	6.07	75.91	20.09	3.98	65.0	± 9.6 %
		Y	6.06	74.71	19.51		65.0	
		Z	5.87	75.50	19.98		65.0	
10152-CAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	5.55	72.44	19.11	3.98	65.0	± 9.6 %
		Y	5.78	72.15	19.00		65.0	
		Z	5.40	72.08	19.00		65.0	
10153-CAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	5.93	73.45	19.93	3.98	65.0	± 9.6 %
		Y	6.13	73.01	19.76		65.0	
		Z	5.77	73.07	19.80		65.0	
10154-CAD	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	2.51	71.50	17.85	0.00	150.0	± 9.6 %
		Y	2.43	69.46	16.70		150.0	
		Z	2.32	69.84	16.87		150.0	
10155-CAD	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	2.80	70.01	17.23	0.00	150.0	± 9.6 %
		Y	2.75	68.31	16.42		150.0	
		Z	2.67	68.88	16.53		150.0	
10156-CAD	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	2.19	72.41	17.53	0.00	150.0	± 9.6 %
		Y	2.01	69.22	16.17		150.0	
		Z	1.92	69.85	16.15		150.0	
10157-CAD	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	2.31	69.45	15.42	0.00	150.0	± 9.6 %
		Y	2.27	67.64	14.99		150.0	
		Z	2.12	67.87	14.52		150.0	
10158-CAD	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	2.96	70.13	17.35	0.00	150.0	± 9.6 %
		Y	2.91	68.48	16.58		150.0	
		Z	2.82	69.07	16.68		150.0	
10159-CAD	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	2.46	70.08	15.76	0.00	150.0	± 9.6 %
		Y	2.40	68.20	15.34		150.0	
		Z	2.24	68.40	14.83		150.0	
10160-CAC	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	2.92	70.28	17.37	0.00	150.0	± 9.6 %
		Y	2.86	68.74	16.44		150.0	
		Z	2.78	69.18	16.67		150.0	
10161-CAC	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	3.03	68.44	16.62	0.00	150.0	± 9.6 %
		Y	3.05	67.48	16.07		150.0	
		Z	2.94	67.74	16.12		150.0	
10162-CAC	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	3.14	68.58	16.72	0.00	150.0	± 9.6 %
		Y	3.16	67.55	16.14		150.0	
		Z	3.05	67.90	16.24		150.0	
10166-CAD	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	3.52	69.80	19.32	3.01	150.0	± 9.6 %
		Y	3.73	69.14	18.87		150.0	
		Z	3.57	69.89	19.25		150.0	
10167-CAD	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	4.35	72.94	19.84	3.01	150.0	± 9.6 %
		Y	4.59	71.71	19.23		150.0	
		Z	4.53	73.42	19.91		150.0	

10168-CAD	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	4.93	75.65	21.38	3.01	150.0	± 9.6 %
		Y	5.07	73.87	20.53		150.0	
		Z	5.17	76.26	21.49		150.0	
10169-CAC	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	2.90	69.04	19.02	3.01	150.0	± 9.6 %
		Y	3.24	69.43	18.97		150.0	
		Z	3.01	69.57	19.12		150.0	
10170-CAC	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	4.08	75.65	21.65	3.01	150.0	± 9.6 %
		Y	4.51	75.17	21.20		150.0	
		Z	4.51	77.22	22.09		150.0	
10171-AAC	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	3.28	71.02	18.63	3.01	150.0	± 9.6 %
		Y	3.67	70.81	18.36		150.0	
		Z	3.51	71.96	18.85		150.0	
10172-CAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	6.51	84.62	24.96	6.02	65.0	± 9.6 %
		Y	5.94	80.24	23.15		65.0	
		Z	5.99	83.57	24.77		65.0	
10173-CAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	7.99	84.69	23.01	6.02	65.0	± 9.6 %
		Y	8.54	83.34	22.63		65.0	
		Z	9.41	87.80	24.18		65.0	
10174-CAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	6.89	81.47	21.36	6.02	65.0	± 9.6 %
		Y	6.51	78.27	20.39		65.0	
		Z	7.18	82.57	21.89		65.0	
10175-CAD	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	2.87	68.72	18.76	3.01	150.0	± 9.6 %
		Y	3.19	69.06	18.69		150.0	
		Z	2.97	69.22	18.85		150.0	
10176-CAD	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	4.09	75.67	21.66	3.01	150.0	± 9.6 %
		Y	4.51	75.19	21.21		150.0	
		Z	4.52	77.24	22.10		150.0	
10177-CAF	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	2.89	68.87	18.85	3.01	150.0	± 9.6 %
		Y	3.22	69.25	18.81		150.0	
		Z	3.00	69.39	18.95		150.0	
10178-CAD	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	4.05	75.45	21.54	3.01	150.0	± 9.6 %
		Y	4.45	74.88	21.04		150.0	
		Z	4.46	76.98	21.97		150.0	
10179-CAD	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	3.64	73.19	20.00	3.01	150.0	± 9.6 %
		Y	4.03	72.77	19.60		150.0	
		Z	3.95	74.39	20.31		150.0	
10180-CAD	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	3.27	70.95	18.58	3.01	150.0	± 9.6 %
		Y	3.65	70.71	18.29		150.0	
		Z	3.50	71.89	18.80		150.0	
10181-CAC	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	2.88	68.85	18.84	3.01	150.0	± 9.6 %
		Y	3.21	69.23	18.80		150.0	
		Z	2.99	69.37	18.94		150.0	
10182-CAC	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	4.04	75.42	21.53	3.01	150.0	± 9.6 %
		Y	4.44	74.86	21.03		150.0	
		Z	4.46	76.95	21.96		150.0	
10183-AAB	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	3.26	70.92	18.57	3.01	150.0	± 9.6 %
		Y	3.64	70.69	18.28		150.0	
		Z	3.50	71.86	18.79		150.0	

10184-CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	2.89	68.90	18.87	3.01	150.0	± 9.6 %
		Y	3.23	69.28	18.82		150.0	
		Z	3.00	69.41	18.97		150.0	
10185-CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	4.06	75.50	21.57	3.01	150.0	± 9.6 %
		Y	4.46	74.93	21.07		150.0	
		Z	4.48	77.04	22.00		150.0	
10186-AAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	3.28	70.99	18.61	3.01	150.0	± 9.6 %
		Y	3.66	70.75	18.31		150.0	
		Z	3.51	71.93	18.83		150.0	
10187-CAD	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	2.90	68.96	18.94	3.01	150.0	± 9.6 %
		Y	3.23	69.31	18.87		150.0	
		Z	3.01	69.48	19.04		150.0	
10188-CAD	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	4.20	76.23	21.98	3.01	150.0	± 9.6 %
		Y	4.63	75.71	21.50		150.0	
		Z	4.67	77.88	22.45		150.0	
10189-AAD	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	3.36	71.45	18.90	3.01	150.0	± 9.6 %
		Y	3.75	71.20	18.60		150.0	
		Z	3.61	72.44	19.14		150.0	
10193-CAB	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	X	4.54	66.99	16.47	0.00	150.0	± 9.6 %
		Y	4.64	66.57	16.23		150.0	
		Z	4.51	66.76	16.26		150.0	
10194-CAB	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	X	4.70	67.28	16.60	0.00	150.0	± 9.6 %
		Y	4.83	66.93	16.34		150.0	
		Z	4.68	67.06	16.39		150.0	
10195-CAB	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	X	4.74	67.31	16.61	0.00	150.0	± 9.6 %
		Y	4.87	66.95	16.35		150.0	
		Z	4.72	67.09	16.40		150.0	
10196-CAB	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	X	4.54	67.04	16.49	0.00	150.0	± 9.6 %
		Y	4.66	66.67	16.26		150.0	
		Z	4.51	66.81	16.27		150.0	
10197-CAB	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	X	4.72	67.30	16.61	0.00	150.0	± 9.6 %
		Y	4.85	66.95	16.36		150.0	
		Z	4.69	67.08	16.40		150.0	
10198-CAB	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	X	4.74	67.33	16.62	0.00	150.0	± 9.6 %
		Y	4.88	66.96	16.36		150.0	
		Z	4.72	67.10	16.41		150.0	
10219-CAB	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	X	4.49	67.07	16.46	0.00	150.0	± 9.6 %
		Y	4.61	66.68	16.23		150.0	
		Z	4.46	66.83	16.24		150.0	
10220-CAB	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	X	4.71	67.27	16.59	0.00	150.0	± 9.6 %
		Y	4.85	66.94	16.35		150.0	
		Z	4.68	67.04	16.38		150.0	
10221-CAB	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	X	4.75	67.25	16.60	0.00	150.0	± 9.6 %
		Y	4.88	66.89	16.35		150.0	
		Z	4.73	67.03	16.40		150.0	
10222-CAB	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	X	5.09	67.35	16.68	0.00	150.0	± 9.6 %
		Y	5.20	67.16	16.47		150.0	
		Z	5.06	67.16	16.49		150.0	

10223-CAB	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	X	5.39	67.59	16.81	0.00	150.0	± 9.6 %
		Y	5.55	67.43	16.63		150.0	
		Z	5.36	67.40	16.63		150.0	
10224-CAB	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	X	5.13	67.47	16.67	0.00	150.0	± 9.6 %
		Y	5.24	67.26	16.45		150.0	
		Z	5.10	67.28	16.48		150.0	
10225-CAB	UMTS-FDD (HSPA+)	X	2.86	67.01	15.91	0.00	150.0	± 9.6 %
		Y	2.91	66.13	15.58		150.0	
		Z	2.81	66.45	15.49		150.0	
10226-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	8.43	85.66	23.43	6.02	65.0	± 9.6 %
		Y	8.93	84.16	23.01		65.0	
		Z	10.04	88.97	24.66		65.0	
10227-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	7.73	83.13	21.96	6.02	65.0	± 9.6 %
		Y	8.20	81.78	21.68		65.0	
		Z	9.10	86.11	23.09		65.0	
10228-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	6.91	85.91	25.45	6.02	65.0	± 9.6 %
		Y	7.68	85.15	24.98		65.0	
		Z	7.08	86.80	25.95		65.0	
10229-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	8.04	84.78	23.04	6.02	65.0	± 9.6 %
		Y	8.60	83.42	22.67		65.0	
		Z	9.49	87.90	24.22		65.0	
10230-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	7.37	82.33	21.61	6.02	65.0	± 9.6 %
		Y	7.90	81.13	21.38		65.0	
		Z	8.60	85.14	22.69		65.0	
10231-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	6.64	85.10	25.09	6.02	65.0	± 9.6 %
		Y	7.41	84.42	24.64		65.0	
		Z	6.79	85.94	25.57		65.0	
10232-CAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	8.03	84.76	23.04	6.02	65.0	± 9.6 %
		Y	8.58	83.41	22.66		65.0	
		Z	9.47	87.88	24.22		65.0	
10233-CAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	7.35	82.31	21.61	6.02	65.0	± 9.6 %
		Y	7.88	81.11	21.37		65.0	
		Z	8.58	85.13	22.69		65.0	
10234-CAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	6.40	84.32	24.69	6.02	65.0	± 9.6 %
		Y	7.16	83.69	24.27		65.0	
		Z	6.54	85.12	25.16		65.0	
10235-CAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	8.04	84.79	23.05	6.02	65.0	± 9.6 %
		Y	8.58	83.42	22.67		65.0	
		Z	9.48	87.91	24.23		65.0	
10236-CAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	7.41	82.41	21.63	6.02	65.0	± 9.6 %
		Y	7.93	81.19	21.39		65.0	
		Z	8.66	85.24	22.72		65.0	
10237-CAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	6.65	85.15	25.11	6.02	65.0	± 9.6 %
		Y	7.41	84.46	24.65		65.0	
		Z	6.79	85.99	25.58		65.0	
10238-CAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	8.01	84.74	23.03	6.02	65.0	± 9.6 %
		Y	8.56	83.39	22.65		65.0	
		Z	9.45	87.86	24.20		65.0	

10239-CAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	7.33	82.29	21.60	6.02	65.0	± 9.6 %
		Y	7.87	81.10	21.36		65.0	
		Z	8.56	85.10	22.68		65.0	
10240-CAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	6.63	85.12	25.09	6.02	65.0	± 9.6 %
		Y	7.39	84.42	24.64		65.0	
		Z	6.77	85.95	25.57		65.0	
10241-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	7.55	79.29	23.90	6.98	65.0	± 9.6 %
		Y	7.76	77.67	23.31		65.0	
		Z	7.65	79.76	24.19		65.0	
10242-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	7.28	78.61	23.56	6.98	65.0	± 9.6 %
		Y	6.85	75.11	22.14		65.0	
		Z	7.03	78.09	23.44		65.0	
10243-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	5.99	75.75	23.30	6.98	65.0	± 9.6 %
		Y	5.73	72.75	21.92		65.0	
		Z	5.71	74.85	22.98		65.0	
10244-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	4.30	69.87	14.88	3.98	65.0	± 9.6 %
		Y	5.31	72.46	17.13		65.0	
		Z	4.41	70.49	15.29		65.0	
10245-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	4.25	69.49	14.67	3.98	65.0	± 9.6 %
		Y	5.30	72.20	16.97		65.0	
		Z	4.36	70.08	15.06		65.0	
10246-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	4.07	72.46	16.43	3.98	65.0	± 9.6 %
		Y	4.62	73.66	17.68		65.0	
		Z	3.97	72.40	16.53		65.0	
10247-CAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	4.39	70.90	16.52	3.98	65.0	± 9.6 %
		Y	4.83	71.65	17.52		65.0	
		Z	4.29	70.75	16.55		65.0	
10248-CAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	4.42	70.57	16.37	3.98	65.0	± 9.6 %
		Y	4.91	71.42	17.42		65.0	
		Z	4.32	70.41	16.39		65.0	
10249-CAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	5.25	76.39	19.05	3.98	65.0	± 9.6 %
		Y	5.36	75.76	19.23		65.0	
		Z	5.04	76.05	19.02		65.0	
10250-CAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	5.48	74.23	19.75	3.98	65.0	± 9.6 %
		Y	5.66	73.76	19.76		65.0	
		Z	5.31	73.83	19.65		65.0	
10251-CAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	5.28	72.43	18.64	3.98	65.0	± 9.6 %
		Y	5.53	72.17	18.77		65.0	
		Z	5.13	72.09	18.55		65.0	
10252-CAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	5.98	77.73	20.68	3.98	65.0	± 9.6 %
		Y	5.86	76.16	20.11		65.0	
		Z	5.71	77.19	20.55		65.0	
10253-CAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	5.46	72.01	18.89	3.98	65.0	± 9.6 %
		Y	5.66	71.64	18.82		65.0	
		Z	5.31	71.65	18.78		65.0	
10254-CAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	5.80	72.92	19.61	3.98	65.0	± 9.6 %
		Y	5.99	72.47	19.51		65.0	
		Z	5.65	72.55	19.50		65.0	

10255-CAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	5.86	75.47	20.11	3.98	65.0	± 9.6 %
		Y	5.85	74.28	19.58		65.0	
		Z	5.65	75.03	19.99		65.0	
10256-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	3.29	66.30	12.13	3.98	65.0	± 9.6 %
		Y	4.43	69.87	15.10		65.0	
		Z	3.36	66.78	12.48		65.0	
10257-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	3.27	65.93	11.87	3.98	65.0	± 9.6 %
		Y	4.43	69.53	14.88		65.0	
		Z	3.33	66.37	12.20		65.0	
10258-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	3.04	68.13	13.59	3.98	65.0	± 9.6 %
		Y	3.86	70.96	15.88		65.0	
		Z	3.00	68.24	13.77		65.0	
10259-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	4.82	72.19	17.72	3.98	65.0	± 9.6 %
		Y	5.15	72.41	18.32		65.0	
		Z	4.69	71.95	17.70		65.0	
10260-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	4.86	72.00	17.64	3.98	65.0	± 9.6 %
		Y	5.23	72.32	18.30		65.0	
		Z	4.73	71.77	17.63		65.0	
10261-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	5.34	76.36	19.50	3.98	65.0	± 9.6 %
		Y	5.39	75.42	19.43		65.0	
		Z	5.12	75.93	19.43		65.0	
10262-CAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	5.47	74.17	19.71	3.98	65.0	± 9.6 %
		Y	5.65	73.72	19.72		65.0	
		Z	5.29	73.78	19.61		65.0	
10263-CAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	5.27	72.41	18.63	3.98	65.0	± 9.6 %
		Y	5.52	72.16	18.77		65.0	
		Z	5.12	72.07	18.54		65.0	
10264-CAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	5.92	77.55	20.59	3.98	65.0	± 9.6 %
		Y	5.82	76.02	20.03		65.0	
		Z	5.66	77.02	20.46		65.0	
10265-CAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	5.55	72.45	19.12	3.98	65.0	± 9.6 %
		Y	5.78	72.15	19.01		65.0	
		Z	5.40	72.08	19.00		65.0	
10266-CAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	5.93	73.43	19.92	3.98	65.0	± 9.6 %
		Y	6.12	73.00	19.75		65.0	
		Z	5.76	73.06	19.79		65.0	
10267-CAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	6.06	75.88	20.08	3.98	65.0	± 9.6 %
		Y	6.05	74.68	19.50		65.0	
		Z	5.86	75.47	19.97		65.0	
10268-CAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	6.22	72.63	19.67	3.98	65.0	± 9.6 %
		Y	6.45	72.35	19.49		65.0	
		Z	6.08	72.30	19.56		65.0	
10269-CAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	6.22	72.30	19.59	3.98	65.0	± 9.6 %
		Y	6.43	72.02	19.42		65.0	
		Z	6.08	71.98	19.48		65.0	
10270-CAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	6.13	73.99	19.52	3.98	65.0	± 9.6 %
		Y	6.22	73.24	19.09		65.0	
		Z	5.97	73.67	19.42		65.0	

10274-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.70	67.69	16.01	0.00	150.0	± 9.6 %
		Y	2.65	66.36	15.42		150.0	
		Z	2.61	66.95	15.49		150.0	
10275-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	X	1.87	71.08	17.44	0.00	150.0	± 9.6 %
		Y	1.68	68.10	15.83		150.0	
		Z	1.68	68.87	16.15		150.0	
10277-CAA	PHS (QPSK)	X	2.38	61.49	7.13	9.03	50.0	± 9.6 %
		Y	2.80	62.71	8.53		50.0	
		Z	2.31	61.42	7.05		50.0	
10278-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	X	3.61	66.87	12.28	9.03	50.0	± 9.6 %
		Y	4.59	70.35	14.86		50.0	
		Z	3.66	67.39	12.59		50.0	
10279-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	3.69	67.09	12.44	9.03	50.0	± 9.6 %
		Y	4.72	70.61	15.01		50.0	
		Z	3.75	67.62	12.75		50.0	
10290-AAB	CDMA2000, RC1, SO55, Full Rate	X	2.33	75.98	17.10	0.00	150.0	± 9.6 %
		Y	1.69	69.99	15.27		150.0	
		Z	1.58	70.38	14.62		150.0	
10291-AAB	CDMA2000, RC3, SO55, Full Rate	X	1.28	72.64	15.79	0.00	150.0	± 9.6 %
		Y	0.94	66.82	13.70		150.0	
		Z	0.90	67.33	13.17		150.0	
10292-AAB	CDMA2000, RC3, SO32, Full Rate	X	5.33	93.65	23.56	0.00	150.0	± 9.6 %
		Y	1.22	71.51	16.33		150.0	
		Z	1.45	74.84	16.89		150.0	
10293-AAB	CDMA2000, RC3, SO3, Full Rate	X	100.00	137.79	35.09	0.00	150.0	± 9.6 %
		Y	1.93	78.58	19.72		150.0	
		Z	4.08	89.78	22.66		150.0	
10295-AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	7.00	77.46	19.63	9.03	50.0	± 9.6 %
		Y	6.31	76.01	19.95		50.0	
		Z	7.13	78.23	20.10		50.0	
10297-AAB	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	2.99	71.66	17.84	0.00	150.0	± 9.6 %
		Y	2.91	70.02	16.79		150.0	
		Z	2.80	70.28	17.02		150.0	
10298-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	1.95	71.71	16.06	0.00	150.0	± 9.6 %
		Y	1.79	68.79	15.27		150.0	
		Z	1.62	68.65	14.49		150.0	
10299-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	2.54	69.56	13.90	0.00	150.0	± 9.6 %
		Y	2.98	70.66	15.52		150.0	
		Z	2.54	69.11	13.59		150.0	
10300-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	1.79	64.46	10.72	0.00	150.0	± 9.6 %
		Y	2.30	66.25	12.74		150.0	
		Z	1.84	64.48	10.65		150.0	
10301-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	4.51	64.98	17.33	4.17	50.0	± 9.6 %
		Y	4.75	64.76	17.27		50.0	
		Z	4.44	64.57	17.04		50.0	
10302-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	5.07	65.98	18.24	4.96	50.0	± 9.6 %
		Y	5.26	65.54	18.05		50.0	
		Z	5.05	65.77	18.05		50.0	

10303-AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	X	4.82	65.61	18.07	4.96	50.0	± 9.6 %
		Y	5.02	65.22	17.93		50.0	
		Z	4.80	65.39	17.87		50.0	
10304-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	4.63	65.53	17.59	4.17	50.0	± 9.6 %
		Y	4.81	65.06	17.41		50.0	
		Z	4.61	65.30	17.39		50.0	
10305-AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	4.37	67.75	19.71	6.02	35.0	± 9.6 %
		Y	4.48	66.85	19.56		35.0	
		Z	4.29	67.20	19.35		35.0	
10306-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	4.62	66.48	19.17	6.02	35.0	± 9.6 %
		Y	4.79	65.85	19.04		35.0	
		Z	4.58	66.14	18.91		35.0	
10307-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	4.53	66.69	19.17	6.02	35.0	± 9.6 %
		Y	4.71	66.15	19.08		35.0	
		Z	4.48	66.31	18.89		35.0	
10308-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	X	4.51	66.93	19.33	6.02	35.0	± 9.6 %
		Y	4.67	66.28	19.18		35.0	
		Z	4.46	66.52	19.04		35.0	
10309-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	X	4.67	66.66	19.30	6.02	35.0	± 9.6 %
		Y	4.86	66.11	19.19		35.0	
		Z	4.63	66.32	19.04		35.0	
10310-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	4.58	66.58	19.17	6.02	35.0	± 9.6 %
		Y	4.74	65.93	19.02		35.0	
		Z	4.53	66.22	18.90		35.0	
10311-AAB	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	3.37	70.75	17.37	0.00	150.0	± 9.6 %
		Y	3.27	69.35	16.45		150.0	
		Z	3.17	69.51	16.64		150.0	
10313-AAA	iDEN 1:3	X	2.77	68.67	13.74	6.99	70.0	± 9.6 %
		Y	2.80	68.15	13.56		70.0	
		Z	2.67	68.68	13.84		70.0	
10314-AAA	iDEN 1:6	X	3.53	72.61	18.01	10.00	30.0	± 9.6 %
		Y	3.32	70.90	17.32		30.0	
		Z	3.47	72.87	18.24		30.0	
10315-AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.13	64.98	16.24	0.17	150.0	± 9.6 %
		Y	1.09	63.60	15.13		150.0	
		Z	1.09	63.99	15.39		150.0	
10316-AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	X	4.55	66.85	16.44	0.17	150.0	± 9.6 %
		Y	4.67	66.48	16.21		150.0	
		Z	4.53	66.66	16.27		150.0	
10317-AAB	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	4.55	66.85	16.44	0.17	150.0	± 9.6 %
		Y	4.67	66.48	16.21		150.0	
		Z	4.53	66.66	16.27		150.0	
10400-AAC	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	4.69	67.33	16.59	0.00	150.0	± 9.6 %
		Y	4.84	66.97	16.33		150.0	
		Z	4.66	67.10	16.37		150.0	
10401-AAC	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.40	67.43	16.70	0.00	150.0	± 9.6 %
		Y	5.48	67.06	16.42		150.0	
		Z	5.37	67.25	16.52		150.0	

10402-AAC	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	5.64	67.69	16.69	0.00	150.0	± 9.6 %
		Y	5.77	67.58	16.53		150.0	
		Z	5.62	67.52	16.52		150.0	
10403-AAB	CDMA2000 (1xEV-DO, Rev. 0)	X	2.33	75.98	17.10	0.00	115.0	± 9.6 %
		Y	1.69	69.99	15.27		115.0	
		Z	1.58	70.38	14.62		115.0	
10404-AAB	CDMA2000 (1xEV-DO, Rev. A)	X	2.33	75.98	17.10	0.00	115.0	± 9.6 %
		Y	1.69	69.99	15.27		115.0	
		Z	1.58	70.38	14.62		115.0	
10406-AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	X	100.00	121.61	30.12	0.00	100.0	± 9.6 %
		Y	14.24	96.20	25.04		100.0	
		Z	100.00	117.92	28.48		100.0	
10410-AAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	5.03	80.13	17.73	3.23	80.0	± 9.6 %
		Y	5.81	80.56	18.47		80.0	
		Z	6.27	82.90	18.68		80.0	
10415-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.06	64.38	15.93	0.00	150.0	± 9.6 %
		Y	1.02	63.00	14.79		150.0	
		Z	1.03	63.44	15.07		150.0	
10416-AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	X	4.54	67.02	16.54	0.00	150.0	± 9.6 %
		Y	4.64	66.61	16.28		150.0	
		Z	4.51	66.79	16.33		150.0	
10417-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	4.54	67.02	16.54	0.00	150.0	± 9.6 %
		Y	4.64	66.61	16.28		150.0	
		Z	4.51	66.79	16.33		150.0	
10418-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	X	4.54	67.21	16.58	0.00	150.0	± 9.6 %
		Y	4.63	66.75	16.28		150.0	
		Z	4.51	66.97	16.36		150.0	
10419-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	X	4.55	67.15	16.57	0.00	150.0	± 9.6 %
		Y	4.65	66.71	16.29		150.0	
		Z	4.52	66.91	16.36		150.0	
10422-AAA	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	4.66	67.12	16.57	0.00	150.0	± 9.6 %
		Y	4.78	66.72	16.31		150.0	
		Z	4.64	66.90	16.37		150.0	
10423-AAA	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	4.82	67.42	16.68	0.00	150.0	± 9.6 %
		Y	4.97	67.08	16.44		150.0	
		Z	4.79	67.20	16.47		150.0	
10424-AAA	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	4.74	67.38	16.66	0.00	150.0	± 9.6 %
		Y	4.88	67.02	16.40		150.0	
		Z	4.72	67.15	16.45		150.0	
10425-AAA	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.34	67.57	16.78	0.00	150.0	± 9.6 %
		Y	5.46	67.33	16.55		150.0	
		Z	5.32	67.39	16.60		150.0	
10426-AAA	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.36	67.65	16.81	0.00	150.0	± 9.6 %
		Y	5.47	67.35	16.56		150.0	
		Z	5.33	67.46	16.63		150.0	

10427-AAA	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.36	67.58	16.78	0.00	150.0	± 9.6 %
		Y	5.48	67.36	16.56		150.0	
		Z	5.34	67.40	16.60		150.0	
10430-AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.51	72.61	19.12	0.00	150.0	± 9.6 %
		Y	4.46	70.89	18.53		150.0	
		Z	4.37	71.80	18.63		150.0	
10431-AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	4.23	67.73	16.60	0.00	150.0	± 9.6 %
		Y	4.37	67.16	16.33		150.0	
		Z	4.18	67.41	16.33		150.0	
10432-AAA	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	4.52	67.50	16.63	0.00	150.0	± 9.6 %
		Y	4.66	67.06	16.37		150.0	
		Z	4.48	67.23	16.40		150.0	
10433-AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	4.76	67.41	16.68	0.00	150.0	± 9.6 %
		Y	4.90	67.06	16.43		150.0	
		Z	4.73	67.19	16.47		150.0	
10434-AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.75	73.95	19.25	0.00	150.0	± 9.6 %
		Y	4.58	71.78	18.59		150.0	
		Z	4.53	72.90	18.66		150.0	
10435-AAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.80	79.46	17.46	3.23	80.0	± 9.6 %
		Y	5.63	80.07	18.26		80.0	
		Z	5.94	82.14	18.39		80.0	
10447-AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.55	68.02	15.99	0.00	150.0	± 9.6 %
		Y	3.68	67.22	15.83		150.0	
		Z	3.48	67.49	15.62		150.0	
10448-AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	4.07	67.53	16.47	0.00	150.0	± 9.6 %
		Y	4.19	66.94	16.19		150.0	
		Z	4.03	67.20	16.20		150.0	
10449-AAA	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	4.34	67.34	16.55	0.00	150.0	± 9.6 %
		Y	4.45	66.89	16.27		150.0	
		Z	4.31	67.07	16.31		150.0	
10450-AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.53	67.20	16.55	0.00	150.0	± 9.6 %
		Y	4.63	66.82	16.29		150.0	
		Z	4.50	66.97	16.33		150.0	
10451-AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	3.45	68.26	15.59	0.00	150.0	± 9.6 %
		Y	3.60	67.50	15.57		150.0	
		Z	3.36	67.64	15.18		150.0	
10456-AAA	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	6.23	68.10	16.90	0.00	150.0	± 9.6 %
		Y	6.32	67.94	16.72		150.0	
		Z	6.20	67.94	16.75		150.0	
10457-AAA	UMTS-FDD (DC-HSDPA)	X	3.81	65.66	16.26	0.00	150.0	± 9.6 %
		Y	3.84	65.24	16.00		150.0	
		Z	3.79	65.45	16.04		150.0	
10458-AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	3.23	67.39	14.82	0.00	150.0	± 9.6 %
		Y	3.42	66.75	15.04		150.0	
		Z	3.15	66.84	14.46		150.0	
10459-AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	4.34	65.73	15.86	0.00	150.0	± 9.6 %
		Y	4.44	64.67	15.64		150.0	
		Z	4.24	65.20	15.51		150.0	

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	1.24	74.76	19.89	0.00	150.0	± 9.6 %
		Y	0.93	68.41	16.45		150.0	
		Z	0.98	69.88	17.21		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.60	73.88	16.44	3.29	80.0	± 9.6 %
		Y	3.44	75.27	17.33		80.0	
		Z	2.77	74.93	16.95		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.94	60.00	7.55	3.23	80.0	± 9.6 %
		Y	1.46	62.15	9.57		80.0	
		Z	0.93	60.00	7.54		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.96	60.00	7.07	3.23	80.0	± 9.6 %
		Y	1.27	60.55	8.37		80.0	
		Z	0.95	60.00	7.06		80.0	
10464-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.96	70.18	14.47	3.23	80.0	± 9.6 %
		Y	2.80	72.40	15.79		80.0	
		Z	2.10	71.21	14.98		80.0	
10465-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.94	60.00	7.49	3.23	80.0	± 9.6 %
		Y	1.40	61.72	9.29		80.0	
		Z	0.93	60.00	7.48		80.0	
10466-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.96	60.00	7.02	3.23	80.0	± 9.6 %
		Y	1.24	60.29	8.19		80.0	
		Z	0.95	60.00	7.01		80.0	
10467-AAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.04	70.73	14.71	3.23	80.0	± 9.6 %
		Y	2.90	72.87	15.99		80.0	
		Z	2.19	71.80	15.24		80.0	
10468-AAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.94	60.00	7.50	3.23	80.0	± 9.6 %
		Y	1.41	61.81	9.35		80.0	
		Z	0.93	60.00	7.50		80.0	
10469-AAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.96	60.00	7.02	3.23	80.0	± 9.6 %
		Y	1.24	60.29	8.19		80.0	
		Z	0.95	60.00	7.01		80.0	
10470-AAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.03	70.71	14.70	3.23	80.0	± 9.6 %
		Y	2.88	72.85	15.98		80.0	
		Z	2.19	71.78	15.23		80.0	
10471-AAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.93	60.00	7.49	3.23	80.0	± 9.6 %
		Y	1.40	61.78	9.33		80.0	
		Z	0.93	60.00	7.48		80.0	
10472-AAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.96	60.00	7.01	3.23	80.0	± 9.6 %
		Y	1.23	60.27	8.17		80.0	
		Z	0.95	60.00	7.00		80.0	
10473-AAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.03	70.68	14.68	3.23	80.0	± 9.6 %
		Y	2.88	72.82	15.97		80.0	
		Z	2.18	71.75	15.21		80.0	
10474-AAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.93	60.00	7.49	3.23	80.0	± 9.6 %
		Y	1.40	61.76	9.32		80.0	
		Z	0.92	60.00	7.48		80.0	
10475-AAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.96	60.00	7.01	3.23	80.0	± 9.6 %
		Y	1.23	60.26	8.16		80.0	
		Z	0.95	60.00	7.00		80.0	

10477-AAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.93	60.00	7.47	3.23	80.0	± 9.6 %
		Y	1.39	61.68	9.26		80.0	
		Z	0.92	60.00	7.46		80.0	
10478-AAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.96	60.00	7.00	3.23	80.0	± 9.6 %
		Y	1.23	60.23	8.14		80.0	
		Z	0.95	60.00	6.99		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.78	74.97	18.08	3.23	80.0	± 9.6 %
		Y	3.51	72.34	17.73		80.0	
		Z	3.72	74.88	18.15		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.87	68.12	13.64	3.23	80.0	± 9.6 %
		Y	3.67	69.85	15.37		80.0	
		Z	3.02	68.78	13.96		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.44	65.88	12.32	3.23	80.0	± 9.6 %
		Y	3.38	68.40	14.47		80.0	
		Z	2.55	66.45	12.62		80.0	
10482-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.13	67.11	13.97	2.23	80.0	± 9.6 %
		Y	2.32	67.01	14.59		80.0	
		Z	1.97	66.18	13.59		80.0	
10483-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.38	65.10	12.34	2.23	80.0	± 9.6 %
		Y	3.24	68.12	14.81		80.0	
		Z	2.43	65.42	12.58		80.0	
10484-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.34	64.70	12.16	2.23	80.0	± 9.6 %
		Y	3.22	67.78	14.68		80.0	
		Z	2.39	64.99	12.39		80.0	
10485-AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.67	69.90	16.27	2.23	80.0	± 9.6 %
		Y	2.63	68.30	15.86		80.0	
		Z	2.44	68.63	15.74		80.0	
10486-AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.66	66.70	14.34	2.23	80.0	± 9.6 %
		Y	2.84	66.43	14.78		80.0	
		Z	2.54	66.06	14.07		80.0	
10487-AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.67	66.41	14.20	2.23	80.0	± 9.6 %
		Y	2.88	66.29	14.72		80.0	
		Z	2.56	65.82	13.95		80.0	
10488-AAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.14	70.35	17.35	2.23	80.0	± 9.6 %
		Y	3.11	68.80	16.60		80.0	
		Z	2.93	69.27	16.87		80.0	
10489-AAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.20	67.71	16.24	2.23	80.0	± 9.6 %
		Y	3.26	66.82	15.95		80.0	
		Z	3.07	67.06	15.93		80.0	
10490-AAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.29	67.62	16.22	2.23	80.0	± 9.6 %
		Y	3.37	66.78	15.97		80.0	
		Z	3.17	67.01	15.93		80.0	
10491-AAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.46	69.46	17.19	2.23	80.0	± 9.6 %
		Y	3.47	68.33	16.55		80.0	
		Z	3.29	68.65	16.81		80.0	
10492-AAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.60	67.36	16.49	2.23	80.0	± 9.6 %
		Y	3.68	66.68	16.18		80.0	
		Z	3.49	66.85	16.23		80.0	

10493-AAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.66	67.27	16.47	2.23	80.0	± 9.6 %
		Y	3.77	66.64	16.19		80.0	
		Z	3.56	66.78	16.22		80.0	
10494-AAB	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.68	70.61	17.53	2.23	80.0	± 9.6 %
		Y	3.66	69.36	16.81		80.0	
		Z	3.48	69.70	17.11		80.0	
10495-AAB	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.62	67.66	16.67	2.23	80.0	± 9.6 %
		Y	3.70	67.02	16.32		80.0	
		Z	3.50	67.13	16.40		80.0	
10496-AAB	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.71	67.48	16.63	2.23	80.0	± 9.6 %
		Y	3.80	66.88	16.31		80.0	
		Z	3.60	66.99	16.38		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.45	62.67	10.79	2.23	80.0	± 9.6 %
		Y	1.84	64.47	12.69		80.0	
		Z	1.40	62.32	10.67		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.35	60.00	8.37	2.23	80.0	± 9.6 %
		Y	1.81	61.99	10.63		80.0	
		Z	1.34	60.00	8.43		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.37	60.00	8.23	2.23	80.0	± 9.6 %
		Y	1.80	61.72	10.38		80.0	
		Z	1.36	60.00	8.30		80.0	
10500-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.85	69.98	16.68	2.23	80.0	± 9.6 %
		Y	2.80	68.31	16.11		80.0	
		Z	2.63	68.80	16.17		80.0	
10501-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.91	67.28	15.16	2.23	80.0	± 9.6 %
		Y	3.02	66.61	15.25		80.0	
		Z	2.78	66.62	14.86		80.0	
10502-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.97	67.17	15.05	2.23	80.0	± 9.6 %
		Y	3.09	66.57	15.20		80.0	
		Z	2.84	66.54	14.77		80.0	
10503-AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.11	70.18	17.26	2.23	80.0	± 9.6 %
		Y	3.08	68.65	16.53		80.0	
		Z	2.90	69.11	16.78		80.0	
10504-AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.18	67.62	16.19	2.23	80.0	± 9.6 %
		Y	3.24	66.75	15.90		80.0	
		Z	3.06	66.98	15.88		80.0	
10505-AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.27	67.53	16.17	2.23	80.0	± 9.6 %
		Y	3.35	66.71	15.92		80.0	
		Z	3.15	66.93	15.88		80.0	
10506-AAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.66	70.48	17.46	2.23	80.0	± 9.6 %
		Y	3.63	69.25	16.75		80.0	
		Z	3.45	69.58	17.05		80.0	
10507-AAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.60	67.60	16.63	2.23	80.0	± 9.6 %
		Y	3.69	66.97	16.28		80.0	
		Z	3.49	67.07	16.36		80.0	

10508-AAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.69	67.42	16.59	2.23	80.0	± 9.6 %
		Y	3.79	66.83	16.27		80.0	
		Z	3.59	66.92	16.34		80.0	
10509-AAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.06	69.69	17.19	2.23	80.0	± 9.6 %
		Y	4.08	68.81	16.62		80.0	
		Z	3.90	69.03	16.87		80.0	
10510-AAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.11	67.53	16.76	2.23	80.0	± 9.6 %
		Y	4.22	67.11	16.46		80.0	
		Z	4.01	67.10	16.53		80.0	
10511-AAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.17	67.34	16.72	2.23	80.0	± 9.6 %
		Y	4.28	66.93	16.44		80.0	
		Z	4.08	66.94	16.51		80.0	
10512-AAB	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.15	70.83	17.50	2.23	80.0	± 9.6 %
		Y	4.12	69.79	16.86		80.0	
		Z	3.95	70.03	17.14		80.0	
10513-AAB	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.98	67.69	16.81	2.23	80.0	± 9.6 %
		Y	4.08	67.29	16.50		80.0	
		Z	3.88	67.24	16.57		80.0	
10514-AAB	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.03	67.37	16.74	2.23	80.0	± 9.6 %
		Y	4.12	66.98	16.45		80.0	
		Z	3.93	66.95	16.51		80.0	
10515-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	X	1.03	64.70	16.09	0.00	150.0	± 9.6 %
		Y	0.98	63.18	14.86		150.0	
		Z	0.99	63.65	15.15		150.0	
10516-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	1.32	86.55	25.24	0.00	150.0	± 9.6 %
		Y	0.61	70.58	17.59		150.0	
		Z	0.70	73.48	19.18		150.0	
10517-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	0.93	68.14	17.63	0.00	150.0	± 9.6 %
		Y	0.84	65.20	15.54		150.0	
		Z	0.85	65.92	16.02		150.0	
10518-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	4.53	67.11	16.53	0.00	150.0	± 9.6 %
		Y	4.64	66.69	16.26		150.0	
		Z	4.51	66.88	16.31		150.0	
10519-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	X	4.70	67.31	16.63	0.00	150.0	± 9.6 %
		Y	4.85	66.96	16.39		150.0	
		Z	4.68	67.09	16.42		150.0	
10520-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	X	4.56	67.29	16.56	0.00	150.0	± 9.6 %
		Y	4.70	66.94	16.32		150.0	
		Z	4.53	67.05	16.34		150.0	
10521-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	4.50	67.29	16.56	0.00	150.0	± 9.6 %
		Y	4.63	66.94	16.31		150.0	
		Z	4.47	67.04	16.33		150.0	
10522-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	X	4.56	67.41	16.65	0.00	150.0	± 9.6 %
		Y	4.68	66.95	16.35		150.0	
		Z	4.53	67.16	16.43		150.0	

10523-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	X	4.45	67.31	16.53	0.00	150.0	± 9.6 %
		Y	4.55	66.84	16.21		150.0	
		Z	4.42	67.05	16.29		150.0	
10524-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	X	4.50	67.32	16.62	0.00	150.0	± 9.6 %
		Y	4.63	66.90	16.34		150.0	
		Z	4.47	67.07	16.40		150.0	
10525-AAA	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	X	4.51	66.40	16.23	0.00	150.0	± 9.6 %
		Y	4.60	65.94	15.93		150.0	
		Z	4.47	66.15	16.00		150.0	
10526-AAA	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	X	4.66	66.74	16.36	0.00	150.0	± 9.6 %
		Y	4.79	66.33	16.07		150.0	
		Z	4.63	66.49	16.13		150.0	
10527-AAA	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	X	4.59	66.72	16.31	0.00	150.0	± 9.6 %
		Y	4.70	66.30	16.02		150.0	
		Z	4.55	66.45	16.08		150.0	
10528-AAA	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	X	4.60	66.73	16.34	0.00	150.0	± 9.6 %
		Y	4.72	66.32	16.06		150.0	
		Z	4.57	66.47	16.11		150.0	
10529-AAA	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	X	4.60	66.73	16.34	0.00	150.0	± 9.6 %
		Y	4.72	66.32	16.06		150.0	
		Z	4.57	66.47	16.11		150.0	
10531-AAA	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	X	4.59	66.82	16.35	0.00	150.0	± 9.6 %
		Y	4.73	66.46	16.08		150.0	
		Z	4.55	66.55	16.11		150.0	
10532-AAA	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	X	4.46	66.69	16.29	0.00	150.0	± 9.6 %
		Y	4.58	66.32	16.02		150.0	
		Z	4.42	66.41	16.05		150.0	
10533-AAA	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	X	4.61	66.80	16.34	0.00	150.0	± 9.6 %
		Y	4.73	66.35	16.04		150.0	
		Z	4.58	66.53	16.11		150.0	
10534-AAA	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	X	5.14	66.72	16.34	0.00	150.0	± 9.6 %
		Y	5.24	66.46	16.11		150.0	
		Z	5.11	66.51	16.15		150.0	
10535-AAA	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	X	5.20	66.90	16.43	0.00	150.0	± 9.6 %
		Y	5.31	66.60	16.16		150.0	
		Z	5.17	66.69	16.23		150.0	
10536-AAA	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	X	5.08	66.88	16.40	0.00	150.0	± 9.6 %
		Y	5.18	66.59	16.14		150.0	
		Z	5.04	66.66	16.19		150.0	
10537-AAA	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	X	5.13	66.82	16.37	0.00	150.0	± 9.6 %
		Y	5.24	66.56	16.13		150.0	
		Z	5.10	66.61	16.17		150.0	
10538-AAA	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	X	5.21	66.81	16.40	0.00	150.0	± 9.6 %
		Y	5.35	66.62	16.20		150.0	
		Z	5.18	66.61	16.21		150.0	
10540-AAA	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	X	5.14	66.82	16.42	0.00	150.0	± 9.6 %
		Y	5.25	66.57	16.19		150.0	
		Z	5.11	66.61	16.23		150.0	

10541-AAA	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	X	5.12	66.71	16.35	0.00	150.0	± 9.6 %
		Y	5.24	66.48	16.14		150.0	
		Z	5.09	66.50	16.16		150.0	
10542-AAA	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	X	5.27	66.77	16.40	0.00	150.0	± 9.6 %
		Y	5.39	66.53	16.18		150.0	
		Z	5.24	66.58	16.21		150.0	
10543-AAA	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	X	5.34	66.78	16.42	0.00	150.0	± 9.6 %
		Y	5.47	66.55	16.20		150.0	
		Z	5.31	66.59	16.24		150.0	
10544-AAA	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	X	5.46	66.79	16.31	0.00	150.0	± 9.6 %
		Y	5.53	66.57	16.10		150.0	
		Z	5.43	66.61	16.14		150.0	
10545-AAA	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	X	5.65	67.22	16.48	0.00	150.0	± 9.6 %
		Y	5.73	66.97	16.24		150.0	
		Z	5.61	67.02	16.29		150.0	
10546-AAA	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	X	5.51	66.97	16.37	0.00	150.0	± 9.6 %
		Y	5.62	66.84	16.19		150.0	
		Z	5.48	66.79	16.19		150.0	
10547-AAA	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	X	5.58	67.02	16.38	0.00	150.0	± 9.6 %
		Y	5.71	66.92	16.22		150.0	
		Z	5.55	66.84	16.21		150.0	
10548-AAA	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	X	5.80	67.87	16.78	0.00	150.0	± 9.6 %
		Y	5.98	67.88	16.66		150.0	
		Z	5.76	67.65	16.59		150.0	
10550-AAA	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	X	5.55	67.04	16.41	0.00	150.0	± 9.6 %
		Y	5.64	66.80	16.18		150.0	
		Z	5.51	66.84	16.23		150.0	
10551-AAA	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	X	5.54	67.03	16.37	0.00	150.0	± 9.6 %
		Y	5.65	66.88	16.18		150.0	
		Z	5.51	66.85	16.19		150.0	
10552-AAA	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	X	5.47	66.88	16.30	0.00	150.0	± 9.6 %
		Y	5.55	66.65	16.08		150.0	
		Z	5.44	66.69	16.12		150.0	
10553-AAA	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	X	5.54	66.87	16.33	0.00	150.0	± 9.6 %
		Y	5.65	66.71	16.13		150.0	
		Z	5.51	66.70	16.15		150.0	
10554-AAA	IEEE 1602.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	X	5.87	67.13	16.38	0.00	150.0	± 9.6 %
		Y	5.93	66.95	16.19		150.0	
		Z	5.84	66.96	16.21		150.0	
10555-AAA	IEEE 1602.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	X	5.99	67.42	16.50	0.00	150.0	± 9.6 %
		Y	6.07	67.26	16.32		150.0	
		Z	5.96	67.24	16.33		150.0	
10556-AAA	IEEE 1602.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	X	6.01	67.47	16.52	0.00	150.0	± 9.6 %
		Y	6.09	67.29	16.32		150.0	
		Z	5.98	67.30	16.36		150.0	
10557-AAA	IEEE 1602.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	X	5.97	67.36	16.48	0.00	150.0	± 9.6 %
		Y	6.07	67.24	16.32		150.0	
		Z	5.94	67.19	16.32		150.0	

10558-AAA	IEEE 1602.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	X	6.02	67.52	16.58	0.00	150.0	± 9.6 %
		Y	6.12	67.41	16.42		150.0	
		Z	5.99	67.34	16.41		150.0	
10560-AAA	IEEE 1602.11ac WiFi (160MHz, MCS6, 99pc duty cycle)	X	6.01	67.36	16.54	0.00	150.0	± 9.6 %
		Y	6.12	67.26	16.38		150.0	
		Z	5.98	67.19	16.38		150.0	
10561-AAA	IEEE 1602.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	X	5.94	67.34	16.57	0.00	150.0	± 9.6 %
		Y	6.03	67.21	16.39		150.0	
		Z	5.91	67.17	16.40		150.0	
10562-AAA	IEEE 1602.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	X	6.04	67.65	16.72	0.00	150.0	± 9.6 %
		Y	6.18	67.66	16.62		150.0	
		Z	6.01	67.48	16.56		150.0	
10563-AAA	IEEE 1602.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	X	6.14	67.58	16.64	0.00	150.0	± 9.6 %
		Y	6.51	68.20	16.83		150.0	
		Z	6.11	67.43	16.49		150.0	
10564-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	X	4.84	67.08	16.60	0.46	150.0	± 9.6 %
		Y	4.96	66.73	16.37		150.0	
		Z	4.82	66.88	16.42		150.0	
10565-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	X	5.06	67.51	16.92	0.46	150.0	± 9.6 %
		Y	5.22	67.22	16.72		150.0	
		Z	5.04	67.32	16.74		150.0	
10566-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	X	4.90	67.36	16.74	0.46	150.0	± 9.6 %
		Y	5.04	67.08	16.53		150.0	
		Z	4.87	67.16	16.55		150.0	
10567-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	X	4.93	67.78	17.12	0.46	150.0	± 9.6 %
		Y	5.07	67.49	16.90		150.0	
		Z	4.90	67.57	16.92		150.0	
10568-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	X	4.80	67.10	16.48	0.46	150.0	± 9.6 %
		Y	4.94	66.75	16.24		150.0	
		Z	4.77	66.90	16.29		150.0	
10569-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	X	4.90	67.92	17.20	0.46	150.0	± 9.6 %
		Y	5.01	67.51	16.92		150.0	
		Z	4.87	67.69	17.00		150.0	
10570-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	X	4.92	67.75	17.13	0.46	150.0	± 9.6 %
		Y	5.06	67.38	16.87		150.0	
		Z	4.90	67.54	16.93		150.0	
10571-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	X	1.19	65.18	16.18	0.46	130.0	± 9.6 %
		Y	1.15	63.90	15.17		130.0	
		Z	1.15	64.22	15.40		130.0	
10572-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	X	1.21	65.84	16.58	0.46	130.0	± 9.6 %
		Y	1.16	64.43	15.49		130.0	
		Z	1.16	64.76	15.75		130.0	
10573-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	X	5.33	103.22	29.28	0.46	130.0	± 9.6 %
		Y	1.37	78.26	20.19		130.0	
		Z	1.65	82.46	22.13		130.0	
10574-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	X	1.43	73.27	20.33	0.46	130.0	± 9.6 %
		Y	1.25	69.64	18.16		130.0	
		Z	1.25	70.32	18.63		130.0	

10575-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	X	4.60	66.74	16.52	0.46	130.0	± 9.6 %
		Y	4.72	66.39	16.31		130.0	
		Z	4.58	66.56	16.35		130.0	
10576-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	X	4.63	66.93	16.60	0.46	130.0	± 9.6 %
		Y	4.74	66.56	16.38		130.0	
		Z	4.61	66.74	16.43		130.0	
10577-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	X	4.81	67.19	16.76	0.46	130.0	± 9.6 %
		Y	4.97	66.90	16.57		130.0	
		Z	4.79	67.01	16.59		130.0	
10578-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	X	4.72	67.37	16.88	0.46	130.0	± 9.6 %
		Y	4.87	67.07	16.68		130.0	
		Z	4.70	67.18	16.70		130.0	
10579-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	X	4.47	66.58	16.14	0.46	130.0	± 9.6 %
		Y	4.62	66.33	15.95		130.0	
		Z	4.45	66.39	15.96		130.0	
10580-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	X	4.51	66.63	16.16	0.46	130.0	± 9.6 %
		Y	4.67	66.31	15.95		130.0	
		Z	4.50	66.45	15.99		130.0	
10581-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	X	4.62	67.43	16.83	0.46	130.0	± 9.6 %
		Y	4.76	67.10	16.60		130.0	
		Z	4.59	67.21	16.64		130.0	
10582-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	X	4.41	66.33	15.92	0.46	130.0	± 9.6 %
		Y	4.57	66.07	15.74		130.0	
		Z	4.39	66.15	15.75		130.0	
10583-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	X	4.60	66.74	16.52	0.46	130.0	± 9.6 %
		Y	4.72	66.39	16.31		130.0	
		Z	4.58	66.56	16.35		130.0	
10584-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	X	4.63	66.93	16.60	0.46	130.0	± 9.6 %
		Y	4.74	66.56	16.38		130.0	
		Z	4.61	66.74	16.43		130.0	
10585-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	X	4.81	67.19	16.76	0.46	130.0	± 9.6 %
		Y	4.97	66.90	16.57		130.0	
		Z	4.79	67.01	16.59		130.0	
10586-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	X	4.72	67.37	16.88	0.46	130.0	± 9.6 %
		Y	4.87	67.07	16.68		130.0	
		Z	4.70	67.18	16.70		130.0	
10587-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	X	4.47	66.58	16.14	0.46	130.0	± 9.6 %
		Y	4.62	66.33	15.95		130.0	
		Z	4.45	66.39	15.96		130.0	
10588-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	X	4.51	66.63	16.16	0.46	130.0	± 9.6 %
		Y	4.67	66.31	15.95		130.0	
		Z	4.50	66.45	15.99		130.0	
10589-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	X	4.62	67.43	16.83	0.46	130.0	± 9.6 %
		Y	4.76	67.10	16.60		130.0	
		Z	4.59	67.21	16.64		130.0	
10590-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	X	4.41	66.33	15.92	0.46	130.0	± 9.6 %
		Y	4.57	66.07	15.74		130.0	
		Z	4.39	66.15	15.75		130.0	

10591-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	X	4.75	66.80	16.63	0.46	130.0	± 9.6 %
		Y	4.87	66.48	16.42		130.0	
		Z	4.73	66.64	16.46		130.0	
10592-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)	X	4.89	67.13	16.76	0.46	130.0	± 9.6 %
		Y	5.04	66.82	16.55		130.0	
		Z	4.87	66.96	16.59		130.0	
10593-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	X	4.81	67.02	16.63	0.46	130.0	± 9.6 %
		Y	4.96	66.75	16.44		130.0	
		Z	4.79	66.85	16.46		130.0	
10594-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	X	4.87	67.20	16.79	0.46	130.0	± 9.6 %
		Y	5.02	66.91	16.59		130.0	
		Z	4.85	67.02	16.62		130.0	
10595-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)	X	4.83	67.15	16.69	0.46	130.0	± 9.6 %
		Y	4.99	66.86	16.48		130.0	
		Z	4.81	66.98	16.52		130.0	
10596-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)	X	4.77	67.14	16.69	0.46	130.0	± 9.6 %
		Y	4.92	66.84	16.47		130.0	
		Z	4.75	66.96	16.52		130.0	
10597-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)	X	4.71	67.02	16.55	0.46	130.0	± 9.6 %
		Y	4.87	66.76	16.37		130.0	
		Z	4.70	66.85	16.39		130.0	
10598-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)	X	4.70	67.27	16.83	0.46	130.0	± 9.6 %
		Y	4.86	67.03	16.65		130.0	
		Z	4.68	67.09	16.66		130.0	
10599-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)	X	5.41	67.27	16.81	0.46	130.0	± 9.6 %
		Y	5.54	67.10	16.64		130.0	
		Z	5.39	67.12	16.67		130.0	
10600-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)	X	5.53	67.66	16.98	0.46	130.0	± 9.6 %
		Y	5.71	67.58	16.84		130.0	
		Z	5.51	67.50	16.83		130.0	
10601-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)	X	5.43	67.43	16.89	0.46	130.0	± 9.6 %
		Y	5.58	67.28	16.71		130.0	
		Z	5.41	67.29	16.74		130.0	
10602-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	X	5.55	67.54	16.86	0.46	130.0	± 9.6 %
		Y	5.66	67.26	16.62		130.0	
		Z	5.53	67.39	16.71		130.0	
10603-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	X	5.61	67.81	17.12	0.46	130.0	± 9.6 %
		Y	5.76	67.60	16.92		130.0	
		Z	5.59	67.65	16.97		130.0	
10604-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	X	5.47	67.43	16.92	0.46	130.0	± 9.6 %
		Y	5.54	67.04	16.63		130.0	
		Z	5.45	67.27	16.77		130.0	
10605-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	X	5.53	67.59	17.00	0.46	130.0	± 9.6 %
		Y	5.65	67.32	16.77		130.0	
		Z	5.51	67.44	16.85		130.0	
10606-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	X	5.26	66.86	16.49	0.46	130.0	± 9.6 %
		Y	5.42	66.79	16.37		130.0	
		Z	5.25	66.72	16.34		130.0	

10607-AAA	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc duty cycle)	X	4.60	66.16	16.28	0.46	130.0	± 9.6 %
		Y	4.70	65.76	16.03		130.0	
		Z	4.57	65.96	16.10		130.0	
10608-AAA	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle)	X	4.77	66.54	16.44	0.46	130.0	± 9.6 %
		Y	4.91	66.19	16.19		130.0	
		Z	4.74	66.35	16.26		130.0	
10609-AAA	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle)	X	4.66	66.38	16.27	0.46	130.0	± 9.6 %
		Y	4.79	66.04	16.03		130.0	
		Z	4.63	66.18	16.08		130.0	
10610-AAA	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc duty cycle)	X	4.71	66.55	16.43	0.46	130.0	± 9.6 %
		Y	4.85	66.20	16.20		130.0	
		Z	4.68	66.34	16.25		130.0	
10611-AAA	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle)	X	4.62	66.34	16.27	0.46	130.0	± 9.6 %
		Y	4.76	66.01	16.04		130.0	
		Z	4.60	66.14	16.09		130.0	
10612-AAA	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle)	X	4.63	66.49	16.31	0.46	130.0	± 9.6 %
		Y	4.77	66.14	16.07		130.0	
		Z	4.60	66.28	16.13		130.0	
10613-AAA	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc duty cycle)	X	4.62	66.34	16.18	0.46	130.0	± 9.6 %
		Y	4.78	66.06	15.97		130.0	
		Z	4.60	66.14	16.00		130.0	
10614-AAA	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	X	4.58	66.57	16.44	0.46	130.0	± 9.6 %
		Y	4.72	66.27	16.22		130.0	
		Z	4.56	66.36	16.25		130.0	
10615-AAA	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	X	4.62	66.16	16.04	0.46	130.0	± 9.6 %
		Y	4.76	65.81	15.80		130.0	
		Z	4.59	65.96	15.86		130.0	
10616-AAA	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	X	5.24	66.55	16.44	0.46	130.0	± 9.6 %
		Y	5.36	66.34	16.25		130.0	
		Z	5.22	66.39	16.29		130.0	
10617-AAA	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	X	5.31	66.74	16.51	0.46	130.0	± 9.6 %
		Y	5.41	66.43	16.26		130.0	
		Z	5.29	66.58	16.35		130.0	
10618-AAA	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle)	X	5.20	66.77	16.54	0.46	130.0	± 9.6 %
		Y	5.31	66.51	16.31		130.0	
		Z	5.18	66.59	16.38		130.0	
10619-AAA	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	X	5.20	66.53	16.36	0.46	130.0	± 9.6 %
		Y	5.33	66.33	16.16		130.0	
		Z	5.18	66.37	16.20		130.0	
10620-AAA	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle)	X	5.29	66.56	16.42	0.46	130.0	± 9.6 %
		Y	5.44	66.42	16.25		130.0	
		Z	5.27	66.40	16.27		130.0	
10621-AAA	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	X	5.30	66.72	16.62	0.46	130.0	± 9.6 %
		Y	5.42	66.52	16.43		130.0	
		Z	5.28	66.57	16.47		130.0	
10622-AAA	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle)	X	5.32	66.91	16.71	0.46	130.0	± 9.6 %
		Y	5.42	66.63	16.47		130.0	
		Z	5.30	66.74	16.55		130.0	

10623-AAA	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc duty cycle)	X	5.18	66.38	16.31	0.46	130.0	± 9.6 %
		Y	5.31	66.18	16.12		130.0	
		Z	5.17	66.23	16.16		130.0	
10624-AAA	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc duty cycle)	X	5.37	66.59	16.48	0.46	130.0	± 9.6 %
		Y	5.50	66.39	16.29		130.0	
		Z	5.36	66.44	16.33		130.0	
10625-AAA	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc duty cycle)	X	5.66	67.32	16.90	0.46	130.0	± 9.6 %
		Y	5.90	67.42	16.85		130.0	
		Z	5.64	67.18	16.75		130.0	
10626-AAA	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc duty cycle)	X	5.55	66.59	16.39	0.46	130.0	± 9.6 %
		Y	5.62	66.40	16.19		130.0	
		Z	5.53	66.45	16.25		130.0	
10627-AAA	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc duty cycle)	X	5.78	67.17	16.64	0.46	130.0	± 9.6 %
		Y	5.87	66.93	16.42		130.0	
		Z	5.76	67.01	16.49		130.0	
10628-AAA	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc duty cycle)	X	5.56	66.63	16.30	0.46	130.0	± 9.6 %
		Y	5.68	66.53	16.15		130.0	
		Z	5.54	66.49	16.16		130.0	
10629-AAA	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc duty cycle)	X	5.64	66.70	16.33	0.46	130.0	± 9.6 %
		Y	5.76	66.59	16.17		130.0	
		Z	5.62	66.56	16.19		130.0	
10630-AAA	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc duty cycle)	X	6.01	68.01	16.99	0.46	130.0	± 9.6 %
		Y	6.27	68.26	17.00		130.0	
		Z	5.97	67.83	16.83		130.0	
10631-AAA	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc duty cycle)	X	5.94	67.93	17.15	0.46	130.0	± 9.6 %
		Y	6.17	68.08	17.12		130.0	
		Z	5.92	67.77	16.99		130.0	
10632-AAA	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc duty cycle)	X	5.76	67.26	16.83	0.46	130.0	± 9.6 %
		Y	5.85	67.03	16.61		130.0	
		Z	5.73	67.10	16.68		130.0	
10633-AAA	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc duty cycle)	X	5.63	66.83	16.44	0.46	130.0	± 9.6 %
		Y	5.77	66.76	16.29		130.0	
		Z	5.61	66.69	16.30		130.0	
10634-AAA	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle)	X	5.61	66.86	16.51	0.46	130.0	± 9.6 %
		Y	5.75	66.77	16.37		130.0	
		Z	5.59	66.72	16.37		130.0	
10635-AAA	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle)	X	5.48	66.12	15.87	0.46	130.0	± 9.6 %
		Y	5.62	66.07	15.74		130.0	
		Z	5.46	66.00	15.73		130.0	
10636-AAA	IEEE 1602.11ac WiFi (160MHz, MCS0, 90pc duty cycle)	X	5.96	66.94	16.46	0.46	130.0	± 9.6 %
		Y	6.04	66.80	16.30		130.0	
		Z	5.94	66.81	16.33		130.0	
10637-AAA	IEEE 1602.11ac WiFi (160MHz, MCS1, 90pc duty cycle)	X	6.12	67.32	16.64	0.46	130.0	± 9.6 %
		Y	6.20	67.17	16.46		130.0	
		Z	6.09	67.18	16.50		130.0	
10638-AAA	IEEE 1602.11ac WiFi (160MHz, MCS2, 90pc duty cycle)	X	6.11	67.29	16.60	0.46	130.0	± 9.6 %
		Y	6.20	67.14	16.42		130.0	
		Z	6.09	67.15	16.46		130.0	

10639-AAA	IEEE 1602.11ac WiFi (160MHz, MCS3, 90pc duty cycle)	X	6.09	67.22	16.61	0.46	130.0	± 9.6 %
		Y	6.19	67.15	16.48		130.0	
		Z	6.06	67.09	16.48		130.0	
10640-AAA	IEEE 1602.11ac WiFi (160MHz, MCS4, 90pc duty cycle)	X	6.08	67.22	16.55	0.46	130.0	± 9.6 %
		Y	6.21	67.18	16.43		130.0	
		Z	6.06	67.08	16.41		130.0	
10641-AAA	IEEE 1602.11ac WiFi (160MHz, MCS5, 90pc duty cycle)	X	6.14	67.16	16.54	0.46	130.0	± 9.6 %
		Y	6.22	66.97	16.34		130.0	
		Z	6.12	67.03	16.41		130.0	
10642-AAA	IEEE 1602.11ac WiFi (160MHz, MCS6, 90pc duty cycle)	X	6.18	67.40	16.83	0.46	130.0	± 9.6 %
		Y	6.29	67.33	16.70		130.0	
		Z	6.16	67.27	16.70		130.0	
10643-AAA	IEEE 1602.11ac WiFi (160MHz, MCS7, 90pc duty cycle)	X	6.02	67.09	16.57	0.46	130.0	± 9.6 %
		Y	6.11	66.96	16.41		130.0	
		Z	5.99	66.96	16.44		130.0	
10644-AAA	IEEE 1602.11ac WiFi (160MHz, MCS8, 90pc duty cycle)	X	6.14	67.47	16.78	0.46	130.0	± 9.6 %
		Y	6.32	67.60	16.75		130.0	
		Z	6.12	67.34	16.65		130.0	
10645-AAA	IEEE 1602.11ac WiFi (160MHz, MCS9, 90pc duty cycle)	X	6.28	67.55	16.78	0.46	130.0	± 9.6 %
		Y	6.72	68.30	17.04		130.0	
		Z	6.27	67.43	16.66		130.0	
10646-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)	X	12.72	97.70	31.79	9.30	60.0	± 9.6 %
		Y	11.44	92.29	29.61		60.0	
		Z	12.46	98.00	32.19		60.0	
10647-AAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)	X	11.52	96.31	31.47	9.30	60.0	± 9.6 %
		Y	10.72	91.55	29.46		60.0	
		Z	11.12	96.25	31.74		60.0	
10648-AAA	CDMA2000 (1x Advanced)	X	0.81	66.56	12.43	0.00	150.0	± 9.6 %
		Y	0.79	64.41	11.93		150.0	
		Z	0.69	64.14	10.99		150.0	

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

