





# Conducted Band Edge

## LTE Band 66 / 1.4MHz / QPSK


### Lowest Band Edge / 1RB




### Highest Band Edge / 1RB



### Lowest Band Edge / Full RB




### Highest Band Edge / Full RB






LTE Band 66 / 1.4MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 25.AUG.2023 09:02:35

Highest Band Edge / 1 RB




Date: 25.AUG.2023 09:10:16

Lowest Band Edge / Full RB



Date: 25.AUG.2023 09:04:29

Highest Band Edge / Full RB




Date: 25.AUG.2023 09:12:09




LTE Band 66 / 3MHz / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




LTE Band 66 / 3MHz / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 66 / 5MHz / QPSK

Lowest Band Edge / Full RB



Date: 25.AUG.2023 09:21:07


Highest Band Edge / Full RB



Date: 25.AUG.2023 09:24:45


LTE Band 66 / 5MHz / 16QAM

Lowest Band Edge / Full RB



Date: 25.AUG.2023 09:22:04

Highest Band Edge / Full RB




Date: 25.AUG.2023 09:25:42




LTE Band 66 / 10MHz / QPSK

Lowest Band Edge / Full RB



Date: 25.AUG.2023 09:27:36


Highest Band Edge / Full RB



Date: 25.AUG.2023 09:31:14


LTE Band 66 / 10MHz / 16QAM

Lowest Band Edge / 27 RB



Date: 25.AUG.2023 09:28:32

Highest Band Edge / 27 RB




Date: 28.AUG.2023 19:51:23




LTE Band 66 / 15MHz / QPSK

Lowest Band Edge / Full RB



Date: 25.AUG.2023 09:33:49


Highest Band Edge / Full RB



Date: 25.AUG.2023 09:37:28


LTE Band 66 / 15MHz / 16QAM

Lowest Band Edge / 27 RB



Date: 25.AUG.2023 09:34:46

Highest Band Edge / 27 RB




Date: 28.AUG.2023 19:55:56




LTE Band 66 / 20MHz / QPSK

Lowest Band Edge / Full RB



Date: 25.AUG.2023 20:21:18


Highest Band Edge / Full RB



Date: 25.AUG.2023 20:24:44


LTE Band 66 / 20MHz / 16QAM

Lowest Band Edge / 27 RB



Date: 25.AUG.2023 20:22:12

Highest Band Edge / 27 RB



Date: 28.AUG.2023 20:04:12





# Conducted Spurious Emission

## LTE Band 66 / 1.4MHz

### Lowest Channel / QPSK


### Middle Channel / QPSK



Date: 25.AUG.2023 09:05:35

Date: 25.AUG.2023 09:08:24

### Highest Channel / QPSK



Date: 25.AUG.2023 09:13:15







LTE Band 66 / 3MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 25.AUG.2023 20:33:36

Date: 25.AUG.2023 20:34:39

Highest Channel / QPSK





Date: 25.AUG.2023 20:35:41



LTE Band 66 / 5MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 25.AUG.2023 20:36:45

Date: 25.AUG.2023 20:37:48

Highest Channel / QPSK





Date: 25.AUG.2023 20:38:51



LTE Band 66 / 10MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 25.AUG.2023 20:39:54

Date: 25.AUG.2023 20:40:57

Highest Channel / QPSK




Date: 25.AUG.2023 20:42:00




LTE Band 66 / 15MHz

Lowest Channel / QPSK

Middle Channel / QPSK




Date: 25.AUG.2023 20:43:04



Date: 25.AUG.2023 20:44:07

Highest Channel / QPSK





Date: 25.AUG.2023 20:45:09



LTE Band 66 / 20MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 25.AUG.2023 20:46:13

Date: 25.AUG.2023 20:47:17

Highest Channel / QPSK



Date: 25.AUG.2023 20:48:20



### Frequency Stability

Test Conditions		LTE Band 66 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0096	PASS
40	Normal Voltage	0.0066	
30	Normal Voltage	0.0041	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0061	
0	Normal Voltage	0.0075	
-10	Normal Voltage	0.0040	
20	Maximum Voltage	0.0026	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0087	

**Note:**

- 1. Normal Voltage = 3.8 V. ; Battery End Point (BEP) = 3.3 V. ; Maximum Voltage = 4.2 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



## Appendix B. Test Results of Radiated Test

### LTE Band 2

LTE Band 2 / 20MHz / QPSK										
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)	
Lowest	3702	-55.03	-13	-42.03	-77.09	-61.6	1.67	8.24	H	
	5556	-43.83	-13	-30.83	-70.06	-50.9	2.66	9.72	H	
	7404	-41.05	-13	-28.05	-69.46	-50.2	2.46	11.61	H	
										H
										H
										H
										H
	3702	-53.63	-13	-40.63	-75.37	-60.2	1.67	8.24	V	
	5556	-53.03	-13	-40.03	-79.3	-60.1	2.66	9.72	V	
	7404	-41.95	-13	-28.95	-70.5	-51.1	2.46	11.61	V	
										V
										V
										V
										V
Middle	3744	-47.78	-13	-34.78	-70.04	-54.39	1.68	8.29	H	
	5616	-42.01	-13	-29.01	-68.84	-49.06	2.69	9.75	H	
	7482	-44.34	-13	-31.34	-72.83	-53.67	2.44	11.76	H	
										H
										H
										H
										H
	3744	-41.55	-13	-28.55	-63.76	-48.16	1.68	8.29	V	
	5616	-39.22	-13	-26.22	-66.02	-46.27	2.69	9.75	V	
	7482	-44.79	-13	-31.79	-73.65	-54.12	2.44	11.76	V	
										V
										V
										V
										V



Highest	3780	-55.26	-13	-42.26	-76.85	-61.9	1.69	8.34	H
	5676	-53.66	-13	-40.66	-80.09	-60.7	2.73	9.77	H
	7566	-37.77	-13	-24.77	-66.5	-47.2	2.41	11.84	H
									H
									H
									H
									H
	3780	-52.06	-13	-39.06	-73.93	-58.7	1.69	8.34	V
	5676	-52.46	-13	-39.46	-78.94	-59.5	2.73	9.77	V
	7566	-38.47	-13	-25.47	-66.96	-47.9	2.41	11.84	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





**LTE Band 26**

LTE Band 26 / 15MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-60.54	-13	-47.54	-73.18	-62.3	0.98	4.89	H
	2472	-43.02	-13	-30.02	-61.29	-44.9	1.28	5.32	H
	3296	-57.49	-13	-44.49	-77.55	-60.9	1.54	7.10	H
									H
									H
									H
									H
	1648	-58.14	-13	-45.14	-71.39	-59.9	0.98	4.89	V
	2472	-40.92	-13	-27.92	-59.58	-42.8	1.28	5.32	V
	3296	-57.09	-13	-44.09	-77.95	-60.5	1.54	7.10	V
									V
									V
									V
									V
Middle	1656	-60.47	-13	-47.47	-73.36	-62.2	0.98	4.86	H
	2488	-45.27	-13	-32.27	-63.6	-47.2	1.29	5.36	H
	3316	-57.61	-13	-44.61	-77.99	-61.1	1.55	7.19	H
									H
									H
									H
									H
	1656	-59.77	-13	-46.77	-73.19	-61.5	0.98	4.86	V
	2488	-40.87	-13	-27.87	-59.75	-42.8	1.29	5.36	V
	3316	-57.21	-13	-44.21	-77.99	-60.7	1.55	7.19	V
									V
									V
									V
									V



Highest	1672	-60.42	-13	-47.42	-73.44	-62.1	0.99	4.82	H
	2504	-40.94	-13	-27.94	-59.26	-42.9	1.29	5.40	H
	3336	-57.52	-13	-44.52	-78.16	-61.1	1.55	7.28	H
									H
									H
									H
									H
	1672	-59.82	-13	-46.82	-73.04	-61.5	0.99	4.82	V
	2504	-39.64	-13	-26.64	-58.36	-41.6	1.29	5.40	V
	3336	-57.02	-13	-44.02	-77.89	-60.6	1.55	7.28	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



**LTE Band 66**

LTE Band 66 / 20MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-51.84	-13	-38.84	-72.79	-57.91	1.58	7.65	H
	5136	-49.77	-13	-36.77	-75.28	-57.05	2.42	9.70	H
	6846	-41.54	-13	-28.54	-69.94	-49.52	2.64	10.62	H
									H
									H
									H
									H
	3420	-48.99	-13	-35.99	-70.96	-55.06	1.58	7.65	V
	5136	-43.44	-13	-30.44	-68.83	-50.72	2.42	9.70	V
	6846	-40.49	-13	-27.49	-68.84	-48.47	2.64	10.62	V
									V
									V
									V
									V
Middle	3474	-50.42	-13	-37.42	-72.71	-56.71	1.60	7.89	H
	5208	-48.15	-13	-35.15	-73.64	-55.39	2.46	9.70	H
	6942	-42.69	-13	-29.69	-70.89	-50.81	2.61	10.73	H
									H
									H
									H
									H
	3474	-46.09	-13	-33.09	-68.33	-52.38	1.60	7.89	V
	5208	-48.81	-13	-35.81	-74.28	-56.05	2.46	9.70	V
	6942	-40.56	-13	-27.56	-68.75	-48.68	2.61	10.73	V
									V
									V
									V
									V



Highest	3522	-50.14	-13	-37.14	-72.34	-56.56	1.61	8.03	H
	5286	-48.27	-13	-35.27	-74.2	-55.47	2.50	9.70	H
	7044	-40.36	-13	-27.36	-68.3	-48.67	2.58	10.89	H
									H
									H
									H
									H
	3522	-48.63	-13	-35.63	-70.8	-55.05	1.61	8.03	V
	5286	-43.98	-13	-30.98	-69.73	-51.18	2.50	9.70	V
	7044	-41.82	-13	-28.82	-69.06	-50.13	2.58	10.89	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



## LTE Band 12

LTE Band 12 / 10MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-60.16	-13.00	-47.16	-71.59	-61.82	0.87	4.68	H
	2096	-37.78	-13.00	-24.78	-54.37	-38.65	1.16	4.19	H
	3496	-55.46	-13.00	-42.46	-77.33	-59.69	1.60	7.98	H
									H
									H
									H
									H
	1400	-58.17	-13.00	-45.17	-70.22	-59.83	0.87	4.68	V
	2096	-39.95	-13.00	-26.95	-56.79	-40.82	1.16	4.19	V
	3496	-54.88	-13.00	-41.88	-76.47	-59.11	1.60	7.98	V
									V
									V
									V
									V
Middle	1408	-57.41	-13.00	-44.41	-68.95	-59.12	0.87	4.73	H
	2112	-38.93	-13.00	-25.93	-55.56	-39.85	1.17	4.24	H
	3512	-54.16	-13.00	-41.16	-75.91	-58.42	1.61	8.01	H
									H
									H
									H
									H
	1408	-57.91	-13.00	-44.91	-69.84	-59.62	0.87	4.73	V
	2112	-43.09	-13.00	-30.09	-59.98	-44.01	1.17	4.24	V
	3512	-55.67	-13.00	-42.67	-77.17	-59.93	1.61	8.01	V
									V
									V
									V
									V



Highest	1416	-54.79	-13.00	-41.79	-66.37	-56.54	0.87	4.78	H
	2120	-40.85	-13.00	-27.85	-57.50	-41.79	1.17	4.26	H
	3536	-56.08	-13.00	-43.08	-77.88	-60.36	1.62	8.04	H
									H
									H
									H
									H
	1416	-53.02	-13.00	-40.02	-64.97	-54.77	0.87	4.78	V
	2120	-38.38	-13.00	-25.38	-55.38	-39.32	1.17	4.26	V
	3536	-52.94	-13.00	-39.94	-74.67	-57.22	1.62	8.04	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



**LTE Band 13**

LTE Band 13 / 5MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1552	-51.83	-13	-38.83	-63.90	-53.90	0.94	5.15	H
	2336	-36.58	-13	-23.58	-53.94	-38.10	1.24	4.91	H
	3112	-58.44	-13	-45.44	-77.83	-61.10	1.48	6.29	H
	3888	-53.81	-13	-40.81	-75.27	-58.40	1.73	8.47	H
									H
									H
									H
	1552	-51.63	-13.00	-38.63	-64.25	-53.70	0.94	5.15	V
	2336	-30.58	-13	-17.58	-48.27	-32.10	1.24	4.91	V
	3112	-57.54	-13	-44.54	-77.70	-60.20	1.48	6.29	V
	3888	-49.11	-13	-36.11	-71.13	-53.70	1.73	8.47	V
									V
									V
									V
Middle	1560	-53.56	-42.15	-11.41	-65.58	-55.60	0.94	5.13	H
	2336	-34.68	-13	-21.68	-52.09	-36.20	1.24	4.91	H
	3118	-58.32	-13	-45.32	-77.75	-61.00	1.48	6.32	H
	6896	-50.70	-13	-37.70	-72.32	-56.60	2.62	10.68	H
									H
									H
									H
	1560	-53.16	-42.15	-11.01	-65.67	-55.20	0.94	5.13	V
	2339	-28.57	-13	-15.57	-46.34	-30.10	1.24	4.92	V
	3118	-57.52	-13	-44.52	-77.69	-60.20	1.48	6.32	V
	6896	-52.90	-13	-39.90	-74.17	-58.80	2.62	10.68	V
									V
									V
									V



Highest	1568	-62.08	-42.15	-19.93	-74.10	-64.10	0.94	5.11	H
	2344	-36.56	-13	-23.56	-54.07	-38.10	1.24	4.93	H
	3128	-58.37	-13	-45.37	-77.81	-61.10	1.49	6.36	H
	3912	-55.89	-13	-42.89	-77.61	-60.50	1.73	8.49	H
									H
									H
									H
	1568	-56.08	-42.15	-13.93	-68.90	-58.10	0.94	5.11	V
	2344	-34.06	-13	-21.06	-52.16	-35.60	1.24	4.93	V
	3128	-57.47	-13	-44.47	-77.59	-60.20	1.49	6.36	V
	3912	-55.49	-13	-42.49	-77.43	-60.10	1.73	8.49	V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





LTE Band 13 / 10MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1552	-60.73	-13	-47.73	-72.73	-62.8	0.94	5.15	H
	2336	-36.78	-13	-23.78	-54.1	-38.3	1.24	4.91	H
	3112	-57.94	-13	-44.94	-77.46	-60.6	1.48	6.29	H
	3888	-56.51	-13	-43.51	-78.18	-61.1	1.73	8.47	H
									H
									H
									H
	1552	-59.43	-13	-46.43	-72.04	-61.5	0.94	5.15	V
	2336	-33.78	-13	-20.78	-51.35	-35.3	1.24	4.91	V
	3112	-57.74	-13	-44.74	-77.64	-60.4	1.48	6.29	V
	3888	-56.01	-13	-43.01	-77.91	-60.6	1.73	8.47	V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



**LTE Band 7**

LTE Band 7 / 20MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5000	-54.14	-25	-29.14	-79.61	-61.5	2.34	9.70	H
	7506	-43.42	-25	-18.42	-72	-52.8	2.43	11.80	H
	10000	-48.70	-25	-23.70	-82.18	-58.2	2.70	12.20	H
									H
									H
									H
									H
	5000	-55.84	-25	-30.84	-80.71	-63.2	2.34	9.70	V
	7500	-50.13	-25	-25.13	-78.82	-59.5	2.43	11.80	V
	10000	-49.60	-25	-24.60	-82.88	-59.1	2.70	12.20	V
									V
									V
									V
									V
Middle	5052	-55.37	-25	-30.37	-80.49	-62.7	2.37	9.70	H
	7578	-46.86	-25	-21.86	-75.2	-56.3	2.40	11.85	H
	10098	-47.26	-25	-22.26	-80.7	-56.8	2.70	12.24	H
									H
									H
									H
									H
	5052	-56.63	-25	-31.63	-81.49	-63.96	2.37	9.70	V
	7578	-45.76	-25	-20.76	-74.24	-55.2	2.40	11.85	V
	10098	-48.16	-25	-23.16	-81.68	-57.7	2.70	12.24	V
									V
									V
									V
									V



Highest	5100	-52.64	-25	-27.64	-78.14	-59.95	2.39	9.70	H
	7656	-43.91	-25	-18.91	-73.02	-53.42	2.38	11.89	H
	10206	-48.03	-25	-23.03	-82.18	-57.62	2.70	12.28	H
									H
									H
									H
									H
	5100	-54.73	-25	-29.73	-80.06	-62.04	2.39	9.70	V
	7656	-40.85	-25	-15.85	-70.23	-50.36	2.38	11.89	V
	10206	-48.26	-25	-23.26	-82.31	-57.85	2.70	12.28	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



**LTE Band 38**

LTE Band 38 / 20MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5142	-47.10	-25	-22.10	-72.64	-54.38	2.42	9.70	H
	7716	-46.07	-25	-21.07	-75.31	-55.64	2.36	11.93	H
	10278	-47.88	-25	-22.88	-82.2	-57.5	2.69	12.31	H
									H
									H
									H
									H
									V
	5142	-46.84	-25	-21.84	-72.23	-54.12	2.42	9.70	V
	7716	-45.32	-25	-20.32	-74.53	-54.89	2.36	11.93	V
	10278	-47.40	-25	-22.40	-81.59	-57.02	2.69	12.31	V
									V
									V
									V
Middle	5172	-45.59	-25	-20.59	-71.12	-52.85	2.44	9.70	H
	7758	-47.28	-25	-22.28	-76.68	-56.89	2.35	11.95	H
	10350	-47.96	-25	-22.96	-82.44	-57.61	2.69	12.34	H
									H
									H
									H
									H
	5172	-46.51	-25	-21.51	-71.89	-53.77	2.44	9.70	V
	7758	-46.01	-25	-21.01	-75.7	-55.62	2.35	11.95	V
	10350	-47.92	-25	-22.92	-82.26	-57.57	2.69	12.34	V
									V
									V
									V
									V



Highest	5202	-45.10	-25	-20.10	-70.66	-52.35	2.45	9.70	H
	7806	-48.64	-25	-23.64	-78.13	-58.29	2.33	11.98	H
	10404	-47.53	-25	-22.53	-82.13	-57.2	2.69	12.36	H
									H
									H
									H
									H
	5202	-46.33	-25	-21.33	-71.75	-53.58	2.45	9.70	V
	7806	-49.24	-25	-24.24	-79.03	-58.89	2.33	11.98	V
	10404	-47.85	-25	-22.85	-82.3	-57.52	2.69	12.36	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



**LTE Band 41**

LTE Band 41 / 20MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992	-47.58	-25	-22.58	-73.02	-54.93	2.33	9.68	H
	7494	-39.83	-25	-14.83	-68.43	-49.19	2.43	11.79	H
	9990	-39.82	-25	-14.82	-73.49	-49.33	2.69	12.21	H
	12492	-42.29	-25	-17.29	-79.76	-51.89	2.80	12.40	H
									H
									H
									H
	4992	-47.19	-25	-22.19	-72.43	-54.54	2.33	9.68	V
	7494	-44.25	-25	-19.25	-73.09	-53.61	2.43	11.79	V
	9990	-42.50	-25	-17.50	-76.11	-52.01	2.69	12.21	V
	12492	-46.55	-25	-21.55	-83.27	-56.15	2.80	12.40	V
									V
									V
									V
Middle	5166	-46.77	-25	-21.77	-72.31	-54.04	2.43	9.70	H
	7752	-47.28	-25	-22.28	-76.63	-56.88	2.35	11.95	H
	10332	-47.93	-25	-22.93	-82.37	-57.57	2.69	12.33	H
									H
									H
									H
									H
	5166	-46.77	-25	-21.77	-72.16	-54.04	2.43	9.70	V
	7752	-43.99	-25	-18.99	-73.63	-53.59	2.35	11.95	V
	10332	-48.28	-25	-23.28	-82.59	-57.92	2.69	12.33	V
									V
									V
									V
									V



Highest	5340	-43.29	-25	-18.29	-69.3	-50.46	2.53	9.70	H
	8010	-51.20	-25	-26.20	-81.28	-61.04	2.27	12.11	H
	10674	-46.70	-25	-21.70	-81.98	-56.44	2.69	12.43	H
									H
									H
									H
									H
	5340	-43.75	-25	-18.75	-69.68	-50.92	2.53	9.70	V
	8010	-51.10	-25	-26.10	-81.52	-60.94	2.27	12.11	V
	10674	-47.07	-25	-22.07	-82.17	-56.81	2.69	12.43	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.