











Mode	22																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.05</td><td>57.20</td><td>74.00</td><td>-16.80</td><td>40.90</td><td>34.14</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.05	57.20	74.00	-16.80	40.90	34.14	12.03	29.87	0.00	100	171	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>105.26</td><td>-----</td><td>-----</td><td>88.60</td><td>34.40</td><td>12.16</td><td>29.90</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	105.26	-----	-----	88.60	34.40	12.16	29.90	0.00	100	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5141.05	57.20	74.00	-16.80	40.90	34.14	12.03	29.87	0.00	100	171	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	105.26	-----	-----	88.60	34.40	12.16	29.90	0.00	100	171	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.00</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>29.05</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>100</td><td>171</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.00	45.50	54.00	-8.50	29.05	34.30	12.00	29.85	0.00	100	171	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>97.54</td><td>-----</td><td>-----</td><td>80.88</td><td>34.40</td><td>12.16</td><td>29.90</td><td>0.00</td><td>100</td><td>171</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.54	-----	-----	80.88	34.40	12.16	29.90	0.00	100	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5100.00	45.50	54.00	-8.50	29.05	34.30	12.00	29.85	0.00	100	171	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	97.54	-----	-----	80.88	34.40	12.16	29.90	0.00	100	171	AVERAGE																																																																																																			



Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.55</td><td>61.37</td><td>74.00</td><td>-12.63</td><td>44.59</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.55	61.37	74.00	-12.63	44.59	34.41	12.21	29.84	0.00	100	171	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.55	61.37	74.00	-12.63	44.59	34.41	12.21	29.84	0.00	100	171	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.12</td><td>54.00</td><td>-3.88</td><td>33.36</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>100</td><td>171</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.12	54.00	-3.88	33.36	34.40	12.20	29.84	0.00	100	171	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	50.12	54.00	-3.88	33.36	34.40	12.20	29.84	0.00	100	171	AVERAGE																																											





Mode	22																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.49</td><td>57.53</td><td>74.00</td><td>-16.47</td><td>41.26</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>135</td><td>269</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.49	57.53	74.00	-16.47	41.26	34.11	12.03	29.87	0.00	135	269	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>101.03</td><td>-----</td><td>-----</td><td>84.37</td><td>34.40</td><td>12.16</td><td>29.90</td><td>0.00</td><td>135</td><td>269</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	101.03	-----	-----	84.37	34.40	12.16	29.90	0.00	135	269
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5146.49	57.53	74.00	-16.47	41.26	34.11	12.03	29.87	0.00	135	269	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	101.03	-----	-----	84.37	34.40	12.16	29.90	0.00	135	269	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5103.58</td><td>45.47</td><td>54.00</td><td>-8.53</td><td>29.03</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>135</td><td>269</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.58	45.47	54.00	-8.53	29.03	34.29	12.00	29.85	0.00	135	269	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>93.51</td><td>-----</td><td>-----</td><td>76.84</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>135</td><td>269</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	93.51	-----	-----	76.84	34.40	12.17	29.90	0.00	135	269
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5103.58	45.47	54.00	-8.53	29.03	34.29	12.00	29.85	0.00	135	269	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	93.51	-----	-----	76.84	34.40	12.17	29.90	0.00	135	269	AVERAGE																																																																																							







Mode	22																																																																	
	Band Edge - R																																																																	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																	
Pol.	Vertical											Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.75</td><td>56.98</td><td>74.00</td><td>-17.02</td><td>40.20</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>135</td><td>269</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.75	56.98	74.00	-17.02	40.20	34.41	12.21	29.84	0.00	135	269	PEAK	Blank										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5351.75	56.98	74.00	-17.02	40.20	34.41	12.21	29.84	0.00	135	269	PEAK																																																						
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>47.42</td><td>54.00</td><td>-6.58</td><td>30.66</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>135</td><td>269</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	47.42	54.00	-6.58	30.66	34.40	12.20	29.84	0.00	135	269	AVERAGE	Blank										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5350.00	47.42	54.00	-6.58	30.66	34.40	12.20	29.84	0.00	135	269	AVERAGE																																																						




Mode	22																																																					
	Harmonic																																																					
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																					
Pol.	Horizontal						Vertical																																															
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>57.22</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	46.21	74.00	-27.79	57.22	37.62	17.79	66.42	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10620.00	46.21	74.00	-27.79	57.22	37.62	17.79	66.42	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>57.03</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	46.02	74.00	-27.98	57.03	37.62	17.79	66.42	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10620.00	46.02	74.00	-27.98	57.03	37.62	17.79	66.42	0.00	--	PEAK																																											



Mode	23																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5468.00</td><td>58.74</td><td>74.00</td><td>-15.26</td><td>41.71</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>113</td><td>165</td><td>PEAK</td></tr><tr><td>2</td><td>5468.33</td><td>64.16</td><td>68.20</td><td>-4.04</td><td>47.15</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>113</td><td>165</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5468.00	58.74	74.00	-15.26	41.71	34.58	12.33	29.88	0.00	113	165	PEAK	2	5468.33	64.16	68.20	-4.04	47.15	34.56	12.34	29.89	0.00	113	165	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5468.00	58.74	74.00	-15.26	41.71	34.58	12.33	29.88	0.00	113	165	PEAK																																																								
2	5468.33	64.16	68.20	-4.04	47.15	34.56	12.34	29.89	0.00	113	165	PEAK																																																								
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>104.85</td><td>-----</td><td>-----</td><td>87.89</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>113</td><td>165</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.85	-----	-----	87.89	34.50	12.39	29.93	0.00	113	165	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5510.00	104.85	-----	-----	87.89	34.50	12.39	29.93	0.00	113	165	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.96</td><td>49.15</td><td>54.00</td><td>-4.85</td><td>32.12</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>113</td><td>165</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.96	49.15	54.00	-4.85	32.12	34.58	12.33	29.88	0.00	113	165	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.96	49.15	54.00	-4.85	32.12	34.58	12.33	29.88	0.00	113	165	AVERAGE																																																								
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>96.37</td><td>-----</td><td>-----</td><td>79.39</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>113</td><td>165</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.37	-----	-----	79.39	34.50	12.40	29.92	0.00	113	165	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5510.00	96.37	-----	-----	79.39	34.50	12.40	29.92	0.00	113	165	AVERAGE																																																								




Mode	23																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.20</td><td>56.29</td><td>68.20</td><td>-11.91</td><td>38.72</td><td>34.71</td><td>12.72</td><td>29.86</td><td>0.00</td><td>113</td><td>165</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.20	56.29	68.20	-11.91	38.72	34.71	12.72	29.86	0.00	113	165	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5757.20	56.29	68.20	-11.91	38.72	34.71	12.72	29.86	0.00	113	165	PEAK																																		





Mode	23																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.60</td><td>57.01</td><td>74.00</td><td>-16.99</td><td>39.97</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100 272 PEAK</td></tr><tr><td>2</td><td>5464.01</td><td>62.69</td><td>68.20</td><td>-5.51</td><td>45.66</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>100 272 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.60	57.01	74.00	-16.99	39.97	34.58	12.33	29.87	0.00	100 272 PEAK	2	5464.01	62.69	68.20	-5.51	45.66	34.57	12.34	29.88	0.00	100 272 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5457.60	57.01	74.00	-16.99	39.97	34.58	12.33	29.87	0.00	100 272 PEAK																																																								
2	5464.01	62.69	68.20	-5.51	45.66	34.57	12.34	29.88	0.00	100 272 PEAK																																																								
Fundamental																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>101.49</td><td>-----</td><td>-----</td><td>84.48</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>100 272 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	101.49	-----	-----	84.48	34.50	12.41	29.90	0.00	100 272 PEAK											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	101.49	-----	-----	84.48	34.50	12.41	29.90	0.00	100 272 PEAK																																																								
Avg																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>30.06</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100 272 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	47.09	54.00	-6.91	30.06	34.58	12.33	29.88	0.00	100 272 AVERAGE											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5460.00	47.09	54.00	-6.91	30.06	34.58	12.33	29.88	0.00	100 272 AVERAGE																																																								
Fundamental																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>92.83</td><td>-----</td><td>-----</td><td>75.85</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>100 272 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	92.83	-----	-----	75.85	34.50	12.40	29.92	0.00	100 272 AVERAGE											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	92.83	-----	-----	75.85	34.50	12.40	29.92	0.00	100 272 AVERAGE																																																								



Mode	23																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.52</td><td>57.55</td><td>68.20</td><td>-10.65</td><td>40.08</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.52	57.55	68.20	-10.65	40.08	34.68	12.69	29.90	0.00	100	272	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5739.52	57.55	68.20	-10.65	40.08	34.68	12.69	29.90	0.00	100	272	PEAK																																		



		23																																																				
Mode		Harmonic																																																				
		U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.76</td><td>74.00</td><td>-28.24</td><td>55.68</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.76	74.00	-28.24	55.68	37.82	18.17	65.91	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11020.00	45.76	74.00	-28.24	55.68	37.82	18.17	65.91	0.00	--	PEAK																																											
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>55.69</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.77	74.00	-28.23	55.69	37.82	18.17	65.91	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11020.00	45.77	74.00	-28.23	55.69	37.82	18.17	65.91	0.00	--	PEAK																																											



24

Mode

Band Edge - L


U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz

Pol.


Horizontal

Fundamental

Peak




	Limit				Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Freq	Level	Line	Margin	Level	Factor		Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		dB	dB	dB		cm	deg
1	5452.69	56.07	74.00	-17.93	39.02	34.59	12.32	29.86	0.00	100	164	PEAK	
2	5468.91	56.24	68.20	-11.96	39.21	34.58	12.33	29.88	0.00	100	164	PEAK	




	Limit				Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5550.00	105.64	-----	-----	88.52	34.50	12.45	29.83	0.00	100	164	PEAK

Avg




	Limit				Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	5459.91	45.26	54.00	-8.74	28.23	34.58	12.33	29.88	0.00		100	164	AVERAGE



	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
	Freq	Level									Line	Margin
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5550.00	98.18	-----	-----	81.06	34.50	12.45	29.83	0.00	100	164	AVERAGE




Mode	24																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.96</td><td>55.70</td><td>68.20</td><td>-12.50</td><td>38.11</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>100</td><td>164</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.96	55.70	68.20	-12.50	38.11	34.72	12.72	29.85	0.00	100	164	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5759.96	55.70	68.20	-12.50	38.11	34.72	12.72	29.85	0.00	100	164	PEAK																																		





		24																																																																			
Mode	Band Edge - L																																																																				
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																																				
Pol.	Fundamental																																																																				
Peak	Vertical																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5398.11</td><td>54.78</td><td>74.00</td><td>-19.22</td><td>37.72</td><td>34.59</td><td>12.25</td><td>29.78</td><td>0.00</td><td>109</td><td>271</td><td>PEAK</td></tr><tr><td>2</td><td>5468.71</td><td>55.73</td><td>68.20</td><td>-12.47</td><td>38.72</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>109</td><td>271</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.11	54.78	74.00	-19.22	37.72	34.59	12.25	29.78	0.00	109	271	PEAK	2	5468.71	55.73	68.20	-12.47	38.72	34.56	12.34	29.89	0.00	109	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5398.11	54.78	74.00	-19.22	37.72	34.59	12.25	29.78	0.00	109	271	PEAK																																																									
2	5468.71	55.73	68.20	-12.47	38.72	34.56	12.34	29.89	0.00	109	271	PEAK																																																									
Avg	Fundamental																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>102.51</td><td>-----</td><td>-----</td><td>85.41</td><td>34.50</td><td>12.45</td><td>29.85</td><td>0.00</td><td>109</td><td>271</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	102.51	-----	-----	85.41	34.50	12.45	29.85	0.00	109	271	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5550.00	102.51	-----	-----	85.41	34.50	12.45	29.85	0.00	109	271	PEAK																																																									
Peak	Vertical																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5398.11</td><td>54.78</td><td>74.00</td><td>-19.22</td><td>37.72</td><td>34.59</td><td>12.25</td><td>29.78</td><td>0.00</td><td>109</td><td>271</td><td>PEAK</td></tr><tr><td>2</td><td>5468.71</td><td>55.73</td><td>68.20</td><td>-12.47</td><td>38.72</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>109</td><td>271</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.11	54.78	74.00	-19.22	37.72	34.59	12.25	29.78	0.00	109	271	PEAK	2	5468.71	55.73	68.20	-12.47	38.72	34.56	12.34	29.89	0.00	109	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5398.11	54.78	74.00	-19.22	37.72	34.59	12.25	29.78	0.00	109	271	PEAK																																																									
2	5468.71	55.73	68.20	-12.47	38.72	34.56	12.34	29.89	0.00	109	271	PEAK																																																									
Avg	Fundamental																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>102.51</td><td>-----</td><td>-----</td><td>85.41</td><td>34.50</td><td>12.45</td><td>29.85</td><td>0.00</td><td>109</td><td>271</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	102.51	-----	-----	85.41	34.50	12.45	29.85	0.00	109	271	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5550.00	102.51	-----	-----	85.41	34.50	12.45	29.85	0.00	109	271	PEAK																																																									



Mode	24																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.52</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>38.50</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>109</td><td>271</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.52	55.95	68.20	-12.25	38.50	34.67	12.69	29.91	0.00	109	271	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5736.52	55.95	68.20	-12.25	38.50	34.67	12.69	29.91	0.00	109	271	PEAK																																		




		24																																																				
Mode		Harmonic																																																				
		U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>56.30</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	46.84	74.00	-27.16	56.30	37.90	18.24	65.60	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11100.00	46.84	74.00	-27.16	56.30	37.90	18.24	65.60	0.00	--	PEAK																																											
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>56.09</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	46.63	74.00	-27.37	56.09	37.90	18.24	65.60	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11100.00	46.63	74.00	-27.37	56.09	37.90	18.24	65.60	0.00	--	PEAK																																											



Mode	25																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.85</td><td>56.34</td><td>74.00</td><td>-17.66</td><td>39.28</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>100</td><td>155</td><td>PEAK</td></tr><tr><td>2</td><td>5464.17</td><td>54.73</td><td>68.20</td><td>-13.47</td><td>37.70</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>100</td><td>155</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.85	56.34	74.00	-17.66	39.28	34.60	12.31	29.85	0.00	100	155	PEAK	2	5464.17	54.73	68.20	-13.47	37.70	34.57	12.34	29.88	0.00	100	155	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.47</td><td>-----</td><td>-----</td><td>90.18</td><td>34.60</td><td>12.61</td><td>29.92</td><td>0.00</td><td>100</td><td>155</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.47	-----	-----	90.18	34.60	12.61	29.92	0.00	100	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5443.85	56.34	74.00	-17.66	39.28	34.60	12.31	29.85	0.00	100	155	PEAK																																																																																																																
2	5464.17	54.73	68.20	-13.47	37.70	34.57	12.34	29.88	0.00	100	155	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5670.00	107.47	-----	-----	90.18	34.60	12.61	29.92	0.00	100	155	PEAK																																																																																																																
Avg																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.35</td><td>44.45</td><td>54.00</td><td>-9.55</td><td>27.41</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>155</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.35	44.45	54.00	-9.55	27.41	34.58	12.33	29.87	0.00	100	155	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>99.09</td><td>-----</td><td>-----</td><td>81.00</td><td>34.60</td><td>12.61</td><td>29.92</td><td>0.00</td><td>100</td><td>155</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.09	-----	-----	81.00	34.60	12.61	29.92	0.00	100	155	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5458.35	44.45	54.00	-9.55	27.41	34.58	12.33	29.87	0.00	100	155	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5670.00	99.09	-----	-----	81.00	34.60	12.61	29.92	0.00	100	155	AVERAGE																																																																																																																



Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.68</td><td>61.87</td><td>68.20</td><td>-6.33</td><td>44.48</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>100</td><td>155</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.68	61.87	68.20	-6.33	44.48	34.65	12.68	29.94	0.00	100	155	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.68	61.87	68.20	-6.33	44.48	34.65	12.68	29.94	0.00	100	155	PEAK																																												



		25									
Mode	Band Edge - L										
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz										
Pol.	Fundamental										
Peak	Vertical										
	Fundamental										
Avg	Vertical										
	Fundamental										


Peak	Vertical																																																																		
	U-NII-1-U-NII-2A-U-NII-2C																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.33</td><td>55.72</td><td>74.00</td><td>-18.28</td><td>38.79</td><td>34.51</td><td>12.23</td><td>29.81</td><td>0.00</td><td>102</td><td>272</td><td>PEAK</td></tr><tr><td>2</td><td>5469.13</td><td>55.63</td><td>68.20</td><td>-12.57</td><td>38.62</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>102</td><td>272</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.33	55.72	74.00	-18.28	38.79	34.51	12.23	29.81	0.00	102	272	PEAK	2	5469.13	55.63	68.20	-12.57	38.62	34.56	12.34	29.89	0.00	102	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5376.33	55.72	74.00	-18.28	38.79	34.51	12.23	29.81	0.00	102	272	PEAK																																																							
2	5469.13	55.63	68.20	-12.57	38.62	34.56	12.34	29.89	0.00	102	272	PEAK																																																							

Peak	Fundamental																																																					
	U-NII-1-U-NII-2A-U-NII-2C																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>104.45</td><td>-----</td><td>-----</td><td>87.16</td><td>34.60</td><td>12.60</td><td>29.91</td><td>0.00</td><td>102</td><td>272</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.45	-----	-----	87.16	34.60	12.60	29.91	0.00	102	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5670.00	104.45	-----	-----	87.16	34.60	12.60	29.91	0.00	102	272	PEAK																																										

Avg	Vertical																																																					
	U-NII-1-U-NII-2A-U-NII-2C(AVG)																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.56</td><td>44.39</td><td>54.00</td><td>-9.61</td><td>27.34</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>102</td><td>272</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.56	44.39	54.00	-9.61	27.34	34.59	12.33	29.87	0.00	102	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5456.56	44.39	54.00	-9.61	27.34	34.59	12.33	29.87	0.00	102	272	AVERAGE																																										

Avg	Fundamental																																																					
	U-NII-1-U-NII-2A-U-NII-2C(AVG)																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>96.38</td><td>-----</td><td>-----</td><td>79.09</td><td>34.60</td><td>12.60</td><td>29.91</td><td>0.00</td><td>102</td><td>272</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.38	-----	-----	79.09	34.60	12.60	29.91	0.00	102	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5670.00	96.38	-----	-----	79.09	34.60	12.60	29.91	0.00	102	272	AVERAGE																																										







Mode	25																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.12</td><td>57.98</td><td>68.20</td><td>-10.22</td><td>40.59</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>102</td><td>272</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.12	57.98	68.20	-10.22	40.59	34.65	12.68	29.94	0.00	102	272	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5725.12	57.98	68.20	-10.22	40.59	34.65	12.68	29.94	0.00	102	272	PEAK																																		



		25																																																				
Mode		Harmonic																																																				
		U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>54.55</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	46.26	74.00	-27.74	54.55	37.94	18.45	64.68	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11340.00	46.26	74.00	-27.74	54.55	37.94	18.45	64.68	0.00	--	PEAK																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>55.18</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	46.89	74.00	-27.11	55.18	37.94	18.45	64.68	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11340.00	46.89	74.00	-27.11	55.18	37.94	18.45	64.68	0.00	--	PEAK																																											



Mode	26																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.85</td><td>59.89</td><td>74.00</td><td>-14.11</td><td>43.58</td><td>34.15</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>182</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.85	59.89	74.00	-14.11	43.58	34.15	12.03	29.87	0.00	100	182	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.22</td><td>-----</td><td>-----</td><td>83.71</td><td>34.32</td><td>12.08</td><td>29.89</td><td>0.00</td><td>100</td><td>182</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.22	-----	-----	83.71	34.32	12.08	29.89	0.00	100	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5137.85	59.89	74.00	-14.11	43.58	34.15	12.03	29.87	0.00	100	182	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	100.22	-----	-----	83.71	34.32	12.08	29.89	0.00	100	182	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.05</td><td>49.65</td><td>54.00</td><td>-4.35</td><td>33.37</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>182</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.05	49.65	54.00	-4.35	33.37	34.12	12.03	29.87	0.00	100	182	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.53</td><td>-----</td><td>-----</td><td>75.04</td><td>34.31</td><td>12.07</td><td>29.89</td><td>0.00</td><td>100</td><td>182</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.53	-----	-----	75.04	34.31	12.07	29.89	0.00	100	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5145.05	49.65	54.00	-4.35	33.37	34.12	12.03	29.87	0.00	100	182	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	91.53	-----	-----	75.04	34.31	12.07	29.89	0.00	100	182	AVERAGE																																																																																																			



Mode	26																																																																									
	Band Edge - R																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5357.26</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>38.98</td><td>34.43</td><td>12.21</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>29.84</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>182</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5357.26	55.78	74.00	-18.22	38.98	34.43	12.21								29.84								0.00								100								182								PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5357.26	55.78	74.00	-18.22	38.98	34.43	12.21																																																																			
							29.84																																																																			
							0.00																																																																			
							100																																																																			
							182																																																																			
							PEAK																																																																			
Avg	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5362.66</td><td>45.39</td><td>54.00</td><td>-8.61</td><td>28.55</td><td>34.45</td><td>12.22</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>29.83</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>182</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5362.66	45.39	54.00	-8.61	28.55	34.45	12.22								29.83								0.00								100								182								AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5362.66	45.39	54.00	-8.61	28.55	34.45	12.22																																																																			
							29.83																																																																			
							0.00																																																																			
							100																																																																			
							182																																																																			
							AVERAGE																																																																			





		26																																																									
Mode	Band Edge - L																																																										
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																										
Pol.	Vertical						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5149.69</td><td>58.36</td><td>74.00</td><td>-15.64</td><td>42.10</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5149.69	58.36	74.00	-15.64	42.10	34.10	12.03	29.87	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5149.69	58.36	74.00	-15.64	42.10	34.10	12.03	29.87	0.00	100	274 PEAK																																																
Fundamental																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5210.00</td><td>96.11</td><td>-----</td><td>-----</td><td>79.62</td><td>34.31</td><td>12.07</td><td>29.89</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5210.00	96.11	-----	-----	79.62	34.31	12.07	29.89	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5210.00	96.11	-----	-----	79.62	34.31	12.07	29.89	0.00	100	274 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5143.13</td><td>47.79</td><td>54.00</td><td>-6.21</td><td>31.50</td><td>34.13</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>274 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5143.13	47.79	54.00	-6.21	31.50	34.13	12.03	29.87	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5143.13	47.79	54.00	-6.21	31.50	34.13	12.03	29.87	0.00	100	274 AVERAGE																																																
Fundamental																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5210.00</td><td>87.68</td><td>-----</td><td>-----</td><td>71.21</td><td>34.29</td><td>12.07</td><td>29.89</td><td>0.00</td><td>100</td><td>274 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5210.00	87.68	-----	-----	71.21	34.29	12.07	29.89	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5210.00	87.68	-----	-----	71.21	34.29	12.07	29.89	0.00	100	274 AVERAGE																																																







Mode	26																																																								
	Band Edge - R																																																								
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5373.10</td><td>54.12</td><td>74.00</td><td>-19.88</td><td>37.21</td><td>34.49</td><td>12.23</td><td>29.81</td><td>0.00</td><td>100</td><td>274</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.10	54.12	74.00	-19.88	37.21	34.49	12.23	29.81	0.00	100	274	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5373.10	54.12	74.00	-19.88	37.21	34.49	12.23	29.81	0.00	100	274	PEAK																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5391.28</td><td>45.27</td><td>54.00</td><td>-8.73</td><td>28.25</td><td>34.57</td><td>12.24</td><td>29.79</td><td>0.00</td><td>100</td><td>274</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.28	45.27	54.00	-8.73	28.25	34.57	12.24	29.79	0.00	100	274	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5391.28	45.27	54.00	-8.73	28.25	34.57	12.24	29.79	0.00	100	274	AVERAGE																																													



		26																																																				
Mode		Harmonic																																																				
		U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.24</td><td>68.20</td><td>-22.96</td><td>56.75</td><td>37.48</td><td>17.56</td><td>66.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	45.24	68.20	-22.96	56.75	37.48	17.56	66.55	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10420.00	45.24	68.20	-22.96	56.75	37.48	17.56	66.55	0.00	--	PEAK																																											
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>46.00</td><td>68.20</td><td>-22.20</td><td>57.44</td><td>37.52</td><td>17.59</td><td>66.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	46.00	68.20	-22.20	57.44	37.52	17.59	66.55	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10420.00	46.00	68.20	-22.20	57.44	37.52	17.59	66.55	0.00	--	PEAK																																											



		27																																																																																																	
Mode	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C						 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5102.17</td><td>57.30</td><td>74.00</td><td>-16.70</td><td>40.86</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>108</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.17	57.30	74.00	-16.70	40.86	34.29	12.00	29.85	0.00	108	172	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>101.01</td><td>-----</td><td>-----</td><td>84.38</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>108</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	101.01	-----	-----	84.38	34.40	12.14	29.91	0.00	108	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5102.17	57.30	74.00	-16.70	40.86	34.29	12.00	29.85	0.00	108	172	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	101.01	-----	-----	84.38	34.40	12.14	29.91	0.00	108	172	PEAK																																																																																							
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG)						 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG)																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5105.52</td><td>46.85</td><td>54.00</td><td>-7.15</td><td>30.42</td><td>34.28</td><td>12.00</td><td>29.85</td><td>0.00</td><td>108</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.52	46.85	54.00	-7.15	30.42	34.28	12.00	29.85	0.00	108	172	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>92.66</td><td>-----</td><td>-----</td><td>76.03</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>108</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	92.66	-----	-----	76.03	34.40	12.14	29.91	0.00	108	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5105.52	46.85	54.00	-7.15	30.42	34.28	12.00	29.85	0.00	108	172	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	92.66	-----	-----	76.03	34.40	12.14	29.91	0.00	108	172	AVERAGE																																																																																							



Mode	27																																																								
	Band Edge - R																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.05</td><td>62.11</td><td>74.00</td><td>-11.89</td><td>45.33</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>108</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.05	62.11	74.00	-11.89	45.33	34.41	12.21	29.84	0.00	108	172	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5353.05	62.11	74.00	-11.89	45.33	34.41	12.21	29.84	0.00	108	172	PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.05</td><td>50.67</td><td>54.00</td><td>-3.33</td><td>33.88</td><td>34.42</td><td>12.21</td><td>29.84</td><td>0.00</td><td>108</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.05	50.67	54.00	-3.33	33.88	34.42	12.21	29.84	0.00	108	172	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5354.05	50.67	54.00	-3.33	33.88	34.42	12.21	29.84	0.00	108	172	AVERAGE																																													





		27																																																																																																						
Mode	Band Edge - L																																																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																																							
Pol.	Vertical					Fundamental																																																																																																		
Peak																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5114.97</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>39.83</td><td>34.24</td><td>12.01</td><td>29.86</td><td>0.00</td><td>112</td><td>267</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5114.97	56.22	74.00	-17.78	39.83	34.24	12.01	29.86	0.00	112	267	PEAK																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5114.97	56.22	74.00	-17.78	39.83	34.24	12.01	29.86	0.00	112	267	PEAK																																																																																												
Fundamental																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>96.71</td><td>-----</td><td>-----</td><td>80.07</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>112</td><td>267</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	96.71	-----	-----	80.07	34.40	12.15	29.91	0.00	112	267	PEAK																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5290.00	96.71	-----	-----	80.07	34.40	12.15	29.91	0.00	112	267	PEAK																																																																																												
Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5107.93</td><td>46.99</td><td>54.00</td><td>-7.01</td><td>30.56</td><td>34.27</td><td>12.01</td><td>29.85</td><td>0.00</td><td>112</td><td>267</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.93	46.99	54.00	-7.01	30.56	34.27	12.01	29.85	0.00	112	267	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>88.61</td><td>-----</td><td>-----</td><td>71.97</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>112</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	88.61	-----	-----	71.97	34.40	12.15	29.91	0.00	112	267
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5107.93	46.99	54.00	-7.01	30.56	34.27	12.01	29.85	0.00	112	267	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5290.00	88.61	-----	-----	71.97	34.40	12.15	29.91	0.00	112	267	AVERAGE																																																																																												







Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.75</td><td>60.49</td><td>74.00</td><td>-13.51</td><td>43.56</td><td>34.51</td><td>12.23</td><td>29.81</td><td>0.00</td><td>112</td><td>267</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.75	60.49	74.00	-13.51	43.56	34.51	12.23	29.81	0.00	112	267	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5376.75	60.49	74.00	-13.51	43.56	34.51	12.23	29.81	0.00	112	267	PEAK																																												
Avg	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.65</td><td>48.35</td><td>54.00</td><td>-5.65</td><td>31.54</td><td>34.43</td><td>12.21</td><td>29.83</td><td>0.00</td><td>112</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.65	48.35	54.00	-5.65	31.54	34.43	12.21	29.83	0.00	112	267	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5358.65	48.35	54.00	-5.65	31.54	34.43	12.21	29.83	0.00	112	267	AVERAGE																																												




Mode	27																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.61</td><td>68.20</td><td>-22.59</td><td>56.75</td><td>37.60</td><td>17.74</td><td>66.48</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	45.61	68.20	-22.59	56.75	37.60	17.74	66.48	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>46.12</td><td>68.20</td><td>-22.08</td><td>57.24</td><td>37.60</td><td>17.75</td><td>66.47</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	46.12	68.20	-22.08	57.24	37.60	17.75	66.47	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10580.00	45.61	68.20	-22.59	56.75	37.60	17.74	66.48	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10580.00	46.12	68.20	-22.08	57.24	37.60	17.75	66.47	0.00	--	PEAK																																																																																						







Mode	28																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.49</td><td>62.35</td><td>74.00</td><td>-11.65</td><td>45.29</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>100</td><td>164</td><td>PEAK</td></tr><tr><td>2</td><td>5467.85</td><td>62.34</td><td>68.20</td><td>-5.86</td><td>45.33</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>100</td><td>164</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.49	62.35	74.00	-11.65	45.29	34.60	12.32	29.86	0.00	100	164	PEAK	2	5467.85	62.34	68.20	-5.86	45.33	34.56	12.34	29.89	0.00	100	164	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>99.92</td><td>-----</td><td>-----</td><td>82.91</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>100</td><td>164</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.92	-----	-----	82.91	34.50	12.41	29.90	0.00	100	164
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5452.49	62.35	74.00	-11.65	45.29	34.60	12.32	29.86	0.00	100	164	PEAK																																																																																																																
2	5467.85	62.34	68.20	-5.86	45.33	34.56	12.34	29.89	0.00	100	164	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	99.92	-----	-----	82.91	34.50	12.41	29.90	0.00	100	164	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.73</td><td>50.76</td><td>54.00</td><td>-3.24</td><td>33.72</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>164</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.73	50.76	54.00	-3.24	33.72	34.58	12.33	29.87	0.00	100	164	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>90.99</td><td>-----</td><td>-----</td><td>73.95</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>100</td><td>164</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	90.99	-----	-----	73.95	34.50	12.42	29.88	0.00	100	164	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5458.73	50.76	54.00	-3.24	33.72	34.58	12.33	29.87	0.00	100	164	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	90.99	-----	-----	73.95	34.50	12.42	29.88	0.00	100	164	AVERAGE																																																																																																																




Mode	28																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.60</td><td>57.00</td><td>68.20</td><td>-11.20</td><td>39.50</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>164</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.60	57.00	68.20	-11.20	39.50	34.69	12.70	29.89	0.00	100	164	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5743.60	57.00	68.20	-11.20	39.50	34.69	12.70	29.89	0.00	100	164	PEAK																																		





Mode	28																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.85</td><td>60.25</td><td>74.00</td><td>-13.75</td><td>43.19</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>103</td><td>271</td><td>PEAK</td></tr><tr><td>2</td><td>5468.97</td><td>59.20</td><td>68.20</td><td>-9.00</td><td>42.17</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>103</td><td>271</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5451.85	60.25	74.00	-13.75	43.19	34.60	12.32	29.86	0.00	103	271	PEAK	2	5468.97	59.20	68.20	-9.00	42.17	34.58	12.33	29.88	0.00	103	271	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>96.02</td><td>-----</td><td>-----</td><td>79.01</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>103</td><td>271</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	96.02	-----	-----	79.01	34.50	12.41	29.90	0.00	103	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5451.85	60.25	74.00	-13.75	43.19	34.60	12.32	29.86	0.00	103	271	PEAK																																																																																																																				
2	5468.97	59.20	68.20	-9.00	42.17	34.58	12.33	29.88	0.00	103	271	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5530.00	96.02	-----	-----	79.01	34.50	12.41	29.90	0.00	103	271	PEAK																																																																																																																				
Avg																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.97</td><td>48.95</td><td>54.00</td><td>-5.05</td><td>31.90</td><td>34.59</td><td>12.32</td><td>29.86</td><td>0.00</td><td>103</td><td>271</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.97	48.95	54.00	-5.05	31.90	34.59	12.32	29.86	0.00	103	271	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>88.09</td><td>-----</td><td>-----</td><td>71.05</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>103</td><td>271</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	88.09	-----	-----	71.05	34.50	12.42	29.88	0.00	103	271	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5452.97	48.95	54.00	-5.05	31.90	34.59	12.32	29.86	0.00	103	271	AVERAGE																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5530.00	88.09	-----	-----	71.05	34.50	12.42	29.88	0.00	103	271	AVERAGE																																																																																																																				



Mode	28																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.64</td><td>55.33</td><td>68.20</td><td>-12.87</td><td>37.88</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>103</td><td>271</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.64	55.33	68.20	-12.87	37.88	34.67	12.69	29.91	0.00	103	271	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5734.64	55.33	68.20	-12.87	37.88	34.67	12.69	29.91	0.00	103	271	PEAK																																		




		28																																																				
Mode		Harmonic																																																				
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.98</td><td>74.00</td><td>-28.02</td><td>55.68</td><td>37.86</td><td>18.20</td><td>65.76</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.98	74.00	-28.02	55.68	37.86	18.20	65.76	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11060.00	45.98	74.00	-28.02	55.68	37.86	18.20	65.76	0.00	--	PEAK																																											
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>46.99</td><td>74.00</td><td>-27.01</td><td>56.69</td><td>37.86</td><td>18.20</td><td>65.76</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	46.99	74.00	-27.01	56.69	37.86	18.20	65.76	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11060.00	46.99	74.00	-27.01	56.69	37.86	18.20	65.76	0.00	--	PEAK																																											







Mode	29																																																																						
	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																																						
Pol.	Horizontal						Fundamental																																																																
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5458.89</td><td>55.83</td><td>74.00</td><td>-18.17</td><td>38.77</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>100</td><td>161 PEAK</td></tr><tr><td>2</td><td>5463.53</td><td>55.15</td><td>68.20</td><td>-13.05</td><td>38.12</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>100</td><td>161 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.89	55.83	74.00	-18.17	38.77	34.60	12.32	29.86	0.00	100	161 PEAK	2	5463.53	55.15	68.20	-13.05	38.12	34.57	12.34	29.88	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5458.89	55.83	74.00	-18.17	38.77	34.60	12.32	29.86	0.00	100	161 PEAK																																																												
2	5463.53	55.15	68.20	-13.05	38.12	34.57	12.34	29.88	0.00	100	161 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5458.89</td><td>46.10</td><td>54.00</td><td>-7.90</td><td>29.06</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>161 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.89	46.10	54.00	-7.90	29.06	34.58	12.33	29.87	0.00	100	161 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5458.89	46.10	54.00	-7.90	29.06	34.58	12.33	29.87	0.00	100	161 AVERAGE																																																												
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>101.25</td><td>-----</td><td>-----</td><td>83.96</td><td>34.50</td><td>12.52</td><td>29.73</td><td>0.00</td><td>100</td><td>161 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	101.25	-----	-----	83.96	34.50	12.52	29.73	0.00	100	161 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5610.00	101.25	-----	-----	83.96	34.50	12.52	29.73	0.00	100	161 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>92.96</td><td>-----</td><td>-----</td><td>75.67</td><td>34.50</td><td>12.52</td><td>29.73</td><td>0.00</td><td>100</td><td>161 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	92.96	-----	-----	75.67	34.50	12.52	29.73	0.00	100	161 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5610.00	92.96	-----	-----	75.67	34.50	12.52	29.73	0.00	100	161 AVERAGE																																																												




Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.52</td><td>56.53</td><td>68.20</td><td>-11.67</td><td>38.94</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>100</td><td>161</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.52	56.53	68.20	-11.67	38.94	34.72	12.72	29.85	0.00	100	161	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5759.52	56.53	68.20	-11.67	38.94	34.72	12.72	29.85	0.00	100	161	PEAK																																												





Mode	29																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.73</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>38.81</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>106</td><td>272</td><td>PEAK</td></tr><tr><td>2</td><td>5462.57</td><td>55.36</td><td>68.20</td><td>-12.84</td><td>38.34</td><td>34.57</td><td>12.33</td><td>29.88</td><td>0.00</td><td>106</td><td>272</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.73	55.87	74.00	-18.13	38.81	34.60	12.31	29.85	0.00	106	272	PEAK	2	5462.57	55.36	68.20	-12.84	38.34	34.57	12.33	29.88	0.00	106	272	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>98.14</td><td>-----</td><td>-----</td><td>80.85</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>106</td><td>272</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.14	-----	-----	80.85	34.52	12.53	29.76	0.00	106	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5446.73	55.87	74.00	-18.13	38.81	34.60	12.31	29.85	0.00	106	272	PEAK																																																																																																				
2	5462.57	55.36	68.20	-12.84	38.34	34.57	12.33	29.88	0.00	106	272	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	98.14	-----	-----	80.85	34.52	12.53	29.76	0.00	106	272	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.85</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>28.78</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>106</td><td>272</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	45.81	54.00	-8.19	28.78	34.58	12.33	29.88	0.00	106	272	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>98.04</td><td>-----</td><td>-----</td><td>72.75</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>106</td><td>272</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.04	-----	-----	72.75	34.52	12.53	29.76	0.00	106	272	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.85	45.81	54.00	-8.19	28.78	34.58	12.33	29.88	0.00	106	272	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	98.04	-----	-----	72.75	34.52	12.53	29.76	0.00	106	272	AVERAGE																																																																																																				






Mode	29																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.56</td><td>56.75</td><td>68.20</td><td>-11.45</td><td>39.24</td><td>34.69</td><td>12.70</td><td>29.88</td><td>0.00</td><td>106</td><td>272</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5746.56	56.75	68.20	-11.45	39.24	34.69	12.70	29.88	0.00	106	272	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5746.56	56.75	68.20	-11.45	39.24	34.69	12.70	29.88	0.00	106	272	PEAK																																		






		29																																																					
Mode		Harmonic																																																					
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																					
Pol.		Horizontal																																																					
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>55.70</td><td>37.98</td><td>18.34</td><td>65.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	46.88	74.00	-27.12	55.70	37.98	18.34	65.14	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	11220.00	46.88	74.00	-27.12	55.70	37.98	18.34	65.14	0.00	--	PEAK																																												
		Vertical																																																					
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>55.38</td><td>37.98</td><td>18.34</td><td>65.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	46.56	74.00	-27.44	55.38	37.98	18.34	65.14	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	11220.00	46.56	74.00	-27.44	55.38	37.98	18.34	65.14	0.00	--	PEAK																																												



Mode	30																																																																																									
	Band Edge																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																									
Pol.	Horizontal																																																																																									
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue test signal. A peak is visible at 5720 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5604.40</td><td>56.24</td><td>68.20</td><td>-11.96</td><td>38.94</td><td>34.51</td><td>12.53</td><td>29.74</td><td>0.00</td><td>305</td><td>292</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>53.27</td><td>68.20</td><td>-14.93</td><td>35.95</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>305</td><td>292</td><td>PEAK</td></tr><tr><td>3 5720.00</td><td>65.87</td><td>110.90</td><td>-45.03</td><td>48.51</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>305</td><td>292</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>65.87</td><td>110.90</td><td>-45.03</td><td>48.51</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>305</td><td>292</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5604.40	56.24	68.20	-11.96	38.94	34.51	12.53	29.74	0.00	305	292	PEAK	2 5650.00	53.27	68.20	-14.93	35.95	34.60	12.58	29.86	0.00	305	292	PEAK	3 5720.00	65.87	110.90	-45.03	48.51	34.64	12.67	29.95	0.00	305	292	PEAK	4 5720.00	65.87	110.90	-45.03	48.51	34.64	12.67	29.95	0.00	305	292	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5604.40	56.24	68.20	-11.96	38.94	34.51	12.53	29.74	0.00	305	292	PEAK																																																																															
2 5650.00	53.27	68.20	-14.93	35.95	34.60	12.58	29.86	0.00	305	292	PEAK																																																																															
3 5720.00	65.87	110.90	-45.03	48.51	34.64	12.67	29.95	0.00	305	292	PEAK																																																																															
4 5720.00	65.87	110.90	-45.03	48.51	34.64	12.67	29.95	0.00	305	292	PEAK																																																																															
Fundamental	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A peak is visible at 5745 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>106.55</td><td>-----</td><td>-----</td><td>89.05</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>305</td><td>292</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	106.55	-----	-----	89.05	34.69	12.70	29.89	0.00	305	292	PEAK																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5745.00	106.55	-----	-----	89.05	34.69	12.70	29.89	0.00	305	292	PEAK																																																																															
Avg	Blank																																																																																									
	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A peak is visible at 5745 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>98.52</td><td>-----</td><td>-----</td><td>81.02</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>305</td><td>292</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	98.52	-----	-----	81.02	34.69	12.70	29.89	0.00	305	292	AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5745.00	98.52	-----	-----	81.02	34.69	12.70	29.89	0.00	305	292	AVERAGE																																																																															





		30																																																																																													
Mode	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																														
Pol.	Vertical																																																																																														
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.60</td><td>56.90</td><td>68.20</td><td>-11.30</td><td>39.60</td><td>34.55</td><td>12.55</td><td>29.80</td><td>0.00</td><td>276</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.15</td><td>68.20</td><td>-12.05</td><td>38.83</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>276</td><td>178</td><td>PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>71.24</td><td>110.01</td><td>-38.77</td><td>53.90</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>276</td><td>178</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>72.03</td><td>110.90</td><td>-38.87</td><td>54.67</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>276</td><td>178</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5625.60	56.90	68.20	-11.30	39.60	34.55	12.55	29.80	0.00	276	178	PEAK	2	5650.00	56.15	68.20	-12.05	38.83	34.60	12.58	29.86	0.00	276	178	PEAK	3	5716.00	71.24	110.01	-38.77	53.90	34.63	12.67	29.96	0.00	276	178	PEAK	4	5720.00	72.03	110.90	-38.87	54.67	34.64	12.67	29.95	0.00	276	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5625.60	56.90	68.20	-11.30	39.60	34.55	12.55	29.80	0.00	276	178	PEAK																																																																																			
2	5650.00	56.15	68.20	-12.05	38.83	34.60	12.58	29.86	0.00	276	178	PEAK																																																																																			
3	5716.00	71.24	110.01	-38.77	53.90	34.63	12.67	29.96	0.00	276	178	PEAK																																																																																			
4	5720.00	72.03	110.90	-38.87	54.67	34.64	12.67	29.95	0.00	276	178	PEAK																																																																																			
Fundamental																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.16</td><td>-----</td><td>-----</td><td>95.69</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>276</td><td>178</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.16	-----	-----	95.69	34.68	12.69	29.90	0.00	276	178	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	113.16	-----	-----	95.69	34.68	12.69	29.90	0.00	276	178	PEAK																																																																																			
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.20</td><td>-----</td><td>-----</td><td>87.70</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>276</td><td>178</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.20	-----	-----	87.70	34.69	12.70	29.89	0.00	276	178	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	105.20	-----	-----	87.70	34.69	12.70	29.89	0.00	276	178	AVERAGE																																																																																			






Mode	30																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>55.64</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.41</td><td>54.00</td><td>-16.59</td><td>44.92</td><td>38.00</td><td>18.58</td><td>64.09</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	48.12	74.00	-25.88	55.64	38.00	18.58	64.10	0.00	100	0	PEAK	2	11490.00	37.41	54.00	-16.59	44.92	38.00	18.58	64.09	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>55.50</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.32</td><td>54.00</td><td>-16.68</td><td>44.83</td><td>38.00</td><td>18.58</td><td>64.09</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.98	74.00	-26.02	55.50	38.00	18.58	64.10	0.00	300	0	PEAK	2	11490.00	37.32	54.00	-16.68	44.83	38.00	18.58	64.09	0.00	300	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11490.00	48.12	74.00	-25.88	55.64	38.00	18.58	64.10	0.00	100	0	PEAK																																																																																																																	
2	11490.00	37.41	54.00	-16.59	44.92	38.00	18.58	64.09	0.00	100	0	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11490.00	47.98	74.00	-26.02	55.50	38.00	18.58	64.10	0.00	300	0	PEAK																																																																																																																	
2	11490.00	37.32	54.00	-16.68	44.83	38.00	18.58	64.09	0.00	300	0	AVERAGE																																																																																																																	



Mode	31																																																																																																																
	Harmonic																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>55.10</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.28</td><td>54.00</td><td>-16.72</td><td>44.64</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.72	74.00	-26.28	55.10	38.07	18.65	64.10	0.00	100	0	PEAK	2	11570.00	37.28	54.00	-16.72	44.64	38.08	18.66	64.10	0.00	100	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>46.70</td><td>74.00</td><td>-27.30</td><td>54.08</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.70	74.00	-27.30	54.08	38.07	18.65	64.10	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11570.00	47.72	74.00	-26.28	55.10	38.07	18.65	64.10	0.00	100	0	PEAK																																																																																																					
2	11570.00	37.28	54.00	-16.72	44.64	38.08	18.66	64.10	0.00	100	0	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11570.00	46.70	74.00	-27.30	54.08	38.07	18.65	64.10	0.00	--	--	PEAK																																																																																																					





		32																																																																																																																																			
Mode	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																				
Pol.	Horizontal										Fundamental																																																																																																																										
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>55.71</td><td>113.18</td><td>-57.47</td><td>37.84</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>287</td><td>295 PEAK</td></tr><tr><td>2</td><td>5868.00</td><td>57.21</td><td>107.26</td><td>-50.05</td><td>39.24</td><td>34.91</td><td>12.89</td><td>29.83</td><td>0.00</td><td>287</td><td>295 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.18</td><td>68.35</td><td>-14.17</td><td>35.95</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>287</td><td>295 PEAK</td></tr><tr><td>4</td><td>5991.20</td><td>57.56</td><td>68.20</td><td>-10.64</td><td>39.16</td><td>35.10</td><td>13.10</td><td>29.80</td><td>0.00</td><td>287</td><td>295 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.71	113.18	-57.47	37.84	34.82	12.86	29.81	0.00	287	295 PEAK	2	5868.00	57.21	107.26	-50.05	39.24	34.91	12.89	29.83	0.00	287	295 PEAK	3	5924.00	54.18	68.35	-14.17	35.95	35.10	12.98	29.85	0.00	287	295 PEAK	4	5991.20	57.56	68.20	-10.64	39.16	35.10	13.10	29.80	0.00	287	295 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.05</td><td>-----</td><td>-----</td><td>88.22</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>287</td><td>295 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	106.05	-----	-----	88.22	34.80	12.81	29.78	0.00	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5854.00	55.71	113.18	-57.47	37.84	34.82	12.86	29.81	0.00	287	295 PEAK																																																																																																																										
2	5868.00	57.21	107.26	-50.05	39.24	34.91	12.89	29.83	0.00	287	295 PEAK																																																																																																																										
3	5924.00	54.18	68.35	-14.17	35.95	35.10	12.98	29.85	0.00	287	295 PEAK																																																																																																																										
4	5991.20	57.56	68.20	-10.64	39.16	35.10	13.10	29.80	0.00	287	295 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																										
1	5825.00	106.05	-----	-----	88.22	34.80	12.81	29.78	0.00	287	295 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.97</td><td>-----</td><td>-----</td><td>80.14</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>287</td><td>295 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	97.97	-----	-----	80.14	34.80	12.81	29.78	0.00	287	295 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																										
1	5825.00	97.97	-----	-----	80.14	34.80	12.81	29.78	0.00	287	295 AVERAGE																																																																																																																										





Mode	32																																																																																				
	Band Edge																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																				
Pol.	Vertical																																																																																				
Peak																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>59.91</td><td>111.36</td><td>-51.45</td><td>42.04</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>59.02</td><td>105.80</td><td>-46.78</td><td>41.03</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>300</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>56.30</td><td>69.83</td><td>-13.53</td><td>38.07</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5943.60</td><td>57.00</td><td>68.20</td><td>-11.20</td><td>38.73</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>300</td><td>177</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	59.91	111.36	-51.45	42.04	34.83	12.86	29.82	0.00	300	177	PEAK	2	5873.20	59.02	105.80	-46.78	41.03	34.94	12.89	29.84	0.00	300	177	PEAK	3	5922.00	56.30	69.83	-13.53	38.07	35.10	12.98	29.85	0.00	300	177	PEAK	4	5943.60	57.00	68.20	-11.20	38.73	35.10	13.01	29.84	0.00	300	177	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
1	5854.00	59.91	111.36	-51.45	42.04	34.83	12.86	29.82	0.00	300	177	PEAK																																																																									
2	5873.20	59.02	105.80	-46.78	41.03	34.94	12.89	29.84	0.00	300	177	PEAK																																																																									
3	5922.00	56.30	69.83	-13.53	38.07	35.10	12.98	29.85	0.00	300	177	PEAK																																																																									
4	5943.60	57.00	68.20	-11.20	38.73	35.10	13.01	29.84	0.00	300	177	PEAK																																																																									
Fundamental																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>112.68</td><td>-----</td><td>-----</td><td>94.85</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td><td>177</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	112.68	-----	-----	94.85	34.80	12.81	29.78	0.00	300	177	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
1	5825.00	112.68	-----	-----	94.85	34.80	12.81	29.78	0.00	300	177	PEAK																																																																									
Avg	Blank																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>104.72</td><td>-----</td><td>-----</td><td>86.89</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td><td>177</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	104.72	-----	-----	86.89	34.80	12.81	29.78	0.00	300	177	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
1	5825.00	104.72	-----	-----	86.89	34.80	12.81	29.78	0.00	300	177	AVERAGE																																																																									






Mode	32																																																																				
	Harmonic																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>54.23</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>36.73</td><td>54.00</td><td>-17.27</td><td>43.93</td><td>38.22</td><td>18.73</td><td>64.15</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	47.01	74.00	-26.99	54.23	38.20	18.72	64.14	0.00	100	0	PEAK	2	11650.00	36.73	54.00	-17.27	43.93	38.22	18.73	64.15	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11650.00	47.01	74.00	-26.99	54.23	38.20	18.72	64.14	0.00	100	0	PEAK																																																									
2	11650.00	36.73	54.00	-17.27	43.93	38.22	18.73	64.15	0.00	100	0	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>53.68</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.46	74.00	-27.54	53.68	38.20	18.72	64.14	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	11650.00	46.46	74.00	-27.54	53.68	38.20	18.72	64.14	0.00	--	--	PEAK																																																									



Mode	33																																																																																															
	Band Edge																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																															
Pol.	Horizontal																																																																																															
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5622.40</td><td>55.59</td><td>68.20</td><td>-12.61</td><td>38.29</td><td>34.54</td><td>12.55</td><td>29.79</td><td>0.00</td><td>308</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>54.26</td><td>69.39</td><td>-15.13</td><td>36.95</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>308</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>61.72</td><td>110.79</td><td>-49.07</td><td>44.36</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>308</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>63.73</td><td>112.72</td><td>-48.99</td><td>46.37</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>308</td><td>296</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.40	55.59	68.20	-12.61	38.29	34.54	12.55	29.79	0.00	308	296	PEAK	2	5651.60	54.26	69.39	-15.13	36.95	34.60	12.58	29.87	0.00	308	296	PEAK	3	5719.60	61.72	110.79	-49.07	44.36	34.64	12.67	29.95	0.00	308	296	PEAK	4	5720.80	63.73	112.72	-48.99	46.37	34.64	12.67	29.95	0.00	308	296	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5622.40	55.59	68.20	-12.61	38.29	34.54	12.55	29.79	0.00	308	296	PEAK																																																																																				
2	5651.60	54.26	69.39	-15.13	36.95	34.60	12.58	29.87	0.00	308	296	PEAK																																																																																				
3	5719.60	61.72	110.79	-49.07	44.36	34.64	12.67	29.95	0.00	308	296	PEAK																																																																																				
4	5720.80	63.73	112.72	-48.99	46.37	34.64	12.67	29.95	0.00	308	296	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>97.04</td><td>-----</td><td>-----</td><td>79.54</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>308</td><td>296</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.04	-----	-----	79.54	34.69	12.70	29.89	0.00	308	296	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5745.00	97.04	-----	-----	79.54	34.69	12.70	29.89	0.00	308	296	AVERAGE																																																																																				





Mode	33																																																																																																																																																															
	Band Edge																																																																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																																																									
Peak																																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.00</td><td>57.34</td><td>68.20</td><td>-10.86</td><td>40.05</td><td>34.51</td><td>12.53</td><td>29.75</td><td>0.00</td><td>291</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>54.37</td><td>68.80</td><td>-14.43</td><td>37.06</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>291</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>68.81</td><td>110.68</td><td>-41.87</td><td>51.45</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>291</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5724.40</td><td>78.99</td><td>120.93</td><td>-41.94</td><td>61.60</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>291</td><td>171</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5606.00	57.34	68.20	-10.86	40.05	34.51	12.53	29.75	0.00	291	171	PEAK	2	5650.80	54.37	68.80	-14.43	37.06	34.60	12.58	29.87	0.00	291	171	PEAK	3	5719.20	68.81	110.68	-41.87	51.45	34.64	12.67	29.95	0.00	291	171	PEAK	4	5724.40	78.99	120.93	-41.94	61.60	34.65	12.68	29.94	0.00	291	171	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.01</td><td>-----</td><td>-----</td><td>94.51</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>291</td><td>171</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.01	-----	-----	94.51	34.69	12.70	29.89	0.00	291	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1	5606.00	57.34	68.20	-10.86	40.05	34.51	12.53	29.75	0.00	291	171	PEAK																																																																																																																																																				
2	5650.80	54.37	68.80	-14.43	37.06	34.60	12.58	29.87	0.00	291	171	PEAK																																																																																																																																																				
3	5719.20	68.81	110.68	-41.87	51.45	34.64	12.67	29.95	0.00	291	171	PEAK																																																																																																																																																				
4	5724.40	78.99	120.93	-41.94	61.60	34.65	12.68	29.94	0.00	291	171	PEAK																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1	5745.00	112.01	-----	-----	94.51	34.69	12.70	29.89	0.00	291	171	PEAK																																																																																																																																																				
Avg	Blank																																																																																																																																																															
													<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.89</td><td>-----</td><td>-----</td><td>86.39</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>291</td><td>171</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.89	-----	-----	86.39	34.69	12.70	29.89	0.00	291	171	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1	5745.00	103.89	-----	-----	86.39	34.69	12.70	29.89	0.00	291	171	AVERAGE																																																																																																																																																				






		33																																																																				
Mode		Harmonic																																																																				
		U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																				
Pol.		Horizontal						Vertical																																																														
Peak Avg																																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>54.89</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.42</td><td>54.00</td><td>-16.58</td><td>44.91</td><td>38.00</td><td>18.59</td><td>64.08</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.37	74.00	-26.63	54.89	38.00	18.58	64.10	0.00	100	0	PEAK	2	11490.00	37.42	54.00	-16.58	44.91	38.00	18.59	64.08	0.00	100	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11490.00	47.37	74.00	-26.63	54.89	38.00	18.58	64.10	0.00	100	0	PEAK																																																										
2	11490.00	37.42	54.00	-16.58	44.91	38.00	18.59	64.08	0.00	100	0	AVERAGE																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>55.33</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.33</td><td>54.00</td><td>-16.67</td><td>44.83</td><td>38.00</td><td>18.58</td><td>64.08</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.81	74.00	-26.19	55.33	38.00	18.58	64.10	0.00	300	0	PEAK	2	11490.00	37.33	54.00	-16.67	44.83	38.00	18.58	64.08	0.00	300	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11490.00	47.81	74.00	-26.19	55.33	38.00	18.58	64.10	0.00	300	0	PEAK																																																										
2	11490.00	37.33	54.00	-16.67	44.83	38.00	18.58	64.08	0.00	300	0	AVERAGE																																																										






Mode	34																																																																				
	Harmonic																																																																				
	U-NII-3_5.725-5.85_802.11n HT20_CH157_Full_5785MHz																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>55.19</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.21</td><td>54.00</td><td>-16.79</td><td>44.57</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.81	74.00	-26.19	55.19	38.07	18.65	64.10	0.00	100	0	PEAK	2	11570.00	37.21	54.00	-16.79	44.57	38.08	18.66	64.10	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11570.00	47.81	74.00	-26.19	55.19	38.07	18.65	64.10	0.00	100	0	PEAK																																																									
2	11570.00	37.21	54.00	-16.79	44.57	38.08	18.66	64.10	0.00	100	0	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>55.22</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.20</td><td>54.00</td><td>-16.80</td><td>44.56</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.84	74.00	-26.16	55.22	38.07	18.65	64.10	0.00	300	0	PEAK	2	11570.00	37.20	54.00	-16.80	44.56	38.08	18.66	64.10	0.00	300	0	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11570.00	47.84	74.00	-26.16	55.22	38.07	18.65	64.10	0.00	300	0	PEAK																																																									
2	11570.00	37.20	54.00	-16.80	44.56	38.08	18.66	64.10	0.00	300	0	AVERAGE																																																									





		35																																																																																																																																																	
Mode		Band Edge																																																																																																																																																	
		U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																																																	
Pol.	Horizontal										Fundamental																																																																																																																																								
Peak																																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>55.23</td><td>111.36</td><td>-56.13</td><td>37.36</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>290</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5869.60</td><td>56.79</td><td>106.81</td><td>-50.02</td><td>38.81</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>290</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>56.50</td><td>69.83</td><td>-13.33</td><td>38.27</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>290</td><td>294</td><td>PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>58.17</td><td>68.20</td><td>-10.03</td><td>39.94</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>290</td><td>294</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	55.23	111.36	-56.13	37.36	34.83	12.86	29.82	0.00	290	294	PEAK	2	5869.60	56.79	106.81	-50.02	38.81	34.92	12.89	29.83	0.00	290	294	PEAK	3	5922.00	56.50	69.83	-13.33	38.27	35.10	12.98	29.85	0.00	290	294	PEAK	4	5926.40	58.17	68.20	-10.03	39.94	35.10	12.98	29.85	0.00	290	294	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.12</td><td>-----</td><td>-----</td><td>88.29</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>290</td><td>294</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.12	-----	-----	88.29	34.80	12.81	29.78	0.00	290	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																									
1	5854.00	55.23	111.36	-56.13	37.36	34.83	12.86	29.82	0.00	290	294	PEAK																																																																																																																																							
2	5869.60	56.79	106.81	-50.02	38.81	34.92	12.89	29.83	0.00	290	294	PEAK																																																																																																																																							
3	5922.00	56.50	69.83	-13.33	38.27	35.10	12.98	29.85	0.00	290	294	PEAK																																																																																																																																							
4	5926.40	58.17	68.20	-10.03	39.94	35.10	12.98	29.85	0.00	290	294	PEAK																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	5825.00	106.12	-----	-----	88.29	34.80	12.81	29.78	0.00	290	294	PEAK																																																																																																																																							
Avg	Blank																																																																																																																																																		
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.66</td><td>-----</td><td>-----</td><td>79.83</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>290</td><td>294</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.66	-----	-----	79.83	34.80	12.81	29.78	0.00	290	294	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	5825.00	97.66	-----	-----	79.83	34.80	12.81	29.78	0.00	290	294	AVERAGE																																																																																																																																							



		35																																																																																																																																																			
Mode		Band Edge																																																																																																																																																			
		U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																																																			
Pol.	Vertical											Fundamental																																																																																																																																									
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. Four points are marked: 1 (5854.40 MHz), 2 (5873.20 MHz), 3 (5923.20 MHz), and 4 (5955.60 MHz). <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>60.14</td><td>112.27</td><td>-52.13</td><td>42.27</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>57.68</td><td>105.80</td><td>-48.12</td><td>39.69</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>54.63</td><td>69.53</td><td>-14.90</td><td>36.40</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5955.60</td><td>57.83</td><td>68.20</td><td>-10.37</td><td>39.53</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	60.14	112.27	-52.13	42.27	34.83	12.86	29.82	0.00	300	176	PEAK	2	5873.20	57.68	105.80	-48.12	39.69	34.94	12.89	29.84	0.00	300	176	PEAK	3	5923.20	54.63	69.53	-14.90	36.40	35.10	12.98	29.85	0.00	300	176	PEAK	4	5955.60	57.83	68.20	-10.37	39.53	35.10	13.03	29.83	0.00	300	176	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.91</td><td>-----</td><td>-----</td><td>95.08</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	112.91	-----	-----	95.08	34.80	12.81	29.78	0.00	300	176	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	5854.40	60.14	112.27	-52.13	42.27	34.83	12.86	29.82	0.00	300	176	PEAK																																																																																																																																									
2	5873.20	57.68	105.80	-48.12	39.69	34.94	12.89	29.84	0.00	300	176	PEAK																																																																																																																																									
3	5923.20	54.63	69.53	-14.90	36.40	35.10	12.98	29.85	0.00	300	176	PEAK																																																																																																																																									
4	5955.60	57.83	68.20	-10.37	39.53	35.10	13.03	29.83	0.00	300	176	PEAK																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	5825.00	112.91	-----	-----	95.08	34.80	12.81	29.78	0.00	300	176	PEAK																																																																																																																																									
Avg	Blank											 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.20</td><td>-----</td><td>-----</td><td>86.37</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td><td>176</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.20	-----	-----	86.37	34.80	12.81	29.78	0.00	300	176	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	5825.00	104.20	-----	-----	86.37	34.80	12.81	29.78	0.00	300	176	AVERAGE																																																																																																																																									



Mode	35																																																																																																				
	Harmonic																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>54.18</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>54.11</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.96	74.00	-27.04	54.18	38.20	18.72	64.14	0.00	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.89	74.00	-27.11	54.11	38.20	18.72	64.14	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11650.00	46.96	74.00	-27.04	54.18	38.20	18.72	64.14	0.00	--	--	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11650.00	46.89	74.00	-27.11	54.11	38.20	18.72	64.14	0.00	--	--	PEAK																																																																																									





Mode	36																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																							
Pol.	Horizontal																																																																																							
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5620.62</td><td>56.64</td><td>68.20</td><td>-11.56</td><td>39.34</td><td>34.54</td><td>12.55</td><td>29.79</td><td>0.00</td><td>307 295 PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>55.78</td><td>68.36</td><td>-12.58</td><td>38.47</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>307 295 PEAK</td></tr><tr><td>3</td><td>5710.21</td><td>70.29</td><td>108.16</td><td>-37.87</td><td>52.98</td><td>34.62</td><td>12.66</td><td>29.97</td><td>0.00</td><td>307 295 PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>71.66</td><td>111.54</td><td>-39.88</td><td>54.30</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>307 295 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5620.62	56.64	68.20	-11.56	39.34	34.54	12.55	29.79	0.00	307 295 PEAK	2	5650.22	55.78	68.36	-12.58	38.47	34.60	12.58	29.87	0.00	307 295 PEAK	3	5710.21	70.29	108.16	-37.87	52.98	34.62	12.66	29.97	0.00	307 295 PEAK	4	5720.28	71.66	111.54	-39.88	54.30	34.64	12.67	29.95	0.00	307 295 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5620.62	56.64	68.20	-11.56	39.34	34.54	12.55	29.79	0.00	307 295 PEAK																																																																														
2	5650.22	55.78	68.36	-12.58	38.47	34.60	12.58	29.87	0.00	307 295 PEAK																																																																														
3	5710.21	70.29	108.16	-37.87	52.98	34.62	12.66	29.97	0.00	307 295 PEAK																																																																														
4	5720.28	71.66	111.54	-39.88	54.30	34.64	12.67	29.95	0.00	307 295 PEAK																																																																														
Fundamental	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.31</td><td>-----</td><td>-----</td><td>83.72</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>307 295 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.31	-----	-----	83.72	34.72	12.72	29.85	0.00	307 295 PEAK																																
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5755.00	101.31	-----	-----	83.72	34.72	12.72	29.85	0.00	307 295 PEAK																																																																														
Avg	Blank																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>93.84</td><td>-----</td><td>-----</td><td>76.30</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>307 295 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	93.84	-----	-----	76.30	34.70	12.71	29.87	0.00	307 295 AVERAGE																																
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5755.00	93.84	-----	-----	76.30	34.70	12.71	29.87	0.00	307 295 AVERAGE																																																																														




Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>56.76</td><td>112.60</td><td>-55.84</td><td>38.89</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>307</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5869.66</td><td>56.08</td><td>106.79</td><td>-50.71</td><td>38.10</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>307</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>55.72</td><td>68.46</td><td>-12.74</td><td>37.49</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>307</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5943.18</td><td>57.19</td><td>68.20</td><td>-11.01</td><td>38.92</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>307</td><td>295</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	56.76	112.60	-55.84	38.89	34.83	12.86	29.82	0.00	307	295	PEAK	2	5869.66	56.08	106.79	-50.71	38.10	34.92	12.89	29.83	0.00	307	295	PEAK	3	5924.65	55.72	68.46	-12.74	37.49	35.10	12.98	29.85	0.00	307	295	PEAK	4	5943.18	57.19	68.20	-11.01	38.92	35.10	13.01	29.84	0.00	307	295	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.26	56.76	112.60	-55.84	38.89	34.83	12.86	29.82	0.00	307	295	PEAK																																																																									
2	5869.66	56.08	106.79	-50.71	38.10	34.92	12.89	29.83	0.00	307	295	PEAK																																																																									
3	5924.65	55.72	68.46	-12.74	37.49	35.10	12.98	29.85	0.00	307	295	PEAK																																																																									
4	5943.18	57.19	68.20	-11.01	38.92	35.10	13.01	29.84	0.00	307	295	PEAK																																																																									





		36																																																																																		
Mode	Band Edge - L																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																			
Pol.	Fundamental																																																																																			
Peak	Vertical																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.64</td><td>57.25</td><td>68.20</td><td>-10.95</td><td>39.93</td><td>34.59</td><td>12.58</td><td>29.85</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>56.63</td><td>68.48</td><td>-11.85</td><td>39.32</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5716.41</td><td>77.88</td><td>109.89</td><td>-32.01</td><td>60.54</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>78.94</td><td>111.54</td><td>-32.60</td><td>61.58</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5644.64	57.25	68.20	-10.95	39.93	34.59	12.58	29.85	0.00	300	176	PEAK	2	5650.38	56.63	68.48	-11.85	39.32	34.60	12.58	29.87	0.00	300	176	PEAK	3	5716.41	77.88	109.89	-32.01	60.54	34.63	12.67	29.96	0.00	300	176	PEAK	4	5720.28	78.94	111.54	-32.60	61.58	34.64	12.67	29.95	0.00	300	176
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5644.64	57.25	68.20	-10.95	39.93	34.59	12.58	29.85	0.00	300	176	PEAK																																																																								
2	5650.38	56.63	68.48	-11.85	39.32	34.60	12.58	29.87	0.00	300	176	PEAK																																																																								
3	5716.41	77.88	109.89	-32.01	60.54	34.63	12.67	29.96	0.00	300	176	PEAK																																																																								
4	5720.28	78.94	111.54	-32.60	61.58	34.64	12.67	29.95	0.00	300	176	PEAK																																																																								
Avg	Blank																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.46</td><td>-----</td><td>-----</td><td>91.87</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	109.46	-----	-----	91.87	34.72	12.72	29.85	0.00	300	176	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5755.00	109.46	-----	-----	91.87	34.72	12.72	29.85	0.00	300	176	PEAK																																																																								






Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>56.56</td><td>111.26</td><td>-54.70</td><td>38.69</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5872.78</td><td>57.42</td><td>105.92</td><td>-48.50</td><td>39.43</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>55.43</td><td>68.60</td><td>-13.17</td><td>37.20</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5943.37</td><td>56.55</td><td>68.20</td><td>-11.65</td><td>38.28</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	56.56	111.26	-54.70	38.69	34.83	12.86	29.82	0.00	300	176	PEAK	2	5872.78	57.42	105.92	-48.50	39.43	34.94	12.89	29.84	0.00	300	176	PEAK	3	5924.46	55.43	68.60	-13.17	37.20	35.10	12.98	29.85	0.00	300	176	PEAK	4	5943.37	56.55	68.20	-11.65	38.28	35.10	13.01	29.84	0.00	300	176	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.84	56.56	111.26	-54.70	38.69	34.83	12.86	29.82	0.00	300	176	PEAK																																																																									
2	5872.78	57.42	105.92	-48.50	39.43	34.94	12.89	29.84	0.00	300	176	PEAK																																																																									
3	5924.46	55.43	68.60	-13.17	37.20	35.10	12.98	29.85	0.00	300	176	PEAK																																																																									
4	5943.37	56.55	68.20	-11.65	38.28	35.10	13.01	29.84	0.00	300	176	PEAK																																																																									




Mode	36																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>54.81</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>37.35</td><td>54.00</td><td>-16.65</td><td>44.83</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	47.35	74.00	-26.65	54.81	38.01	18.60	64.07	0.00	100	0	PEAK	2	11510.00	37.35	54.00	-16.65	44.83	38.00	18.59	64.07	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>54.99</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>37.32</td><td>54.00</td><td>-16.68</td><td>44.81</td><td>38.00</td><td>18.59</td><td>64.00</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	47.53	74.00	-26.47	54.99	38.01	18.60	64.07	0.00	300	0	PEAK	2	11510.00	37.32	54.00	-16.68	44.81	38.00	18.59	64.00	0.00	300	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11510.00	47.35	74.00	-26.65	54.81	38.01	18.60	64.07	0.00	100	0	PEAK																																																																																																																		
2	11510.00	37.35	54.00	-16.65	44.83	38.00	18.59	64.07	0.00	100	0	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11510.00	47.53	74.00	-26.47	54.99	38.01	18.60	64.07	0.00	300	0	PEAK																																																																																																																		
2	11510.00	37.32	54.00	-16.68	44.81	38.00	18.59	64.00	0.00	300	0	AVERAGE																																																																																																																		



		37																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																										
Pol.		Horizontal																																																																																										
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5615.20</td><td>55.65</td><td>68.20</td><td>-12.55</td><td>38.35</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>54.54</td><td>69.09</td><td>-14.55</td><td>37.23</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>56.53</td><td>105.41</td><td>-48.88</td><td>39.28</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.49</td><td>110.90</td><td>-55.41</td><td>38.13</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5615.20	55.65	68.20	-12.55	38.35	34.53	12.54	29.77	0.00	289	296	PEAK	2	5651.20	54.54	69.09	-14.55	37.23	34.60	12.58	29.87	0.00	289	296	PEAK	3	5700.40	56.53	105.41	-48.88	39.28	34.60	12.65	30.00	0.00	289	296	PEAK	4	5720.00	55.49	110.90	-55.41	38.13	34.64	12.67	29.95	0.00	289	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5615.20	55.65	68.20	-12.55	38.35	34.53	12.54	29.77	0.00	289	296	PEAK																																																																																
2	5651.20	54.54	69.09	-14.55	37.23	34.60	12.58	29.87	0.00	289	296	PEAK																																																																																
3	5700.40	56.53	105.41	-48.88	39.28	34.60	12.65	30.00	0.00	289	296	PEAK																																																																																
4	5720.00	55.49	110.90	-55.41	38.13	34.64	12.67	29.95	0.00	289	296	PEAK																																																																																
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>101.70</td><td>-----</td><td>-----</td><td>83.88</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.70	-----	-----	83.88	34.80	12.77	29.75	0.00	289	296	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5795.00	101.70	-----	-----	83.88	34.80	12.77	29.75	0.00	289	296	PEAK																																																																																
Avg	Blank																																																																																											
																																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>93.55</td><td>-----</td><td>-----</td><td>75.76</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>289</td><td>296</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	93.55	-----	-----	75.76	34.79	12.76	29.76	0.00	289	296	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5795.00	93.55	-----	-----	75.76	34.79	12.76	29.76	0.00	289	296	AVERAGE																																																																																




Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>58.34</td><td>112.27</td><td>-53.93</td><td>40.47</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5864.80</td><td>59.03</td><td>108.15</td><td>-49.12</td><td>41.09</td><td>34.09</td><td>12.88</td><td>29.83</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>53.43</td><td>68.35</td><td>-14.92</td><td>35.20</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5990.00</td><td>56.71</td><td>68.20</td><td>-11.49</td><td>38.32</td><td>35.10</td><td>13.09</td><td>29.80</td><td>0.00</td><td>289</td><td>296</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	58.34	112.27	-53.93	40.47	34.83	12.86	29.82	0.00	289	296	PEAK	2	5864.80	59.03	108.15	-49.12	41.09	34.09	12.88	29.83	0.00	289	296	PEAK	3	5924.80	53.43	68.35	-14.92	35.20	35.10	12.98	29.85	0.00	289	296	PEAK	4	5990.00	56.71	68.20	-11.49	38.32	35.10	13.09	29.80	0.00	289	296	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.40	58.34	112.27	-53.93	40.47	34.83	12.86	29.82	0.00	289	296	PEAK																																																																									
2	5864.80	59.03	108.15	-49.12	41.09	34.09	12.88	29.83	0.00	289	296	PEAK																																																																									
3	5924.80	53.43	68.35	-14.92	35.20	35.10	12.98	29.85	0.00	289	296	PEAK																																																																									
4	5990.00	56.71	68.20	-11.49	38.32	35.10	13.09	29.80	0.00	289	296	PEAK																																																																									





		37																																																																										
Mode	Band Edge - L																																																																											
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																											
Pol.	Vertical																																																																											
Peak																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5608.00</td><td>56.56</td><td>68.20</td><td>-11.64</td><td>39.26</td><td>34.52</td><td>12.53</td><td>29.75</td><td>0.00</td><td>298 183 PEAK</td></tr><tr><td>2</td><td>5654.40</td><td>56.40</td><td>71.48</td><td>-15.08</td><td>39.09</td><td>34.60</td><td>12.59</td><td>29.88</td><td>0.00</td><td>298 183 PEAK</td></tr><tr><td>3</td><td>5712.00</td><td>58.54</td><td>108.66</td><td>-50.12</td><td>41.23</td><td>34.62</td><td>12.66</td><td>29.97</td><td>0.00</td><td>298 183 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>59.12</td><td>110.90</td><td>-51.78</td><td>41.76</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>298 183 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5608.00	56.56	68.20	-11.64	39.26	34.52	12.53	29.75	0.00	298 183 PEAK	2	5654.40	56.40	71.48	-15.08	39.09	34.60	12.59	29.88	0.00	298 183 PEAK	3	5712.00	58.54	108.66	-50.12	41.23	34.62	12.66	29.97	0.00	298 183 PEAK	4	5720.00	59.12	110.90	-51.78	41.76	34.64	12.67	29.95	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5608.00	56.56	68.20	-11.64	39.26	34.52	12.53	29.75	0.00	298 183 PEAK																																																																		
2	5654.40	56.40	71.48	-15.08	39.09	34.60	12.59	29.88	0.00	298 183 PEAK																																																																		
3	5712.00	58.54	108.66	-50.12	41.23	34.62	12.66	29.97	0.00	298 183 PEAK																																																																		
4	5720.00	59.12	110.90	-51.78	41.76	34.64	12.67	29.95	0.00	298 183 PEAK																																																																		
Fundamental																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>108.65</td><td>-----</td><td>-----</td><td>90.86</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>298 183 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	108.65	-----	-----	90.86	34.79	12.76	29.76	0.00	298 183 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5795.00	108.65	-----	-----	90.86	34.79	12.76	29.76	0.00	298 183 PEAK																																																																		
Avg	Blank																																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>100.69</td><td>-----</td><td>-----</td><td>82.90</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>298 183 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	100.69	-----	-----	82.90	34.79	12.76	29.76	0.00	298 183 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5795.00	100.69	-----	-----	82.90	34.79	12.76	29.76	0.00	298 183 AVERAGE																																																																		






Mode	37																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																													
Pol.	Vertical																																																																																													
Peak																																																																																														
	Blank																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>59.93</td><td>111.36</td><td>-51.43</td><td>42.06</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>298</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>5868.40</td><td>62.24</td><td>109.39</td><td>-47.15</td><td>44.33</td><td>34.86</td><td>12.87</td><td>29.82</td><td>0.00</td><td>298</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>55.89</td><td>68.53</td><td>-13.64</td><td>37.66</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>298</td><td>183</td><td>PEAK</td></tr><tr><td>4</td><td>5955.60</td><td>57.47</td><td>68.20</td><td>-10.73</td><td>39.17</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>298</td><td>183</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	59.93	111.36	-51.43	42.06	34.83	12.86	29.82	0.00	298	183	PEAK	2	5868.40	62.24	109.39	-47.15	44.33	34.86	12.87	29.82	0.00	298	183	PEAK	3	5923.20	55.89	68.53	-13.64	37.66	35.10	12.98	29.85	0.00	298	183	PEAK	4	5955.60	57.47	68.20	-10.73	39.17	35.10	13.03	29.83	0.00	298	183	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.80	59.93	111.36	-51.43	42.06	34.83	12.86	29.82	0.00	298	183	PEAK																																																																																		
2	5868.40	62.24	109.39	-47.15	44.33	34.86	12.87	29.82	0.00	298	183	PEAK																																																																																		
3	5923.20	55.89	68.53	-13.64	37.66	35.10	12.98	29.85	0.00	298	183	PEAK																																																																																		
4	5955.60	57.47	68.20	-10.73	39.17	35.10	13.03	29.83	0.00	298	183	PEAK																																																																																		




Mode	37																																																																				
	Harmonic																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>48.04</td><td>74.00</td><td>-25.96</td><td>55.39</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>37.33</td><td>54.00</td><td>-16.67</td><td>44.68</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	48.04	74.00	-25.96	55.39	38.09	18.67	64.11	0.00	100	0	PEAK	2	11590.00	37.33	54.00	-16.67	44.68	38.09	18.67	64.11	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11590.00	48.04	74.00	-25.96	55.39	38.09	18.67	64.11	0.00	100	0	PEAK																																																									
2	11590.00	37.33	54.00	-16.67	44.68	38.09	18.67	64.11	0.00	100	0	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>54.91</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>304</td><td>161</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>37.46</td><td>54.00</td><td>-16.54</td><td>44.81</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>304</td><td>161</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	47.56	74.00	-26.44	54.91	38.09	18.67	64.11	0.00	304	161	PEAK	2	11590.00	37.46	54.00	-16.54	44.81	38.09	18.67	64.11	0.00	304	161	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11590.00	47.56	74.00	-26.44	54.91	38.09	18.67	64.11	0.00	304	161	PEAK																																																									
2	11590.00	37.46	54.00	-16.54	44.81	38.09	18.67	64.11	0.00	304	161	AVERAGE																																																									






Mode	38																																																																																											
	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5640.40</td><td>56.27</td><td>68.20</td><td>-11.93</td><td>38.96</td><td>34.58</td><td>12.57</td><td>29.84</td><td>0.00</td><td>300</td><td>291 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>54.32</td><td>69.39</td><td>-15.07</td><td>37.01</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>291 PEAK</td></tr><tr><td>3</td><td>5706.00</td><td>67.32</td><td>106.98</td><td>-39.66</td><td>50.05</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>300</td><td>291 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>68.83</td><td>110.90</td><td>-42.07</td><td>51.47</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>291 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5640.40	56.27	68.20	-11.93	38.96	34.58	12.57	29.84	0.00	300	291 PEAK	2	5651.60	54.32	69.39	-15.07	37.01	34.60	12.58	29.87	0.00	300	291 PEAK	3	5706.00	67.32	106.98	-39.66	50.05	34.61	12.65	29.99	0.00	300	291 PEAK	4	5720.00	68.83	110.90	-42.07	51.47	34.64	12.67	29.95	0.00	300	291 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5640.40	56.27	68.20	-11.93	38.96	34.58	12.57	29.84	0.00	300	291 PEAK																																																																																	
2	5651.60	54.32	69.39	-15.07	37.01	34.60	12.58	29.87	0.00	300	291 PEAK																																																																																	
3	5706.00	67.32	106.98	-39.66	50.05	34.61	12.65	29.99	0.00	300	291 PEAK																																																																																	
4	5720.00	68.83	110.90	-42.07	51.47	34.64	12.67	29.95	0.00	300	291 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>97.19</td><td>-----</td><td>-----</td><td>79.55</td><td>34.74</td><td>12.73</td><td>29.83</td><td>0.00</td><td>300</td><td>291 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	97.19	-----	-----	79.55	34.74	12.73	29.83	0.00	300	291 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5775.00	97.19	-----	-----	79.55	34.74	12.73	29.83	0.00	300	291 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>88.81</td><td>-----</td><td>-----</td><td>71.17</td><td>34.74</td><td>12.73</td><td>29.83</td><td>0.00</td><td>300</td><td>291 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	88.81	-----	-----	71.17	34.74	12.73	29.83	0.00	300	291 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5775.00	88.81	-----	-----	71.17	34.74	12.73	29.83	0.00	300	291 AVERAGE																																																																																	




Mode	38																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>63.52</td><td>112.27</td><td>-48.75</td><td>45.65</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr><tr><td>2</td><td>5867.20</td><td>61.46</td><td>107.48</td><td>-46.02</td><td>43.51</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.96</td><td>68.64</td><td>-13.68</td><td>36.73</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr><tr><td>4</td><td>5933.60</td><td>57.75</td><td>68.20</td><td>-10.45</td><td>39.49</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	63.52	112.27	-48.75	45.65	34.83	12.86	29.82	0.00	300	291	PEAK	2	5867.20	61.46	107.48	-46.02	43.51	34.90	12.88	29.83	0.00	300	291	PEAK	3	5924.40	54.96	68.64	-13.68	36.73	35.10	12.98	29.85	0.00	300	291	PEAK	4	5933.60	57.75	68.20	-10.45	39.49	35.10	13.00	29.84	0.00	300	291	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.40	63.52	112.27	-48.75	45.65	34.83	12.86	29.82	0.00	300	291	PEAK																																																																									
2	5867.20	61.46	107.48	-46.02	43.51	34.90	12.88	29.83	0.00	300	291	PEAK																																																																									
3	5924.40	54.96	68.64	-13.68	36.73	35.10	12.98	29.85	0.00	300	291	PEAK																																																																									
4	5933.60	57.75	68.20	-10.45	39.49	35.10	13.00	29.84	0.00	300	291	PEAK																																																																									






		38																																																																																													
Mode	Band Edge - L																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																														
Pol.	Vertical																																																																																														
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5627.20</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>40.51</td><td>34.55</td><td>12.55</td><td>29.80</td><td>0.00</td><td>274</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>55.91</td><td>69.39</td><td>-13.48</td><td>38.60</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>274</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>5713.60</td><td>74.96</td><td>109.11</td><td>-34.15</td><td>57.64</td><td>34.63</td><td>12.66</td><td>29.97</td><td>0.00</td><td>274</td><td>183</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>72.01</td><td>110.90</td><td>-38.89</td><td>54.65</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>274</td><td>183</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5627.20	57.81	68.20	-10.39	40.51	34.55	12.55	29.80	0.00	274	183	PEAK	2	5651.60	55.91	69.39	-13.48	38.60	34.60	12.58	29.87	0.00	274	183	PEAK	3	5713.60	74.96	109.11	-34.15	57.64	34.63	12.66	29.97	0.00	274	183	PEAK	4	5720.00	72.01	110.90	-38.89	54.65	34.64	12.67	29.95	0.00	274	183
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5627.20	57.81	68.20	-10.39	40.51	34.55	12.55	29.80	0.00	274	183	PEAK																																																																																			
2	5651.60	55.91	69.39	-13.48	38.60	34.60	12.58	29.87	0.00	274	183	PEAK																																																																																			
3	5713.60	74.96	109.11	-34.15	57.64	34.63	12.66	29.97	0.00	274	183	PEAK																																																																																			
4	5720.00	72.01	110.90	-38.89	54.65	34.64	12.67	29.95	0.00	274	183	PEAK																																																																																			
Fundamental																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.74</td><td>-----</td><td>-----</td><td>86.10</td><td>34.74</td><td>12.73</td><td>29.83</td><td>0.00</td><td>274</td><td>183</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	103.74	-----	-----	86.10	34.74	12.73	29.83	0.00	274	183	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5775.00	103.74	-----	-----	86.10	34.74	12.73	29.83	0.00	274	183	PEAK																																																																																			
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>95.75</td><td>-----</td><td>-----</td><td>78.11</td><td>34.74</td><td>12.73</td><td>29.83</td><td>0.00</td><td>274</td><td>183</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	95.75	-----	-----	78.11	34.74	12.73	29.83	0.00	274	183	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5775.00	95.75	-----	-----	78.11	34.74	12.73	29.83	0.00	274	183	AVERAGE																																																																																			



Mode	38																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>68.02</td><td>112.27</td><td>-44.25</td><td>50.15</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>274</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>5860.40</td><td>71.43</td><td>109.39</td><td>-37.96</td><td>53.52</td><td>34.06</td><td>12.87</td><td>29.82</td><td>0.00</td><td>274</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>58.21</td><td>69.83</td><td>-11.62</td><td>39.98</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>274</td><td>183</td><td>PEAK</td></tr><tr><td>4</td><td>5932.40</td><td>57.36</td><td>68.20</td><td>-10.84</td><td>39.10</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>274</td><td>183</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	68.02	112.27	-44.25	50.15	34.83	12.86	29.82	0.00	274	183	PEAK	2	5860.40	71.43	109.39	-37.96	53.52	34.06	12.87	29.82	0.00	274	183	PEAK	3	5922.80	58.21	69.83	-11.62	39.98	35.10	12.98	29.85	0.00	274	183	PEAK	4	5932.40	57.36	68.20	-10.84	39.10	35.10	13.00	29.84	0.00	274	183	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.40	68.02	112.27	-44.25	50.15	34.83	12.86	29.82	0.00	274	183	PEAK																																																																									
2	5860.40	71.43	109.39	-37.96	53.52	34.06	12.87	29.82	0.00	274	183	PEAK																																																																									
3	5922.80	58.21	69.83	-11.62	39.98	35.10	12.98	29.85	0.00	274	183	PEAK																																																																									
4	5932.40	57.36	68.20	-10.84	39.10	35.10	13.00	29.84	0.00	274	183	PEAK																																																																									





Mode	38																																																																																																				
	Harmonic																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>54.10</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	46.69	74.00	-27.31	54.10	38.05	18.63	64.09	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>54.30</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	46.89	74.00	-27.11	54.30	38.05	18.63	64.09	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11550.00	46.69	74.00	-27.31	54.10	38.05	18.63	64.09	0.00	--	--	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11550.00	46.89	74.00	-27.11	54.30	38.05	18.63	64.09	0.00	--	--	PEAK																																																																																									







Mode	39																																																																	
	Harmonic																																																																	
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																	
Pol.	Horizontal																																																																	
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>54.85</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>0 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>37.18</td><td>54.00</td><td>-16.82</td><td>44.88</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.10	74.00	-26.90	54.85	38.00	18.54	64.29	0.00	0 PEAK	2	11440.00	37.18	54.00	-16.82	44.88	38.00	18.55	64.25	0.00	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11440.00	47.10	74.00	-26.90	54.85	38.00	18.54	64.29	0.00	0 PEAK																																																								
2	11440.00	37.18	54.00	-16.82	44.88	38.00	18.55	64.25	0.00	0 AVERAGE																																																								
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>55.24</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>0 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>37.14</td><td>54.00</td><td>-16.86</td><td>44.84</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.49	74.00	-26.51	55.24	38.00	18.54	64.29	0.00	0 PEAK	2	11440.00	37.14	54.00	-16.86	44.84	38.00	18.55	64.25	0.00	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11440.00	47.49	74.00	-26.51	55.24	38.00	18.54	64.29	0.00	0 PEAK																																																								
2	11440.00	37.14	54.00	-16.86	44.84	38.00	18.55	64.25	0.00	0 AVERAGE																																																								





Mode	40																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																																																															
Pol.	Horizontal											Vertical																																																																																																																																				
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>47.39</td><td>74.00</td><td>-26.61</td><td>55.14</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>101</td><td>21 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>37.37</td><td>54.00</td><td>-16.63</td><td>45.07</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td><td>101</td><td>21 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11440.00	47.39	74.00	-26.61	55.14	38.00	18.54	64.29	0.00	101	21 PEAK	2	11440.00	37.37	54.00	-16.63	45.07	38.00	18.55	64.25	0.00	101	21 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>55.62</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>37.16</td><td>54.00</td><td>-16.84</td><td>44.86</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11440.00	47.87	74.00	-26.13	55.62	38.00	18.54	64.29	0.00	300	0 PEAK	2	11440.00	37.16	54.00	-16.84	44.86	38.00	18.55	64.25	0.00	300	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	11440.00	47.39	74.00	-26.61	55.14	38.00	18.54	64.29	0.00	101	21 PEAK																																																																																																																																					
2	11440.00	37.37	54.00	-16.63	45.07	38.00	18.55	64.25	0.00	101	21 AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	11440.00	47.87	74.00	-26.13	55.62	38.00	18.54	64.29	0.00	300	0 PEAK																																																																																																																																					
2	11440.00	37.16	54.00	-16.84	44.86	38.00	18.55	64.25	0.00	300	0 AVERAGE																																																																																																																																					



		41																																																																																																																																							
Mode		Harmonic																																																																																																																																							
		U-NII-2C_5.47-5.85_802.11n HT40_CH142_5710MHz																																																																																																																																							
Pol.		Horizontal											Vertical																																																																																																																												
Peak Avg																																																																																																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>55.30</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>37.26</td><td>54.00</td><td>-16.74</td><td>45.12</td><td>38.00</td><td>18.52</td><td>64.38</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	47.45	74.00	-26.55	55.30	38.00	18.52	64.37	0.00	100	0	PEAK	2	11420.00	37.26	54.00	-16.74	45.12	38.00	18.52	64.38	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>55.01</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>37.19</td><td>54.00</td><td>-16.81</td><td>45.04</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	47.16	74.00	-26.84	55.01	38.00	18.52	64.37	0.00	300	0	PEAK	2	11420.00	37.19	54.00	-16.81	45.04	38.00	18.52	64.37	0.00	300	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	11420.00	47.45	74.00	-26.55	55.30	38.00	18.52	64.37	0.00	100	0	PEAK																																																																																																																													
2	11420.00	37.26	54.00	-16.74	45.12	38.00	18.52	64.38	0.00	100	0	AVERAGE																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	11420.00	47.16	74.00	-26.84	55.01	38.00	18.52	64.37	0.00	300	0	PEAK																																																																																																																													
2	11420.00	37.19	54.00	-16.81	45.04	38.00	18.52	64.37	0.00	300	0	AVERAGE																																																																																																																													




Mode	42																																																																																																												
	Harmonic																																																																																																												
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>54.79</td><td>37.98</td><td>18.48</td><td>64.52</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	46.73	74.00	-27.27	54.79	37.98	18.48	64.52	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>55.46</td><td>37.98</td><td>18.48</td><td>64.52</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>37.14</td><td>54.00</td><td>-16.86</td><td>45.00</td><td>38.00</td><td>18.52</td><td>64.38</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	47.40	74.00	-26.60	55.46	37.98	18.48	64.52	0.00	300	0 PEAK	2	11380.00	37.14	54.00	-16.86	45.00	38.00	18.52	64.38	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	11380.00	46.73	74.00	-27.27	54.79	37.98	18.48	64.52	0.00	--	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	11380.00	47.40	74.00	-26.60	55.46	37.98	18.48	64.52	0.00	300	0 PEAK																																																																																																		
2	11380.00	37.14	54.00	-16.86	45.00	38.00	18.52	64.38	0.00	300	0 AVERAGE																																																																																																		

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.92	2.044	0.490	0.51kHz
802.11n HT20	97.77	1.899	0.527	0.62kHz
802.11n HT40	96.30	0.942	1.062	1.1kHz
802.11ac VHT80	92.71	0.461	2.170	2.2kHz

802.11a






802.11n HT20



802.11n HT40



802.11ac VHT80

