

Tested By: Hong, Report No.: 06222091


Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO LN	OFF 60dB

Final Measurement: x QP / + AV

Meas Time: 1 s  
 Subranges: 16  
 Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	15 9k	30M	EW0090
	21 9k	30M	EW0698



Report No.: 06222091  
Talk Mode  
(Master Unit)

**Tested By:**Hong, Report No.:06222091

**Scan Settings (1 Range)**

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

**Final Measurement Results:**

no Results

Tested By: Hong, Report No.: 06222091


Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO LN	OFF 60dB

Final Measurement: x QP / + AV

Meas Time: 1 s  
 Subranges: 16  
 Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	15 9k	30M	EW0090
	21 9k	30M	EW0698





Report No.: 06222091  
Talk Mode  
(Remote Unit)

**Tested By:**Hong, **Report No.:**06222091

**Scan Settings (1 Range)**

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

**Final Measurement Results:**

no Results