

0	VR50A(A)=3U	VIDEO RECEIVER,NOPACK	20070314	1
1	027016=10000	COPPER FOIL TAPE, W=24MM	20070314	0.015
1	032600=10113	FIBRE PAPER	20070314	1
1	037006=10140	PROTECTIVE FILM,RX	20070314	1
1	038010=10040-X	LABEL-DATE CODE (WHITE)	20070314	1
1	038010=10513-2	433 MC LABEL	20070314	1
1	183010=16396A	ANT. COVER, SILVER	20070314	1
1	183010=16406	ANT. HOLDER, SILVER	20070314	1
1	183010=16422A	PLASTIC TUBE, SILVER	20070314	1
1	183010=25101	DISK BOTTOM (SILVER)	20070314	1
1	183010=25111	DISK TOP (RX, SILVER)	20070314	1
1	183010=25131	HINGE BOTTOM (SILVER)	20070314	1
1	183010=25141	HINGE TOP(RX, SILVER)	20070314	1
1	183010=25161	HINGE HOLDER (SILVER)	20070314	1
1	183010=25171	ON/OFF SWITCH KNOB,SILVER	20070314	1
1	183010=25181	SWITCH COVER,RX,SILVER	20070314	1
1	183010=25201	PUSH BUTTON (RX, SILVER)	20070314	1
1	183010=25214	LENS,RECEIVER	20070314	1
1	183010=25370	RUBBER FEET,CLEAR	20070314	4
1	185000=26221A	TOP CABINET(RX,SILVER)	20070314	1
1	185000=26233	BOTTOM CABINET(RX,SILVER)	20070314	1
1	186002=10480A	REAR TRIM LABEL (RX)	20070314	1
1	206002=10129	FOAM 10X10X5MM	20070314	1
1	206002=10153	FOAM 15.0X4.5X0.5MM	20070314	1
1	363=22601000	SINGLE SCREENED	20070314	0.275
1	365000=10023	HOT MELT GLUE, HE-38A	20070314	1
1	391=60203060	SCREW-PPTT M2.6X10 MS/ZP	20070314	3
1	391=60203150	SCREW M2.6X8 PA MS/ZP	20070314	2
1	403041=10122	SHIELD COVER,UHF	20070314	1
1	403041=10123	SHIELD BOTTOM,UHF	20070314	1
1	403041=10124	SHIELD BODY,UHF	20070314	1
1	851001=11844	PCB ASSY,5G TX ANT	20070816	1
0.2	042010=11955A	PCB ANT	20070816	1
0.2	363=00000031A	COAXIAL RG178B/U 160MM	20070816	1
1	851001=12886	PCB ASSY,MAIN,5G	20070314	1
0.2	042010=11864A	PCB	20070228	1
0.2	057=22000029	CAP-E 22U 20% 16V	20070228	2 C7,8
0.2	057=22100014	CAP-E 220U 20% 10V	20070228	1 C3
0.2	057=22100018	CAP-E 220U 20% 25V	20070228	1 C1
0.2	057=47100026	CAP-E 470U 20% 6V3 6.3X11	20070228	1 C6
0.2	076=10100014	CAP-MCC 100P 10% X7R 0603	20070228	3 C9-11

0.2 076=10200014	CAP-MCC 1N 10% X7R 0603	20070228	1 C5
0.2 076=10400014	CAP-MCC 100N 10% X7R 0603	20070228	1 C12
0.2 149=00000005	SOCKET 6 PIN IO CONNECTOR	20070228	1 J1
0.2 149=00000022	2.5MM DC JACK	20070228	1
0.2 211103=10026	LOW DROPOUT REG,1117-3V3	20070228	1 REG1
0.2 212107=10002	DIODE-SI 1N4004	20070228	4 D1
0.2 220=00200180	LED 3MM (RED DIFFUSED)	20070228	1 LED1
0.2 240=15206011	RES-CF 1K5 +/-5% 1/8W	20070228	1 R7
0.2 241=10400003	RES-TFC 100K 5% 1/10W0603	20070228	3 R8-10
0.2 283=00000003	SLIDE-SW SS12F21 (1P2T)	20070228	1 SW1
0.2 283=00000048	TACT SWITCH TC-0204	20070228	1 SW4
0.2 283=00000049	SLIDE SW 1P4T (SK-14D01)	20070228	1 SW3
0.2 354=13000009	WIRE UL1007 #30 WHITE	20070228	0.08
0.2 358=60821001	WIRE-JUMPER D=0.6MM	20070228	5
0.2 363=22601000	SINGLE SCREENED	20070228	0.16
1 851001=12900	PCB ASSY,433RF	20070314	1
0.2 038010=10513-2	433 MC LABEL	20070314	1
0.2 042010=11878A	PCB	20070314	1
0.2 076=10000014	CAP-MCC 10P 5% NPO 0603	20070314	4 C5,7,18,22
0.2 076=10100023	CAP-MCC 100P 5% NPO 0603	20070314	1 C6
0.2 076=10300014	CAP-MCC 10N 10% X7R 0603	20070314	1 C38
0.2 076=10400019	CAP-MCC 100N +8-2 Y5V0603	20070314	5 C2,3,21,23,24
0.2 076=10500016	CAP-MCC 1U +8-2 Y5V 0805	20070314	2 C4,8
0.2 076=10900012	CAP-MCC 1P .25P NPO 0603	20070314	1 C25
0.2 076=12100023	CAP-MCC 120P 5% NPO 0603	20070314	1 C10
0.2 076=22000023	CAP-MCC 22P 5% NPO 0603	20070314	1 C12
0.2 076=22200014	CAP-MCC 2N2 10% X7R 0603	20070314	1 C1
0.2 076=25900012	CAP-MCC 2P5 .25P NPO 0603	20070314	1 C11
0.2 076=30900012	CAP-MCC 3P .25P NPO 0603	20070314	2 C28,29
0.2 076=47200014	CAP-MCC 4N7 10% X7R 0603	20070314	1 C30
0.2 076=56000023	CAP-MCC 56P 5% NPO 0603	20070314	2 C13,20
0.2 076=70900012	CAP-MCC 7P .25P NPO 0603	20070314	2 C27,31
0.2 076=80900012	CAP-MCC 8P .25P NPO 0603	20070314	1 C32
0.2 080=00000010	SAW RESONATOR 433.92MHZ	20070314	1 Y1
0.2 162089=10050	COIL 10T5R ID=1 WD=0.22	20070314	2 L1,2
0.2 209=00000001	TRS-NPN 2N3904 SMD	20070314	5 Q1-5
0.2 209=00000010	TRS-NPN BFS17A SMD	20070314	1 Q8
0.2 210117=10070	TRS-NPN MPS H10 SMD	20070314	1 Q7
0.2 210=00000000	TRS-PNP 2N3906 SMD	20070314	1 Q6
0.2 211328=10324	IC EM78P153S OTP-ROM SMD	20070314	1 U1
0.2 211328=10401	IC 14001B QUAD NOR GATE	20070314	1 U2

0.2 212107=10015	DIODE-SI 1N4148, SMD	20070314	2 D1,3
0.2 212107=10016	DIODE-DUAL BAV99 (SOT-23)	20070314	1 D2
0.2 224200=10000	DIODE-P INFRARED PH302/2B	20070314	1 D5
0.2 241=10000003	RES-TFC 10R 5% 1/10W 0603	20070314	1 R23
0.2 241=10200003	RES-TFC 1K 5% 1/10W 0603	20070314	1 R26
0.2 241=10300003	RES-TFC 10K 5% 1/10W 0603	20070314	3 R6,14,17
0.2 241=10400003	RES-TFC 100K 5% 1/10W0603	20070314	1 R3
0.2 241=10500003	RES-TFC 1M 5% 1/10W 0603	20070314	1 R15
0.2 241=15100003	RES-TFC 150R 5% 1/10W0603	20070314	1 R18
0.2 241=15300003	RES-TFC 15K 5% 1/10W 0603	20070314	1 R13
0.2 241=15500003	RES-TFC 1M5 5% 1/10W 0603	20070314	1 R4
0.2 241=18400003	RES-TFC 180K 5% 1/10W0603	20070314	1 R10
0.2 241=22500003	RES-TFC 2M2 5% 1/10W 0603	20070314	1 R8
0.2 241=33500003	RES-TFC 3M3 5% 1/10W 0603	20070314	1 R9
0.2 241=47000003	RES-TFC 47R 5% 1/10W 0603	20070314	2 R20,21
0.2 241=47300003	RES-TFC 47K 5% 1/10W 0603	20070314	5 R1,2,7,12,25
0.2 241=47400003	RES-TFC 470K 5%1/10W 0603	20070314	1 R11
0.2 241=47500003	RES-TFC 4M7 5% 1/10W 0603	20070314	1 R5
0.2 241=68200003	RES-TFC 6K8 5% 1/10W 0603	20070314	2 R16,19
0.2 241=82000003	RES-TFC 82R 5% 1/10W 0603	20070314	1 R22
0.2 403041=10051A	IR COVER	20070314	1
1 851001=12901	PCB ASSY 5.8G RX MODULE	20070314	1
0.2 042010=11847A	PCB	20070314	1
0.2 076=10000022	CAP-MCC 10P .25P COG 0402	20070314	11 REFER TO SCHEMATIC
0.2 076=10100024	CAP-MCC 100PF 5% COG 0402	20070314	25 REFER TO SCHEMATIC
0.2 076=10200028	CAP-MCC 1N 10% X7R 0402	20070521	12 REFER TO SCHEMATIC
0.2 076=10300028	CAP-MCC 10N 10% X7R 0402	20070314	3 C36,445B,446B
0.2 076=10400028	CAP-MCC 100N 10% X7R 0402	20070314	21 REFER TO SCHEMATIC
0.2 076=10500028	CAP-MCC 1U 10% X7R 0402	20070314	15 REFER TO SCHEMATIC
0.2 076=10600016	CAP-MCC 10U +8-2 Y5V 0805	20070314	13 REFER TO SCHEMATIC
0.2 076=12200028	CAP-MCC 1N2 10% X7R 0402	20070521	1 C23
0.2 076=15200028	CAP-MCC 1N5 10% X7R 0402	20070521	1 C24
0.2 076=15900022	CAP-MCC 1P5 .25P COG 0402	20070314	2 C304,305
0.2 076=18000024	CAP-MCC 18P 5% COG 0402	20070314	2 C13,14
0.2 076=20100024	CAP-MCC 200P 5% NPO 0402	20070314	1 C67
0.2 076=22000024	CAP-MCC 22P 5% COG 0402	20070709	1 C361
0.2 076=22100024	CAP-MCC 220P 5% COG 0402	20070314	2 C127,128
0.2 076=22500031	CAP-MCC 2U2 +8-2 Y5V 0603	20070314	1 C428
0.2 076=33000024	CAP-MCC 33P 5% COG 0402	20070314	2 C31,70
0.2 076=33900022	CAP-MCC 3P3 .25P COG 0402	20070314	11 REFER TO SCHEMATIC
0.2 076=39000024	CAP-MCC 39P 5% COG 0402	20070314	2 C68,69

0.2 076=47000024	CAP-MCC 47P 5% COG 0402	20070314	4 C105,106,401-402
0.2 076=47100024	CAP-MCC 470P 5% COG 0402	20070314	2 C122,124
0.2 076=47200014	CAP-MCC 4N7 10% X7R 0603	20070314	2 C103,104
0.2 076=47400028	CAP-MCC 470N 10% X7R 0402	20070314	1 C38
0.2 076=47500031	CAP-MCC 4U7 +8-2 Y5V 0603	20070314	5 C107,108,417B,427,430
0.2 076=47900022	CAP-MCC 4P7 .25P COG 0402	20070314	1 C11
0.2 076=50800022	CAP-MCC 0P5 .25P COG 0402	20070314	1 C27
0.2 076=50900022	CAP-MCC 5P .25P COG 0402	20070314	4 C310-313
0.2 076=56400031	CAP-MCC560N +8-2 Y5V 0603	20070709	1 C405
0.2 076=60900022	CAP-MCC 6P .25P COG 0402	20070314	1 C71
0.2 076=68100028	CAP-MCC 680P 10% X7R 0402	20070314	2 C109,110
0.2 076=68200028	CAP-MCC 6N8 10% X7R 0402	20070709	1 C407
0.2 076=68300028	CAP-MCC 68N 10% X7R 0402	20070709	1 C404
0.2 076=68900022	CAP-MCC 6P8 .25P COG 0402	20070314	2 C32,44
0.2 076=80900024	CAP-MCC 8P 5% NPO 0402	20070314	1 C400
0.2 076=82900024	CAP-MCC 8P2 5% COG 0402	20070709	2 C302,303
0.2 080=00000048	CRYSTAL 8MHZ HC-49/S	20070314	1 X1
0.2 080=00000054	CRYSTAL 10M368 CYLINDER	20070314	1 Y401
0.2 110=00000003	SAW FILTER 480MHZ	20070314	1 F4
0.2 110=00000014	MULTILAYER BF3216 2400ACT	20070314	1 F1
0.2 110=00000017	CERAMIC FILTER 6M MINI	20070314	1 F101
0.2 110=00000018	CERAMIC FILTER 6M5 MINI	20070314	1 F102
0.2 110=00000019	MULTILAYER BF2012 5G	20070314	1 F310
0.2 138001=10053	10 WAY PIN HEADER 2.54MM	20070314	1 P1
0.2 160=12700018	INDUCTOR 12NH 10% 0402SMD	20070314	2 L9,22
0.2 160=12900019	INDUCTOR 1N2H 5% 0402 SMD	20070314	1 L3
0.2 160=15000003	INDUCTOR 15UH 5% 0805 SMD	20070314	1 L402
0.2 160=18000020	IND NL201212T-180KERO CORE	20070314	2 L7,8
0.2 160=18700018	INDUCTOR 18NH 10%0402 SMD	20070314	1 L6
0.2 160=18900019	INDUCTOR 1N8H 10% 0402SMD	20070314	2 L310,313
0.2 160=22800012	INDUCTOR 220NH 10%SMD0603	20070314	2 L401,403
0.2 160=33800011	INDUCTOR 330NH 2% 0603SMD	20070314	2 L314-315
0.2 160=33900019	INDUCTOR 3N3H 2% 0402 SMD	20070314	2 L301,302
0.2 160=39800008	INDUCTOR 390NH 2% 0603SMD	20070314	1 L404
0.2 160=47600019	INDUCTOR 4N7H 5% 0402 SMD	20070314	2 L4,5
0.2 209=00000001	TRS-NPN 2N3904 SMD	20070314	2 Q2,401
0.2 209=00000020	TRS-NPN BFS520 (SOT-23)	20070314	1 Q3
0.2 209=00000022	TRS-NPN BFP520	20070709	2 Q310,315
0.2 211328=10383	IC RTC6711 (QFN48A1)	20070314	1 U2
0.2 211328=10384	IC RTC6721 (QFN24LD-B)	20070314	1 U101
0.2 211328=10402	IC ML5824TL	20070314	1 U4

0.2 211328=10409	IC LDO AME8801NEEV 2V9	20070314	1 U401
0.2 212107=10016	DIODE-DUAL BAV99 (SOT-23)	20070314	1 D1
0.2 241=00000003	RES-TFC 0R 5% 1/10W 0603	20070314	1 R16A
0.2 241=00000006	RES-TFC 0R 5% 1/16W 0402	20070314	9 REFER TO SCHEMATIC
0.2 241=10200006	RES-TFC 1K 5% 1/16W 0402	20070314	1 R405
0.2 241=10300006	RES-TFC 10K 5% 1/16W 0402	20070314	10 REFER TO SCHEMATIC
0.2 241=12100006	RES-TFC 120R5% 1/16W 0402	20070709	1 R351
0.2 241=12200006	RES-TFC 1K2 5% 1/16W 0402	20070709	1 R406
0.2 241=12300006	RES-TFC 12K 5% 1/16W 0402	20070709	1 R310
0.2 241=15300006	RES-TFC 15K 5% 1/16W 0402	20070314	4 R101-104
0.2 241=18100006	RES-TFC 180R 5% 1/16W0402	20070709	1 R403
0.2 241=18200006	RES-TFC 1K8 5% 1/16W 0402	20070314	1 R25
0.2 241=20100006	RES-TFC 200R 5% 1/16W0402	20070314	2 R129,130
0.2 241=20200006	RES-TFC 2K 5% 1/16W 0402	20070314	2 R109,110
0.2 241=20300006	RES-TFC 20K 5% 1/16W 0402	20070314	1 R21
0.2 241=25510004	RES-TFC 255R 1% 1/16W0402	20070314	1 R409
0.2 241=27400006	RES-TFC 270K 5% 1/16W0402	20070314	1 R7
0.2 241=30100006	RES-TFC 300R 5% 1/16W0402	20070314	1 R5
0.2 241=30300006	RES-TFC 30K 5% 1/16W 0402	20070314	1 R6
0.2 241=33300006	RES-TFC 33K 5% 1/16W 0402	20070314	2 R8,26
0.2 241=39200006	RES-TFC 3K9 5% 1/16W 0402	20070314	3 R11,12,16
0.2 241=39400006	RES-TFC 390K 5% 1/16W0402	20070314	2 R107,108
0.2 241=51000006	RES-TFC 51R 5% 1/16W 0402	20070314	1 R31
0.2 241=51200006	RES-TFC 5K1 5% 1/16W 0402	20070314	1 R30
0.2 241=56100006	RES-TFC 560R 5% 1/16W0402	20070314	1 R23
0.2 241=56200006	RES-TFC 5K6 5% 1/16W 0402	20070314	1 R410
0.2 241=56300006	RES-TFC 56K 5% 1/16W 0402	20070314	1 R408
0.2 241=68000006	RES-TFC 68R 5% 1/16W 0402	20070314	1 R24
0.2 241=68100006	RES-TFC 680R 5% 1/16W0402	20070314	1 R404
0.2 241=82000006	RES-TFC 82R 5% 1/16W 0402	20070709	1 R356
0.2 241=82200006	RES-TFC 8K2 5% 1/16W 0402	20070314	3 R105,106,316
0.2 403041=10133	METAL BOX,RX	20070319	1