

| PART IDENTIFIER | DESCRIPTION               | QTY/ASSY | REFERENCE |
|-----------------|---------------------------|----------|-----------|
| -----           | -----                     | -----    | -----     |
| XC18A-200=COMI  | OUTDOOR CAM               | 1        |           |
| 038010=10040-X  | LABEL-DATE CODE (WHITE)   | 1        |           |
| 183010=15350A   | SCREW RUBBER RING,ID2.3M  | 2        |           |
| 183010=17780    | RUBBER O-RING ID=36       | 1        |           |
| 183010=17790    | RUBBER O-RING ID=15       | 1        |           |
| 183010=17880    | DISK BOTT.                | 1        |           |
| 183010=17890    | HINGE                     | 1        |           |
| 183010=17900    | SWITCH COVER              | 1        |           |
| 183010=17950A   | BRACKET                   | 1        |           |
| 183010=17970A   | RUBBER RING, SHORE 'A'-30 | 1        |           |
| 183010=18180    | HINGE (GREY)              | 1        |           |
| 183010=19390    | DISK TOP                  | 1        |           |
| 183=00200290    | CABLE TIE (696-40379) UL  | 1        |           |
| 184002=10000    | STRAIN RELIEF BUSHING     | 1        |           |
| 185000=16740C   | TOP CABINET               | 1        |           |
| 185000=17260    | BOTTOM CABINET (GREY)     | 1        |           |
| 185000=18340A   | BOTTOM COVER              | 1        |           |
| 185000=18440A   | TOP COVER                 | 1        |           |
| 186003=10059A   | ANTENNA LABEL             | 1        |           |
| 186005=10098C   | RATING LABEL (XC19A)      | 1        |           |
| 201=15080000    | TUBE-HS 1.5MM BLACK       | 0.065    |           |
| 201=4728001C    | TUBE-PVC 4.72MM TR        | 0.008    |           |
| 206002=10068    | FOAM                      | 2        |           |
| 275000=11040    | CABLE BUSH (CLEAR)        | 1        |           |
| 275000=11140    | RUBBER MIC HOLDER         | 1        |           |
| 275000=11270    | POWER CABLE BUSH (CLEAR)  | 1        |           |
| 365000=10015    | ARON ALPHA ADHESIVE #201  | 0.02     |           |
| 365000=10023    | HOT MELT GLUE, HE-38A     | 1        |           |
| 391=20204001    | M/C SCREW M3X12 PM        | 1        |           |
| 391=20206001    | M/C SCREW M4X10 PM        | 1        |           |
| 391=60202110    | SCREW-PA M2.3X8 HEAD=M2.  | 2        |           |
| 391=60202120    | SCREW-PA M2.3X7 HEAD=M2.  | 2        |           |
| 391=60203060    | SCREW-PPTT M2.6X10 MS/ZP  | 1        |           |
| 392005=10010    | M2.5 E-RING               | 1        |           |
| 394004=10001    | NUT M3                    | 1        |           |
| 394006=10000    | STANDARD M4 NUT           | 1        |           |
| 403021=10438    | CONNECTOR                 | 1        |           |

| PART IDENTIFIER | DESCRIPTION               | QTY/ASSY          | REFERENCE |
|-----------------|---------------------------|-------------------|-----------|
| -----           | -----                     | -----             | -----     |
| 851001=11261    | CAMERA ASSY               | 1                 |           |
| 081=00000070    | ELECTRET MIC (6X2.7MM)    | 1                 |           |
| 087=00000002    | LENS DW3042               | 1                 |           |
| 183010=18820    | LENS HOLDER               | 1                 |           |
| 354=13000050    | WIRE UL1571 #30 BLACK     | 0.025             |           |
| 354=13000059    | WIRE UL1571 #30 WHITE     | 0.028             |           |
| 391=60201041    | SCREW-PPTT M2X6 MS/NIP    | 2                 |           |
| 403021=10461A   | CAMERA SPRING WIRE D=0.6  | 1                 |           |
| 851001=11863    | PCB ASSY                  | 1                 |           |
| 042010=10979C   | PCB                       | 1                 |           |
| 057=22000029    | CAP-E 22U 20% 16V         | 1 C1              |           |
| 057=47900006    | CAP-E 4U7 20% 50V 4X7     | 1 C2              |           |
| 076=10400019    | CAP-MCC 100N +8-2 Y5V0603 | 7 C3,5,7-9,19,20  |           |
| 076=10500016    | CAP-MCC 1U +8-2 Y5V 0805  | 1 C17             |           |
| 076=33000023    | CAP-MCC 33P 5% NPO 0603   | 2 C10,11          |           |
| 076=47300014    | CAP-MCC 47N 10% X7R 0603  | 1 C18             |           |
| 080=00000015    | CRYSTAL 14.31818MHZ       | 1 Y1              |           |
| 201=15080000    | TUBE-HS 1.5MM BLACK       | 0.035             |           |
| 209=00000001    | TRS-NPN 2N3904 SMD        | 2 Q1-2            |           |
| 211103=10000    | REGULATOR 78L05           | 1 U1              |           |
| 211328=10323    | OV7930 SINGLE-CHIP CAMER  | 1 U2              |           |
| 241=10000003    | RES-TFC 10R 5% 1/10W 0603 | 2 R1,X1           |           |
| 241=10100003    | RES-TFC 100R 5% 1/10W0603 | 1 R23             |           |
| 241=10500003    | RES-TFC 1M 5% 1/10W 0603  | 2 R14,26          |           |
| 241=12300003    | RES-TFC 12K 5% 1/10W 0603 | 2 R24,27          |           |
| 241=12400003    | RES-TFC 120K 5% 1/10W0603 | 1 R28             |           |
| 241=22100003    | RES-TFC 220R 5% 1/10W0603 | 1 R25             |           |
| 241=22200003    | RES-TFC 2K2 5% 1/10W 0603 | 1 R29             |           |
| 241=75000003    | RES-TFC 75R 5% 1/10W 0603 | 1 R11             |           |
| 851001=11821    | ANTENNA PCB ASSY          | 1                 |           |
| 042010=11131B   | PCB ANT. FR4 49X49X1.6MM  | 1                 |           |
| 363=00000041    | COAXIAL RG178B/V 80MM     | 1                 |           |
| 851001=12575    | PCB ASSY 2.4G TX MODULE   | 1                 |           |
| 042010=11677A   | PCB, 2.4G TX              | 1                 |           |
| 076=10000022    | CAP-MCC 10P .25P COG 0402 | 5 C1,3,7,8,26     |           |
| 076=10100024    | CAP-MCC 100PF 5% COG 0402 | 1 C4              |           |
| 076=10400028    | CAP-MCC 100N 10% X7R 0402 | 4 C24,100,102,103 |           |

| PART IDENTIFIER | DESCRIPTION               | QTY/ASSY | REFERENCE       |
|-----------------|---------------------------|----------|-----------------|
| -----           | -----                     | -----    | -----           |
| 076=10500028    | CAP-MCC 1U 10% X7R 0402   | 5        | C12-15,39       |
| 076=10600016    | CAP-MCC 10U +8-2 Y5V 0805 | 2        | C35,36          |
| 076=10900022    | CAP-MCC 1P .25P COG 0402  | 1        | C2              |
| 076=15300028    | CAP-MCC 15N 10% X7R 0402  | 1        | C20             |
| 076=18000024    | CAP-MCC 18P 5% COG 0402   | 2        | C51,53          |
| 076=22500031    | CAP-MCC 2U2 +8-2 Y5V 0603 | 2        | C16,17          |
| 076=33000024    | CAP-MCC 33P 5% COG 0402   | 2        | C22,23          |
| 076=47000024    | CAP-MCC 47P 5% COG 0402   | 1        | C9              |
| 076=47300028    | CAP-MCC 47N 10% X7R 0402  | 3        | C96-98          |
| 076=47400028    | CAP-MCC 470N 10% X7R 0402 | 1        | C21             |
| 076=47500031    | CAP-MCC 4U7 +8-2 Y5V 0603 | 3        | C18,19,25       |
| 076=56100028    | CAP-MCC 560P 10% X7R 0402 | 2        | C31,32          |
| 076=56900022    | CAP-MCC 5P6 .25P COG 0402 | 2        | C40,41          |
| 076=68100028    | CAP-MCC 680P 10% X7R 0402 | 1        | C10             |
| 076=82000024    | CAP-MCC 82P 5% COG 0402   | 1        | C11             |
| 076=82100028    | CAP-MCC 820P 10% X7R 0402 | 2        | C5,6            |
| 080=00000048    | CRYSTAL 8MHZ HC-49/S      | 1        | Y1              |
| 110=00000015    | MULTILAYER LF2012 2400AC1 | 1        | F1              |
| 138001=10054    | 5 WAY PIN HEADER 2.54MM   | 1        | P2              |
| 138001=10055    | 6 WAY PIN HEADER 2.54MM   | 1        | P1              |
| 160=27900019    | INDUCTOR 2N7H 5% 0402 SMI | 1        | L3              |
| 160=47600019    | INDUCTOR 4N7H 5% 0402 SMI | 1        | L2              |
| 160=82800012    | INDUCTOR 820NH 10%0603SM  | 2        | L4,5            |
| 160=82900019    | INDUCTOR 8N2H 5% 0402 SMI | 1        | L1              |
| 211328=10382    | IC RTC6701 (QFN32)        | 1        | I1              |
| 241=00000006    | RES-TFC 0R 5% 1/16W 0402  | 5        | L6,R1,5,25,34   |
| 241=10300006    | RES-TFC 10K 5% 1/16W 0402 | 7        | R19,20,30,33-36 |
| 241=10400006    | RES-TFC 100K 5% 1/16W0402 | 3        | R22,31,32       |
| 241=11100006    | RES-TFC 110R 5% 1/16W0402 | 1        | R21             |
| 241=12200006    | RES-TFC 1K2 5% 1/16W 0402 | 2        | R14,15          |
| 241=20300006    | RES-TFC 20K 5% 1/16W 0402 | 5        | R8-12           |
| 241=39000006    | RES-TFC 39R 5% 1/16W 0402 | 1        | R2              |
| 241=51300006    | RES-TFC 51K 5% 1/16W 0402 | 2        | R17,18          |
| 241=68100006    | RES-TFC 680R 5% 1/16W0402 | 2        | R7,26           |
| 241=75000006    | RES-TFC 75R 5% 1/16W 0402 | 2        | R13,16          |
| 241=75100006    | RES-TFC 750R 5% 1/16W0402 | 2        | R27,28          |
| 241=82300006    | RES-TFC 82K 5% 1/16W 0402 | 2        | R50,52          |

| PART IDENTIFIER | DESCRIPTION               | QTY/ASSY | REFERENCE |
|-----------------|---------------------------|----------|-----------|
| -----           | -----                     | -----    | -----     |
| 403041=10117    | METAL BOX (A)             | 1        |           |
| 851001=12762    | PCB ASSY,MAIN             | 1        |           |
| 042010=11790A   | PCB                       | 1        |           |
| 057=10100029    | CAP-E 100U 20% 16V 4X7    | 1        | C107      |
| 057=10100053    | CAP-E 100U 20% 10V        | 1        | C106      |
| 057=22100018    | CAP-E 220U 20% 25V        | 1        | C110      |
| 076=10400014    | CAP-MCC 100N 10% X7R 0603 | 4        | C102-5    |
| 211103=10026    | LOW DROPOUT REG,1117-3V3  | 1        | U100      |
| 222=36080003    | DIODE-Z 3V6 5% 1W3        | 1        | ZD100     |
| 241=00000003    | RES-TFC 0R 5% 1/10W 0603  | 1        | R200      |
| 283=00000017    | SLIDE SW 2P4T (SS-24D02)  | 1        | SW100     |
| 851100=10050A   | CABLE ASSY (BLACK)        | 1        |           |
| 851100=10053    | CABLE ASSY-FEMALE,BLACK   | 1        |           |