



804182

This drawing, written description or specification represents a proprietary product of TELEX, Lincoln, NE., and shall not be released, disclosed, nor duplicated without the written permission of TELEX

REVISIONS				
CHG NO	LTR	DESCRIPTION	DATE	APPD
70-000397	A	RELEASE FOR PRODUCTION	01-JUN-05	PSE

NOTES:

- LINCOLN DESIGN ENGINEERING TO APPROVE LABEL LAYOUT.
- SERIAL NUMBER "SN: XXXXX" TO START AT 1000.



QTY	DESCRIPTION	ITEM	PART NO.	SPECIFICATION		
	UNSPECIFIED LIMITS OF TOLERANCE	DATE	01-JUN-05	<p style="text-align: center;">Telex® TELEX COMMUNICATIONS INC. Lincoln Nebraska U.S.A.</p>		
	DECIMAL: FRACTION:	DR BY	P. EGGERLING			
	.X = ±.030 IN MACHINED	CHK BY	PSE 01-JUN-05	<p style="text-align: center;">LABEL, SERIAL/FCC, TT-16</p>		
	.XX = ±.010 IN FINISH: 64 ✓	APPD.	JRC 01-JUN-05			
	.XXX = ±.005 IN.	PROD.	DRO 01-JUN-05			
	ANGLES ±1°, BENDS ±2°	MATERIAL:	L-466			
	STRAIGHTNESS AND/OR	1" x 1-1/2" WHITE		SIZE	CODE IDENT	DWG. NO.
	FLATNESS .005 IN./1 IN.	LABEL STOCK		B	57010	804182
	CONCENTRICITY .010 TIR			SCALE: NONE		SHEET: 1 OF 1
	UNMARKED ANGLES, BENDS AND INTERSECTIONS 90°					
NEXT ASSY.	USED ON					
APPLICATIONS						
	THREADS- EXT. CLASS 2A INT. CLASS 2B					