


Page: 222 of 415

802.11n20 HT mode

Operation Mode: Test Date: 05/05/2016 802.11n20B1

Fundamental Frequency: 5180 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
- 5	5150.00	Е	Average	42.65	36.77	5.88	54.00	-11.35
Ę	5150.00	E	Peak	55.47	49.59	5.88	74.00	-18.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and except the following the language of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unquired and except and the company is unquired and except and the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 223 of 415

Operation Mode: 802.11n20B1 Test Date: 05/05/2016

Fundamental Frequency: 5180 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
_	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
_	5150.00	Е	Average	45.04	39.16	5.88	54.00	-8.96
	5150.00	Ε	Peak	57.50	51.62	5.88	74.00	-16.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 224 of 415

Operation Mode: 802.11n20B2 Test Date: 05/05/2016

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	E	Average	42.77	36.62	6.15	54.00	-11.23
5350.00	E	Peak	55.18	49.03	6.15	74.00	-18.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 225 of 415

Operation Mode: 802.11n20B2 Test Date: 05/05/2016

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
_	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
_	5350.00	Е	Average	45.88	39.73	6.15	54.00	-8.12
	5350.00	Ε	Peak	58.11	51.96	6.15	74.00	-15.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 226 of 415

Operation Mode: 802.11n20B3 Test Date: 05/05/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
			Mode	Reading Level	FS		@3m		
_	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
	5460.00	Е	Average	42.47	36.24	6.23	54.00	-11.53	
	5460.00	Ε	Peak	55.93	49.70	6.23	74.00	-18.07	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 227 of 415

Operation Mode: 802.11n20B3 Test Date: 05/05/2016

Fundamental Frequency: 5500 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5460.00	Е	Average	44.95	38.72	6.23	54.00	-9.05
5460.00	Е	Peak	58.31	52.07	6.23	74.00	-15.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.tw.sgs.com




Page: 228 of 415

Operation Mode: 802.11n20B3 Test Date: 05/05/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	E	Peak	54.90	48.64	6.26	68.30	-13.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 229 of 415

Operation Mode: 802.11n20B3 Test Date: 05/05/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	E	Peak	57.99	51.72	6.26	68.30	-10.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 230 of 415

Operation Mode: 802.11n20B3 Test Date: 05/05/2016

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5725.00	Е	Peak	56.57	49.98	6.59	68.30	-11.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 231 of 415

Operation Mode: 802.11n20B3 Test Date: 05/05/2016

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5725.00	E	Peak	60.54	53.95	6.59	68.30	-7.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 232 of 415

Operation Mode: 802.11n20B4 Test Date: 05/05/2016

Fundamental Frequency: 5745 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	45.71	39.23	6.48	68.23	-22.52
5700.00	Е	Peak	52.38	45.71	6.68	105.23	-52.85
5720.00	Е	Peak	57.38	50.78	6.60	110.83	-53.45
5725.00	Е	Peak	62.11	55.52	6.59	122.23	-60.12

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page: 233 of 415

Operation Mode: 802.11n20B4 Test Date: 05/05/2016

Fundamental Frequency: 5745 MHz Temp. / Humi.: 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	46.75	40.27	6.48	68.23	-21.48
5700.00	E	Peak	55.54	48.86	6.68	105.23	-49.69
5720.00	Е	Peak	68.74	62.14	6.60	110.83	-42.09
5725.00	Е	Peak	71.12	64.53	6.59	122.23	-51.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 234 of 415

Operation Mode: 802.11n20B4 Test Date: 05/05/2016

Fundamental Frequency: 5825 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	55.72	48.44	7.28	122.23	-66.51
5855.00	Ε	Peak	50.52	43.21	7.32	110.83	-60.31
5875.00	Е	Peak	49.95	42.58	7.37	105.23	-55.28
5925.00	Ε	Peak	46.38	38.99	7.39	68.23	-21.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 235 of 415

Operation Mode: 802.11n20B4 Test Date: 05/05/2016

Fundamental Frequency: 5825 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	58.75	51.47	7.28	122.23	-63.48
5855.00	Е	Peak	55.93	48.61	7.32	110.83	-54.90
5875.00	Е	Peak	53.27	45.90	7.37	105.23	-51.96
5925.00	Е	Peak	46.89	39.50	7.39	68.23	-21.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com




Page: 236 of 415

802.11n40 HT mode

Operation Mode: Test Date: 05/05/2016 802.11n40B1

Fundamental Frequency: 5190 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5150.00	Е	Average	47.83	41.95	5.88	54.00	-6.17
5150.00	Ε	Peak	64.75	58.87	5.88	74.00	-9.25

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 237 of 415

Operation Mode: 802.11n40B1 Test Date: 05/05/2016

Fundamental Frequency: 5190 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
_	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
_	5150.00	Е	Average	51.62	45.74	5.88	54.00	-2.38
	5150.00	Ε	Peak	72.11	66.23	5.88	74.00	-1.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 238 of 415

Operation Mode: 802.11n40B2 Test Date: 05/05/2016

Fundamental Frequency: 5310 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	Е	Average	46.36	40.21	6.15	54.00	-7.64
5350.00	Ε	Peak	63.45	57.30	6.15	74.00	-10.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 239 of 415

Operation Mode: 802.11n40B2 Test Date: 05/05/2016

Fundamental Frequency: 5310 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
 MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
 5350.00	Е	Average	51.56	45.41	6.15	54.00	-2.44
5350.00	Ε	Peak	71.30	65.15	6.15	74.00	-2.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 240 of 415

Operation Mode: 802.11n40B3 Test Date: 05/05/2016

Fundamental Frequency: 5510 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	Е	Average	43.61	37.35	6.26	54.00	-10.39
5470.00	Ε	Peak	57.70	51.44	6.26	74.00	-16.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 241 of 415

Operation Mode: 802.11n40B3 Test Date: 05/05/2016

Fundamental Frequency: 5510 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
 MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5460.00	Е	Average	46.13	39.90	6.23	54.00	-7.87
5460.00	Е	Peak	62.92	56.69	6.23	74.00	-11.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488




Page: 242 of 415

Operation Mode: Test Date: 05/05/2016 802.11n40B3

Fundamental Frequency: 5510 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	Е	Peak	56.19	49.93	6.26	68.30	-12.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 243 of 415

Operation Mode: 802.11n40B3 Test Date: 05/05/2016

Fundamental Frequency: 5510 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	E	Peak	66.48	60.22	6.26	68.30	-1.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 244 of 415

Operation Mode: 802.11n40B3 Test Date: 05/05/2016

Fundamental Frequency: 5670 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5725.00	Е	Peak	56.64	50.05	6.59	68.30	-11.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 245 of 415

Operation Mode: 802.11n40B3 Test Date: 05/05/2016

Fundamental Frequency: 5670 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Fr	eq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
N	Hz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
572	5.00	E	Peak	64.36	57.77	6.59	68.30	-3.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 246 of 415

Operation Mode: 802.11n40B4 Test Date: 05/05/2016

Fundamental Frequency: 5755 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
 MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	48.29	41.81	6.48	68.23	-19.94
5700.00	Ε	Peak	54.99	48.31	6.68	105.23	-50.24
5720.00	Ε	Peak	58.01	51.41	6.60	110.83	-52.82
5725.00	Е	Peak	58.92	52.33	6.59	122.23	-63.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 247 of 415

Operation Mode: 802.11n40B4 Test Date: 05/05/2016

Fundamental Frequency: 5755 MHz Temp. / Humi.: 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	47.17	40.69	6.48	68.23	-21.06
5700.00	E	Peak	57.38	50.70	6.68	105.23	-47.85
5720.00	Е	Peak	66.71	60.11	6.60	110.83	-44.12
5725.00	Е	Peak	67.54	60.95	6.59	122.23	-54.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 248 of 415

Operation Mode: 802.11n40B4 Test Date: 05/05/2016

Fundamental Frequency: 5795 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane





Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	59.13	51.85	7.28	122.23	-63.10
5855.00	Е	Peak	57.48	50.16	7.32	110.83	-53.35
5875.00	Е	Peak	51.55	44.18	7.37	105.23	-53.68
5925.00	Е	Peak	47.16	39.77	7.39	68.23	-21.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 249 of 415

Operation Mode: 802.11n40B4 Test Date: 05/05/2016

Fundamental Frequency: 5795 MHz Temp. / Humi.: 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	67.10	59.82	7.28	122.23	-55.13
5855.00	Е	Peak	64.79	57.47	7.32	110.83	-46.04
5875.00	Е	Peak	58.66	51.29	7.37	105.23	-46.57
5925.00	Е	Peak	54.75	47.36	7.39	68.23	-13.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 250 of 415

802.11ac80 VHT mode

Operation Mode: 802.11ac80B1 Test Date: 05/05/2016

Fundamental Frequency: 5210 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
_	5150.00	Е	Average	44.16	38.28	5.88	54.00	-9.84
	5150.00	Ε	Peak	64.14	58.26	5.88	74.00	-9.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 251 of 415

Operation Mode: 802.11ac80B1 Test Date: 05/05/2016

Fundamental Frequency: 5210 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5150.00	Е	Average	46.05	40.17	5.88	54.00	-7.95
5150.00	Е	Peak	68.62	62.74	5.88	74.00	-5.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 252 of 415

Operation Mode: 802.11ac80B2 Test Date: 05/05/2016

Fundamental Frequency: 5290 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	E	Average	43.59	37.44	6.15	54.00	-10.41
5350.00	E	Peak	64.71	58.56	6.15	74.00	-9.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 253 of 415

Operation Mode: 802.11ac80B2 Test Date: 05/05/2016

Fundamental Frequency: 5290 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	Е	Average	47.01	40.86	6.15	54.00	-6.99
5350.00	Ε	Peak	72.30	66.15	6.15	74.00	-1.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 254 of 415

Operation Mode: 802.11ac80B3 Test Date: 05/05/2016

Fundamental Frequency: 5530 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5460.0	0 E	Average	42.68	36.45	6.23	54.00	-11.32
5460.0	0 E	Peak	56.85	50.61	6.23	74.00	-17.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488




Page: 255 of 415

Operation Mode: 802.11ac80B3 Test Date: 05/05/2016

Fundamental Frequency: 5530 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5460.00	Е	Average	45.08	38.85	6.23	54.00	-8.92
5460.00	Ε	Peak	62.55	56.31	6.23	74.00	-11.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 256 of 415

Operation Mode: 802.11ac80B3 Test Date: 05/05/2016

Fundamental Frequency: 5530 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
,	5470.00	E	Peak	56.97	50.70	6.26	68.30	-11.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 257 of 415

Operation Mode: 802.11ac80B3 Test Date: 05/05/2016

Fundamental Frequency: 5530 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	E	Peak	65.46	59.20	6.26	68.30	-2.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488




Page: 258 of 415

Operation Mode: 802.11ac80B4 Test Date: 05/05/2016

Fundamental Frequency: 5775 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	51.27	44.79	6.48	68.23	-16.96
5700.00	Е	Peak	57.02	50.34	6.68	105.23	-48.21
5720.00	Е	Peak	60.77	54.17	6.60	110.83	-50.06
5725.00	Е	Peak	62.13	55.54	6.59	122.23	-60.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 259 of 415

Operation Mode: 802.11ac80B4 Test Date: 05/05/2016

Fundamental Frequency: 5775 MHz Temp. / Humi.: 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	57.71	51.23	6.48	68.23	-10.52
5700.00	Ε	Peak	62.38	55.70	6.68	105.23	-42.85
5720.00	Е	Peak	68.74	62.14	6.60	110.83	-42.09
5725.00	Е	Peak	72.80	66.21	6.59	122.23	-49.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 260 of 415

Operation Mode: 802.11ac80B4 Test Date: 05/05/2016

Fundamental Frequency: 5775 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	55.76	48.48	7.28	122.23	-66.47
5855.00	Е	Peak	54.91	47.59	7.32	110.83	-55.92
5875.00	Е	Peak	50.40	43.03	7.37	105.23	-54.83
5925.00	Е	Peak	47.32	39.93	7.39	68.23	-20.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 261 of 415

Operation Mode: 802.11ac80B4 Test Date: 05/05/2016

Fundamental Frequency: 5775 MHz Temp. / Humi.: 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	62.20	54.92	7.28	122.23	-60.03
5855.00	Ε	Peak	60.76	53.45	7.32	110.83	-50.07
5875.00	Ε	Peak	57.44	50.07	7.37	105.23	-47.79
5925.00	Е	Peak	53.26	45.87	7.39	68.23	-14.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 262 of 415

* Wireless Charging Mode **Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data:** 802.11a 5150~5250 MHz

Operation Mode: Test Date: 05/20/2016 14:27:34 802.11aB1 Fundamental Frequency: 5220 MHz Temp. / Humi.: 21 deg_C / 61 RH

Operation Band: Test Engineer: Tx CH MID Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
54.25	S	Peak	20.67	28.49	-7.82	40.00	-19.33
118.27	S	Peak	17.03	27.64	-10.60	43.50	-26.47
228.85	S	Peak	23.44	32.44	-9.00	46.00	-22.56
444.19	S	Peak	23.69	26.91	-3.22	46.00	-22.31
649.83	S	Peak	27.29	26.87	0.42	46.00	-18.71
833.16	S	Peak	29.28	25.87	3.41	46.00	-16.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the processor of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 263 of 415

Operation Mode: 802.11aB1 Test Date: 05/20/2016 14:27:44 Fundamental Frequency: 5220 MHz Temp. / Humi.: 21 deg C / 61 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
47.46	S	Peak	18.79	26.64	-7.85	40.00	-21.21
126.03	S	Peak	19.01	28.89	-9.88	43.50	-24.49
276.38	S	Peak	21.18	27.77	-6.59	46.00	-24.82
599.39	S	Peak	26.04	26.32	-0.28	46.00	-19.96
847.71	S	Peak	29.69	26.03	3.66	46.00	-16.31
957.32	S	Peak	31.31	25.78	5.53	46.00	-14.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the processor of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 264 of 415

802.11a 5250~5350 MHz

Operation Mode: 802.11aB2 Test Date: 05/20/2016 14:27:55 Fundamental Frequency: 5300 MHz Temp. / Humi.: 21 deg_C / 61 RH

Operation Band: Tx CH MID Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
57.16	S	Peak	22.73	30.70	-7.97	40.00	-17.27
110.51	S	Peak	17.15	28.29	-11.14	43.50	-26.35
225.94	S	Peak	25.89	34.99	-9.10	46.00	-20.11
415.09	S	Peak	22.87	26.08	-3.21	46.00	-23.13
565.44	S	Peak	24.67	25.86	-1.19	46.00	-21.33
769.14	S	Peak	28.84	26.07	2.77	46.00	-17.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 265 of 415

Operation Mode: 802.11aB2 Test Date: 05/20/2016 14:28:26 Fundamental Frequency: 5300 MHz Temp. / Humi.: 21 deg C / 61 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
53.28	S	Peak	19.03	26.82	-7.79	40.00	-20.97
117.30	S	Peak	16.98	27.65	-10.67	43.50	-26.52
323.91	S	Peak	21.31	26.79	-5.48	46.00	-24.69
561.56	S	Peak	25.15	26.50	-1.34	46.00	-20.85
838.01	S	Peak	28.62	25.22	3.39	46.00	-17.38
941.80	S	Peak	31.43	26.14	5.29	46.00	-14.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the processor of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 266 of 415

802.11a, 5470~5725 MHz

Operation Mode: 802.11aB3 Test Date: 05/20/2016 14:28:35 Fundamental Frequency: 5580 MHz Temp. / Humi.: 21 deg_C / 61 RH

Operation Band: Tx CH MID Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
50.37	S	Peak	21.14	28.85	-7.71	40.00	-18.86
105.66	S	Peak	18.38	30.18	-11.80	43.50	-25.12
312.27	S	Peak	21.28	26.78	-5.50	46.00	-24.72
451.95	S	Peak	23.40	26.23	-2.83	46.00	-22.60
650.80	S	Peak	25.93	25.45	0.48	46.00	-20.07
897.18	S	Peak	31.20	26.58	4.63	46.00	-14.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the processor of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 267 of 415

Operation Mode: 802.11aB3 Test Date: 05/20/2016 14:28:46 Fundamental Frequency: 5580 MHz Temp. / Humi.: 21 deg C / 61 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
117.30	S	Peak	16.89	27.56	-10.67	43.50	-26.61
276.38	S	Peak	21.35	27.93	-6.59	46.00	-24.65
503.36	S	Peak	24.34	26.74	-2.40	46.00	-21.66
707.06	S	Peak	27.11	25.71	1.40	46.00	-18.89
920.46	S	Peak	31.12	26.01	5.10	46.00	-14.88
985.45	S	Peak	32.44	26.40	6.05	54.00	-21.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the processor of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 268 of 415

802.11a, 5725~5850 MHz

Operation Mode: 802.11aB4 Test Date: 05/20/2016 14:28:54 Fundamental Frequency: 5785 MHz Temp. / Humi.: 21 deg_C / 61 RH

Operation Band: Tx CH MID Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dΒμV/m	dB	dBuV/m	dB
54.25	S	Peak	20.51	28.33	-7.82	40.00	-19.49
129.91	S	Peak	18.98	28.48	-9.49	43.50	-24.52
257.95	S	Peak	26.66	34.04	-7.38	46.00	-19.34
416.06	S	Peak	22.75	26.01	-3.27	46.00	-23.25
762.35	S	Peak	28.71	25.83	2.89	46.00	-17.29
946.65	S	Peak	31.56	26.15	5.41	46.00	-14.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the processor of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 269 of 415

Operation Mode: 802.11aB4 Test Date: 05/20/2016 14:29:05 Fundamental Frequency: 5785 MHz Temp. / Humi.: 21 deg C / 61 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
52.31	S	Peak	18.56	26.32	-7.77	40.00	-21.44
142.52	S	Peak	20.96	29.12	-8.16	43.50	-22.54
331.67	S	Peak	21.63	26.99	-5.36	46.00	-24.37
565.44	S	Peak	25.19	26.38	-1.19	46.00	-20.81
728.40	S	Peak	29.17	27.53	1.65	46.00	-16.83
882.63	S	Peak	30.14	25.68	4.46	46.00	-15.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the processor of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 270 of 415

802.11ac VHT80, 5150~5250 MHz

Operation Mode: 802.11ac80B1 Test Date: 05/20/2016 14:29:15 Fundamental Frequency: 5210 MHz Temp. / Humi.: 21 deg_C / 61 RH

Operation Band: Tx CH MID Test Engineer: Edward Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
54.25	S	Peak	21.05	28.87	-7.82	40.00	-18.95
115.36	S	Peak	19.03	29.82	-10.79	43.50	-24.47
276.38	S	Peak	21.69	28.27	-6.59	46.00	-24.31
483.96	S	Peak	24.16	26.63	-2.46	46.00	-21.84
692.51	S	Peak	28.27	26.80	1.47	46.00	-17.73
855.47	S	Peak	30.69	26.29	4.40	46.00	-15.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 271 of 415

Operation Mode: 802.11ac80B1 Test Date: 05/20/2016 14:29:25 Fundamental Frequency: 5210 MHz Temp. / Humi.: 21 deg C / 61 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
57.16	S	Peak	19.05	27.02	-7.97	40.00	-20.95
108.57	S	Peak	16.33	27.73	-11.39	43.50	-27.17
291.90	S	Peak	20.29	26.37	-6.08	46.00	-25.71
475.23	S	Peak	24.30	26.75	-2.45	46.00	-21.70
633.34	S	Peak	27.42	27.02	0.40	46.00	-18.58
838.01	S	Peak	29.41	26.01	3.39	46.00	-16.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the processor of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 272 of 415

802.11ac VHT80, 5250~5350 MHz

Operation Mode: 802.11ac80B2 Test Date: 05/20/2016 14:29:35 Fundamental Frequency: 5290 MHz Temp. / Humi.: 21 deg_C / 61 RH

Operation Band: Tx CH MID Test Engineer: Edward Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
52.31	S	Peak	21.01	28.77	-7.77	40.00	-18.99
98.87	S	Peak	18.92	31.69	-12.77	43.50	-24.58
326.82	S	Peak	20.13	25.58	-5.46	46.00	-25.87
518.88	S	Peak	24.98	26.67	-1.69	46.00	-21.02
764.29	S	Peak	28.86	25.89	2.97	46.00	-17.14
903.97	S	Peak	31.01	26.15	4.86	46.00	-14.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 273 of 415

Operation Mode: 802.11ac80B2 Test Date: 05/20/2016 14:29:46 Fundamental Frequency: 5290 MHz Temp. / Humi.: 21 deg C / 61 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
54.25	S	Peak	19.40	27.22	-7.82	40.00	-20.60
109.54	S	Peak	16.47	27.72	-11.25	43.50	-27.03
254.07	S	Peak	23.82	31.52	-7.71	46.00	-22.18
369.50	S	Peak	21.64	26.29	-4.65	46.00	-24.36
575.14	S	Peak	25.20	26.00	-0.80	46.00	-20.80
794.36	S	Peak	30.39	27.51	2.88	46.00	-15.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the processor of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 274 of 415

802.11ac VHT80, 5470~5725 MHz

Operation Mode: 802.11ac80B3 Test Date: 05/20/2016 14:29:54 Fundamental Frequency: 5530 MHz Temp. / Humi.: 21 deg_C / 61 RH

Operation Band: Tx CH LOW Test Engineer: Edward Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
107.60	S	Peak	18.31	29.84	-11.53	43.50	-25.19
200.72	S	Peak	19.80	29.44	-9.64	43.50	-23.70
342.34	S	Peak	20.36	25.46	-5.10	46.00	-25.64
508.21	S	Peak	24.69	27.03	-2.35	46.00	-21.31
728.40	S	Peak	28.24	26.59	1.65	46.00	-17.76
850.62	S	Peak	30.28	26.57	3.71	46.00	-15.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 275 of 415

Operation Mode: 802.11ac80B3 Test Date: 05/20/2016 14:30:05 Fundamental Frequency: 5530 MHz Temp. / Humi.: 21 deg C / 61 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
53.28	S	Peak	19.35	27.14	-7.79	40.00	-20.65
112.45	S	Peak	16.17	27.18	-11.01	43.50	-27.33
252.13	S	Peak	23.66	31.50	-7.84	46.00	-22.34
421.88	S	Peak	23.24	26.48	-3.24	46.00	-22.76
679.90	S	Peak	28.13	27.38	0.75	46.00	-17.87
944.71	S	Peak	31.35	26.01	5.34	46.00	-14.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the processor of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 276 of 415

802.11ac VHT80, 5725~5850 MHz

Operation Mode: 802.11ac80B4 Test Date: 05/20/2016 14:30:14 Fundamental Frequency: 5775 MHz Temp. / Humi.: 21 deg_C / 61 RH

Operation Band: Tx CH MID Test Engineer: Edward Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
97.90	S	Peak	18.13	31.00	-12.87	43.50	-25.37
226.91	S	Peak	23.04	32.10	-9.06	46.00	-22.96
316.15	S	Peak	21.06	26.42	-5.35	46.00	-24.94
456.80	S	Peak	23.17	25.82	-2.65	46.00	-22.83
659.53	S	Peak	26.70	26.23	0.47	46.00	-19.30
878.75	S	Peak	29.88	25.25	4.64	46.00	-16.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention uply and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the produced except in full, without price when the law tent of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 277 of 415

Operation Mode: 802.11ac80B4 Test Date: 05/20/2016 14:30:23 Fundamental Frequency: 5775 MHz Temp. / Humi.: 21 deg C / 61 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
49.40	S	Peak	19.60	27.34	-7.74	40.00	-20.40
125.06	S	Peak	17.51	27.49	-9.98	43.50	-25.99
253.10	S	Peak	23.82	31.62	-7.80	46.00	-22.18
398.60	S	Peak	22.30	26.27	-3.97	46.00	-23.70
538.28	S	Peak	25.03	26.54	-1.51	46.00	-20.97
739.07	S	Peak	28.56	26.64	1.92	46.00	-17.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate and the processor of this document is unauthorized alteration, forgery or falsification of the content or appropriate of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 278 of 415


Above 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result 802.11a, 5150~5250 MHz

Operation Mode: 802.11aB1 Test Date: 05/20/2016 09:59:55 Fundamental Frequency: 5180 MHz 21 deg C / 62 RH

Temp. / Humi.: Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10360.00	Н	Peak	53.86	35.56	18.29	68.30	-14.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such sample(s) are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and except the following the language of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unquired and except and the company is unquired and except and the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 279 of 415

Operation Mode: 802.11aB1 Test Date: 05/20/2016 10:00:18 Fundamental Frequency: 5180 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10360.00	Н	Peak	53.65	35.36	18.29	68.30	-14.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 280 of 415

Operation Mode: 802.11aB1 Test Date: 05/20/2016 10:10:22 Fundamental Frequency: 5220 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB	
10440.00	Н	Peak	54.02	35.34	18.68	68.30	-14.28	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 281 of 415

Operation Mode: 802.11aB1 Test Date: 05/20/2016 10:10:44 Fundamental Frequency: 5220 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10440.00	Н	Peak	53.83	35.14	18.68	68.30	-14.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 282 of 415

Operation Mode: 802.11aB1 Test Date: 05/20/2016 10:23:07 Fundamental Frequency: 5240 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10480.00	Н	Peak	51.43	33.14	18.29	68.30	-16.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 283 of 415

Operation Mode: 802.11aB1 Test Date: 05/20/2016 10:23:29 Fundamental Frequency: 5240 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10480.00	Н	Peak	52.23	33.94	18.29	68.30	-16.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 284 of 415

Radiated Spurious Emission Measurement Result 802.11a, 5250MHz-5350MHz

Operation Mode: 802.11aB2 Test Date: 05/20/2016 10:28:51 Fundamental Frequency: 5260 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10520.00	Н	Peak	53.11	33.74	19.37	68.30	-15.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 285 of 415

Operation Mode: 802.11aB2 Test Date: 05/20/2016 10:29:14 Fundamental Frequency: 5260 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10520.00	Н	Peak	52.51	33.14	19.37	68.30	-15.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 286 of 415

Operation Mode: 802.11aB2 Test Date: 05/20/2016 10:33:38 Fundamental Frequency: 5300 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10600.00	Н	Average	40.50	21.59	18.91	54.00	-13.50
10600.00	Н	Peak	51.97	33.07	18.91	74.00	-22.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 287 of 415

Operation Mode: 802.11aB2 Test Date: 05/20/2016 10:34:01 Fundamental Frequency: 5300 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
10600.00	Н	Average	40.37	21.46	18.91	54.00	-13.63
10600.00	Н	Peak	52.82	33.91	18.91	74.00	-21.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 288 of 415

Operation Mode: 802.11aB2 Test Date: 05/20/2016 10:38:32 Fundamental Frequency: 5320 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10640.00	Н	Average	41.47	22.29	19.18	54.00	-12.53
10640.00	Н	Peak	52.09	32.91	19.18	74.00	-21.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 289 of 415

Operation Mode: 802.11aB2 Test Date: 05/20/2016 10:38:54 Fundamental Frequency: 5320 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10640.00	Н	Average	40.87	21.69	19.18	54.00	-13.13
10640.00	Н	Peak	51.64	32.46	19.18	74.00	-22.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 290 of 415

Radiated Spurious Emission Measurement Result 802.11a, 5470~5725 MHz

05/20/2016 13:33:29 Operation Mode: 802.11aB3 Test Date: Fundamental Frequency: 5500 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11000.00	Н	Average	41.57	21.40	20.17	54.00	-12.43
11000.00	Н	Peak	52.97	32.80	20.17	74.00	-21.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 291 of 415

Operation Mode: 802.11aB3 Test Date: 05/20/2016 13:33:51 Fundamental Frequency: 5500 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11000.00	Н	Average	41.31	21.14	20.17	54.00	-12.69
11000.00	Н	Peak	53.01	32.84	20.17	74.00	-20.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 292 of 415

Operation Mode: 802.11aB3 Test Date: 05/20/2016 13:41:56 Fundamental Frequency: 5580 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11160.00	Н	Average	42.25	21.80	20.45	54.00	-11.75
11160.00	Н	Peak	53.65	33.20	20.45	74.00	-20.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 293 of 415

Operation Mode: 802.11aB3 Test Date: 05/20/2016 13:42:19 Fundamental Frequency: 5580 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11160.00	Н	Average	42.05	21.60	20.45	54.00	-11.95
11160.00	Н	Peak	52.81	32.36	20.45	74.00	-21.19


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 294 of 415

Operation Mode: 802.11aB3 Test Date: 05/20/2016 13:48:51 Fundamental Frequency: 5700 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11400.00	Н	Average	42.66	22.10	20.56	54.00	-11.34
11400.00	Н	Peak	53.40	32.84	20.56	74.00	-20.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 295 of 415

Operation Mode: 802.11aB3 Test Date: 05/20/2016 13:49:14 Fundamental Frequency: 5700 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11400.00	Н	Average	43.05	22.49	20.56	54.00	-10.95
11400.00	Н	Peak	52.74	32.18	20.56	74.00	-21.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 296 of 415

Radiated Spurious Emission Measurement Result 802.11a, 5725~5850 MHz

Operation Mode: 802.11aB4 Test Date: 05/20/2016 15:16:39 Fundamental Frequency: 5745 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB	
11490.00	Н	Average	47.70	27.28	20.42	54.00	-6.30	_
11490.00	Н	Peak	56.94	36.52	20.42	74.00	-17.06	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 297 of 415

Operation Mode: 802.11aB4 Test Date: 05/20/2016 15:17:02 Fundamental Frequency: 5745 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11490.00	Н	Average	48.02	27.60	20.42	54.00	-5.98
11490.00	Н	Peak	56.91	36.48	20.42	74.00	-17.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 298 of 415

Operation Mode: 802.11aB4 Test Date: 05/20/2016 15:28:19 Fundamental Frequency: 5785 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11570.00	Н	Average	42.36	21.77	20.59	54.00	-11.64
11570.00	Н	Peak	53.31	32.72	20.59	74.00	-20.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 299 of 415

Operation Mode: 802.11aB4 Test Date: 05/20/2016 15:28:41 Fundamental Frequency: 5785 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11570.00	Н	Average	42.35	21.76	20.59	54.00	-11.65
11570.00	Н	Peak	53.05	32.46	20.59	74.00	-20.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 300 of 415

Operation Mode: 802.11aB4 Test Date: 05/20/2016 15:34:42 Fundamental Frequency: 5825 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11650.00	Н	Average	40.87	20.44	20.43	54.00	-13.13
11650.00	Н	Peak	53.31	32.87	20.43	74.00	-20.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 301 of 415

Operation Mode: 802.11aB4 Test Date: 05/20/2016 15:35:05 Fundamental Frequency: 5825 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11650.00	Н	Average	40.76	20.33	20.43	54.00	-13.24
11650.00	Н	Peak	54.16	33.73	20.43	74.00	-19.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 302 of 415

Radiated Spurious Emission Measurement Result 802.11n HT20, 5150~5250 MHz

Operation Mode: 802.11n20B1 Test Date: 05/20/2016 10:45:12 Fundamental Frequency: 5180 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10360.00	Н	Peak	53.13	34.84	18.29	68.30	-15.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 303 of 415

Operation Mode: 802.11n20B1 Test Date: 05/20/2016 10:45:34 Fundamental Frequency: 5180 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10360.00	Н	Peak	53.69	35.40	18.29	68.30	-14.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 304 of 415

Operation Mode: 802.11n20B1 Test Date: 05/20/2016 10:51:36 Fundamental Frequency: 5220 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10440.00	Н	Peak	53.78	35.10	18.68	68.30	-14.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 305 of 415

Operation Mode: 802.11n20B1 Test Date: 05/20/2016 10:51:59 Fundamental Frequency: 5220 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10440.00	Н	Peak	53.03	34.35	18.68	68.30	-15.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司



Page: 306 of 415

Operation Mode: 802.11n20B1 Test Date: 05/20/2016 11:00:05 Fundamental Frequency: 5240 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB	
10480.00	Н	Peak	51.40	33.11	18.29	68.30	-16.90	•

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 307 of 415

Operation Mode: 802.11n20B1 Test Date: 05/20/2016 11:00:27 Fundamental Frequency: 5240 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10480.00	Н	Peak	51.40	33.10	18.29	68.30	-16.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 308 of 415

Radiated Spurious Emission Measurement Result 802.11n HT20, 5250~5350 MHz

Operation Mode: 802.11n20B2 Test Date: 05/20/2016 11:05:11 Fundamental Frequency: 5260 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10520.00	Н	Peak	53.75	34.37	19.37	68.30	-14.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 309 of 415

Operation Mode: 802.11n20B2 Test Date: 05/20/2016 11:05:34 Fundamental Frequency: 5260 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10520.00	Н	Peak	52.72	33.35	19.37	68.30	-15.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 310 of 415

Operation Mode: 802.11n20B2 Test Date: 05/20/2016 11:10:05 Fundamental Frequency: 5300 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10600.00	Н	Average	41.87	22.96	18.91	54.00	-12.13
10600.00	Н	Peak	52.89	33.98	18.91	74.00	-21.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 311 of 415

Operation Mode: 802.11n20B2 Test Date: 05/20/2016 11:10:28 Fundamental Frequency: 5300 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10600.00	Н	Average	41.72	22.81	18.91	54.00	-12.28
10600.00	Н	Peak	52.89	33.98	18.91	74.00	-21.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 312 of 415

Operation Mode: 802.11n20B2 Test Date: 05/20/2016 11:15:30 Fundamental Frequency: 5320 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
10640.00	Н	Average	43.31	24.13	19.18	54.00	-10.69
10640.00	Н	Peak	53.37	34.18	19.18	74.00	-20.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 313 of 415

Operation Mode: 802.11n20B2 Test Date: 05/20/2016 11:15:53 Fundamental Frequency: 5320 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10640.00	Н	Average	42.09	22.91	19.18	54.00	-11.91
10640.00	Н	Peak	52.52	33.33	19.18	74.00	-21.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 314 of 415

Radiated Spurious Emission Measurement Result 802.11n HT20, 5470~5725 MHz

Operation Mode: 802.11n20B3 Test Date: 05/20/2016 13:54:46 Fundamental Frequency: 5500 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBμV/m	dB	dBuV/m	dB	
11000.00	Н	Average	42.24	22.07	20.17	54.00	-11.76	_
11000.00	Н	Peak	53.28	33.11	20.17	74.00	-20.72	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 315 of 415

Operation Mode: 802.11n20B3 Test Date: 05/20/2016 13:55:08 Fundamental Frequency: 5500 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11000.00	Н	Average	40.53	20.36	20.17	54.00	-13.47
11000.00	Н	Peak	54.26	34.09	20.17	74.00	-19.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 316 of 415

Operation Mode: 802.11n20B3 Test Date: 05/20/2016 14:01:51 Fundamental Frequency: 5580 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11160.00	Н	Average	41.68	21.23	20.45	54.00	-12.32
11160.00	Н	Peak	53.25	32.81	20.45	74.00	-20.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 317 of 415

Operation Mode: 802.11n20B3 Test Date: 05/20/2016 14:02:13 Fundamental Frequency: 5580 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11160.00	Н	Average	41.15	20.70	20.45	54.00	-12.85
11160.00	Н	Peak	54.16	33.72	20.45	74.00	-19.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 318 of 415

Operation Mode: 802.11n20B3 Test Date: 05/20/2016 14:08:57 Fundamental Frequency: 5700 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11400.00	Н	Average	43.02	22.46	20.56	54.00	-10.98
11400.00	Н	Peak	52.99	32.44	20.56	74.00	-21.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 319 of 415

Operation Mode: 802.11n20B3 Test Date: 05/20/2016 14:09:19 Fundamental Frequency: 5700 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11400.00	Н	Average	43.80	23.24	20.56	54.00	-10.20
11400.00	Н	Peak	53.99	33.43	20.56	74.00	-20.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 320 of 415

Radiated Spurious Emission Measurement Result 802.11n HT20, 5725~5850 MHz

Operation Mode: 802.11n20B4 Test Date: 05/20/2016 15:40:50 Fundamental Frequency: 5745 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11490.00	Н	Average	44.66	24.24	20.42	54.00	-9.34
11490.00	Н	Peak	54.28	33.86	20.42	74.00	-19.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 321 of 415

Operation Mode: 802.11n20B4 Test Date: 05/20/2016 15:41:13 Fundamental Frequency: 5745 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11490.00	Н	Average	42.87	22.45	20.42	54.00	-11.13
11490.00	Н	Peak	53.15	32.73	20.42	74.00	-20.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 322 of 415

Operation Mode: 802.11n20B4 Test Date: 05/20/2016 15:50:03 Fundamental Frequency: 5785 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11570.00	Н	Average	42.61	22.02	20.59	54.00	-11.39
11570.00	Н	Peak	52.87	32.29	20.59	74.00	-21.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 323 of 415

Operation Mode: 802.11n20B4 Test Date: 05/20/2016 15:50:25 Fundamental Frequency: 5785 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11570.00	Н	Average	42.42	21.83	20.59	54.00	-11.58
11570.00	Н	Peak	53.24	32.65	20.59	74.00	-20.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 324 of 415

Operation Mode: 802.11n20B4 Test Date: 05/20/2016 15:55:52 Fundamental Frequency: 5825 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11650.00	Н	Average	41.06	20.63	20.43	54.00	-12.94
11650.00	Н	Peak	53.05	32.62	20.43	74.00	-20.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 325 of 415

Operation Mode: 802.11n20B4 Test Date: 05/20/2016 15:56:15 Fundamental Frequency: 5825 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11650.00	Н	Average	41.00	20.57	20.43	54.00	-13.00
11650.00	Н	Peak	53.01	32.58	20.43	74.00	-20.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 326 of 415

Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz

Operation Mode: 802.11n40B1 Test Date: 05/20/2016 11:33:26 Fundamental Frequency: 5190 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB	_
10380.00	Н	Peak	51.84	33.72	18.12	68.30	-16.46	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 327 of 415

Operation Mode: 802.11n40B1 Test Date: 05/20/2016 11:33:48 Fundamental Frequency: 5190 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10380.00	Н	Peak	51.95	33.83	18.12	68.30	-16.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 328 of 415

Operation Mode: 802.11n40B1 Test Date: 05/20/2016 11:38:09 Fundamental Frequency: 5230 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10460.00	Н	Peak	52.25	33.71	18.54	68.30	-16.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 329 of 415

Operation Mode: 802.11n40B1 Test Date: 05/20/2016 11:38:31 Fundamental Frequency: 5230 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10460.00	Н	Peak	51.59	33.05	18.54	68.30	-16.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 330 of 415

Radiated Spurious Emission Measurement Result 802.11n HT40, 5250~5350 MHz

Operation Mode: 802.11n40B2 Test Date: 05/20/2016 11:43:41 Fundamental Frequency: 5270 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB	_
10540.00	Н	Peak	52.92	33.75	19.17	68.30	-15.38	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 331 of 415

Operation Mode: 802.11n40B2 Test Date: 05/20/2016 11:44:03 Fundamental Frequency: 5270 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10540.00	Н	Peak	52.33	33.16	19.17	68.30	-15.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 332 of 415

Operation Mode: 802.11n40B2 Test Date: 05/20/2016 11:48:22 Fundamental Frequency: 5310 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10620.00	Н	Average	40.93	21.82	19.11	54.00	-13.07
10620.00	Н	Peak	52.27	33.16	19.11	74.00	-21.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 333 of 415

Operation Mode: 802.11n40B2 Test Date: 05/20/2016 11:48:44 Fundamental Frequency: 5310 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10620.00	Н	Average	40.99	21.88	19.11	54.00	-13.01
10620.00	Н	Peak	53.41	34.30	19.11	74.00	-20.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 334 of 415

Radiated Spurious Emission Measurement Result 802.11n HT40, 5470~5725 MHz

Operation Mode: 802.11n40B3 Test Date: 05/20/2016 14:24:06

Fundamental Frequency: 5510 MHz Temp. / Humi.: 21 deg_C / 62 RH Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBμV/m	dB	dBuV/m	dB	
11020.00	Н	Average	41.30	21.14	20.16	54.00	-12.70	_
11020.00	Н	Peak	52.84	32.68	20.16	74.00	-21.16	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 335 of 415

Operation Mode: 802.11n40B3 Test Date: 05/20/2016 14:24:28 Fundamental Frequency: 5510 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11020.00	Н	Average	40.60	20.44	20.16	54.00	-13.40
11020.00	Н	Peak	52.68	32.52	20.16	74.00	-21.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 336 of 415

Operation Mode: 802.11n40B3 Test Date: 05/20/2016 14:31:51 Fundamental Frequency: 5550 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11100.00	Н	Average	43.88	23.56	20.32	54.00	-10.12
11100.00	Н	Peak	56.31	35.99	20.32	74.00	-17.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 337 of 415

Operation Mode: 802.11n40B3 Test Date: 05/20/2016 14:32:14 Fundamental Frequency: 5550 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH MID Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11100.00	Н	Average	43.59	23.27	20.32	54.00	-10.41
11100.00	Н	Peak	54.90	34.58	20.32	74.00	-19.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 338 of 415

Operation Mode: 802.11n40B3 Test Date: 05/20/2016 14:44:39 Fundamental Frequency: 5670 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11340.00	Н	Average	41.76	21.38	20.38	54.00	-12.24
11340.00	Н	Peak	53.96	33.58	20.38	74.00	-20.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 339 of 415

Operation Mode: 802.11n40B3 Test Date: 05/20/2016 14:45:01 Fundamental Frequency: 5670 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11340.00	Н	Average	41.65	21.27	20.38	54.00	-12.35
11340.00	Н	Peak	53.69	33.30	20.38	74.00	-20.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 340 of 415

Radiated Spurious Emission Measurement Result 802.11n HT40, 5725~5850 MHz

Operation Mode: 802.11n40B4 Test Date: 05/20/2016 16:03:42

Temp. / Humi.: Fundamental Frequency: 5755 MHz 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward EUT Pol.: Measurement Antenna Pol.: VERTICAL E2 Plane



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBμV/m	dB	dBuV/m	dB
11510.00	Н	Average	41.73	21.34	20.39	54.00	-12.27
11510.00	Н	Peak	53.40	33.01	20.39	74.00	-20.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 341 of 415

Operation Mode: 802.11n40B4 Test Date: 05/20/2016 16:04:04 Fundamental Frequency: 5755 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11510.00	Н	Average	41.56	21.17	20.39	54.00	-12.44
11510.00	Н	Peak	54.24	33.86	20.39	74.00	-19.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 342 of 415

Operation Mode: 802.11n40B4 Test Date: 05/20/2016 16:11:02 Fundamental Frequency: 5795 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11590.00	Н	Average	41.61	21.18	20.43	54.00	-12.39
11590.00	Н	Peak	53.28	32.84	20.43	74.00	-20.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 343 of 415

Operation Mode: 802.11n40B4 Test Date: 05/20/2016 16:11:24 Fundamental Frequency: 5795 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
11590.00	Н	Average	42.06	21.63	20.43	54.00	-11.94
11590.00	Н	Peak	53.39	32.96	20.43	74.00	-20.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 344 of 415

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz

Operation Mode: 802.11ac80B1 Test Date: 05/20/2016 13:18:11 Fundamental Frequency: 5210 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10420.00	Н	Peak	53.47	34.76	18.71	68.30	-14.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 345 of 415

Operation Mode: 802.11ac80B1 Test Date: 05/20/2016 13:18:33 Fundamental Frequency: 5210 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB	_
10420.00	Н	Peak	51.73	33.02	18.71	68.30	-16.57	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 346 of 415

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5250~5350 MHz

Operation Mode: 802.11ac80B2 Test Date: 05/20/2016 13:23:48 Fundamental Frequency: 5290 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward Measurement Antenna Pol.: VERTICAL EUT Pol.: E2 Plane



	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
			Mode	Reading Level	FS		@3m		
_	MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB	_
	10580.00	Н	Peak	51.93	33.06	18.88	68.30	-16.37	_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 347 of 415

Operation Mode: 802.11ac80B2 Test Date: 05/20/2016 13:24:11 Fundamental Frequency: 5290 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB
10580.00	Н	Peak	53.59	34.72	18.88	68.30	-14.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 348 of 415

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5470~5725 MHz

Operation Mode: 802.11ac80B3 Test Date: 05/20/2016 14:54:44 Fundamental Frequency: 5530 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBμV/m	dB	dBuV/m	dB
11060.00	Н	Average	41.08	20.82	20.26	54.00	-12.92
11060.00	Н	Peak	52.94	32.68	20.26	74.00	-21.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 349 of 415

Operation Mode: 802.11ac80B3 Test Date: 05/20/2016 14:55:06 Fundamental Frequency: 5530 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH LOW Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11060.00	Н	Average	40.92	20.66	20.26	54.00	-13.08
11060.00	Н	Peak	52.86	32.60	20.26	74.00	-21.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 350 of 415

Operation Mode: 802.11ac80B3 Test Date: 05/20/2016 15:01:36 Fundamental Frequency: 5610 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11220.00	Н	Average	41.12	20.64	20.48	54.00	-12.88
11220.00	Н	Peak	54.10	33.63	20.48	74.00	-19.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 351 of 415

Operation Mode: 802.11ac80B3 Test Date: 05/20/2016 15:01:58 Fundamental Frequency: 5610 MHz Temp. / Humi.: 21 deg C / 62 RH

Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
11220.00	Н	Average	41.09	20.61	20.48	54.00	-12.91
11220.00	Н	Peak	52.81	32.34	20.48	74.00	-21.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 352 of 415

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5725~5850 MHz

Operation Mode: 802.11ac80B4 Test Date: 05/20/2016 16:18:07 Fundamental Frequency: 5775 MHz 21 deg C / 62 RH Temp. / Humi.:

Operation Band: Tx CH HIGH Test Engineer: Edward EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBµV/m	dB	dBuV/m	dB	_
11550.00	Н	Average	41.02	20.50	20.52	54.00	-12.98	
11550.00	Н	Peak	52.82	32.31	20.52	74.00	-21.18	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 353 of 415

Operation Mode: Test Date: 802.11ac80B4 05/20/2016 16:18:29

Fundamental Frequency: 5775 MHz Temp. / Humi.: 21 deg C / 62 RH Operation Band: Tx CH HIGH Test Engineer: Edward

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dΒμV/m	dBμV/m	dB	dBuV/m	dB
11550.00	Н	Average	41.03	20.51	20.52	54.00	-12.97
11550.00	Н	Peak	52.58	32.06	20.52	74.00	-21.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 354 of 415

Band edge falling to restricted band 802.11a mode

Operation Mode: Test Date: 802.11aB1 05/20/2016

Fundamental Frequency: 5180 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
 5150.00	Е	Average	42.37	36.49	5.88	54.00	-11.63
5150.00	Ε	Peak	55.16	49.28	5.88	74.00	-18.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 355 of 415

Operation Mode: 802.11aB1 Test Date: 05/20/2016

Fundamental Frequency: 5180 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5150.00	Е	Average	44.45	38.57	5.88	54.00	-9.55
5150.00	Е	Peak	58.06	52.18	5.88	74.00	-15.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 356 of 415

Operation Mode: 802.11aB2 Test Date: 05/20/2016

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	Е	Average	43.07	36.92	6.15	54.00	-10.93
5350.00	Ε	Peak	56.86	50.71	6.15	74.00	-17.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 357 of 415

Operation Mode: 802.11aB2 Test Date: 05/20/2016

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	Е	Average	44.42	38.27	6.15	54.00	-9.58
5350.00	Е	Peak	56.43	50.28	6.15	74.00	-17.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 358 of 415

802.11aB3 Operation Mode: Test Date: 05/20/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5460.00	Е	Average	41.98	35.75	6.23	54.00	-12.02
5460.00	E	Peak	54.45	48.22	6.23	74.00	-19.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 359 of 415

Operation Mode: 802.11aB3 Test Date: 05/20/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5460.00	Е	Average	43.82	37.59	6.23	54.00	-10.18
5460.00	Е	Peak	56.70	50.47	6.23	74.00	-17.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 360 of 415

802.11aB3 Operation Mode: Test Date: 05/20/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	E	Peak	54.19	47.93	6.26	68.30	-14.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 361 of 415

Operation Mode: 802.11aB3 Test Date: 05/20/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	E	Peak	56.11	49.85	6.26	68.30	-12.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 362 of 415

802.11aB3 Operation Mode: Test Date: 05/20/2016

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
,	5725.00	E	Peak	55.19	48.60	6.59	68.30	-13.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 363 of 415

Operation Mode: 802.11aB3 Test Date: 05/20/2016

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
			Mode	Reading Level	FS		@3m		
	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
,	5725.00	E	Peak	58.08	51.49	6.59	68.30	-10.22	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 364 of 415

802.11aB4 Operation Mode: Test Date: 05/20/2016

Fundamental Frequency: 5745 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	54.79	48.31	6.48	68.23	-13.44
5700.00	Е	Peak	52.44	45.77	6.68	105.23	-52.79
5720.00	Е	Peak	56.13	49.53	6.60	110.83	-54.70
5725.00	Е	Peak	55.73	49.13	6.59	122.23	-66.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 365 of 415

Operation Mode: 802.11aB4 Test Date: 05/20/2016

Fundamental Frequency: 5745 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	46.38	39.89	6.48	68.23	-21.85
5700.00	Ε	Peak	53.66	46.98	6.68	105.23	-51.57
5720.00	Е	Peak	57.64	51.04	6.60	110.83	-53.19
5725.00	Е	Peak	57.33	50.74	6.59	122.23	-64.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the limits of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 366 of 415

Operation Mode: 802.11aB4 Test Date: 05/20/2016

Fundamental Frequency: 5825 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	55.70	48.42	7.28	122.23	-66.53
5855.00	Е	Peak	51.74	44.42	7.32	110.83	-59.09
5875.00	Е	Peak	49.32	41.95	7.37	105.23	-55.91
5925.00	Е	Peak	47.68	40.29	7.39	68.23	-20.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 367 of 415

Operation Mode: 802.11aB4 Test Date: 05/20/2016

Fundamental Frequency: 5825 MHz Temp. / Humi.: 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	56.79	49.51	7.28	122.23	-65.44
5855.00	Е	Peak	52.38	45.06	7.32	110.83	-58.45
5875.00	Е	Peak	49.25	41.88	7.37	105.23	-55.98
5925.00	Е	Peak	46.94	39.55	7.39	68.23	-21.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 368 of 415

802.11n20 HT mode

Operation Mode: Test Date: 05/20/2016 802.11n20B1

Fundamental Frequency: 5180 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5150.00	Е	Average	42.47	36.59	5.88	54.00	-11.53
5150.00	E	Peak	55.28	49.40	5.88	74.00	-18.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 369 of 415

Operation Mode: 802.11n20B1 Test Date: 05/20/2016

Fundamental Frequency: 5180 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
_	5150.00	Е	Average	44.79	38.91	5.88	54.00	-9.21
	5150.00	Ε	Peak	57.26	51.38	5.88	74.00	-16.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 370 of 415

Operation Mode: 802.11n20B2 Test Date: 05/20/2016

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	Е	Average	42.47	36.31	6.15	54.00	-11.53
5350.00	Ε	Peak	54.96	48.81	6.15	74.00	-19.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 371 of 415

Operation Mode: 802.11n20B2 Test Date: 05/20/2016

Fundamental Frequency: 5320 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	Е	Average	45.76	39.61	6.15	54.00	-8.24
5350.00	Ε	Peak	57.92	51.77	6.15	74.00	-16.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 372 of 415

Operation Mode: 802.11n20B3 Test Date: 05/20/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5460.00	Е	Average	42.24	36.01	6.23	54.00	-11.76
5460.00	Ε	Peak	55.67	49.44	6.23	74.00	-18.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 373 of 415

Operation Mode: 802.11n20B3 Test Date: 05/20/2016

Fundamental Frequency: 5500 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5460.00	Е	Average	44.74	38.51	6.23	54.00	-9.26
5460.00	E	Peak	58.05	51.82	6.23	74.00	-15.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 374 of 415

Operation Mode: 802.11n20B3 Test Date: 05/20/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	E	Peak	54.77	48.51	6.26	68.30	-13.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 375 of 415

Operation Mode: 802.11n20B3 Test Date: 05/20/2016

Fundamental Frequency: 5500 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	Е	Peak	57.79	51.53	6.26	68.30	-10.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 376 of 415

Operation Mode: 802.11n20B3 Test Date: 05/20/2016

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
,	5725.00	E	Peak	56.45	49.86	6.59	68.30	-11.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 377 of 415

Operation Mode: 802.11n20B3 Test Date: 05/20/2016

Fundamental Frequency: 5700 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5725.00	E	Peak	60.33	53.74	6.59	68.30	-7.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 378 of 415

Operation Mode: 802.11n20B4 Test Date: 05/20/2016

Fundamental Frequency: 5745 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	45.71	39.23	6.48	68.23	-22.52
5700.00	Е	Peak	52.38	45.71	6.68	105.23	-52.85
5720.00	Е	Peak	57.38	50.78	6.60	110.83	-53.45
5725.00	Ε	Peak	61.88	55.29	6.59	122.23	-60.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 379 of 415

Operation Mode: 802.11n20B4 Test Date: 05/20/2016

Fundamental Frequency: 5745 MHz Temp. / Humi.: 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	46.75	40.27	6.48	68.23	-21.48
5700.00	Е	Peak	55.54	48.86	6.68	105.23	-49.69
5720.00	Е	Peak	68.74	62.14	6.60	110.83	-42.09
5725.00	Е	Peak	70.94	64.35	6.59	122.23	-51.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 380 of 415

Operation Mode: 802.11n20B4 Test Date: 05/20/2016

Fundamental Frequency: 5825 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	55.61	48.33	7.28	122.23	-66.62
5855.00	Е	Peak	50.52	43.21	7.32	110.83	-60.31
5875.00	Е	Peak	49.95	42.58	7.37	105.23	-55.28
5925.00	Е	Peak	46.38	38.99	7.39	68.23	-21.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 381 of 415

Operation Mode: 802.11n20B4 Test Date: 05/20/2016

Fundamental Frequency: 5825 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	58.56	51.28	7.28	122.23	-63.67
5855.00	Е	Peak	55.93	48.61	7.32	110.83	-54.90
5875.00	Е	Peak	53.27	45.90	7.37	105.23	-51.96
5925.00	Е	Peak	46.89	39.50	7.39	68.23	-21.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 382 of 415

802.11n40 HT mode

Operation Mode: Test Date: 802.11n40B1 05/20/2016

Fundamental Frequency: 5190 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5150.00	Е	Average	47.58	41.70	5.88	54.00	-6.42	_
5150.00	Е	Peak	64.51	58.63	5.88	74.00	-9.49	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 383 of 415

Operation Mode: 802.11n40B1 Test Date: 05/20/2016

Fundamental Frequency: 5190 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5150.00	Е	Average	51.39	45.51	5.88	54.00	-2.61
5150.00	Е	Peak	71.84	65.96	5.88	74.00	-2.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 384 of 415

Operation Mode: 802.11n40B2 Test Date: 05/20/2016

Fundamental Frequency: 5310 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5350.00	Е	Average	46.23	40.07	6.15	54.00	-7.77	•
5350.00	Е	Peak	63.33	57.18	6.15	74.00	-10.67	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 385 of 415

Operation Mode: 802.11n40B2 Test Date: 05/20/2016

Fundamental Frequency: 5310 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5350.00	Е	Average	51.37	45.22	6.15	54.00	-2.63	•
5350.00	E	Peak	71.07	64.91	6.15	74.00	-2.93	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 386 of 415

Operation Mode: 802.11n40B3 Test Date: 05/20/2016

Fundamental Frequency: 5510 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	Е	Average	43.38	37.12	6.26	54.00	-10.62
5470.00	Е	Peak	57.42	51.16	6.26	74.00	-16.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 387 of 415

Operation Mode: 802.11n40B3 Test Date: 05/20/2016

Fundamental Frequency: 5510 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5460.00	Е	Average	45.98	39.75	6.23	54.00	-8.02	
5460.00	Е	Peak	62.69	56.46	6.23	74.00	-11.31	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 388 of 415

Operation Mode: Test Date: 05/20/2016 802.11n40B3

Fundamental Frequency: 5510 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	E	Peak	56.04	49.78	6.26	68.30	-12.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 389 of 415

Operation Mode: 802.11n40B3 Test Date: 05/20/2016

Fundamental Frequency: 5510 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
5470.00	E	Peak	66.34	60.08	6.26	68.30	-1.96	_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 390 of 415

Operation Mode: 802.11n40B3 Test Date: 05/20/2016

Fundamental Frequency: 5670 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5725.00	E	Peak	56.30	49.71	6.59	68.30	-12.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 391 of 415

Operation Mode: 802.11n40B3 Test Date: 05/20/2016

Fundamental Frequency: 5670 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
			Mode	Reading Level	FS		@3m		
	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB	
,	5725.00	E	Peak	64.19	57.60	6.59	68.30	-4.11	•

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 392 of 415

Operation Mode: 802.11n40B4 Test Date: 05/20/2016

Fundamental Frequency: 5755 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	48.29	41.81	6.48	68.23	-19.94
5700.00	Ε	Peak	54.99	48.31	6.68	105.23	-50.24
5720.00	Е	Peak	58.01	51.41	6.60	110.83	-52.82
5725.00	E	Peak	58.76	52.17	6.59	122.23	-63.47

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page: 393 of 415

Operation Mode: 802.11n40B4 Test Date: 05/20/2016

Fundamental Frequency: 5755 MHz Temp. / Humi.: 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	47.17	40.69	6.48	68.23	-21.06
5700.00	Ε	Peak	57.38	50.70	6.68	105.23	-47.85
5720.00	Е	Peak	66.71	60.11	6.60	110.83	-44.12
5725.00	Ε	Peak	67.39	60.80	6.59	122.23	-54.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 394 of 415

Operation Mode: 802.11n40B4 Test Date: 05/20/2016

Fundamental Frequency: 5795 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	58.99	51.71	7.28	122.23	-63.24
5855.00	Е	Peak	57.48	50.16	7.32	110.83	-53.35
5875.00	Е	Peak	51.55	44.18	7.37	105.23	-53.68
5925.00	Е	Peak	47.16	39.77	7.39	68.23	-21.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 395 of 415

Operation Mode: 802.11n40B4 Test Date: 05/20/2016

Fundamental Frequency: 5795 MHz Temp. / Humi.: 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	66.94	59.66	7.28	122.23	-55.29
5855.00	Е	Peak	64.79	57.47	7.32	110.83	-46.04
5875.00	Е	Peak	58.66	51.29	7.37	105.23	-46.57
5925.00	E	Peak	54.75	47.36	7.39	68.23	-13.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 396 of 415

802.11ac80 VHT mode

Operation Mode: 802.11ac80B1 Test Date: 05/20/2016

Fundamental Frequency: 5210 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5150.00	Е	Average	46.74	40.86	5.88	54.00	-7.26
5150.00	E	Peak	63.16	57.28	5.88	74.00	-10.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 397 of 415

Operation Mode: 802.11ac80B1 Test Date: 05/20/2016

Fundamental Frequency: 5210 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5150.00	Е	Average	50.89	45.01	5.88	54.00	-3.11
5150.00	E	Peak	69.15	63.27	5.88	74.00	-4.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 398 of 415

Operation Mode: 802.11ac80B2 Test Date: 05/20/2016

Fundamental Frequency: 5290 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	Е	Average	44.22	38.06	6.15	54.00	-9.78
5350.00	Ε	Peak	59.05	52.90	6.15	74.00	-14.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 399 of 415

Operation Mode: 802.11ac80B2 Test Date: 05/20/2016

Fundamental Frequency: 5290 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5350.00	Е	Average	49.61	43.46	6.15	54.00	-4.39
5350.00	Е	Peak	66.56	60.40	6.15	74.00	-7.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 400 of 415

Operation Mode: 802.11ac80B3 Test Date: 05/20/2016

Fundamental Frequency: 5530 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



ı	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
	MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
54	160.00	Е	Average	43.59	37.36	6.23	54.00	-10.41
54	160.00	Ε	Peak	58.33	52.10	6.23	74.00	-15.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 401 of 415

Operation Mode: 802.11ac80B3 Test Date: 05/20/2016

Fundamental Frequency: 5530 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5460.00	Е	Average	48.39	42.16	6.23	54.00	-5.61
5460.00	Е	Peak	64.79	58.56	6.23	74.00	-9.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and finding the preparation of the document is unquited and finding the proposal of the content or approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 402 of 415

05/20/2016 Operation Mode: 802.11ac80B3 Test Date:

Fundamental Frequency: 5530 MHz Temp. / Humi. : 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	Е	Peak	57.96	51.70	6.26	68.30	-10.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and findence may be presented to the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 403 of 415

Operation Mode: 802.11ac80B3 Test Date: 05/20/2016

Fundamental Frequency: 5530 MHz Temp. / Humi.: 21 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

EUT Pol.: E2 Plane Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5470.00	E	Peak	66.20	59.94	6.26	68.30	-2.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and findence may be presented to the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 404 of 415

Operation Mode: 802.11ac80B4 Test Date: 05/20/2016

Fundamental Frequency: 5775 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	51.27	44.79	6.48	68.23	-16.96
5700.00	Е	Peak	57.02	50.34	6.68	105.23	-48.21
5720.00	Е	Peak	60.77	54.17	6.60	110.83	-50.06
5725.00	Е	Peak	60.07	53.48	6.59	122.23	-62.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and findence may be presented to the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 405 of 415

Operation Mode: 802.11ac80B4 Test Date: 05/20/2016

Fundamental Frequency: 5775 MHz Temp. / Humi.: 23 deg_C / 62 RH

Operation Band: Bandedge CH LOW Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5650.00	Е	Peak	53.71	47.23	6.48	68.23	-14.52
5700.00	Е	Peak	58.38	51.70	6.68	105.23	-46.85
5720.00	Е	Peak	64.74	58.14	6.60	110.83	-46.09
5725.00	Е	Peak	67.89	61.30	6.59	122.23	-54.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and findence may be presented to the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 406 of 415

Operation Mode: 802.11ac80B4 Test Date: 05/20/2016

Fundamental Frequency: 5775 MHz Temp. / Humi. : 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	56.14	48.86	7.28	122.23	-66.09
5855.00	Е	Peak	54.91	47.59	7.32	110.83	-55.92
5875.00	Е	Peak	50.40	43.03	7.37	105.23	-54.83
5925.00	Е	Peak	47.32	39.93	7.39	68.23	-20.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and findence may be presented to the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 407 of 415

Operation Mode: 802.11ac80B4 Test Date: 05/20/2016

Fundamental Frequency: 5775 MHz Temp. / Humi.: 23 deg_C / 62 RH

Operation Band: Bandedge CH HIGH Test Engineer: Kane

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBu V/m	dB
5850.00	Е	Peak	59.70	52.42	7.28	122.23	-62.53
5855.00	Ε	Peak	58.76	51.45	7.32	110.83	-52.07
5875.00	Ε	Peak	55.44	48.07	7.37	105.23	-49.79
5925.00	Е	Peak	51.26	43.87	7.39	68.23	-16.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and findence may be presented to the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 408 of 415

TRANSMISSION IN THE ABSENCE OF DATA

Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

No non-compliance noted:

Refer to the theory of operation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 409 of 415

13. FREQUENCY STABILITY

13.1 Standard Applicable


Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

13.2 Measurement Procedure

- 1. The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
- 2. Set EUT as normal operation.
- 3. Turn the EUT on and couple its output to spectrum.
- 4. Turn the EUT off and set the chamber to the highest temperature specified.
- 5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
- 6. Repeat step with the temperature chamber set to the lowest temperature.

13.3 Test SET-UP

Temperature Chamber



Variable AC Power Supply

Measurement Equipment Used: 13.4

SGS Conducted Room								
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due			
Spectrum Analyzer	Agilent	N9010A	MY50420195	12/21/2015	12/20/2016			
DC Power Supply	Agilent	E3640A	MY52410006	11/05/2015	11/04/2016			
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2015	05/16/2016			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 410 of 415

13.5 **Measurement Result**

Operation Mode	802.11 a	Test Date	2016.05.05
Temperature	:26 ℃	Test By	Louis
Humidity	:65 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,179.94019	0.00001155
		44	5220	5,219.92505	0.00001436
		48	5240	5,239.93994	0.00001146
		52	5260	5,259.93994	(MHz) 0.00001155 0.00001436
		60	5300	5,299.94019	0.00001129
	4.43V	64	5320	5,319.93994	0.00001129
	4.43 V	100	5500	5,499.89502	0.00001909
		116	5580	5,579.93994	0.00001076
		140	5700	5,699.93994	0.00001054
		149	5745	5,744.92505	0.00001142 0.00001129 0.00001909 0.00001076 0.00001054 0.00001305 0.0000134 0.00001287 0.00000867 0.00000575 0.00001142
		157	5785	5,784.94019	
		165	5825	5,824.92505	0.00001287
-10 ℃		36	5180	5,179.95508	0.00000867
		44	5220	5,219.96997	0.00000575
		48	5240	5,239.90991	0.00001719
		52	5260	5,259.93994	0.00001142
		60	5300	5,299.93994	0.00001133
	0.4014	64	5320	5,319.92505	0.00001409
	3.46V	100	5500	5,499.90991	0.00001638
		116	5580	5,579.95508	0.00000805
		140	5700	5,699.95508	0.00000788
		149	5745	5,744.93994	0.00001045
		157	5785	5,784.92505	0.00001296
		165	5825	5,824.91016	0.00001542



Page: 411 of 415

			•	_	
		36	5180	5,179.93994	0.00001159
		44	5220	5,219.95483	0.00000865
		48	5240	5,239.92505	0.00001430
		52	5260	5,259.95508	0.00000854
		60	5300	5,299.93994	0.00001133
25 ℃	3.85V	64	5320	5,319.95508	0.00000844
	3.03 V	100	5500	5,499.90991	0.00001638
		116	5580	5,579.93994	0.00001076
		140	5700	5,699.94019	0.00001049
		149	5745	5,744.89502	0.00001827
		157	5785	5,784.92505	0.00001296
		165	5825	5,824.89502	0.00001802
			F.4.00	F 470 0 40 40	0.0004455
		36	5180	5,179.94019	0.00001155
		44	5220	5,219.94019	0.00001146
		48	5240	5,239.95508	0.00000857
		52	5260	5,259.94019	0.00001137
		60	5300	5,299.94019	0.00001129
	4.43V	64	5320	5,319.93994	0.00001129
	4.40 V	100	5500	5,499.92505	0.00001363
		116	5580	5,579.92505	0.00001343
		140	5700	5,699.92505	0.00001315
		149	5745	5,744.92505	0.00001305
		157	5785	5,784.92505	0.00001296
FF °C		165	5825	5,824.93994	0.00001031
55 ℃		36	5180	5,179.93994	0.00001159
		44	5220	5,219.92505	0.00001436
		48	5240	5,239.94019	0.00001141
		52	5260	5,259.95483	0.00000859
		60	5300	5,299.94019	0.00001129
	0.40\/	64	5320	5,319.95508	0.00000844
	3.46V	100	5500	5,499.90991	0.00001638
		116	5580	5,579.93994	0.00001076
		140	5700	5,699.93994	0.00001054
		149	5745	5,744.94019	0.00001041
		157	5785	5,784.92505	0.00001296
		165	5825	5,824.93994	0.00001031

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 412 of 415

Operation Mode	802.11 n_HT40	Test Date	2016.05.05
Temperature	:26 ℃	Test By	Louis
Humidity	:65 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.94995	0.00000964
		46	5230	5,229.82495	0.00003347
		54	5270	5,269.92505	0.00001422
		62	5310	5,309.94995	0.00000943
	4.43V	102	5510	5,509.92505	0.00001360
		110	5550	5,549.89990	0.00001804
		134	5670	5,669.92505	0.00001322
		151	5755	5,754.89990	0.00001739
4000		159	5795	5,794.92505	0.00001293
-10 ℃		38	5190	5,189.92505	0.00001444
		46	5230	5,229.89990	(MHz) 0.0000964 0.00003347 0.00001422 0.00000943 0.00001360 0.00001804 0.00001322 0.00001739 0.00001293
		54	5270	5,269.92505	0.00001422
		62	5310	5,309.92505	0.00001412
	3.46V	102	5510	5,509.92505	0.00001360
		110	5550	5,549.92505	0.00001350
		134	5670	5,669.92505	0.00001322
		151	5755	5,754.89990	0.00001444 0.00001914 0.00001422 0.00001412 0.00001360 0.00001350 0.00001322 0.00001739
		159	5795	5,794.75000	0.00004314

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 413 of 415

25 ℃	3.8V	38	5190	5,189.89990	0.00001929
		46	5230	5,229.92505	0.00001433
		54	5270	5,269.92505	0.00001422
		62	5310	5,309.89990	0.00001885
		102	5510	5,509.89990	0.00001817
		110	5550	5,549.92505	0.00001350
		134	5670	5,669.75000	0.00004409
		151	5755	5,754.89990	0.00001739
		159	5795	5,794.92505	0.00001293
	4.43V	38	5190	5,189.82495	0.00003373
		46	5230	5,229.92505	0.00001433
		54	5270	5,269.92505	0.00001422
		62	5310	5,309.94995	0.00000943
		102	5510	5,509.92505	0.00001360
		110	5550	5,549.92505	0.00001350
55 ℃		134	5670	5,669.92505	0.00001322
		151	5755	5,754.89990	0.00001739
		159	5795	5,794.89990	0.00001727
	3.46V	38	5190	5,189.92505	0.00001444
		46	5230	5,229.94995	0.00000957
		54	5270	5,269.94995	0.00000950
		62	5310	5,309.92505	0.00001412
		102	5510	5,509.92505	0.00001360
		110	5550	5,549.92505	0.00001350
		134	5670	5,669.62500	0.00006614
		151	5755	5,754.67505	0.00005646
		159	5795	5,794.89990	0.00001727

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 414 of 415

Operation Mode	802.11 ac_VHT80	Test Date	2016.05.05
Temperature	:17 ℃	Test By	Louis
Humidity	:65 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
-10 ℃	4.43V	42	5210	5,209.95020	0.00000956
		58	5290	5,289.95020	0.00000941
		106	5530	5,529.95020	0.00000901
		122	5610	5,609.95020	0.00000888
		155	5775	5,774.95020	0.00000862
		42	5210	5,209.95020	0.00000956
		58	5290	5,289.95020	0.00000941
	3.46V	106	5530	5,529.85010	0.00002711
		122	5610	5,609.90015	0.00001780
		155	5775	5,774.95020	0.00000862
	3.8V	42	5210	5,209.95020	0.00000956
		58	5290	5,289.95020	0.00000941
25 ℃		106	5530	5,529.95020	0.00000901
		122	5610	5,609.95020	0.00000888
		155	5775	5,774.95020	0.00000862
55 ℃	4.43V	42	5210	5,209.95020	0.00000956
		58	5290	5,289.95020	0.00000941
		106	5530	5,529.95020	0.00000901
		122	5610	5,609.95020	0.00000888
		155	5775	5,774.95020	0.00000862
	3.46V	42	5210	5,209.95020	0.00000956
		58	5290	5,290.00000	0.00000000
		106	5530	5,529.95020	0.00000901
		122	5610	5,609.90015	0.00001780
		155	5775	5,774.90015	0.00001729

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propresented to the full last extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 415 of 415

14. ANTENNA REQUIREMENT

14.1 Standard Applicable

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

14.2 Antenna Connected Construction

PIFA antenna designs are used.

The antenna is designed with permanent attached and no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.