

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E and PART 27 SUBPART **B, C & SUBPART L REQUIREMENT**

	OF
Product Name:	Phablet
Brand Name:	HP
Model No.:	HSTNH-F606V
Model Difference:	N/A
FCC ID:	B94HHF606V
Report No.:	ER/2017/10026
Issue Date:	Feb. 10, 2017
FCC Rule Part:	2 , 22H & 24E & 27B, C & L
Prepared for:	HP Inc. 3390 East Harmony Road Fort Collins, Colorado 80528 United States
Prepared by:	
	SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留切天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

VERIFICATION OF COMPLIANCE

Applicant:	HP Inc. 3390 East Harmony Road Fort Collins, Colorado 80528 United States
Product Name:	Phablet
Brand Name:	HP
Model No.:	HSTNH-F606V
Model Difference:	N/A
FCC ID:	B94HHF606V
File Number:	ER/2017/10026
Date of test:	Apr. 20, 2016 ~ Feb. 06, 2017
Date of EUT Received:	Apr. 20, 2016

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-D-2010 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Marcus Tseng	Date:	Feb. 10, 2017
Prepared By:	Marcus Tseng/Sr. Engineer Tiffany Kao	Date:	Feb. 10, 2017
Approved By:	Tiffany Kao / Clerk Jim Chang Jim Chang / Asst. Manager	Date:	Feb. 10, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅針測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. This document are not be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. document is unlawful and offenders may be prosecuted to the fullest extent of the law



Revision History

Report Number	Revision	Description	Issue Date
ER/2017/10026	Rev.00	Initial creation of document	Feb. 10, 2017



Table of Contents

1.	GENI	ERAL PRODUCT INFORMATION	
	1.1.	Product Description	. 6
	1.2.	Product Feature of Equipment Under Test	15
	1.3.	Test Methodology of Applied Standards	16
	1.4.	Test Facility	16
	1.5.	Special Accessories	16
	1.6.	Equipment Modifications	16
2.	SYST	EM TEST CONFIGURATION	17
	2.1.	EUT Configuration	17
	2.2.	EUT Exercise	17
	2.3.	Test Procedure	17
	2.4.	Measurement Results Explanation Example	18
	2.5.	Final Amplifier Voltage and Current Information:	18
	2.6.	Configuration of Tested System	23
3.	SUM	MARY OF TEST RESULTS	24
4.	DESC	CRIPTION OF TEST MODES	26
	4.1.	The Worst Test Modes and Channel Details	26
5.	MEA	SUREMENT UNCERTAINTY	35
6.	RF C	ONDUCTED OUTPUT POWER MEASUREMENT	36
	6.1.	Standard Applicable	36
	6.2.	Test Set-up	36
	6.3.	Measurement Procedure	36
	6.4.	Measurement Equipment Used	37
	6.5.	Measurement Result	38
7.	EFFE	CTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER	
ME	ASUR	EMENT	57
	7.1.	Standard Applicable	57
	7.2.	Test SET-UP	57
	7.3.	Measurement Procedure	59
	7.4.	Measurement Equipment Used	60
	7.5.	Measurement Result: (Peak) –using option of peak measurement	62
8.	OCC	UPIED BANDWIDTH MEASUREMENT	97
	8.1.	Standard Applicable	97
	8.2.	Test Set-up	97



	8.3.	Measurement Procedure	
	8.4.	Measurement Equipment Used	
	8.5.	Measurement Result	
9.	OUT	OF BAND EMISSION AT ANTENNA TERMINALS	
	9.1.	Standard Applicable	
	9.2.	Test SET-UP	
	9.3.	Measurement Procedure	
	9.4.	Measurement Equipment Used	
	9.5.	Measurement Result:	
10.	FIELI	D STRENGTH OF SPURIOUS RADIATION MEASUREMENT	433
	10.1.	Standard Applicable	
	10.2.	EUT Setup	
	10.3.	Measurement Procedure:	
	10.4.	Measurement Equipment Used:	
	10.5.	Measurement Result:	
	10.6.	Measurement Result (Wireless Charging Mode):	534
11.	FREC	QUENCY STABILITY MEASUREMENT	630
	11.1.	Standard Applicable:	630
	11.2.	Test Set-up:	630
		Measurement Procedure:	
	11.4.	Measurement Equipment Used:	631
	11.5.	Measurement Result:	633
12.	PEA	K TO AVERAGE RATIO	
	12.1.	Standard Applicable	647
	12.2.	Test SET-UP	647
	12.3.	Measurement Procedure	647
	12.4.	Measurement Equipment Used	648
	12.5.	Measurement Result	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuckungRoad, NewTaipeindustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

Product Name:	Phablet		
Brand Name:	HP		
Model No.:	HSTNH-F606V		
Model Difference:	N/A		
Product SW/HW version:	V04 / PV		
Radio SW/HW version:	N/A / PV		
Test SW Version:	N/A		
RF power setting in TEST SW:	N/A		
USB Type-C Cable:	Model No.: 836233-001, Supplier: Luxshare-ICT		
Earphone:	Model No.: EH001, Supplier: 1MORE		
USB-C to VGA:	Model No.: KSC0021, Supplier: BIZLINK INTERNATIONAL CORP		
USB-C to HDMI:	Model No.: KSC0012, Supplier: BIZLINK INTERNATIONAL CORP		
USB-C to DP:	Model No.: KSC0044, Supplier: BIZLINK INTERNATIONAL CORP		
Wireless Charger:	Model No.: TPA-M601, Supplier: Merry Electronics Co Ltd		
Docking Station:	Model No.: HSTNH-F601, Supplier: HP Inc.		
Adapters for Docking Station:	 Model No.: HSTNN-CA40, Supplier: Chicony Power Technology Co., LTd. Model No.: HSTNN-LA40, Supplier: Lite-On Technology Corporation Model No.: HSTNN-DA40, Supplier: DELTA ELECTRONICS INC Model No.: HSTNN-AA44; Supplier: Acbel Polytech Inc. 		
Power Supply:	3.85Vdc from Rechargeable Li-polymer Battery or 5.3V / 5.25V from AC/DC Adapter Model No.: HSTNH-F606-DP, Battery: Supplier: DYNAPACK INTERNATIONAL TECH- NOLOGY CORP 1. Model No.: WAD005, Supplier: Acbel Polytech Inc. (10.6W, 5.3V) 2. Model No.: TPN-AA01, Supplier: Acbel Polytech Inc. (15W, 5.25V)		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest event of the law documents in subcament be reproduced provident of the fulles textent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

www.tw.sqs.com



GSM / WCDMA / LTE:

	Operating Frequency		Rated Power
	GSM/GPRS 850	824.2 MHz– 848.8 MHz	33dBm
	EDGE 850	824.2 MHz– 848.8 MHz	27dBm
	GSM/GPRS 1900	1850.2MHz – 1909.8MHz	30dBm
	EDGE 1900	1850.2MHz – 1909.8MHz	26dBm
	WCDMA/HSUPA/HSDPA /HSPA+ Band II	1852.4MHz – 1907.6MHz	24dBm
	WCDMA/HSUPA/HSDPA /HSPA+ Band IV	1712.4MHz – 1752.6MHz	24dBm
	WCDMA/HSUPA/HSDPA /HSPA+ Band V	826.4MHz - 846.6MHz	24dBm
	CDMA2000 Cellular BC0	824.7MHz – 848.31MHz	24dBm
	CDMA2000 PCS BC1 1851.25 MHz – 1908.75 MHz		24dBm
Cellular Phone	CDMA2000 EVDO Cellular BC0	824.7MHz – 848.31MHz	24dBm
Standards Fre- quency Range and	CDMA2000 EVDO PCS BC1	1851.25 MHz – 1908.75 MHz	24dBm
Power	LTE-Band 2 (Bandwidth 1.4MHz)	1850.7MHz– 1909.3MHz	23dBm
	LTE-Band 2 (Bandwidth 3MHz)	1851.5MHz – 1908.5MHz	23dBm
	LTE-Band 2 (Bandwidth 5MHz)	1852.5MHz – 1907.5MHz	23dBm
	LTE-Band 2 (Bandwidth 10MHz)	1855.0MHz – 1905.0MHz	23dBm
	LTE-Band 2 (Bandwidth 15MHz)	1857.5MHz – 1902.5MHz	23dBm
	LTE-Band 2 (Bandwidth 20MHz)	1860.0MHz – 1900.0MHz	23dBm
	LTE-Band 4 (Bandwidth 1.4MHz)	1710.7MHz– 1754.3MHz	23dBm
	LTE-Band 4 (Bandwidth 3MHz)	1711.5MHz – 1753.5MHz	23dBm
	LTE-Band 4 (Bandwidth 5MHz)	1712.5MHz – 1752.5MHz	23dBm
	LTE-Band 4 (Bandwidth 10MHz)	1715MHz – 1750MHz	23dBm
	LTE-Band 4 (Bandwidth 15MHz)	1717.5MHz – 1747.5MHz	23dBm
	LTE-Band 4 (Bandwidth 20MHz)	1720MHz – 1745MHz	23dBm



	Operating Frequency		Rated Power
	LTE-Band 5 (Bandwidth 1.4MHz)	824.7MHz – 848.3MHz	23dBm
	LTE-Band 5 (Bandwidth 3MHz)	825.5MHz – 847.5MHz	23dBm
	LTE-Band 5 (Bandwidth 5MHz)	826.5MHz – 846.5MHz	23dBm
	LTE-Band 5 (Bandwidth 10MHz)	829.0MHz – 844.0MHz	23dBm
	LTE-Band 7 (Bandwidth 5MHz)	2502.5MHz – 2567.5MHz	23dBm
	LTE-Band 7 (Bandwidth 10MHz)	2505.0MHz – 2565.0MHz	23dBm
Cellular Phone	LTE-Band 7 (Bandwidth 15MHz)	2507.5MHz – 2562.5MHz	23dBm
Standards Fre- quency Range and	LTE-Band 7 (Bandwidth 20MHz)	2510.0MHz – 2560MHz	23dBm
Power	LTE-Band 12 (Bandwidth 1.4MHz)	699.7MHz– 715.3MHz	23dBm
	LTE-Band 12 (Bandwidth 3MHz)	700.5MHz – 714.5MHz	23dBm
	LTE-Band 12 (Bandwidth 5MHz)	701.5MHz – 713.5MHz	23dBm
	LTE-Band 12 (Bandwidth 10MHz)	704.0MHz – 711.0MHz	23dBm
	LTE-Band 13 (5MHz)	779.5MHz - 784.5MHz	23dBm
	LTE-Band 13 (10MHz)	782.0MHz	23dBm
	LTE-Band 30 (Bandwidth 5MHz)	2307.5MHz – 2312.5MHz	23dBm
	LTE-Band 30 (Bandwidth 10MHz)	2310.0MHz –2310.0MHz	23dBm



Type of Emission:

Frequency Band	Type of Emission:
GSM 850	247KGXW
GPRS 850	244KGXW
EDGE 850	247KG7W
GSM 1900	248KGXW
GPRS 1900	241KGXW
EDGE 1900	247KG7W
CDMA 2000 Cellular (BC0)	1M28F9W
CDMA 2000 EVDO Cellular (BC0)	1M27F9W
CDMA 2000 PCS (BC1)	1M28F9W
CDMA 2000 EVDO PCS (BC1)	1M28F9W
WCDMA Band II	4M16F9W
WCDMA Band IV	4M14F9W
WCDMA Band V	4M13F9W
HSDPA Band II	4M14F9W
HSDPA Band IV	4M15F9W
HSDPA Band V	4M14F9W
HSUPA Band II	4M15F9W
HSUPA Band IV	4M14F9W
HSUPA Band V	4M13F9W

LTE Band	BW (MHz)	Modulation	Type of Emission
LTE Band 2	1.4MHz	QPSK	1M10G7D
LTE Band 2	1.4MHz	16QAM	1M10D7W
LTE Band 2	3MHz	QPSK	2M71G7D
LTE Band 2	3MHz	16QAM	2M71D7W
LTE Band 2	5MHz	QPSK	4M50G7D
LTE Band 2	5MHz	16QAM	4M52D7W
LTE Band 2	10MHz	QPSK	8M99G7D
LTE Band 2	10MHz	16QAM	8M96D7W
LTE Band 2	15MHz	QPSK	13M5G7D
LTE Band 2	15MHz	16QAM	13M5D7W
LTE Band 2	20MHz	QPSK	17M9G7D
LTE Band 2	20MHz	16QAM	18M0D7W



LTE Band	BW (MHz)	Modulation	Type of Emission
LTE Band 4	1.4MHz	QPSK	1M10G7D
LTE Band 4	1.4MHz	16QAM	1M10D7W
LTE Band 4	3MHz	QPSK	2M72G7D
LTE Band 4	3MHz	16QAM	2M71D7W
LTE Band 4	5MHz	QPSK	4M51G7D
LTE Band 4	5MHz	16QAM	4M51D7W
LTE Band 4	10MHz	QPSK	9M00G7D
LTE Band 4	10MHz	16QAM	9M02D7W
LTE Band 4	15MHz	QPSK	13M5G7D
LTE Band 4	15MHz	16QAM	13M5D7W
LTE Band 4	20MHz	QPSK	18M0G7D
LTE Band 4	20MHz	16QAM	18M0D7W
LTE Band 5	1.4MHz	QPSK	1M10G7D
LTE Band 5	1.4MHz	16QAM	1M10D7W
LTE Band 5	3MHz	QPSK	2M72G7D
LTE Band 5	3MHz	16QAM	2M71D7W
LTE Band 5	5MHz	QPSK	4M51G7D
LTE Band 5	5MHz	16QAM	4M50D7W
LTE Band 5	10MHz	QPSK	8M99G7D
LTE Band 5	10MHz	16QAM	8M98D7W
LTE Band 7	5MHz	QPSK	4M50G7D
LTE Band 7	5MHz	16QAM	4M52D7W
LTE Band 7	10MHz	QPSK	8M99G7D
LTE Band 7	10MHz	16QAM	8M97D7W
LTE Band 7	15MHz	QPSK	13M5G7D
LTE Band 7	15MHz	16QAM	13M5D7W
LTE Band 7	20MHz	QPSK	17M9G7D
LTE Band 7	20MHz	16QAM	18M0D7W
LTE Band 12	1.4MHz	QPSK	1M10G7D
LTE Band 12	1.4MHz	16QAM	1M09D7W
LTE Band 12	3MHz	QPSK	2M71G7D
LTE Band 12	3MHz	16QAM	2M71D7W
LTE Band 12	5MHz	QPSK	4M50G7D
LTE Band 12	5MHz	16QAM	4M51D7W
LTE Band 12	10MHz	QPSK	9M02G7D
LTE Band 12	10MHz	16QAM	9M01D7W



LTE Band	BW (MHz)	Modulation	Type of Emission
LTE Band 13	5MHz	QPSK	4M50G7D
LTE Band 13	5MHz	16QAM	4M50D7W
LTE Band 13	10MHz	QPSK	8M96G7D
LTE Band 13	10MHz	16QAM	8M93D7W
LTE Band 30	5MHz	QPSK	4M51G7D
LTE Band 30	5MHz	16QAM	4M50D7W
LTE Band 30	10MHz	QPSK	8M97G7D
LTE Band 30	10MHz	16QAM	8M94D7W



Max ERP/EIRP Power Measurement Result:

	dBm		W
GSM 850	26.29	ERP	0.426
GPRS 850	26.34	ERP	0.431
EDGE 850	23.47	ERP	0.222
GSM 1900	30.12	EIRP	1.028
GPRS 1900	30.52	EIRP	1.127
EDGE 1900	30.13	EIRP	1.030
CDMA 2000 Cellular (BC0)	13.37	ERP	0.022
CDMA 2000 EVDO Cellular (BC0)	13.48	ERP	0.022
CDMA 2000 PCS (BC1)	11.61	EIRP	0.014
CDMA 2000 EVDO PCS (BC1)	11.30	EIRP	0.013
WCDMA Band II	27.48	EIRP	0.560
WCDMA Band IV	29.12	EIRP	0.817
WCDMA Band V	24.72	ERP	0.296
HSDPA Band II	28.09	EIRP	0.644
HSDPA Band IV	27.94	EIRP	0.622
HSDPA Band V	22.05	ERP	0.160
HSUPA Band II	26.61	EIRP	0.458
HSUPA Band IV	29.23	EIRP	0.838
HSUPA Band V	21.45	ERP	0.140
LTE-Band 2 (Bandwidth 1.4MHz) QPSK	28.97	EIRP	0.789
LTE-Band 2 (Bandwidth 1.4MHz) 16QAM	28.97	EIRP	0.789
LTE-Band 2 (Bandwidth 3MHz) QPSK	28.88	EIRP	0.773
LTE-Band 2 (Bandwidth 3MHz) 16QAM	28.85	EIRP	0.767
LTE-Band 2 (Bandwidth 5MHz) QPSK	28.61	EIRP	0.726
LTE-Band 2 (Bandwidth 5MHz) 16QAM	28.64	EIRP	0.731
LTE-Band 2 (Bandwidth 10MHz) QPSK	28.66	EIRP	0.735
LTE-Band 2 (Bandwidth 10MHz) 16QAM	28.7	EIRP	0.741
LTE-Band 2 (Bandwidth 15MHz) QPSK	29.16	EIRP	0.824
LTE-Band 2 (Bandwidth 15MHz) 16QAM	28.94	EIRP	0.783
LTE-Band 2 (Bandwidth 20MHz) QPSK	28.74	EIRP	0.748
LTE-Band 2 (Bandwidth 20MHz) 16QAM	28.81	EIRP	0.760



	dBm		W
LTE-Band 4 (Bandwidth 1.4MHz) QPSK	28.43	EIRP	0.697
LTE-Band 4 (Bandwidth 1.4MHz) 16QAM	28.51	EIRP	0.710
LTE-Band 4 (Bandwidth 3MHz) QPSK	28.56	EIRP	0.718
LTE-Band 4 (Bandwidth 3MHz) 16QAM	28.64	EIRP	0.731
LTE-Band 4 (Bandwidth 5MHz) QPSK	28.59	EIRP	0.723
LTE-Band 4 (Bandwidth 5MHz) 16QAM	28.46	EIRP	0.701
LTE-Band 4 (Bandwidth 10MHz) QPSK	28.39	EIRP	0.690
LTE-Band 4 (Bandwidth 10MHz) 16QAM	28.41	EIRP	0.693
LTE-Band 4 (Bandwidth 15MHz) QPSK	28.46	EIRP	0.701
LTE-Band 4 (Bandwidth 15MHz) 16QAM	28.55	EIRP	0.716
LTE-Band 4 (Bandwidth 20MHz) QPSK	28.58	EIRP	0.721
LTE-Band 4 (Bandwidth 20MHz) 16QAM	28.63	EIRP	0.729
LTE-Band 5 (Bandwidth 1.4MHz) QPSK	19.90	ERP	0.098
LTE-Band 5 (Bandwidth 1.4MHz) 16QAM	21.09	ERP	0.129
LTE-Band 5 (Bandwidth 3MHz) QPSK	22.17	ERP	0.165
LTE-Band 5 (Bandwidth 3MHz) 16QAM	22.97	ERP	0.198
LTE-Band 5 (Bandwidth 5MHz) QPSK	18.71	ERP	0.074
LTE-Band 5 (Bandwidth 5MHz) 16QAM	20.21	ERP	0.105
LTE-Band 5 (Bandwidth 10MHz) QPSK	18.41	ERP	0.069
LTE-Band 5 (Bandwidth 10MHz) 16QAM	19.84	ERP	0.096
LTE-Band 7 (Bandwidth 5MHz) QPSK	25.65	EIRP	0.367
LTE-Band 7 (Bandwidth 5MHz) 16QAM	25.56	EIRP	0.360
LTE-Band 7 (Bandwidth 10MHz) QPSK	25.19	EIRP	0.330
LTE-Band 7 (Bandwidth 10MHz) 16QAM	25.12	EIRP	0.325
LTE-Band 7 (Bandwidth 15MHz) QPSK	25.21	EIRP	0.332
LTE-Band 7 (Bandwidth 15MHz) 16QAM	25.30	EIRP	0.339
LTE-Band 7 (Bandwidth 20MHz) QPSK	24.91	EIRP	0.310
LTE-Band 7 (Bandwidth 20MHz) 16QAM	24.96	EIRP	0.313



	dBm		W
LTE-Band 12 (Bandwidth 1.4MHz) QPSK	15.63	ERP	0.037
LTE-Band 12 (Bandwidth 1.4MHz) 16QAM	15.65	ERP	0.037
LTE-Band 12 (Bandwidth 3MHz) QPSK	15.78	ERP	0.038
LTE-Band 12 (Bandwidth 3MHz) 16QAM	15.68	ERP	0.037
LTE-Band 12 (Bandwidth 5MHz) QPSK	15.54	ERP	0.036
LTE-Band 12 (Bandwidth 5MHz) 16QAM	15.83	ERP	0.038
LTE-Band 12 (Bandwidth 10MHz) QPSK	15.34	ERP	0.034
LTE-Band 12 (Bandwidth 10MHz) 16QAM	15.46	ERP	0.035
LTE-Band 13 (Bandwidth 5MHz) QPSK	16.03	ERP	0.040
LTE-Band 13 (Bandwidth 5MHz) 16QAM	16.04	ERP	0.040
LTE-Band 13 (Bandwidth 10MHz) QPSK	15.73	ERP	0.037
LTE-Band 13 (Bandwidth 10MHz) 16QAM	15.78	ERP	0.038
LTE-Band 30 (Bandwidth 5MHz) QPSK	23.41	EIRP	0.219
LTE-Band 30 (Bandwidth 5MHz) 16QAM	22.76	EIRP	0.189
LTE-Band 30 (Bandwidth 10MHz) QPSK	22.64	EIRP	0.184
LTE-Band 30 (Bandwidth 10MHz) 16QAM	21.98	EIRP	0.158



1.2. Product Feature of Equipment Under Test

The equipment under Test (Hereafter Called: EUT) supports below functions.

	Product Feature
Product Name:	Phablet
Brand Name:	HP
Model No.:	HSTNH-F606V
Model Difference:	N/A
FCC ID:	B94HHF606V
GSM Operating Band(s)	GSM 850/1900MHz
GPRS / EGPRS Multi Slot Class	GPRS Class 33
CDMA / EVDO	BC0 / BC1
WCDMA Operating Band(s)	FDD Band II / IV / V
WCDMA Rel. Version	Rel.8
LTE Operating Band(s)	FCC Band 5: Part 22. / FCC Band 2: Part 24. FCC Band 4 / 7 / 12 / 13 / 30: Part 27.
LTE Rel. Version	Rel.11
Bluetooth Version	V4.1 dual mode + HS
Wi-Fi- Specification	802.11a/b/g/n/ac
NFC Specification	NFC
Wireless Charging	WPC / PMA

Note: The above EUT information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest evaluated of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of the document is unlawful and offenders may he prosecuted to the fullest evaluat of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law



1.3. Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22, 24, 27

ANSI / TIA / EIA 603-D-2010

KDB971168 D01 Power Meas license Digital System

KDB648474 D03 Wireless Chargers Battery Cover

KDB941225 of the Output power Procedure of (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note:

- 1. All test items have been performed and record as per the above standards.
- 2. The composite system is compliance with FCC Subpart B is authorized under the certification procedure.

1.4. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan. (TAF code 0513)

FCC Registration Numbers are: 509634

1.5. Special Accessories

No special accessories were used during testing.

1.6. Equipment Modifications

There were no modifications incorporated into the EUT.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured TIA/EIA 603C, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and <u>conditions in Electronic</u> bocuments at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. **Note:**

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation example with cable loss 0.5 dB for low band and 0.8 for high band with 10 dB attenuator and 3.2 splitter.

Low Band: Offset = RF cable loss (dB)+ attenuation factor(dB) =0.5+10+3.2=13.7(dB) High Band: Offset = RF cable loss (dB)+ attenuation factor(dB) =0.8+10+3.2=14.0(dB)

Test Mode	DC voltage (V)	DC current (mA)
GSM 850	3.8	384
GSM 1900	3.8	319
GPRS 850	3.8	463
GPRS 1900	3.8	396
EDGE 850	3.8	293
EDGE 1900	3.8	259
CDMA BC0	3.8	815
EVDO BC0	3.8	839
CDMA BC1	3.8	825
EVDO BC1	3.8	831
WCDMA B2	3.8	756
WCDMA B4	3.8	861
WCDMA B5	3.8	698

2.5. Final Amplifier Voltage and Current Information:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號



HSUPA B2	3.8	664
HSUPA B4	3.8	754
HSUPA B5	3.8	634
HSDPA B2	3.8	632
HSDPA B4	3.8	703
HSDPA B5	3.8	587

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 2_1.4M QPSK	3.8 Vdc	698
LTE Band 2_1.4M 16QAM	3.8 Vdc	705
LTE Band 2_3M QPSK	3.8 Vdc	712
LTE Band 2_3M 16QAM	3.8 Vdc	705
LTE Band 2_5M QPSK	3.8 Vdc	722
LTE Band 2_5M 16QAM	3.8 Vdc	728
LTE Band 2_10M QPSK	3.8 Vdc	706
LTE Band 2_10M 16QAM	3.8 Vdc	711
LTE Band 2_15M QPSK	3.8 Vdc	775
LTE Band 2_15M 16QAM	3.8 Vdc	698
LTE Band 2_20M QPSK	3.8 Vdc	706
LTE Band 2_20M 16QAM	3.8 Vdc	728



Test Mode	DC voltage (V)	DC current (mA)
LTE Band 4_1.4M QPSK	3.8 Vdc	895
LTE Band 4_1.4M 16QAM	3.8 Vdc	884
LTE Band 4_3M QPSK	3.8 Vdc	823
LTE Band 4_3M 16QAM	3.8 Vdc	845
LTE Band 4_5M QPSK	3.8 Vdc	803
LTE Band 4_5M 16QAM	3.8 Vdc	881
LTE Band 4_10M QPSK	3.8 Vdc	803
LTE Band 4_10M 16QAM	3.8 Vdc	776
LTE Band 4_15M QPSK	3.8 Vdc	743
LTE Band 4_15M 16QAM	3.8 Vdc	789
LTE Band 4_20M QPSK	3.8 Vdc	803
LTE Band 4_20M 16QAM	3.8 Vdc	812

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 5_1.4M QPSK	3.8	786
LTE Band 5_1.4M 16QAM	3.8	822
LTE Band 5_3M QPSK	3.8	832
LTE Band 5_3M 16QAM	3.8	809
LTE Band 5_5M QPSK	3.8	816
LTE Band 5_5M 16QAM	3.8	798
LTE Band 5_10M QPSK	3.8	803
LTE Band 5_10M 16QAM	3.8	819



Test Mode	DC voltage (V)	DC current (mA)
LTE Band 7_5M QPSK	3.8 Vdc	812
LTE Band 7_5M 16QAM	3.8 Vdc	822
LTE Band 7_10M QPSK	3.8 Vdc	858
LTE Band 7_10M 16QAM	3.8 Vdc	768
LTE Band 7_15M QPSK	3.8 Vdc	857
LTE Band 7_15M 16QAM	3.8 Vdc	885
LTE Band 7_20M QPSK	3.8 Vdc	812
LTE Band 7_20M 16QAM	3.8 Vdc	823

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 12_1.4M QPSK	3.8 Vdc	908
LTE Band 12_1.4M 16QAM	3.8 Vdc	868
LTE Band 12_3M QPSK	3.8 Vdc	912
LTE Band 12_3M 16QAM	3.8 Vdc	864
LTE Band 12_5M QPSK	3.8 Vdc	920
LTE Band 12_5M 16QAM	3.8 Vdc	862
LTE Band 12_10M QPSK	3.8 Vdc	884
LTE Band 12_10M 16QAM	3.8 Vdc	852



Test Mode	DC voltage (V)	DC current (mA)
LTE Band 13_5M QPSK	3.8	825
LTE Band 13_5M 16QAM	3.8	849
LTE Band 13_10M QPSK	3.8	821
LTE Band 13_10M 16QAM	3.8	840

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 30_5M QPSK	3.8 Vdc	812
LTE Band 30_5M 16QAM	3.8 Vdc	882
LTE Band 30_10M QPSK	3.8 Vdc	821
LTE Band 30_10M 16QAM	3.8 Vdc	835



2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)



Remote Side



Table 2-1 Equipment Used in

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Communication Tester	R&S	CMU200	102189	shielded	Un-shielded
2.	Universal Radio Communication Tester	Anritsu	MT8820C	6200307563	shielded	Un-shielded
3.	DC Power Supply	HP	E3640A	MY40005907	shielded	Un-shielded
4.	Earphone	HP	EH001	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。

除非分有說明,此報告結末僅對測試之樣品具有,同時此樣品僅K留別人。今報告本經本公司查面計引,个可能授業。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and <u>Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is used to the follow that document is unlawful and offenders may be prosecuted to the fullest extent of the law

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

Report No.: ER/2017/10026 Page: 24 of 725



3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a) §22.913(a)(2) §24.232(c) §27.50(B)(3) §27.50(c)(9) §27.50(c)(10) §27.50(d)(4) §27.50(h)(2)	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a) §27.53(g) §27.53(c)(2), (4) §27.50(c)(5) §27.53(a)(4) §27.53(h) §27.53(m)(4)(6)	Out of Band Emissions at Antenna Terminals and Band Edge	Compliant



§2.1053 §22.917(a) §24.238(a) §27.53(c)(2),(4) §27.50(c)(5) §27.53(a)(4) §27.53(g) §27.53(h) §27.53(h) §27.53(m)(4)	Field Strength of Spurious Radiation	Compliant
§24.232(d) §27.53(d) (5) §27.50(i) (B)	Peak to Average Ratio	Compliant
§27.53(f)	Spurious emission in 1559 -1610MHz Band	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54	Frequency Stability	Compliant



4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION and Wireless charging Cover
GSM/GPRS/EDGE 850	E2-plan	E2-plan
GSM/GPRS/EDGE 1900	E2-plan	E2-plan
WCDMA/HSPA Band II	E2-plan	E2-plan
WCDMA/HSPA Band IV	E2-plan	E2-plan
WCDMA/HSPA Band V	E2-plan	E2-plan
CDMA 2000 Cellular (BC0)	E1-plan	E1-plan
CDMA 2000 PCS (BC1)	E2-plan	E2-plan
LTE Band 2	E2-plan	E2-plan
LTE Band 4	E2-plan	E2-plan
LTE Band 5	H-plan	H-plan
LTE Band 7	E1-plan	E1-plan
LTE Band 12	H-plan	H-plan
LTE Band 13	E2-plan	E2-plan
LTE Band 30	E1-plan	E1-plan

Note: Additional emissions testing were performed per KDB 648474 D03 and the additional worst case emissions are reported herein and identified as WPC.

Per KDB 648474 D03, spurious emissions measurement data was also investigated with the wireless charging battery cover. The handset was placed on the representative charging pad under normal conditions and in a simulated call configuration.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and <u>conditions in Electronic</u> bocuments at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



GSM/GPRS/EDGE MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
EIRP	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
FREQUENCY STABILITY	128 to 251	190	GPRS 850
	512 to 810	661	GPRS 1900
OCCUPIED BANDWIDTH	128 to 251	190	GSM/GPRS/EDGE 850
	512 to 810	661	GSM/GPRS/EDGE 1900
PEAK TO AVERAGE RATIO	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
BAND EDGE	128 to 251	128, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 810	GSM/GPRS/EDGE 1900
CONDCUDETED EMISSION	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
RADIATED EMISSION	128 to 251	128, 190, 251	GSM 850
	512 to 810	512, 661, 810	GPRS 1900

CDMA/EVDO MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	1013 to 777	1013, 384, 777	CDMA2000/ EVDO Cellular BC0
EIRP	25 to 1175	25, 600, 1175	CDMA2000/ EVDO PCS BC1
FREQUENCY	1013 to 777	384	CDMA2000/ EVDO Cellular BC0
STABILITY	25 to 1175	600	CDMA2000/ EVDO PCS BC1
OCCUPIED	1013 to 777	1013, 384, 777	CDMA2000/ EVDO Cellular BC0
BANDWIDTH	25 to 1175	25, 600, 1175	CDMA2000/ EVDO PCS BC1
PEAK TO AVERAGE	1013 to 777	1013, 384, 777	CDMA2000/ EVDO Cellular BC0
RATIO	25 to 1175	25, 600, 1175	CDMA2000/ EVDO PCS BC1
BAND EDGE	1013 to 777	1013, 777	CDMA2000 Cellular BC0
BANDLDGL	25 to 1175	25, 1175	CDMA2000 PCS BC1
CONDCUDETED	1013 to 777	1013, 384, 777	CDMA2000 Cellular BC0
EMISSION	25 to 1175	25, 600, 1175	CDMA2000 PCS BC1
RADIATED EMISSION	1013 to 777	1013, 384, 777	CDMA2000 Cellular BC0
	25 to 1175	25, 600, 1175	CDMA2000 PCS BC1



WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
EIRP	9262 to 9538 1312 to 1513	9262, 9400, 9583 1312, 1413, 1513	WCDMA/HSPA Band II WCDMA/HSPA Band IV
FREQUENCY STABILITY	4132 to 4233 1312 to 1513 9262 to 9538	4183 1413 9400	WCDMA Band II WCDMA Band IV WCDMA Band V
OCCUPIED BANDWIDTH	4132 to 4233 1312 to 1513 9262 to 9538	4183 1413 9400	WCDMA/HSPA Band II WCDMA/HSPA Band IV WCDMA/HSPA Band V
PEAK TO AVERAGE RATIO	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA/HSPA Band II WCDMA/HSPA Band IV WCDMA/HSPA Band V
BAND EDGE	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
CONDCUDETED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
RADIATED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	HSDPA Band II HSUPA Band IV WCDMA Band V



LTE Band 2 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
EIRP	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	18650 to 19150	18900	10MHz	QPSK,	Full RB
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM	Full RB
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	Full RB
OCCUPIED	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	Full RB
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	Full RB
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	Full RB
	18607 to 19193	18607, 18900, 19193	1.4MHz	16QAM	Full RB
	18615 to 19185	18615, 18900, 19185	3MHz	16QAM	Full RB
PEAK TO AV-	18625 to 19175	18625, 18900, 19175	5MHz	16QAM	Full RB
ERAGE RATIO	18650 to 19150	18650, 18900, 19150	10MHz	16QAM	Full RB
	18675 to 19125	18675, 18900, 19125	15MHz	16QAM	Full RB
	18700 to 19100	18700, 18900, 19100	20MHz	16QAM	Full RB
	18607 to 19193	18607, 19193	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
	18615 to 19185	18615, 19185	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	18625 to 19175	18625, 19175	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
DI IND EDGE	18650 to 19150	18650, 19150	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	18675 to 19125	18675, 19125	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	18700 to 19100	18700, 19100	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK,	1 RB, 0 RB Offest
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	18625 to 19175	18625, 18900, 19175	5MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	18650 to 19150	18650, 18900, 19150	10MHz	QPSK,	1 RB, 0 RB Offest
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK,	1 RB, 0 RB Offest
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	18625 to 19175	18625, 18900, 19175	5MHz	QPSK	1 RB, 0 RB Offest



LTE Band 4 MODE

		TEOTER			
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
EIRP	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20000 to 20350	20175	10MHz	QPSK,	Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	Full RB
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM	Full RB
OCCUPIED	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	16QAM	Full RB
	19965 to 22385	19965, 20175, 22385	3MHz	16QAM	Full RB
PEAK TO AV-	19975 to 20375	19975, 20175, 20375	5MHz	16QAM	Full RB
ERAGE RATIO	20000 to 20350	20000, 20175, 20350	10MHz	16QAM	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	16QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	16QAM	Full RB
	19957 to 19393	19957, 19393	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
	19965 to 22385	19965, 22385	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	19975 to 20375	19975, 20375	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
DANDEDOL	20000 to 20350	20000, 20350	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	20025 to 20325	20025, 20325	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	20050 to 20300	20050, 20300	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK,	1 RB, 0 RB Offest
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	19975 to 20375	19975, 20175, 20375	5MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	20000 to 20350	20000, 20175, 20350	10MHz	QPSK,	1 RB, 0 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK,	1 RB, 0 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	19965 to 22385	19965, 20175, 22385	3MHz	16QAM,	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subdationed examples to reproduce to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



LTE Band 5 MODE

TEST ITEM	AVAILABLE CHANNEL	CHANNEL	CHANNEL BANDWIDTH	MODULATION	
		20470, 20525, 20643	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
ERP		20415, 20525, 20635	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
		20425, 20525, 20625	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	20450 to 20600	20525	10MHz	QPSK,	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM	Full RB
OCCUPIED	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM	Full RB
BANDWIDTH	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	16QAM	Full RB
PEAK TO AV-	20415 to 20635	20415, 20525, 20635	3MHz	16QAM	Full RB
ERAGE RATIO	20425 to 20625	20425, 20525, 20625	5MHz	16QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	16QAM	Full RB
	20470 to 20643	20470, 20643	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
	20415 to 20635	20415, 20635	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	20425 to 20625	20425, 20625	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	20450 to 20600	20450, 20600	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
		20470, 20525, 20643	1.4MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	20415 to 20635	20415, 20525, 20635	3MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	20425 to 20625	20425, 20525, 20625	5MHz	QPSK,	1 RB, 0 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	20425 to 20625	20425, 20525, 20625	5MHz	QPSK	1 RB/ 0 RB Offest



LTE Band 7 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
EIRP	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	20850 to 21375	20850, 21100, 21375	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20800 to 21400	21100	10MHz	QPSK,	Full RB
		20775, 21100, 21425	5MHz	QPSK, 16QAM	Full RB
OCCUPIED		20800, 21100, 21400	10MHz	QPSK, 16QAM	Full RB
BANDWIDTH		20850, 21100, 21375	15MHz	QPSK, 16QAM	Full RB
		20850, 21100, 21350	20MHz	QPSK, 16QAM	Full RB
		20775, 21100, 21425	5MHz	16QAM	Full RB
PEAK TO AV-		20800, 21100, 21400	10MHz	16QAM	Full RB
ERAGE RATIO		20850, 21100, 21375	15MHz	16QAM	Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	16QAM	Full RB
BAND EDGE	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB, 0 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB, 0 RB Offest
EMISSION MASK	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



LTE Band 12 MODE

TEST ITEM	AVAILABLE CHANNEL	CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
ERP		23025, 23095, 23165		QPSK, 16QAM	1 RB/ 0,14 RB Offest
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23060 to 23130	23095	10MHz	QPSK,	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	Full RB
OCCUPIED	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	Full RB
BANDWIDTH	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	16QAM	Full RB
PEAK TO AV-	23025 to 23165	23025, 23095, 23165	3MHz	16QAM	Full RB
ERAGE RATIO	23035 to 23155	23035, 23095, 23155	5MHz	16QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	16QAM	Full RB
BAND EDGE	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	23060 to 23130	23060, 23095, 23130		QPSK,	1 RB/ 0,49 RB Offest Full RB
CONDCUDETED EMISSION	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK,	1 RB, 0 RB Offest
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK,	1 RB, 0 RB Offest
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK,	1 RB, 0 RB Offest
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	23035 to 23155	23035, 23095, 23155	5MHz	16QAM	1 RB, 24 RB Offest



LTE Band 13 MODE

TEST ITEM	AVAILABLE	TESTED	CHANNEL	MODULATION	MODE
	CHANNEL	CHANNEL	BANDWIDTH	MODULATION	MODE
ERP	23205 to 23255	23205, 23230, 23255	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	23230	23230	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23230	23230	10MHz	QPSK,	Full RB
OCCUPIED	23205 to 23255	23205, 23230, 23255	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	23230	23230	10MHz	QPSK, 16QAM	Full RB
PEAK TO AV- ERAGE RATIO	23205 to 23255	23205, 23230, 23255	5MHz	16QAM	Full RB
	23230	23230	10MHz	16QAM	Full RB
BAND EDGE	23205 to 23255	23205, 23255	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	23230	23230	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
CONDCUDETED EMISSION	23205 to 23255	23205, 23230, 23255	5MHz	QPSK,	1 RB, 0 RB Offest
	23230	23230	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	23205 to 23255	23205, 23230, 23255	5MHz	16QAM	1 RB/ 0 RB Offest

LTE Band 30 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
EIRP	27685 to 27735	27685, 27710, 27735	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	27710	27710	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	27710	27710	10MHz	QPSK,	Full RB
OCCUPIED	27685 to 27735	27685, 27710, 27735	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	27710	27710	10MHz	QPSK, 16QAM	Full RB
PEAK TO AV-	27685 to 27735	27685, 27710, 27735	5MHz	16QAM	Full RB
ERAGE RATIO	27710	27710	10MHz	16QAM	Full RB
BAND EDGE	27685 to 27735	27685, 27710, 27735	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	27710	27710	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
CONDCUDETED	27685 to 27735	27685, 27710, 27735	5MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	27710	27710	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	23755 to 23825	23755, 23790, 23825	5MHz	QPSK	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subcament be reproduced provident of the fulles textent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty	
RF Power Output	+/- 1.10 dB	
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB	
99% Occupied Bandwidth	+/- 5.19 Hz	
Out of Band Emissions at Antenna	+/- 0.70 dB	
Terminals and Band Edge		
Peak to Average Ratio	+/- 0.70 dB	
Frequency Stability vs.	+/- 5.19 Hz	
Temperature	, , , , , , , , , , , , , , , , , , , ,	
Frequency Stability vs. Voltage	+/- 5.19 Hz	
Temperature	+/- 0.65 °C	
· · ·	17-0.00 0	
Humidity	+/- 4.6 %	
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%	

Radiated Spurious Emission:

Measurement uncertainty	30MHz - 180MHz: +/- 3.37dB
	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

Measurement uncertainty	30MHz - 167MHz: +/- 4.22dB
	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest evaluated of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of the document is unlawful and offenders may he prosecuted to the fullest evaluat of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.




6. RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCDMA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6.4. Measurement Equipment Used

Conduc	ted Emission (m	easured at a	antenna port)	Test Site	
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/09/2015	12/08/2016
Power Sensor	Anritsu	MA2411B	917032	12/09/2015	12/08/2016
EXA Spectrum					
Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017
DC Power Supply	Agilent	E3640A	MY52410006	11/05/2015	11/04/2016
Temperature Chamber	TERCHY	MHG-120LF	911009	05/06/2015	05/05/2016
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017
Radio Communication Analyer	Anritsu	MT8820C	6201465317	12/10/2015	12/09/2016

Conduc	ted Emission (m	easured at a	antenna port)	Test Site	
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
ТҮРЕ		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/08/2016	12/07/2017
Power Sensor	Anritsu	MA2411B	917032	12/08/2016	12/07/2017
DC Block	Mini-Circuits	BLK-18-S+	1	01/01/2017	12/31/2017
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX	23670/2	01/01/2017	12/31/2017
Attenuator	Mini-Circuit	BW-S10W2+	2	01/01/2017	12/31/2017
Splitter	Agilent	11636B	N/A	01/01/2017	12/31/2017
DC Power Supply	Agilent	E3640A	MY52410006	11/04/2016	11/03/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/05/2016	05/04/2017
Radio Communication Analyer	Anritsu	MT8820C	6201465317	12/09/2016	12/08/2017

Note: The measurement was taken place with the long duration of the time, and additional equipment list as shown above indicate those equipment of which has been subject to undertake the calibration in intermediate period of time of the measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may here vector to the fullest evector of the document of the content or appearance of this documents is uplayid; and offenders may here vector of the fullest evector of the document of the fullest evector of the document is uplayid; and offenders may here vector of the fullest evector of the document is uplayid; and offenders may here vector of the fullest evector of the document is uplayid; and offenders may here vector of the fullest evector of the document. document is unlawful and offenders may be prosecuted to the fullest extent of the law

www.tw.sqs.com



6.5. Measurement Result

RF Conducted Output Power

GSM/GPRS/EDGE (GMSK; 8-PSK) Result:

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Averager Burst Power (dBm)
	824.2	128	32.30	32.40
GSM 850	836.6	190	32.50	32.30
	848.8	251	32.60	32.40
	1850.2	512	29.40	29.20
GSM 1900	1880.0	661	29.70	29.50
	1909.8	810	29.90	29.60

EUT Mode	Frequency	СН	Peak Power (4DN 1UP) Class 8	Average Burst Power (4DN 1UP) Class 8	Peak Power (4DN 2UP) Class 10	Average Burst Power (4DN 2UP) Class 10	Peak Power (4DN 3UP) Class 12	Average Burst Power (4DN 3UP) Class 12	Peak Power (4DN 4UP) Class 12	Average Burst Power (4DN 4UP) Class 12
	(MHz)		(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
0.0.0.0	824.2	128	32.40	32.30	29.70	29.60	27.80	27.60	27.00	26.80
GPRS 850	836.6	190	32.60	32.40	29.80	29.60	27.80	27.70	27.00	26.90
000	848.8	251	32.70	32.50	29.80	29.60	27.90	27.70	27.00	26.90
0000	1850.2	512	29.40	29.30	27.10	27.00	26.20	26.10	25.10	25.00
GPRS 1900	1880.0	661	29.70	29.40	27.10	26.90	26.10	25.90	25.00	24.80
1000	1909.8	810	29.90	29.60	27.20	26.90	26.00	25.80	24.20	24.20
FDOF	824.2	128	29.20	26.00	29.00	25.90	29.00	25.90	28.80	25.70
EDGE 850	836.6	190	29.20	26.00	29.10	25.90	29.00	25.90	28.80	25.70
000	848.8	251	29.30	26.00	29.10	25.90	29.00	25.90	28.80	25.70
FDOF	1850.2	512	28.30	25.00	28.20	24.90	27.80	24.70	27.60	24.60
EDGE 1900	1880.0	661	28.30	25.00	28.20	24.90	27.70	24.70	27.50	24.50
	1909.8	810	28.40	25.00	28.20	24.90	27.70	24.50	27.50	24.40



WCDMA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results:

EUT Mode		WCDMA Band II		_	DPA nd II	HSUPA Band II	
Frequency	СН	Peak Power	Avg. Power	Peak Power	Avg. Power	Peak Power	Avg. Power
(MHz)		(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
1852.4	9262	25.70	23.10	25.44	21.81	24.92	21.20
1880.0	9400	26.06	23.03	25.37	21.85	24.77	21.23
1907.6	9538	25.98	23.00	25.00	21.81	24.81	21.28

EUT Mode		WCDMA Band IV		HSI Ban	DPA d IV	HSUPA Band IV	
Frequency	СН	Peak Power	Avg. Power	Peak Power	Avg. Power	Peak Power	Avg. Power
(MHz)		(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
1712.4	1312	26.00	22.84	25.37	21.69	24.83	21.12
1732.6	1412	25.87	22.64	25.07	21.45	24.62	21.02
1752.6	1513	26.16	22.83	25.38	21.68	24.98	21.19

EUT Mode		WCI Ban	DMA id V	HSI Bar		HSUPA Band V	
Frequency	СН	Peak Power	Avg. Power	Peak Power	Avg. Power	Peak Power	Avg. Power
(MHz)		(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
826.4	4132	27.83	24.09	26.04	22.24	26.65	22.66
836.6	4183	27.49	23.84	25.94	22.07	26.45	22.61
846.6	4233	27.66	23.98	26.14	22.23	26.53	22.71



CDMA2000/EVDO MODE

Mode	Freq. (MHz)	СН	Avg. Power (dBm)	Mode	Freq. (MHz)	СН	Avg. Power (dBm)
CDMA	824.7	1013	23.41	CDMA	1851.25	25	23.43
2000 Cellular	836.52	384	23.82	2000 PCS	1880	600	23.55
BC0	848.31	777	23.66	BC1	1908.75	1175	23.76
	_		Ava.				Ava.

Mode	Freq. (MHz)	СН	Avg. Power (dBm)		Mode	Freq. (MHz)	СН	Avg. Power (dBm)
CDMA	824.7	1013	23.12		CDMA	1851.25	25	23.13
2000 EVDO 836.5		384	23.33		2000 EVDO	1880	600	23.18
Cellular				PCS	1908.75	1175	23.24	

Note: The results above reflect max power with all up bits.

Cable loss offset Low Band: 0.5dB, Cable loss offset High Band: 0.8dB



LTE Result:

LTE Band 2

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz												
			Conducted power										
				(dBm)									
BW	RB	RB		QPSK			16QAM						
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel					
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)					
			18607	18900	19193	18607	18900	19193					
	1	0	22.88	22.69	22.57	22.02	22	21.92					
1.4	1	5	22.72	22.75	22.61	22.16	21.98	21.86					
1.4	3	2	22.92	22.84	22.63	21.95	21.84	21.73					
	6	0	21.96	21.82	21.7	21	20.85	20.79					

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
			Conducted power									
					(dE	Bm)						
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			18615	18900	19185	18615	18900	19185				
	1	0	22.87	22.83	22.73	22.17	21.58	21.96				
	1	14	22.88	22.74	22.57	22.16	21.86	21.96				
3	8	4	22.07	21.94	21.82	21.14	21	20.9				
	15	0	22.03	21.88	21.79	20.98	20.9	20.73				

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
			Conducted power									
					(dE	3m)						
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			18625	18900	19175	18625	18900	19175				
	1	0	23.16	23.03	22.97	22.48	22.28	22.01				
_	1	24	22.9	22.77	22.7	22.02	21.91	21.74				
5	12	6	22.02	21.92	21.8	21.02	20.93	20.81				
	25	0	22.01	21.92	21.76	21.02	20.83	20.78				



	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
			Conducted power									
					(dE	3m)		Channel (High) 19150 22.35 21.91 20.97				
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			18650	18900	19150	18650	18900	19150				
	1	0	23.35	23.18	22.9	22.49	22.35	22.35				
10	1	49	22.84	22.76	22.77	22.01	21.68	21.91				
10	25	12	21.99	21.99	22.03	21.03	20.9	20.97				
	50	0	22.1	21.95	21.84	21.11	20.95	20.88				

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz										
						ed power					
					(dE	Bm)					
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel				
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			18675	18900	19125	18675	18900	19125			
	1	0	23.53	23.33	23.32	22.71	22.75	22.56			
4.5	1	74	22.96	22.78	22.65	22.12	22.03	22.15			
15	36	19	22.14	22.11	21.91	21.1	20.99	20.99			
	75	0	22.22	22.1	21.98	21.18	21.08	20.97			

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
			Conducted power									
					(dE	Bm)						
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			18700	18900	19100	18700	18900	19100				
	1	0	23.88	23.75	23.62	22.9	22.98	22.9				
	1	99	23.08	22.94	22.96	22.33	21.95	21.95				
20	50	25	22.12	22.03	21.76	21.08	21.05	20.97				
	100	0	22.28	22.16	22.05	21.26	21.17	21.03				



	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
			Conducted power									
					(dE	Bm)						
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			19957	20175	20393	19957	20175	20393				
	1	0	22.59	22.36	22.41	21.76	21.53	21.66				
1.4	1	5	22.52	22.31	22.43	21.68	21.53	21.58				
1.4	3	2	22.76	22.38	22.47	21.85	21.5	21.53				
	6	0	21.66	21.35	21.51	20.87	20.43	20.54				

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
					Conduct	ed power						
					(dE	3m)						
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			19965	20175	20385	19965	20175	20385				
	1	0	22.57	22.52	22.51	21.87	21.71	21.9				
	1	14	22.43	22.3	22.4	21.78	21.48	21.39				
3	8	4	21.87	21.47	21.59	20.92	20.56	20.62				
	15	0	21.79	21.42	21.63	20.77	20.5	20.61				

	LTE	Band 4	4_Uplink	frequen	cy band	: 1710 to	0 1755 M	Hz
						ed power		
					(dE	<u>Bm)</u>		
BW	RB	RB		QPSK			16QAM	
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			19975	20175	20375	19975	20175	20375
	1	0	22.84	22.6	22.6	22.05	21.55	21.52
_	1	24	22.71	22.36	22.36	21.85	21.46	21.56
5	12	6	21.75	21.47	21.47	20.75	20.5	20.45
	25	0	21.71	21.42	21.42	20.72	20.45	20.55



	LTE	Band 4	4_Uplink	frequen	cy band	: 1710 to	0 1755 M	Hz		
			Conducted power							
					(dE	3m)				
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel		
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			20000	20175	20350	20000	20175	20350		
	1	0	23.16	22.8	22.84	22.31	21.93	21.56		
	1	49	22.47	22.5	22.43	21.68	21.64	21.67		
10	25	12	21.76	21.58	21.63	20.76	20.6	20.58		
	50	0	21.82	21.55	21.64	20.76	20.62	20.67		

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz										
						ed power					
					(dE	3m)					
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20025	20175	20325	20025	20175	20325			
	1	0	23.15	23.15	22.88	22.42	22.22	21.95			
4.5	1	74	22.68	22.48	22.48	21.98	21.74	21.84			
15	36	19	21.64	21.63	21.49	20.68	20.69	20.5			
	75	0	21.71	21.7	21.64	20.69	20.67	20.59			

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz										
						ed power					
					(dE	Bm)		Channel (High) 20300 22.48 22.06 20.65			
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20050	20175	20300	20050	20175	20300			
	1	0	23.17	23.56	23.24	22.77	22.67	22.48			
	1	99	22.64	22.48	22.59	21.96	21.69	22.06			
20	50	25	21.8	21.64	21.63	20.81	20.48	20.65			
	100	0	21.95	21.8	21.85	20.83	20.85	20.79			



	LTE E	Band 5_l	Jplink fre	equency	band : 8	324 to 84	9 MHz			
						ucted power (dBm)				
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	Channel (Low) 20407	Channel (Mid) 20525	Channel (High) 20643	Channel (Low) 20407	Channel (Mid) 20525	Channel (High) 20643		
	1	0	23.19	22.95	23.06	22.2	22.01	22.31		
	1	5	23.07	23.01	23.25	22.04	22	22.26		
1.4	3	2	22.96	22.96	23.03	21.98	21.85	21.99		
	6	0	21.71	21.82	21.84	20.93	20.75	20.81		

	LTE E	Band 5_l	Jplink fre	equency	band : 8	324 to 84	9 MHz				
				Conducted power (dBm)							
BW	RB Size	RB		QPSK			16QAM				
(MHz)		Offset	Channel (Low) 20415	Channel (Mid) 20525	Channel (High) 20635	Channel (Low) 20415	Channel (Mid) 20525	Channel (High) 20635			
	1	0	22.58	22.65	22.89	22.24	21.9	22.19			
3	1	14	22.77	22.78	22.9	22.03	22.01	22.16			
3	8	4	21.89	21.79	21.84	20.84	20.87	20.89			
	15	0	21.69	21.71	21.71	20.88	20.82	20.89			



	LTE E	Band 5_l	Jplink fre	equency	band : 8	824 to 84	9 MHz				
				Conducted power (dBm)							
BW	RB	RB		QPSK	(16QAM				
(MHz)	Size	Offset	Channel (Low) 20425	Channel (Mid) 20525	Channel (High) 20625	Channel (Low) 20425	Channel (Mid) 20525	Channel (High) 20625			
	1	0	22.82	22.73	22.54	22.23	21.94	21.94			
5	1	24	22.59	22.67	22.93	22.05	22.12	21.95			
5	12	6	21.83	21.86	21.8	20.85	20.88	20.78			
	25	0	21.77	21.75	21.82	20.76	20.78	20.9			

	LTE E	Band 5_l	Jplink fre	equency	band : 8	824 to 84	9 MHz				
				Conducted power (dBm)							
BW	RB Size	RB Offset		QPSK	(16QAM				
(MHz)			Channel (Low) 20450	Channel (Mid) 20525	Channel (High) 20600	Channel (Low) 20450	Channel (Mid) 20525	Channel (High) 20600			
	1	0	22.89	22.79	22.95	22.2	22.1	22.13			
10	1	49	22.62	22.77	22.8	21.74	22.15	21.91			
10	25	12	21.99	21.91	21.9	20.9	20.85	20.65			
	50	0	21.75	21.93	21.91	20.79	20.89	20.86			



	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz										
				Conducted power							
					(dE	3m)					
BW	RB	RB		QPSK		16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20775	21100	21425	20775	21100	21425			
	1	0	21.5	21.6	21.71	20.64	20.77	20.69			
_	1	24	21.44	21.47	21.63	20.29	20.68	20.61			
5	12	6	20.3	20.62	20.51	19.24	19.61	19.55			
	25	0	20.32	20.54	20.4	19.26	19.64	19.51			

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz										
						ed power					
					(dE	Bm)					
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel Channel Channel Channel Channel Channe							
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20800	21100	21400	20800	21100	21400			
	1	0	21.69	21.86	21.71	20.78	21.06	20.91			
10	1	49	21.52	21.52	21.6	20.56	20.73	20.37			
10	25	12	20.45	20.66	20.48	19.44	19.61	19.52			
	50	0	20.36	20.62	20.54	19.3	19.54	19.52			



	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz										
					Conducte	•		AM nnel Channel id) (High) 100 21375 96 21.18 85 20.68 36 19.38			
					(dE	Bm)					
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20825	21100	21375	20825	21100	21375			
	1	0	21.66	21.44	21.72	20.75	20.96	21.18			
4.5	1	74	21.42	21.55	21.29	20.71	20.85	20.68			
15	36	19	20.51	20.63	20.39	19.45	19.36	19.38			
	75	0	20.54	20.57	20.44	19.45	19.58	19.48			

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz										
						ed power					
					(dE	Bm)					
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel Channel Channel Channel Channel Chann							
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20850	21100	21350	20850	21100	21350			
	1	0	21.5	21.77	21.8	21.09	21.3	21.23			
	1	99	21.57	21.65	21.25	20.67	21.13	20.87			
20	50	25	20.42	20.56	20.46	19.48	19.54	19.48			
	100	0	20.62	20.6	20.52	19.64	19.67	19.52			



	LTE Band 12_Uplink frequency band : 699 to 716 MHz										
						ed power		Channel (High) 23173 22.67 22.8 22.48			
					(dE	8m)					
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel Channel Channel Channel Channel Chanr								
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			23017	23095	23173	23017	23095	23173			
	1	0	23.21	23.41	23.45	22.79	22.4	22.67			
1.4	1	5	23.46	23.32	23.45	22.62	22.58	22.8			
1.4	3	2	23.56	23.41	23.66	22.49	22.46	22.48			
	6	0	22.49	22.23	22.54	20.34	21.27	21.63			

	LTE Band 12_Uplink frequency band : 699 to 716 MHz										
			Conducted power								
					(dE	3m)					
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel Channel Channel Channel Channel Channe							
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			23025	23095	23165	23025	23095	23165			
	1	0	23.59	23.34	23.58	22.79	22.65	22.49			
	1	14	23.49	23.35	23.53	22.66	22.56	22.7			
3	8	4	22.51	22.42	22.66	21.52	21.44	21.75			
	15	0	22.55	22.38	22.53	21.32	21.38	21.61			

	LTE Band 12_Uplink frequency band : 699 to 716 MHz										
			Conducted power								
					(dE	<u>Bm)</u>					
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel Channel Channel Channel Channel Chann							
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			23035	23095	23155	23035	23095	23155			
	1	0	23.53	23.29	23.37	22.67	22.3	22.52			
	1	24	23.4	23.33	23.72	22.67	22.44	22.98			
5	12	6	22.49	22.4	22.68	21.48	21.42	21.63			
	25	0	22.46	22.35	22.6	21.47	21.39	21.63			



	LTE Band 12_Uplink frequency band : 699 to 716 MHz										
				Conducted power							
					(dE	3m)					
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel Channel Channel Channel Channel Char							
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			23060	23095	23130	23060	23095	23130			
	1	0	23.45	23.3	23.35	22.67	22.54	22.55			
	1	49	23.29	23.39	23.47	22.57	22.58	22.77			
10	25	12	22.47	22.42	22.49	21.45	21.39	21.47			
	50	0	22.5	22.38	22.51	21.45	21.38	21.5			

L	LTE Band 13_Uplink frequency band : 779.5 to 784.5 MHz										
						ed power		Channel (High) 23255 22.55 22.78 21.78			
					(dE	3m)					
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel Channel Channel Channel Channel Channe							
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			23205	23230	23255	23205	23230	23255			
	1	0	23.73	23.71	23.77	22.60	22.72	22.55			
_	1	24	23.80	23.63	23.70	22.69	22.71	22.78			
5	12	6	22.81	22.73	22.81	21.78	21.62	21.78			
	25	0	22.77	22.62	22.73	21.76	21.61	21.73			

	LTE	Band [•]	13_Uplir	nk freque	ency bar	nd : 777 t	o 787 Mł	Ηz
						ed power 3m)		
BW	RB	RB	QPSK		16QAM			
(MHz)	Size	Offset		Channel (Mid) 23230			Channel (Mid) 23230	
	1	0		23.66			22.79	
10	1	49		23.58			22.69	
10	25	12		22.70			21.66	
	50	0		22.77			21.76	



L	LTE Band 30_Uplink frequency band : 2305 to 2315 MHz										
			Conducted power								
					(dE	Bm)					
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			27685	27710	27735	27685	27710	27735			
	1	0	21.51	21.64	21.74	20.55	20.79	20.98			
_	1	24	21.6	21.52	21.55	20.82	20.87	20.64			
5	12	6	20.67	20.59	20.66	19.71	19.69	19.67			
	25	0	20.61	20.61	20.59	19.55	19.69	19.63			

L	LTE Band 30_Uplink frequency band : 2305 to 2315 MHz									
			Conducted power (dBm)							
BW	RB	RB	QPSK	16QAM						
(MHz)	Size	Offset		Channel						
			(Mid) 27710	(Mid) 27710						
			27710	27710						
	1	0	21.55	20.61						
10	1	49	21.53	20.78						
10	25	12	20.67	19.71						
	50	0	20.66	19.64						



HSDPA Release 6 MODE:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	β _c	β _d	β _d (SF)	β _c /β _d	βнs (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document take performed to the fullest extent of the law.



Results:

Mode	Sub-test	•	Power (d Channel	lBm)	Power Class 3 Lim- itation (dBm)	Comments	
		9262	9400	9538			
	1	23.27	22.92	22.86	20.3dBm – 25.7dBm	Pass	
HSDPA	2	22.98	22.89	22.85	20.3dBm – 25.7dBm	Pass	
(B2)	3	22.79	22.47	22.33	19.8dBm – 25.7dBm	Pass	
	4	22.86	22.48	22.45	19.8dBm – 25.7dBm	Pass	

Mode	Sub-test	•	Power (d Channel	lBm)	Power Class 3 Lim- itation (dBm)	Comments	
		1312	1413	1513			
	1	22.55	22.74	22.67	20.3dBm – 25.7dBm	Pass	
HSDPA	2	22.72	22.50	22.68	20.3dBm – 25.7dBm	Pass	
(B4)	3	22.07	22.29	22.14	19.8dBm – 25.7dBm	Pass	
	4	22.14	22.30	22.26	19.8dBm – 25.7dBm	Pass	

Mode	Sub-test	•	Power (d Channel	lBm)	Power Class 3 Lim-	Comments
		4132	4183	4233	itation (dBm)	
	1	23.88	23.70	24.10	20.3dBm – 25.7dBm	Pass
HSDPA	2	24.02	23.73	23.85	20.3dBm – 25.7dBm	Pass
(B5)	3	23.42	23.22	23.61	19.8dBm – 25.7dBm	Pass
	4	23.47	23.26	23.67	19.8dBm – 25.7dBm	Pass



HSPA (HSDPA & HSUPA) Release 6 MODE

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing HSPA SUB-TEST Setting

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	βc	βd	β _d (SF)	βc/βd	βнѕ	β _{ec}	β_{ed}	β _{ed} (SF)	β _{ed} (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps)
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β _{ed} 1: 47/15 β _{ed} 2: 47/15		2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Results:

Mode	Sub-test	-	Power (d Channel	lBm)	Power Class 3 Lim-	Comments
		9262	9400	9538	itation (dBm)	
	1	23.02	23.01	22.94	18.8dBm – 25.7dBm	Pass
	2	21.07	21.08	20.98	16.8dBm – 25.7dBm	Pass
HSUPA(B2)	3	22.08	22.03	22.02	17.8dBm – 25.7dBm	Pass
	4	21.20	21.13	21.02	16.8dBm – 25.7dBm	Pass
	5	22.91	22.87	22.85	18.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and <u>conditions in Electronic</u> bocuments at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Mode	Sub-test	-	Power (d Channel	IBm)	Power Class 3 Lim- itation (dBm)	Comments
		1312	1413	1513	Itation (ubiii)	
	1	22.76	22.62	22.77	20.3dBm – 25.7dBm	Pass
	2	20.81	20.69	20.81	20.3dBm – 25.7dBm	Pass
HSDPA	3	21.82	21.64	21.85	19.8dBm – 25.7dBm	Pass
(B4)	4	20.94	20.74	20.85	19.8dBm – 25.7dBm	Pass
	5	22.65	22.48	22.68	19.8dBm – 25.7dBm	Pass

Mode	Sub-test	-	Power (d Channel	IBm)	Power Class 3 Lim-	Comments
		4132	4183	4233	itation (dBm)	
	1	24.05	23.77	23.90	18.8dBm – 25.7dBm	Pass
	2	22.11	21.85	21.94	16.8dBm – 25.7dBm	Pass
HSUPA(B5)	3	23.09	22.83	22.98	17.8dBm – 25.7dBm	Pass
	4	22.16	21.91	22.02	16.8dBm – 25.7dBm	Pass
	5	23.91	23.60	23.79	18.8dBm – 25.7dBm	Pass



Minimum Communications Power Measurement PCS 1900 band

PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	29.6	27.6	25.6	23.6	21.6	19.2	17.2	15.2	13.2
PCL	9	10	11	12	13	14	15		
Output power (dBm)	11.2	9.2	7.2	5.1	3.2	1.5	-0.2		

Note: The EUT output power was controlled by simulator. Set Communication Tester CMU200 PCL as above, and get the mobile phone output power reading.

WCDMA/HSDPA/HSUPA band II, IV, V

The EUT output power was controlled by simulator. Set Communication Tester CMU200 function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 15 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the Limits of Client's the transmission of the same this document that the Company's findings at the time of its intervention only and within the transaction to the transmission of the company is the Client's the company's findings at the time of its intervention only and within the transaction is the transaction on the transaction on the transaction on the transaction on the transaction is the transaction on transaction on the transaction on transaction on the transaction on transacti instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER MEASUREMENT

7.1. Standard Applicable

According to FCC §2.1046

FCC 22.913(a) Mobile station is limited to 7W ERP.

FCC 24.232(b) Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50(B) (3) Mobile and portable stations. (i) For mobile and portable stations transmitting in the 2305-2315 MHz band or the 2350-2360 MHz band, the average EIRP must not exceed 50 milliwatts within any 1 megahertz of authorized bandwidth, except that for mobile and portable stations compliant with 3GPP LTE standards or another advanced mobile broadband protocol that avoids concentrating energy at the edge of the operating band the average EIRP must not exceed 250 milliwatts within any 5 megahertz of authorized bandwidth but may exceed 50 milliwatts within any 1 megahertz of authorized bandwidth. For mobile and portable stations using time division duplexing (TDD) technology, the duty cycle must not exceed 38 percent in the 2305-2315 MHz and 2350-2360 MHz bands. Mobile and portable stations using FDD technology are restricted to transmitting in the 2305-2315 MHz band. Power averaging shall not include intervals in which the transmitter is off.


FCC 27.50(c)(10) Portable stations (hand-held devices) are limited to 3W ERP.

FCC 27.50(d)(4) Fixed, mobile, and portable (hand-held) stations are limited to 1W EIRP.

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2 W EIRP


7.2. Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below1000MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instruction of any the company control with a final document the descent descent descents descents and subject and the limitation of liability. Indemnification and jurisdiction instructions of any the company subject at the final document the descent descents descents descents descents descents and subject to the subject in the limits of Client's instructions and prints and the descent descents de instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





(B) Radiated Power Test Set-UP Frequency Over 1 GHz

(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest evaluated of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of the document is unlawful and offenders may he prosecuted to the fullest evaluat of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law



7.3. Measurement Procedure

- The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
- 3. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated
- 4. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power level of S.G.
- 6. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 7. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 8. Spectrum setting:

(1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.

(2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW ≈ 1~5% of the span, not to exceed 1 MHz

Set VBW = $3 \times RBW$;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt integration time (ex. Point = 601 points, then sweet time = $601*10^{-3}$ = 6s.

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level:

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and <u>conditions in Electronic</u> bocuments at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



7.4. Measurement Equipment Used

ERP, I	EIRP MEASUREM	ENT EQUIPME	ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber									
EQUIPMENT TYPE	MFR	MODEL	SERIAL	LAST CAL.	CAL DUE.							
		NUMBER	NUMBER									
EMI Test Receiver	R&S	ESCI7	100760	05/08/2015	05/09/2016							
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2016	01/28/2017							
Loop Antenna	ETS.LINDGREN	6502	148045	09/07/2015	09/06/2016							
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/14/2015	12/13/2016							
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/10/2015	08/09/2016							
Pre-Amplifier	Agilent	8447D	2944A07676	01/02/2016	01/01/2017							
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/02/2016	01/01/2017							
Turn Table	HD	DT420	N/A	N.C.R	N.C.R							
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R							
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R							
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2016	01/01/2017							
3m Site NSA	SGS	966 chamber	N/A	07/02/2015	07/01/2016							
Low Loss Cable	Huber Suhner	966 TX	1	01/02/2016	01/01/2017							
Radio Communication	R&S	CMU200	100100	02/11/2016	02/10/2017							
Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017							
Radio Communication	Anritsu	MT8820C	6200995019	09/25/2015	09/24/2016							
Analyzer	Annisu	101100200	0200990019	09/20/2010	03/24/2010							
Radio Communication	Anritsu	MT8820C	6201465317	12/10/2015	12/09/2016							
Analyer	Anniau	101100200	0201700017	12/10/2013	12/03/2010							



ERP, I	EIRP MEASUREM	ENT EQUIPME	ENT List 966	Chamber	
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EMI Test Receiver	R&S	ESCI7	100760	05/10/2016	05/09/2017
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/28/2017	01/27/2018
Loop Antenna	ETS-Lindgren	6502	148045	09/06/2016	09/05/2017
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/13/2017	12/12/2018
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/01/2016	07/31/2017
Pre-Amplifier	Agilent	8447D	2944A07676	01/01/2017	12/31/2017
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/01/2017	12/31/2017
Low Loss Cable	Huber Suhner	966_RX	9	01/01/2017	12/31/2017
3m Site NSA	SGS	966 chamber	N/A	07/01/2016	06/30/2017
Low Loss Cable	Huber Suhner	966 TX	1	01/01/2017	12/31/2017
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017
Radio Communication Analyer	Anritsu	MT8820C	6201465317	12/09/2016	12/08/2017

Note: The measurement was taken place with the long duration of the time, and additional equipment list as shown above indicate those equipment of which has been subject to undertake the calibration in intermediate period of time of the measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may here vector to the fullest evector of the document of the content or appearance of this documents is uplayid; and offenders may here vector of the fullest evector of the document of the fullest evector of the document is uplayid; and offenders may here vector of the fullest evector of the document is uplayid; and offenders may here vector of the fullest evector of the document is uplayid; and offenders may here vector of the fullest evector of the document. document is unlawful and offenders may be prosecuted to the fullest extent of the law



	EUT				Measur	ement	I	r
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	824.2	128	V	24.62	3.31	-2.92	25	38.45
	024.2	120	Н	24.77	3.31	-2.92	25.15	38.45
	836.6	190	V	25.31	3.29	-2.96	25.63	38.45
GSM 850	030.0	190	Н	25.96	3.29	-2.96	26.29	38.45
	848.8	251	V	24.38	3.27	-3	24.65	38.45
	040.0	201	Н	25.93	3.27	-3	26.19	38.45

7.5. Measurement Result: (Peak) – using option of peak measurement

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	824.2	128	V	24.41	3.31	-2.92	24.79	38.45
	024.2	120	Н	24.71	3.31	-2.92	25.09	38.45
	836.6	190	V	25.4	3.29	-2.96	25.72	38.45
GPRS 850	030.0	190	Н	25.94	3.29	-2.96	26.26	38.45
	848.8	251	V	24.62	3.27	-3	24.89	38.45
	040.0	201	Н	26.07	3.27	-3	26.34	38.45

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	824.2	128	V	20.46	3.31	-2.92	20.84	38.45
	024.2	120	Н	20.52	3.31	-2.92	20.9	38.45
	926 G	190	V	21.8	3.29	-2.96	22.12	38.45
EDGE 000	DGE 850 836.6	190	Н	22.2	3.29	-2.96	22.52	38.45
	848.8	251	V	21.89	3.27	-3	22.16	38.45
	040.0	201	Н	23.2	3.27	-3	23.47	38.45

Remark :

(1) The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest evaluated of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of the document is unlawful and offenders may he prosecuted to the fullest evaluat of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law

www.tw.sgs.com



	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1850.2	512	V	23.31	9.94	-4.46	28.79	33.01
	1000.2	512	Н	24.6	9.94	-4.46	30.08	33.01
GSM 1900	1000 0	661	V	22.9	10.03	-4.51	28.42	33.01
G2101 1900	900 1880.0	001	Н	24.6	10.03	-4.51	30.12	33.01
	1909.8	810	V	22.48	10.13	-4.55	28.06	33.01
	1909.0	010	Н	23.32	10.13	-4.55	28.9	33.01

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1950 0	512	V	21.38	9.94	-4.46	26.86	33.01
	1850.2	512	Н	24.66	9.94	-4.46	30.14	33.01
GPRS 1900	1880.0	661	V	22.47	10.03	-4.51	27.99	33.01
GFR3 1900	1000.0	001	Н	24.63	10.03	-4.51	30.15	33.01
	1909.8	810	V	22.14	10.13	-4.55	27.72	33.01
	1909.0	010	Н	24.95	10.13	-4.55	30.52	33.01

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1850.2	512	V	20.78	9.94	-4.46	26.26	33.01
	1000.2	512	Н	23.28	9.94	-4.46	28.76	33.01
	1880.0	661	V	20.86	10.03	-4.51	26.38	33.01
EDGE 1900 _	1000.0	001	Н	21.72	10.03	-4.51	27.24	33.01
	1909.8	810	V	22.45	10.13	-4.55	28.02	33.01
	1909.0	010	Н	24.55	10.13	-4.55	30.13	33.01

(1) The RBW, VBW of SPA for frequency RBW=300K, VBW=1MHz



	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	12.19	3.30	-2.93	12.57	38.45
CDMA	824.7	1013	Н	13.35	3.30	-2.93	13.73	38.45
2000	000 50	384	V	11.49	3.29	-2.96	11.82	38.45
Cellular	836.52	304	Н	12.39	3.29	-2.96	12.72	38.45
	040.04	777	V	11.55	3.27	-3.00	11.82	38.45
BC0	848.31	777	Н	11.39	3.27	-3.00	11.66	38.45

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	11.81	3.30	-2.93	12.19	38.45
EVDO	824.7	1013	Н	13.11	3.30	-2.93	13.48	38.45
2000	000 50	204	V	12.06	3.29	-2.96	12.38	38.45
Cellular	836.52	384	Н	12.53	3.29	-2.96	12.85	38.45
	040.21	777	V	11.55	3.27	-3.00	11.82	38.45
BC0	848.31	777	Н	11.50	3.27	-3.00	11.77	38.45

The RBW, VBW of SPA for frequency RBW=300KHz, VBW=1MHz **Remark:**



	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	1851.25	25	V	0.69	9.94	-4.46	6.17	33.00
CDMA	1051.25	25	Н	5.74	9.94	-4.46	11.22	33.00
2000	1880.00	600	V	1.56	10.03	-4.51	7.08	33.00
PCS	1000.00	600	Н	4.54	10.04	-4.51	10.06	33.00
		1175	V	1.51	10.13	-4.55	7.08	33.00
BC1		1175	Н	6.03	10.13	-4.55	11.61	33.00

	EUT				Measur	ement	1	
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	1851.25	25	V	0.28	9.94	-4.46	5.76	33.00
EVDO	1051.25	25	Н	5.46	9.94	-4.46	10.94	33.00
2000	1880.00	600	V	-0.15	10.04	-4.51	5.37	33.00
PCS	1000.00	000	Н	4.37	10.03	-4.51	9.89	33.00
BC1	1908.75 1	1175	V	1.23	10.13	-4.55	6.81	33.00
BCT		1175	Н	5.72	10.13	-4.55	11.30	33.00

The RBW, VBW of SPA for frequency RBW=300KHz, VBW=1MHz **Remark:**



	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
-	1852.4	0262	V	21.75	9.95	-4.46	27.23	33.01
	1002.4	9202	Н	21.25	9.95	-4.46	26.74	33.01
WCDMA B2	1880.0	0400	V	21.85	10.03	-4.51	27.38	33.01
	1000.0	CH 9262 9400 9538	Н	21.78	10.04	-4.51	27.31	33.01
	1907.6	0539	V	19.93	10.12	-4.55	25.51	33.01
	1907.0	9000	Н	21.91	10.12	-4.55	27.48	33.01

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1852.4	9262	V	21.15	9.95	-4.46	26.64	33.01
	1002.4	9202	Н	22.61	9.95	-4.46	28.09	33.01
HSDPA B2	1880.0	9400	V	19.77	10.04	-4.51	25.3	33.01
NSUFA B2	1000.0	9400	Н	21.59	10.03	-4.51	27.11	33.01
	1907.6	9538	V	19.27	10.12	-4.55	24.85	33.01
	1907.0	9000	Н	20.2	10.12	-4.55	25.77	33.01

	EUT				Measur	ement	1	
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1952 /	9262	V	19.13	9.95	-4.46	24.61	33.01
	1852.4	9202	Н	21.12	9.95	-4.46	26.61	33.01
HSUPA B2	1990 0	9400	V	19.64	10.03	-4.51	25.17	33.01
ISUFA DZ	1880.0	9400	Н	20.21	10.03	-4.51	25.74	33.01
	1907.6	9538	V	18.8	10.12	-4.55	24.37	33.01
	1907.0		Н	19.33	10.12	-4.55	24.9	33.01

(1) The RBW,VBW of SPA for frequency RBW= 5MHz , VBW= 8MHz



	EUT				Measur	ement	1	
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.73	9.48	-4.31	25.9	30.00
	1712.4	1312	Н	23.81	9.48	-4.31	28.98	30.00
			V	21.79	9.55	-4.31	27.03	30.00
WCDMA B4	1732.6	1413	Н	23.88	9.55	-4.31	29.12	30.00
			V	21.11	9.62	-4.34	26.4	30.00
	1752.6	1513	Н	23.3	9.62	-4.33	28.59	30.00

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	0.01	9.48	-4.31	26.43	30.00
	1712.4	1312	Н	0.03	9.48	-4.31	27.43	30.00
			V	21.96	9.55	-4.31	27.2	30.00
HSDPA B4	1732.6	1413	Н	22.7	9.55	-4.31	27.94	30.00
	4750.0	1513	V	20.8	9.62	-4.33	26.09	30.00
	1752.6		Н	21.83	9.62	-4.33	27.11	30.00

	EUT				Measur	ement	1	
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.68	9.49	-4.31	26.85	30.00
	1712.4	1312	Н	23.84	9.48	-4.31	29.02	30.00
			V	20.3	9.55	-4.31	25.54	30.00
HSUPA B4	1732.6	1413	Н	23.15	9.55	-4.31	28.4	30.00
			V	20.47	9.62	-4.34	25.75	30.00
	1752.6	1513	Н	0.61	9.62	-4.34	29.23	30.00

(1) The RBW,VBW of SPA for frequency RBW= 5MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

www.tw.sgs.com



	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	826.4	4132	V	21.63	3.3	-2.93	22	38.45
	020.4	4132	Н	21.32	3.3	-2.93	21.69	38.45
	836.6	4183	V	21.36	3.29	-2.97	21.68	38.45
WCDMA B5	030.0	4103	Н	21.93	3.29	-2.96	22.26	38.45
	846.6	4233	V	21.01	3.27	-3	21.29	38.45
	040.0	4200	Н	24.44	3.27	-2.99	24.72	38.45

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	826.4	4132	V	20.23	3.3	-2.93	20.61	38.45
	020.4	4132	Н	20.23	3.3	-2.93	20.61	38.45
	DPA B5 836.6 846.6	4183	V	21.68	3.29	-2.96	22	38.45
ISDFA BS		4103	Н	21.73	3.29	-2.96	22.05	38.45
		4022	V	21.37	3.27	-3	21.64	38.45
		4233	Н	21.42	3.27	-2.99	21.7	38.45

	EUT			Measurement								
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit				
	MHz		V/H	dBm	dBd	dB	dBm	dBm				
	826.4	4132	V	20.31	3.3	-2.93	20.68	38.45				
	826.4	4132	Н	20.23	3.3	-2.93	20.6	38.45				
HSUPA B5	926 6	4183	V	21.12	3.29	-2.96	21.45	38.45				
ISUFA BS	B5 836.6	4105	Н	21.06	3.29	-2.96	21.38	38.45				
	846.6	1000	V	19.99	3.27	-3	20.26	38.45				
	040.0	4233	Н	20.94	3.27	-2.99	21.22	38.45				

 The RBW, VBW of SPA for frequency RBW= 5MHz , VBW= 8N 	(1)
---	-----



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	14.99	9.95	-4.46	20.47	33.01
BAND 2	1850.7	18607	Н	23.4	9.95	-4.46	28.88	33.01
BW: 1.4M	1880.0	18900	V	15.29	10.03	-4.51	20.81	33.01
QPSK	1000.0	10900	Н	23.44	10.03	-4.51	28.97	33.01
RB: 1,0	1909.3	19193	V	14.42	10.12	-4.55	19.99	33.01
	1909.3	19193	Н	21.32	10.12	-4.55	26.89	33.01
			V	15.1	9.95	-4.46	20.59	33.01
BAND 2	1850.7	18607	Н	23.4	9.95	-4.47	28.88	33.01
BW: 1.4M		18900	V	15.4	10.03	-4.51	20.93	33.01
QPSK	1000.0	10900	Н	23.19	10.04	-4.51	28.72	33.01
RB: 1,5	1909.3	19193	V	14.22	10.12	-4.55	19.8	33.01
	1909.5	19190	Н	21.15	10.12	-4.55	26.72	33.01
	4050 7	40007	V	15.25	9.95	-4.46	20.73	33.01
BAND 2	1850.7	18607	Н	23.39	9.95	-4.46	28.87	33.01
BW: 1.4M	1880.0	18900	V	15.42	10.03	-4.51	20.95	33.01
16QAM	1000.0	10300	Н	23.39	10.03	-4.51	28.91	33.01
RB: 1,0	1909.3	19193	V	14.48	10.12	-4.55	20.05	33.01
	1909.0	19190	Н	21.35	10.12	-4.55	26.92	33.01
	4050 7	40007	V	15.22	9.94	-4.46	20.7	33.01
BAND 2	1850.7	18607	Н	23.49	9.95	-4.46	28.97	33.01
BW: 1.4M	1880.0	18900	V	15.51	10.03	-4.51	21.03	33.01
16QAM	1000.0	10300	Н	23.37	10.03	-4.51	28.89	33.01
RB: 1,5	1909.3	19193	V	14.31	10.12	-4.55	19.89	33.01
	1009.0	10100	Н	21.21	10.12	-4.55	26.79	33.01

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	15.16	9.95	-4.46	20.65	33.01
BAND 2	1851.5	18615	Н	23.26	9.95	-4.46	28.74	33.01
BW: 3M	1880.0	18900	V	15.1	10.02	-4.5	20.62	33.01
QPSK	1000.0	10900	Н	23.26	10.03	-4.5	28.79	33.01
RB: 1,0	1908.5	19185	V	14.84	10.12	-4.55	20.41	33.01
	1908.5	19100	Н	21.6	10.11	-4.55	27.17	33.01
			V	14.92	9.94	-4.46	20.4	33.01
BAND 2	1851.5	18615	Н	23.4	9.94	-4.46	28.88	33.01
BW: 3M	1880.0	18900	V	15.18	10.03	-4.51	20.7	33.01
QPSK		10900	Н	23.24	10.03	-4.51	28.76	33.01
RB: 1,14	1908.5	19185	V	14.42	10.12	-4.55	19.99	33.01
	1908.5	19105	Н	21.27	10.12	-4.55	26.84	33.01
	4054.5	10015	V	15.21	9.95	-4.46	20.69	33.01
BAND 2	1851.5	18615	Н	23.29	9.95	-4.46	28.78	33.01
BW: 3M	1880.0	18900	V	15.06	10.02	-4.5	20.58	33.01
16QAM	1000.0	10300	Н	23.27	10.04	-4.51	28.8	33.01
RB: 1,0	1908.5	19185	V	14.82	10.11	-4.55	20.38	33.01
	1900.0	19105	Н	21.7	10.12	-4.55	27.27	33.01
		40045	V	14.86	9.94	-4.46	20.34	33.01
BAND 2	1851.5	18615	Н	23.37	9.94	-4.46	28.85	33.01
BW: 3M	1880.0	18900	V	15.12	10.03	-4.51	20.64	33.01
16QAM RB: 1,14	1000.0	10900	Н	23.13	10.04	-4.51	28.66	33.01
	1908.5	19185	V	14.47	10.12	-4.55	20.04	33.01
	1900.0	19103	Н	21.16	10.12	-4.55	26.74	33.01

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	16.87	9.95	-4.46	22.35	33.01
BAND 2	1852.5	18625	Н	22.98	9.95	-4.46	28.47	33.01
BW: 5M			V	15.68	10.02	-4.5	21.2	33.01
QPSK	1880.0	18900	Н	23.09	10.03	-4.51	28.61	33.01
RB: 1,0			V	15.59	10.11	-4.54	21.16	33.01
	1907.5	19175	Н	22.15	10.11	-4.54	27.71	33.01
			V	16.15	9.95	-4.47	21.64	33.01
BAND 2	1852.5	18625	Н	22.87	9.95	-4.47	28.36	33.01
BW: 5M QPSK	1880.0	40000	V	15.5	10.04	-4.51	21.02	33.01
		18900	Н	22.31	10.04	-4.51	27.83	33.01
RB: 1,24			V	15.21	10.12	-4.55	20.78	33.01
	1907.5	19175	Н	21.63	10.12	-4.55	27.2	33.01
			V	16.5	9.95	-4.46	21.98	33.01
BAND 2	1852.5	18625	Н	22.92	9.95	-4.46	28.4	33.01
BW: 5M	4000.0	40000	V	15.44	10.02	-4.5	20.96	33.01
16QAM	1880.0	18900	Н	23.12	10.02	-4.5	28.64	33.01
RB: 1,0	4007 5	40475	V	15.41	10.11	-4.54	20.97	33.01
	1907.5	19175	Н	22.25	10.11	-4.54	27.82	33.01
	4050 5	10005	V	15.88	9.95	-4.46	21.36	33.01
BAND 2	1852.5	18625	Н	23.02	9.95	-4.47	28.5	33.01
BW: 5M	4000 0	40000	V	15.22	10.04	-4.51	20.75	33.01
16QAM	1880.0	18900	Н	22.52	10.04	-4.51	28.04	33.01
RB: 1,24	4007.5	40475	V	14.87	10.12	-4.55	20.44	33.01
	1907.5	19175	Н	21.73	10.12	-4.55	27.3	33.01

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	16.51	9.95	-4.46	21.99	33.01
BAND 2	1855.0	18650	Н	23.18	9.95	-4.46	28.66	33.01
BW: 10M	4000.0		V	15.47	10.03	-4.5	20.99	33.01
QPSK	1880.0	18900	Н	23.06	10.02	-4.5	28.58	33.01
RB: 1,0	1005.0	40450	V	15.36	10.09	-4.54	20.92	33.01
	1905.0	19150	Н	22.36	10.09	-4.54	27.91	33.01
			V	15.24	9.96	-4.47	20.73	33.01
	1855.0	18650	Н	22.95	9.96	-4.47	28.44	33.01
BAND 2	4000.0	10000	V	15.11	10.04	-4.51	20.64	33.01
BW: 10M QPSK	1880.0	18900	Н	22.32	10.04	-4.51	27.85	33.01
	4005.0	40450	V	14.87	10.12	-4.55	20.45	33.01
RB: 1,49	1905.0	19150	Н	21.86	10.12	-4.55	27.43	33.01
	4055.0	40050	V	16.38	9.95	-4.46	21.86	33.01
BAND 2	1855.0	18650	Н	23.13	9.95	-4.46	28.62	33.01
BW: 10M	1990.0	10000	V	15.48	10.02	-4.5	21	33.01
16QAM	1880.0	18900	Н	23.18	10.02	-4.5	28.7	33.01
RB: 1,0	1005.0	10150	V	15.5	10.1	-4.54	21.06	33.01
	1905.0	19150	Н	22.24	10.09	-4.54	27.8	33.01
	1055.0	40050	V	15.21	9.96	-4.47	20.71	33.01
BAND 2	1855.0	18650	Н	22.96	9.97	-4.47	28.46	33.01
BW: 10M	1000.0	10000	V	15.06	10.04	-4.51	20.59	33.01
16QAM	1880.0	18900	Н	22.25	10.04	-4.51	27.78	33.01
RB: 1,49	1005.0	40450	V	14.87	10.12	-4.55	20.44	33.01
	1905.0	19150	Н	21.73	10.12	-4.55	27.31	33.01

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	16.22	9.95	-4.46	21.7	33.01
BAND 2	1857.5	18675	Н	23.2	9.95	-4.46	28.69	33.01
BW: 15M	(000.0		V	15.91	10.01	-4.5	21.42	33.01
QPSK	1880.0	18900	Н	23.64	10.02	-4.5	29.16	33.01
RB: 1,0	4000 5	40405	V	15.34	10.08	-4.53	20.89	33.01
	1902.5	19125	Н	22.33	10.09	-4.53	27.89	33.01
			V	15.85	9.98	-4.48	21.35	33.01
BAND 2		18675	Н	22.9	9.98	-4.48	28.4	33.01
BW: 15M QPSK	4000.0	40000	V	15.4	10.05	-4.52	20.94	33.01
	1880.0	18900	Н	21.98	10.05	-4.52	27.52	33.01
RB: 1,74	4000 F	40405	V	15.26	10.12	-4.55	20.84	33.01
	1902.5	19125	Н	21.77	10.12	-4.55	27.35	33.01
	4057 5	40075	V	16.39	9.95	-4.46	21.88	33.01
BAND 2	1857.5	18675	Н	22.98	9.95	-4.46	28.46	33.01
BW: 15M	1000.0	10000	V	16.28	10.01	-4.5	21.79	33.01
16QAM	1880.0	18900	Н	23.43	10.02	-4.5	28.94	33.01
RB: 1,0	4000 F	40405	V	15.51	10.08	-4.53	21.06	33.01
	1902.5	19125	Н	22.09	10.09	-4.53	27.64	33.01
	4057 5	40075	V	15.95	9.98	-4.48	21.45	33.01
BAND 2	1857.5	18675	Н	22.99	9.98	-4.48	28.49	33.01
BW: 15M 16QAM RB: 1,74	1000.0	10000	V	15.49	10.05	-4.52	21.02	33.01
	1880.0	18900	Н	22.03	10.05	-4.52	27.57	33.01
	1000 5	10105	V	15.23	10.12	-4.55	20.8	33.01
	1902.5	19125	Н	21.75	10.12	-4.55	27.32	33.01

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	14.56	9.95	-4.46	20.05	33.01
BAND 2	1860.0	18700	Н	22.99	9.94	-4.46	28.47	33.01
BW: 20M			V	15.5	10	-4.49	21.01	33.01
QPSK	1880.0	18900	Н	23.23	10.01	-4.5	28.74	33.01
RB: 1,0			V	15.07	10.07	-4.53	20.61	33.01
	1900.0	19100	Н	21.94	10.07	-4.52	27.48	33.01
			V	15.13	10	-4.49	20.63	33.01
BAND 2	2	18700	Н	22.86	9.99	-4.49	28.36	33.01
BW: 20M QPSK	4000.0	40000	V	15.05	10.06	-4.52	20.59	33.01
	1880.0	18900	Н	21.74	10.06	-4.52	27.27	33.01
RB: 1,99	4000.0		V	15.3	10.12	-4.55	20.87	33.01
	1900.0	19100	Н	21.8	10.12	-4.55	27.37	33.01
	4000.0	40700	V	14.75	9.95	-4.46	20.23	33.01
BAND 2	1860.0	18700	Н	22.88	9.95	-4.46	28.36	33.01
BW: 20M	4000.0	40000	V	15.51	10.01	-4.5	21.03	33.01
16QAM	1880.0	18900	Н	23.3	10.01	-4.5	28.81	33.01
RB: 1,0	1000.0	10100	V	15.25	10.07	-4.52	20.79	33.01
	1900.0	19100	Н	22.01	10.07	-4.53	27.56	33.01
	1960.0	10700	V	15.16	10	-4.49	20.67	33.01
BAND 2 BW: 20M 16QAM RB: 1,99	1860.0	18700	Н	23.11	9.99	-4.49	28.62	33.01
	1000.0	10000	V	15.25	10.06	-4.52	20.78	33.01
	1880.0	18900	Н	21.79	10.06	-4.52	27.32	33.01
	1000.0	10100	V	15.37	10.12	-4.55	20.95	33.01
	1900.0	19100	Н	21.78	10.12	-4.55	27.35	33.01

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	16.57	9.48	-4.31	21.74	30.00
BAND 4	1710.7	19957	Н	22.44	9.48	-4.31	27.61	30.00
BW: 1.4M/	1720 E	20175	V	16.46	9.56	-4.31	21.71	30.00
QPSK	1732.5	20175	Н	22.37	9.55	-4.31	27.61	30.00
RB: 1,0	1754.3	20393	V	17	9.62	-4.34	22.28	30.00
	1754.5	20393	Н	23.15	9.62	-4.34	28.43	30.00
			V	16.85	9.47	-4.31	22.01	30.00
BAND 4	1710.7	19957	Н	22.47	9.47	-4.31	27.64	30.00
BW: 1.4M QPSK	1732.5	20175	V	16.47	9.55	-4.31	21.71	30.00
	1752.5	20175	Н	22.56	9.55	-4.31	27.8	30.00
RB: 1,5	1754.3	20393	V	16.85	9.62	-4.34	22.13	30.00
	1754.5	20393	Н	23.04	9.62	-4.34	28.33	30.00
	4740 7	40057	V	16.55	9.48	-4.31	21.72	30.00
BAND 4	1710.7	19957	Н	22.42	9.48	-4.31	27.59	30.00
BW: 1.4M	1732.5	20175	V	16.62	9.54	-4.31	21.85	30.00
16QAM	1752.5	20175	Н	22.73	9.55	-4.31	27.97	30.00
RB: 1,0	1754.3	20393	V	17.03	9.62	-4.34	22.31	30.00
	1754.5	20000	Н	23.23	9.62	-4.34	28.51	30.00
	4740 7	40057	V	16.88	9.47	-4.31	22.04	30.00
BAND 4 BW: 1.4M 16QAM RB: 1,5	1710.7	19957	Н	22.61	9.47	-4.31	27.78	30.00
	1732.5	20175	V	16.57	9.55	-4.31	21.81	30.00
	17.52.5	20173	Н	22.68	9.55	-4.31	27.91	30.00
	1754.3	20393	V	16.97	9.62	-4.34	22.25	30.00
	1704.0	20030	Н	23.17	9.62	-4.34	28.45	30.00

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	16.99	9.48	-4.31	22.16	30.00
BAND 4	1711.5	19965	Н	22.46	9.48	-4.31	27.63	30.00
BW: 3M	1720 E	20175	V	16.26	9.55	-4.31	21.5	30.00
QPSK	1732.5	20175	Н	22.67	9.54	-4.31	27.9	30.00
RB: 1,0	1753.5	20385	V	17.4	9.61	-4.33	22.68	30.00
	1755.5	20365	Н	23.28	9.61	-4.33	28.56	30.00
			V	17.28	9.48	-4.31	22.45	30.00
BAND 4	1711.5	19965	Н	22.59	9.48	-4.31	27.76	30.00
BW: 3M QPSK	1732.5	20175	V	16.33	9.55	-4.31	21.57	30.00
	1752.5	20175	Н	22.51	9.56	-4.31	27.77	30.00
RB: 1,14	1753.5	20385	V	17.02	9.62	-4.34	22.31	30.00
	1755.5	20303	Н	22.99	9.62	-4.34	28.28	30.00
		40005	V	16.92	9.48	-4.31	22.09	30.00
BAND 4	1711.5	19965	Н	22.41	9.48	-4.31	27.58	30.00
BW: 3M	1732.5	20175	V	16.2	9.54	-4.31	21.43	30.00
16QAM	1752.5	20175	Н	22.59	9.54	-4.31	27.83	30.00
RB: 1,0	1753.5	20385	V	17.36	9.61	-4.33	22.64	30.00
	1733.5	20000	Н	23.35	9.61	-4.33	28.64	30.00
		10005	V	17.4	9.48	-4.31	22.56	30.00
BAND 4	1711.5	19965	Н	22.71	9.49	-4.31	27.89	30.00
BW: 3M 16QAM RB: 1,14	1732.5	20175	V	16.35	9.55	-4.31	21.59	30.00
	17.52.5	20173	Н	12.37	9.56	-4.31	17.62	30.00
	1753.5	20385	V	17.04	9.62	-4.34	22.32	30.00
	1700.0	20000	Н	23.01	9.62	-4.34	28.3	30.00

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	17.3	9.48	-4.31	22.47	30.00
BAND 4	1712.5	19975	Н	22.54	9.48	-4.31	27.71	30.00
BW: 5M	1720 E	20175	V	16.61	9.54	-4.31	21.84	30.00
QPSK	1732.5	20175	Н	22.77	9.54	-4.31	28	30.00
RB: 1,0	1752.5	20375	V	17.65	9.61	-4.33	22.92	30.00
	1752.5	20375	Н	23.31	9.61	-4.33	28.59	30.00
			V	17.55	9.48	-4.31	22.73	30.00
BAND 4	1712.5	19975	Н	22.58	9.49	-4.31	27.76	30.00
BW: 5M QPSK RB: 1,24	1732.5	20175	V	16.33	9.55	-4.31	21.58	30.00
	1732.5	20175	Н	22.42	9.55	-4.31	27.66	30.00
	1752.5	20375	V	17.09	9.62	-4.34	22.37	30.00
	1752.5	20375	Н	22.95	9.62	-4.34	28.23	30.00
	4740 5	40075	V	17.23	9.48	-4.31	22.4	30.00
BAND 4	1712.5	19975	Н	22.49	9.48	-4.31	27.66	30.00
BW: 5M	1732.5	20175	V	16.66	9.54	-4.31	21.89	30.00
16QAM	1732.3	20175	Н	22.75	9.55	-4.31	27.99	30.00
RB: 1,0	1752.5	20375	V	17.4	9.61	-4.33	22.68	30.00
	1702.0	20070	Н	23.17	9.62	-4.33	28.46	30.00
	1710 5	10075	V	17.66	9.49	-4.31	22.84	30.00
BAND 4	1712.5	19975	Н	22.84	9.5	-4.31	28.03	30.00
BW: 5M	BW: 5M 16QAM BB: 1 24	20175	V	16.39	9.57	-4.31	21.65	30.00
16QAM		20175	Н	22.56	9.55	-4.31	27.81	30.00
RB: 1,24		20375	V	17.27	9.62	-4.34	22.56	30.00
	1102.0	20010	Н	23.09	9.62	-4.34	28.37	30.00

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	17.27	9.48	-4.31	22.44	30.00
BAND 4	1715.0	20000	Н	22.45	9.48	-4.31	27.62	30.00
BW: 10M	1732.5	20175	V	16.55	9.54	-4.31	21.79	30.00
QPSK	1732.5	20175	Н	22.65	9.54	-4.31	27.88	30.00
RB: 1,0	1750.0	20350	V	16.82	9.6	-4.33	22.1	30.00
	1750.0	20350	Н	22.65	9.6	-4.32	27.93	30.00
			V	17.73	9.5	-4.31	22.93	30.00
BAND 4	1715.0	20000	Н	22.86	9.5	-4.31	28.05	30.00
BW: 10M QPSK	1732.5	20175	V	16.27	9.56	-4.31	21.52	30.00
	1752.5	20175	Н	22.33	9.56	-4.31	27.58	dBm 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00
RB: 1,49	1750.0	20350	V	17.08	9.62	-4.34	22.36	30.00
	1750.0	20330	Н	23.1	9.62	-4.34	28.39	30.00
	4745.0		V	17.28	9.48	-4.31	22.45	30.00
BAND 4	1715.0	20000	Н	22.48	9.48	-4.31	27.65	30.00
BW: 10M	1732.5	20175	V	16.68	9.54	-4.31	21.91	30.00
16QAM	1752.5	20175	Н	22.79	9.54	-4.31	28.02	30.00
RB: 1,0	1750.0	20350	V	16.89	9.6	-4.33	22.17	30.00
	1730.0	20000	Н	22.7	9.6	-4.33	27.98	30.00
	4745.0	00000	V	17.85	9.5	-4.31	23.04	30.00
BAND 4 BW: 10M 16QAM RB: 1,49	1715.0	20000	Н	23	9.5	-4.31	28.19	30.00
	1732.5	20175	V	16.31	9.56	-4.31	21.57	30.00 30.00
	1702.0	20175	Н	22.23	9.56	-4.31	27.48	30.00
	1750.0	20350	V	17.18	9.62	-4.34	22.47	30.00
	1730.0	20000	Н	23.12	9.62	-4.34	28.41	30.00

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	17.65	9.47	-4.31	22.82	30.00
BAND 4	1717.5	20025	Н	22.56	9.48	-4.31	27.73	30.00
BW: 15M	1720 E	20175	V	17.34	9.53	-4.31	22.56	30.00
QPSK	1732.5	20175	Н	22.9	9.54	-4.31	28.12	30.00
RB: 1,0	1747.5	20325	V	16.6	9.59	-4.32	21.87	30.00
	1747.5	20325	Н	22.42	9.59	-4.32	27.69	30.00
			V	17.45	9.52	-4.31	22.65	30.00
BAND 4	1717.5	20025	Н	22.84	9.52	-4.31	28.05	30.00
BW: 15M QPSK	1732.5	20175	V	16.41	9.57	-4.31	21.67	30.00
	1752.5	20175	Н	22.34	9.57	-4.31	27.6	30.00
RB: 1,74	1747.5	20325	V	17.01	9.62	-4.34	22.29	30.00
	1747.5	20325	Н	23.18	9.62	-4.34	28.46	30.00
		00005	V	17.44	9.48	-4.31	22.61	30.00
BAND 4	1717.5	20025	Н	22.58	9.48	-4.31	27.75	30.00
BW: 15M	1732.5	20175	V	17.27	9.54	-4.31	22.5	30.00
16QAM	1752.5	20175	Н	23.03	9.53	-4.31	28.26	30.00
RB: 1,0	1747.5	20325	V	16.7	9.59	-4.32	21.97	30.00
	1747.5	20020	Н	22.44	9.59	-4.32	27.71	30.00
	4747 5	00005	V	17.49	9.52	-4.31	22.69	30.00
BAND 4 BW: 15M 16QAM RB: 1,74	1717.5	20025	Н	22.94	9.52	-4.31	28.15	30.00
	1732.5	20175	V	16.58	9.57	-4.31	21.84	30.00 30.00 30.00
	17.52.5	20173	Н	22.44	9.57	-4.31	27.7	30.00
	1747.5	20325	V	17.28	9.62	-4.34	22.56	30.00
	1747.5	20020	Н	23.27	9.62	-4.34	28.55	30.00

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	17.74	9.47	-4.31	22.91	30.00
BAND 4	1720.0	20050	Н	22.88	9.47	-4.31	28.05	30.00
BW: 20M	1732.5	20175	V	17.58	9.53	-4.31	22.8	30.00
QPSK	1732.5	20175	Н	23.26	9.53	-4.31	28.48	30.00
RB: 1,0	1745.0	20300	V	16.7	9.56	-4.31	21.95	30.00
	1745.0	20300	Н	22.64	9.56	-4.31	27.89	30.00
	(======		V	16.78	9.53	-4.31	22.01	30.00
BAND 4		20050	Н	22.88	9.54	-4.31	28.11	30.00
BW: 20M QPSK	1732.5	20175	V	16.59	9.58	-4.31	21.86	30.00
	1732.5	20175	Н	22.5	9.58	-4.31	27.76	30.00
RB: 1,99	1745.0	20300	V	17.33	9.62	-4.34	22.62	30.00
	1743.0	20300	Н	23.3	9.62	-4.34	28.58	30.00
	4700.0	20050	V	17.6	9.47	-4.31	22.77	30.00
BAND 4	1720.0	20050	Н	22.83	9.47	-4.31	27.99	30.00
BW: 20M	1732.5	20175	V	17.62	9.52	-4.31	22.83	30.00
16QAM	1702.0	20170	Н	23.18	9.53	-4.31	28.4	30.00
RB: 1,0	1745.0	20300	V	16.71	9.57	-4.31	21.97	30.00
	1740.0	20000	Н	22.54	9.57	-4.31	27.8	30.00
	1700.0	20050	V	16.81	9.54	-4.31	22.04	30.00
BAND 4 BW: 20M 16QAM	1720.0	20050	Н	22.96	9.54	-4.31	28.18	30.00
	1732.5	20175	V	16.78	9.58	-4.31	22.04	30.00
	1102.0		Н	22.53	9.58	-4.31	27.8	30.00
RB: 1,99	1745.0	20300	V	17.6	9.62	-4.34	22.89	30.00
	1740.0	20000	Н	23.35	9.62	-4.34	28.63	30.00

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	19.06	3.3	-2.93	19.43	38.45
BAND 5	824.7	20407	Н	15.77	3.3	-2.93	16.14	38.45
BW: 1.4M	836.5	20525	V	19.56	3.29	-2.96	19.9	38.45
QPSK	030.5	20525	Н	15.76	3.29	-2.96	16.09	38.45
RB: 1,0	848.3	20643	V	19.17	3.27	-3	19.44	38.45
	040.3	20043	Н	16.49	3.27	-3	16.76	38.45
			V	19.14	3.31	-2.92	19.52	38.45
BAND 5	824.7	20407	Н	15.62	3.3	-2.93	15.99	38.45
BW: 1.4M QPSK	836.5	20525	V	19.43	3.29	-2.96	19.76	38.45
	000.0	20323	Н	15.77	3.29	-2.96	16.1	38.45
RB: 1,5	848.3	20643	V	19.2	3.27	-3	19.47	38.45
	040.0	20643	Н	16.5	3.27	-3	16.77	38.45
	0047	00407	V	20.24	3.3	-2.93	20.61	38.45
BAND 5	824.7	20407	Н	16.79	3.3	-2.93	17.17	38.45
BW: 1.4M	836.5	20525	V	20.76	3.29	-2.96	21.09	38.45
16QAM	000.0	20020	Н	16.63	3.29	-2.96	16.97	38.45
RB: 1,0	848.3	20643	V	20.43	3.27	-3	20.7	38.45
	0-0.0	20040	Н	17.18	3.27	-2.99	17.46	38.45
	0047	00407	V	20.14	3.3	-2.93	20.51	38.45
BAND 5 BW: 1.4M 16QAM RB: 1,5	824.7	20407	Н	16.86	3.3	-2.93	17.23	38.45
	836.5	20525	V	20.72	3.29	-2.96	21.05	38.45
	000.0	20020	Н	16.72	3.29	-2.96	ERPLimitdBmdBm19.4338.4516.1438.4516.1438.4516.0938.4519.4438.4519.4438.4519.5238.4519.5238.4515.9938.4516.138.4519.7638.4519.7138.4510.7238.4510.7138.4520.6138.4517.1738.4520.6138.4516.9738.4520.6138.4520.738.4520.738.4520.738.4520.738.4520.5138.4520.5138.4520.5138.4521.0538.45	
	848.3	20643	V	20.44	3.27	-3	20.71	38.45
	0-0.0	20040	Н	17.22	3.27	-3	17.49	38.45

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	18.68	3.3	-2.93	19.05	38.45
BAND 5	825.5	20415	Н	15.67	3.3	-2.93	16.04	38.45
BW: 3M	926 F	20525	V	19.11	3.29	-2.95	19.45	38.45
QPSK	836.5	20525	Н	15.61	3.29	-2.95	15.95	38.45
RB: 1,0	947 5	20625	V	19.15	3.27	-3	19.42	38.45
	847.5	20635	Н	21.89	3.27	-3	22.17	38.45
			V	19.07	3.3	-2.93	19.45	38.45
BAND 5	825.5	20415	Н	15.8	3.3	-2.93	16.17	38.45
BW: 3M QPSK	836.5	20525	V	19.08	3.29	-2.96	19.4	38.45
	830.5	20525	Н	15.77	3.29	-2.96	16.1	38.45
RB: 1,14	847.5	20625	V	19.09	3.27	-3	19.35	38.45
	047.5	20635	Н	21.32	3.27	-3	21.59	38.45
		00445	V	18.99	3.3	-2.93	19.36	38.45
BAND 5	825.5	20415	Н	16.68	3.3	-2.93	17.06	38.45
BW: 3M	836.5	20525	V	19	3.29	-2.96	19.33	38.45
16QAM	030.3	20323	Н	16.05	3.29	-2.96	16.37	38.45
RB: 1,0	847.5	20635	V	20.55	3.27	-3	20.82	38.45
	047.5	20033	Н	22.69	3.27	-3	22.97	38.45
	005 5	00445	V	19.12	3.3	-2.93	19.5	38.45
BAND 5 BW: 3M 16QAM RB: 1,14	825.5	20415	Н	16.34	3.3	-2.93	16.72	38.45
	836.5	20525	V	18.94	3.29	-2.96	19.26	38.45
	000.0	20020	Н	16.34	3.28	-2.97	16.65	dBm dBm .05 38.45 .04 38.45 .45 38.45 .95 38.45 .95 38.45 .42 38.45 .42 38.45 .42 38.45 .45 38.45 .47 38.45 .45 38.45 .45 38.45 .47 38.45 .43 38.45 .45 38.45 .35 38.45 .36 38.45 .36 38.45 .36 38.45 .37 38.45 .37 38.45 .37 38.45 .37 38.45 .37 38.45 .37 38.45 .37 38.45 .37 38.45 .38 38.45 .37 38.45 .38 38.45 .45 .38.45 .45
	847.5	20635	V	19.98	3.27	-3	20.24	5 38.45 4 38.45 5 38.45 5 38.45 2 38.45 7 38.45 7 38.45 7 38.45 7 38.45 7 38.45 7 38.45 1 38.45 5 38.45 6 38.45 6 38.45 6 38.45 7 38.45 6 38.45 7 38.45 7 38.45 6 38.45 7 38.45 7 38.45 7 38.45 7 38.45 7 38.45 7 38.45 7 38.45 7 38.45 7 38.45 7 38.45 3 38.45 3 38.45 3 38.45 3 38.45 6 38.
	0.17.0	20000	Н	21.46	3.27	-3	21.72	38.45

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	17.9	3.3	-2.93	18.27	38.45
BAND 5	826.5	20425	Н	15.54	3.3	-2.93	15.92	38.45
BW: 5M	836.5	20525	V	17.86	3.29	-2.95	18.2	38.45
QPSK	830.5	20525	Н	15.26	3.29	-2.95	15.6	38.45
RB: 1,0	846.5	20625	V	18.42	3.28	-2.98	18.71	38.45
	640.5	20025	Н	15.52	3.28	-2.98	15.81	38.45
		20425	V	17.85	3.3	-2.93	18.22	38.45
BAND 5	826.5	20425	Н	15.41	3.3	-2.93	15.78	38.45
BW: 5M QPSK	836.5	20525	V	17.49	3.29	-2.97	17.81	38.45
	030.5	20323	Н	15.36	3.29	-2.97	15.68	38.45
RB: 1,24	846.5	20625	V	18.4	3.27	-3	18.67	38.45
	040.5	20625	Н	15.22	3.27	-3	15.49	38.45
	000 5	00405	V	19.1	3.3	-2.93	19.48	38.45
BAND 5	826.5	20425	Н	16.49	3.3	-2.93	16.87	38.45
BW: 5M	836.5	20525	V	19.26	3.29	-2.95	19.6	38.45
16QAM	000.0	20020	Н	15.91	3.29	-2.96	16.24	38.45
RB: 1,0	846.5	20625	V	19.6	3.28	-2.98	19.89	38.45
	0+0.0	20025	Н	16.74	3.28	-2.98	17.04	38.45
	000 5	20425	V	19.5	3.3	-2.93	19.87	38.45
BAND 5	BAND 5 826.5 2	20425	Н	15.94	3.3	-2.93	16.31	38.45
BW: 5M 16QAM RB: 1,24	836.5	20525	V	19.33	3.29	-2.97	19.65	38.45
		20525 - 20625 - 20425 - 20525 - 20625 - 20525 - 20625 - 20625 - 20525 - 20525 - 20525 -	Н	16.43	3.29	-2.96	16.76	38.45
	846.5	20625	V	19.93	3.27	-3	20.21	38.45
	070.0	20020	Н	16.72	3.27	-3	16.99	38.45

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	17.59	3.3	-2.93	17.96	38.45
BAND 5	829.0	20450	Н	15.42	3.3	-2.93	15.79	38.45
BW: 10M	836.5	20525	V	17.32	3.29	-2.96	17.66	38.45
QPSK	030.5	20525	Н	13.86	3.3	-2.94	14.21	38.45
RB: 1,0	844.0	20600	V	17.28	3.28	-2.98	17.58	38.45
	044.0	20000	Н	15.46	3.28	-2.98	15.76	38.45
			V	17.36	3.29	-2.95	17.71	38.45
BAND 5	829.0	20450	Н	14.77	3.29	-2.96	15.11	38.45
BW: 10M QPSK	836.5	20525	V	18.06	3.28	-2.98	18.36	38.45
	830.5	20020	Н	15.44	3.28	-2.98	15.73	38.45
RB: 1,49	844.0	20600	V	18.13	3.27	-3	18.41	38.45
	044.0	20600	Н	14.94	3.27	-3	15.21	38.45
	000.0	00450	V	18.99	3.3	-2.93	19.37	38.45
BAND 5	829.0	20450	Н	16.24	3.3	-2.93	16.62	38.45
BW: 10M	836.5	20525	V	19	3.3	-2.94	19.35	38.45
16QAM	000.0	20323	Н	15.91	3.29	-2.95	16.25	38.45
RB: 1,0	844.0	20600	V	18.86	3.28	-2.98	19.16	38.45
	044.0	20000	Н	16.15	3.28	-2.97	16.46	38.45
	222.2	00450	V	18.84	3.29	-2.95	19.18	38.45
BAND 5 BW: 10M 16QAM RB: 1,49	829.0	20450	Н	15.46	3.29	-2.96	15.79	38.45
	836.5	20525	V	18.52	3.28	-2.98	18.81	38.45
	030.3	20020	Н	15.75	3.28	-2.98	dBmdBm17.9638.4515.7938.4517.6638.4517.6638.4514.2138.4515.7638.4515.7638.4515.7138.4515.7138.4515.7338.4515.2138.4515.2138.4516.6238.4519.3538.4516.6238.4519.3538.4516.4638.4519.1638.4519.1638.4519.1838.4515.7938.45	
	844.0	20600	V	19.56	3.27	-3	19.84	38.45
	0-4.0	20000	Н	16.31	3.27	-3	16.57	38.45

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			Ν	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	19.13	10.9	-5.26	24.78	33.01
BAND 7	2502.5	20775	Н	19.38	10.9	-5.25	25.03	33.01
BW: 5M	2525.0	21100	V	19.19	10.94	-5.3	24.83	33.01
QPSK	2535.0	21100	Н	20.01	10.94	-5.3	25.65	33.01
RB: 1,0	2567.5	21425	V	18.63	10.98	-5.34	24.27	33.01
	2567.5	21425	Н	18.64	10.98	-5.34	24.28	33.01
			V	17.9	10.9	-5.26	23.55	33.01
BAND 7	2502.5	20775	Н	18.66	10.9	-5.26	24.31	33.01
BW: 5M QPSK	2535.0	21100	V	18.91	10.95	-5.31	24.54	33.01
	2000.0	21100	Н	19.72	10.95	-5.31	25.36	33.01
RB: 1,24	2567.5	21425	V	18.44	10.99	-5.34	24.09	33.01
	2307.5	21425	Н	18.21	10.99	-5.34	23.85	33.01
	0500.5		V	18.19	10.9	-5.25	23.84	33.01
BAND 7	2502.5	20775	Н	18.64	10.9	-5.25	24.28	33.01
BW: 5M	2535.0	21100	V	19.04	10.94	-5.3	24.68	33.01
16QAM	2000.0	21100	Н	19.92	10.94	-5.3	25.56	33.01
RB: 1,0	2567.5	21425	V	18.63	10.99	-5.34	24.27	33.01
	2307.3	21723	Н	18.76	10.98	-5.34	24.41	33.01
	2502 5	20775	V	17.94	10.9	-5.26	23.58	33.01
BAND 7 BW: 5M 16QAM RB: 1,24	2502.5	20775	Н	18.69	10.9	-5.26	24.33	33.01
	2535.0	21100	V	19.01	10.95	-5.31	24.65	33.01
	2000.0	21100	Н	19.86	10.95	-5.31	25.49	33.01
	2567.5	21425	V	18.53	10.99	-5.34	24.17	33.01
	2007.0	£172J	Н	18.32	10.99	-5.34	23.97	33.01

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	19.35	10.9	-5.25	25	33.01
BAND 7	2505.0	20800	Н	18.95	10.9	-5.25	24.59	33.01
BW: 10M	2535.0	21100	V	18.59	10.94	-5.3	24.23	33.01
QPSK	2555.0	21100	Н	18.82	10.94	-5.29	24.47	33.01
RB: 1,0	2565.0	21400	V	17.01	10.98	-5.34	22.65	33.01
	2303.0	21400	Н	17.66	10.98	-5.34	23.3	33.01
			V	19.04	10.91	-5.26	24.69	33.01
BAND 7	2505.0	20800	Н	19.54	10.91	-5.26	25.19	33.01
BW: 10M QPSK	2535.0	21100	V	17.97	10.95	-5.31	23.6	33.01
	2000.0	21100	Н	19.06	10.95	-5.31	24.69	33.01
RB: 1,49	2565.0	21400	V	16.4	10.99	-5.34	22.05	33.01
	2303.0	21400	Н	17.49	10.99	-5.34	23.14	33.01
	2505.0	20000	V	19.31	10.9	-5.26	24.96	33.01
BAND 7	2505.0	20800	Н	18.99	10.9	-5.26	24.63	33.01
BW: 10M	2535.0	21100	V	18.69	10.94	-5.3	24.33	33.01
16QAM	2000.0	21100	Н	18.83	10.94	-5.3	24.47	33.01
RB: 1,0	2565.0	21400	V	17	10.98	-5.34	22.64	33.01
	2000.0	21700	Н	17.73	10.98	-5.34	23.37	33.01
	2505.0	00000	V	19.04	10.91	-5.26	24.68	33.01
BAND 7 BW: 10M 16QAM RB: 1,49	2505.0	20800	Н	19.47	10.91	-5.26	25.12	33.01
	2535.0	21100	V	17.94	10.95	-5.31	23.57	33.01
	2000.0	21100	Н	19.07	10.95	-5.31	24.71	33.01
	2565.0	21400	V	16.42	10.99	-5.34	22.07	33.01
	2000.0	21400	Н	17.62	10.99	-5.34	23.27	33.01

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2507.5	20025	V	19.41	10.9	-5.26	25.06	33.01
BAND 7	2507.5	20825	Н	19.06	10.9	-5.26	24.71	33.01
BW: 15M	2535.0	21100	V	18.45	10.94	-5.29	24.1	33.01
QPSK	2555.0	21100	Н	18.78	10.94	-5.29	24.43	33.01
RB: 1,0	2562.5	21375	V	17.01	10.97	-5.34	22.64	33.01
	2002.0	21375	Н	18.26	10.97	-5.34	23.89	33.01
	2507.5	20825	V	19.13	10.92	-5.27	24.78	33.01
BAND 7	2307.5	20025	Н	19.56	10.92	-5.27	25.21	33.01
BW: 15M QPSK	2535.0	21100	V	17.99	10.95	-5.32	23.62	33.01
	2000.0	21100	Н	19.17	10.95	-5.32	24.8	33.01
RB: 1,74	2562.5	21375	V	16.29	10.99	-5.34	21.93	33.01
	2302.3	21375	Н	17.46	10.99	-5.34	23.11	33.01
	2507.5	20825	V	19.37	10.9	-5.26	25.02	33.01
BAND 7	2307.3	20025	Н	19.14	10.9	-5.26	24.79	33.01
BW: 15M	2535.0	21100	V	18.58	10.94	-5.29	24.23	33.01
16QAM	2000.0	21100	Н	18.91	10.94	-5.29	24.56	33.01
RB: 1,0	2562.5	21375	V	17.39	10.97	-5.34	23.02	33.01
	2002.0	21070	Н	18.49	10.97	-5.34	24.12	33.01
	2507.5	20825	V	19.31	10.92	-5.27	24.96	33.01
BAND 7 BW: 15M 16QAM RB: 1,74	2007.0	20020	Н	19.65	10.92	-5.27	25.3	33.01
	2535.0	21100	V	18.19	10.95	-5.32	23.83	33.01 33.01
	2000.0	21100	Н	19.25	10.96	-5.32	24.88	33.01
	2562.5	21375	V	16.66	10.99	-5.34	22.31	33.01
	2002.0	21070	Н	17.63	10.99	-5.34	23.28	33.01

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2510.0	20050	V	19.26	10.9	-5.26	24.91	33.01
BAND 7	2510.0	20850	Н	18.98	10.9	-5.26	24.63	33.01
BW: 20M	2535.0	21100	V	18.18	10.93	-5.29	23.82	33.01
QPSK	2555.0	21100	Н	18.54	10.93	-5.29	24.19	33.01
RB: 1,0	2560.0	21350	V	17.6	10.96	-5.33	23.23	33.01
	2300.0	21550	Н	18.63	10.96	-5.33	24.26	33.01
	2510.0	20850	V	18.56	10.92	-5.27	24.21	33.01
BAND 7	2310.0	20050	Н	18.71	10.92	-5.27	24.36	33.01
BW: 20M QPSK	2535.0	21100	V	18.04	10.96	-5.32	23.67	33.01
	2000.0	21100	Н	19	10.96	-5.32	24.63	33.01
RB: 1,99	2560.0	21350	V	16.57	10.99	-5.34	22.21	33.01
	2300.0	21350	Н	17.39	10.99	-5.34	23.04	33.01
	2510.0	20850	V	19.32	10.9	-5.26	24.96	33.01
BAND 7	2310.0	20000	Н	19.04	10.9	-5.26	24.69	33.01
BW: 20M	2535.0	21100	V	18.33	10.94	-5.29	23.97	33.01
16QAM	2000.0	21100	Н	18.69	10.93	-5.29	24.33	33.01
RB: 1,0	2560.0	21350	V	17.85	10.96	-5.33	23.48	33.01
	2000.0	21000	Н	18.85	10.96	-5.33	24.48	33.01
	2510.0	20850	V	18.77	10.92	-5.27	24.42	33.01
BAND 7 BW: 20M 16QAM RB: 1,99	2010.0	20000	Н	18.97	10.92	-5.27	24.62	33.01
	2535.0	21100	V	18.18	10.96	-5.32	23.82	33.01
	2000.0	_ 100	Н	19.24	10.96	-5.32	24.87	33.01
	2560.0	21350	V	16.6	10.99	-5.34	22.25	33.01
	2000.0	- 1000	Н	17.48	10.99	-5.34	23.13	33.01

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	600.7	23017	V	15	3.08	-2.96	15.13	34.77
BAND 12	699.7	23017	Н	13.27	3.08	-2.96	13.4	34.77
BW: 1.4M	707.5	23095	V	15.04	3.09	-3.04	15.1	34.77
QPSK	707.5	23095	Н	14.24	3.09	-3.04	14.29	34.77
RB: 1,0	715.3	23173	V	14.68	3.11	-3.06	14.73	34.77
	715.5	23173	Н	14.49	3.11	-3.06	14.54	34.77
		00047	V	15.51	3.08	-2.96	15.63	34.77
BAND 12	699.7	23017	Н	13.87	3.08	-2.96	13.99	34.77
BW: 1.4M QPSK	707 5	00005	V	14.68	3.09	-3.04	14.73	34.77
	707.5	23095	Н	13.96	3.09	-3.04	14.01	34.77
RB: 1,5	745.0	23173	V	14.08	3.11	-3.06	14.13	34.77
	715.3	23173	Н	14.13	3.11	-3.06	14.18	34.77
	coo 7	00047	V	15.1	3.08	-2.96	15.22	34.77
BAND 12	699.7	23017	Н	13.35	3.08	-2.99	13.44	34.77
BW: 1.4M	707 5	22005	V	15.09	3.09	-3.04	15.14	34.77
16QAM	707.5	23095	Н	14.32	3.09	-3.04	14.38	34.77
RB: 1,0	745.0	00470	V	14.72	3.11	-3.06	14.77	34.77
	715.3	23173	Н	14.66	3.11	-3.06	14.71	34.77
	coo 7	00047	V	15.52	3.08	-2.96	15.65	34.77
BAND 12 BW: 1.4M 16QAM RB: 1,5	699.7	23017	Н	13.86	3.08	-2.96	13.99	34.77
	707 5	22005	V	14.84	3.1	-3.04	14.9	34.77
	707.5	23095	Н	14.04	3.09	-3.04	14.1	34.77
	745 0	00470	V	14.29	3.11	-3.06	14.34	34.77
	715.3	23173	Н	14.3	3.11	-3.06	14.35	34.77

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	700 5	00005	V	14.92	3.08	-2.96	15.05	34.77
BAND 12	700.5	23025	Н	13.24	3.08	-2.96	13.36	34.77
BW: 3M	707.5	23095	V	15.23	3.09	-3.04	15.28	34.77
QPSK	707.5	23095	Н	15.72	3.09	-3.03	15.78	34.77
RB: 1,0	714.5	23165	V	15.15	3.11	-3.06	15.2	34.77
	7 14.5	23105	Н	14.52	3.11	-3.07	14.57	34.77
	700.5	23025	V	15.5	3.08	-2.98	15.6	34.77
BAND 12	700.5	23025	Н	13.99	3.08	-2.98	14.1	34.77
BW: 3M QPSK	707.5	23095	V	14.77	3.1	-3.04	14.83	34.77
	101.5	20090	Н	13.76	3.1	-3.04	13.82	34.77
RB: 1,14	714.5	23165	V	14.41	3.11	-3.06	14.46	34.77
	714.5	20100	Н	13.94	3.11	-3.06	13.98	34.77
	700 5	00005	V	14.87	3.08	-2.96	14.99	34.77
BAND 12	700.5	23025	Н	13.17	3.08	-2.96	13.29	34.77
BW: 3M	707 5	22005	V	15.28	3.09	-3.04	15.34	34.77
16QAM	707.5	23095	Н	14.11	3.09	-3.04	14.17	34.77
RB: 1,0	744 5	00405	V	15.18	3.11	-3.06	15.23	34.77
	714.5	23165	Н	14.54	3.11	-3.07	14.59	34.77
	700 5	22025	V	15.57	3.08	-2.98	15.68	34.77
BAND 12 BW: 3M 16QAM RB: 1,14	700.5	23025	Н	14.07	3.08	-2.98	14.18	34.77
	707 5	22005	V	14.76	3.1	-3.04	14.82	34.77
	707.5	23095	Н	13.8	3.1	-3.04	13.85	34.77
	714 5	22465	V	14.46	3.11	-3.06	14.51	34.77
	714.5	23165	Н	13.99	3.11	-3.06	14.04	34.77

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest evaluated of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of the document is unlawful and offenders may he prosecuted to the fullest evaluat of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	704 5	00005	V	15.01	3.08	-2.96	15.13	34.77
BAND 12	701.5	23035	Н	13.52	3.08	-2.98	13.62	34.77
BW: 5M	707.5	23095	V	14.98	3.1	-3.04	15.04	34.77
QPSK	107.5	23095	Н	14.29	3.09	-3.03	14.35	34.77
RB: 1,0	713.5	23155	V	14.78	3.1	-3.05	14.83	34.77
	715.5	23100	Н	14.16	3.11	-3.06	14.21	34.77
	701.5	23035	V	15.47	3.09	-3.02	15.54	34.77
BAND 12	701.5	23033	Н	14.35	3.09	-3.01	14.42	34.77
BW: 5M QPSK	707.5	23095	V	14.64	3.1	-3.05	14.69	34.77
	101.5	20000	Н	13.89	3.1	-3.05	13.94	34.77
RB: 1,24	713.5	23155	V	14.3	3.11	-3.06	14.34	34.77
	710.0	20100	Н	14.17	3.11	-3.06	14.22	34.77
	701.5	23035	V	14.97	3.08	-2.96	15.09	34.77
BAND 12	701.5	20000	Н	13.47	3.08	-2.99	13.56	34.77
BW: 5M	707.5	23095	V	15.45	3.09	-3.03	15.51	34.77
16QAM	101.0	20000	Н	14.57	3.09	-3.03	14.63	34.77
RB: 1,0	713.5	23155	V	14.86	3.1	-3.05	14.91	34.77
	710.0	20100	Н	14.34	3.11	-3.06	14.39	34.77
	701.5	23035	V	15.76	3.09	-3.02	15.83	34.77
BAND 12 BW: 5M 16QAM RB: 1,24		20000	Н	14.59	3.09	-3.02	14.66	34.77
	707.5	23095	V	14.79	3.1	-3.05	14.84	34.77
	101.0	20000	Н	14.03	3.1	-3.04	14.08	34.77
	713.5	23155	V	14.49	3.11	-3.06	14.54	34.77
	710.0	20100	Н	14.43	3.11	-3.06	14.47	34.77

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	15.05	3.08	-2.96	15.17	34.77
BAND 12	704.0	23060	Н	13.5	3.08	-2.96	13.62	34.77
BW: 10M	202 5	00005	V	15.26	3.09	-3.01	15.34	34.77
QPSK	707.5	23095	Н	14.07	3.08	-3	14.15	34.77
RB: 1,0	711.0	22120	V	14.94	3.09	-3.04	14.99	34.77
	711.0	23130	Н	14.07	3.09	-3.04	14.12	34.77
	704.0	23060	V	14.55	3.1	-3.04	14.6	34.77
BAND 12	AND 12	20000	Н	13.9	3.1	-3.04	13.95	34.77
BW: 10M QPSK	707.5	23095	V	14.52	3.1	-3.05	14.57	34.77
		20000	Н	14.14	3.11	-3.06	14.19	34.77
RB: 1,49	711.0	23130	V	14.25	3.11	-3.06	14.29	34.77
	711.0	20100	Н	14.19	3.11	-3.06	14.23	34.77
	704.0	23060	V	14.96	3.08	-2.96	15.09	34.77
BAND 12	704.0	23060	Н	13.55	3.08	-2.96	13.67	34.77
BW: 10M	707.5	23095	V	15.37	3.08	-3	15.46	34.77
16QAM	707.5	23095	Н	14.24	3.09	-3.01	14.32	34.77
RB: 1,0	711.0	23130	V	14.96	3.09	-3.04	15.01	34.77
	711.0	23130	Н	14.17	3.09	-3.04	14.23	34.77
	704.0	23060	V	14.61	3.1	-3.04	14.67	34.77
BAND 12 BW: 10M 16QAM RB: 1,49			Н	13.9	3.1	-3.04	13.96	34.77
	707.5	23095	V	14.63	3.1	-3.05	14.68	34.77
			Н	14.2	3.11	-3.06	14.25	34.77
	711.0	23130	V	14.36	3.11	-3.06	14.4	34.77
			Н	14.24	3.11	-3.06	14.29	34.77

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

www.tw.sqs.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest evaluated of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of the document is unlawful and offenders may he prosecuted to the fullest evaluat of the law. documents in subdationed examples to reproduce to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



	EUT			Ν	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	13.47	3.27	-2.91	13.83	34.77
BAND 13	779.5	23205	Н	14.22	3.28	-2.91	14.58	34.77
BW: 5M	700.0		V	13.68	3.27	-2.91	14.04	34.77
QPSK	782.0	23230	Н	14.54	3.28	-2.91	14.92	34.77
RB: 1,0	704 5	00055	V	14.12	3.29	-2.91	14.51	34.77
	784.5	23255	Н	15.42	3.29	-2.91	15.80	34.77
			V	13.92	3.28	-2.91	14.29	34.77
BAND 13	779.5	23205	Н	15.09	3.29	-2.91	15.47	34.77
BW: 5M QPSK	700.0		V	14.03	3.29	-2.91	14.41	34.77
	782.0	23230	Н	15.47	3.30	-2.91	15.86	34.77
RB: 1,24			V	14.02	3.30	-2.91	14.41	34.77
	784.5	23255	Н	15.64	3.30	-2.91	16.03	34.77
			V	13.71	3.27	-2.91	14.07	34.77
BAND 13	779.5	23205	Н	14.31	3.28	-2.91	14.67	34.77
BW: 5M	700.0		V	13.76	3.27	-2.91	14.12	34.77
16QAM	782.0	23230	Н	14.69	3.28	-2.91	15.07	34.77
RB: 1,0	704 5	00055	V	14.14	3.29	-2.91	14.53	34.77
	784.5	23255	Н	15.65	3.29	-2.91	16.04	34.77
	770 5	00005	V	14.08	3.28	-2.91	14.45	34.77
BAND 13 BW: 5M 16QAM RB: 1,24	779.5	23205	Н	15.23	3.29	-2.91	15.62	34.77
	700.0	00000	V	14.18	3.29	-2.91	14.56	34.77
	782.0	23230	Н	15.57	3.30	-2.91	15.96	34.77
	704 5	00055	V	14.10	3.30	-2.91	14.49	34.77
	784.5	23255	Н	15.59	3.30	-2.91	15.98	34.77

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest evaluated of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of the document is unlawful and offenders may he prosecuted to the fullest evaluat of the law. documents in subdationed examples to reproduce to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

www.tw.sqs.com



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
BAND 13 BW: 10M			V	14.17	3.27	-2.91	14.53	34.77
QPSK RB: 1,0	782.0	23230	Н	14.40	3.27	-2.91	14.75	34.77
BAND 13 BW: 10M			V	14.00	3.30	-2.91	14.39	34.77
QPSK RB: 1,49	782.0	23230	Н	15.34	3.29	-2.91	15.73	34.77
BAND 13 BW: 10M			V	13.92	3.27	-2.91	14.28	34.77
16QAM RB: 1,0	782.0	23230	Н	14.35	3.28	-2.91	14.72	34.77
BAND 13 BW: 10M	782.0 232		V	14.03	3.29	-2.91	14.41	34.77
16QAM RB: 1,49		23230	Н	15.39	3.30	-2.91	15.78	34.77

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz



	EUT			Ν	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	2207 5	07005	V	17.09	10.72	-5	22.81	34.77
BAND 30	2307.5	27685	Н	17.7	10.72	-5	23.41	34.77
BW: 5M	2310.0	27710	V	16.62	10.72	-5	22.34	34.77
QPSK	2310.0	21110	Н	17.42	10.72	-5	23.13	34.77
RB: 1,0	2312.5	27735	V	16.93	10.72	-5	22.65	34.77
	2312.3	21133	Н	15.94	10.73	-5.01	21.66	34.77
	2307.5	27685	V	17.08	10.72	-5	22.79	34.77
BAND 30	2307.3	27000	Н	16.88	10.72	-5	22.59	34.77
BW: 5M QPSK	2310.0	27710	V	16.83	10.72	-5	22.55	34.77
	2010.0	21110	Н	16.23	10.72	-5	21.95	34.77
RB: 1,24	2312.5	27735	V	16.18	10.72	-5	21.9	34.77
	2012.0	21100	Н	14.96	10.73	-5.01	20.68	34.77
	2307.5	27685	V	16.04	10.72	-5	21.76	34.77
BAND 30	2007.0	27000	Н	17.04	10.72	-5	22.76	34.77
BW: 5M	2310.0	27710	V	15.79	10.72	-5	21.51	34.77
16QAM	2010.0	27710	Н	15.74	10.72	-5	21.46	34.77
RB: 1,0	2312.5	27735	V	15.4	10.72	-5	21.11	34.77
	2012.0	21100	Н	15.36	10.73	-5.01	21.08	34.77
	2307.5	27685	V	16.07	10.72	-5	21.79	34.77
BAND 30 BW: 5M 16QAM RB: 1,24	2007.0	2,000	Н	17	10.72	-5	22.72	34.77
	2310.0	27710	V	16.86	10.72	-5	22.57	dBm 34.77
			Н	15.52	10.72	-5	21.23	34.77
	2312.5 27	27735	V	15.68	10.72	-5	21.4	34.77
			Н	15.32	10.73	-5.01	21.04	34.77

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest evaluated of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of the document is unlawful and offenders may he prosecuted to the fullest evaluat of the law. documents in subdationed examples to reproduce to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
BAND 30				16.92	10.72	-5	22.64	34.77
BW: 10M	2310.0	27710	V	10.92	10.72	-0	22.04	54.77
QPSK		21110	Н	15.77	10.73	-5.01	21.49	34.77
RB: 1,0						0.01		• … ·
BAND 30			V	16.83	10.72	-5	22.55	34.77
BW: 10M	2310.0	27710	v			•		•
QPSK	2010.0	21110	Н	15.99	10.73	-5.01	21.71	34.77
RB: 1,49				10.00	10.70	0.01	2	01111
BAND 30			V	16.14	10.72	-5	21.86	34.77
BW: 10M	2310.0	27710	V	10.14	10.72	0	21.00	04.77
16QAM	2010.0	21110	Н	15.72	10.73	-5.01	21.44	34.77
RB: 1,0				10.72	10.70	0.01	21.11	01.77
BAND 30				16.26	10.72	-5	21.98	34.77
BW: 10M	2310.0 2	27710	V	10.20	10.72	-0	21.30	57.77
16QAM		21110	Н	15.96	10.73	-5.01	21.68	34.77
RB: 1,49				10.00	10.75	-0.01	21.00	57.77

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest evaluated of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of the document is unlawful and offenders may he prosecuted to the fullest evaluat of the law.

document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




8. OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2. Test Set-up



8.3. Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about $1\% \sim 5\%$ of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= $1\% \sim 5\%$, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非 是 去 投租, 正 起土 社里 做到 强之 找 只 备 表 , 同 或正 找 只 做 在 网络 (网络) 本 報 生 去 领 太 闪 灵 五 选 可 , 云 可 如 必 道 划 。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



8.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
ТҮРЕ		NUMBER	NUMBER	CAL.					
Power Meter	Anritsu	ML2495A	1005007	12/09/2015	12/08/2016				
Power Sensor	Anritsu	MA2411B	917032	12/09/2015	12/08/2016				
EXA Spectrum									
Analyzer	Agilent	N9030A	MY53120760	2016/2/26	2017/2/25				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017				
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017				
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017				
DC Power Supply	Agilent	E3640A	MY52410006	11/05/2015	11/04/2016				
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2015	05/16/2016				
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017				
Radio Communication Analyer	Anritsu	MT8820C	6201465317	12/10/2015	12/09/2016				



Conduc	Conducted Emission (measured at antenna port) Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
ТҮРЕ		NUMBER	NUMBER	CAL.						
Power Meter	Anritsu	ML2495A	1005007	12/08/2016	12/07/2017					
Power Sensor	Anritsu	MA2411B	917032	12/08/2016	12/07/2017					
DC Block	Mini-Circuits	BLK-18-S+	1	01/01/2017	12/31/2017					
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2		12/31/2017					
Attenuator	Mini-Circuit	BW-S10W2+	2	01/01/2017	12/31/2017					
Splitter	Agilent	11636B	N/A	01/01/2017	12/31/2017					
DC Power Supply	Agilent	E3640A	MY52410006	11/04/2016	11/03/2017					
Temperature Chamber	TERCHY	MHG-120LF	911009	05/05/2016	05/04/2017					
Radio Communication Analyer	Anritsu	MT8820C	6201465317	12/09/2016	12/08/2017					

Note: The measurement was taken place with the long duration of the time, and additional equipment list as shown above indicate those equipment of which has been subject to undertake the calibration in intermediate period of time of the measurement.



8.5. Measurement Result

99% Bandwidth

Frequency	СН	99% Band- width (KHz)	99% Bandwidth (KHz)	99% Bandwidth (KHz)
(MHz)		GSM 850	GPRS 850	EDGE 850
824.20	128	243.28	243.49	247.10
836.60	190	245.81	241.96	246.81
848.80	251	247.48	244.27	244.01

Frequency (MHz)	СН	99% Band- width (KHz)	99% Bandwidth (KHz)	99% Bandwidth (KHz)	
(10172)		GSM 1900	GPRS 1900	EDGE 1900	
1850.20	512	247.69	240.81	239.47	
1880.00	661	244.26	240.66	247.19	
1909.80	810	244.82	241.44	240.51	

Frequency (MHz)	СН	99% Band- width (MHz)	99% Band- width (MHz)	
(10112)		CDMA BC0	EVDO BC0	
824.70	1013	1.2718	1.2710	
836.52	384	1.2707	1.2712	
848.31	777	1.2789	1.2729	

Frequency (MHz)	СН	99% Band- width (MHz) CDMA BC1	99% Band- width (MHz) EVDO BC1
1851.25	25	1.2766	1.2706
1880.00	600	1.2812	1.2790
1908.75	1175	1.2821	1.2729



Frequency	СН	99% Band- width (MHz)	99% Bandwidth (MHz)	99% Bandwidth (MHz)	
(MHz)		WCDMA II	HSDPA II	HSUPA II	
1850.20	9262	4.1636	4.1377	4.1434	
1880.00	9400	4.1430	4.1437	4.1485	
1909.80	9538	4.1381	4.1431	4.1435	

Frequency	СН	99% Band- width (MHz)	99% Bandwidth (MHz)	99% Bandwidth (MHz)	
(MHz)		WCDMA IV	HSDPA IV	HSUPA IV	
1852.4	9262	4.1356	4.1523	4.1259	
1880.0	9400	4.1351	4.1302	4.1301	
1907.6	9538	4.1405	4.1325	4.1362	

Frequency	СН	99% Band- width (MHz)	99% Bandwidth (MHz)	99% Bandwidth (MHz)	
(MHz)		WCDMA V	HSDPA V	HSUPA V	
826.40	4132	4.1307	4.1367	4.1290	
836.60	4183	4.1246	4.1275	4.1321	
846.60	4233	4.1147	4.1227	4.1222	



	LTE BAND 2								
Channel bandwidth: 1.4MHz			Channel bandwidth: 3MHz						
Frequency			99% Bandwidth (MHz)	99% Bandwidth (MHz)					
(MHZ)	(MHz)	QPSK	16QAM	(MHz)		QPSK	16QAM		
1850.7	18607	1.0994	1.0999	1851.5	18615	2.7139	2.7089		
1880.0	18900	1.0996	1.0956	1880.0	18900	2.7115	2.6962		
1909.3	19193	1.0936	1.0989	1908.5	19185	2.7079	2.7019		

LTE BAND 2								
Channel bandwidth: 5MHz			Channel bandwidth: 10MHz					
Frequency (MU-) CH		99% Bandwidth (MHz)	99% Bandwidth (MHz)	Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)	
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM	
1852.5	18625	4.4964	4.5048	1855.0	18650	8.9686	8.9300	
1880.0	18900	4.4967	4.5189	1880.0	18900	8.9872	8.9554	
1907.5	19175	4.4898	4.5039	1905.0	19150	8.9704	8.9513	

LTE BAND 2								
Channel bandwidth: 15MHz			Channel bandwidth: 20MHz					
Frequency CH		99% Bandwidth (MHz)	99% Bandwidth (MHz)	Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)	
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM	
1857.5	18675	13.4347	13.4456	1860.0	18700	17.8881	17.9046	
1880.0	18900	13.4463	13.4118	1880.0	18900	17.9353	17.9376	
1902.5	19125	13.4571	13.4982	1900.0	19100	17.9380	17.9534	



	LTE BAND 4										
Char	ndwidth: 1.4	i MHz	Channel bandwidth: 3MHz								
Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)	Frequency	СН	99% Bandwidth (MHz) (MHz)					
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM				
1710.7	19957	1.1023	1.1020	1711.5	19965	2.7153	2.7038				
1732.5	20175	1.0989	1.0988	1732.5	20175	2.7086	2.7058				
1754.3	20393	1.1007	1.1027	1753.5	20385	2.7065	2.7018				

	LTE BAND 4									
Cha	andwidth: 5	MHz	Channel bandwidth: 10MHz							
Frequency			Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)				
(MHz)		QPSK	16QAM	QAM (MHz)		QPSK	16QAM			
1712.5	19957	4.5112	4.4977	1715.0	20000	8.9944	8.9808			
1732.5	20175	4.5024	4.4971	1732.5	20175	8.9568	8.9613			
1752.5	20375	4.4970	4.5052	1750.0	20350	8.9944	9.0170			

	LTE BAND 4									
Char	ndwidth: 15	MHz	Cha	nnel ba	ndwidth: 20	MHz				
Frequency		99% Bandwidth (MHz)	99% Bandwidth (MHz)	Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)			
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM			
1717.5	20025	13.5117	13.5077	1720.0	20050	17.9888	17.9289			
1732.5	20175	13.4179	13.4141	1732.5	20175	17.8344	17.8747			
1747.5	20325	13.4745	13.4776	1745.0	20300	17.9501	17.9506			



	LTE BAND 5									
Char	ndwidth: 1.4	łMHz	Cha	nnel ba	ndwidth: 3	MHz				
Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)	Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)			
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM			
824.7	20407	1.1002	1.0994	825.5	20415	2.7078	2.7112			
836.5	20525	1.0939	1.0950	836.5	20525	2.7158	2.7111			
848.3	20643	1.0929	1.0968	847.5	20635	2.7068	2.7082			

	LTE BAND 5									
Cha	andwidth: 5	MHz	Channel bandwidth: 10MHz							
Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)	Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)			
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM			
826.5	20425	4.5125	4.5011	829.0	20450	8.9899	8.9821			
836.5	20525	4.4976	4.4957	836.5	20525	8.9431	8.9630			
846.5	20625	4.5044	4.4890	844.0	20600	8.9701	8.9824			



	LTE BAND 7										
Cha	andwidth: 5	MHz	Cha	nnel ba	ndwidth: 10	MHz					
Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)	Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)				
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM				
2502.5	20775	4.5000	4.5082	2505.0	20800	8.9604	8.9483				
2535.0	21100	4.4938	4.4908	2535.0	21100	8.9937	8.9692				
2567.5	21425	4.5003	4.5181	2565.0	21400	8.9752	8.9691				

	LTE BAND 7										
Chai	ndwidth: 15	MHz	Cha	nnel ba	ndwidth: 20	MHz					
Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)	Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)				
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM				
2507.5	20825	13.4238	13.4449	2510.0	20850	17.8941	17.9104				
2535.0	21100	13.4715	13.4912	2535.0	21100	17.9246	17.9530				
2562.5	21375	13.4951	13.4608	2560.0	21350	17.9115	17.9478				



	LTE BAND 12										
Char	ndwidth: 1.4	i MHz	Cha	nnel ba	ndwidth: 3	MHz					
Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)	Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)				
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM				
699.7	23017	1.0899	1.0941	700.5	23025	2.6983	2.7002				
707.5	23095	1.0933	1.0909	707.5	23095	2.7093	2.7118				
715.3	23173	1.0977	1.0937	714.5	23165	2.7038	2.7133				

	LTE BAND 12									
Cha	andwidth: 5	MHz	Cha	nnel ba	ndwidth: 10	MHz				
Frequency CH		99% Bandwidth (MHz)	99% Bandwidth (MHz)	Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)			
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM			
701.5	23035	4.4802	4.4857	704.0	23060	8.9956	8.9803			
707.5	23095	4.4994	4.5055	707.5	23095	9.0212	9.0052			
713.5	23155	4.5002	4.5032	711.0	23130	8.8985	8.8919			



	LTE BAND 13									
Channel bandwidth: 5MHz				Cha	nnel ba	ndwidth: 10	MHz			
Frequency			СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)					
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM			
779.5	23205	4.4899	4.4912							
782.0	23230	4.4772	4.4872	782.0	23230	8.9560	8.9317			
784.5	23255	4.4958	4.4963							

	LTE BAND 30									
Cha	andwidth: 5	MHz	Channel bandwidth: 10MHz							
Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)	Frequency	СН	99% Bandwidth (MHz)	99% Bandwidth (MHz)			
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM			
2307.5	27685	4.4884	4.4904							
2310.0	27710	4.5061	4.4926	2310.0	27710	8.9659	8.9380			
2312.5	27735	4.5049	4.4960							



26dB Bandwidth

Frequency	СН	26dB Band- width (KHz)	26dB Band- width (KHz)	26dB Band- width (KHz)
(MHz)		GSM 850	GPRS 850	EDGE 850
824.20	128	315.1	311.3	316.8
836.60	190	313.5	308.3	314.9
848.80	251	316.0	320.7	314.9

Frequency (MHz)	СН	26dB Band- width (KHz) GSM 1900	26dB Band- width (KHz) GPRS 1900	26dB Band- width (KHz) EDGE 1900
1850.20	512	322.3	319.1	311.6
1880.00	661	315.7	309.9	321.8
1909.80	810	315.0	311.0	313.3

Frequency	СН	26dB Band- width (MHz)	26dB Band- width (MHz)
(MHz)		CDMA BC0	EVDO BC0
824.70	1013	1.412	1.406
836.52	384	1.410	1.412
848.31	777	1.413	1.411

Frequency (MHz)	СН	26dB Band- width (MHz) CDMA BC1	26dB Band- width (MHz) EVDO BC1
4054.05	05		
1851.25	25	1.435	1.418
1880.00	600	1.426	1.423
1908.75	1175	1.435	1.422



Frequency	СН	26dB Band- width (MHz)	26dB Band- width (MHz)	26dB Band- width (MHz)
(MHz)		WCDMA II	HSDPA II	HSUPA II
1850.20	9262	4.728	4.703	4.709
1880.00	9400	4.721	4.718	4.696
1909.80	9538	4.710	4.689	4.712

Frequency	СН	26dB Band- width (MHz)	26dB Band- width (MHz)	26dB Band- width (MHz)
(MHz)		WCDMA IV	HSDPA IV	HSUPA IV
1852.4	9262	4.726	4.693	4.702
1880.0	9400	4.700	4.705	4.668
1907.6	9538	4.682	4.690	4.700

Frequency	СН	26dB Band- width (MHz)	26dB Band- width (MHz)	26dB Band- width (MHz)
(MHz)		WCDMA V	HSDPA V	HSUPA V
826.40	4132	4.657	4.716	4.671
836.60	4183	4.673	4.684	4.684
846.60	4233	4.664	4.672	4.663



	LTE BAND 2											
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz								
Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)					
(MHz)	••••	QPSK	16QAM	(MHz)		QPSK	16QAM					
1850.7	18607	1.429	1.444	1851.5	18615	3.121	3.052					
1880.0	18900	1.423	1.262	1880.0	18900	3.046	3.028					
1909.3	19193	1.289	1.293	1908.5	19185	2.998	3.041					

	LTE BAND 2											
Cha	nnel ba	andwidth: 5	MHz	Channel bandwidth: 10MHz								
Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)					
(MHz)	_	QPSK	16QAM	(MHz)		QPSK	16QAM					
1852.5	18625	4.980	4. 961	1855.0	18650	9.752	9.699					
1880.0	18900	4.963	4.747	1880.0	18900	9.635	9.641					
1907.5	19175	4.885	4.906	1905.0	19150	9.762	9.707					

	LTE BAND 2										
Chai	nnel ba	ndwidth: 15	MHz	Channel bandwidth: 20MHz							
Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)				
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM				
1857.5	18675	14.624	14.683	1860.0	18700	19.212	19.341				
1880.0	18900	14.507	14.573	1880.0	18900	19.351	19.286				
1902.5	19125	14.726	14.647	1900.0	19100	19.348	19.293				



	LTE BAND 4											
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz								
Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)					
(MHz)	••••	QPSK	16QAM	(MHz)		QPSK	16QAM					
1710.7	19957	1.317	1.429	1711.5	19965	3.033	3.013					
1732.5	20175	1.253	1.235	1732.5	20175	2.983	2.993					
1754.3	20393	1.393	1.440	1753.5	20385	2.997	2.998					

			LTE B	AND 4			
Cha	nnel ba	andwidth: 5	MHz	Channel bandwidth: 10MHz			
Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM
1712.5	19957	4.960	4.941	1715.0	20000	9.787	9.765
1732.5	20175	4.932	4.956	1732.5	20175	9.678	9.772
1752.5	20375	4.944	4.976	1750.0	20350	9.630	9.826

	LTE BAND 4										
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz							
Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)				
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM				
1717.5	20025	14.726	14.683	1720.0	20050	19.505	19.482				
1732.5	20175	14.482	14.583	1732.5	20175	19.218	19.340				
1747.5	20325	14.534	14.560	1745.0	20300	19.304	19.404				



	LTE BAND 5											
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz								
Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)					
(MHz)	•	QPSK	16QAM	(MHz)		QPSK	16QAM					
824.7	20407	1.259	1.249	825.5	20415	3.004	3.014					
836.5	20525	1.235	1.243	836.5	20525	2.997	2.983					
848.3	20643	1.260	1.245	847.5	20635	3.029	3.004					

	LTE BAND 5											
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz								
Frequency (MHz)	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)					
		QPSK	16QAM	(MHz)		QPSK	16QAM					
826.5	20425	5.002	4.920	829.0	20450	9.764	9.736					
836.5	20525	4.949	4.910	836.5	20525	9.727	9.654					
846.5	20625	4.983	4.882	844.0	20600	9.672	9.675					

	LTE BAND 7										
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz							
Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)				
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM				
2502.5	20775	4.974	4.938	2505.0	20800	9.780	9.708				
2535.0	21100	5.035	4.959	2535.0	21100	9.760	9.624				
2567.5	21425	4.932	4.942	2565.0	21400	9.716	9.723				



LTE BAND 7								
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz				
Frequency (MHz)	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency (MHz)	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	
		QPSK	16QAM			QPSK	16QAM	
2507.5	20825	14.583	14.819	2510.0	20850	19.314	19.453	
2535.0	21100	14.678	14.384	2535.0	21100	19.408	19.146	
2562.5	21375	14.622	14.588	2560.0	21350	19.075	19.349	

LTE BAND 12									
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz					
Frequency (MHz)	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)		
		QPSK	16QAM	(MHz)		QPSK	16QAM		
699.7	23017	1.238	1.231	700.5	23025	3.027	2.988		
707.5	23095	1.238	1.228	707.5	23095	2.982	2.941		
715.3	23173	1.227	1.238	714.5	23165	2.998	2.978		

LTE BAND 12								
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz				
Frequency (MHz)	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	
		QPSK	16QAM	(MHz)		QPSK	16QAM	
701.5	23035	4.939	4.930	704.0	23060	9.820	9.763	
707.5	23095	4.873	4.915	707.5	23095	9.615	9.742	
713.5	23155	4.927	4.935	711.0	23130	9.621	9.596	




LTE BAND 13								
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz				
Frequency (MHz)	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency (MHz)	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	
		QPSK	16QAM			QPSK	16QAM	
779.5	23205	4.963	4.959	782.0	23230	9.786		
782.0	23230	4.954	4.916				9.758	
784.5	23255	4.991	4.975					

LTE BAND 30								
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz				
Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	Frequency	СН	26dB Bandwidth (MHz)	26dB Bandwidth (MHz)	
(MHz)		QPSK	16QAM	(MHz)		QPSK	16QAM	
2307.5	27685	4.959	4.921	2310.0	27710			
2310.0	27710	4.957	4.943			9.776	9.711	
2312.5	27735	4.954	4.961					




99% & 26dB Bandwidth Test Data



GSM 850 Channel Low


GSM 850 Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu documents in subdationed examples to reproduce to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



GSM 850 Channel High




GSM 1900 Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much presented to the fullent of the low. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The company represented to the fullent of the fullent of the low. document is unlawful and offenders may be prosecuted to the fullest extent of the law



GSM 1900 Channel Mid




GSM 1900 Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much presented to the fullent of the low. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The company represented to the fullent of the fullent of the low. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



GPRS 850 Channel Low




GPRS 850 Channel Mid







GPRS 850 Channel High



GPRS 1900 Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much presented to the fullent of the low. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The company represented to the fullent of the fullent of the low. document is unlawful and offenders may be prosecuted to the fullest extent of the law






GPRS 1900 Channel Mid




GPRS 1900 Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much presented to the fullent of the low. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The company represented to the fullent of the fullent of the low. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



EDGE 850 Channel Low




EDGE 850 Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much presented to the fullent of the low. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The company represented to the fullent of the fullent of the low. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



EDGE 850 Channel High




EDGE 1900 Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much presented to the fullent of the low. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The company represented to the fullent of the fullent of the low. document is unlawful and offenders may be prosecuted to the fullest extent of the law



EDGE 1900 Channel Mid




EDGE 1900 Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much presented to the fullent of the low. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The company represented to the fullent of the fullent of the low. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



CDMA BC0 Channel Low




CDMA BC0 Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much presented to the fullent of the low. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The company represented to the fullent of the fullent of the low. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



CDMA BC0 Channel High




EVDO BC0 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.



EVDO BC0 Channel Mid




EVDO BC0 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.



CDMA BC1 Channel Low




CDMA BC1 Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.



CDMA BC1 Channel High



EVDO BC1 Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much presented to the fullent of the low. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The company represented to the fullent of the fullent of the low. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



EVDO BC1 Channel Mid




EVDO BC1 Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much presented to the fullent of the low. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The company represented to the fullent of the fullent of the low. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



WCDMA II Channel Low




WCDMA II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.



WCDMA II Channel High




WCDMA IV Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.



WCDMA IV Channel Mid




WCDMA IV Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.



WCDMA V Channel Low




WCDMA V Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.



WCDMA V Channel High




HSDPA II Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much presented to the fullent of the low. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The company represented to the fullent of the fullent of the low. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



HSDPA II Channel Mid




HSDPA II Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.



HSDPA IV Channel Low




HSDPA IV Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.



HSDPA IV Channel High




HSDPA V Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.



HSDPA V Channel Mid




HSDPA V Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.




HSUPA II Channel Low



HSUPA II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.






HSUPA II Channel High




HSUPA IV Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.



HSUPA IV Channel Mid




HSUPA IV Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.



HSUPA V Channel Low




HSUPA V Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unpartiell unpartiell and officiation of the full of the full of the full of the full on the full of the fu document is unlawful and offenders may be prosecuted to the fullest extent of the law.



HSUPA V Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest evaluated of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of the document is unlawful and offenders may he prosecuted to the fullest evaluat of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.




1.4MHz BW LTE-Band 2(QPSK RB Number: 6 Offset: 0) Channel Low

1.4MHz BW LTE-Band 2(QPSK RB Number: 6 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document more the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the context of the limits of the context or appearance of this documents. This document with the fulles to t document is unlawful and offenders may be prosecuted to the fullest extent of the law






1.4MHz BW LTE-Band 2(QPSK RB Number: 6 Offset: 0) Channel High

1.4MHz BW LTE-Band 2(16QAM RB Number: 6 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






1.4MHz BW LTE-Band 2(16QAM RB Number: 6 Offset: 0) Channel Mid

1.4MHz BW LTE-Band 2(16QAM RB Number: 6 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






3MHz BW LTE-Band 2(QPSK RB Number: 15 Offset: 0) Channel Low

3MHz BW LTE-Band 2(QPSK RB Number: 15 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





3MHz BW LTE-Band 2(QPSK RB Number: 15 Offset: 0) Channel High

3MHz BW LTE-Band 2(16QAM RB Number: 15 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relation of the dig an piecy are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source state and source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and source stated and source sample(s) are relative to a source stated and source sample(s) are relative to a source state and source sample(s) are relative to a source source and the source source are relative to a transaction from exercising all their rights and obligations under the transaction documents. This document may be concerned to the fully written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to under the fully are related to the fully or the source source source are relative to the fully and the fully are relative to the fully and the fully are relative. document is unlawful and offenders may be prosecuted to the fullest extent of the law


www.tw.sgs.com






3MHz BW LTE-Band 2(16QAM RB Number: 15 Offset: 0) Channel Mid

3MHz BW LTE-Band 2(16QAM RB Number: 15 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




5MHz BW LTE-Band 2(QPSK RB Number: 25 Offset: 0) Channel Low

5MHz BW LTE-Band 2(QPSK RB Number: 25 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅針測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. This document are not be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. document is unlawful and offenders may be prosecuted to the fullest extent of the law





5MHz BW LTE-Band 2(QPSK RB Number: 25 Offset: 0) Channel High

5MHz BW LTE-Band 2(16QAM RB Number: 25 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relation of the dig an piecy are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source state and source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and source stated and source sample(s) are relative to a source stated and source sample(s) are relative to a source state and source sample(s) are relative to a source source and the source source are relative to a transaction from exercising all their rights and obligations under the transaction documents. This document may be concerned to the fully written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to under the fully are related to the fully or the source source source are relative to the fully and the fully are relative to the fully and the fully are relative. document is unlawful and offenders may be prosecuted to the fullest extent of the law


www.tw.sgs.com






5MHz BW LTE-Band 2(16QAM RB Number: 25 Offset: 0) Channel Mid

5MHz BW LTE-Band 2(16QAM RB Number: 25 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






10MHz BW LTE-Band 2(QPSK RB Number: 50 Offset: 0) Channel Low

10MHz BW LTE-Band 2(QPSK RB Number: 50 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






10MHz BW LTE-Band 2 (QPSK RB Number: 50 Offset: 0) Channel High

10MHz BW LTE-Band 2(16QAM RB Number: 50 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






10MHz BW LTE-Band 2(16QAM RB Number: 50 Offset: 0) Channel Mid

10MHz BW LTE-Band 2(16QAM RB Number: 50 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




15MHz BW LTE-Band 2(QPSK RB Number: 75 Offset: 0) Channel Low

15MHz BW LTE-Band 2(QPSK RB Number: 75 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






15MHz BW LTE-Band 2(QPSK RB Number: 75 Offset: 0) Channel High

15MHz BW LTE-Band 2(16QAM RB Number: 75 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






15MHz BW LTE-Band 2(16QAM RB Number: 75 Offset: 0) Channel Mid

15MHz BW LTE-Band 2(16QAM RB Number: 75 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






20MHz BW LTE-Band 2(QPSK RB Number: 100 Offset: 0) Channel Low

20MHz BW LTE-Band 2(QPSK RB Number: 100 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





20MHz BW LTE-Band 2(QPSK RB Number: 100 Offset: 0) Channel High

20MHz BW LTE-Band 2(16QAM RB Number: 100 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relation of the dig an piecy are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source state and source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and source stated and source sample(s) are relative to a source stated and source sample(s) are relative to a source state and source sample(s) are relative to a source source and the source source are relative to a transaction from exercising all their rights and obligations under the transaction documents. This document may be concerned to the fully written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to under the fully are related to the fully or the source source source are relative to the fully and the fully are relative to the fully and the fully are relative. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


www.tw.sgs.com






20MHz BW LTE-Band 2(16QAM RB Number: 100 Offset: 0) Channel Mid

20MHz BW LTE-Band 2(16QAM RB Number: 100 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅針測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. This document are not be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




1.4MHz BW LTE-Band 4(QPSK RB Number: 6 Offset: 0) Channel Low

1.4MHz BW LTE-Band 4(QPSK RB Number: 6 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



1.4MHz BW LTE-Band 4(QPSK RB Number: 6 Offset: 0) Channel High

1.4MHz BW LTE-Band 4(16QAM RB Number: 6 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




1.4MHz BW LTE-Band 4(16QAM RB Number: 6 Offset: 0) Channel Mid

1.4MHz BW LTE-Band 4(16QAM RB Number: 6 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






3MHz BW LTE-Band 4(QPSK RB Number: 15 Offset: 0) Channel Low

3MHz BW LTE-Band 4(QPSK RB Number: 15 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




3MHz BW LTE-Band 4(QPSK RB Number: 15 Offset: 0) Channel High

3MHz BW LTE-Band 4(16QAM RB Number: 15 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





3MHz BW LTE-Band 4(16QAM RB Number: 15 Offset: 0) Channel Mid

3MHz BW LTE-Band 4(16QAM RB Number: 15 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relation of the dig an piecy are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source state and source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and source stated and source sample(s) are relative to a source stated and source sample(s) are relative to a source state and source sample(s) are relative to a source source and the source source are relative to a transaction from exercising all their rights and obligations under the transaction documents. This document may be concerned to the fully written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to under the fully are related to the fully or the source source source are relative to the fully and the fully are relative to the fully and the fully are relative. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com






5MHz BW LTE-Band 4(QPSK RB Number: 25 Offset: 0) Channel Low


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅針測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. This document are not be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





5MHz BW LTE-Band 4(QPSK RB Number: 25 Offset: 0) Channel High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅針測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. This document are not be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



5MHz BW LTE-Band 4(16QAM RB Number: 25 Offset: 0) Channel Mid

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

8.566 kHz

4.976 MHz


Copyright 2000-2010 Agilent Technologies

Transmit Freq Error

x dB Bandwidth

Unless otherwise stated the results shown in this test report relation of the dig an piecy are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source state and source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and source stated and source sample(s) are relative to a source stated and source sample(s) are relative to a source state and source sample(s) are relative to a source source and the source source are relative to a transaction from exercising all their rights and obligations under the transaction documents. This document may be concerned to the fully written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to under the fully are related to the fully or the source source source are relative to the fully and the fully are relative to the fully and the fully are relative. document is unlawful and offenders may be prosecuted to the fullest extent of the law






10MHz BW LTE-Band 4(QPSK RB Number: 50 Offset: 0) Channel Low

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relation of the dig an piecy are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source state and source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and source stated and source sample(s) are relative to a source stated and source sample(s) are relative to a source state and source sample(s) are relative to a source source and the source source are relative to a transaction from exercising all their rights and obligations under the transaction documents. This document may be concerned to the fully written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to under the fully are related to the fully or the source source source are relative to the fully and the fully are relative to the fully and the fully are relative. document is unlawful and offenders may be prosecuted to the fullest extent of the law






10MHz BW LTE-Band 4(QPSK RB Number: 50 Offset: 0) Channel High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






10MHz BW LTE-Band 4(16QAM RB Number: 50 Offset: 0) Channel Mid

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





15MHz BW LTE-Band 4(QPSK RB Number: 75 Offset: 0) Channel Low

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅針測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. This document are not be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. document is unlawful and offenders may be prosecuted to the fullest extent of the law






15MHz BW LTE-Band 4(QPSK RB Number: 75 Offset: 0) Channel High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





15MHz BW LTE-Band 4(16QAM RB Number: 75 Offset: 0) Channel Mid

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

6.048 kHz

14.560 MHz

13.4776 MHz

#VBW 910 kHz

Copyright 2000-2010 Agilent Technologies

#Res BW 300 kHz

Occupied Bandwidth

Transmit Freq Error

x dB Bandwidth

Unless otherwise stated the results shown in this test report relation of the dig an piecy are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source state and source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and source stated and source sample(s) are relative to a source stated and source sample(s) are relative to a source state and source sample(s) are relative to a source source and the source source are relative to a transaction from exercising all their rights and obligations under the transaction documents. This document may be concerned to the fully written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to under the fully are related to the fully or the source source source are relative to the fully and the fully are relative to the fully and the fully are relative. document is unlawful and offenders may be prosecuted to the fullest extent of the law

Sweep 1 ms (601 pts)

99.00%

-26.00 dB

0n

Occ BW % Pwr

x dB

Signal Track

Off






20MHz BW LTE-Band 4(QPSK RB Number: 100 Offset: 0) Channel Low


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






20MHz BW LTE-Band 4(QPSK RB Number: 100 Offset: 0) Channel High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




20MHz BW LTE-Band 4(16QAM RB Number: 100 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






1.4MHz BW LTE-Band 5(QPSK RB Number: 6 Offset: 0) Channel Low

1.4MHz BW LTE-Band 5(QPSK RB Number: 6 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





1.4MHz BW LTE-Band 5(QPSK RB Number: 6 Offset: 0) Channel High


1.4MHz BW LTE-Band 5(16QAM RB Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report relation of the dig an piecy are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source state and source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and source stated and source sample(s) are relative to a source stated and source sample(s) are relative to a source state and source sample(s) are relative to a source source and the source source are relative to a transaction from exercising all their rights and obligations under the transaction documents. This document may be concerned to the fully written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to under the fully are related to the fully or the source source source are relative to the fully and the fully are relative to the fully and the fully are relative. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com




1.4MHz BW LTE-Band 5(16QAM RB Number: 6 Offset: 0) Channel Mid

1.4MHz BW LTE-Band 5(16QAM RB Number: 6 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




3MHz BW LTE-Band 5(QPSK RB Number: 15 Offset: 0) Channel Low

3MHz BW LTE-Band 5(QPSK RB Number: 15 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






3MHz BW LTE-Band 5(QPSK RB Number: 15 Offset: 0) Channel High

3MHz BW LTE-Band 5(16QAM RB Number: 15 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






3MHz BW LTE-Band 5(16QAM RB Number: 15 Offset: 0) Channel Mid

3MHz BW LTE-Band 5(16QAM RB Number: 15 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






5MHz BW LTE-Band 5(QPSK RB Number: 25 Offset: 0) Channel Low

5MHz BW LTE-Band 5(QPSK RB Number: 25 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






5MHz BW LTE-Band 5(QPSK RB Number: 25 Offset: 0) Channel High

5MHz BW LTE-Band 5(16QAM RB Number: 25 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






5MHz BW LTE-Band 5(16QAM RB Number: 25 Offset: 0) Channel Mid

5MHz BW LTE-Band 5(16QAM RB Number: 25 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






10MHz BW LTE-Band 5(QPSK RB Number: 50 Offset: 0) Channel Low

10MHz BW LTE-Band 5(QPSK RB Number: 50 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






10MHz BW LTE-Band 5(QPSK RB Number: 50 Offset: 0) Channel High

10MHz BW LTE-Band 5(16QAM RB Number: 50 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





10MHz BW LTE-Band 5(16QAM RB Number: 50 Offset: 0) Channel Mid

10MHz BW LTE-Band 5(16QAM RB Number: 50 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relation of the dig an piecy are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source state and source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and source stated and source sample(s) are relative to a source stated and source sample(s) are relative to a source state and source sample(s) are relative to a source source and the source source are relative to a transaction from exercising all their rights and obligations under the transaction documents. This document may be concerned to the fully written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to under the fully are related to the fully or the source source source are relative to the fully and the fully are relative to the fully and the fully are relative. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com





5MHz BW LTE-Band 7(QPSK RB Number: 25 Offset: 0) Channel Low

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report report in the distribution of section of secti document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




5MHz BW LTE-Band 7(QPSK RB Number: 25 Offset: 0) Channel High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relation of the dig an piecy are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source state and source stated and such sample(s) are relative to a source stated and such sample(s) are relative to a source stated and source stated and source sample(s) are relative to a source stated and source sample(s) are relative to a source state and source sample(s) are relative to a source source and the source source are relative to a transaction from exercising all their rights and obligations under the transaction documents. This document may be concerned to the fully written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to under the fully are related to the fully or the source source source are relative to the fully and the fully are relative to the fully and the fully are relative. document is unlawful and offenders may be prosecuted to the fullest extent of the law

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





5MHz BW LTE-Band 7(16QAM RB Number: 25 Offset: 0) Channel Mid

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.