

Page: 1 of 48

# FCC SDoC REPORT **ISED ICES-003 TEST REPORT**

**Test Report No.** : T200904E03-F

**Applicant** : COMPAL ELECTRONICS, INC.

**Address** : No.581 & 581-1, Ruiguang Rd., Neihu District, Taipei

City 11492. Taiwan

**Manufacturer** : See the following P.4 **Address** : See the following P.4

**Equipment Under Test (EUT):** 

**Product Name** : Notebook Computer

**Brand Name** : HP

Model No. : HSN-C10C-4

Added Model(s) : N/A

**Standards** : FCC Part 15 Subpart B, Class B

ISED ICES-003 Issue 6: 2016, Class B

**Date of Sample Receipt** : Sep. 08, 2020

**Date of Test** : Sep. 08 ~ 13, 2020

Date of Issue : Oct. 05, 2020

Test Result: **PASS** 

In the configuration tested, the EUT complied with the standards specified above.

#### Remarks:

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of Compliance Certification Services Inc. or testing done by Compliance Certification Services Inc. in connection with distribution or use of the product described in this report must be approved by Compliance Certification Services Inc. in writing.

Approved By:

Dex Chiang Hex Chiang (Asst. Section Manager)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 www.ccsrf.com

Date:

Oct. 05, 2020



Page: 2 of 48

Revision History					
Revision Description Issue Date Remark					
00	Original	Oct. 05, 2020	T200904E03-F		




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com





## **Contents**

1. GENE	RAL INFORMATION	4
1.1	APPLICANT & MANUFACTURER INFORMATION	4
1.2	GENERAL DESCRIPTION OF EUT	5
1.3	DETAILS OF EUT	6
1.4	THE WORST CASE OF THE EUT	10
1.5	DESCRIPTION OF SUPPORT UNITS	11
1.6	OPERATION PROCEDURE	12
1.7	MODIFICATION LIST	12
1.8	TEST SET-UP CONFIGURATION	13
1.9	ACCESSORIES CABLE LIST	13
1.10	MEASUREMENT PROCEDURE	14
1.11	STANDARDS APPLICABLE FOR TESTING	14
1.12	DECISION RULES OF RESULTS	15
1.13	SUMMARY OF RESULTS	15
1.14	REPORTING STATEMENTS OF CONFORMITY	15
2. EMISS	SION	16
2.1	TEST RESULTS	16
2.2	FREQUENCY RANGE	16
2.3	LIMITS OF CONDUCTED AND RADIATED EMISSION	17
2.3.1	LIMITS OF CONDUCTED EMISSION	17
2.3.2	LIMITS OF RADIATED EMISSIONS	17
2.4.	TEST OF CONDUCTED EMISSION	19
2.4.1	TEST EQUIPMENTS	19
2.4.2	MEASUREMENT LEVEL CALCULATION	19
2.4.3	MEASUREMENT DATA:	20
2.5	TEST OF RADIATED EMISSION	22
2.5.1	TEST EQUIPMENTS	22
2.5.2	MEASUREMENT LEVEL CALCULATION	23
2.5.3	MEASUREMENT DATA	24
3. PHOT	OGRAPHS OF TEST	30
4. PHOT	OGRAPHS OF PRODUCT	33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.



Page: 4 of 48

# 1. General Information

## **Applicant & Manufacturer Information**

: COMPAL ELECTRONICS, INC. Applicant

No.581 & 581-1, Ruiguang Rd., Neihu District, Taipei City Address

11492, Taiwan

Manufacturer : 1. COMPAL INFORMATION (KUNSHAN) CO. LTD.

NO. 15. THIRD AVENUE. A ZONE. KUNSHAN COMPREHENSIVE

FREE TRADE ZONE, KUNSHAN, JIANGSU CHINA

2. COMPAL ELECTRONICS TECHNOLOGY (KUNSHAN) CO.,

NO. 25, THIRD AVENUE, A ZONE, KUNSHAN COMPREHENSIVE

FREE TRADE ZONE, KUNSHAN, JIANGSU CHINA

3. ECMMS S A DE C V

BLVD OSCAR FLORES SANCHEZ 8951, COL PUENTE ALTO,

32690 JUAREZ CHIH MEXICO

4. COMPAL DIGITAL TECHNOLOGY (KUNSHAN) CO., LTD.

NO.9, SECOND AVENUE, A ZONE, KUNSHAN

COMPREHENSIVE FREE TRADE ZONE, KUNSHAN, JIANGSU

**CHINA** 

5. COMPALEAD ELETRÔNICA DO BRASIL INDÚSTRIA E

COMÉRCIO LTDA

RUA KANEBO 175, GALPÕES C1, C2, C3, C4, C5 C6 E C12, BAIRRO DISTRITO INDUSTRIAL JUNDIAÍ BUSINESS PARK,

CEP 13213-090, JUNDIAÍ - SÃO PAULO BRASIL

6. Compal (Vietnam) Co., Ltd

Ba Thien 1 Industrial Zone, Binh Xuyen District, Vinh Phuc

Province, Vietnam

7. COMPAL ELECTRONICS (CHENGDU) CO., LTD.

NO. 88, SEC.1, ZONGBAO AVENUE, CHENGDU HI-TECH

COMPREHENSIVE BONDED ZONE (SHUANGLIU), SHUANGLIU

COUNTY, CHENGDU CITY, SICHUAN CHINA

8. COMPAL ELECTRONICS (CHONGQING) CO., LTD.

NO. D01, ZONE D, AIR PORT SECTION OF LIANGLU CUNTAN FREE TRADE PORT AREA, YUBEI DISTRICT, CHONGQING

**CHINA** 

9. FOXCONN CMMSG INDUSTRIA DE ELECTRONICOS LTDA.

AV. MARGINAL RODOVIA DOS BANDEIRANTES, 800 BAIRRO

ENGORDADOURO, JUNDIAI - SP - BRAZIL

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Single States the results shown in this test report test only to the samplest tested and source stated the results shown in this test report test only to the samplest tested and source shown. Single states the state of the samplest tested and source shown. The state of the samplest tested and source shown in this design of the samplest tested and source shown. The samplest tested the state of the samplest tested and source shown. The samplest tested the samplest tested and source shown. The samplest tested and source shown. The samplest tested and source shown in this test report tested and source shown. The samplest tested and source shown in this test report tested and source shown. The samplest tested and source shown in this test report tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in the samplest tested and source shown in this state of the samplest tested and source shown in the samplest tested and source shown in this samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this samplest tested and source shown in the samplest tested and sourc be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 5 of 48

#### 1.2 **General Description of EUT**

**Product Name** : Notebook Computer

: HP **Brand Name** 

Model No. : HSN-C10C-4

Added Model(s) : N/A

Variant Description: N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882




Page: 6 of 48

#### **Details of EUT**


EUT Power Rating	AC 100 ~ 240V	AC 100 ~ 240V		
Highest operate description	3.0GHz			
Power Adapter	Chicony (hp)	TPN-CA21		
		TPN-CA10		
	Delta(hp)	TPN-DA20		
	Artesyn	TPN-TA02		
	Honor	TPN-HA01		
	Lite-On (hp)	TPN-LA12		
Adapter Power Rating	TPN-LA12 I/P: 100-240Vac O/P: 5Vdc, 3A / 20Vdc, 3.25A For TPN-DA20 I/P: 100-240Vac	I/P: 100-240Vac, 50-60Hz, 1.6A O/P: 5Vdc, 3A / 9Vdc, 3A / 12Vdc, 5A / 15Vdc, 4.33A / 20Vdc, 3.25A For TPN-DA20 I/P: 100-240Vac, 50-60Hz, 1.7A O/P: 5Vdc, 3A / 9Vdc, 3A / 12Vdc, 5A / 15Vdc, 4.33A /		
AC Power Cord Type	Shielded, 1.8m (	Detachable) to Power Adaptor		
DC Power Cable Type	Non-shielded, 1.	8m (Non-Detachable) to Power Adapter		
Memory	DDR4 4266MHz	(16GB / 32GB / 64GB)		
Main Board	Compal	LA-J443P		
CPU	Intel	i7-1185G7 (3.0GHz)		
		i7-1165G7 (2.8GHz)		
		i5-1145G7 (2.6GHz)		
		i5-1135G7 (2.4GHz)		
14" Panel	AUO	B140HAN06.6		
		B140ZAN01.5		
	BOE	NE140FHM-N6L		
		NE140QUM-N71		
	IVO	X140NVFC		
M2. SSD	Kioxia	KBG40ZNV128G (128GB)		
		KXG60ZNV256G (256GB)		
		KBG40ZNV256G (256GB)		
		KXG6AZNV256G (256GB)		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.



Page: 7 of 48



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

SGS

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號

Member of SGS Group



Page: 8 of 48

M2. SSD	SSSTC	CL1-8D128-HP (128GB)	
	Intel	SSDPEKNW512G8H (512GB)	
		HBRPEKNX0202AH (512GB)	
Battery Pack	Simplo	HSTNN-IB9H	
		HSTNN-IB9J	
Wireless LAN +BT	Intel	AX201D2W	
WWAN+GPS	Fibocom	L850-GL	
	Qualcomm	T99W175	
Camera	Chicony	CKFJH5421004330LH	
	TFC	YHSQ	
NFC	WNC	XRAV-1	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 9 of 48

#### Pre-test Mode

		Mode								l	
Mode	CPU	Adapter Chicony(hp)	MB Compal	Memory  DDR4 4266MHz	14" Panel AUO	M.2 SSD  Kioxia	Battery	WLAN card	WWAN Card Fibocom	CAMERA	WNC
1	i7-1185G7 (3.0GHz) Intel	TPN-CA21  Chicony(hp)	LA-J443P Compal	16GB DDR4 4266MHz	B140HAN06.6	KBG40ZNV128G (128GB)  Kioxia	HSTNN-IB9H Simplo	AX201D2W	L850-GL Qualcomm	CKFJH5421004330LH	XRAV-1
2	i7-1165G7 (2.8GHz) Intel	TPN-CA10  Delta(hp)	LA-J443P Compal	32GB DDR4 4266MHz	B140ZAN01.5 BOE	KXG60ZNV256G (256GB)  Kloxia	HSTNN-IB9J Simplo	AX201D2W	T99W175	YHSQ	XRAV-1
3	i5-1145G7 (2.6GHz) Intel	TPN-DA20	LA-J443P	64GB	NE140FHM-N6L	KBG40ZNV256G (256GB)	HSTNN-IB9H	AX201D2W	L850-GL	CKFJH5421004330LH	XRAV-1
4	i5-1135G7 (2.4GHz) Intel	Artesyn TPN-TA02	Compal LA-J443P	DDR4 4266MHz 16GB	BOE NE140QUM-N71	Kioxia KXG6AZNV256G (256GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	YHSQ	WNC XRAV-1
5	i7-1185G7 (3.0GHz)	Honor TPN-HA01	Compal LA-J443P	DDR4 4266MHz 32GB	IVO X140NVFC	Kioxia KXG60ZNV512G (512GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH	WNC XRAV-1
6	i7-1165G7 (2.8GHz)	Lite-On (hp) TPN-LA12	Compal LA-J443P	DDR4 4266MHz 64GB	AUO B140HAN06.6	Kioxia KBG40ZNV512G (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	TFC YHSQ	WNC XRAV-1
7	i5-1145G7 (2.6GHz)	Chicony(hp) TPN-CA21	Compal LA-J443P	DDR4 4266MHz 16GB	AUO B140ZAN01.5	Kioxia KXG6AZNV512G (512GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH	WNC XRAV-1
8	Intel i5-1135G7 (2.4GHz)	Chicony(hp) TPN-CA10	Compal LA-J443P	DDR4 4266MHz 32GB	BOE NE140FHM-N6L	Kioxia KXG60ZNV1T02 (1TB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	TFC YHSQ	WNC XRAV-1
9	Intel i7-1185G7 (3.0GHz)	Delta(hp) TPN-DA20	Compal LA-J443P	DDR4 4266MHz 64GB	BOE NE140QUM-N71	Kioxia KXG60PNV2T04 (2TB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH	WNC XRAV-1
10	Intel i7-1165G7 (2.8GHz)	Artesyn TPN-TA02	Compal LA-J443P	DDR4 4266MHz 16GB	IVO X140NVFC	Micron MTFDHBA256TDV-1AY1AABHA (256GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	TFC YHSQ	WNC XRAV-1
11	Intel i5-1145G7 (2.6GHz)	Honor TPN-HA01	Compal LA-J443P	DDR4 4266MHz 32GB	AUO B140HAN06.6	Micron MTFDHBA512TDV-1AZ1AABHA (512GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH	WNC XRAV-1
12	Intel i5-1135G7 (2.4GHz)	Lite-On (hp) TPN-LA12	Compal LA-J443P	DDR4 4266MHz 64GB	AUO B140ZAN01.5	Micron MTFDHBA512QFD-1AX1AABHA (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	TFC YHSQ	WNC XRAV-1
13	Intel i7-1185G7 (3.0GHz)	Chicony(hp) TPN-CA21	Compal LA-J443P	DDR4 4266MHz 16GB	BOE NE140FHM-N6L	Micron MTFDHBA1T0TDV-1AZ1AABHA (1TB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH	WNC XRAV-1
14	Intel i7-1165G7 (2.8GHz)	Chicony(hp) TPN-CA10	Compal LA-J443P	DDR4 4266MHz 32GB	BOE NE140QUM-N71	Samsung MZVLQ128HBHQ-000H1 (128GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	TFC YHSQ	WNC XRAV-1
15	Intel i5-1145G7 (2.6GHz)	Delta(hp) TPN-DA20	Compal LA-J443P	DDR4 4266MHz 64GB	IVO X140NVFC	Samsung MZVLB256HBHQ-000H1 (256GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH	WNC XRAV-1
16	Intel i5-1135G7 (2.4GHz)	Artesyn TPN-TA02	Compal LA-J443P	DDR4 4266MHz 16GB	AUO B140HAN06.6	Samsung MZVLQ256HAJD-000H1 (256GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	TFC YHSQ	WNC XRAV-1
17	Intel i7-1185G7 (3.0GHz)	Honor TPN-HA01	Compal LA-J443P	DDR4 4266MHz 32GB	AUO B140ZAN01.5	Samsung MZVLB256HBHQ-000H7 (256GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH	WNC XRAV-1
18	Intel i7-1165G7 (2.8GHz)	Lite-On (hp) TPN-LA12	Compal LA-J443P	DDR4 4266MHz 64GB	BOE NE140FHM-N6L	Samsung MZVLB512HBJQ-000H1 (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	TFC YHSQ	WNC XRAV-1
19	Intel i5-1145G7	Chicony(hp) TPN-CA21	Compal LA-J443P	DDR4 4266MHz 16GB	BOE NE140QUM-N71	Samsung MZVLQ512HALU-000H1 (512GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH	WNC XRAV-1
20	(2.6GHz) Intel i5-1135G7	Chicony(hp) TPN-CA10	Compal LA-J443P	DDR4 4266MHz 32GB	IVO X140NVFC	Samsung MZVLB512HBJQ-000H7 (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	TFC YHSQ	WNC XRAV-1
21	(2.4GHz) Intel i7-1185G7	Delta(hp) TPN-DA20	Compal LA-J443P	DDR4 4266MHz 64GB	AUO B140HAN06.6	Samsung MZVLB1T0HBLR-000H1 (1TB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH	WNC XRAV-1
22	(3.0GHz) Intel i7-1165G7	Artesyn TPN-TA02	Compal LA-J443P	DDR4 4266MHz 16GB	AUO B140ZAN01.5	Samsung MZVLB2T0HALB-000H1 (2TB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	TFC YHSQ	WNC XRAV-1
23	(2.8GHz) Intel i5-1145G7	Honor TPN-HA01	Compal LA-J443P	DDR4 4266MHz 32GB	BOE NE140FHM-N6L	Hynix HFS256GD9TNG-L2A0A (256GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH	WNC XRAV-1
24	(2.6GHz) Intel i5-1135G7	Lite-On (hp) TPN-LA12	Compal LA-J443P	DDR4 4266MHz 64GB	BOE NE140QUM-N71	Hynix HFM256GDJTNI-82A0A (256GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	TFC YHSQ	WNC XRAV-1
25	(2.4GHz) Intel i7-1185G7	Chicony(hp) TPN-CA21	Compal LA-J443P	DDR4 4266MHz 16GB	IVO X140NVFC	Hynix HFS512GD9TNG-L2A0A (512GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH	WNC XRAV-1
26	(3.0GHz) Intel i7-1165G7	Chicony(hp) TPN-CA10	Compal LA-J443P	DDR4 4266MHz 32GB	AUO B140HAN06.6	Hynix HFM512GDJTNI-82A0A (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	TFC YHSQ	WNC XRAV-1
27	(2.8GHz) Intel i5-1145G7	Delta(hp) TPN-DA20	Compal LA-J443P	DDR4 4266MHz 64GB	AUO B1407AN01.5	Hynix HFS001TD9TNG-L2A0A (1TB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH	WNC XRAV-1
28	(2.6GHz) Intel i5-1135G7	Artesyn	Compal LA-J443P	DDR4 4266MHz	BOE	Western Digital	Simplo	Intel	Qualcomm	TFC YHSQ	WNC
29	(2.4GHz) Intel i7-1185G7	TPN-TA02 Honor	Compal	DDR4 4266MHz	NE140FHM-N6L BOE	SDAPNUW-128G-1006 (128GB)  Western Digital	HSTNN-IB9J Simplo	AX201D2W Intel	T99W175 Fibocom	Chicony	XRAV-1
30	(3.0GHz) Intel i7-1165G7	TPN-HA01 Lite-On (hp)	LA-J443P Compal	32GB DDR4 4266MHz	NE140QUM-N71	SDBPNTY-256G-1006 (256GB)  Western Digital	HSTNN-IB9H Simplo	AX201D2W Intel	L850-GL Qualcomm	CKFJH5421004330LH TFC	WNC
31	(2.8GHz) Intel i5-1145G7	TPN-LA12 Chicony(hp)	LA-J443P Compal	64GB DDR4 4266MHz	X140NVFC AUO	SDBQNTY-256G-1006 (256GB)  Western Digital	HSTNN-IB9J Simplo	AX201D2W Intel	T99W175 Fibocom	YHSQ Chicony	XRAV-1 WNC
32	(2.6GHz) Intel i5-1135G7	TPN-CA21 Chicony(hp)	LA-J443P Compal	16GB DDR4 4266MHz	B140HAN06.6 AUO	SDBPNPZ-256G-1006 (256GB)  Western Digital	HSTNN-IB9H Simplo	AX201D2W Intel	L850-GL Qualcomm	CKFJH5421004330LH TFC	WNC
33	(2.4GHz) Intel i7-1185G7	TPN-CA10 Delta(hp)	LA-J443P Compal	32GB DDR4 4266MHz	B140ZAN01.5 BOE	SDBPNTY-512G-1006 (512GB)  Western Digital	HSTNN-IB9J Simplo	AX201D2W Intel	T99W175 Fibocom	YHSQ Chicony	XRAV-1 WNC
	(3.0GHz) Intel	TPN-DA20 Artesyn	LA-J443P Compal	64GB DDR4 4266MHz	NE140FHM-N6L BOE	SDBQNTY-512G-1006 (512GB)  Western Digital	HSTNN-IB9H Simplo	AX201D2W Intel	L850-GL Qualcomm	CKFJH5421004330LH TFC	XRAV-1 WNC
34	i7-1165G7 (2.8GHz) Intel	TPN-TA02 Honor	LA-J443P Compal	16GB DDR4 4266MHz	NE140QUM-N71	SDBPNPZ-512G-1006 (512GB)  Western Digital	HSTNN-IB9J Simplo	AX201D2W	T99W175 Fibocom	YHSQ	XRAV-1 WNC
35	i5-1145G7 (2.6GHz) Intel	TPN-HA01 Lite-On (hp)	LA-J443P Compal	32GB DDR4 4266MHz	X140NVFC AUO	SDBPNTY-1T00-1006 (1TB) SSSTC	HSTNN-IB9H Simple	AX201D2W	L850-GL	CKFJH5421004330LH	XRAV-1
36	i5-1135G7 (2.4GHz) Intel	TPN-LA12	LA-J443P	64GB	B140HAN06.6	CL1-8D128-HP (128GB)	HSTNN-IB9J	AX201D2W	T99W175	YHSQ	XRAV-1
37	i7-1185G7 (3.0GHz) Intel	Chicony(hp) TPN-CA21	Compal LA-J443P	DDR4 4266MHz 16GB	B140ZAN01.5	SSDPEKNW512G8H (512GB)	Simplo HSTNN-IB9H	Intel AX201D2W	Fibocom L850-GL	Chicony CKFJH5421004330LH	XRAV-1
38	i7-1165G7 (2.8GHz)	Chicony(hp) TPN-CA10	Compal LA-J443P	DDR4 4266MHz 32GB	BOE NE140FHM-N6L	Intel HBRPEKNX0202AH (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	TFC YHSQ	WNC XRAV-1
39	i7-1185G7 (3.0GHz)	Honor TPN-HA01	Compal LA-J443P	DDR4 4266MHz 32GB	BOE NE140FHM-N6L	Kioxia KXG6AZNV512G (512GB)	Simplo HSTNN-IB9J	Intel AX201D2W	Qualcomm T99W175	Chicony CKFJH5421004330LH	WNC XRAV-1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.



Page: 10 of 48

#### The worst case of the EUT

FUT will be carried out in the worst case as followings:


Worst Case					
CE	CE Mode 39 (1920 x 1080 Resolution)				
Below 1GHz RE	Mode 39 (1920 x 1080 Resolution)				
Above 1GHz RE	Mode 39 (1920 x 1080 Resolution)				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 11 of 48



## **Description of Support Units**

#### Mode 39 ·

Mode 39 :			
PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
LCD Monitor	ASUS	MX27U	N/A
LCD Monitor	LG	27MD5KA	901NTTQB4321
SIM Card	VIBO	N/A	N/A
HDD	WD	My Passport	WXB1AA4EEJ9P
Earphone	Lenovo	GS-4021M	57Y4488
Mouse	HP	MOAFUO	PSB1030013577
Notebook PC (Remote)	DELL	INSPIRON 640m	CN-0MG532-70166-75G- 03AP
Wireless AP (Remote)	ASUS	RT-AX88U	L41THP000064
Universal Radio Communication (Remote)	R&S	CMW 500	N/A
GPS Simulator (Remote)	IFR	GPS-101	N/A

## **Support Equipment Used in Tested Cable**

#### Mode 39:

Mode of .			
Cable Type	Core	Length	Shielding/Non-shielding
Type C Cable (1)	N/A	1.8m	Shielding
HDMI Cable (2)	N/A	1.8m	Shielding
Type C Cable (3)	N/A	1.0m	Shielding
USB HDD Cable (4)	N/A	0.5m	Shielding
Earphone Cable (5)	N/A	1.8m	Non-Shielding
USB Mouse Cable (6)	N/A	1.8m	Shielding

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 12 of 48

#### **Operation Procedure**

Mode 39:

- 1. Turn on the power of all equipment.
- The EUT will reads/writes disk through "BurnIn test" test software.
- 3. The EUT communicates with Notebook PC by Bluetooth radio.
- 4. The EUT communicates with Wireless AP by WIFI radio.
- The EUT execute the Burnin software to send "H" Pattern to display on the
- Executed AMCAP2 software to turn-on the Camera.
- The EUT will receive the GPS signal source and sustained action.
- 8. The EUT will receive the RF signal source and sustained action.
- The EUT will receive the NFC signal source and sustained action.
- 10. Setup the condition for test mode and begin the test.


#### 1.7 **Modification List**

No modification was made by Compliance Certification Services Inc..

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Single States the results shown in this test report test only to the samplest tested and source stated the results shown in this test report test only to the samplest tested and source shown. Single states the state of the samplest tested and source shown. The state of the samplest tested and source shown in this design of the samplest tested and source shown. The samplest tested the state of the samplest tested and source shown. The samplest tested the samplest tested and source shown. The samplest tested and source shown. The samplest tested and source shown in this test report tested and source shown. The samplest tested and source shown in this test report tested and source shown. The samplest tested and source shown in this test report tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in the samplest tested and source shown in this state of the samplest tested and source shown in the samplest tested and source shown in this samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this samplest tested and source shown in the samplest tested and sourc be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

程智科技股份有限公司




Page: 13 of 48



#### **Test Set-Up Configuration** 1.8

Mode 39:



#### 1.9 **Accessories Cable List**

See clause 1.3 of this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 www.ccsrf.com



Page: 14 of 48

#### 1.10 Measurement Procedure

Conducted Emission Testing was performed according to ANSI C63.4:2014 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2014 at the 3/10m semi-anechoic chamber. The EUT was placed on a 0.8m high table along with the peripherals. The turn table was placed 10m distance from the antenna. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for production of maximum emission.

The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Maximum emission levels are then reported.

## 1.11 Standards Applicable for Testing

Tests to be carried out under FCC Part 15 Subpart B/CISPR 22

Test Standards	Status
FCC Part 15 Subpart B/CISPR 22	Applicable
Deviation from Standard	No deviation

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Single States the results shown in this test report test only to the samplest tested and source stated the results shown in this test report test only to the samplest tested and source shown. Single states the state of the samplest tested and source shown. The state of the samplest tested and source shown in this design of the samplest tested and source shown. The samplest tested the state of the samplest tested and source shown. The samplest tested the samplest tested and source shown. The samplest tested and source shown. The samplest tested and source shown in this test report tested and source shown. The samplest tested and source shown in this test report tested and source shown. The samplest tested and source shown in this test report tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in the samplest tested and source shown in this state of the samplest tested and source shown in the samplest tested and source shown in this samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this samplest tested and source shown in the samplest tested and sourc be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 15 of 48

#### 1.12 Decision Rules of Results

Reported measurement data comply with ANSI C63.4:2014.

Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

### 1.13 Summary of Results

Standard	Test Type	Result
FCC Part 15 Subpart B, Class B	Conducted Emission	PASS
ISED ICES-003 Issue 6: 2016,Class B	Radiated Emission	PASS

#### 1.14 Reporting Statements of Conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Single States the results shown in this test report test only to the samplest tested and source stated the results shown in this test report test only to the samplest tested and source shown. Single states the state of the samplest tested and source shown. The state of the samplest tested and source shown in this design of the samplest tested and source shown. The samplest tested the state of the samplest tested and source shown. The samplest tested the samplest tested and source shown. The samplest tested and source shown. The samplest tested and source shown in this test report tested and source shown. The samplest tested and source shown in this test report tested and source shown. The samplest tested and source shown in this test report tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in the samplest tested and source shown in this state of the samplest tested and source shown in the samplest tested and source shown in this samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this samplest tested and source shown in the samplest tested and sourc be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 16 of 48

## 2. EMISSION

#### 21 **Test Results**

	Results
Conducted Emission	Pass
Radiated Emission	Pass

#### 2.2 **Frequency Range**

FCC Part 15 Subpart B:

Conducted Emission : 150 kHz - 30 MHz Radiated Emission : See below table

Highest frequency generated or Upper frequency of measurement used in the device or on which the range (MHz)

device operates or tunes (MHz)

Below 1.705 30 1.705 - 1081000 108 - 500 2000 5000 500 - 1000

Above 1000 5th harmonic of the highest frequency or

40 GHz, whichever is lower

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司





Page: 17 of 48

#### **Limits of Conducted and Radiated Emission**

#### 2.3.1 Limits of Conducted Emission

#### FCC Part 15 Subpart B/CISPR 22:

FREQUENCY	Class A (dBuV)		Class B (dBuV)			
(MHz)	Quasi - peak	Average	Quasi - peak	Average		
0.15 - 0.5	79	66	66 - 56	56 - 46		
0.50 - 5.0	73	60	56	46		
5.0 - 30.0	73	60	60	50		

Note: (1) The lower limit shall apply at the transition frequencies.

- (2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.
- (3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

#### 2.3.2 Limits of Radiated Emissions

### **FCC Part 15 Subpart B Limit:**

Detector Function: Quasi - Peak

FREQUENCY	Class A (at 10m)	Class B (at 3m)
(MHz)	dBuV/m	dBuV/m
30~88	39	40
88~216	43.5	43.5
216~960	46.4	46
960~1000	49.5	54

Detector Function: Peak, Average

FREQUENCY	Class A (dB	uV/m) (at 3m)	Class B (dBu	uV/m) (at 3m)
(MHz)	Peak	Average	Peak	Average
Above 1000	69.5	49.5	74	54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 18 of 48

#### **CISPR 22 Limit:**

Detector Function: Quasi - Peak

FREQUENCY	Class A (at 10m)	Class B (at 10m)			
(MHz)	dBuV/m	dBuV/m			
30~230	40	30			
230~1000	47	37			

NOTE 1 The lower limit shall apply at the transition frequency.

NOTE 2 Additional provisions may be required for cases where interference occurs.

FREQUENCY	Class A (dB	suV/m) (at 3m)	Class B (dBuV/m) (at 3m)		
(GHz)	Average	Average Peak		Peak	
1~3	56	76	50	70	
3~6	60	80	54	74	

NOTE The lower limit applies at the transition frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 19 of 48

#### 2.4. Test of Conducted Emission

### 2.4.1 Test Equipments

-										
	Conducted_Emission Conducted Room No.B_EMC									
EQUIPMENT TYPE Manufacturer Model Number Serial Number Calibration Date Calibration										
Coaxial Cable	EMCI	EMCRG142	190809	09/20/2019	09/19/2020					
EMI Test Receiver	R&S	ESCI	101073	07/01/2020	06/30/2021					
LISN	Schwarzbeck	NSLK8128	5012	04/14/2020	04/13/2021					
LISN	R&S	101054	04/26/2020	04/25/2021						
Software										

Compliance Certification Services Inc. (Wugu Laboratory)

No.139, Wugong Rd., Wugu Dist., New Taipei City, Taiwan (R.O.C.)

Measurement Uncertainty of Conducted Emission

Expanded uncertainty Ulab (K=2) of conducted emission is 3.14 dB

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of AC mains Conducted Emission is 3.44dB

#### 2.4.2 Measurement Level Calculation

Factor = LISN insertion loss + Cable loss + Pulse Limiter insertion loss


Measurement Level = Reading Level + Factor

Over (Margin) = Measurement Level - Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Single States the results shown in this test report test only to the samplest tested and source stated the results shown in this test report test only to the samplest tested and source shown. Single states the state of the samplest tested and source shown. The state of the samplest tested and source shown in this design of the samplest tested and source shown. The samplest tested the state of the samplest tested and source shown. The samplest tested the samplest tested and source shown. The samplest tested and source shown. The samplest tested and source shown in this test report tested and source shown. The samplest tested and source shown in this test report tested and source shown. The samplest tested and source shown in this test report tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in the samplest tested and source shown in this state of the samplest tested and source shown in the samplest tested and source shown in this samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this samplest tested and source shown in the samplest tested and sourc be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


程智科技股份有限公司





2.4.3 Measurement Data:

Model no.	HSN-C10C-4	Line:	L1
Environmental Conditions	23℃, 47% RH	Tested Date	2020/09/08
Test Mode	Mode 39	Tested By	Thomas Liu
6dB Bandwidth	9 kHz	Identifier number	TCOP CE site 17




NO.	. Frequency	Quasi Peak reading	Average reading	Correction factor	Quasi Peak result	Average result	Quasi Peak Iimit	Average limit	Quasi Peak margin	Average margin	Remark
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	(Pass/Fail)
1	2.1860	32.65	24.32	9.72	42.37	34.04	56.00	46.00	-13.63	-11.96	Pass
2	2.3699	33.28	24.36	9.73	43.01	34.09	56.00	46.00	-12.99	-11.91	Pass
3	2.5100	34.43	24.61	9.73	44.16	34.34	56.00	46.00	-11.84	-11.66	Pass
4	2.7180	35.10	24.61	9.74	44.84	34.35	56.00	46.00	-11.16	-11.65	Pass
5	2.8100	35.74	24.40	9.74	45.48	34.14	56.00	46.00	-10.52	-11.86	Pass
6*	3.9260	34.06	28.26	9.77	43.83	38.03	56.00	46.00	-12.17	-7.97	Pass

**Note:** L1 = Line One (Live Line)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

**Compliance Certification Services** 程智科技股份有限公司



TCOP CE site 17




6dB Bandwidth

Model no. HSN-C10C-4 Line: Ν **Environmental** 23°C, 47% RH **Tested Date** 2020/09/08 Conditions **Test Mode** Mode 39 **Tested By** Thomas Liu

Identifier number

9 kHz



NO.	Frequency	Quasi Peak reading	Average reading	Correction factor	Quasi Peak result	Average result	Quasi Peak Iimit	Average limit	Quasi Peak margin	Average margin	Remark
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	(Pass/Fail)
1	1.9980	31.73	24.13	9.79	41.52	33.92	56.00	46.00	-14.48	-12.08	Pass
2	2.3060	33.23	24.42	9.79	43.02	34.21	56.00	46.00	-12.98	-11.79	Pass
3	2.3980	33.36	24.50	9.80	43.16	34.30	56.00	46.00	-12.84	-11.70	Pass
4	2.6180	34.68	24.65	9.80	44.48	34.45	56.00	46.00	-11.52	-11.55	Pass
5	2.7980	34.65	24.23	9.80	44.45	34.03	56.00	46.00	-11.55	-11.97	Pass
6	2.9500	32.14	23.13	9.80	41.94	32.93	56.00	46.00	-14.06	-13.07	Pass
7	3.3140	31.40	24.74	9.82	41.22	34.56	56.00	46.00	-14.78	-11.44	Pass
8*	3.8020	33.02	26.89	9.83	42.85	36.72	56.00	46.00	-13.15	-9.28	Pass

**Note:** N = Line Two (Neutral Line).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

**Compliance Certification Services Inc** 



SGS

Page: 22 of 48

#### **Test of Radiated Emission**

### 2.5.1 Test Equipments

#### **Below 1GHz**

	Ra	diated_Below_1GHz 10	Dm_EMC		
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
Bilog Antenna TESEQ		CBL 6112D	31674	02/20/2020	02/19/2021
Bilog Antenna	TESEQ	CBL 6112D	31675	03/09/2020	03/08/2021
Coaxial Cable	Huber+Suhner	SUCOFLEX 104PEA	330029	04/29/2020	04/28/2021
Coaxial Cable	Huber+Suhner	104PEA	33948/4PEA	04/29/2020	04/28/2021
Coaxial Cable	Huber+Suhner	104PEA	33949/4PEA	04/29/2020	04/28/2021
Coaxial Cable	Huber+Suhner	SUCOFLEX 104PEA	24813	04/29/2020	04/28/2021
EMI Test Receiver	R&S	ESCI	100961	06/08/2020	06/07/2021
EMI Test Receiver	R&S	ESCI	100962	06/12/2020	06/11/2021
Pre-Amplifier	HP	8447D	2944A07754	04/29/2020	04/28/2021
Pre-Amplifier	HP	8447D	2944A08150	04/29/2020	04/28/2021
AC POWER SOURE	APE	AFC-130	991259	N.C.R	N.C.R
Antenna Tower	ccs	CC-A-1F	N/A	N.C.R	N.C.R
Antenna Tower	ccs	CC-A-1F	N/A	N.C.R	N.C.R
Controller	ccs	CC-C-1F	N/A	N.C.R	N.C.R
Controller	ccs	CC-C-1F	N/A	N.C.R	N.C.R
Turn Table	CCS	CC-T-1F	N/A	N.C.R	N.C.R
Software		EZ-EMC (	(CCS-3A1RE)		

Compliance Certification Services Inc. (Wugu Laboratory)

No.139, Wugong Rd., Wugu Dist., New Taipei City, Taiwan (R.O.C.)

Measurement Uncertainty of Radiated Emission

Expanded uncertainty Ulab (K=2) of radiated emission is 4.23 dB. (30MHz ~ 200MHz)

Expanded uncertainty Ulab (K=2) of radiated emission is 4.13 dB. (200MHz ~ 1000MHz)


Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission is 5.22 dB. (30MHz ~ 1000MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 www.ccsrf.com



SG

#### **Above 1GHz**

	Rad	iated_Above _1GHz 10	Om_EMC		
EQUIPMENT TYPE	Manufacturer	Model Number Serial Number		Calibration Date	Calibration Due
Coaxial Cable	Huber+Suhner	SUCOFLEX 104PEA	329383	04/29/2020	04/28/2021
Coaxial Cable	Huber+Suhner	SUCOFLEX 104PEA	33945	04/29/2020	04/28/2021
Horn Antenna	ETS LINDGREN	3116	00026370	12/18/2019	12/17/2020
Horn Antenna	Horn Antenna EMCO		00055167	12/12/2019	12/11/2020
Pre-Amplifier	EMCI	EMC051845	980040	04/29/2020	04/28/2021
Pre-Amplifier	MITEQ	AMF-6F-18004000- 37-8P	985646	09/02/2020	09/01/2021
Spectrum Analyzer	Agilent	E4446A	MY48250297	08/24/2020	08/23/2021
AC POWER SOURE	APE	AFC-130	991259	N.C.R	N.C.R
Antenna Tower	Sunol Sciences	TLT2	031010-5	N.C.R	N.C.R
Controller Sunol Sciences		SC104V	031010-1	N.C.R	N.C.R
Turn Table	ccs	CC-T-1F	N/A	N.C.R	N.C.R
Software		EZ-EMC	(CCS-3A1RE)		

Compliance Certification Services Inc. (Wugu Laboratory)

No.139, Wugong Rd., Wugu Dist., New Taipei City, Taiwan (R.O.C.)

Measurement Uncertainty of Radiated Emission

Expanded uncertainty Ulab (K=2) of radiated emission is 4.89 dB. (1-6GHz)

Expanded uncertainty Ulab (K=2) of radiated emission is 5.27 dB. (6-18GHz)

Expanded uncertainty Ulab (K=2) of radiated emission is 4.13 dB. (18-26GHz)

Expanded uncertainty Ulab (K=2) of radiated emission is 4.28 dB. (26-40GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of Iradiated emission measurement is 5.18 dB.(1-6GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of Iradiated emission measurement is 5.48 dB.(6-18GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of Iradiated emission measurement is ---- dB.(18-26GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of Iradiated emission measurement is ---- dB.(26-40GHz)

#### 2.5.2 Measurement Level Calculation


Correction Factor = Antenna Factor + Cable loss - Amplifier Gain

Measurement Level = Reading Level + Correction Factor

Over (Margin) = Measurement Level - Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Single States the results shown in this test report test only to the samplest tested and source stated the results shown in this test report test only to the samplest tested and source shown. Single states the state of the samplest tested and source shown. The state of the samplest tested and source shown in this design of the samplest tested and source shown. The samplest tested the state of the samplest tested and source shown. The samplest tested the samplest tested and source shown. The samplest tested and source shown. The samplest tested and source shown in this test report tested and source shown. The samplest tested and source shown in this test report tested and source shown. The samplest tested and source shown in this test report tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in the samplest tested and source shown in this state of the samplest tested and source shown in the samplest tested and source shown in this samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this state of the samplest tested and source shown in this samplest tested and source shown in the samplest tested and sourc be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






2.5.3 Measurement Data

#### **Below 1GHz**

Model no.	HSN-C10C-4	Test Mode	Mode 39
Environmental Conditions	23℃, 55% RH	Tested Date	2020/09/13
Antenna Pole	Vertical	Antenna Distance	10m
Detector Function	Quasi-peak.	Tested By	Rex Kuo
6dB Bandwidth	120 kHz	Identifier number	TCOP RE site 17



No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	30.9700	26.04	-2.83	23.21	30.00	-6.79	359	360	QP
2	135.7300	32.65	-8.28	24.37	30.00	-5.63	100	124	QP
3	445.1600	32.84	-0.93	31.91	37.00	-5.09	100	326	QP
4	579.0200	29.23	1.14	30.37	37.00	-6.63	241	0	QP
5	594.5400	30.34	1.29	31.63	37.00	-5.37	399	0	QP
6	800.1800	27.39	4.04	31.43	37.00	-5.57	200	313	QP
7	891.3600	28.73	5.18	33.91	37.00	-3.09	200	359	QP

#### **REMARKS**:


- 1. The other emission levels were very low against the limit.
- 2. 30MHz to 1000MHz test is Applicable CISPR 22 standard.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

**Compliance Certification Services Inc** 


No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 f:(886-2) 2298-1882 www.ccsrf.com





Page: 25 of 48

Model no.	HSN-C10C-4	Test Mode	Mode 39	
Environmental Conditions	23℃, 55% RH	Tested Date	2020/09/13	
Antenna Pole	Horizontal	Antenna Distance	10m	
Detector Function	Quasi-peak.	Tested By	Rex Kuo	
6dB Bandwidth	120 kHz	Identifier number	TCOP RE site 17	



No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	30.0000	25.01	-3.00	22.01	30.00	-7.99	300	199	QP
2	116.3300	32.82	-8.77	24.05	30.00	-5.95	400	65	QP
3	486.8700	33.51	-2.17	31.34	37.00	-5.66	100	4	QP
4	579.0200	30.49	-0.78	29.71	37.00	-7.29	200	15	QP
5	800.1800	26.66	1.66	28.32	37.00	-8.68	300	0	QP
6	891.3600	24.89	3.17	28.06	37.00	-8.94	300	24	QP

#### **REMARKS**:


- 1. The other emission levels were very low against the limit.
- 2. 30MHz to 1000MHz test is Applicable CISPR 22 standard.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 f:(886-2) 2298-1882 www.ccsrf.com



SGS

#### **Above 1GHz**

Model no.	HSN-C10C-4	Test Mode	Mode 39
Environmental Conditions	23℃, 55% RH	Tested Date	2020/09/13
Antenna Pole	Vertical	Antenna Distance	3m
Highest frequency generated or used	3.0GHz	Upper frequency	15.0GHz
Detector Function	Peak	Tested By	Rex Kuo
6dB Bandwidth	1 MHz	Identifier number	TCOP RF site 17



No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	1110.500	71.44	-19.48	51.96	74.00	-22.04	100	241	peak
2	1110.500	61.95	-19.48	42.47	54.00	-11.53	100	241	AVG
3	2453.500	62.92	-14.20	48.72	74.00	-25.28	200	282	peak
4	4000.500	61.37	-11.24	50.13	74.00	-23.87	100	261	peak
5	4986.500	60.32	-8.70	51.62	74.00	-22.38	100	96	peak
6	4986.500	47.09	-8.70	38.39	54.00	-15.61	100	96	AVG

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.

**Compliance Certification Services Inc.** 程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.sgs.tw www.ccsrf.com



Page: 27 of 48

No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
7	5420.000	59.26	-7.46	51.80	74.00	-22.20	100	208	peak
8	5420.000	58.08	-7.46	50.62	54.00	-3.38	100	208	AVG
9	6168.000	55.81	-4.73	51.08	74.00	-22.92	102	0	peak
10	6168.000	44.88	-4.73	40.15	54.00	-13.85	102	0	AVG
11	6992.500	55.74	-3.44	52.30	74.00	-21.70	102	0	peak
12	6992.500	42.27	-3.44	38.83	54.00	-15.17	102	0	AVG

#### **REMARKS:**

- 1. The other emission levels were very low against the limit.
- 2. Margin (dB) = Result (dBuV/m) Limit (dBuV/m)


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.


程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com





Model no. HSN-C10C-4 **Test Mode** Mode 39 **Environmental** 23℃, 55% RH **Tested Date** 2020/09/13 **Conditions Antenna Pole** Horizontal **Antenna Distance** 3m **Highest frequency** 3.0GHz **Upper frequency** 15.0GHz generated or used **Detector Function** Peak & Average. **Tested By** Rex Kuo 1 MHz Identifier number TCOP RF site 17 6dB Bandwidth



No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	2045.500	67.64	-14.88	52.76	74.00	-21.24	200	215	peak
2	2045.500	56.35	-14.88	41.47	54.00	-12.53	200	215	AVG
3	2088.000	65.69	-14.76	50.93	74.00	-23.07	200	295	peak
4	2453.500	64.31	-14.20	50.11	74.00	-23.89	100	210	peak
5	2751.000	63.96	-13.33	50.63	74.00	-23.37	100	184	peak
6	4995.000	62.23	-8.68	53.55	74.00	-20.45	200	64	peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

**Compliance Certification Services Inc** 程智科技股份有限公司



Page: 29 of 48

No.	Frequency (MHz)	Reading (dBuV)	Correction Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
7	4995.000	47.62	-8.68	38.94	54.00	-15.06	200	64	AVG
8	6049.000	55.89	-5.00	50.89	74.00	-23.11	100	263	peak
9	6389.000	55.62	-4.60	51.02	74.00	-22.98	200	183	peak
10	6389.000	42.26	-4.60	37.66	54.00	-16.34	200	183	AVG
11	7154.000	55.93	-3.89	52.04	74.00	-21.96	270	0	peak
12	7154.000	42.46	-3.89	38.57	54.00	-15.43	270	0	AVG

#### **REMARKS:**

1. The other emission levels were very low against the limit.

2. Margin (dB) = Result (dBuV/m) - Limit (dBuV/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 30 of 48


# 3. Photographs of Test

**CE Testing Set-up** 

Model No.: HSN-C10C-4 Mode 39 +



Mode\_39\_-



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com





Page: 31 of 48



## **RE Testing Set-up Below 1GHz**

Model No.: HSN-C10C-4





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.sgs.tw www.ccsrf.com





Page: 32 of 48



#### **Above 1GHz**

Model No.: HSN-C10C-4





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 33 of 48

# 4. Photographs of Product

**Exterior** 

Model No.: HSN-C10C-4





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 34 of 48





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 35 of 48





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.

程智科技股份有限公司



Page: 36 of 48



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號

t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 37 of 48

## **Adapter Model No.: TPN-CA21**





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 38 of 48



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號

t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 39 of 48

### Adapter Model No.: TPN-CA10





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 40 of 48





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 41 of 48

Adapter Model No.: TPN-DA20





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號



Page: 42 of 48



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.


No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 www.ccsrf.com



Page: 43 of 48

## Adapter Model No.: TPN-TA02





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 44 of 48





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 45 of 48

# Adapter Model No.: TPN-HA01





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 t:(886-2) 2299-9720 f:(886-2) 2298-1882



Page: 46 of 48



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號

t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.ccsrf.com



Page: 47 of 48

### **Adapter Model No.: TPN-LA12**





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司


No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號 www.ccsrf.com



Page: 48 of 48







\*\* End of Report \*\*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) te prosecuted to the fullest extent of the law.

程智科技股份有限公司

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City, Taiwan / 新北市五股區五工六路 11 號