

Page 1 of 335

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E and PART 27 SUBPART B, C & SUBPART L REQUIREMENT

OF

Tablet Product Name:

HP **Brand Name:**

HSN-I06C Model No.:

N/A **Model Difference:**

FCC ID: **B94HNI06CAM**

Report No.: ER/2016/90027

Issue Date: Oct. 28, 2016

FCC Rule Part: 2, 22H & 24E & 27B, C & L

Prepared for: HP Inc.

3390 East Harmony Road Fort Collins, Colorado 80528

United States

Prepared by: SGS Taiwan Ltd.

Electronics & Communication Laboratory

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.tw.sqs.com

SGS Taiwan Ltd.



Page 2 of 335

VERIFICATION OF COMPLIANCE

HP Inc. Applicant:

3390 East Harmony Road Fort Collins, Colorado 80528 United

States

Tablet Product Name:

HP **Brand Name:**

HSN-I06C Model No.:

N/A **Model Difference:**

B94HNI06CAM FCC ID: ER/2016/90027 File Number:

Sep. 09, 2016 ~ Oct. 06, 2016 Date of test:

Sep. 09, 2016 Date of EUT Received:

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-D-2010 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	lowis Chen	Date:	Oct. 28, 2016	
_	Louis Chen / Engineer			_
Prepared By:	Allen Trai	Date:	Oct. 28, 2016	
	Allen Tsai / Engineer			
Approved By:	Tim Chang	Date:	Oct. 28, 2016	
	Jim Chang / Asst. Manager			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 3 of 335

Revision History

Report Number	Revision	Description	Issue Date
ER/2016/90027	Rev.00	Initial creation of document	Oct. 28, 2016

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 4 of 335

Contents

1.	GENERAL PRODUCT INFORMATION	5
2.	SYSTEM TEST CONFIGURATION	15
3.	SUMMARY OF TEST RESULTS	22
4.	DESCRIPTION OF TEST MODES	23
5.	MEASUREMENT UNCERTAINTY	32
6.	RF CONDUCTED OUTPUT POWER MEASUREMENT	33
7.	EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED	
	POWER MEASUREMENT	46
8.	OCCUPIED BANDWIDTH MEASUREMENT	85
9.	OUT OF BAND EMISSION AT ANTENNA TERMINALS	130
10.	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	206
11.	FREQUENCY STABILITY MEASUREMENT	293
12	PEAK TO AVERAGE RATIO	310

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 5 of 335

1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

Product Name:	Tablet		
Brand Name:	HP		
Model No.:	HSN-I06C		
Model difference:	N/A		
Product SW/HW version:	N/A / N/A		
Radio SW/HW version:	N/A		
Test SW Version:	N/A		
RF power setting in TEST SW:	N/A		
WWAN Module:	Model No.: T77W595, Supplier: HON HAI PRECISION IND.CO., LTD.		
	7.7Vdc from Rechargeable Li-polymer Battery or 5 V from AC/DC Adapter		
	Battery: Model No.: HSTNN-DB7Q, Supplier: DYNAPACK ELECTRONIC TECHNOLOGY (SUZHOU) CO., LTD.		
Power Supply:	 Model No.:TPA-CA06, Supplier: CHICONY POWER TECHNOLOGY (CHONGQING) CO.,LTD. Model No.:TPN-AA03, Supplier: Acbel Electronic (Wuhan) Co., Ltd. Model No.:TPN-DA07, Supplier:DELTA ELECTRONICS (JIANGSU) LTD. Model No.:TPN-LA06, Supplier:LITE-ON TECHNOLOGY (CHANGZHOU)CO.,LTD. 		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 6 of 335

WCDMA / LTE:

WCDMA / LTE:			
	Operating Frequency		Rated Power
	GPRS 850	824.2 MHz- 848.8 MHz	33dBm
	EDGE 850	824.2 MHz- 848.8 MHz	27dBm
	GPRS 1900	1850.2MHz – 1909.8MHz	30dBm
	EDGE 1900	1850.2MHz – 1909.8MHz	26dBm
	WCDMA / HSPA+ Band II	1852.4MHz – 1907.6MHz	24dBm
	WCDMA / HSPA+ Band IV	1712.4MHz – 1752.6MHz	24dBm
	WCDMA / HSPA+ Band V	826.4MHz - 846.6MHz	24dBm
	CDMA2000 Cellular BC0	824.7MHz – 848.31MHz	24dBm
	CDMA2000 PCS BC1	1851.25 MHz – 1908.75 MHz	24dBm
	CDMA2000 EVDO Cellular BC0	824.7MHz – 848.31MHz	24dBm
	CDMA2000 EVDO PCS BC1	1851.25 MHz – 1908.75 MHz	24dBm
Cellular Phone Standards Fre-	LTE-Band 2 (1.4MHz)	1850.7MHz- 1909.3MHz	23dBm
quency Range and	LTE-Band 2 (3MHz)	1851.5MHz – 1908.5MHz	23dBm
Power	LTE-Band 2 (5MHz)	1852.5MHz – 1907.5MHz	23dBm
	LTE-Band 2 (10MHz)	1855.0MHz – 1905.0MHz	23dBm
	LTE-Band 2 (15MHz)	1857.5MHz – 1902.5MHz	23dBm
	LTE-Band 2 (20MHz)	1860.0MHz – 1900.0MHz	23dBm
	LTE-Band 4 (1.4MHz)	1710.7MHz- 1754.3MHz	23dBm
	LTE-Band 4 (3MHz)	1711.5MHz – 1753.5MHz	23dBm
	LTE-Band 4 (5MHz)	1712.5MHz – 1752.5MHz	23dBm
	LTE-Band 4 (10MHz)	1715MHz – 1750MHz	23dBm
	LTE-Band 4 (15MHz)	1717.5MHz – 1747.5MHz	23dBm
	LTE-Band 4 (20MHz)	1720MHz – 1745MHz	23dBm
	LTE-Band 5 (1.4MHz)	824.7MHz – 848.3MHz	23dBm
	LTE-Band 5 (3MHz)	825.5MHz – 847.5MHz	23dBm
	LTE-Band 5 (5MHz)	826.5MHz – 846.5MHz	23dBm
	LTE-Band 5 (10MHz)	829.0MHz - 844.0MHz	23dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 7 of 335

	Operating Frequency	Rated Power	
	LTE-Band 7 (5MHz) 2502.5MHz – 2567.5MHz		23dBm
	LTE-Band 7 (10MHz)	2505.0MHz – 2565.0MHz	23dBm
	LTE-Band 7 (15MHz)	2507.5MHz – 2562.5MHz	23dBm
Callular Dhana	LTE-Band 7 (20MHz)	2510.0MHz – 2560MHz	23dBm
Cellular Phone Standards Fre-	LTE-Band 12 (1.4MHz)	699.7MHz- 715.3MHz	23dBm
quency Range and Power	LTE-Band 12 (3MHz)	700.5MHz – 714.5MHz	23dBm
	LTE-Band 12 (5MHz)	701.5MHz – 713.5MHz	23dBm
	LTE-Band 12 (10MHz)	704.0MHz – 711.0MHz	23dBm
	LTE-Band 13 (5MHz)	779.5MHz - 784.5MHz	23dBm
	LTE-Band 13 (10MHz)	782.0MHz	23dBm
	LTE-Band 17 (5MHz)	706.5MHz – 713.5MHz	23dBm
	LTE-Band 17 (10MHz)	709.0MHz –711.0MHz	23dBm
IMEI:	358895060487924		


Type of Emission:

LIIII33IUII.	
Frequency Band	Type of Emission:
GPRS 850	244KGXW
EDGE 850	246KG7W
GPRS 1900	245KGXW
EDGE 1900	248KG7W
CDMA 2000 Cellular (BC0)	1M27F9W
CDMA 2000 EVDO Cellular (BC0)	1M27F9W
CDMA 2000 PCS (BC1)	1M28F9W
CDMA 2000 EVDO PCS (BC1)	1M28F9W
WCDMA Band II	4M15F9W
HSDPA Band II	4M16F9W
HSUPA Band II	4M16F9W
WCDMA Band IV	4M16F9W
HSDPA Band IV	4M16F9W
HSUPA Band IV	4M16F9W
WCDMA Band V	4M16F9W
HSDPA Band V	4M16F9W
HSUPA Band V	4M15F9W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






LTE Band	BW (MHz)	Modulation	Type of Emission
LTE Band 2	1.4MHz	QPSK	1M10G7D
LTE Band 2	1.4MHz	16QAM	1M11D7W
LTE Band 2	3MHz	QPSK	2M71G7D
LTE Band 2	3MHz	16QAM	2M71D7W
LTE Band 2	5MHz	QPSK	4M51G7D
LTE Band 2	5MHz	16QAM	4M51D7W
LTE Band 2	10MHz	QPSK	9M01G7D
LTE Band 2	10MHz	16QAM	8M96D7W
LTE Band 2	15MHz	QPSK	13M5G7D
LTE Band 2	15MHz	16QAM	13M4D7W
LTE Band 2	20MHz	QPSK	17M9G7D
LTE Band 2	20MHz	16QAM	17M9D7W
LTE Band 4	1.4MHz	QPSK	1M10G7D
LTE Band 4	1.4MHz	16QAM	1M10D7W
LTE Band 4	3MHz	QPSK	2M71G7D
LTE Band 4	3MHz	16QAM	2M71D7W
LTE Band 4	5MHz	QPSK	4M51G7D
LTE Band 4	5MHz	16QAM	4M50D7W
LTE Band 4	10MHz	QPSK	8M99G7D
LTE Band 4	10MHz	16QAM	8M96D7W
LTE Band 4	15MHz	QPSK	13M5G7D
LTE Band 4	15MHz	16QAM	13M5D7W
LTE Band 4	20MHz	QPSK	17M9G7D
LTE Band 4	20MHz	16QAM	17M9D7W
LTE Band 5	1.4MHz	QPSK	1M10G7D
LTE Band 5	1.4MHz	16QAM	1M10D7W
LTE Band 5	3MHz	QPSK	2M71G7D
LTE Band 5	3MHz	16QAM	2M71D7W
LTE Band 5	5MHz	QPSK	4M51G7D
LTE Band 5	5MHz	16QAM	4M50D7W
LTE Band 5	10MHz	QPSK	9M03G7D
LTE Band 5	10MHz	16QAM	9M01D7W
LTE Band 7	5MHz	QPSK	4M51G7D
LTE Band 7	5MHz	16QAM	4M51D7W
LTE Band 7	10MHz	QPSK	9M01G7D
LTE Band 7	10MHz	16QAM	8M96D7W
LTE Band 7	15MHz	QPSK	13M5G7D
LTE Band 7	15MHz	16QAM	13M5D7W
LTE Band 7	20MHz	QPSK	17M9G7D
LTE Band 7	20MHz	16QAM	17M9D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





		1	T = 2= 1
LTE Band	BW (MHz)	Modulation	Type of Emission
LTE Band 12	1.4MHz	QPSK	1M11G7D
LTE Band 12	1.4MHz	16QAM	1M10D7W
LTE Band 12	3MHz	QPSK	2M72G7D
LTE Band 12	3MHz	16QAM	2M71D7W
LTE Band 12	5MHz	QPSK	4M53G7D
LTE Band 12	5MHz	16QAM	4M52D7W
LTE Band 12	10MHz	QPSK	9M06G7D
LTE Band 12	10MHz	16QAM	9M04D7W
LTE Band 13	5MHz	QPSK	4M99G7D
LTE Band 13	5MHz	16QAM	4M51D7W
LTE Band 13	10MHz	QPSK	9M00G7D
LTE Band 13	10MHz	16QAM	8M95D7W
LTE Band 17	5MHz	QPSK	4M52G7D
LTE Band 17	5MHz	16QAM	4M52D7W
LTE Band 17	10MHz	QPSK	9M00G7D
LTE Band 17	10MHz	16QAM	8M95D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 10 of 335

Max ERP/EIRP Power Measurement Result:

	dBm		W
GPRS 850	23.86	ERP	0.243
EDGE 850	20.62	ERP	0.115
GPRS 1900	27.02	EIRP	0.504
EDGE 1900	25.46	EIRP	0.352
CDMA 2000 Cellular (BC0)	15.80	ERP	0.038
CDMA 2000 EVDO Cellular (BC0)	15.40	ERP	0.035
CDMA 2000 PCS (BC1)	21.10	EIRP	0.129
CDMA 2000 EVDO PCS (BC1)	20.16	EIRP	0.104
WCDMA Band II	26.42	EIRP	0.439
HSDPA Band II	23.91	EIRP	0.246
HSUPA Band II	23.28	EIRP	0.213
WCDMA Band IV	27.97	EIRP	0.627
HSDPA Band IV	25.65	EIRP	0.367
HSUPA Band IV	24.55	EIRP	0.285
WCDMA Band V	20.62	ERP	0.115
HSDPA Band V	19.64	ERP	0.092
HSUPA Band V	17.60	ERP	0.058
LTE-Band 2 (Bandwidth 1.4MHz) QPSK	25.45	EIRP	0.351
LTE-Band 2 (Bandwidth 1.4MHz) 16QAM	25.70	EIRP	0.372
LTE-Band 2 (Bandwidth 3MHz) QPSK	25.80	EIRP	0.380
LTE-Band 2 (Bandwidth 3MHz) 16QAM	25.95	EIRP	0.394
LTE-Band 2 (Bandwidth 5MHz) QPSK	25.81	EIRP	0.381
LTE-Band 2 (Bandwidth 5MHz) 16QAM	25.94	EIRP	0.393
LTE-Band 2 (Bandwidth 10MHz) QPSK	25.80	EIRP	0.380
LTE-Band 2 (Bandwidth 10MHz) 16QAM	26.15	EIRP	0.412
LTE-Band 2 (Bandwidth 15MHz) QPSK	25.71	EIRP	0.372
LTE-Band 2 (Bandwidth 15MHz) 16QAM	25.96	EIRP	0.394
LTE-Band 2 (Bandwidth 20MHz) QPSK	25.11	EIRP	0.324
LTE-Band 2 (Bandwidth 20MHz) 16QAM	25.37	EIRP	0.344

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 11 of 335

	dBm		W
LTE-Band 4 (Bandwidth 1.4MHz) QPSK	24.29	EIRP	0.269
LTE-Band 4 (Bandwidth 1.4MHz) 16QAM	24.42	EIRP	0.277
LTE-Band 4 (Bandwidth 3MHz) QPSK	24.48	EIRP	0.281
LTE-Band 4 (Bandwidth 3MHz) 16QAM	24.58	EIRP	0.287
LTE-Band 4 (Bandwidth 5MHz) QPSK	24.63	EIRP	0.290
LTE-Band 4 (Bandwidth 5MHz) 16QAM	24.78	EIRP	0.301
LTE-Band 4 (Bandwidth 10MHz) QPSK	24.54	EIRP	0.284
LTE-Band 4 (Bandwidth 10MHz) 16QAM	24.75	EIRP	0.299
LTE-Band 4 (Bandwidth 15MHz) QPSK	24.74	EIRP	0.298
LTE-Band 4 (Bandwidth 15MHz) 16QAM	24.99	EIRP	0.316
LTE-Band 4 (Bandwidth 20MHz) QPSK	24.74	EIRP	0.298
LTE-Band 4 (Bandwidth 20MHz) 16QAM	25.12	EIRP	0.325
LTE-Band 5 (Bandwidth 1.4MHz) QPSK	18.87	ERP	0.077
LTE-Band 5 (Bandwidth 1.4MHz) 16QAM	18.27	ERP	0.067
LTE-Band 5 (Bandwidth 3MHz) QPSK	20.06	ERP	0.101
LTE-Band 5 (Bandwidth 3MHz) 16QAM	19.43	ERP	0.088
LTE-Band 5 (Bandwidth 5MHz) QPSK	20.33	ERP	0.108
LTE-Band 5 (Bandwidth 5MHz) 16QAM	20.58	ERP	0.114
LTE-Band 5 (Bandwidth 10MHz) QPSK	19.99	ERP	0.100
LTE-Band 5 (Bandwidth 10MHz) 16QAM	19.70	ERP	0.093
LTE-Band 7 (Bandwidth 5MHz) QPSK	23.03	EIRP	0.201
LTE-Band 7 (Bandwidth 5MHz) 16QAM	23.24	EIRP	0.211
LTE-Band 7 (Bandwidth 10MHz) QPSK	23.02	EIRP	0.200
LTE-Band 7 (Bandwidth 10MHz) 16QAM	23.28	EIRP	0.213
LTE-Band 7 (Bandwidth 15MHz) QPSK	22.54	EIRP	0.179
LTE-Band 7 (Bandwidth 15MHz) 16QAM	22.84	EIRP	0.192
LTE-Band 7 (Bandwidth 20MHz) QPSK	22.65	EIRP	0.184
LTE-Band 7 (Bandwidth 20MHz) 16QAM	22.77	EIRP	0.189

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 12 of 335

	dBm		W
LTE-Band 12 (Bandwidth 1.4MHz) QPSK	20.74	ERP	0.119
LTE-Band 12 (Bandwidth 1.4MHz) 16QAM	20.89	ERP	0.123
LTE-Band 12 (Bandwidth 3MHz) QPSK	21.03	ERP	0.127
LTE-Band 12 (Bandwidth 3MHz) 16QAM	21.26	ERP	0.134
LTE-Band 12 (Bandwidth 5MHz) QPSK	21.17	ERP	0.131
LTE-Band 12 (Bandwidth 5MHz) 16QAM	21.36	ERP	0.137
LTE-Band 12 (Bandwidth 10MHz) QPSK	20.93	ERP	0.124
LTE-Band 12 (Bandwidth 10MHz) 16QAM	21.18	ERP	0.131
LTE-Band 13 (Bandwidth 5MHz) QPSK	18.40	ERP	0.069
LTE-Band 13 (Bandwidth 5MHz) 16QAM	18.47	ERP	0.070
LTE-Band 13 (Bandwidth 10MHz) QPSK	17.90	ERP	0.062
LTE-Band 13 (Bandwidth 10MHz) 16QAM	18.11	ERP	0.065
LTE-Band 17 (Bandwidth 5MHz) QPSK	20.75	ERP	0.119
LTE-Band 17 (Bandwidth 5MHz) 16QAM	21.17	ERP	0.131
LTE-Band 17 (Bandwidth 10MHz) QPSK	21.34	ERP	0.136
LTE-Band 17 (Bandwidth 10MHz) 16QAM	21.69	ERP	0.148

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 13 of 335

1.2. Product Feature of Equipment Under Test

The equipment under Test (Hereafter Called: FUT) supports below functions

Product Feature			
GPRS / EGPRS Multi Slot Class GPRS Class 12 / Class 12			
CDMA / EVDO	BC0 / BC1		
WCDMA Operating Band(s)	ating Band(s) FDD Band II / IV / V		
WCDMA Rel. Version Rel.99			
LTE Operating Band(s) FCC Band 2 / 4 / 5 / 7 / 12 / 13 / 17			
LTE Rel. Version Rel.10			
Bluetooth Version	V4.2 dual mode		
Wi-Fi- Specification	802.11a/b/g/n/ac		
NFC Specification	NFC		

Note: The above EUT information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sused selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlowfull and offenders may be prosecuted to the fullest extent of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 14 of 335

1.3. Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22, 24, 27

ANSI / TIA / EIA 603-D-2010

KDB971168 D01 Power Meas license Digital System

KDB941225 of the Output power Procedure of (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

1.4. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan. (TAF code 0513)

FCC Registration Numbers are: 509634

1.5. Special Accessories

No special accessories were used during testing.

1.6. Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 15 of 335

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured TIA/EIA 603C, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 16 of 335

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation example with cable loss 1 dB for low band and 1 for high band with 10 dB attenuator and 3.2 splitter.

Low Band: Offset = RF cable loss (dB)+ attenuation factor(dB) =3.6+10=13.6(dB)

High Band: Offset = RF cable loss (dB)+ attenuation factor(dB) =4+10=14(dB)

2.5. Final Amplifier Voltage and Current Information:

Test Mode	DC voltage (V)	DC current (mA)
GPRS 850	7.7 Vdc	526
GPRS 1900	7.7 Vdc	533
EDGE 850	7.7 Vdc	486
EDGE 1900	7.7 Vdc	516
WCDMA B2	7.7 Vdc	722
WCDMA B4	7.7 Vdc	691
WCDMA B5	7.7 Vdc	665
HSUPA B2	7.7 Vdc	741
HSUPA B4	7.7 Vdc	689
HSUPA B5	7.7 Vdc	654
HSDPA B2	7.7 Vdc	751
HSDPA B4	7.7 Vdc	674
HSDPA B5	7.7 Vdc	635

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 17 of 335

Test Mode	DC voltage (V)	DC current (mA)
CDMA BC0	7.7 Vdc	931
EVDO BC0	7.7 Vdc	881
CDMA BC1	7.7 Vdc	932
EVDO BC1	7.7 Vdc	889

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 2_1.4M QPSK	7.7Vdc	894
LTE Band 2_1.4M 16QAM	7.7Vdc	884
LTE Band 2_3M QPSK	7.7Vdc	906
LTE Band 2_3M 16QAM	7.7Vdc	891
LTE Band 2_5M QPSK	7.7Vdc	903
LTE Band 2_5M 16QAM	7.7Vdc	891
LTE Band 2_10M QPSK	7.7Vdc	906
LTE Band 2_10M 16QAM	7.7Vdc	879
LTE Band 2_15M QPSK	7.7Vdc	923
LTE Band 2_15M 16QAM	7.7Vdc	973
LTE Band 2_20M QPSK	7.7Vdc	959
LTE Band 2_20M 16QAM	7.7Vdc	976

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 18 of 335

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 4_1.4M QPSK	7.7Vdc	906
LTE Band 4_1.4M 16QAM	7.7Vdc	926
LTE Band 4_3M QPSK	7.7Vdc	924
LTE Band 4_3M 16QAM	7.7Vdc	911
LTE Band 4_5M QPSK	7.7Vdc	935
LTE Band 4_5M 16QAM	7.7Vdc	903
LTE Band 4_10M QPSK	7.7Vdc	934
LTE Band 4_10M 16QAM	7.7Vdc	912
LTE Band 4_15M QPSK	7.7Vdc	954
LTE Band 4_15M 16QAM	7.7Vdc	973
LTE Band 4_20M QPSK	7.7Vdc	965
LTE Band 4_20M 16QAM	7.7Vdc	931

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 5_1.4M QPSK	7.7Vdc	954
LTE Band 5_1.4M 16QAM	7.7Vdc	961
LTE Band 5_3M QPSK	7.7Vdc	974
LTE Band 5_3M 16QAM	7.7Vdc	987
LTE Band 5_5M QPSK	7.7Vdc	966
LTE Band 5_5M 16QAM	7.7Vdc	968
LTE Band 5_10M QPSK	7.7Vdc	954
LTE Band 5_10M 16QAM	7.7Vdc	974

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 19 of 335

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 7_5M QPSK	7.7Vdc	964
LTE Band 7_5M 16QAM	7.7Vdc	974
LTE Band 7_10M QPSK	7.7Vdc	964
LTE Band 7_10M 16QAM	7.7Vdc	951
LTE Band 7_15M QPSK	7.7Vdc	964
LTE Band 7_15M 16QAM	7.7Vdc	988
LTE Band 7_20M QPSK	7.7Vdc	974
LTE Band 7_20M 16QAM	7.7Vdc	986

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 12_1.4M QPSK	7.7Vdc	954
LTE Band 12_1.4M 16QAM	7.7Vdc	974
LTE Band 12_3M QPSK	7.7Vdc	963
LTE Band 12_3M 16QAM	7.7Vdc	974
LTE Band 12_5M QPSK	7.7Vdc	965
LTE Band 12_5M 16QAM	7.7Vdc	977
LTE Band 12_10M QPSK	7.7Vdc	961
LTE Band 12_10M 16QAM	7.7Vdc	957

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 20 of 335

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 13_5M QPSK	7.7Vdc	954
LTE Band 13_5M 16QAM	7.7Vdc	966
LTE Band 13_10M QPSK	7.7Vdc	987
LTE Band 13_10M 16QAM	7.7Vdc	981

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 17_5M QPSK	7.7Vdc	964
LTE Band 17_5M 16QAM	7.7Vdc	955
LTE Band 17_10M QPSK	7.7Vdc	981
LTE Band 17_10M 16QAM	7.7Vdc	971

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com



Page 21 of 335

2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Table 2-1 Equipment Used in

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Communication Tester	R&S	CMU200	102189	shielded	Un-shielded
2.	Universal Radio Communication Tester	Anritsu	MT8820C	6200307563	shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phis document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page 22 of 335

3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
\$2.1046(a) \$22.913(a)(2) \$24.232(c) \$27.50(c)(9) \$27.50(d)(4) \$27.50(h)(2)	ERP/ EIRP measure- ment	Compliant
§2.1049(h)	99% & 26dB Occuupied Bandwidth	Compliant
\$2.1051 \$22.917(a) \$24.238(a) \$27.53(g) \$27.50(c)(5) \$27.53(h) \$27.53(m)(4)(6)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
\$2.1053 \$22.917(a) \$24.238(a) \$27.53(c)(2),(4) \$27.50(c)(5) \$27.53(g) \$27.53(h) \$27.53(m)(4)	Field Strength of Spu- rious Radiation	Compliant
§24.232(d) §27.53(d) (5) §27.50(i) (B)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54	Frequency Stability	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 23 of 335

4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION and Wireless charging Cover
GPRS/EDGE 850	E2-plan	E2-plan
GPRS/EDGE 1900	E2-plan	E2-plan
WCDMA/HSPA Band II	E2-plan	E2-plan
WCDMA/HSPA Band IV	E2-plan	E2-plan
WCDMA/HSPA Band V	E2-plan	E2-plan
CDMA 2000 Cellular (BC0)	E2-plan	E2-plan
CDMA 2000 PCS (BC1)	E2-plan	E2-plan
CDMA 2000 EVDO Cellular (BC0)	E2-plan	E2-plan
CDMA 2000 EVDO PCS (BC1)	E2-plan	E2-plan
LTE Band 2	E2-plan	E2-plan
LTE Band 4	E2-plan	E2-plan
LTE Band 5	E2-plan	E2-plan
LTE Band 7	E1-plan	E1-plan
LTE Band 12	E2-plan	E2-plan
LTE Band 13	E2-plan	E2-plan
LTE Band 17	E2-plan	E2-plan

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可都份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sued sedfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlowfull and efforced may be presented to the fullest cutent of the formation. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 24 of 335

GPRS/EDGE MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	128 to 251	128, 190, 251	GPRS/EDGE 850
EIRP	512 to 810	512, 661, 810	GPRS/EDGE 1900
FREQUENCY STABILITY	128 to 251	190	GPRS 850
	512 to 810	661	GPRS 1900
OCCUPIED BANDWIDTH	128 to 251	190	GPRS/EDGE 850
	512 to 810	661	GPRS/EDGE 1900
PEAK TO AVERAGE RATIO	128 to 251	128, 190, 251	GPRS/EDGE 850
	512 to 810	512, 661, 810	GPRS/EDGE 1900
BAND EDGE	128 to 251	128, 251	GPRS/EDGE 850
	512 to 810	512, 810	GPRS/EDGE 1900
CONDCUDETED EMISSION	128 to 251	128, 190, 251	GPRS/EDGE 850
	512 to 810	512, 661, 810	GPRS/EDGE 1900
RADIATED EMISSION	128 to 251	128, 190, 251	GPRS 850
	512 to 810	512, 661, 810	GPRS 1900

WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
EIRP	9262 to 9538 1312 to 1513	9262, 9400, 9583 1312, 1413, 1513	WCDMA/HSPA Band II WCDMA/HSPA Band IV
FREQUENCY STABILITY	4132 to 4233 1312 to 1513 9262 to 9538	4183 1413 9400	WCDMA Band II WCDMA Band IV WCDMA Band V
OCCUPIED BANDWIDTH	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA/HSPA Band II WCDMA/HSPA Band IV WCDMA/HSPA Band V
PEAK TO AVERAGE RATIO	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA/HSPA Band IV WCDMA/HSPA Band V WCDMA/HSPA Band V
BAND EDGE	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4233 1312, 1513 9262, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
CONDCUDETED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
RADIATED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 25 of 335

CDMA/EVDO MODE

ODIVI/ (L V DO IVIODE			
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	1013 to 777	1013, 384, 777	CDMA2000/ EVDO Cellular BC0
EIRP	25 to 1175	25, 600, 1175	CDMA2000/ EVDO PCS BC1
FREQUENCY	1013 to 777	384	CDMA2000/ EVDO Cellular BC0
STABILITY	25 to 1175	600	CDMA2000/ EVDO PCS BC1
OCCUPIED	1013 to 777	1013, 384, 777	CDMA2000/ EVDO Cellular BC0
BANDWIDTH	25 to 1175	25, 600, 1175	CDMA2000/ EVDO PCS BC1
PEAK TO AVERAGE	1013 to 777	1013, 384, 777	CDMA2000/ EVDO Cellular BC0
RATIO	25 to 1175	25, 600, 1175	CDMA2000/ EVDO PCS BC1
BAND EDGE	1013 to 777	1013, 777	CDMA2000/ EVDO Cellular BC0
BAND EDGE	25 to 1175	25, 1175	CDMA2000/ EVDO PCS BC1
CONDCUDETED	1013 to 777	1013, 384, 777	CDMA2000/ EVDO Cellular BC0
EMISSION	25 to 1175	25, 600, 1175	CDMA2000/ EVDO PCS BC1
RADIATED EMISSION	1013 to 777	1013, 384, 777	CDMA2000 Cellular BC0
KADIATED EMISSION	25 to 1175	25, 600, 1175	CDMA2000 PCS BC1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

www.tw.sqs.com



Page 26 of 335

LTE Band 2 MODE

	LIE Ballu Z WODE					
TEST ITEM	AVAILABLE	TESTED	CHANNEL	MODULATION	MODE	
1201112	CHANNEL	CHANNEL	BANDWIDTH	MODOL/(TION	MODE	
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest	
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest	
EIRP	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest	
LIIXE	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest	
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest	
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest	
FREQUENCY STABILITY	18650 to 19150	18900	10MHz	QPSK,	Full RB	
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM	Full RB	
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	Full RB	
OCCUPIED	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	Full RB	
BANDWIDTH	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	Full RB	
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	Full RB	
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	Full RB	
	18607 to 19193	18607, 18900, 19193	1.4MHz	16QAM	Full RB	
	18615 to 19185	18615, 18900, 19185	3MHz	16QAM	Full RB	
PEAK TO AV-	18625 to 19175	18625, 18900, 19175	5MHz	16QAM	Full RB	
ERAGE RATIO	18650 to 19150	18650, 18900, 19150	10MHz	16QAM	Full RB	
	18675 to 19125	18675, 18900, 19125	15MHz	16QAM	Full RB	
	18700 to 19100	18700, 18900, 19100	20MHz	16QAM	Full RB	
	18607 to 19193	18607, 19193	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB	
	18615 to 19185	18615, 19185	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB	
BAND EDGE	18625 to 19175	18625, 19175	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB	
BAND EDGE	18650 to 19150	18650, 19150	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB	
	18675 to 19125	18675, 19125	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB	
	18700 to 19100	18700, 19100	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB	
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK,	1 RB, 0 RB Offest	
CONDCUDETED EMISSION	18615 to 19185	18615, 18900, 19185	3MHz	QPSK,	1 RB, 0 RB Offest	
	18625 to 19175	18625, 18900, 19175	5MHz	QPSK,	1 RB, 0 RB Offest	
	18650 to 19150	18650, 18900, 19150	10MHz	QPSK,	1 RB, 0 RB Offest	
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK,	1 RB, 0 RB Offest	
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK,	1 RB, 0 RB Offest	
RADIATED EMISSION	18675 to 19125	18675, 18900, 19125	15MHz	16QAM	1 RB, 0 RB Offest	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 27 of 335

I TF Band 4 MODE

LIE Band 4 MO		1			
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
	19965 to 22385	19965, 20175, 22385		QPSK, 16QAM	1 RB/ 0,14 RB Offest
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
EIRP	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20000 to 20350	20175	10MHz	QPSK,	Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	Full RB
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM	Full RB
OCCUPIED	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	16QAM	Full RB
	19965 to 22385	19965, 20175, 22385	3MHz	16QAM	Full RB
PEAK TO AV-	19975 to 20375	19975, 20175, 20375	5MHz	16QAM	Full RB
ERAGE RATIO	20000 to 20350	20000, 20175, 20350	10MHz	16QAM	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	16QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	16QAM	Full RB
	19957 to 19393	19957, 19393	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
	19965 to 22385	19965, 22385	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	19975 to 20375	19975, 20375	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
B/ (ND EDGE	20000 to 20350	20000, 20350	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	20025 to 20325	20025, 20325	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	20050 to 20300	20050, 20300	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK,	1 RB, 0 RB Offest
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED EMISSION	19975 to 20375	19975, 20175, 20375		QPSK,	1 RB, 0 RB Offest
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK,	1 RB, 0 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK,	1 RB, 0 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	20050 to 20300	20050, 20175, 20300	20MHz	16QAM,	1 RB, 99 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 28 of 335

LTE Band 5 MODF

LIE Ballu 5 WOL					
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
ERP	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
ERF	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	20450 to 20600	20525	10MHz	QPSK,	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM	Full RB
OCCUPIED	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM	Full RB
BANDWIDTH	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	16QAM	Full RB
PEAK TO AV-	20415 to 20635	20415, 20525, 20635	3MHz	16QAM	Full RB
ERAGE RATIO	20425 to 20625	20425, 20525, 20625	5MHz	16QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	16QAM	Full RB
	20470 to 20643	20470, 20643	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
DAND EDGE	20415 to 20635	20415, 20635	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	20425 to 20625	20425, 20625	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	20450 to 20600	20450, 20600	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED EMISSION	20415 to 20635	20415, 20525, 20635	3MHz	QPSK,	1 RB, 0 RB Offest
	20425 to 20625	20425, 20525, 20625	5MHz	QPSK,	1 RB, 0 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	20425 to 20625	20425, 20525, 20625	5MHz	QPSK	1 RB, 24 RB Offest

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 29 of 335

LTE Band 7 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
FIDD		20800, 21100, 21400	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
EIRP		20850, 21100, 21375	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20800 to 21400	21100	10MHz	QPSK,	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	Full RB
OCCUPIED	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM	Full RB
BANDWIDTH	20850 to 21375	20850, 21100, 21375	15MHz	QPSK, 16QAM	Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	16QAM	Full RB
PEAK TO AV-	20800 to 21400	20800, 21100, 21400	10MHz	16QAM	Full RB
ERAGE RATIO	20850 to 21375	20850, 21100, 21375	15MHz	16QAM	Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	16QAM	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
BAND EDGE	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
		20775, 21100, 21425	5MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB, 0 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	20800 to 21400	20800, 21100, 21400	10MHz	16QAM	1 RB, 49 RB Offest
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
EMISSION	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
MASK	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 30 of 335

LTE Band 12 MODE

LIE Ballu IZ W	<u> </u>				
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
EDD	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
ERP	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
		23060, 23095, 23130		QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23060 to 23130	23095	10MHz	QPSK,	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	Full RB
OCCUPIED	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	Full RB
BANDWIDTH	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	16QAM	Full RB
PEAK TO AV-	23025 to 23165	23025, 23095, 23165	3MHz	16QAM	Full RB
ERAGE RATIO	23035 to 23155	23035, 23095, 23155	5MHz	16QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	16QAM	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
DAND EDGE	23025 to 23165	23025, 23095, 23165	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	23035 to 23155	23035, 23095, 23155	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED		23025, 23095, 23165	3MHz	QPSK,	1 RB, 0 RB Offest
EMISSION		23035, 23095, 23155		QPSK,	1 RB, 0 RB Offest
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION		23035, 23095, 23155	5MHz	16QAM	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 31 of 335

LTF Band 13 MODE

LIL Ballu 13 WO					
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23205 to 23255	23205, 23230, 23255	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	23230	23230	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23230	23230	10MHz	QPSK,	Full RB
OCCUPIED	23205 to 23255	23205, 23230, 23255	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	23230	23230	10MHz	QPSK, 16QAM	Full RB
PEAK TO AV-	23205 to 23255	23205, 23230, 23255	5MHz	16QAM	Full RB
ERAGE RATIO	23230	23230	10MHz	16QAM	Full RB
BAND EDGE	23205 to 23255	23205, 23255	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	23230	23230	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
CONDCUDETED	23205 to 23255	23205, 23230, 23255	5MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	23230	23230	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	23205 to 23255	23205, 23230, 23255	5MHz	16QAM	1 RB/ 24 RB Offest

LTE Band 17 MODE

LIE Band 17 MODE					
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
ENF	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23780 to 23800	23790	10MHz	QPSK,	Full RB
OCCUPIED	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM	Full RB
PEAK TO AV-	23755 to 23825	23755, 23790, 23825	5MHz	16QAM	Full RB
ERAGE RATIO	23780 to 23800	23780, 23790, 23800	10MHz	16QAM	Full RB
BAND EDGE	23755 to 23825	23755, 23825	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	23780 to 23800	23780, 23800	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
CONDCUDETED	23755 to 23825	23755, 23790, 23825	5MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	23780 to 23800	23780, 23790, 23800	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	23780 to 23800	23780, 23790, 23800	10MHz	16QAM	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 32 of 335

5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.10 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB
99% Occupied Bandwidth	+/- 5.19 Hz
Out of Band Emissions at Antenna	+/- 0.70 dB
Terminals and Band Edge	
Peak to Average Ratio	+/- 0.70 dB
Frequency Stability vs. Temperature	+/- 5.19 Hz
Frequency Stability vs. Voltage	+/- 5.19 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB				
Management up a esta inte	30MHz - 180MHz: +/- 3.37dB				
Measurement uncertainty (Polarization : Vertical)	180MHz -417MHz: +/- 3.19dB				
	0.417GHz-1GHz: +/- 3.19dB				
	1GHz - 18GHz: +/- 4.04dB				
	18GHz - 40GHz: +/- 4.04dB				

Measurement uncertainty (Polarization : Horizontal)	9kHz – 30MHz: +/- 2.87 dB			
	30MHz - 167MHz: +/- 4.22dB			
	167MHz -500MHz: +/- 3.44dB			
	0.5GHz-1GHz: +/- 3.39dB			
	1GHz - 18GHz: +/- 4.08dB			
	18GHz - 40GHz: +/- 4.08dB			

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Page 33 of 335

6. RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCDMA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 34 of 335

6.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
Power Meter	Anritsu	ML2495A	1005007	12/09/2015	12/08/2016				
Power Sensor	Anritsu	MA2411B	917032	12/09/2015	12/08/2016				
EXA Spectrum Ana- lyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017				
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017				
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017				
DC Power Supply	Agilent	E3640A	MY52410006	11/05/2015	11/04/2016				
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2016	05/16/2017				
Radio Communication Analyer	Anritsu	MT8820C	6201465317	12/10/2015	12/09/2016				
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017				

6.5. Measurement Result

RF Conducted Output Power

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 35 of 335

FUT	F		Peak Power Average Burst Power		Peak Power	Average Burst Power
EUT Mode	Frequency	СН	(1DN 1UP)	(1DN 1UP)	(1DN 2UP)	(1DN 2UP)
	(MHz)		Class 8 (dBm)	Class 8 (dBm)	Class 10 (dBm)	Class 10 (dBm)
0000	824.2	128	33.80	33.28	33.70	32.95
GPRS 850	836.6	190	33.60	33.27	33.80	32.96
	848.8	251	33.30	33.20	33.60	32.90
0000	1850.2	512	31.60	30.35	30.70	29.97
GPRS 1900	1880.0	661	31.30	30.03	30.70	29.94
1300	1909.8	810	31.50	30.25	30.60	29.91
	824.2	128	30.60	27.17	29.70	26.49
EDGE 850	836.6	190	30.50	27.15	29.70	26.46
	848.8	251	30.90	27.18	29.60	26.42
EDOE	1850.2	512	29.90	26.40	29.90	25.31
1900	1880.0	661	29.60	26.13	29.60	25.08
1300	1909.8	810	29.70	26.26	29.70	25.16

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 36 of 335

WCDMA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results:

EUT M	EUT Mode WCDM/ Band II			HSDPA Band II		HSUPA Band II	
Frequency	СН	Peak Power	Avg. Power	Peak Power	Avg. Power	Peak Power	Avg. Power
(MHz)		(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
1852.4	9262	27.81	23.86	27.31	22.87	26.79	22.84
1880.0	9400	28.33	24.07	27.39	22.93	27.32	23.07
1907.6	9538	28.81	24.24	27.79	23.31	27.44	23.26

EUT Mode		_			_		JPA d IV
Frequency	СН	Peak Power	Avg. Power	Peak Power	Avg. Power	Peak Power	Avg. Power
(MHz)		(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
1712.4	1312	27.43	24.12	27.12	23.22	26.78	23.42
1732.6	1412	27.60	24.46	27.33	23.32	26.89	23.45
1752.6	1513	27.55	24.24	27.23	23.27	26.87	23.43

EUT M	ode	WCDMA HSD Band V Band			HSUPA Band V		
Frequency	СН	Peak Power	Avg. Power	Peak Power	Avg. Power	Peak Power	Avg. Power
(MHz)		(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
826.4	4132	27.26	24.16	26.55	23.12	26.22	23.05
836.6	4183	27.61	24.26	26.84	23.17	26.40	23.33
846.6	4233	27.65	24.37	27.16	23.22	26.73	23.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indernification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 37 of 335

CDMA2000/EVDO MODE

Mode	Freq. (MHz)	СН	Avg. Power (dBm)
CDMA	824.7	1013	23.55
2000 Cellular	836.52	384	23.52
BC0	848.31	777	23.71

Mode	Freq. (MHz)	СН	Avg. Power (dBm)
CDMA	1851.25	25	23.44
2000 PCS	1880	600	23.61
BC1	1908.75	1175	23.45

	Eroa		Avg.
Mode	Freq.	CH	Power
	(MHz)		(dBm)
CDMA	824.7	1013	23.48
2000 EVDO Cellular	836.52	384	23.50
	848.31	777	23.68

Mode	Freq. (MHz)	СН	Avg. Power (dBm)
CDMA 2000 EVDO PCS	1851.25	25	23.35
	1880	600	23.55
	1908.75	1175	23.39

Cable loss CDMA2000 Cell BC0: 0.4 dB Cable loss CDMA PCS BC1: 0.8 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 38 of 335

LTE Result:

LTE Band 2

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
			Conducted power(dBm)									
BW RB Size	DD	RB		QPSK			16QAM					
		Offset	Channel	Channel	Channel	Channel	Channel	Channel				
	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			18607	18900	19193	18607	18900	19193				
	1	0	23.34	23.26	23.43	22.45	22.56	22.63				
1.4	1	5	23.44	23.29	23.47	22.18	22.33	22.43				
1.4	3	2	23.58	23.32	23.46	22.27	22.30	22.61				
	6	0	22.51	22.38	22.55	21.37	21.23	21.37				

	LTE E	Band 2_U	lplink fre	quency b	and : 185	50 to 1910) MHz	
				Co	nducted	power(dB	m)	
BW RB (MHz) Size	DD	RB		QPSK			16QAM	
	Offset	Channel	Channel	Channel	Channel	Channel	Channel	
	5120	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			18615	18900	19185	18615	18900	19185
	1	0	23.43	23.40	23.43	22.43	21.94	22.08
3	1	14	23.52	23.30	23.37	22.29	22.44	22.17
3	8	4	22.42	22.28	22.46	21.40	21.26	21.32
	15	0	22.47	22.35	22.52	21.52	21.25	21.35

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
			Conducted power(dBm)									
BW RB (MHz) Size	PR	RB		QPSK			16QAM					
	Offset	Channel	Channel	Channel	Channel	Channel	Channel					
	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			18625	18900	19175	18625	18900	19175				
	1	0	23.47	23.25	23.49	22.45	22.54	22.42				
5	1	24	23.06	23.38	23.50	22.03	22.53	22.21				
)	12	6	22.38	22.26	22.57	21.44	21.26	21.41				
	25	0	22.47	22.19	22.51	21.45	21.24	21.46				

	LTE E	Band 2_U	lplink fre	quency b	and : 185	50 to 1910) MHz				
				Conducted power(dBm)							
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(IVIITZ)	SIZE	DIZE OIISEL	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			18650	18900	19150	18650	18900	19150			
	1	0	23.34	23.15	23.35	22.74	22.48	22.29			
10	1	49	23.31	23.43	23.61	22.05	22.24	22.39			
10	25	12	22.30	22.41	22.46	21.23	21.23	21.35			
	50	0	22.31	22.40	22.45	21.26	21.29	21.42			

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
			Conducted power(dBm)									
BW	RB	RB		QPSK			16QAM					
(MHz)		Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVITIZ) SIZ	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			18675	18900	19125	18675	18900	19125				
	1	0	23.69	23.19	23.52	22.23	22.53	22.13				
15	1	74	23.23	23.50	23.58	22.64	22.27	22.15				
13	36	19	22.16	22.41	22.42	21.01	21.27	21.37				
	75	0	22.40	22.39	22.50	21.21	21.23	21.34				

	LTE E	Band 2_U	lplink fre	quency b	and : 185	i0 to 1910) MHz				
				Conducted power(dBm)							
BW	RB	RB		QPSK			16QAM				
(MHz)		Size Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(IVII IZ)	SIZE		(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			18700	18900	19100	18700	18900	19100			
	1	0	23.62	23.43	23.40	22.70	22.11	22.63			
20	1	99	23.27	23.53	23.43	22.06	22.68	22.31			
20	50	25	22.30	22.42	22.44	21.19	21.30	21.36			
	100	0	22.40	22.54	22.52	21.21	21.36	21.42			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 39 of 335

LTE Band 4

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
				Conducted power(dBm)								
BW RB	RB		QPSK			16QAM						
(MHz)	MHz) Size	RB Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	SIZE		(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			19957	20175	20393	19957	20175	20393				
	1	0	23.43	23.57	23.25	22.63	22.42	22.42				
1.4	1	5	23.57	23.66	23.60	22.55	22.67	22.86				
1.4	3	2	23.45	23.63	23.51	22.61	22.63	22.37				
	6	0	22.15	22.71	22.33	21.43	21.67	21.47				

	LTE	Band 4	_Uplink fr	equency l	oand : 171	0 to 1755	MHz	
				C	onducted	power(dBi	m)	
BW RB (MHz) Size	DD	RB		QPSK			16QAM	
	Offset	Channel	Channel	Channel	Channel	Channel	Channel	
(IVII IZ)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			19965	20175	20385	19965	20175	20385
	1	0	23.54	23.63	23.44	22.06	22.29	22.32
3	1	14	23.20	23.67	23.53	22.30	22.51	22.66
	8	4	22.83	22.62	22.53	21.32	21.47	21.57
	15	0	22.78	22.68	22.48	21.27	21.60	21.74

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
			Conducted power(dBm)									
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	SIZE	Ullset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			19975	20175	20375	19975	20175	20375				
	1	0	23.62	23.58	23.43	22.35	22.72	22.74				
5	1	24	23.22	23.60	23.44	22.33	22.54	23.00				
5	12	6	22.37	22.62	22.62	21.46	21.76	21.44				
	25	0	22.30	22.62	22.58	21.88	21.58	21.51				

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
					Conducted power(dBm)							
	BW (MHz)	RB	RB	QPSK				16QAM				
			Offset	Channel	Channel	Channel	Channel	Channel	Channel			
	(IVIIIZ)	Size	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
				20000	20175	20350	20000	20175	20350			
		1	0	23.26	23.76	23.56	22.40	22.91	22.54			
	10	1	49	23.56	23.62	23.37	22.83	22.15	22.49			
	10	25	12	22.47	22.61	22.58	21.45	21.62	21.60			
		50	0	22.53	22.77	23.00	21.53	21.67	21.61			

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
			Conducted power(dBm)									
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(1011 12)	Size	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20025	20175	20325	20025	20175	20325				
	1	0	23.47	23.77	23.56	22.72	22.65	22.98				
15	1	74	23.52	23.57	24.00	22.64	22.58	22.56				
10	36	19	22.66	22.65	22.70	21.52	21.73	21.52				
	75	0	22.68	22.69	22.71	21.59	21.78	21.72				

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
				Conducted power(dBm)								
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(1011 12)	Size	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20050	20175	20300	20050	20175	20300				
	1	0	23.50	23.83	23.63	22.21	22.94	22.86				
20	1	99	23.54	23.69	23.93	22.57	22.02	22.28				
20	50	25	22.74	22.77	22.71	21.70	21.79	21.62				
	100	0	22.89	22.75	22.79	21.85	21.68	21.73				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 40 of 335

LTE Band 5

	LTE Band 5_Uplink frequency band : 824 to 849 MHz											
			Conducted power(dBm)									
BW	RB	RB	QPSK			16QAM						
(MHz)	Size	Officet	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20407	20525	20643	20407	20525	20643				
	1	0	22.95	23.04	23.13	21.97	21.90	22.45				
1.4	1	5	23.01	23.24	23.32	21.89	22.50	22.31				
1.4	3	2	23.02	23.24	23.31	22.05	22.21	22.28				
	6	0	22.14	22.25	22.30	20.96	21.17	21.17				

	LTE Band 5_Uplink frequency band : 824 to 849 MHz										
			Conducted power(dBm)								
BW (MHz)	RB	RB		QPSK			16QAM				
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(1711 12)	Size	Size Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20415	20525	20635	20415	20525	20635			
	1	0	22.94	23.05	23.31	21.40	21.66	22.10			
3	1	14	23.05	23.25	23.20	22.31	22.04	22.35			
3	8	4	22.03	22.23	22.25	21.02	21.30	21.12			
	15	0	22.00	22.21	22.19	21.08	21.20	21.22			

	LTE Band 5_Uplink frequency band : 824 to 849 MHz											
			Conducted power(dBm)									
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	SIZE	Size Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20425	20525	20625	20425	20525	20625				
	1	0	22.95	23.13	23.23	21.89	21.74	22.06				
5	1	24	23.00	23.22	23.19	21.82	22.15	22.03				
3	12	6	22.11	22.17	22.28	21.07	21.14	21.29				
	25	0	22.03	22.25	22.24	21.06	21.24	21.18				

	LTE Band 5_Uplink frequency band : 824 to 849 MHz										
			Conducted power(dBm)								
BW	RB Size	RB	QPSK				16QAM				
(MHz)		Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(IVITZ)		Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20450	20525	20600	20450	20525	20600			
	1	0	23.07	23.46	23.26	22.07	22.04	22.28			
10	1	49	23.12	23.20	23.18	22.00	22.49	22.44			
10	25	12	22.17	22.18	22.29	21.07	21.13	21.32			
	50	0	22.18	22.35	22.35	21.10	21.21	21.33			

LTE Band 7

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz											
			Conducted power(dBm)									
BW	RB	RB	QPSK				16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(1111 12)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20775	21100	21425	20775	21100	21425				
	1	0	23.22	23.29	23.18	21.87	22.35	22.25				
5	1	24	23.04	23.67	23.08	21.81	22.26	22.32				
	12	6	22.06	22.42	22.21	21.21	21.53	21.22				
	25	0	21.99	22.49	22.20	21.17	21.48	21.24				

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz											
				Conducted power(dBm)								
BW	RB	RB	QPSK			16QAM						
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(1711 12)	Size	Size Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20800	21100	21400	20800	21100	21400				
	1	0	23.37	23.16	23.25	22.31	22.34	22.26				
10	1	49	23.15	23.36	23.20	21.94	22.37	22.27				
10	25	12	22.09	22.47	22.27	21.17	21.47	21.31				
	50	0	22.08	22.65	22.27	21.12	21.42	21.36				

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz											
	RB	RB	Conducted power(dBm)									
BW			QPSK				16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20825	21100	21375	20825	21100	21375				
	1	0	23.10	23.21	23.30	21.86	22.04	22.40				
15	1	74	23.15	23.41	23.20	22.57	22.15	22.45				
10	36	19	22.20	22.45	22.31	21.08	21.49	21.33				
	75	0	22.19	22.44	22.22	21.18	21.47	21.27				

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz											
				C	Conducted	power(dBn	n)					
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVII IZ)	Size	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20850	21100	21350	20850	21100	21350				
	1	0	23.27	23.45	23.45	22.33	22.52	22.12				
20	1	99	23.19	23.51	23.35	22.08	21.81	22.34				
20	50	25	22.28	22.51	22.41	21.25	21.52	21.34				
	100	0	22.25	22.49	22.31	21.27	21.47	21.39				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sgs.com



Page 41 of 335

LTE Band 12

	LTE Band 12_Uplink frequency band : 699 to 716 MHz										
		3 RB	Conducted power(dBm)								
BW	RB			QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(IVII IZ)	OIZE	OIZE OIISET	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			23017	23095	23173	23017	23095	23173			
	1	0	22.88	22.83	23.11	21.71	22.14	21.67			
1.4	1	5	23.03	23.09	23.19	21.71	21.79	21.54			
1.4	3	2	23.04	23.40	23.29	22.01	22.13	22.19			
	6	0	22.05	22.16	22.25	20.95	21.01	21.20			

	LTE Band 12_Uplink frequency band : 699 to 716 MHz										
				Conducted power(dBm)							
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(IVITZ)	3126	Size Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			23025	23095	23165	23025	23095	23165			
	1	0	22.96	23.05	23.18	21.94	21.81	22.35			
3	1	14	23.05	23.13	23.20	21.62	22.24	22.52			
3	8 4			22.25	22.17	20.99	21.29	21.32			
	15	0	21.96 22.19 22.25 20.92 20.91								

	LTE Band 12_Uplink frequency band : 699 to 716 MHz										
				Conducted power(dBm)							
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(IVITZ) SIZ	SIZE	Size Offset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			23035	23095	23155	23035	23095	23155			
	1	0	22.89	22.95	23.20	22.20	22.36	22.22			
5	1	24	23.14	23.04	23.11	22.47	22.02	22.21			
5	12	6	22.08	22.24	22.19	21.09	21.38	21.07			
	25	0	22.00	21.93	22.21	20.70	21.34	21.14			

	LTE Band 12_Uplink frequency band : 699 to 716 MHz										
				Conducted power(dBm)							
BW	RB	RB		QPSK			16QAM				
		Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(IVITZ)	(MHz) Size	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			23060	23095	23130	23060	23095	23130			
	1	0	22.93	22.96	23.05	22.18	22.26	22.21			
10	1	49	23.31	23.19	23.12	22.12	22.10	21.84			
10	25	12	22.03	22.04	22.08	20.99	21.09	21.12			
	50	0	22.27	22.10	22.23	21.33	21.08	21.15			

LTE Band 13

	LTE Band 13_Uplink frequency band : 777 to 787 MHz										
			Conducted power(dBm)								
BW RB Size	DD	RB		QPSK			16 QAM				
	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
	SIZE	Size Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			23205	23230	23255	23205	23230	23255			
	1	0	22.87	22.97	23.23	22.22	22.03	22.26			
5	1	24	23.05	23.10	23.55	22.16	22.30	21.89			
3	12	6	22.33	22.12	22.15	21.45	21.29	21.19			
	25	0	22.24	22.13	22.11	20.77	21.22	21.16			

	LTE Band 13_Uplink frequency band : 777 to 787 MHz										
				Conducted power(dBm)							
BW	RB	RB		QPSK			16 QAM				
	Size			Channel (Mid) 23230			Channel (Mid) 23230				
	1	0		23.19			23.19				
10	1	49		23.26			23.26				
10	25	12		22.08			22.08				
	50	0		22.22			22.22				

LTE Band 17

	LTE Band 17_Uplink frequency band : 704 to 716 MHz										
				Conducted power(dBm)							
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
	JIZC	JIZE OIISEL	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			23755	23790	23825	23755	23790	23825			
	1	0	22.84	23.14	23.04	22.22	22.10	21.55			
5	1	24	23.14	23.15	23.07	22.23	22.23	21.94			
)	12	6	22.07	22.08	22.13	21.20	21.13	21.19			
	25	0	22.07	22.11	22.06	21.15	21.12	21.19			

	LTE Band 17_Uplink frequency band : 704 to 716 MHz										
			Conducted power(dBm)								
BW	RB	RB		QPSK		16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(141112)	3120	Offset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			23780	23790	23800	23780	23790	23800			
	1	0	22.76	22.68	23.07	21.62	21.83	22.05			
10	1	49	23.17	23.06	23.08	22.40	21.62	22.03			
10	25	12	22.14	22.14	21.94	21.13	21.15	20.97			
	50	0	22.11	22.15	22.19	21.04	21.05	21.05			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 42 of 335

HSDPA Release 6 MODE:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βς	β_d	β _d (SF)	β_c/β_d	β _{HS} (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this

document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.



Page 43 of 335

Results:

Mode	Sub-test	_	Power (d Channel	IBm)	Power Class 3 Lim- itation (dBm)	Comments
		9262	9400	9538	itation (ubin)	
	1	24.03	23.96	24.10	20.3dBm – 25.7dBm	Pass
HSDPA	2	23.74	23.93	24.09	20.3dBm – 25.7dBm	Pass
(B2)	3	23.55	23.51	23.57	19.8dBm – 25.7dBm	Pass
	4	23.62	23.52	23.69	19.8dBm – 25.7dBm	Pass

Mode	Sub-test		Power (d Channel	IBm)	Power Class 3 Lim- itation (dBm)	Comments
		1312	1413	1513	itation (dbiii)	
	1	23.91	24.32	24.36	20.3dBm – 25.7dBm	Pass
HSDPA	2	24.05	24.35	24.11	20.3dBm – 25.7dBm	Pass
(B4)	3	23.45	23.84	23.87	19.8dBm – 25.7dBm	Pass
	4	23.50	23.88	23.93	19.8dBm – 25.7dBm	Pass

Mode	Sub-test	_	Power (d Channel	lBm)	Power Class 3 Lim-	Comments
		4132	4183	4233	itation (dBm)	
	1	23.95	24.12	24.49	20.3dBm – 25.7dBm	Pass
HSDPA	2	24.09	24.15	24.24	20.3dBm – 25.7dBm	Pass
(B5)	3	23.49	23.64	24.00	19.8dBm – 25.7dBm	Pass
	4	23.54	23.68	24.06	19.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 44 of 335

HSPA (HSDPA & HSUPA) Release 6 MODE

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing **HSPA SUB-TEST Setting**

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	βε	βa	β _d (SF)	β _c /β _d	βнs	eta_{ec}	eta_{ed}	β _{ed} (SF)	β _{ed} (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β_{ed} 1: 47/15 β_{ed} 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Results:

Mode	Sub-test		Power (d Channel	lBm)	Power Class 3 Lim-	Comments	
		9262	9400	9538	itation (dBm)		
	1	23.78	24.05	24.18	18.8dBm – 25.7dBm	Pass	
	2	21.83	22.12	22.22	16.8dBm – 25.7dBm	Pass	
HSUPA(B2)	3	22.84	23.07	23.26	17.8dBm – 25.7dBm	Pass	
	4	21.96	22.17	22.26	16.8dBm – 25.7dBm	Pass	
	5	23.67	23.91	24.09	18.8dBm – 25.7dBm	Pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 45 of 335

Mode	Sub-test		Power (d Channel	IBm)	Power Class 3 Lim- itation (dBm)	Comments
		1312	1413	1513	itation (dbiii)	
	1	24.08	24.39	24.16	20.3dBm – 25.7dBm	Pass
HODDA	2	22.14	22.47	22.20	20.3dBm – 25.7dBm	Pass
HSDPA	3	23.12	23.45	23.24	19.8dBm – 25.7dBm	Pass
(B4)	4	22.19	22.53	22.28	19.8dBm – 25.7dBm	Pass
	5	23.94	24.22	24.05	19.8dBm – 25.7dBm	Pass

Mode	Sub-test	_	Power (d Channel	IBm)	Power Class 3 Lim- itation (dBm)	Comments	
		4132	4183	4233	itation (ubili)		
	1	24.12	24.19	24.29	18.8dBm – 25.7dBm	Pass	
	2	22.18	22.27	22.33	16.8dBm – 25.7dBm	Pass	
HSUPA(B5)	3	23.16	23.25	23.37	17.8dBm – 25.7dBm	Pass	
	4	22.23	22.33	22.41	16.8dBm – 25.7dBm	Pass	
	5	23.98	24.02	24.18	18.8dBm – 25.7dBm	Pass	

WCDMA/HSDPA/HSUPA band II, IV, V

The EUT output power was controlled by simulator. Set Communication Tester MT8820C function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 15 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sused selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlowfull and offenders may be prosecuted to the fullest extent of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 46 of 335

7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED **POWER MEASUREMENT**

7.1. Standard Applicable

According to FCC §2.1046

FCC 22.913(a) Mobile station is limited to 7W ERP.

FCC 24.232(b) Mobile and portable stations are limited to 2 W EIRP.


FCC 27.50(c) (9) Control stations and mobile stations are limited to 30 watts ERP.

FCC 27.50(d)(4) Fixed, mobile, and portable (hand-held) stations are limited to 1W EIRP.

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2 W EIRP

7.2. Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this test report retier only to the sample(s) tested and such sample(s) are retained for 90 days only.

Physical Ref Ref 1905. And the sample(s) tested and such sample(s) are retained for 90 days only.

Physical Ref Ref 1905. And the sample (s) tested and such sample (s) are retained for 90 days only.

Physical Ref Ref 1905. And the sample (s) tested and such sample (s) tes instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

台灣檢驗科技股份有限公司




Page 47 of 335

Radiated Power Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 48 of 335

7.3. Measurement Procedure

- The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
- 3. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated
- 4. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power level of S.G.
- 6. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 7. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 8. Spectrum setting:
 - (1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.
 - (2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW ≈ 1~5% of the span, not to exceed 1 MHz

Set $VBW = 3 \times RBW$;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt integration time (ex. Point = 601points, then sweet time = $601*10^{-3}$ = 6s.

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level:

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page 49 of 335

7.4. Measurement Equipment Used

	ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber												
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.								
EMI Test Receiver	R&S	ESCI7	100760	05/10/2016	05/09/2017								
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2016	01/28/2017								
Loop Antenna	ETS.LINDGREN	6502	148045	09/07/2015	09/06/2016								
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/14/2015	12/13/2016								
Bi-log Antenna	SCHWAZBECK	VULB9168	300	12/12/2015	12/11/2016								
Horn Antenna	SCHWAZBECK	BBHA9120D	1441	08/10/2015	08/09/2016								
Horn Antenna	SCHWAZBECK	BBHA9170	185	07/18/2016	07/17/2017								
Pre-Amplifier	Agilent	8447D	2944A07676	01/02/2016	01/01/2017								
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/02/2016	01/01/2017								
Turn Table	HD	DT420	N/A	N.C.R	N.C.R								
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R								
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R								
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2016	01/01/2017								
3m Site NSA	SGS	966 chamber	N/A	07/01/2016	06/30/2017								
Low Loss Cable	Huber Suhner	966 TX	1	01/02/2016	01/01/2017								
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017								
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/25/2015	09/24/2016								
Radio Communication Analyer	Anritsu	MT8820C	6201465317	12/10/2015	12/09/2016								
Signal Generator	Agilent	E4438C	MY45093613	07/07/2016	07/06/2017								
Filter 800-1000	Micro-Tronics	EWT	M1	01/02/2016	01/01/2017								
Filter 1800-2000	Micro-Tronics	EWT	M1	01/02/2016	01/01/2017								
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	01/02/2016	01/01/2017								
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	01/02/2016	01/01/2017								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com



Page 50 of 335

7.5. Measurement Result: (Peak) -using option of peak measurement

	EUT		Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit		
	MHz		V/H	dBm	dBd	dB	dBm	dBm		
	824.2	120	V	17.68	3.31	-2.92	18.06	38.45		
		128	Н	23.16	3.31	-2.92	23.54	38.45		
CDDC 050	836.6	100	V	18.91	3.29	-2.96	19.24	38.45		
GPRS 850	0.00.0	190	Н	23.16	3.29	-2.96	23.48	38.45		
	848.8	254	V	19.74	3.27	-3.00	20.01	38.45		
		251	Н	23.60	3.27	-3.00	23.86	38.45		

	EUT			Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit			
	MHz		V/H	dBm	dBd	dB	dBm	dBm			
	824.2	120	V	15.65	3.31	-2.92	16.03	38.45			
		128	Н	20.24	3.31	-2.92	20.62	38.45			
EDOE 950	936.6	100	V	15.86	3.29	-2.96	16.18	38.45			
EDGE 850	836.6	190	Н	19.41	3.29	-2.96	19.74	38.45			
	848.8	251	V	14.78	3.27	-3.00	15.04	38.45			
		251	Н	19.05	3.27	-3.00	19.31	38.45			

The RBW, VBW of SPA for frequency RBW=300KHz, VBW=1MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 51 of 335

	EUT			Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit			
	MHz		V/H	dBm	dBi	dB	dBm	dBm			
	1850.2	E40	V	12.40	9.94	-4.46	17.88	33.00			
		512	Н	20.51	9.94	-4.46	25.99	33.00			
CDDC 1000	1000.0	661	V	18.26	10.03	-4.51	23.79	33.00			
GPRS 1900	1880.0	661	Н	21.49	10.03	-4.51	27.02	33.00			
	1909.8	810	V	16.37	10.13	-4.55	21.94	33.00			
		010	Н	20.21	10.13	-4.55	25.79	33.00			

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1850.2	512	V	17.44	9.94	-4.46	22.92	33.00
		312	Н	19.56	9.94	-4.46	25.04	33.00
EDGE 1900	1000.0	661	V	18.61	10.03	-4.51	24.13	33.00
EDGE 1900	1880.0	001	Н	19.93	10.03	-4.51	25.46	33.00
	1909.8	810	V	15.21	10.13	-4.55	20.78	33.00
		010	Н	18.01	10.13	-4.55	23.59	33.00

The RBW, VBW of SPA for frequency RBW=300KHz, VBW=1MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 52 of 335

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	13.58	3.30	-2.93	13.96	38.45
CDMA	824.7	1013	Н	14.98	3.30	-2.93	15.36	38.45
2000	020 50	204	V	12.65	3.29	-2.96	12.97	38.45
Cellular BC0	836.52	384	Н	14.49	3.29	-2.96	14.81	38.45
	848.31	777	V	12.97	3.27	-3.00	13.24	38.45
		777	Н	15.53	3.27	-3.00	15.80	38.45

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	13.27	3.30	-2.93	13.65	38.45
EVDO	824.7	1013	Н	14.14	3.30	-2.93	14.51	38.45
2000	020.52	204	V	11.67	3.29	-2.96	11.99	38.45
Cellular	836.52	384	Н	13.47	3.29	-2.96	13.79	38.45
BC0	848.31	777	V	11.86	3.27	-3.00	12.12	38.45
ВСО	040.31	777	Н	15.13	3.27	-3.00	15.40	38.45

The RBW, VBW of SPA for frequency RBW=300KHz, VBW=1MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 53 of 335

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	11.87	9.94	-4.46	17.36	33.00
CDMA	824.7	1013	Н	15.62	9.94	-4.46	21.10	33.00
2000	926 52	204	V	9.61	10.03	-4.51	15.13	33.00
PCS BC1	836.52	384	Н	15.27	10.03	-4.51	20.80	33.00
	848.31	777	V	9.78	10.13	-4.55	15.36	33.00
		777	Н	14.94	10.13	-4.55	20.51	33.00

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	9.57	9.94	-4.46	15.05	33.00
EVDO	824.7	1013	Н	14.68	9.94	-4.46	20.16	33.00
2000	020 52	204	V	8.55	10.03	-4.51	14.08	33.00
PCS	836.52	384	Н	14.22	10.03	-4.51	19.75	33.00
BC1	0.40.24	777	V	8.23	10.13	-4.55	13.80	33.00
ВСТ	848.31	777	Н	13.74	10.12	-4.55	19.32	33.00

The RBW, VBW of SPA for frequency RBW=300KHz, VBW=1MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 54 of 335

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1050.4	9262	V	14.69	9.95	-4.46	20.18	33.00
	1852.4	9202	Н	18.18	9.95	-4.46	23.66	33.00
WCDMA BO	1000.0	9400	V	17.61	10.04	-4.51	23.13	33.00
	1880.0	9400	Н	20.89	10.03	-4.51	26.42	33.00
	1007.6	0520	V	14.62	10.12	-4.55	20.19	33.00
	1907.6	9538	Н	18.92	10.12	-4.55	24.50	33.00

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1050.4	0000	V	14.64	9.95	-4.46	20.12	33.00
	1852.4	9262	Н	17.31	9.95	-4.46	22.79	33.00
LICDDA DO	1000.0	0400	V	15.99	10.03	-4.51	21.51	33.00
HSDPA B2	1880.0	9400	Н	18.39	10.03	-4.51	23.91	33.00
	1007.6	9538	V	16.04	10.12	-4.55	21.61	33.00
	1907.6	9030	Н	16.77	10.12	-4.55	22.34	33.00

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1050.4	0262	V	13.91	9.95	-4.46	19.39	33.00
	1852.4	9262	Н	16.59	9.95	-4.46	22.07	33.00
HSUPA B2	1000.0	9400	V	12.87	10.03	-4.51	18.39	33.00
HOUPA BZ	1880.0	9400	Н	17.68	10.03	-4.51	23.20	33.00
	1007.6	0520	V	14.20	10.12	-4.55	19.77	33.00
	1907.6	9538	Н	17.71	10.12	-4.55	23.28	33.00

Remark:

(1)The RBW, VBW of SPA for frequency RBW= 5MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 55 of 335

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	16.81	9.48	-4.31	21.98	30.00
	1712.4	1312	Н	22.79	9.48	-4.31	27.97	30.00
MCDMA BA			V	17.06	9.55	-4.31	22.30	30.00
WCDMA B4	1732.6	1312 1413	Н	21.09	9.55	-4.31	26.33	30.00
			V	16.85	9.62	-4.34	22.14	30.00
	1752.6	1513	Н	19.95	9.62	-4.34	25.23	30.00

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	16.75	9.48	-4.31	21.92	30.00
	1712.4	1312	Н	20.48	9.48	-4.31	25.65	30.00
LICDDA DA			V	17.33	9.55	-4.31	22.57	30.00
HSDPA B4	1732.6	1312	Н	19.47	9.55	-4.31	24.71	30.00
			V	15.86	9.62	-4.34	21.14	30.00
	1752.6	1513	Н	18.58	9.62	-4.34	23.86	30.00

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
		1010	V	15.40	9.48	-4.31	20.57	30.00
	1712.4	1312	Н	19.38	9.48	-4.31	24.55	30.00
HSUPA B4			V	15.59	9.55	-4.31	20.83	30.00
HOUPA 64	1732.6	1413	Н	19.09	9.55	-4.31	24.33	30.00
			V	15.74	9.62	-4.34	21.02	30.00
	1752.6	1513	Н	17.83	9.62	-4.33	23.11	30.00

Remark:

(1)The RBW, VBW of SPA for frequency RBW= 5MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 56 of 335

	EUT				Measure	ement		
Operation Band	Fundamental Frequency	СН	Antenna S.G. Antenna Cable ERF		ERP	Limit		
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	926.4	4422	V	13.62	3.30	-2.93	13.99	38.45
	826.4	4132	Н	20.25	3.30	-2.93	20.62	38.45
MCDMA DE	936.6	4400	V	16.09	3.29	-2.97	16.40	38.45
WCDMA B5	836.6	4183	Н	18.33	3.29	-2.96	18.66	38.45
	946.6	4233	V	14.63	3.27	-3.00	14.90	38.45
	846.6	4233	Н	17.24	3.27	-3.00	17.52	38.45

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	906.4	4422	V	13.30	3.30	-2.93	13.67	38.45
	826.4	4132	Н	19.26	3.30	-2.93	19.64	38.45
LICDDA DE	000.0	4400	V	11.78	3.29	-2.96	12.10	38.45
HODPA BO	SDPA B5 836.6	4183	Н	16.15	3.29	-2.96	16.48	38.45
	946.6	4000	V	13.51	3.27	-3.00	13.79	38.45
	846.6	4233	Н	17.86	3.27	-3.00	18.13	38.45

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	826.4	4132	V	13.26	3.30	-2.93	13.64	38.45
	020.4	4132	Н	16.52	3.30	-2.93	16.89	38.45
LICLIDA DE	936.6	4402	V	12.66	3.29	-2.96	12.99	38.45
HSUPA B5	836.6	4183	Н	16.02	3.29	-2.96	16.34	38.45
	946.6	4000	V	12.98	3.27	-3.00	13.25	38.45
	846.6	4233	Н	17.32	3.27	-3.00	17.60	38.45

Remark:

(1)The RBW, VBW of SPA for frequency RBW= 5MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 57 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	4050 7	40007	V	15.74	9.95	-4.46	21.22	33.01
BAND 2	1850.7	18607	Н	18.16	9.95	-4.46	23.64	33.01
BW: 1.4M	1880.0	18900	V	16.78	10.03	-4.51	22.30	33.01
QPSK	1880.0	10900	Н	19.93	10.03	-4.51	25.45	33.01
RB: 1,0	1909.3	19193	V	15.54	10.12	-4.55	21.11	33.01
	1909.3	19193	Н	17.76	10.12	-4.55	23.33	33.01
	4050 7	40007	V	15.67	9.94	-4.46	21.15	33.01
BAND 2		18607	Н	18.08	9.94	-4.46	23.56	33.01
BW: 1.4M QPSK	1880.0	18900	V	16.58	10.03	-4.51	22.10	33.01
	1000.0	10300	Н	19.82	10.03	-4.51	25.34	33.01
RB: 1,5	1909.3	19193	V	15.15	10.12	-4.55	20.72	33.01
	1909.9	10100	Н	17.42	10.12	-4.55	22.99	33.01
	4050.7	40007	V	15.84	9.95	-4.46	21.32	33.01
BAND 2	1850.7	18607	Н	18.23	9.95	-4.46	23.72	33.01
BW: 1.4M	1880.0	18900	V	16.99	10.03	-4.51	22.51	33.01
16QAM	1000.0	10000	Н	20.17	10.03	-4.51	25.70	33.01
RB: 1,0	1909.3	19193	V	15.65	10.12	-4.55	21.23	33.01
	1303.3	10100	Н	17.88	10.12	-4.55	23.45	33.01
	1050 7	10007	V	15.81	9.94	-4.46	21.28	33.01
BAND 2 BW: 1.4M 16QAM RB: 1,5	1850.7	18607	Н	18.18	9.94	-4.46	23.66	33.01
	1880.0	18900	V	16.81	10.03	-4.51	22.34	33.01
	1000.0	10000	Н	20.03	10.03	-4.51	25.55	33.01
	1909.3	19193	V	15.01	10.12	-4.55	20.58	33.01
	1000.0	.0.00	Н	17.53	10.12	-4.55	23.10	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 58 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	16.28	9.95	-4.46	21.76	33.01
BAND 2	1851.5	18615	Н	18.71	9.95	-4.46	24.19	33.01
BW: 3M	1880.0	18900	V	17.21	10.03	-4.50	22.73	33.01
QPSK	1660.0	10900	Н	20.28	10.03	-4.50	25.80	33.01
RB: 1,0	1908.5	19185	V	16.49	10.11	-4.54	22.06	33.01
	1908.5	19100	Н	18.57	10.11	-4.55	24.14	33.01
			V	15.69	9.94	-4.46	21.17	33.01
BAND 2	1851.5	18615	Н	18.41	9.94	-4.46	23.89	33.01
BW: 3M QPSK	1880.0	18900	V	16.68	10.03	-4.51	22.21	33.01
	1000.0	10900	Н	19.91	10.03	-4.51	25.44	33.01
RB: 1,14	1908.5	19185	V	15.45	10.12	-4.55	21.02	33.01
	1908.5	19100	Н	17.64	10.12	-4.55	23.22	33.01
	1054.5	10015	V	16.24	9.95	-4.46	21.72	33.01
BAND 2	1851.5	18615	Н	18.86	9.95	-4.46	24.34	33.01
BW: 3M	1880.0	18900	V	17.20	10.02	-4.50	22.72	33.01
16QAM	1000.0	10900	Н	20.43	10.03	-4.50	25.95	33.01
RB: 1,0	1908.5	19185	V	16.62	10.11	-4.55	22.18	33.01
	1900.5	19100	Н	18.69	10.11	-4.55	24.26	33.01
	4054.5	40045	V	15.76	9.94	-4.46	21.24	33.01
BAND 2 BW: 3M 16QAM RB: 1,14	1851.5	18615	Н	18.30	9.94	-4.46	23.78	33.01
	1880.0	18900	V	16.81	10.03	-4.51	22.33	33.01
	1000.0	10300	Н	20.11	10.03	-4.51	25.63	33.01
	1908.5	19185	V	15.30	10.12	-4.55	20.88	33.01
	1300.5	19100	Н	17.52	10.12	-4.55	23.09	33.01

Remark:

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz (1)

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

台灣檢驗科技股份有限公司

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 59 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
		4000	V	15.82	9.95	-4.46	21.31	33.01
BAND 2	1852.5	18625	Н	18.63	9.95	-4.46	24.11	33.01
BW: 5M	4000	10000	V	17.42	10.02	-4.50	22.94	33.01
QPSK	1880.0	18900	Н	20.29	10.02	-4.50	25.81	33.01
RB: 1,0	4007.5	10175	V	17.09	10.11	-4.54	22.66	33.01
	1907.5	19175	Н	19.09	10.11	-4.54	24.66	33.01
			V	15.05	9.95	-4.46	20.54	33.01
BAND 2	1852.5 1	18625	Н	18.07	9.95	-4.46	23.55	33.01
BW: 5M QPSK	40000	40000	V	16.58	10.04	-4.51	22.10	33.01
	1880.0	18900	Н	19.75	10.04	-4.51	25.28	33.01
RB: 1,24	4007.5	10175	V	15.54	10.12	-4.55	21.12	33.01
	1907.5	19175	Н	17.75	10.12	-4.55	23.32	33.01
	4050.5	40005	V	16.01	9.95	-4.46	21.49	33.01
BAND 2	1852.5	18625	Н	18.86	9.95	-4.46	24.35	33.01
BW: 5M	4000.0	40000	V	17.53	10.02	-4.50	23.05	33.01
16QAM	1880.0	18900	Н	20.42	10.02	-4.50	25.94	33.01
RB: 1,0	4007.5	40475	V	17.20	10.11	-4.54	22.77	33.01
	1907.5	19175	Н	19.16	10.11	-4.54	24.72	33.01
	4050.5	40005	V	15.12	9.95	-4.46	20.60	33.01
BAND 2 BW: 5M 16QAM RB: 1,24	1852.5	18625	Н	18.16	9.95	-4.46	23.64	33.01
	4000.0	10000	V	16.82	10.04	-4.51	22.35	33.01
	1880.0	18900	Н	19.99	10.04	-4.51	25.51	33.01
	1007.5	10175	V	15.42	10.12	-4.55	21.00	33.01
	1907.5	19175	Н	17.54	10.12	-4.55	23.12	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 60 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	4055.0	10050	V	15.63	9.95	-4.46	21.11	33.01
BAND 2	1855.0	18650	Н	18.69	9.95	-4.46	24.17	33.01
BW: 10M	4000	10000	V	17.47	10.01	-4.50	22.99	33.01
QPSK	1880.0	18900	Н	20.28	10.02	-4.50	25.80	33.01
RB: 1,0	4005.0	10150	V	16.86	10.09	-4.54	22.41	33.01
	1905.0	19150	Н	18.98	10.09	-4.54	24.54	33.01
	4055.0	40050	V	14.38	9.96	-4.47	19.87	33.01
DAND 2	1855.0	18650	Н	17.80	9.96	-4.47	23.29	33.01
BAND 2 BW: 10M QPSK	40000	40000	V	15.87	10.04	-4.51	21.40	33.01
	1880.0	18900	Н	19.24	10.04	-4.51	24.77	33.01
	4005.0	10150	V	15.53	10.12	-4.55	21.10	33.01
RB: 1,49	1905.0	19150	Н	17.73	10.12	-4.55	23.30	33.01
	4055.0	40050	V	15.89	9.95	-4.46	21.37	33.01
BAND 2	1855.0	18650	Н	18.85	9.95	-4.46	24.33	33.01
BW: 10M	4000.0	40000	V	17.76	10.02	-4.50	23.28	33.01
16QAM	1880.0	18900	Н	20.64	10.01	-4.50	26.15	33.01
RB: 1,0	4005.0	40450	V	16.94	10.09	-4.54	22.50	33.01
	1905.0	19150	Н	19.29	10.09	-4.54	24.85	33.01
	4055.0	40050	V	14.42	9.97	-4.47	19.92	33.01
BAND 2 BW: 10M 16QAM RB: 1,49	1855.0	18650	Н	17.96	9.96	-4.47	23.45	33.01
	1000.0	10000	V	16.11	10.04	-4.51	21.64	33.01
	1880.0	18900	Н	19.53	10.04	-4.51	25.06	33.01
	1005.0	10450	V	15.85	10.12	-4.55	21.42	33.01
	1905.0	19150	Н	18.05	10.12	-4.55	23.62	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.



Page 61 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
		400	V	15.73	9.94	-4.46	21.21	33.01
BAND 2	1857.5	18675	Н	19.23	9.95	-4.46	24.71	33.01
BW: 15M	40000	40000	V	15.60	10.01	-4.50	21.11	33.01
QPSK	1880.0	18900	Н	20.20	10.01	-4.50	25.71	33.01
RB: 1,0	4000 5	40405	V	14.49	10.08	-4.53	20.04	33.01
	1902.5	19125	Н	18.52	10.08	-4.53	24.07	33.01
		400	V	14.92	9.98	-4.48	20.42	33.01
BAND 2	D 2	18675	Н	18.36	9.98	-4.48	23.86	33.01
BW: 15M QPSK	40000	40000	V	13.76	10.05	-4.52	19.29	33.01
	1880.0	18900	Н	18.87	10.05	-4.52	24.41	33.01
RB: 1,74	4000 5	40405	V	14.20	10.12	-4.55	19.77	33.01
	1902.5	19125	Н	18.35	10.12	-4.55	23.93	33.01
	4057.5	40075	V	15.93	9.95	-4.46	21.41	33.01
BAND 2	1857.5	18675	Н	19.48	9.95	-4.46	24.96	33.01
BW: 15M	40000	40000	V	15.84	10.01	-4.50	21.35	33.01
16QAM	1880.0	18900	Н	20.45	10.01	-4.50	25.96	33.01
RB: 1,0	4000 5	40405	V	14.25	10.08	-4.53	19.80	33.01
	1902.5	19125	Н	17.96	10.08	-4.53	23.51	33.01
	4057.5	40075	V	15.10	9.98	-4.48	20.60	33.01
BAND 2 BW: 15M 16QAM RB: 1,74	1857.5	18675	Н	18.52	9.98	-4.48	24.02	33.01
	40000	40000	V	14.06	10.05	-4.52	19.59	33.01
	1880.0	18900	Н	19.17	10.05	-4.52	24.71	33.01
	1000 5	40405	V	14.55	10.12	-4.55	20.12	33.01
	1902.5	19125	Н	18.70	10.12	-4.55	24.27	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 62 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	14.29	9.94	-4.46	19.77	33.01
BAND 2	1860.0	18700	Н	18.95	9.94	-4.46	24.43	33.01
BW: 20M	4000	40000	V	15.16	10.00	-4.49	20.68	33.01
QPSK	1880.0	18900	Н	19.60	10.00	-4.49	25.11	33.01
RB: 1,0	4000	10100	V	14.04	10.07	-4.52	19.58	33.01
	1900.0	19100	Н	18.15	10.07	-4.52	23.69	33.01
	4000	40-00	V	14.79	9.99	-4.49	20.30	33.01
BAND 2	1860.0	18700	Н	18.93	9.99	-4.49	24.44	33.01
BW: 20M QPSK	4000		V	13.50	10.06	-4.52	19.04	33.01
	1880.0	18900	Н	18.43	10.06	-4.52	23.96	33.01
RB: 1,99	4000	10100	V	14.21	10.12	-4.55	19.79	33.01
	1900.0	19100	Н	18.52	10.12	-4.55	24.09	33.01
	4000	40700	V	14.41	9.95	-4.47	19.90	33.01
BAND 2	1860.0	18700	Н	19.18	9.94	-4.46	24.66	33.01
BW: 20M	4000	40000	V	15.39	10.01	-4.50	20.90	33.01
16QAM	1880.0	18900	Н	19.85	10.01	-4.50	25.37	33.01
RB: 1,0	40000	40400	V	14.13	10.08	-4.53	19.68	33.01
	1900.0	19100	Н	18.35	10.08	-4.53	23.89	33.01
	40000	40700	V	15.10	9.99	-4.49	20.61	33.01
BAND 2 BW: 20M 16QAM RB: 1,99	1860.0	18700	Н	19.24	9.99	-4.49	24.74	33.01
	4000	40000	V	13.84	10.06	-4.52	19.38	33.01
	1880.0	18900	Н	18.74	10.06	-4.52	24.28	33.01
	40000	40400	V	14.58	10.12	-4.55	20.15	33.01
	1900.0	19100	Н	18.85	10.12	-4.55	24.42	33.01

Remark:

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz (1)

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 63 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	14.01	9.48	-4.31	19.18	30.00
BAND 4	1710.7	19957	Н	18.98	9.48	-4.31	24.15	30.00
BW: 1.4M/	1732.5	20175	V	14.36	9.54	-4.31	19.60	30.00
QPSK	1732.5	20175	Н	18.88	9.54	-4.31	24.11	30.00
RB: 1,0	1754.3	20393	V	13.91	9.62	-4.34	19.19	30.00
	1754.3	20393	Н	18.42	9.62	-4.34	23.70	30.00
			V	13.93	9.47	-4.31	19.10	30.00
BAND 4	1710.7	19957	Н	19.12	9.47	-4.31	24.29	30.00
BW: 1.4M QPSK	1732.5	20175	V	14.47	9.55	-4.31	19.71	30.00
	1732.5	20175	Н	19.00	9.55	-4.31	24.24	30.00
RB: 1,5	1754.3	20393	V	13.67	9.62	-4.34	18.96	30.00
	1754.5	20393	Н	18.25	9.62	-4.34	23.53	30.00
	47407	10057	V	14.11	9.48	-4.31	19.28	30.00
BAND 4	1710.7	19957	Н	19.12	9.48	-4.31	24.29	30.00
BW: 1.4M	1732.5	20175	V	14.38	9.54	-4.31	19.61	30.00
16QAM	1732.3	20173	Н	18.94	9.55	-4.31	24.17	30.00
RB: 1,0	1754.3	20393	V	14.05	9.62	-4.33	19.33	30.00
	1734.3	20000	Н	18.66	9.62	-4.33	23.94	30.00 11 30.00 19 30.00 10 30.00 10 30.00 29 30.00 24 30.00 24 30.00 28 30.00 29 30.00 17 30.00 21 30.00 21 30.00 22 30.00 23 30.00 24 30.00 25 30.00 26 30.00 27 30.00 28 30.00 28 30.00 29 30.00 20 30.00 20 30.00 21 30.00 22 30.00 23 30.00 24 30.00 25 30.00 26 30.00 27 30.00 28 30.00
	47407	40053	V	14.15	9.47	-4.31	19.32	30.00
BAND 4 BW: 1.4M 16QAM RB: 1,5	1710.7	19957	Н	19.26	9.47	-4.31	24.42	30.00
	1732.5	20175	V	14.53	9.55	-4.31	19.76	30.00
	1732.3	20173	Н	19.10	9.55	-4.31	24.34	30.00
	1754.3	20393	V	13.99	9.62	-4.34	19.28	30.00
	1754.5	20090	Н	18.58	9.62	-4.34	23.87	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 64 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	17115	40005	V	13.90	9.48	-4.31	19.07	30.00
BAND 4	1711.5	19965	Н	19.04	9.48	-4.31	24.21	30.00
BW: 3M	1732.5	20175	V	14.07	9.54	-4.31	19.30	30.00
QPSK	1732.3	20173	Н	19.00	9.54	-4.31	24.24	30.00
RB: 1,0	1753.5	20385	V	14.25	9.61	-4.33	19.53	30.00
	1733.3	20303	Н	18.76	9.61	-4.33	24.04	30.00
	4744.5	40005	V	13.80	9.48	-4.31	18.96	30.00
BAND 4	1711.5 1	19965	Н	19.06	9.48	-4.31	24.22	30.00
BW: 3M QPSK	1732.5	20175	V	14.20	9.55	-4.31	19.44	30.00
	1732.3	20173	Н	19.24	9.55	-4.31	24.48	30.00
RB: 1,14	1753.5	20385	V	13.91	9.62	-4.34	19.20	30.00
	1733.3	20303	Н	18.35	9.62	-4.34	23.64	30.00
	4744.5	40005	V	14.02	9.48	-4.31	19.19	30.00
BAND 4	1711.5	19965	Н	19.18	9.48	-4.31	24.35	30.00
BW: 3M	1732.5	20175	V	14.03	9.54	-4.31	19.26	30.00
16QAM	1732.3	20173	Н	19.07	9.54	-4.31	24.30	30.00
RB: 1,0	1753.5	20385	V	14.43	9.61	-4.33	19.71	30.00
	1733.3	20000	Н	19.09	9.61	-4.33	24.37	30.00
	4744.5	40005	V	13.97	9.48	-4.31	19.13	30.00
BAND 4 BW: 3M 16QAM RB: 1,14	1711.5	19965	Н	19.20	9.48	-4.31	24.37	30.00
	1732.5	20175	V	14.30	9.55	-4.31	19.54	30.00
	1702.0	20173	Н	19.34	9.55	-4.31	24.58	30.00
	1753.5	20385	V	14.25	9.62	-4.34	19.53	30.00
	1700.0	20000	Н	18.68	9.62	-4.34	23.97	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 65 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
		400==	V	14.00	9.48	-4.31	19.17	30.00
BAND 4	1712.5	19975	Н	19.16	9.48	-4.31	24.33	30.00
BW: 5M	1732.5	20175	V	13.43	9.54	-4.31	18.66	30.00
QPSK	1732.3	20175	Н	18.96	9.54	-4.31	24.19	30.00
RB: 1,0	1752.5	20375	V	13.89	9.61	-4.33	19.17	30.00
	1752.5	20373	Н	19.22	9.61	-4.33	24.50	30.00
			V	13.76	9.48	-4.31	18.93	30.00
BAND 4	1712.5	19975	Н	18.96	9.48	-4.31	24.13	30.00
BW: 5M	1/32.5	20175	V	13.63	9.55	-4.31	18.88	30.00
QPSK	1732.3	20173	Н	19.38	9.55	-4.31	24.63	30.00
RB: 1,24	1752.5	20375	V	13.19	9.62	-4.34	18.47	30.00
	1732.3	20373	Н	18.54	9.62	-4.34	23.83	30.00
	4740.5	40075	V	14.14	9.48	-4.31	19.31	30.00
BAND 4	1712.5	19975	Н	19.25	9.48	-4.31	24.42	30.00
BW: 5M	1732.5	20175	V	13.47	9.54	-4.31	18.70	30.00
16QAM	1732.3	20173	Н	19.01	9.54	-4.31	24.24	30.00
RB: 1,0	1752.5	20375	V	14.08	9.61	-4.33	19.36	30.00
	1732.3	20373	Н	19.44	9.61	-4.33	24.72	30.00
	4740 5	40075	V	13.91	9.48	-4.31	19.09	30.00
BAND 4 BW: 5M 16QAM RB: 1,24	1/12.5	19975	Н	19.11	9.48	-4.31	24.28	30.00
	1732 5	20175	V	13.79	9.55	-4.31	19.03	30.00
	1732.3	20173	Н	19.54	9.55	-4.31	24.78	30.00
	1752.5	20375	V	13.50	9.62	-4.34	18.78	30.00
	1732.3	20010	Н	18.88	9.62	-4.34	24.16	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

S Taiwan Ltd.



Page 66 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	13.83	9.48	-4.31	19.00	30.00
BAND 4	1715.0	20000	Н	18.75	9.48	-4.31	23.92	30.00
BW: 10M	1732.5	20175	V	13.23	9.54	-4.31	18.46	30.00
QPSK	1732.3	20175	Н	18.35	9.54	-4.31	23.58	30.00
RB: 1,0	1750.0	20350	V	12.90	9.60	-4.33	18.18	30.00
	1730.0	20330	Н	19.25	9.60	-4.33	24.53	30.00
	4745.0		V	13.63	9.50	-4.31	18.82	30.00
BAND 4	1715.0	20000	Н	18.20	9.50	-4.31	23.39	30.00
BW: 10M QPSK	1732.5	20175	V	12.99	9.56	-4.31	18.24	30.00
	1732.3	20173	Н	19.29	9.56	-4.31	24.54	30.00
RB: 1,49	1750.0	20350	V	12.53	9.62	-4.34	17.81	30.00
	1730.0	20330	Н	18.53	9.62	-4.34	23.81	30.00
	4745.0	00000	V	14.07	9.48	-4.31	19.24	30.00
BAND 4	1715.0	20000	Н	19.00	9.48	-4.31	24.17	30.00
BW: 10M	1732.5	20175	V	13.43	9.54	-4.31	18.66	30.00
16QAM	1732.3	20173	Н	18.54	9.54	-4.31	23.78	30.00
RB: 1,0	1750.0	20350	V	13.14	9.60	-4.33	18.41	30.00
	1730.0	20000	Н	19.43	9.60	-4.33	24.71	30.00
	4745.0	20000	V	13.78	9.50	-4.31	18.97	30.00
BAND 4 BW: 10M 16QAM RB: 1,49	1715.0	20000	Н	18.36	9.50	-4.31	23.55	30.00
	1732.5	20175	V	13.17	9.56	-4.31	18.42	30.00
	17.02.0	20170	Н	19.50	9.56	-4.31	24.75	30.00
	1750.0	20350	V	12.93	9.62	-4.34	18.22	30.00
	1730.0	20000	Н	18.90	9.62	-4.34	24.18	30.00

Remark:

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz (1)

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 67 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	13.87	9.48	-4.31	19.04	30.00
BAND 4	1717.5	20025	Н	18.65	9.48	-4.31	23.82	30.00
BW: 15M	1732.5	20175	V	13.35	9.53	-4.31	18.57	30.00
QPSK	1732.3	20173	Н	18.18	9.53	-4.31	23.40	30.00
RB: 1,0	1747.5	20325	V	12.73	9.59	-4.32	18.00	30.00
	1747.5	20323	Н	19.35	9.59	-4.32	24.62	30.00
	4747.5	00001	V	13.59	9.52	-4.31	18.79	30.00
BAND 4	1717.5	20025	Н	18.16	9.52	-4.31	23.37	30.00
BW: 15M QPSK	1732.5	20175	V	12.91	9.57	-4.31	18.16	30.00
	1732.3	20173	Н	19.48	9.57	-4.31	24.74	30.00
RB: 1,74	1747.5	20325	V	12.29	9.62	-4.34	17.57	30.00
	1747.5	20020	Н	18.51	9.62	-4.34	23.79	30.00
	4747.5	00005	V	14.11	9.48	-4.31	19.28	30.00
BAND 4	1717.5	20025	Н	18.91	9.48	-4.31	24.08	30.00
BW: 15M	1732.5	20175	V	13.49	9.53	-4.31	18.72	30.00
16QAM	1732.3	20173	Н	18.35	9.53	-4.31	23.57	30.00
RB: 1,0	1747.5	20325	V	12.96	9.59	-4.32	18.23	30.00
	1747.5	20020	Н	19.57	9.58	-4.32	24.84	30.00
	4747.5	20005	V	13.77	9.52	-4.31	18.98	30.00
BAND 4 BW: 15M 16QAM RB: 1,74	1717.5	20025	Н	18.34	9.52	-4.31	23.55	30.00
	1732.5	20175	V	13.17	9.57	-4.31	18.43	30.00
	17.02.0	20170	Н	19.73	9.57	-4.31	24.99	30.00
	1747 5	20325	V	12.63	9.62	-4.34	17.91	30.00
	1747.5	20020	Н	18.85	9.62	-4.34	24.13	30.00

Remark:

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz (1)

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 68 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	4700.0	00050	V	13.85	9.48	-4.31	19.02	30.00
BAND 4	1720.0	20050	Н	18.59	9.48	-4.31	23.76	30.00
BW: 20M	1732.5	20175	V	13.51	9.52	-4.31	18.72	30.00
QPSK	1732.3	20173	Н	18.02	9.52	-4.31	23.23	30.00
RB: 1,0	1745.0	20300	V	12.72	9.56	-4.31	17.97	30.00
	1745.0	20300	Н	19.02	9.56	-4.31	24.27	30.00
	4700.0	00050	V	13.36	9.53	-4.31	18.59	30.00
BAND 4	1720.0	20050	Н	18.50	9.53	-4.31	23.73	30.00
BW: 20M QPSK	1732.5	20175	V	12.89	9.58	-4.31	18.16	30.00
	1732.3	20173	Н	19.48	9.58	-4.31	24.74	30.00
RB: 1,99	1745.0	20300	V	12.39	9.62	-4.34	17.67	30.00
	1743.0	20300	Н	18.60	9.62	-4.33	23.89	30.00
	4700.0	00050	V	14.17	9.48	-4.31	19.35	30.00
BAND 4	1720.0	20050	Н	18.93	9.48	-4.31	24.11	30.00
BW: 20M	1732.5	20175	V	13.64	9.53	-4.31	18.86	30.00
16QAM	1732.3	20173	Н	18.22	9.53	-4.31	23.43	30.00
RB: 1,0	1745.0	20300	V	12.89	9.57	-4.31	18.16	30.00
	1745.0	20000	Н	19.28	9.56	-4.31	24.53	30.00
	4700.0	00050	V	13.64	9.53	-4.31	18.86	30.00
BAND 4 BW: 20M 16QAM RB: 1,99	1720.0	20050	Н	18.77	9.53	-4.31	23.99	30.00
	1732.5	20175	V	13.27	9.58	-4.31	18.54	30.00
	1702.0	20173	Н	19.86	9.58	-4.31	25.12	30.00
	1745.0	20300	V	12.83	9.62	-4.33	18.12	30.00
	1740.0	20000	Н	19.05	9.62	-4.33	24.34	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 69 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	13.38	3.30	-2.93	13.76	38.45
BAND 5	824.7	20407	Н	18.30	3.30	-2.93	18.68	38.45
BW: 1.4M	836.5	20525	V	13.68	3.29	-2.96	14.01	38.45
QPSK	630.5	20020	Н	18.25	3.29	-2.96	18.58	38.45
RB: 1,0	848.3	20643	V	12.73	3.27	-3.00	13.00	38.45
	040.3	20043	Н	18.02	3.27	-2.99	18.29	38.45
			V	13.72	3.31	-2.92	14.10	38.45
BAND 5	824.7	20407	Н	18.49	3.31	-2.92	18.87	38.45
BW: 1.4M QPSK	836.5	20525	V	13.48	3.29	-2.96	13.81	38.45
	830.5	20020	Н	18.09	3.29	-2.96	18.43	38.45
RB: 1,5	848.3	20643	V	11.62	3.27	-3.00	11.89	38.45
	040.3	20407 - 20525 - 20643 - 20407 -	Н	16.86	3.27	-3.00	17.13	38.45
	004.7	00407	V	12.82	3.30	-2.93	13.19	38.45
BAND 5	824.7	20407	Н	17.74	3.30	-2.93	18.11	38.45
BW: 1.4M	836.5	20525	V	13.13	3.29	-2.96	13.46	38.45
16QAM	030.3	20020	Н	17.66	3.29	-2.96	18.00	38.45
RB: 1,0	848.3	20643	V	12.21	3.27	-2.99	12.49	38.45
	040.5	20043	Н	17.53	3.27	-2.99	17.81	38.45
	004.7	00407	V	13.12	3.31	-2.92	13.50	38.45
BAND 5 BW: 1.4M 16QAM RB: 1,5	824.7	20407	Н	17.89	3.31	-2.92	18.27	38.45
	836.5	20525	V	12.27	3.29	-2.96	12.60	38.45
	030.5	20020	Н	17.50	3.29	-2.96	17.83	38.45
	848.3	20643	V	10.92	3.27	-3.00	11.20	38.45
	0.10.0	200-0	Н	16.21	3.27	-3.00	16.49	38.45

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 70 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	13.26	3.30	-2.93	13.64	38.45
BAND 5	825.5	20415	Н	18.22	3.30	-2.93	18.59	38.45
BW: 3M	836.5	20525	V	14.47	3.29	-2.95	14.81	38.45
QPSK	030.3	20020	Н	18.98	3.29	-2.95	19.32	38.45
RB: 1,0	847.5	20635	V	14.43	3.28	-2.99	14.72	38.45
	047.3	20033	Н	19.77	3.28	-2.99	20.06	38.45
	005.5	00445	V	14.74	3.30	-2.93	15.12	38.45
BAND 5	825.5	20415	Н	19.39	3.30	-2.93	19.77	38.45
BW: 3M QPSK	836.5	20525	V	12.42	3.29	-2.96	12.75	38.45
	830.3	20020	Н	17.07	3.29	-2.96	17.39	38.45
RB: 1,14	847.5	20635	V	11.59	3.27	-3.00	11.86	38.45
	047.3	20033	Н	16.78	3.27	-3.00	17.05	38.45
	005.5	00445	V	12.66	3.30	-2.93	13.04	38.45
BAND 5	825.5	20415	Н	17.65	3.30	-2.93	18.02	38.45
BW: 3M	836.5	20525	V	13.34	3.29	-2.95	13.68	38.45
16QAM	030.3	20020	Н	17.85	3.29	-2.95	18.19	38.45
RB: 1,0	847.5	20635	V	13.81	3.28	-2.99	14.10	38.45
	047.5	20000	Н	19.14	3.28	-2.99	19.43	38.45
	005.5	00445	V	13.56	3.30	-2.93	13.94	38.45
BAND 5 BW: 3M 16QAM RB: 1,14	825.5	20415	Н	18.25	3.30	-2.93	18.63	38.45
	836.5	20525	V	11.91	3.29	-2.96	12.23	38.45
	000.0	20020	Н	16.60	3.29	-2.96	dBm dBm 13.64 38.45 18.59 38.45 19.32 38.45 14.72 38.45 20.06 38.45 15.12 38.45 12.75 38.45 17.39 38.45 17.05 38.45 13.04 38.45 13.68 38.45 14.10 38.45 14.10 38.45 19.43 38.45 13.94 38.45 18.63 38.45	
	847.5	20635	V	10.91	3.27	-3.00	11.18	3m dBm .64 38.45 .81 38.45 .32 38.45 .72 38.45 .12 38.45 .75 38.45 .39 38.45 .05 38.45 .04 38.45 .03 38.45 .04 38.45 .05 38.45 .04 38.45 .05 38.45 .19 38.45 .43 38.45 .94 38.45 .93 38.45 .94 38.45 .92 38.45 .18 38.45
	0-7.0	20000	Н	16.09	3.27	-3.00	16.37	38.45

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 S Taiwan Ltd.



Page 71 of 335

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit	
	MHz		V/H	dBm	dBd	dB	dBm	dBm	
BAND 5 BW: 5M QPSK RB: 1,0	826.5	20425	V	13.45	3.30	-2.93	13.82	38.45	
			Н	18.25	3.30	-2.93	18.62	38.45	
	836.5	20525	V	14.67	3.29	-2.95	15.01	38.45	
			Н	19.13	3.29	-2.95	19.47	38.45	
	846.5	20625	V	14.58	3.28	-2.98	14.87	38.45	
	040.5		Н	19.85	3.28	-2.98	20.14	38.45	
BAND 5 BW: 5M QPSK RB: 1,24	826.5	20425	V	15.54	3.30	-2.93	15.90	38.45	
			Н	19.96	3.30	-2.93	20.33	38.45	
	836.5	20525	V	13.06	3.29	-2.96	13.38	38.45	
	630.3		Н	17.83	3.29	-2.96	18.15	38.45	
	846.5	20625	V	12.32	3.27	-3.00	12.60	38.45	
			Н	17.61	3.27	-3.00	17.89	38.45	
BAND 5 BW: 5M 16QAM RB: 1,0	826.5	20425	V	12.87	3.30	-2.93	13.24	38.45	
			Н	17.78	3.30	-2.93	18.15	38.45	
	836.5	20525	V	14.44	3.29	-2.95	14.78	38.45	
			Н	18.85	3.29	-2.95	19.19	38.45	
	846.5	20625	V	15.38	3.28	-2.98	15.68	38.45	
			Н	19.96	3.28	-2.98	20.25	38.45	
BAND 5 BW: 5M 16QAM RB: 1,24	826.5	20425	V	15.60	3.30	-2.93	15.97	38.45	
			Н	20.21	3.30	-2.93	20.58	38.45	
	836.5	20525	V	11.89	3.29	-2.96	12.21	38.45	
			Н	16.61	3.29	-2.96	16.93	38.45	
	846.5	20625	V	11.00	3.27	-3.00	11.28	38.45	
			Н	16.25	3.27	-3.00	16.53	38.45	

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 72 of 335

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit	
	MHz		V/H	dBm	dBd	dB	dBm	dBm	
BAND 5 BW: 10M QPSK RB: 1,0	829.0	20450	V	12.67	3.30	-2.93	13.04	38.45	
			Н	17.63	3.30	-2.93	18.01	38.45	
	836.5	20525	V	15.18	3.30	-2.94	15.53	38.45	
			Н	19.64	3.30	-2.94	19.99	38.45	
	844.0	20600	V	12.23	3.29	-2.97	12.55	38.45	
			Н	17.14	3.28	-2.98	17.45	38.45	
BAND 5 BW: 10M QPSK RB: 1,49	829.0	20450	V	14.84	3.29	-2.95	15.18	38.45	
			Н	19.34	3.29	-2.95	19.68	38.45	
	836.5	20525	V	13.11	3.28	-2.97	13.42	38.45	
			Н	18.23	3.28	-2.98	18.53	38.45	
	844.0	20600	V	11.72	3.27	-3.00	12.00	38.45	
			Н	17.01	3.27	-3.00	17.29	38.45	
BAND 5 BW: 10M 16QAM RB: 1,0	829.0	20450	V	12.24	3.30	-2.93	12.61	38.45	
			Н	17.23	3.30	-2.93	17.60	38.45	
	836.5	20525	V	14.85	3.30	-2.94	15.21	38.45	
			Н	19.35	3.30	-2.94	19.70	38.45	
	844.0	20600	V	11.76	3.29	-2.97	12.08	38.45	
			Н	16.77	3.28	-2.98	17.07	38.45	
BAND 5 BW: 10M 16QAM RB: 1,49	829.0	20450	V	14.69	3.29	-2.95	15.03	38.45	
			Н	19.15	3.29	-2.95	19.49	38.45	
	836.5	20525	V	12.03	3.28	-2.97	12.34	38.45	
			Н	17.02	3.28	-2.97	17.33	38.45	
	844.0	20600	V	11.16	3.27	-3.00	11.43	38.45	
			Н	16.50	3.27	-3.00	16.77	38.45	

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 73 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	14.89	10.90	-5.26	20.53	33.01
BAND 7	2502.5	20775	Н	16.08	10.90	-5.25	21.72	33.01
BW: 5M	2535.0	21100	V	15.08	10.94	-5.30	20.72	33.01
QPSK	2555.0	21100	Н	15.80	10.94	-5.30	21.44	33.01
RB: 1,0	2567.5	21425	V	16.90	10.98	-5.34	22.54	33.01
	2307.3	21425	Н	16.64	10.98	-5.34	22.28	33.01
	0500.5	00775	V	16.17	10.90	-5.26	21.82	33.01
BAND 7	2502.5	20775	Н	17.39	10.90	-5.26	23.03	33.01
BW: 5M QPSK	2535.0	21100	V	14.31	10.95	-5.31	19.95	33.01
	2555.0	21100	Н	15.08	10.95	-5.31	20.72	33.01
RB: 1,24	2567.5	21425	V	16.87	10.99	-5.34	22.52	33.01
	2507.5	21420	Н	16.44	10.99	-5.34	22.09	33.01
	0500 5	00775	V	15.09	10.90	-5.25	20.74	33.01
BAND 7	2502.5	20775	Н	16.36	10.90	-5.26	22.01	33.01
BW: 5M	2535.0	21100	V	15.42	10.94	-5.30	21.06	33.01
16QAM	2000.0	21100	Н	16.17	10.94	-5.30	21.81	33.01
RB: 1,0	2567.5	21425	V	17.00	10.98	-5.34	22.64	33.01
	2507.5	21420	Н	16.74	10.98	-5.34	22.38	33.01
	2502.5	20775	V	16.31	10.90	-5.26	21.96	33.01
BAND 7 BW: 5M 16QAM RB: 1,24	2502.5	20775	Н	17.60	10.90	-5.26	23.24	33.01
	2535.0	21100	V	14.40	10.95	-5.31	20.04	33.01
	2000.0		Н	15.22	10.95	-5.31	20.85	dBm 33.01
	2567.5	21425	V	17.08	10.99	-5.34	22.73	33.01 33.01
	2007.0	20	Н	16.67	10.99	-5.34	22.31	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 74 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	15.20	10.90	-5.26	20.85	33.01
BAND 7	2505.0	20800	Н	16.05	10.90	-5.26	21.70	33.01
BW: 10M	2535.0	21100	V	16.10	10.94	-5.29	21.74	33.01
QPSK	2333.0	21100	Н	16.58	10.94	-5.30	22.23	33.01
RB: 1,0	2565.0	21400	V	16.67	10.98	-5.34	22.30	33.01
	2303.0	21400	Н	16.48	10.98	-5.34	22.12	33.01
			V	16.62	10.91	-5.26	22.27	33.01
BAND 7	2505.0 2	20800	Н	17.37	10.91	-5.26	23.02	33.01
BW: 10M QPSK	2535.0	21100	V	14.38	10.95	-5.31	20.02	33.01
	2555.0	21100	Н	14.91	10.95	-5.31	20.55	33.01
RB: 1,49	2565.0	21400	V	16.92	10.99	-5.34	22.57	33.01
	2303.0	21400	Н	16.42	10.99	-5.34	dBm dBm 20.85 33.01 21.70 33.01 21.74 33.01 22.23 33.01 22.30 33.01 22.27 33.01 23.02 33.01 20.02 33.01 20.55 33.01 22.57 33.01 22.57 33.01 22.19 33.01 22.15 33.01 22.45 33.01 22.45 33.01 22.27 33.01 22.27 33.01 22.27 33.01 22.27 33.01 22.27 33.01 22.29 33.01 20.72 33.01 20.72 33.01 20.72 33.01 20.72 33.01 20.72 33.01	33.01
	0505.0	00000	V	15.54	10.90	-5.26	21.19	33.01
BAND 7	2505.0	20800	Н	16.51	10.90	-5.26	22.15	33.01
BW: 10M	2535.0	21100	V	16.33	10.94	-5.29	21.97	33.01
16QAM	2333.0	21100	Н	16.81	10.94	-5.29	22.45	33.01
RB: 1,0	2565.0	21400	V	16.82	10.98	-5.34	22.46	33.01
	2303.0	21400	Н	16.63	10.98	-5.34	22.27	33.01
	0505.0	00000	V	16.85	10.91	-5.26	22.50	33.01
BAND 7 BW: 10M 16QAM RB: 1,49	2505.0	20800	Н	17.63	10.91	-5.26	23.28	33.01
	2535.0	21100	V	14.48	10.95	-5.31	20.12	33.01
	2000.0	21100	Н	15.08	10.95	-5.31	20.72	33.01
	2565.0	21400	V	17.25	10.99	-5.34	22.90	33.01
	2000.0	21700	Н	16.72	10.99	-5.34	22.37	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 75 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2507.5	20825	V	14.99	10.90	-5.26	20.64	33.01
BAND 7	2307.3	20023	Н	16.07	10.90	-5.26	21.72	33.01
BW: 15M	2535.0	21100	V	16.54	10.93	-5.29	22.18	33.01
QPSK	2555.0	21100	Н	16.90	10.93	-5.29	22.54	33.01
RB: 1,0	2562.5	21375	V	16.13	10.97	-5.34	21.76	33.01
	2302.3	21373	Н	16.09	10.97	-5.34	21.73	33.01
	2507.5	20825	V	15.95	10.92	-5.27	21.60	33.01
BAND 7	2507.5	20023	Н	16.76	10.92	-5.27	22.41	33.01
BW: 15M QPSK	2535.0	21100	V	14.37	10.95	-5.32	20.01	33.01
	2000.0	21100	Н	14.82	10.95	-5.32	20.46	33.01
RB: 1,74	2562.5	21375	V	16.89	10.99	-5.34	22.54	33.01
	2502.5	21070	Н	16.26	10.99	-5.34	21.91	33.01
	2507.5	20825	V	15.36	10.90	-5.26	21.01	33.01
BAND 7	2007.0	20020	Н	16.40	10.90	-5.26	22.05	33.01
BW: 15M	2535.0	21100	V	16.74	10.94	-5.29	22.39	33.01
16QAM	2000.0	21100	Н	17.11	10.93	-5.29	22.76	33.01
RB: 1,0	2562.5	21375	V	16.24	10.97	-5.34	21.87	33.01
	2002.0	21070	Н	16.28	10.97	-5.34	21.91	33.01
	2507.5	20825	V	16.13	10.92	-5.27	21.78	33.01
BAND 7 BW: 15M 16QAM RB: 1,74	2007.0	20020	Н	17.03	10.92	-5.27	22.68	33.01
	2535.0	21100	V	14.92	10.95	-5.32	20.55	33.01
	2000.0		Н	15.36	10.95	-5.32	21.00	33.01
	2562.5	21375	V	17.19	10.99	-5.34	22.84	33.01
	2002.0		Н	16.58	10.99	-5.34	22.23	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 76 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2510.0	20850	V	15.21	10.90	-5.26	20.86	33.01
BAND 7	2310.0	20000	Н	15.99	10.90	-5.26	21.64	33.01
BW: 20M	2535.0	21100	V	16.80	10.93	-5.29	22.45	33.01
QPSK	2333.0	21100	Н	17.00	10.93	-5.29	22.65	33.01
RB: 1,0	2560.0	21350	V	15.61	10.96	-5.33	21.24	33.01
	2300.0	21330	Н	15.73	10.96	-5.33	21.36	33.01
	2510.0	20850	V	16.05	10.92	-5.27	21.70	33.01
BAND 7	BAND 7	20030	Н	16.53	10.92	-5.27	22.18	33.01
BW: 20M QPSK	2535.0	21100	V	14.70	10.96	-5.32	20.34	33.01
	2000.0	21100	Н	14.96	10.95	-5.32	20.59	33.01
RB: 1,99	2560.0	21350	V	16.76	10.99	-5.34	22.41	33.01
	2000.0	21000	Н	16.12	10.99	-5.34	21.76	33.01
	2510.0	20850	V	15.41	10.90	-5.26	21.06	33.01
BAND 7	2010.0	20000	Н	16.47	10.90	-5.26	22.11	33.01
BW: 20M	2535.0	21100	V	16.96	10.93	-5.29	22.61	33.01
16QAM	2000.0	21100	Н	17.12	10.93	-5.29	22.77	33.01
RB: 1,0	2560.0	21350	V	15.77	10.96	-5.33	21.40	33.01
	2000.0	21000	Н	15.91	10.96	-5.33	21.54	33.01
	2510.0	20850	V	16.30	10.92	-5.27	21.95	33.01
BAND 7 BW: 20M 16QAM RB: 1,99	2010.0	_0000	Н	16.80	10.92	-5.27	22.45	33.01
	2535.0	21100	V	15.11	10.95	-5.32	20.75	33.01
	2000.0		Н	15.41	10.95	-5.32	21.04	33.01
	2560.0	21350	V	17.09	10.99	-5.34	22.73	33.01
	200.0		Н	16.48	10.99	-5.34	22.13	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 77 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	699.7	23017	V	14.04	3.08	-2.96	14.16	34.77
BAND 12	699.7	23017	Н	19.50	3.08	-2.96	19.62	34.77
BW: 1.4M	707.5	23095	V	14.40	3.09	-3.04	14.46	34.77
QPSK	707.5	23093	Н	20.68	3.09	-3.04	20.74	34.77
RB: 1,0	715.3	23173	V	12.34	3.11	-3.06	12.39	34.77
	7 15.5	23173	H	19.13	3.11	-3.06	19.18	34.77
			V	14.25	3.08	-2.96	14.37	34.77
BAND 12	699.7	23017	Н	19.82	3.08	-2.96	19.94	34.77
BW: 1.4M QPSK		23017	V	13.56	3.09	-3.04	13.61	34.77
	707.5	23095	Н	19.88	3.09	Cable LossERPdBdBm-2.9614.16-2.9619.62-3.0414.46-3.0420.74-3.0612.39-3.0619.18-2.9614.37-2.9619.94	19.93	34.77
RB: 1,5			V	12.42	3.11	-3.06	12.47	34.77
	715.3	23173	Н	19.32	3.11	-3.06	19.37	34.77
			V	14.29	3.08	-2.96	14.41	34.77
BAND 12	699.7	23017	Н	19.71	3.08	-2.96	19.83	34.77
BW: 1.4M			V	14.54	3.09	-3.04	14.60	34.77
16QAM	707.5	23095	Н	20.83	3.09	-3.04	20.89	34.77
RB: 1,0			V	12.46	3.11	-3.06	12.51	34.77
	715.3	23173	Н	19.29	3.11	-3.06	19.34	34.77
			V	14.37	3.08	-2.96	14.49	34.77
BAND 12 BW: 1.4M 16QAM RB: 1,5	699.7	23017	Н	19.96	3.08	-2.96	20.08	34.77
			V	13.78	3.09	-3.04	13.84	34.77
	707.5	23095	Н	20.12	3.09	-3.04	-2.96	34.77
	745.0	00470	V	12.59	3.11	-3.06	12.64	34.77
	715.3	23173	Н	19.51	3.11	-3.06	19.55	34.77

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 78 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	700.5	23025	V	14.05	3.08	-2.96	14.17	34.77
BAND 12	700.5	23023	Н	19.49	3.08	-2.96	19.61	34.77
BW: 3M	707.5	23095	V	14.78	3.09	-3.03	14.83	34.77
QPSK	707.5	23093	Н	20.97	3.09	-3.03	21.03	34.77
RB: 1,0	714.5	23165	V	11.87	3.11	-3.06	11.92	34.77
	7 14.5	23103	Н	18.54	3.11	-3.06	18.59	34.77
	700.5	22025	V	14.34	3.08	-2.97	14.45	34.77
BAND 12	700.5	23023	Н	20.07	3.08	-2.97	20.17	34.77
BW: 3M QPSK	707.5	23005	V	12.89	3.10	-3.04	12.95	34.77
	707.5	23093	Н	19.23	3.10	-3.04	19.29	34.77
RB: 1,14	714.5	22165	V	12.40	3.11	-3.06	12.44	34.77
	7 14.5	23025 - 23095 - 23165 - 23025 -	Н	19.30	3.11	-3.06	19.35	34.77
	700.5	00005	V	14.19	3.08	-2.96	14.32	34.77
BAND 12	700.5	23025	Н	19.62	3.08	-2.96	19.75	34.77
BW: 3M	707.5	00005	V	15.02	3.09	-3.03	15.08	34.77
16QAM	707.5	23095	Н	21.20	3.09	-3.04	21.26	34.77
RB: 1,0	7445	00405	V	11.94	3.11	-3.06	11.99	34.77
	714.5	23165	Н	18.58	3.11	-3.06	18.63	34.77
	700 5	00005	V	14.38	3.08	-2.97	14.49	34.77
BAND 12 BW: 3M 16QAM RB: 1,14	700.5	23025	Н	20.12	3.08	-2.98	20.23	34.77
	707.5	00005	V	13.09	3.10	-3.04	13.15	34.77
	707.5	23095	Н	19.41	3.10	-3.04	19.47	IBm dBm 4.17 34.77 9.61 34.77 4.83 34.77 1.03 34.77 1.92 34.77 4.45 34.77 2.95 34.77 2.95 34.77 9.29 34.77 9.35 34.77 4.32 34.77 5.08 34.77 1.26 34.77 1.99 34.77 4.49 34.77 0.23 34.77 9.47 34.77 9.47 34.77 2.67 34.77
	7445	00405	V	12.63	3.11	-3.06	12.67	34.77
	714.5	23165	Н	19.54	3.11	-3.06	19.59	34.77

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 79 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	701.5	23035	V	14.02	3.08	-2.96	14.14	34.77
BAND 12	701.5	23033	Н	19.51	3.08	-2.96	19.63	34.77
BW: 5M	707.5	23095	V	14.93	3.09	-3.03	14.99	34.77
QPSK	707.5	23093	Н	21.11	3.09	-3.03	21.17	34.77
RB: 1,0	713.5	23155	V	11.68	3.10	-3.05	11.73	34.77
	7 13.3	23100	Н	18.11	3.10	-3.05	18.16	34.77
	701.5	23035	V	14.76	3.09	-3.01	14.84	34.77
BAND 12	701.5	23033	Η	20.72	3.09	-3.01	20.80	34.77
BW: 5M QPSK	707.5	23005	V	12.39	3.10	-3.04	12.44	34.77
	707.5	23093	Η	18.76	3.10	-3.04	18.81	34.77
RB: 1,24	713.5	22155	V	12.50	3.11	-3.06	12.55	34.77
	7 13.3	23095 -	Н	19.26	3.11	-3.06	19.31	34.77
	701.5	23035	V	14.18	3.08	-2.96	14.30	34.77
BAND 12	701.5	23033	Η	19.68	3.08	-2.99	19.77	34.77
BW: 5M	707.5	23095	V	15.23	3.09	-3.03	15.29	34.77
16QAM	707.3	23093	Н	21.30	3.09	-3.03	21.36	34.77
RB: 1,0	713.5	23155	V	11.79	3.10	-3.05	11.84	34.77
	7 13.3	23133	Н	18.23	3.10	-3.05	18.28	34.77
	701.5	23035	V	15.05	3.09	-3.01	15.13	34.77
BAND 12 BW: 5M 16QAM RB: 1,24	701.5	23033	Н	20.97	3.09	-3.01	21.04	34.77
	707.5	23095	V	12.55	3.10	-3.04	12.60	34.77
	707.5	23093	Н	18.93	3.10	-3.05	18.98	4.14 34.77 9.63 34.77 4.99 34.77 1.17 34.77 3.16 34.77 4.84 34.77 2.44 34.77 3.81 34.77 3.31 34.77 3.31 34.77 3.29 34.77 3.28 34.77 3.28 34.77 3.13 34.77 3.28 34.77 3.98 34.77 3.98 34.77 2.77 34.77 3.98 34.77 34.77 34.77
	713.5	23155	V	12.73	3.11	-3.06	12.77	34.77
	7 13.3	23133	Н	19.54	3.11	-3.06	19.59	34.77

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 80 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	70.1.0		V	14.04	3.08	-2.96	14.16	34.77
BAND 12	704.0	23060	Н	19.56	3.08	-2.96	19.68	34.77
BW: 10M	707.5	00005	V	14.58	3.09	-3.00	14.66	34.77
QPSK	707.5	23095	Н	20.50	3.09	-3.00	20.58	34.77
RB: 1,0	744.0	00400	V	14.63	3.09	-3.04	14.69	34.77
	711.0	23130	Н	20.87	3.09	-3.03	20.93	34.77
	704.0	23060	V	13.21	3.10	-3.04	13.26	34.77
BAND 12	704.0	23000	Н	19.51	3.10	-3.04	19.56	34.77
BW: 10M QPSK	707.5	23095	V	11.59	3.10	-3.05	11.64	34.77
	707.5	20000	Н	18.15	3.10	-3.05	18.20	34.77
RB: 1,49	711.0	23130	V	12.51	3.11	-3.06	12.56	34.77
	711.0	20100	Н	19.41	3.11	-3.06	19.46	34.77
	704.0	00000	V	14.23	3.08	-2.96	14.35	34.77
BAND 12	704.0	23060	Н	19.70	3.08	-2.96	19.83	34.77
BW: 10M	707.5	22005	V	14.68	3.08	-2.99	14.76	34.77
16QAM	707.5	23095	Н	20.56	3.09	-3.01	20.64	34.77
RB: 1,0	744.0	00400	V	14.90	3.09	-3.04	14.95	34.77
	711.0	23130	Н	21.12	3.09	-3.03	21.18	34.77
	704.0	23060	V	13.41	3.09	-3.04	13.47	34.77
BAND 12 BW: 10M 16QAM RB: 1,49	704.0	20000	Н	19.83	3.10	-3.04	19.88	34.77
	707.5	23095	V	11.79	3.10	-3.05	11.85	34.77
	707.0	20000	Н	18.33	3.10	-3.05	18.38	34.77
	711.0	23130	V	12.63	3.11	-3.06	12.68	34.77
	7.11.0	20100	Н	19.58	3.11	-3.06	19.63	34.77

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

S Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 81 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	779.5	23205	V	11.35	3.27	-2.91	11.71	34.77
BAND 13	779.5	23203	Н	14.56	3.27	-2.91	14.92	34.77
BW: 5M	782.0	23230	V	13.54	3.27	-2.91	13.90	34.77
QPSK	702.0	23230	Н	16.91	3.29	-2.91	17.28	34.77
RB: 1,0	784.5	23255	V	13.32	3.28	-2.91	13.69	34.77
	764.5	23233	Н	17.05	3.29	-2.91	17.43	34.77
	779.5	23205	V	13.12	3.28	-2.91	13.49	34.77
BAND 13	BAND 13	23203	Н	16.76	3.29	-2.91	17.14	34.77
BW: 5M QPSK	782.0	23230	V	14.23	3.29	-2.91	14.61	34.77
	762.0	23230	Н	18.00	3.30	-2.91	18.40	34.77
RB: 1,24	784.5	23255	V	13.75	3.29	-2.91	14.13	34.77
	764.5	23233	Н	17.56	3.29	-2.91	17.95	34.77
	779.5	23205	V	11.37	3.27	-2.91	11.73	34.77
BAND 13	779.5	23203	Н	14.72	3.28	-2.91	15.09	34.77
BW: 5M	782.0	23230	V	13.56	3.27	-2.91	13.92	34.77
16QAM	762.0	23230	Н	17.09	3.28	-2.91	17.47	34.77
RB: 1,0	784.5	23255	V	13.41	3.28	-2.91	13.79	34.77
	764.5	23233	Н	17.14	3.29	-2.91	17.53	34.77
	779.5	23205	V	13.23	3.28	-2.91	13.60	34.77
BAND 13 BW: 5M 16QAM RB: 1,24	779.5	23203	Н	16.83	3.29	-2.91	17.22	34.77
	782.0	23230	V	14.31	3.29	-2.91	14.69	34.77
	7 62.0	23230	Н	18.08	3.30	-2.91	18.47	IBm dBm 1.71 34.77 4.92 34.77 3.69 34.77 7.43 34.77 3.49 34.77 4.61 34.77 4.13 34.77 4.79 34.77 4.13 34.77 5.09 34.77 7.47 34.77 7.47 34.77 7.53 34.77 7.22 34.77 4.69 34.77 4.32 34.77 4.32 34.77
	784.5	23255	V	13.93	3.29	-2.91	14.32	34.77
	704.0	23233	Н	17.72	3.29	-2.91	18.11	34.77

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

S Taiwan Ltd.



Page 82 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
BAND 13 BW: 10M			V	11.88	3.27	-2.91	12.24	34.77
QPSK RB: 1,0	782.0	23230	Н	15.04	3.27	-2.91	15.40	34.77
BAND 13 BW: 10M			V	13.83	3.29	-2.91	14.22	34.77
QPSK RB: 1,49	782.0	23230		17.51	3.29	-2.91	17.90	34.77
BAND 13 BW: 10M			V	11.86	3.27	-2.91	12.22	34.77
16QAM RB: 1,0	782.0	23230	Н	15.02	3.28	-2.91	15.39	34.77
BAND 13 BW: 10M	782.0 23		V	13.99	3.29	-2.91	14.38	34.77
16QAM RB: 1,49		23230	Н	17.72	3.29	-2.91	18.11	34.77

Remark:

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz (1)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

S Taiwan Ltd.



Page 83 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	706 F	23755	V	14.78	3.09	-3.04	14.84	34.77
BAND 17	706.5	23/33	Н	20.69	3.09	-3.04	20.75	34.77
BW: 5M	710.0	23790	V	14.06	3.09	-3.04	14.12	34.77
QPSK	710.0	23790	Н	20.13	3.09	-3.04	20.19	34.77
RB: 1,0	713.5	23825	V	12.12	3.10	-3.05	12.17	34.77
	713.5	23023	Н	18.32	3.10	-3.05	18.37	34.77
	706.5	22755	V	13.46	3.10	-3.04	13.52	34.77
BAND 17	700.5	23733	Н	19.58	3.10	-3.04	19.64	34.77
BW: 5M QPSK	710.0	22700	V	12.15	3.10	-3.05	12.20	34.77
	7 10.0	23790	Н	18.40	3.10	-3.05	18.45	34.77
RB: 1,24	713.5	23825	V	12.92	3.11	-3.06	12.97	34.77
	713.3	23755 - 23790 - 23825 - 23755 - 23790 -	Н	19.62	3.11	-3.06	19.67	34.77
	706.5	22755	V	15.12	3.09	-3.04	15.18	34.77
BAND 17	700.5	23733	Н	21.11	3.09	-3.04	21.17	34.77
BW: 5M	710.0	23700	V	14.27	3.09	-3.04	14.32	34.77
16QAM	7 10.0	23790	Н	20.38	3.09	-3.04	20.43	34.77
RB: 1,0	713.5	23825	V	12.24	3.10	-3.05	12.29	34.77
	7 13.3	23023	Н	18.46	3.10	-3.05	18.51	34.77
	706.5	23755	V	13.72	3.10	-3.04	13.77	34.77
BAND 17 BW: 5M 16QAM RB: 1,24	700.5	23733	Н	19.78	3.10	-3.04	19.83	34.77
	710.0	23790	V	12.18	3.10	-3.05	12.23	34.77
	7 10.0	20130	Н	18.47	3.10	-3.05	18.52	34.77
	713.5	23825	V	13.08	3.11	-3.06	13.13	34.77
	7 10.0	20020	Н	19.77	3.11	-3.06	19.82	34.77

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 84 of 335

	EUT			N	leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	709.0	23780	V	14.96	3.09	-3.03	15.01	34.77
BAND 17	705.0	23700	Н	20.92	3.09	-3.04	20.97	34.77
BW: 10M	710.0	23790	V	15.26	3.09	-3.03	15.31	34.77
QPSK	7 10.0	23730	Н	21.28	3.09	-3.03	21.34	34.77
RB: 1,0	711.0	23800	V	14.99	3.09	-3.04	15.04	34.77
	711.0	23000	Н	21.07	3.09	-3.04	21.12	34.77
	709.0	23780	V	12.51	3.11	-3.06	12.56	34.77
BAND 17	709.0	23700	Н	18.95	3.11	-3.06	19.00	34.77
BW: 10M QPSK	710.0	23790	V	12.82	3.11	-3.06	12.87	34.77
	7 10.0	23790	Н	19.39	3.11	-3.06	19.44	34.77
RB: 1,49	711.0	23800	V	12.93	3.11	-3.06	12.98	34.77
	711.0	23000	Н	19.65	3.11	-3.06	19.70	34.77
	709.0	23780	V	15.02	3.09	-3.04	15.07	34.77
BAND 17	709.0	23700	Н	21.05	3.09	-3.04	21.10	34.77
BW: 10M	710.0	23790	V	15.44	3.09	-3.03	15.50	34.77
16QAM	7 10.0	23790	Н	21.63	3.09	-3.03	21.69	34.77
RB: 1,0	711.0	23800	V	15.29	3.09	-3.03	15.34	34.77
	711.0	23000	Н	21.28	3.09	-3.04	21.33	34.77
	709.0	23780	V	12.67	3.11	-3.06	12.72	34.77
BAND 17 BW: 10M 16QAM RB: 1,49	709.0	23700	Н	19.14	3.11	-3.06	19.19	34.77
	710.0	23790	V	13.06	3.11	-3.06	13.11	34.77
	7 10.0	23190	Н	19.69	3.11	-3.06	19.74	dBm 1 34.77 1 34.77 1 34.77 1 34.77 2 34.77 2 34.77 3 34.77
	711.0	23800	V	13.13	3.11	-3.06	13.18	34.77
	711.0	23000	Н	19.86	3.11	-3.06	19.90	34.77

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 85 of 335

8. OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2. Test Set-up



8.3. Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about $1\% \sim 5\%$ of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= $1\% \sim 5\%$, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 86 of 335

8.4. Measurement Equipment Used

Conduc	ted Emission (m	neasured at a	antenna port)	Test Site	
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/09/2015	12/08/2016
Power Sensor	Anritsu	MA2411B	917032	12/09/2015	12/08/2016
EXA Spectrum					
Analyzer	Agilent	N9030A	MY53120760	02/26/2016	20/25/2017
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017
DC Power Supply	Agilent	E3640A	MY52410006	11/05/2015	11/04/2016
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2016	05/16/2017
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/25/2015	09/24/2016
Radio Communication Analyer	Anritsu	MT8820C	6201465317	12/10/2015	12/09/2016

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 87 of 335

8.5. Measurement Result

Freq.	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)
(MHz)		GPRS 850	EDGE 850	GPRS 850	EDGE 850
824.2	128	0.24430	0.24554	0.3223	0.3132
836.6	190	0.24399	0.24235	0.3202	0.3156
848.8	251	0.24240	0.24117	0.3175	0.3047

Freq. (MHz)	СН	99% BW (MHz) GPRS	99% BW (MHz) EDGE	26 dB BW (MHz) GPRS	26 dB BW (MHz) EDGE
		1900	1900	1900	1900
1850.2	512	0.24497	0.24812	0.3197	0.3168
1880.0	661	0.24410	0.24439	0.3119	0.3062
1909.8	810	0.24459	0.24234	0.3197	0.3015

Freq. (MHz)	. (H	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)
(IVIIIZ)		CDMA	EVDO	CDMA	EVDO
		BC0	BC0	BC0	BC0
824.2	128	1.2665	1.2697	1.415	1.416
836.6	190	1.2629	1.2691	1.415	1.412
848.8	251	1.2713	1.2696	1.413	1.418

Freq. (MHz)	СН	99% BW (MHz) CDMA BC1	99% BW (MHz) EVDO BC1	26 dB BW (MHz) CDMA BC1	26 dB BW (MHz) EVDO BC1
1850.2	512	1.2740	1.2725	1.420	1.431
1880.0	661	1.2736	1.2774	1.418	1.419
1909.8	810	1.2806	1.2763	1.444	1.431

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 88 of 335

Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)
(IVII IZ)		WCDMA	HSDPA	HSUPA	WCDMA	HSDPA	HSUPA
		II	II	II	II	II	II
1850.20	9262	4.1477	4.1469	4.1391	4.623	4.616	4.626
1880.00	9400	4.1491	4.1492	4.1583	4.624	4.621	4.626
1909.80	9538	4.1483	4.1556	4.1465	4.626	4.629	4.619

Freq. (MHz)	СН	99% BW (MHz) WCDMA	99% BW (MHz) HSDPA	99% BW (MHz) HSUPA	26 dB BW (MHz) WCDMA	26 dB BW (MHz) HSDPA	26 dB BW (MHz) HSUPA
		IV	IV	IV	IV	IV	IV
1712.40	1312	4.1510	4.1538	4.1562	4.628	4.610	4.624
1732.60	1413	4.1462	4.1514	4.1535	4.618	4.619	4.615
1752.60	1513	4.1551	4.1551	4.1598	4.629	4.617	4.631

	Freq. CH		99% BW (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)
(MHz	<u>"</u>)		WCDMA V	HSDPA V	HSUPA V	WCDMA V	HSDPA V	HSUPA V
826.4	0	4132	4.1577	4.1577	4.1509	4.616	4.616	4.615
836.6	0	4183	4.1454	4.1626	4.1514	4.610	4.610	4.626
846.6	0	4233	4.1404	4.1409	4.1232	4.631	4.631	4.608

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 89 of 335

	LTE BAND 2 Channel bandwidth: 1.4MHz								
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM				
1850.7	18607	1.0964	1.1046	1.292	1.316				
1880.0	18900	1.0953	1.0967	1.301	1.280				
1909.3	19193	1.0972	1.1059	1.289	1.293				

LTE BAND 2 Channel bandwidth: 3MHz							
Freq. (MHz)	· • (H	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
1851.5	18615	2.7065	2.7083	2.981	3.000		
1880.0	18900	2.7098	2.7047	2.981	2.992		
1908.5	19185	2.7099	2.7069	2.979	2.980		

	LTE BAND 2 Channel bandwidth: 5MHz							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM			
1852.5	18625	4.5038	4.5067	4.978	4.956			
1880.0	18900	4.5104	4.5126	5.036	5.032			
1907.5	19175	4.5113	4.5112	4.976	5.015			

LTE BAND 2 Channel bandwidth: 10MHz							
Freq. (MHz)		99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
1855.0	18650	8.9895	8.9454	9.924	9.735		
1880.0	18900	9.0010	8.9560	9.911	9.829		
1905.0	19150	9.0068	8.9569	9.847	9.749		

LTE BAND 2 Channel bandwidth: 15MHz								
Freq. (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM			
1857.5	18675	13.439	13.431	14.69	14.68			
1880.0	18900	13.421	13.441	14.65	14.71			
1902.5	19125	13.472	13.449	14.66	14.68			

LTE BAND 2 Channel bandwidth: 20MHz								
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM			
1860.0	18700	17.865	17.856	19.33	19.33			
1880.0	18900	17.887	17.872	19.37	19.37			
1900.0	19100	17.901	17.922	19.39	19.44			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 90 of 335

	LTE BAND 4 Channel bandwidth: 1.4MHz									
Freq. (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)						
		QPSK	16QAM	QPSK	16QAM					
1710.7	19957	1.0996	1.0998	1.295	1.314					
1732.5	20175	1.0973	1.1038	1.270	1.298					
1754.3	20393	1.1038	1.0982	1.285	1.287					

LTE BAND 4 Channel bandwidth: 3MHz									
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM				
1711.5	19965	2.7053	2.7053	2.995	2.998				
1732.5	20175	2.7014	2.7076	2.967	3.002				
1753.5	20385	2.7018	2.7107	3.009	2.998				

LTE BAND 4 Channel bandwidth: 5MHz									
Freq. (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)					
		QPSK	16QAM	QPSK	16QAM				
1712.5	19957	4.5052	4.4902	4.997	4.985				
1732.5	20175	4.5030	4.4959	5.003	4.984				
1752.5	20375	4.4985	4.5039	5.033	4.969				

LTE BAND 4 Channel bandwidth: 10MHz								
		99%	99%	26 dB	26 dB			
Freq.	СН	BW	BW	BW	BW			
(MHz)	СП	(MHz)	(MHz)	(MHz)	(MHz)			
		QPSK	16QAM	QPSK	16QAM			
1715.0	20000	8.9884	8.9551	9.846	9.810			
1732.5	20175	8.9891	8.9649	9.814	9.750			
1750.0	20350	8.9901	8.9586	9.855	9.760			

	LTE BAND 4 Channel bandwidth: 15MHz								
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM				
1717.5	20025	13.465	13.456	14.59	14.64				
1732.5	20175	13.469	13.434	14.50	14.53				
1747.5	20325	13.465	13.459	14.67	14.66				

LTE BAND 4 Channel bandwidth: 20MHz									
Freq. (MHz)		99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM				
1720.0	20050	17.861	17.902	19.35	19.28				
1732.5	20175	17.860	17.854	19.30	19.26				
1745.0	20300	17.902	17.912	19.35	19.32				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 91 of 335

LTE BAND 5 Channel bandwidth: 1.4MHz									
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM				
824.7	20407	1.0980	1.1002	1.270	1.300				
836.5	20525	1.0974	1.0960	1.286	1.309				
848.3	20643	1.0974	1.1040	1.299	1.278				

LTE BAND 5 Channel bandwidth: 3MHz									
Freq. (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)					
		QPSK	16QAM	QPSK	16QAM				
825.5	20415	2.7099	2.7059	3.004	2.985				
836.5	20525	2.7136	2.7025	2.993	2.992				
847.5	20635	2.7104	2.7080	3.010	2.995				

LTE BAND 5 Channel bandwidth: 5MHz									
Freq. (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)					
		QPSK	16QAM	QPSK	16QAM				
826.5	20425	4.4862	4.5010	4.993	4.929				
836.5	20525	4.5058	4.4947	5.015	5.007				
846.5	20625	4.4958	4.4977	4.999	4.968				

LTE BAND 5 Channel bandwidth: 10MHz								
Freq. (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM			
829.0	20450	8.9787	8.9831	9.933	10.160			
836.5	20525	9.0250	9.0080	9.904	9.852			
844.0	20600	8.9577	8.9499	9.770	9.767			

LTE BAND 7 Channel bandwidth: 5MHz								
Freq. (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM			
2502.5	20775	4.5086	4.5125	5.007	5.008			
2535.0	21100	4.5097	4.5048	5.023	5.017			
2567.5	21425	4.5146	4.5048	5.013	4.965			

LTE BAND 7 Channel bandwidth: 10MHz								
Freq. (MHz)	I (H	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	BW (MHz) QPSK 9.914	16QAM			
2505.0	20800	9.0066	8.9622	9.914	9.769			
2535.0	21100	8.9863	8.9600	9.801	9.742			
2565.0	21400	8.9887	8.9806	9.915	9.863			

LTE BAND 7 Channel bandwidth: 15MHz								
Freq. (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM			
2507.5	20825	13.430	13.447	14.67	14.61			
2535.0	21100	13.471	13.479	14.54	14.63			
2562.5	21375	13.433	13.465	14.20	14.34			

	LTE BAND 7 Channel bandwidth: 20MHz							
Freq. (MHz)	(н	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM			
2510.0	20850	17.874	17.861	18.97	18.95			
2535.0	21100	17.928	17.885	18.95	18.87			
2560.0	21350	17.864	17.900	19.00	18.88			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 92 of 335

LTE BAND 12 Channel bandwidth: 1.4MHz							
Freq. (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM		
699.7	23017	1.1083	1.0961	1.238	1.244		
707.5	23095	1.1007	1.1036	1.267	1.291		
715.3	23173	1.1031	1.1042	1.563	1.314		

LTE BAND 12 Channel bandwidth: 3MHz							
Freq. (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM		
700.5	23025	2.7050	2.7005	2.977	2.975		
707.5	23095	2.7166	2.7036	2.985	2.988		
714.5	23165	2.7117	2.7085	3.011	2.997		

LTE BAND 12 Channel bandwidth: 5MHz							
Freq. (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM		
701.5	23035	4.5173	4.5105	5.027	4.998		
707.5	23095	4.5073	4.5049	5.021	5.012		
713.5	23155	4.5310	4.5178	5.023	5.041		

LTE DANID 40 OL								
LTE BAND 12 Channel bandwidth: 10MHz								
Freq. (MHz)	· I (H	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM			
704.0	23060	9.0578	9.0390	9.962	9.904			
707.5	23095	9.0229	8.9576	9.846	9.711			
711.0	23130	8.9710	8.9476	9.783	9.868			

LTE DANID 40 OL								
	LTE BAND 13 Channel bandwidth: 5MHz							
Freq. (MHz)	· I ('H	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)			
		QPSK	16QAM	QPSK	16QAM			
701.5	23035	4.9910	4.5059	5.037	4.987			
707.5	23095	4.5134	4.5105	5.036	5.000			
713.5	23155	4.5012	4.5073	4.998	5.030			

LTE BAND 13 Channel bandwidth: 10MHz							
	99%	99%	26 dB	26 dB			
Freq.	СН	BW	BW	BW	BW		
(MHz)	Сп	(MHz)	(MHz)	(MHz)	(MHz)		
		QPSK	16QAM	QPSK	16QAM		
782.0	23230	8.9979	8.9482	9.802	9.746		

LTE BAND 17 Channel bandwidth: 5MHz							
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)		
		QPSK	16QAM	QPSK	16QAM		
706.5	23755	4.5176	4.5164	4.812	5.006		
710.0	23790	4.5022	4.4931	5.037	5.002		
713.5	23825	4.4773	4.5231	4.812	4.991		

LTE BAND 17 Channel bandwidth: 10MHz							
Freq.	СН	99% BW	99% BW	26 dB BW	26 dB BW		
(MHz)	СП	(MHz)	(MHz)	(MHz)	(MHz)		
		QPSK	16QAM	QPSK	16QAM		
709.0	23780	9.0012	8.9443	9.781	9.756		
710.0	23790	8.9857	8.9415	9.756	9.764		
711.0	23780	8.9762	8.9504	9.869	9.802		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 93 of 335

GPRS_850MHz_LowCH128-824.2



EDGE_850MHz_LowCH128-824.2



GPRS_850MHz_MidCH190-836.6




EDGE_850MHz_MidCH190-836.6



GPRS_850MHz_HighCH251-848.8



EDGE_850MHz_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested and sample structions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 94 of 335

GPRS_1900MHz_LowCH512-1850.2




EDGE_1900MHz_LowCH512-1850.2



GPRS_1900MHz_MidCH661-1880




EDGE_1900MHz_MidCH661-1880



GPRS_1900MHz_HighCH810-1909.8



EDGE_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested and sample structions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 95 of 335


CDMA2000 BC0 LowCH1013-824.7




EVDO BC0 LowCH1013-824.7



CDMA2000 BC0 MidCH384-836.52



EVDO BC0 MidCH384-836.52



CDMA2000_BC0_HighCH777-848.31



EVDO_BC0_HighCH777-848.31



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 96 of 335


CDMA2000 BC1 LowCH25-1851.3




EVDO BC1 LowCH25-1851.3




CDMA2000 BC1 MidCH600-1880



EVDO BC1 MidCH600-1880



CDMA2000_BC1_HighCH1175-1908.8



EVDO_BC1_HighCH1175-1908.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 97 of 335


WCDMA_B2_LowCH9262-1852.4




HSDPA_B2_LowCH9262-1852.4



WCDMA B2 MidCH9400-1880




HSDPA B2 MidCH9400-1880



WCDMA_B2_HighCH9538-1907.6



HSDPA_B2_HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested and sample structions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 98 of 335


HSUPA_B2_LowCH9262-1852.4



WCDMA_B4_LowCH1312-1712.4




HSUPA B2 MidCH9400-1880




WCDMA B4 MidCH1413-1732.6



HSUPA_B2_HighCH9538-1907.6



WCDMA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested and sample structions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 99 of 335

HSDPA_B4_LowCH1312-1712.4




HSUPA_B4_LowCH1312-1712.4




HSDPA B4 MidCH1413-1732.6




HSUPA B4 MidCH1413-1732.6



HSDPA_B4_HighCH1513-1752.6



HSUPA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested and sample structions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 100 of 335


WCDMA_B5_LowCH4132-826.4




HSDPA_B5_LowCH4132-826.4




WCDMA B5 MidCH4183-836.6




HSDPA B5 MidCH4183-836.6



WCDMA_B5_HighCH4233-846.6



HSDPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested and sample structions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 101 of 335


HSUPA_B5_LowCH4132-826.4



HSUPA B5 MidCH4183-836.6



HSUPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref. 8月 Agi kill, Hunter 1 and Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 102 of 335


Band2 1.4MHz QPSK 6 0 LowCH18607-1850.7




Band2 1.4MHz 16-QAM 6 0 LowCH18607-1850.7



Band2 1.4MHz QPSK 6 0 MidCH18900-1880




Band2 1.4MHz 16-QAM 6 0 MidCH18900-1880



Band2 1.4MHz_QPSK 6 0_HighCH19193-1909.3



Band2 1.4MHz_16-QAM 6 0_HighCH19193-1909.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 103 of 335

Band2 3MHz QPSK 15 0 LowCH18615-1851.5




Band2 3MHz 16-QAM 15 0 LowCH18615-1851.5



Band2 3MHz QPSK 15 0 MidCH18900-1880




Band2 3MHz 16-QAM 15 0 MidCH18900-1880



Band2 3MHz_QPSK 15 0_HighCH19185-1908.5



Band2 3MHz_16-QAM 15 0_HighCH19185-1908.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 104 of 335


Band2 5MHz QPSK 25 0 LowCH18625-1852.5



Band2 5MHz 16-QAM 25 0 LowCH18625-1852.5




Band2 5MHz QPSK 25 0 MidCH18900-1880



Band2 5MHz 16-QAM 25 0 MidCH18900-1880



Band2 5MHz_QPSK 25 0_HighCH19175-1907.5



Band2 5MHz_16-QAM 25 0_HighCH19175-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 105 of 335


Band2 10MHz QPSK 50 0 LowCH18650-1855



Band2 10MHz 16-QAM 50 0 LowCH18650-1855



Band2 10MHz QPSK 50 0 MidCH18900-1880




Band2 10MHz_16-QAM 50 0_MidCH18900-1880



Band2 10MHz_QPSK 50 0_HighCH19150-1905



Band2 10MHz_16-QAM 50 0_HighCH19150-1905



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 106 of 335


Band2 15MHz QPSK 75 0 LowCH18675-1857.5



Band2 15MHz 16-QAM 75 0 LowCH18675-1857.5




Band2 15MHz QPSK 75 0 MidCH18900-1880




Band2 15MHz_16-QAM 75 0_MidCH18900-1880



Band2 15MHz_QPSK 75 0_HighCH19125-1902.5



Band2 15MHz_16-QAM 75 0_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 107 of 335


Band2 20MHz QPSK 100 0 LowCH18700-1860




Band2 20MHz 16-QAM 100 0 LowCH18700-1860



Band2 20MHz QPSK 100 0 MidCH18900-1880




Band2 20MHz_16-QAM 100 0_MidCH18900-1880



Band2 20MHz_QPSK 100 0_HighCH19100-1900



Band2 20MHz_16-QAM 100 0_HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 108 of 335


Band4 1.4MHz QPSK 6 0 LowCH19957-1710.7




Band4 1.4MHz 16-QAM 6 0 LowCH19957-1710.7




Band4 1.4MHz_QPSK 6 0_MidCH20175-1732.5



Band4 1.4MHz 16-QAM 6 0 MidCH20175-1732.5



Band4 1.4MHz_QPSK 6 0_HighCH20393-1754.3



Band4 1.4MHz_16-QAM 6 0_HighCH20393-1754.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 109 of 335

Band4 3MHz QPSK 15 0 LowCH19965-1711.5




Band4 3MHz 16-QAM 15 0 LowCH19965-1711.5



Band4 3MHz QPSK 15 0 MidCH20175-1732.5




Band4 3MHz 16-QAM 15 0 MidCH20175-1732.5



Band4 3MHz_QPSK 15 0_HighCH20385-1753.5



Band4 3MHz_16-QAM 15 0_HighCH20385-1753.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 110 of 335


Band4 5MHz QPSK 25 0 LowCH19975-1712.5



Band4 5MHz 16-QAM 25 0 LowCH19975-1712.5



Band4 5MHz QPSK 25 0 MidCH20175-1732.5



Band4 5MHz 16-QAM 25 0 MidCH20175-1732.5



Band4 5MHz_QPSK 25 0_HighCH20375-1752.5



Band4 5MHz_16-QAM 25 0_HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com




Page 111 of 335


Band4 10MHz QPSK 50 0 LowCH20000-1715




Band4 10MHz 16-QAM 50 0 LowCH20000-1715



Band4 10MHz QPSK 50 0 MidCH20175-1732.5




Band4 10MHz 16-QAM 50 0 MidCH20175-1732.5



Band4 10MHz_QPSK 50 0_HighCH20350-1750



Band4 10MHz_16-QAM 50 0_HighCH20350-1750



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 112 of 335

Band4 15MHz QPSK 75 0 LowCH20025-1717.5




Band4 15MHz 16-QAM 75 0 LowCH20025-1717.5



Band4 15MHz QPSK 75 0 MidCH20175-1732.5




Band4 15MHz 16-QAM 75 0 MidCH20175-1732.5



Band4 15MHz_QPSK 75 0_HighCH20325-1747.5



Band4 15MHz_16-QAM 75 0_HighCH20325-1747.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 113 of 335


Band4 20MHz QPSK 100 0 LowCH20050-1720



Band4 20MHz 16-QAM 100 0 LowCH20050-1720




Band4 20MHz_QPSK 100 0_MidCH20175-1732.5



Band4 20MHz 16-QAM 100 0 MidCH20175-1732.5



Band4 20MHz_QPSK 100 0_HighCH20300-1745



Band4 20MHz_16-QAM 100 0_HighCH20300-1745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 114 of 335


Band5 1.4MHz QPSK 6 0 LowCH20407-824.7




Band5 1.4MHz 16-QAM 6 0 LowCH20407-824.7




Band5 1.4MHz QPSK 6 0 MidCH20525-836.5




Band5 1.4MHz 16-QAM 6 0 MidCH20525-836.5



Band5 1.4MHz_QPSK 6 0_HighCH20643-848.3



Band5 1.4MHz_16-QAM 6 0_HighCH20643-848.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 115 of 335

Band5 3MHz QPSK 15 0 LowCH20415-825.5




Band5 3MHz 16-QAM 15 0 LowCH20415-825.5




Band5 3MHz QPSK 15 0 MidCH20525-836.5



Band5 3MHz 16-QAM 15 0 MidCH20525-836.5



Band5 3MHz_QPSK 15 0_HighCH20635-847.5



Band5 3MHz_16-QAM 15 0_HighCH20635-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 116 of 335


Band5 5MHz QPSK 25 0 LowCH20425-826.5




Band5 5MHz 16-QAM 25 0 LowCH20425-826.5




Band5 5MHz QPSK 25 0 MidCH20525-836.5



Band5 5MHz 16-QAM 25 0 MidCH20525-836.5



Band5 5MHz_QPSK 25 0_HighCH20625-846.5



Band5 5MHz_16-QAM 25 0_HighCH20625-846.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 117 of 335


Band5 10MHz QPSK 50 0 LowCH20450-829



Band5 10MHz 16-QAM 50 0 LowCH20450-829



Band5 10MHz QPSK 50 0 MidCH20525-836.5



Band5 10MHz 16-QAM 50 0 MidCH20525-836.5



Band5 10MHz_QPSK 50 0_HighCH20600-844



Band5 10MHz_16-QAM 50 0_HighCH20600-844



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 118 of 335

Band7 5MHz QPSK 25 0 LowCH20775-2502.5



Band7 5MHz 16-QAM 25 0 LowCH20775-2502.5



Band7 5MHz QPSK 25 0 MidCH21100-2535




Band7 5MHz 16-QAM 25 0 MidCH21100-2535



Band7 5MHz_QPSK 25 0_HighCH21425-2567.5



Band7 5MHz_16-QAM 25 0_HighCH21425-2567.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 119 of 335


Band7 10MHz QPSK 50 0 LowCH20800-2505




Band7 10MHz 16-QAM 50 0 LowCH20800-2505



Band7 10MHz QPSK 50 0 MidCH21100-2535




Band7 10MHz 16-QAM 50 0 MidCH21100-2535



Band7 10MHz_QPSK 50 0_HighCH21400-2565



Band7 10MHz_16-QAM 50 0_HighCH21400-2565



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 120 of 335


Band7 15MHz QPSK 75 0 LowCH20825-2507.5




Band7 15MHz 16-QAM 75 0 LowCH20825-2507.5



Band7 15MHz QPSK 75 0 MidCH21100-2535




Band7 15MHz 16-QAM 75 0 MidCH21100-2535



Band7 15MHz_QPSK 75 0_HighCH21375-2562.5



Band7 15MHz_16-QAM 75 0_HighCH21375-2562.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 121 of 335


Band7 20MHz QPSK 100 0 LowCH20850-2510




Band7 20MHz 16-QAM 100 0 LowCH20850-2510




Band7 20MHz QPSK 100 0 MidCH21100-2535



Band7 20MHz_16-QAM 100 0 MidCH21100-2535



Band7 20MHz_QPSK 100 0_HighCH21350-2560



Band7 20MHz_16-QAM 100 0_HighCH21350-2560



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 122 of 335


Band12 1.4MHz QPSK 6 0 LowCH23017-699.7




Band12 1.4MHz 16-QAM 6 0 LowCH23017-699.7




Band12 1.4MHz QPSK 6 0 MidCH23095-707.5




Band12 1.4MHz 16-QAM 6 0 MidCH23095-707.5



Band12 1.4MHz_QPSK 6 0_HighCH23173-715.3



Band12 1.4MHz_16-QAM 6 0_HighCH23173-715.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 123 of 335


Band12 3MHz QPSK 15 0 LowCH23025-700.5



Band12 3MHz 16-QAM 15 0 LowCH23025-700.5




Band12 3MHz QPSK 15 0 MidCH23095-707.5



Band12 3MHz 16-QAM 15 0 MidCH23095-707.5



Band12 3MHz_QPSK 15 0_HighCH23165-714.5



Band12 3MHz_16-QAM 15 0_HighCH23165-714.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 124 of 335


Band12 5MHz QPSK 25 0 LowCH23035-701.5




Band12 5MHz 16-QAM 25 0 LowCH23035-701.5



Band12 5MHz QPSK 25 0 MidCH23095-707.5



Band12 5MHz 16-QAM 25 0 MidCH23095-707.5



Band12 5MHz_QPSK 25 0_HighCH23155-713.5



Band12 5MHz_16-QAM 25 0_HighCH23155-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 125 of 335


Band12 10MHz QPSK 50 0 LowCH23060-704




Band12 10MHz 16-QAM 50 0 LowCH23060-704



Band12 10MHz QPSK 50 0 MidCH23095-707.5



Band12 10MHz 16-QAM 50 0 MidCH23095-707.5



Band12 10MHz_QPSK 50 0_HighCH23130-711



Band12 10MHz_16-QAM 50 0_HighCH23130-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 126 of 335

Band13 5MHz QPSK 25 0 LowCH23205-779.5




Band13 5MHz 16-QAM 25 0 LowCH23205-779.5



Band13 5MHz QPSK 25 0 MidCH23230-782




Band13 5MHz 16-QAM 25 0 MidCH23230-782



Band13 5MHz_QPSK 25 0_HighCH23255-784.5



Band13 5MHz_16-QAM 25 0_HighCH23255-784.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 127 of 335

Band13 10MHz QPSK 50 0 MidCH23230-782




Band17 5MHz QPSK 25 0 LowCH23755-706.5




Band13 10MHz 16-QAM 50 0 MidCH23230-782



Band17 5MHz QPSK 25 0 MidCH23790-710



Band17 5MHz_QPSK 25 0_HighCH23825-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested and sample structions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sqs.com



Page 128 of 335


Band17 5MHz 16-QAM 25 0 LowCH23755-706.5



Band17 10MHz QPSK 50 0 LowCH23780-709



Band17 5MHz 16-QAM 25 0 MidCH23790-710



Band17 10MHz QPSK 50 0 MidCH23790-710



Band17 5MHz_16-QAM 25 0_HighCH23825-713.5



Band17 10MHz_QPSK 50 0_HighCH23800-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its Gervice printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2016/90027 Page 129 of 335


Band17 10MHz_16-QAM 50 0_LowCH23780-709



Band17 10MHz_16-QAM 50 0_HighCH23800-711



Band17 10MHz_16-QAM 50 0_MidCH23790-710



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested and sample structions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

www.tw.sqs.com