

Operation Mode : Fundamental Frequency : Operation Band : EUT Pol. :		WCDMA 2: 846.6 M Tx CH H E2 Pland	Hz IIGH	Test Date : Temp. / Hu Test Engine Measureme	eer:	2 Ti	0/07/2016 1 deg_C / 62 in IORIZONTA	
					PART	22 2G/3G/	LTE 85 3M	
-20								
Level [dBm]								
	k							
-50	2 56 3	, <						
	30	2000	4000 Frequ	6000 uency [MHz]		8000	10000	
Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz		QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
36.79	S	Peak	-48.23	-33.82	-13.43	-0.98	-13.00	-35.23
104.69	S	Peak	-63.28	-59.98	-2.04	-1.27	-13.00	-50.28

Peak

Peak

Peak

Peak

Peak

-69.91

-71.70

-67.21

-68.00

-65.87

S

S

S

S

Н

211.39

323.91

376.29

512.09

1693.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and diffenders may he prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

-71.73

-73.52

-68.81

-69.44

-68.84

3.50

3.74

3.84

3.79

7.27

-1.68

-1.92

-2.24

-2.35

-4.30

-13.00

-13.00

-13.00

-13.00

-13.00

-56.91

-58.70


-54.21

-55.00

-52.87



Radiated Spurious Emission Measurement Result: LTE-Band 2 (The Worst Case)



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
36.79	S	Peak	-54.63	-42.38	-11.28	-0.98	-13.00	-41.63
153.19	S	Peak	-62.64	-61.39	0.20	-1.44	-13.00	-49.64
291.90	S	Peak	-68.39	-72.07	5.62	-1.93	-13.00	-55.39
512.09	S	Peak	-64.05	-67.65	5.94	-2.35	-13.00	-51.05
684.75	S	Peak	-60.52	-63.06	5.25	-2.70	-13.00	-47.52
927.25	S	Peak	-58.83	-60.87	5.29	-3.25	-13.00	-45.83
3710.00	Н	Peak	-56.36	-62.22	12.44	-6.58	-13.00	-43.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much part withen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The content more the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Operation Mode : LTE B2 Test Date : 10/07/2016 Fundamental Frequency: 1855.0 MHz Temp. / Humi. : 23 deg_C / 62 RH **Operation Band :** Tx CH LOW Test Engineer : Tin EUT Pol.: E2 Plane Measurement Antenna Pol. : HORIZONTAL 0 PART 24 2G/3G/LTE B2 3M -20 Level [dBm] 5 7 -50 5000 10000 30 15000 20000 Frequency [MHz] Frea. Decetor EIRP SG Output Antenna Cable Note Limit Margin

		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
127.00	S	Peak	-67.20	-65.41	-0.43	-1.35	-13.00	-54.20
163.86	S	Peak	-64.76	-64.07	0.80	-1.49	-13.00	-51.76
224.00	S	Peak	-61.33	-65.01	5.39	-1.71	-13.00	-48.33
534.40	S	Peak	-64.32	-67.59	5.82	-2.54	-13.00	-51.32
682.81	S	Peak	-62.01	-64.59	5.25	-2.67	-13.00	-49.01
807.94	S	Peak	-61.09	-63.68	5.48	-2.89	-13.00	-48.09
3710.00	Н	Peak	-55.99	-61.85	12.44	-6.58	-13.00	-42.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and diffenders may he processited to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law

Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Operation Mode : LTE B2 Test Date : 10/07/2016 Fundamental Frequency: 1880.0 MHz Temp. / Humi. : 23 deg C / 62 RH **Operation Band :** Tx CH MID Test Engineer : Tin EUT Pol. : E2 Plane Measurement Antenna Pol. : HORIZONTAL 0 PART 24 2G/3G/LTE 82 3N -20 Level [dBm] 40 7 -50 5000 10000 30 15000 20000 Frequency [MHz] EIRP SG Output Freq. Note Decetor Antenna Cable Limit Margin Gain @3m Mode Level Level Loss MHz F/H/E/S QP/AV/PK dBm dBm dBi dB dBm dB 119.24 S Peak -65.00 -0.29 -1.32 -13.00 -53.62 -66.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Peak

Peak

Peak

Peak

Peak

Peak

-64.69

-64.50

-64.09

-61.72

-61.51

-51.88

S

S

S

S

S

Н

165.80

217.21

526.64

689.60

754.59

3760.00

Unless onerwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relating on 90 days only. 防非方式或明,此報告結果僅對測試之樣品負責,同時此提為僅保留的人。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document on the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unableful to und offendene more be preceduced to the fuller solution of the content or appearance of this documents. This document more to preceduced to the fuller of the low document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 Taiwan I td

-64.13

-68.34

-67.49

-64.17

-63.81

-57.73

0.94

5.53

5.86

5.24

5.35

12.45

-1.50

-1.69

-2.46

-2.79

-3.05

-6.60

-13.00

-13.00

-13.00

-13.00

-13.00

-13.00

-51.69

-51.50


-51.09

-48.72

-48.51


-38.88





Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
32.91	S	Peak	-59.06	-46.15	-11.94	-0.97	-13.00	-46.06
151.25	S	Peak	-62.11	-60.79	0.11	-1.44	-13.00	-49.11
633.34	S	Peak	-61.19	-64.06	5.32	-2.46	-13.00	-48.19
687.66	S	Peak	-60.59	-63.07	5.25	-2.76	-13.00	-47.59
749.74	S	Peak	-60.36	-62.61	5.33	-3.08	-13.00	-47.36
910.76	S	Peak	-58.42	-60.51	5.36	-3.28	-13.00	-45.42
3810.00	Н	Peak	-56.08	-61.92	12.46	-6.62	-13.00	-43.08






Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin	
		Mode	Level	Level	Gain	Loss	@3m		
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB	
165.80	S	Peak	-64.79	-64.23	0.94	-1.50	-13.00	-51.79	_
216.24	S	Peak	-64.52	-68.38	5.55	-1.69	-13.00	-51.52	
410.24	S	Peak	-67.23	-70.77	5.93	-2.40	-13.00	-54.23	
531.49	S	Peak	-64.01	-67.33	5.84	-2.51	-13.00	-51.01	
634.31	S	Peak	-62.44	-65.31	5.32	-2.45	-13.00	-49.44	
760.41	S	Peak	-60.93	-63.28	5.37	-3.01	-13.00	-47.93	
3810.00	Н	Peak	-55.97	-61.81	12.46	-6.62	-13.00	-42.97	



Radiated Spurious Emission Measurement Result: LTE-Band 4 (The Worst Case)



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
36.79	S	Peak	-57.43	-45.17	-11.28	-0.98	-13.00	-44.43
115.36	S	Peak	-64.78	-63.16	-0.31	-1.31	-13.00	-51.78
153.19	S	Peak	-62.33	-61.09	0.20	-1.44	-13.00	-49.33
624.61	S	Peak	-62.65	-65.48	5.34	-2.51	-13.00	-49.65
691.54	S	Peak	-61.47	-63.88	5.24	-2.83	-13.00	-48.47
750.71	S	Peak	-61.11	-63.38	5.33	-3.07	-13.00	-48.11
3440.00	Н	Peak	-46.31	-52.38	12.30	-6.22	-13.00	-33.31
5160.00	Н	Peak	-48.71	-53.54	12.77	-7.94	-13.00	-35.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much part withen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The content more the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



628.49

691.54

762.35

3440.00

S

S

S

Н

Operation Mode : LTE B4 Test Date : 10/07/2016 Fundamental Frequency: 1720.0 MHz Temp. / Humi. : 23 deg C / 62 RH **Operation Band :** Tx CH LOW Test Engineer : Tin EUT Pol. : E2 Plane Measurement Antenna Pol. : HORIZONTAL 0 PART 27 LTE(B4) 3N -20 Level [dBm] -40 7 ж -505000 10000 15000 30 20000 Frequency [MHz] EIRP SG Output Freq. Note Decetor Antenna Cable Limit Margin Gain @3m Mode Level Level Loss MHz F/H/E/S QP/AV/PK dBm dBm dBi dB dBm dB 162.89 S Peak -64.36 -63.59 0.73 -1.49 -13.00 -51.36 S 219.15 Peak -63.28 -67.07 5.49 -1.70 -13.00 -50.28 S 522.76 Peak -63.72 -67.18 5.88 -2.42 -13.00 -50.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

-62.01

-61.01

-60.74

-45.85

Peak

Peak

Peak

Peak

Unless onerwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relating on 90 days only. 防非方式或明,此報告結果僅對測試之樣品負責,同時此提為僅保留的人。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document on the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unableful to und offendene more be preceduced to the fuller solution of the content or appearance of this documents. This document more to preceduced to the fuller of the low document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 Taiwan I td

-64.86

-63.43

-63.11

-51.92

5.33

5.24

5.37

12.30

-2.47

-2.83

-3.00

-6.22

-13.00

-13.00

-13.00

-13.00

-49.01

-48.01

-47.74

-32.85



Operation Mode : LTE B4 Test Date : 10/07/2016 Fundamental Frequency: 1732.5 MHz Temp. / Humi. : 23 deg C / 62 RH **Operation Band :** Tx CH MID Test Engineer : Tin EUT Pol. : E2 Plane Measurement Antenna Pol. : VERTICAL 0 PART 27 LTE(B4) 3M -20 Level [dBm] -40 7 8

5000 10000 15000 30 20000 Frequency [MHz]

Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin	
		Mode	Level	Level	Gain	Loss	@3m		
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB	_
36.79	S	Peak	-54.01	-41.76	-11.28	-0.98	-13.00	-41.01	-
151.25	S	Peak	-61.61	-60.28	0.11	-1.44	-13.00	-48.61	
474.26	S	Peak	-64.75	-68.42	5.90	-2.23	-13.00	-51.75	
573.20	S	Peak	-63.05	-65.85	5.57	-2.77	-13.00	-50.05	
691.54	S	Peak	-62.32	-64.73	5.24	-2.83	-13.00	-49.32	
922.40	S	Peak	-57.51	-59.56	5.31	-3.26	-13.00	-44.51	
3465.00	Н	Peak	-46.72	-52.81	12.34	-6.25	-13.00	-33.72	
5197.50	Н	Peak	-50.54	-55.36	12.78	-7.96	-13.00	-37.54	

20000



30

Operation Mode : LTE B4 Test Date : 10/07/2016 23 deg_C / 62 RH Fundamental Frequency: 1732.5 MHz Temp. / Humi. : **Operation Band :** Tx CH MID Test Engineer : Tin EUT Pol. : E2 Plane Measurement Antenna Pol. : HORIZONTAL 0 PART 27 LTE(B4) 3N -20 Level [dBm] -40 7 -50

> 10000 Frequency [MHz]

15000

Freq.	Note	Decetor Mode	EIRP Level	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
165.80	S	Peak	-64.10	-63.54	0.94	-1.50	-13.00	-51.10
217.21	S	Peak	-65.08	-68.91	5.53	-1.69	-13.00	-52.08
527.61	S	Peak	-62.74	-66.12	5.86	-2.47	-13.00	-49.74
619.76	S	Peak	-61.70	-64.50	5.35	-2.55	-13.00	-48.70
682.81	S	Peak	-61.60	-64.18	5.25	-2.67	-13.00	-48.60
818.61	S	Peak	-60.61	-63.17	5.46	-2.91	-13.00	-47.61
3465.00	Н	Peak	-48.16	-54.26	12.34	-6.25	-13.00	-35.16

5000



Operation Mode : LTE B4 Test Date : 10/07/2016 Fundamental Frequency: 1745.0 MHz Temp. / Humi. : 23 deg C / 62 RH **Operation Band :** Tx CH HIGH Test Engineer : Tin EUT Pol. : E2 Plane Measurement Antenna Pol. : VERTICAL 0 PART 27 LTE(B4) 3M -20 Level [dBm] -40 7 8 -50 5000 10000 30 15000 20000 Frequency [MHz] SG Output Fred Note Decetor FIRP Antenna Cable I imit

Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
36.79	S	Peak	-54.99	-42.74	-11.28	-0.98	-13.00	-41.99
146.40	S	Peak	-63.54	-61.97	-0.16	-1.42	-13.00	-50.54
592.60	S	Peak	-62.92	-65.57	5.44	-2.79	-13.00	-49.92
747.80	S	Peak	-61.26	-63.50	5.33	-3.09	-13.00	-48.26
919.49	S	Peak	-58.95	-61.00	5.32	-3.27	-13.00	-45.95
988.36	S	Peak	-57.47	-60.20	5.97	-3.23	-13.00	-44.47
3490.00	Н	Peak	-45.19	-51.22	12.38	-6.35	-13.00	-32.19
5235.00	Н	Peak	-49.12	-53.91	12.80	-8.00	-13.00	-36.12



Operation Mode : LTE B4 Test Date : 10/07/2016 Fundamental Frequency: 1745.0 MHz Temp. / Humi. : 23 deg_C / 62 RH **Operation Band :** Tx CH HIGH Test Engineer : Tin EUT Pol. : E2 Plane Measurement Antenna Pol. : HORIZONTAL 0 PART 27 LTE(B4) 3N -20 Level [dBm] -40 7 -50 5000 10000 30 15000 20000 Frequency [MHz] Freq. Note Decetor EIRP SG Output Antenna Cable Limit Margin Mode 1 @ **?**~~


		Mode	Level	Level	Gain	Loss	@3m		
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB	
167.74	S	Peak	-65.99	-65.56	1.08	-1.51	-13.00	-52.99	
217.21	S	Peak	-63.59	-67.42	5.53	-1.69	-13.00	-50.59	
537.31	S	Peak	-63.08	-66.32	5.80	-2.57	-13.00	-50.08	
589.69	S	Peak	-62.62	-65.28	5.46	-2.80	-13.00	-49.62	
641.10	S	Peak	-61.58	-64.45	5.31	-2.43	-13.00	-48.58	
728.40	S	Peak	-62.34	-64.52	5.29	-3.11	-13.00	-49.34	
3490.00	Н	Peak	-46.81	-52.85	12.38	-6.35	-13.00	-33.81	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may here produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may he prosecuted to the fully extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law

Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Radiated Spurious Emission Measurement Result: LTE-Band 5 (The Worst Case)




Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
	Mode	Level	Level	Gain	Loss	@3m	
F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
S	Peak	-48.44	-34.14	-13.32	-0.98	-13.00	-35.44
S	Peak	-63.15	-60.20	-1.69	-1.25	-13.00	-50.15
S	Peak	-61.92	-58.16	-2.44	-1.32	-13.00	-48.92
S	Peak	-64.66	-66.25	3.30	-1.71	-13.00	-51.66
S	Peak	-69.00	-70.65	3.85	-2.20	-13.00	-56.00
S	Peak	-62.97	-63.69	3.17	-2.46	-13.00	-49.97
Н	Peak	-52.56	-58.21	10.88	-5.23	-13.00	-39.56
	F/H/E/S S S S S S S	ModeF/H/E/SQP/AV/PKSPeakSPeakSPeakSPeakSPeakSPeakSPeakSPeak	ModeLevelF/H/E/SQP/AV/PKdBmSPeak-48.44SPeak-63.15SPeak-61.92SPeak-64.66SPeak-69.00SPeak-62.97	Mode Level Level F/H/E/S QP/AV/PK dBm dBm S Peak -48.44 -34.14 S Peak -63.15 -60.20 S Peak -61.92 -58.16 S Peak -64.66 -66.25 S Peak -69.00 -70.65 S Peak -62.97 -63.69	Mode Level Level Gain F/H/E/S QP/AV/PK dBm dBm dBd S Peak -48.44 -34.14 -13.32 S Peak -63.15 -60.20 -1.69 S Peak -61.92 -58.16 -2.44 S Peak -64.66 -66.25 3.30 S Peak -69.00 -70.65 3.85 S Peak -62.97 -63.69 3.17	ModeLevelLevelGainLossF/H/E/SQP/AV/PKdBmdBmdBddBSPeak-48.44-34.14-13.32-0.98SPeak-63.15-60.20-1.69-1.25SPeak-61.92-58.16-2.44-1.32SPeak-64.66-66.253.30-1.71SPeak-69.00-70.653.85-2.20SPeak-62.97-63.693.17-2.46	ModeLevelLevelGainLoss@3mF/H/E/SQP/AV/PKdBmdBmdBddBdBmSPeak-48.44-34.14-13.32-0.98-13.00SPeak-63.15-60.20-1.69-1.25-13.00SPeak-61.92-58.16-2.44-1.32-13.00SPeak-64.66-66.253.30-1.71-13.00SPeak-69.00-70.653.85-2.20-13.00SPeak-62.97-63.693.17-2.46-13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much part withen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. The content more the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Operation Mode : LTE B5 Test Date : 10/07/2016 Fundamental Frequency: 826.5 MHz Temp. / Humi. : 21 deg C / 62 RH **Operation Band :** Tx CH LOW Test Engineer : Tin EUT Pol.: E2 Plane Measurement Antenna Pol. : HORIZONTAL 0 IC RSS 132/133 FX 3N -20 evel [dBm]



Frequency [MHz]

Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
37.76	S	Peak	-55.14	-40.83	-13.32	-0.98	-13.00	-42.14
112.45	S	Peak	-62.59	-58.81	-2.48	-1.30	-13.00	-49.59
153.19	S	Peak	-65.70	-62.31	-1.95	-1.44	-13.00	-52.70
411.21	S	Peak	-68.01	-69.40	3.78	-2.39	-13.00	-55.01
482.99	S	Peak	-67.32	-68.86	3.79	-2.25	-13.00	-54.32
590.66	S	Peak	-66.25	-66.75	3.31	-2.80	-13.00	-53.25
2479.50	Н	Peak	-46.38	-52.03	10.88	-5.23	-13.00	-33.38



Operation Mode :		LTE B5	Test Date :	10/07/2016		
Fundamen	tal Frequency :	836.5 MHz	Temp. / Humi. :	21 deg_C / 62 RH		
Operation	Band :	Tx CH MID	Test Engineer :	Tin		
EUT Pol. :		E2 Plane	Measurement Antenna Pol.	: VERTICAL		
0 -						
	-		IC RSS	132/133 FX 3M		
-20 -						
-						
[mgp] -4 -4 -4 						
-40 -						
Lei						
	-					
-50 -						
	X					
	1×11 1 1			40000		
-	30 20			10000		
-30 - : :	30 20	000 4000 Freq	6000 8000 Juency [MHz]	10000		

Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
37.76	S	Peak	-49.60	-35.30	-13.32	-0.98	-13.00	-36.60
151.25	S	Peak	-62.73	-59.25	-2.04	-1.44	-13.00	-49.73
253.10	S	Peak	-69.36	-71.11	3.51	-1.76	-13.00	-56.36
526.64	S	Peak	-64.75	-66.00	3.71	-2.46	-13.00	-51.75
618.79	S	Peak	-63.24	-63.88	3.20	-2.56	-13.00	-50.24
691.54	S	Peak	-62.62	-62.88	3.09	-2.83	-13.00	-49.62
2509.80	Н	Peak	-53.83	-59.48	10.91	-5.26	-13.00	-40.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別夭。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms</u> <u>-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Operation Mode : LTE B5 Test Date : 10/07/2016 Fundamental Frequency: 836.5 MHz Temp. / Humi. : 21 deg C / 62 RH **Operation Band :** Tx CH MID Test Engineer : Tin EUT Pol.: E2 Plane Measurement Antenna Pol. : HORIZONTAL 0 IC RSS 132/133 FX 3N -20 evel [dBm] 40 50 2000 4000 6000 8000 30 10000

Frequency [MHz]

Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
37.76	S	Peak	-50.05	-35.75	-13.32	-0.98	-13.00	-37.05
151.25	S	Peak	-68.87	-65.40	-2.04	-1.44	-13.00	-55.87
221.09	S	Peak	-70.38	-71.98	3.30	-1.71	-13.00	-57.38
384.05	S	Peak	-69.65	-71.19	3.83	-2.29	-13.00	-56.65
516.94	S	Peak	-68.10	-69.49	3.76	-2.37	-13.00	-55.10
587.75	S	Peak	-66.56	-67.09	3.32	-2.79	-13.00	-53.56
1673.20	Н	Peak	-59.90	-64.96	9.35	-4.29	-13.00	-46.90



Operation Mode : LTE B5 Test Date : 10/07/2016 Fundamental Frequency: 846.5 MHz Temp. / Humi. : 21 deg C / 62 RH **Operation Band :** Tx CH HIGH Test Engineer : Tin EUT Pol. : E2 Plane Measurement Antenna Pol. : VERTICAL 0 IC RSS 132/133 FX -20 evel [dBm] 40 -50 7 2000 4000 6000 8000 30 10000

Frequency [MHz]

Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
36.79	S	Peak	-51.35	-36.94	-13.43	-0.98	-13.00	-38.35
119.24	S	Peak	-66.13	-62.37	-2.44	-1.32	-13.00	-53.13
151.25	S	Peak	-64.46	-60.99	-2.04	-1.44	-13.00	-51.46
233.70	S	Peak	-69.48	-70.92	3.18	-1.73	-13.00	-56.48
550.89	S	Peak	-65.40	-66.28	3.58	-2.71	-13.00	-52.40
628.49	S	Peak	-63.48	-64.19	3.18	-2.47	-13.00	-50.48
1693.00	Н	Peak	-57.22	-62.33	9.42	-4.30	-13.00	-44.22
2539.50	Н	Peak	-52.18	-57.82	10.95	-5.31	-13.00	-39.18



Operation Mode : LTE B5 Test Date : 10/07/2016 Fundamental Frequency: 846.5 MHz Temp. / Humi. : 21 deg C / 62 RH **Operation Band :** Tx CH HIGH Test Engineer : Tin EUT Pol.: E2 Plane Measurement Antenna Pol. : HORIZONTAL 0 IC RSS 132/133 FX 3N -20 evel [dBm] 40 50 7


2000 4000 6000 8000 30 10000 Frequency [MHz]

Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
34.85	S	Peak	-48.00	-33.35	-13.67	-0.97	-13.00	-35.00
146.40	S	Peak	-68.18	-64.46	-2.31	-1.42	-13.00	-55.18
216.24	S	Peak	-72.16	-73.87	3.40	-1.69	-13.00	-59.16
362.71	S	Peak	-68.42	-70.12	3.85	-2.15	-13.00	-55.42
517.91	S	Peak	-66.92	-68.31	3.76	-2.37	-13.00	-53.92
697.36	S	Peak	-64.81	-64.96	3.08	-2.93	-13.00	-51.81
1693.00	Н	Peak	-56.20	-61.31	9.42	-4.30	-13.00	-43.20
2539.50	Н	Peak	-53.59	-59.23	10.95	-5.31	-13.00	-40.59



Radiated Spurious Emission Measurement Result: LTE-Band 7 (The Worst Case)

Operation Mode :	LTE B7	Test Date :	10/07/2016
Fundamental Frequency:	2505.0 MHz	Temp. / Humi. :	21 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol.:	E1 Plane	Measurement Antenna Pol. :	VERTICAL
0			



Fr	equend	y [MHz]	
		1	

Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
34.85	S	Peak	-57.52	-45.03	-11.52	-0.97	-25.00	-32.52
119.24	S	Peak	-64.22	-62.60	-0.29	-1.32	-25.00	-39.22
149.31	S	Peak	-61.65	-60.23	0.01	-1.43	-25.00	-36.65
236.61	S	Peak	-68.09	-71.74	5.38	-1.73	-25.00	-43.09
682.81	S	Peak	-61.61	-64.19	5.25	-2.67	-25.00	-36.61
922.40	S	Peak	-58.93	-60.98	5.31	-3.26	-25.00	-33.93
5010.00	Н	Peak	-52.78	-57.67	12.70	-7.81	-25.00	-27.78



5010.00

Н

Operation Mode : Fundamental Frequency : Operation Band : EUT Pol. :		ncy : 2505.0 Tx CH	LTE B7 2505.0 MHz Tx CH LOW E1 Plane		Test Date : Temp. / Humi. : Test Engineer : Measurement Antenna Pol. :			Н
C	·							
-20)				PA	RT 27 LTE(B7) 3M	
Level [dBm]								
Ponen -40	,							
		7						
50	×							
50				1 1 1 1		,		
	30	5000	10000 Fre	15000 equency [MHz]	20000	250	0@6500	
Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
153.19	S	Peak	-65.40	-64.15	0.20	-1.44	-25.00	-40.40
219.15	S	Peak	-64.91	-68.70	5.49	-1.70	-25.00	-39.91
555.74	S	Peak	-62.64	-65.59	5.70	-2.75	-25.00	-37.64
631.40	S	Peak	-62.04	-64.90	5.33	-2.46	-25.00	-37.04
741.01	S	Peak	-60.36	-62.54	5.31	-3.13	-25.00	-35.36
927.25	S	Peak	-58.23	-60.27	5.29	-3.25	-25.00	-33.23

-51.77

Peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subcarrier cannot be reproduced provident of the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

-56.66

12.70

-7.81

-25.00

-26.77



Fundame Operatio	Operation Mode : Fundamental Frequency : Operation Band : EUT Pol. :		, MHz MID ne	Test Engine	Test Date : Temp. / Humi. : Test Engineer : Measurement Antenna Pol. :			10/07/2016 21 deg_C / 62 RH Tin VERTICAL		
	0									
-21 Level [dBm]					PAI	₹ <u>27 LTE(D</u> 7	<u>MC (</u>			
-j-	6 6	*								
	30	5000	10000 Fre	15000 quancy [MHz]	20000	250	0026500			
Freq.	Note	Decetor Mode	EIRP Level	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin		
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB		
39.70	S	Peak	-54.78	-42.83	-10.96	-0.99	-25.00	-29.78		
112.45	S	Peak	-64.32	-62.70	-0.33	-1.30	-25.00	-39.32		
153.19	S	Peak	-62.35	-61.11	0.20	-1.44	-25.00	-37.35		
626.55	S	Peak	-61.79	-64.64	5.34	-2.49	-25.00	-36.79		
742.95	S	Peak	-61.68	-63.87	5.32	-3.12	-25.00	-36.68		
919.49	S	Peak	-58.88	-60.93	5.32	-3.27	-25.00	-33.88		
5070.00	Н	Peak	-54.31	-59.18	12.73	-7.86	-25.00	-29.31		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subcarrier cannot be reproduced provident of the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Operation Mode : Fundamental Frequency : Operation Band : EUT Pol. :		LTE B7 ncy : 2535.0 Tx CH E1 Plar	MHz MID	Test Engine				Н
()	TIM				- 11		
					Ĩ			
-20)							
_	-				PA	RT 27 LTE(B7) <u>3M</u>	
[dBm								
Level [dBm]				- (contraction - 1)				
-40)							
		7				1		
	-	\uparrow						
-50								
	30	5000	10000 Fre	15000 equency [MHz]	20000	250	0@6500	
Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
	_ // . / _ / _	Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
163.86	S	Peak	-65.18	-64.48	0.80	-1.49	-25.00	-40.18
222.06 524.70	S S	Peak	-64.24 -64.01	-67.96 -67.44	5.43 5.87	-1.71 -2.44	-25.00 -25.00	-39.24 -39.01
524.70 633.34	S	Peak	-64.01 -61.87			-2.44 -2.46	-25.00 -25.00	-39.01 -36.87
633.34 749.74	S	Peak Peak	-61.07	-64.74 -63.28	5.32 5.33	-2.46 -3.08	-25.00 -25.00	-36.03
815.70	S	Peak	-60.71	-63.28	5.47	-3.00	-25.00	-35.71
5070.00	З Н	Peak	-50.54	-55.41	12.73	-2.90 -7.86	-25.00 -25.00	-25.54
					-			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別夭。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms</u> <u>-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Fundame Operatio	Operation Mode : Fundamental Frequency : Operation Band : EUT Pol. :		LTE B7 2565.0 MHz Tx CH HIGH E1 Plane		Test Date : Temp. / Humi. : Test Engineer : Measurement Antenna Pol. :			10/07/2016 21 deg_C / 62 RH Tin VERTICAL		
)									
-20					PA	RT 27 LTE(B7) 3M			
Level [dBm]						1-1-1-				
-tevel	1									
-4										
	6	× *								
-50										
	30	5000	10000 Fre	15000 equency [MHz]	20000	250	0026500			
Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin		
		Mode	Level	Level	Gain	Loss	@3m			
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB		
36.79	S	Peak	-57.50	-45.25	-11.28	-0.98	-25.00	-32.50		
154.16	S	Peak	-63.80	-62.60	0.25	-1.45	-25.00	-38.80		
616.85	S	Peak	-61.66	-64.44	5.36	-2.58	-25.00	-36.66		
689.60	S	Peak	-61.38	-63.83	5.24	-2.79	-25.00	-36.38		
812.79	S	Peak	-60.48	-63.06	5.47	-2.89	-25.00	-35.48		
920.46	S	Peak	-57.91	-59.96	5.32	-3.26	-25.00	-32.91		
F 4 0 0 0 0			50.40	50.00	1075	7 00	05.00	00.40		

-53.42

Peak

5130.00

Н

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subcarrier cannot be reproduced provident of the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

-58.26

12.75

-7.92

-25.00

-28.42



553.80

633.34

927.25

5130.00

S

S

S

Н

Operatior Fundame Operatior EUT Pol.	ental Freque n Band :	LTE B7 ncy : 2565.0 Tx CH E1 Plai	MHz HIGH	Test Date : Temp. / Hun Test Engine Measureme		Tin	g_C / 62 R	Н
C)							
-20)				PA	RT 27 LTE(B7) 3M	
[mg	-							
Level [dBm]	-					-++		
⊐-40								
		7						
-50	×	\uparrow						
	30	5000	10000 Fre	15000 quency [MHz]	20000	250	0026500	
Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
165.80	S	Peak	-66.55	-65.98	0.94	-1.50	-25.00	-41.55
221.09	S	Peak	-64.09	-67.84	5.45	-1.71	-25.00	-39.09
328.76	S	Peak	-68.00	-72.00	5.91	-1.91	-25.00	-43.00

-63.66

-62.31

-56.69

-54.20

Peak

Peak

Peak

Peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and diffenders may he prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

5.71

5.32

5.29

12.75

-2.74

-2.46

-3.25

-7.92

-25.00

-25.00

-25.00

-25.00

-38.66

-37.31

-31.69

-29.20

-66.63

-65.17


-58.73

-59.04



Radiated Spurious Emission Measurement Result: LTE-Band 12 (The Worst Case)


Operation Mode :	LTE B12	Test Date :	10/07/2016
Fundamental Frequency :	701.5 MHz	Temp. / Humi. :	21 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol.:	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
36.79	S	Peak	-54.25	-39.84	-13.43	-0.98	-13.00	-41.25
153.19	S	Peak	-63.78	-60.39	-1.95	-1.44	-13.00	-50.78
238.55	S	Peak	-63.07	-64.59	3.26	-1.74	-13.00	-50.07
293.84	S	Peak	-67.13	-68.69	3.50	-1.94	-13.00	-54.13
430.61	S	Peak	-67.90	-69.35	3.71	-2.26	-13.00	-54.90
513.06	S	Peak	-66.14	-67.57	3.79	-2.35	-13.00	-53.14
1403.00	Н	Peak	-58.86	-63.25	8.29	-3.90	-13.00	-45.86




Operation Mode :	LTE B12	Test Date :	10/07/2016
Fundamental Frequency :	701.5 MHz	Temp. / Humi. :	21 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol.:	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
36.79	S	Peak	-64.77	-50.36	-13.43	-0.98	-13.00	-51.77
167.74	S	Peak	-74.02	-71.44	-1.07	-1.51	-13.00	-61.02
372.41	S	Peak	-68.67	-70.29	3.84	-2.21	-13.00	-55.67
476.20	S	Peak	-68.50	-70.03	3.76	-2.23	-13.00	-55.50
526.64	S	Peak	-67.28	-68.53	3.71	-2.46	-13.00	-54.28
627.52	S	Peak	-66.59	-67.29	3.18	-2.48	-13.00	-53.59
1403.00	Н	Peak	-54.32	-58.71	8.29	-3.90	-13.00	-41.32
2104.50	Н	Peak	-52.78	-58.50	10.51	-4.80	-13.00	-39.78




Operation Mode :	LTE B12	Test Date :	10/07/2016
Fundamental Frequency:	707.5 MHz	Temp. / Humi. :	21 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol.:	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
41.64	S	Peak	-73.16	-59.32	-12.83	-1.00	-13.00	-60.16
97.90	S	Peak	-71.96	-69.34	-1.38	-1.24	-13.00	-58.96
165.80	S	Peak	-71.12	-68.41	-1.21	-1.50	-13.00	-58.12
233.70	S	Peak	-70.06	-71.50	3.18	-1.73	-13.00	-57.06
356.89	S	Peak	-69.75	-71.51	3.86	-2.10	-13.00	-56.75
474.26	S	Peak	-67.70	-69.22	3.75	-2.23	-13.00	-54.70
1415.00	Н	Peak	-59.13	-63.56	8.34	-3.91	-13.00	-46.13



LTE B12	Test Date :	10/07/2016
707.5 MHz	Temp. / Humi. :	21 deg_C / 62 RH
Tx CH MID	Test Engineer :	Tin
E2 Plane	Measurement Antenna Pol. :	HORIZONTAL
	707.5 MHz Tx CH MID	707.5 MHzTemp. / Humi. :Tx CH MIDTest Engineer :



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
37.76	S	Peak	-66.93	-52.63	-13.32	-0.98	-13.00	-53.93
173.56	S	Peak	-73.36	-71.56	-0.26	-1.53	-13.00	-60.36
342.34	S	Peak	-71.36	-73.20	3.83	-1.99	-13.00	-58.36
390.84	S	Peak	-70.71	-72.21	3.83	-2.33	-13.00	-57.71
474.26	S	Peak	-68.59	-70.11	3.75	-2.23	-13.00	-55.59
589.69	S	Peak	-67.59	-68.10	3.31	-2.80	-13.00	-54.59
1415.00	Н	Peak	-54.98	-59.41	8.34	-3.91	-13.00	-41.98
2122.50	Н	Peak	-53.30	-59.02	10.53	-4.81	-13.00	-40.30
2830.00	Н	Peak	-54.29	-59.97	11.31	-5.63	-13.00	-41.29




Operation Mode : LTE B12 Test Date : 10/07/2016 Fundamental Frequency: 713.5 MHz Temp. / Humi. : 21 deg C / 62 RH **Operation Band :** Tx CH HIGH Test Engineer : Tin EUT Pol. : E2 Plane Measurement Antenna Pol. : VERTICAL 0 FART 27 LTE(B12) 3M -20 evel [dBm] -40 7 -50 2000 4000 6000 8000 30 10000 Frequency [MHz] SG Output Frea ERP Limit Note Decetor Antenna Cable Margin

	Fleq.	note	Deceloi	EKP	SGOulpul	Antenna	Cable	LIMIL	wargin	
			Mode	Level	Level	Gain	Loss	@3m		
	MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB	
-	99.84	S	Peak	-72.26	-69.41	-1.60	-1.25	-13.00	-59.26	-
	173.56	S	Peak	-70.46	-68.66	-0.26	-1.53	-13.00	-57.46	
	235.64	S	Peak	-70.62	-72.09	3.21	-1.73	-13.00	-57.62	
	327.79	S	Peak	-69.88	-71.73	3.76	-1.92	-13.00	-56.88	
	517.91	S	Peak	-66.64	-68.03	3.76	-2.37	-13.00	-53.64	
	624.61	S	Peak	-63.70	-64.39	3.19	-2.51	-13.00	-50.70	
	1427.00	Н	Peak	-58.51	-62.96	8.39	-3.93	-13.00	-45.51	



Operation Mode : LTE B12 Fundamental Frequency: 713.5 MHz **Operation Band :** Tx CH HIGH EUT Pol. : E2 Plane

Test Date : 10/07/2016 Temp. / Humi. : 21 deg C / 62 RH Test Engineer : Tin Measurement Antenna Pol. : HORIZONTAL




Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
37.76	S	Peak	-67.17	-52.87	-13.32	-0.98	-13.00	-54.17
173.56	S	Peak	-74.29	-72.50	-0.26	-1.53	-13.00	-61.29
357.86	S	Peak	-70.13	-71.87	3.85	-2.11	-13.00	-57.13
411.21	S	Peak	-71.31	-72.70	3.78	-2.39	-13.00	-58.31
521.79	S	Peak	-68.40	-69.72	3.74	-2.41	-13.00	-55.40
626.55	S	Peak	-66.80	-67.50	3.19	-2.49	-13.00	-53.80
1427.00	Н	Peak	-53.78	-58.24	8.39	-3.93	-13.00	-40.78
2140.50	Н	Peak	-54.55	-60.28	10.55	-4.82	-13.00	-41.55
2854.00	Н	Peak	-53.14	-58.76	11.34	-5.71	-13.00	-40.14



Radiated Spurious Emission Measurement Result: LTE-Band 13 (The Worst Case)


Operation Mode :	LTE B13	Test Date :	10/06/2016
Fundamental Frequency:	782.0 MHz	Temp. / Humi. :	21 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol.:	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-71.98	11.31	-13.11	-0.99	-13.00	-58.98
100.81	S	Peak	-72.16	0.88	-1.69	-1.25	-13.00	-59.16
167.74	S	Peak	-70.31	3.43	-1.07	-1.51	-13.00	-57.31
243.40	S	Peak	-70.19	-0.01	3.34	-1.75	-13.00	-57.19
422.85	S	Peak	-70.27	0.07	3.74	-2.31	-13.00	-57.27
555.74	S	Peak	-65.47	3.90	3.55	-2.75	-13.00	-52.47
1564.00	Н	Peak	-61.02	0.60	8.95	-4.13	-40.00	-21.02




Operation Mode :	LTE B13	Test Date :	10/06/2016
Fundamental Frequency:	782.0 MHz	Temp. / Humi. :	21 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol.:	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL
0			




Freq.	Note	Decetor Mode	ERP Level	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-67.44	18.49	-13.11	-0.99	-13.00	-54.44
154.16	S	Peak	-73.31	1.28	-1.90	-1.45	-13.00	-60.31
337.49	S	Peak	-71.01	-1.26	3.80	-1.95	-13.00	-58.01
476.20	S	Peak	-68.39	0.01	3.76	-2.23	-13.00	-55.39
529.55	S	Peak	-69.61	0.90	3.70	-2.49	-13.00	-56.61
655.65	S	Peak	-66.27	2.81	3.13	-2.39	-13.00	-53.27
1564.00	Н	Peak	-58.64	1.04	8.95	-4.13	-40.00	-18.64






















Radiated Spurious Emission Measurement Result: LTE-Band 17 (The Worst Case)


Operation Mode :	LTE B17	Test Date :	10/07/2016	
Fundamental Frequency:	709.0 MHz	Temp. / Humi. :	21 deg_C / 62 RH	
Operation Band :	Tx CH LOW	Test Engineer :	Tin	
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL	
0				
		FART 27	LTE(B17) 3M	



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
41.64	S	Peak	-74.38	-60.54	-12.83	-1.00	-13.00	-61.38
95.96	S	Peak	-71.79	-69.40	-1.16	-1.23	-13.00	-58.79
233.70	S	Peak	-70.30	-71.74	3.18	-1.73	-13.00	-57.30
469.41	S	Peak	-67.98	-69.49	3.73	-2.22	-13.00	-54.98
505.30	S	Peak	-65.96	-67.46	3.83	-2.33	-13.00	-52.96
628.49	S	Peak	-62.54	-63.25	3.18	-2.47	-13.00	-49.54
1418.00	Н	Peak	-59.29	-63.72	8.35	-3.92	-13.00	-46.29
2127.00	Н	Peak	-47.69	-53.42	10.54	-4.81	-13.00	-34.69



Operation Mode : LTE B17 Test Date : 10/07/2016 Fundamental Frequency: 709.0 MHz Temp. / Humi. : 21 deg C / 62 RH **Operation Band :** Tx CH LOW Test Engineer : Tin EUT Pol. : E2 Plane Measurement Antenna Pol. : HORIZONTAL 0



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
36.79	S	Peak	-66.26	-51.85	-13.43	-0.98	-13.00	-53.26
167.74	S	Peak	-73.90	-71.32	-1.07	-1.51	-13.00	-60.90
361.74	S	Peak	-70.02	-71.73	3.85	-2.14	-13.00	-57.02
488.81	S	Peak	-68.55	-70.10	3.81	-2.27	-13.00	-55.55
585.81	S	Peak	-67.65	-68.20	3.34	-2.79	-13.00	-54.65
619.76	S	Peak	-66.74	-67.39	3.20	-2.55	-13.00	-53.74
1418.00	Н	Peak	-53.42	-57.86	8.35	-3.92	-13.00	-40.42
2127.00	Н	Peak	-50.84	-56.57	10.54	-4.81	-13.00	-37.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unparticle underfined to the fullest output of the fullest of document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Operation Moo Fundamental I Operation Bar EUT Pol. :	=requency :	LTE B17 710.0 MHz Tx CH MID E2 Plane	Test Date Temp. / H Test Engi Measuren	10/07/2016 21 deg_C / 62 RH Tin ol. : VERTICAL	
0				FA	RT 27 LTE(B17) 3M
-20					
[wgp] PA-40					
-50 - -31 4	5 7 X	8 X	() = () = () = () = () = () = () = () =		
- <u>1871 -</u> 30	20		600 Frequency [MHz]	0 800	00 10000


Frequency [MHz]

Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
97.90	S	Peak	-72.90	-70.27	-1.38	-1.24	-13.00	-59.90
165.80	S	Peak	-71.17	-68.46	-1.21	-1.50	-13.00	-58.17
235.64	S	Peak	-69.90	-71.38	3.21	-1.73	-13.00	-56.90
367.56	S	Peak	-69.63	-71.30	3.85	-2.18	-13.00	-56.63
532.46	S	Peak	-65.95	-67.10	3.68	-2.52	-13.00	-52.95
621.70	S	Peak	-63.56	-64.22	3.20	-2.53	-13.00	-50.56
1420.00	Н	Peak	-60.36	-64.80	8.36	-3.92	-13.00	-47.36
2130.00	Н	Peak	-54.11	-59.84	10.54	-4.81	-13.00	-41.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuElistrict,NewTaipeiCity,Taiwan24803/新北產素園區新北產業園區五工路 134 號



Operation Mode : LTE B17 Test Date : 10/07/2016 Fundamental Frequency: 710.0 MHz Temp. / Humi. : 21 deg C / 62 RH **Operation Band :** Tx CH MID Test Engineer : Tin EUT Pol. : E2 Plane Measurement Antenna Pol. : HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
39.70	S	Peak	-65.89	-51.78	-13.11	-0.99	-13.00	-52.89
159.01	S	Peak	-74.18	-71.02	-1.68	-1.47	-13.00	-61.18
335.55	S	Peak	-71.25	-73.11	3.80	-1.93	-13.00	-58.25
381.14	S	Peak	-70.57	-72.13	3.84	-2.27	-13.00	-57.57
505.30	S	Peak	-68.62	-70.12	3.83	-2.33	-13.00	-55.62
623.64	S	Peak	-67.21	-67.89	3.19	-2.52	-13.00	-54.21
1420.00	Н	Peak	-51.30	-55.74	8.36	-3.92	-13.00	-38.30
2130.00	Н	Peak	-49.03	-54.76	10.54	-4.81	-13.00	-36.03
2840.00	Н	Peak	-53.24	-58.88	11.32	-5.68	-13.00	-40.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unparticle underfined to the fullest output of the fullest of document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號




Operation Mode :	LTE B17	Test Date :	10/07/2016
Fundamental Frequency	y: 711.0 MHz	Temp. / Humi. :	21 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol.	: VERTICAL
0			
		FART	27 LTE(B17) 3M
2 <u>-</u> 1-1			
-20 -			
7			
IdBr			
[mgp] -40			
3			
÷	0		
	¥		
-50 - 5 ×			
- ×			- Andrew -
es s			
30	2000 4000	6000 8000	10000
	Free	uency [MHz]	

Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
95.96	S	Peak	-73.03	-70.64	-1.16	-1.23	-13.00	-60.03
167.74	S	Peak	-70.80	-68.22	-1.07	-1.51	-13.00	-57.80
238.55	S	Peak	-70.27	-71.79	3.26	-1.74	-13.00	-57.27
379.20	S	Peak	-70.22	-71.80	3.84	-2.26	-13.00	-57.22
449.04	S	Peak	-68.82	-70.28	3.65	-2.19	-13.00	-55.82
633.34	S	Peak	-63.84	-64.56	3.17	-2.46	-13.00	-50.84
1422.00	Н	Peak	-59.02	-63.47	8.37	-3.93	-13.00	-46.02
2133.00	Н	Peak	-52.97	-58.71	10.54	-4.81	-13.00	-39.97



Operation Mode : LTE B17 Fundamental Frequency: 711.0 MHz **Operation Band :** Tx CH HIGH EUT Pol. : E2 Plane

Test Date : 10/07/2016 Temp. / Humi. : 21 deg C / 62 RH Test Engineer : Tin Measurement Antenna Pol. : HORIZONTAL



Freq.	Note	Decetor	ERP	SG Output	Antenna	Cable	Limit	Margin
		Mode	Level	Level	Gain	Loss	@3m	
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBd	dB	dBm	dB
34.85	S	Peak	-58.90	-44.26	-13.67	-0.97	-13.00	-45.90
168.71	S	Peak	-73.87	-71.35	-1.00	-1.51	-13.00	-60.87
372.41	S	Peak	-71.05	-72.68	3.84	-2.21	-13.00	-58.05
408.30	S	Peak	-70.55	-71.93	3.79	-2.41	-13.00	-57.55
483.96	S	Peak	-69.40	-70.94	3.79	-2.25	-13.00	-56.40
582.90	S	Peak	-67.97	-68.54	3.36	-2.79	-13.00	-54.97
1422.00	Н	Peak	-53.37	-57.82	8.37	-3.93	-13.00	-40.37
2133.00	Н	Peak	-50.53	-56.26	10.54	-4.81	-13.00	-37.53
2844.00	Н	Peak	-53.31	-58.94	11.32	-5.70	-13.00	-40.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unparticle underfined to the fullest output of the fullest of document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號




11. FREQUENCY STABILITY MEASUREMENT

11.1. Standard Applicable:

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2. Test Set-up:

Temperature Chamber



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector



11.3. Measurement Procedure:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25 . Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



11.4. Measurement Equipment Used:

Conducted Emission (measured at antenna port) Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Power Meter	Anritsu	ML2495A	1005007	12/09/2015	12/08/2016			
Power Sensor	Anritsu	MA2411B	917032	12/09/2015	12/08/2016			
EXA Spectrum								
Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017			
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017			
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017			
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017			
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017			
DC Power Supply	Agilent	E3640A	MY52410006	11/05/2015	11/04/2016			
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2016	05/16/2017			
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017			
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/25/2015	09/24/2016			
Radio Communication Analyer	Anritsu	MT8820C	6201465317	12/10/2015	12/09/2016			



11.5. Measurement Result:

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz								
Limit: +/- 2.5 ppm								
Power Supply	Environment	Frequency						
Vdc	Temperature		Delta (Hz)	Limit (Hz)				
	()	(MHz)						
8.80	20	836599995	2	2091				
7.70	20	836599993	0	2091				
6.50	20	836599994	1	2091				
6.0	20	836599994	1	2001				
(End point)	20	030399994	1	2091				

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz										
	Limit: +/- 2.5 ppm									
Power Supply	Environment	Frequency								
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)						
7.7	50	836600006	13	2091						
7.7	40	836600007	14	2091						
7.7	30	836599995	2	2091						
7.7	20	836599993	0	2091						
7.7	10	836599999	6	2091						
7.7	0	836600006	13	2091						
7.7	-10	836599999	6	2091						
7.7	-20	836600000	7	2091						
7.7	-30	836600006	13	2091						



Reference Frequency: GPRS 1900 Mid Channel 1880 MHz				
		Limit: +/- 2.5 ppm		
Power Supply	Environment	Frequency		
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
8.80	20	1879999999	5	4700
7.70	20	1879999994	0	4700
6.50	20	1879999995	1	4700
6.0	20	1880000003	9	4700
(End point)	20	100000000	5	+100

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: GPRS 1900 Mid Channel 1880 MHz				
	L	.imit: +/- 2.5 ppm = H	Z	
Power Supply	Environment	Frequency	Limit (LIT)	
Vdc	Temperature ()	(MHz) Delta (Hz) L		Limit (Hz)
7.7	50	1879999991	-3	4700
7.7	40	1879999999	5	4700
7.7	30	1880000006	12	4700
7.7	20	1879999994	0	4700
7.7	10	1880000012	18	4700
7.7	0	1880000004	10	4700
7.7	-10	1879999995	1	4700
7.7	-20	188000002	8	4700
7.7	-30	1880000003	9	4700



Reference Frequency: CDMA2000 cell BC0 Mid Channel 836.52 MHz							
	Limit: +/- 2.5 ppm						
Power Supply	Environment	Frequency	iency				
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)			
8.86	25.00	836.519994	-2.00	2091.00			
7.70	25.00	836.519992	0.00	2091.00			
6.54	25.00	836.519996	-4.00	2091.00			
6 (End Point)	25.00	836.520003	-11.00	2091.00			

FREQUENCY ERROR vs. TEMPERATURE

	Reference Frequency: CDMA2000 cell BC0 Mid Channel 836.52 MHz					
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)		
Vdc	Temperature ()	(MHz)	Della (HZ)			
7.70	50	836.519994	-2.00	2091		
7.70	40	836.520010	-18.00	2091		
7.70	30	836.520008	-16.00	2091		
7.70	20	836.519992	0.00	2091		
7.70	10	836.519991	1.00	2091		
7.70	0	836.520010	-18.00	2091		
7.70	-10	836.520011	-19.00	2091		
7.70	-20	836.520006	-14.00	2091		
7.70	-30	836.520008	-16.00	2091		



	Reference Frequency: CDMA2000 cell BC1 Mid Channel 1880 MHz					
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Frequency			
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
8.86	25	1880.000006	2.00	4700		
7.70	25	1880.000008	0.00	4700		
6.54	25	1879.999994	14.00	4700		
6 (End Point)	25	1879.999994	14.00	4700		

FREQUENCY ERROR vs. TEMPERATURE

	Reference Frequency: CDMA2000 cell BC1 Mid Channel 1880 MHz					
Limit: +/- 2.5 ppm						
Power Supply	Environment	Frequency		Limit (Hz)		
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
7.70	50	1880.000006	2.00	4700		
7.70	40	1880.000005	3.00	4700		
7.70	30	1880.000004	4.00	4700		
7.70	20	1880.000008	0.00	4700		
7.70	10	1879.999994	14.00	4700		
7.70	0	1879.999992	16.00	4700		
7.70	-10	1880.000006	2.00	4700		
7.70	-20	1879.999998	10.00	4700		
7.70	-30	1880.000001	7.00	4700		



Reference Frequency: WCDMA II Mid Channel 1880 MHz						
		Limit: +/- 2.5 ppm	l			
Power Supply	Environment	Environment Frequency				
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
8.80	20	1880000006	-2	4700		
7.70	20	1880000008	0	4700		
6.50	20	1879999999	-9	4700		
6.0	20	1879999998	-10	4700		
(End point)						

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: WCDMA II Mid Channel 1880				
		Limit: +/- 2.5 ppm	า	
Power Supply	Environment	Frequency		
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
7.7	50	1880000006	-2	4700
7.7	40	1880000001	-7	4700
7.7	30	1880000003	-5	4700
7.7	20	1880000008	0	4700
7.7	10	1879999995	-13	4700
7.7	0	1880000011	3	4700
7.7	-10	1880000006	-2	4700
7.7	-20	1879999992	-16	4700
7.7	-30	1880000006	-2	4700



Reference Frequency: WCDMA IV Mid Channel 1732.6 MHz				
		Limit: +/- 2.5 ppm		
Power Supply	Environment	Frequency		
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
8.80	20	1732600005	6	4331
7.70	20	1732599999	0	4331
6.50	20	1732600003	4	4331
6.0	20	1732599995	-4	4331
(End point)	_0		•	

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: WCDMA IV Mid Channel 1732.6 MHz					
		Limit: +/- 2.5 ppm	1		
Power Supply	Environment	Frequency			
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)	
7.7	50	1732600002	3	4331	
7.7	40	1732599995	-4	4331	
7.7	30	1732599999	0	4331	
7.7	20	1732599999	0	4331	
7.7	10	1732600006	7	4331	
7.7	0	1732600001	2	4331	
7.7	-10	1732600004	5	4331	
7.7	-20	1732599998	-1	4331	
7.7	-30	1732600003	4	4331	



	Reference Frequency: WCDMA V Mid Channel 836.6 MHz					
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency				
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
8.80	20	836600006	-2	2091		
7.70	20	836600008	0	2091		
6.50	20	836599998	-10	2091		
6.0 (End Point)	20	836600003	-5	2091		

FREQUENCY ERROR vs. TEMPERATURE

	Reference Frequency: WCDMA V Mid Channel 836.6 MHz					
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency		Limit (Hz)		
Vdc	Temperature ()	(MHz)	Delta (Hz)			
7.7	50	836600005	-3	2091		
7.7	40	836599994	-14	2091		
7.7	30	836599996	-12	2091		
7.7	20	836600008	0	2091		
7.7	10	836600002	-6	2091		
7.7	0	836599999	-9	2091		
7.7	-10	836599994	-14	2091		
7.7	-20	836599995	-13	2091		
7.7	-30	836600009	1	2091		



Reference F	-requency:	LTE B2 Mid Channel	1880.0	MHz 10M QPSK CH 18900
		Limit: +/- 2.5	ppm	
Power Supply	Environment	Frequency		
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
8.86	25	1879.999990	2.10	4700
7.7	25	1879.999988	0.00	4700
6.54	25	1880.000000	12.50	4700
6 (End Point)	25	1879.999991	3.20	4700

FREQUENCY ERROR vs. TEMPERATURE

Reference	ce Frequency:	LTE B2 Mid Chan- nel	1880.0	MHz 10M QPSK CH 18900
		Limit: +/-	· 2.5 ppm	
Power Supply	Environment	Frequency	Dolto (Hz)	Limit (Hz)
Vdc	Temperature ()	(MHz)	Delta (Hz)	Linnit (HZ)
7.7	-30	1880.000007	0.70	4700
7.7	-20	1879.999999	-7.00	4700
7.7	-10	1880.000000	-5.80	4700
7.7	0	1879.999993	-13.40	4700
7.7	10	1879.999992	-14.30	4700
7.7	20	1880.000006	0.00	4700
7.7	30	1880.000007	0.70	4700
7.7	40	1879.999995	-11.10	4700
7.7	50	1879.999992	-14.40	4700



Reference Frequency:		LTE B4 Mid Channel	1732.5	MHz 10M QPSK CH 20175	
	Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency			
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)	
8.86	25	1732.500004	0.70	4331	
7.7	25	1732.500003	0.00	4331	
6.54	25	1732.500013	9.50	4331	
6 (End Point)	25	1732.499995	-8.50	4331	

FREQUENCY ERROR vs. TEMPERATURE

Reference	ce Frequency:	LTE B4 Mid Channel	1732.5	MHz 10M QPSK CH 20175
		Limit: +/	/- 2.5 ppm	
Power Supply	Environment	Frequency		Limit (Hz)
Vdc	Temperature ()	(MHz)	Delta (Hz)	
7.7	-30	1732.500012	26.50	4331
7.7	-20	1732.500014	28.40	4331
7.7	-10	1732.499998	12.10	4331
7.7	0	1732.500007	22.00	4331
7.7	10	1732.500012	26.20	4331
7.7	20	1732.499985	0.00	4331
7.7	30	1732.500005	19.70	4331
7.7	40	1732.500011	25.50	4331
7.7	50	1732.499996	10.70	4331



Reference	Frequency:	LTE B5 Mid Channel	836.5	MHz 10M QPSK CH 20525	
	Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency			
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)	
8.86	25	836.500013	26.80	2091	
7.7	25	836.499986	0.00	2091	
6.54	25	836.499989	2.40	2091	
6 (End Point)	25	836.500013	26.40	2091	

FREQUENCY ERROR vs. TEMPERATURE

Reference	ce Frequency:	LTE B5 Mid Channel	836.5	MHz 10M QPSK CH 20525		
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency				
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
7.7	-30	836.499987	-1.20	2091		
7.7	-20	836.499996	7.80	2091		
7.7	-10	836.500013	24.90	2091		
7.7	0	836.500005	17.10	2091		
7.7	10	836.500006	17.90	2091		
7.7	20	836.499988	0.00	2091		
7.7	30	836.499987	-1.00	2091		
7.7	40	836.500000	12.60	2091		
7.7	50	836.499990	2.00	2091		



Reference	Frequency:	LTE B7 Mid Channel	2535.0	MHz 10M QPSK CH 21100	
	Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency			
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)	
8.86	25	2535.000009	12.00	6338	
7.7	25	2534.999997	0.00	6338	
6.54	25	2534.999993	-4.00	6338	
6 (End Point)	25	2534.999991	-5.90	6338	

FREQUENCY ERROR vs. TEMPERATURE

Reference	ce Frequency:	LTE B7 Mid Channel	2535.0	MHz 10M QPSK CH 21100		
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency				
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
7.7	-30	2535.000014	28.50	6338		
7.7	-20	2534.999995	9.00	6338		
7.7	-10	2534.999990	4.00	6338		
7.7	0	2535.000009	22.60	6338		
7.7	10	2535.000003	16.60	6338		
7.7	20	2534.999986	0.00	6338		
7.7	30	2535.000003	16.80	6338		
7.7	40	2535.000011	25.40	6338		
7.7	50	2535.000013	26.60	6338		



Reference Frequency:		LTE B12 Mid Channel	707.5	MHz 10M QPSK CH 23095	
	Limit: +/- 2.5 ppm				
Power Sup- ply	Environment	Frequency			
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)	
8.86	25	707.499986	-5.70	1769	
7.7	25	707.499991	0.00	1769	
6.54	25	707.499993	1.40	1769	
6 (End Point)	25	707.500002	11.00	1769	

FREQUENCY ERROR vs. TEMPERATURE

Reference	ce Frequency:	LTE B12 Mid Channel	707.5	MHz 10M QPSK CH 23095
		Limit: +/- 2.5	ppm	
Power Supply	Environment	Frequency		Limit (Hz)
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)
7.7	-30	707.499990	3.00	1769
7.7	-20	707.500015	28.40	1769
7.7	-10	707.500012	25.50	1769
7.7	0	707.500015	28.10	1769
7.7	10	707.500002	15.70	1769
7.7	20	707.499987	0.00	1769
7.7	30	707.499995	8.60	1769
7.7	40	707.500011	24.70	1769
7.7	50	707.500006	19.40	1769



Reference Frequency:		LTE B13 Mid Channel	782.0	MHz 10M QPSK CH 23230	
	Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency			
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)	
8.86	25	782.000004	-5.20	1955	
7.7	25	782.000010	0.00	1955	
6.54	25	781.999988	-22.00	1955	
6 (End Point)	25	781.999992	-18.00	1955	

FREQUENCY ERROR vs. TEMPERATURE

Reference	ce Frequency:	LTE B13 Mid Channel	782.0	MHz 10M QPSK CH 23230		
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency		Limit (Hz)		
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
7.7	-30	782.000001	-9.10	1955		
7.7	-20	782.000015	4.40	1955		
7.7	-10	781.999989	-21.80	1955		
7.7	0	782.000009	-1.20	1955		
7.7	10	781.999988	-22.50	1955		
7.7	20	782.000010	0.00	1955		
7.7	30	782.000013	2.30	1955		
7.7	40	782.000011	0.80	1955		
7.7	50	782.000013	2.30	1955		



Reference Frequency:		LTE B17 Mid Channel	710.0	MHz 10M QPSK CH 23790			
Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency					
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)			
8.86	25	710.00008	0.60	1775			
7.7	25	710.000007	0.00	1775			
6.54	25	709.999995	-12.40	1775			
6 (End Point)	25	709.999985	-22.90	1775			

FREQUENCY ERROR vs. TEMPERATURE

Reference	ce Frequency:	LTE B17 Mid Channel	710.0	MHz 10M QPSK CH 23790		
		Limit: +/- 2.5	ppm			
Power Supply	Environment	Frequency		Limit (Hz)		
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
7.7	-30	710.000002	-5.10	1775		
7.7	-20	709.999990	-16.70	1775		
7.7	-10	709.999998	-9.20	1775		
7.7	0	709.999993	-14.50	1775		
7.7	10	710.000009	2.30	1775		
7.7	20	710.000007	0.00	1775		
7.7	30	709.999996	-11.00	1775		
7.7	40	710.000014	6.80	1775		
7.7	50	709.999993	-14.30	1775		

Note: The battery is rated 7.7V dc.




12. PEAK TO AVERAGE RATIO

12.1. Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

12.2. Test SET-UP



12.3. Measurement Procedure

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

Conducted Emission (measured at antenna port) Test Site									
EQUIPMENT	EQUIPMENT MFR		SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
EXA Spectrum Ana- lyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017				
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017				
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017				
DC Power Supply	Agilent	E3640A	MY52410006	11/05/2015	11/04/2016				

12.4. Measurement Equipment Used

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



12.5. Measurement Result

Tabular Results:

Frog		Peak-to-Average		
Freq. (MHz)	СН	GPRS	EDGE	
(INITZ)		850	850	
824.2	128	9.66	12.72	
836.6	190	10.88	12.06	
848.8	251	10.24	12.83	

From		Peak-to-Average		
Freq. (MHz)	СН	CDMA	EVDO	
		BC0	BC0	
824.2	128	3.73	3.74	
836.6	190	3.75	3.78	
848.8	251	3.69	3.79	

ſ	Erog		Peak-to-Average			
	Freq. (MHz)	СН	WCDMA II	HSDPA II	HSUPA II	
	1850.2	9262	2.87	3.98	3.93	
ſ	1880.0	9400	3.14	3.91	3.95	
	1909.8	9538	2.90	3.86	4.05	

Frog		Peak-to-Average			
Freq. (MHz)	СН	WCDMA V	HSDPA V	HSUPA V	
826.4	4132	2.87	4.22	4.24	
836.6	4183	2.96	3.97	4.09	
846.6	4233	2.96	3.97	4.25	

		Peak-to-Average		
Freq. (MHz)	СН	GPRS	EDGE	
		1900	1900	
1850.2	9296	9.80	12.37	
1880.0	9400	9.95	12.78	
1909.8	9538	9.13	12.35	

		Peak-to-Average		
Freq. (MHz)	СН	CDMA	EVDO	
		BC1	BC1	
1850.2	512	3.16	2.13	
1880.0	661	3.43	3.38	
1909.8	810	2.83	2.83	

		Ре	ak-to-Avera	ge
Freq. (MHz)	eq. (MHz) CH W		HSDPA IV	HSUPA IV
1712.4	1312	2.70	3.66	3.79
1732.6	1413	3.13	4.02	3.98
1752.6	1513	2.81	3.90	3.84



LTE BAND 2								
Channel bandwidth: 1.4MHz				C	hannel ban	dwidth: 3MH	z	
Freq.	СН	Peak-to-Average Ratio (dB)		Freq.	СН	Peak-to-Average Ratio (dB)		
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT	
1850.7	18607	5.18	13	1851.5	18615	5.56	13	
1880.0	18900	5.58	13	1880.0	18900	5.91	13	
1909.3	19193	4.82	13	1908.5	19185	5.44	13	

LTE BAND 2								
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz				
Freq.	СН	Peak-to-Average Ratio (dB)		Freq.	СН	Peak-to-Av (d	•	
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT	
1852.5	18625	5.35	13	1855.0	18650	5.57	13	
1880.0	18900	5.68	13	1880.0	18900	5.83	13	
1907.5	19175	5.28	13	1905.0	19150	5.59	13	

	LTE BAND 2										
C	hannel band	lwidth: 15MI	Ηz	C	hannel band	width: 20MI	Ηz				
Freq.	СН		erage Ratio B)	Freq.	СН	Peak-to-Average Ratio (dB)					
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT				
1857.5	18675	5.99	13	1860.0	18700	6.58	13				
1880.0	18900	6.08 13		1880.0	18900	6.66	13				
1902.5	19125	6.25	13	1900.0	19100	6.71	13				



LTE BAND 4										
Cł	nannel band	width: 1.4M	Hz	C	hannel ban	dwidth: 3MH	Iz			
Freq.	СН		erage Ratio B)	Freq.	СН	Peak-to-Average Ratio (dB)				
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT			
1710.7	19957	6.20	13	1711.5	19965	6.41	13			
1732.5	20175	5.98 13		1732.5	20175	6.27	13			
1754.3	20393	6.23	13	1753.5	20385	6.50	13			

	LTE BAND 4											
C	hannel ban	dwidth: 5MH	lz	C	hannel band	dwidth: 10M	Ηz					
Freq.	СН	Peak-to-Average Ratio CH (dB)			СН	Peak-to-Average Ratio (dB)						
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT					
1712.5	19957	6.33	13	1715.0	20000	6.37	13					
1732.5	20175	5.95 13		1732.5	20175	6.08	13					
1752.5	20375	6.29	13	1750.0	20350	6.30	13					

	LTE BAND 4										
C	hannel band	width: 15MI	Hz	CI	hannel band	width: 20MI	Hz				
Freq.	СН		erage Ratio B)	Freq.	СН	Peak-to-Average Ratio (dB)					
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT				
1717.5	20025	6.35	13	1720.0	20050	6.81	13				
1732.5	20175	6.23	13	1732.5	20175	6.72	13				
1747.5	20325	6.26	13	1745.0	20300	6.88	13				



LTE BAND 5											
Cł	nannel band	width: 1.4M	Hz	C	hannel ban	dwidth: 3MH	z				
Freq.	СН		erage Ratio B)	Freq.	СН	Peak-to-Average Ratio (dB)					
(MHz)		16QAM	LIMIT	(MHz)	(MHz)		LIMIT				
824.7	20407	5.56	13	825.5	20415	5.70	13				
836.5	20525	5.90 13		836.5	20525	6.17	13				
848.3	20643	5.47	13	847.5	20635	5.53	13				

	LTE BAND 5										
C	hannel ban	dwidth: 5MH	z	CI	hannel band	width: 10M	Ηz				
Freq.	СН	Peak-to-Average Ratio CH (dB)			СН	Peak-to-Average Ratio (dB)					
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT				
826.5	20425	5.31	13	829.0	20450	5.07	13				
836.5	20525	6.06 13		836.5	20525	5.96	13				
846.5	20625	5.46	13	844.0	20600	5.80	13				

	LTE BAND 7										
C	hannel ban	dwidth: 5MH	z	C	hannel band	lwidth: 10MI	Ηz				
Freq.	СН		erage Ratio B)	Freq.	СН	Peak-to-Average Ratio (dB)					
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT				
2502.5	20775	6.30	13	2505.0	20800	6.33	13				
2535.0	21100	6.15 13		2535.0	21100	6.20	13				
2567.5	21425	5.68	13	2565.0	21400	5.84	13				

	LTE BAND 7										
CI	hannel band	lwidth: 15MI	Hz	C	hannel band	width: 20M	Ηz				
Freq.	СН	Peak-to-Av	erage Ratio	Freq.	СН	Peak-to-Av	erage Ratio				
(MHz)	СП	16QAM	LIMIT	(MHz)	СП	16QAM	LIMIT				
2507.5	20425	6.24	13	2510.0	20850	6.74	13				
2535.0	20525	6.34	13	2535.0	21100	6.76	13				
2562.5	20625	6.06	13	2560.0	21350	6.78	13				



LTE BAND 12											
Cł	nannel band	width: 1.4M	Hz	C	hannel ban	dwidth: 3MH	IZ				
Freq.	СН		erage Ratio B)	Freq.	СН	Peak-to-Average Ratio (dB)					
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT				
699.7	23017	6.07	13	700.5	23025	6.21	13				
707.5	23095	5.64 13		707.5	23095	5.70	13				
715.3	23173	4.87	13	714.5	23165	5.67	13				

	LTE BAND 12										
C	hannel ban	dwidth: 5MH	z	CI	hannel band	width: 10M	Ηz				
Freq.	Peak-to-Average Ratio CH (dB)			Freq.	СН	Peak-to-Average Ratio (dB)					
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT				
701.5	23035	6.03	13	704.0	23060	6.14	13				
707.5	23095	5.50	13	707.5	23095	5.97	13				
713.5	23155	5.79	13	711.0	23130	5.74	13				

	LTE BAND 13										
C	hannel ban	dwidth: 5MH	lz	C	hannel band	lwidth: 10MI	Ηz				
Freq.	СН		erage Ratio B)	Freq.	СН	Peak-to-Average Rati (dB)					
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT				
779.5	23205	5.09	13				13				
782.0	23230	5.13	13	782.0	23230	5.74	13				
784.5	23255	5.17	13				13				


LTE BAND 17											
C	hannel ban	dwidth: 5MH	z	Channel bandwidth: 10MHz							
Freq.	СН	Peak-to-Av	erage Ratio	Freq.	Freq. CH Peak-to-Av						
(MHz)	СП	16QAM	LIMIT	(MHz)	СП	16QAM	LIMIT				
706.5	23755	5.13	13	709.0	23780	5.79	13				
710.0	23790	5.64	13	710.0	23790	5.66	13				
713.5	23825	5.85	13	711.0	23780	5.59	13				

Measurement Results:


Please refer to next page.



GPRS_1900MHz_LowCH512-1850.2



GPRS_1900MHz_MidCH661-1880




GPRS_1900MHz_HighCH810-1909.8



EDGE_1900MHz_LowCH512-1850.2



EDGE_1900MHz_MidCH661-1880



EDGE_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sgs.com



WCDMA_B2_LowCH9262-1852.4




WCDMA_B2_MidCH9400-1880




WCDMA_B2_HighCH9538-1907.6




HSDPA_B2_LowCH9262-1852.4



HSDPA_B2_MidCH9400-1880



HSDPA_B2_HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sgs.com



HSUPA B2 LowCH9262-1852.4




HSUPA_B2_MidCH9400-1880




HSUPA_B2_HighCH9538-1907.6




CDMA2000 BC1 LowCH25-1851.3



CDMA2000 BC1 MidCH600-1880



CDMA2000_BC1_HighCH1175-1908.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非另有說明,此報告結果僅對測試之樣品負責,问時此樣品僅係留明天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司




EVDO BC1 LowCH25-1851.3



WCDMA B4 LowCH1312-1712.4




EVDO BC1 MidCH600-1880




EVDO_BC1_HighCH1175-1908.8



WCDMA_B4_MidCH1413-1732.6



WCDMA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279


Unless onerwise stated in escuts structure results structure results in the structure of the structure of the state and study and results and the state and study and results and structure of the structure of and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司




HSDPA_B4_LowCH1312-1712.4




HSUPA_B4_LowCH1312-1712.4




HSDPA_B4_MidCH1413-1732.6




HSDPA_B4_HighCH1513-1752.6



HSUPA_B4_MidCH1413-1732.6



HSUPA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司




LTE Band2 1.4MHz 16-QAM 6 0 LowCH18607-1850.7




LTE Band2 1.4MHz 16-QAM 6 0 MidCH18900-1880




LTE_Band2 1.4MHz_16-QAM 6 0_HighCH19193-1909.3





LTE Band2 3MHz 16-QAM 15 0 LowCH18615-1851.5

LTE Band2 3MHz 16-QAM 15 0 MidCH18900-1880



LTE_Band2 3MHz_16-QAM 15 0_HighCH19185-1908.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角说明, 近秋台站木理到湖风之脉節貝貝, 四町近体節度所用 20人, 今秋台入社今公司東西町コールコマル液和 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司


```
www.tw.sgs.com
```




LTE Band2 5MHz 16-QAM 25 0 LowCH18625-1852.5




LTE Band2 5MHz 16-QAM 25 0 MidCH18900-1880




LTE_Band2 5MHz_16-QAM 25 0_HighCH19175-1907.5






LTE Band2 10MHz 16-QAM 50 0 LowCH18650-1855

LTE Band2 10MHz 16-QAM 50 0 MidCH18900-1880



LTE_Band2 10MHz_16-QAM 50 0_HighCH19150-1905



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

常非方有规则,近和省站本理到规制之体或具具。四时见体或证证所用200人,全体资本还全在了复始到上。在1970年度和 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司


```
www.tw.sgs.com
```



LTE Band2 15MHz 16-QAM 75 0 LowCH18675-1857.5



LTE Band2 15MHz 16-QAM 75 0 MidCH18900-1880




LTE_Band2 15MHz_16-QAM 75 0_HighCH19125-1902.5






LTE Band2 20MHz 16-QAM 100 0 LowCH18700-1860

LTE Band2 20MHz 16-QAM 100 0 MidCH18900-1880



LTE_Band2 20MHz_16-QAM 100 0_HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

常非方有规则,近和省站本理到规制之体或具具。四时见体或证证所用200人,全体资本还全在了复始到上。在1970年度和 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


```
www.tw.sgs.com
```




LTE Band4 1.4MHz 16-QAM 6 0 LowCH19957-1710.7




LTE_Band4 1.4MHz_16-QAM 6 0_MidCH20175-1732.5




LTE_Band4 1.4MHz_16-QAM 6 0_HighCH20393-1754.3






LTE Band4 3MHz 16-QAM 15 0 LowCH19965-1711.5

LTE_Band4 3MHz_16-QAM 15 0_MidCH20175-1732.5



LTE_Band4 3MHz_16-QAM 15 0_HighCH20385-1753.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角说明, 近秋台站木理到湖风之脉節貝貝, 四町近体節度所用 20人, 今秋台入社今公司東西町コールコマル液和 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488




LTE Band4 5MHz 16-QAM 25 0 LowCH19975-1712.5




LTE_Band4 5MHz_16-QAM 25 0_MidCH20175-1732.5



LTE_Band4 5MHz_16-QAM 25 0_HighCH20375-1752.5






LTE Band4 10MHz 16-QAM 50 0 LowCH20000-1715

LTE_Band4 10MHz_16-QAM 50 0_MidCH20175-1732.5



LTE_Band4 10MHz_16-QAM 50 0_HighCH20350-1750



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角说明, 近秋台站木理到湖风之脉節貝貝, 四町近体節度所用 20人, 今秋台入社今公司東西町コールコマル液和 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司


```
www.tw.sgs.com
```



LTE Band4 15MHz 16-QAM 75 0 LowCH20025-1717.5



LTE Band4 15MHz 16-QAM 75 0 MidCH20175-1732.5




LTE_Band4 15MHz_16-QAM 75 0_HighCH20325-1747.5






LTE Band4 20MHz 16-QAM 100 0 LowCH20050-1720

LTE_Band4 20MHz_16-QAM 100 0 MidCH20175-1732.5



LTE_Band4 20MHz_16-QAM 100 0_HighCH20300-1745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

常非方有规则,近和省站本理到规制之体或具具。四时见体或证证所用200人,全体资本还全在了复始到上。在1970年度和 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488



LTE Band5 1.4MHz 16-QAM 6 0 LowCH20407-824.7




LTE Band5 1.4MHz 16-QAM 6 0 MidCH20525-836.5




LTE_Band5 1.4MHz_16-QAM 6 0_HighCH20643-848.3






LTE Band5 3MHz 16-QAM 15 0 LowCH20415-825.5

LTE Band5 3MHz 16-QAM 15 0 MidCH20525-836.5



LTE_Band5 3MHz_16-QAM 15 0_HighCH20635-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非方力就明, 近報告題本性可測码
你可見 「可可近体の運動・目辺へ、や本型 キャック きゅう マー・インマック なん。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號


台灣檢驗科技股份有限公司




LTE Band5 5MHz 16-QAM 25 0 LowCH20425-826.5




LTE Band5 5MHz 16-QAM 25 0 MidCH20525-836.5




LTE_Band5 5MHz_16-QAM 25 0_HighCH20625-846.5





LTE Band5 10MHz 16-QAM 50 0 LowCH20450-829

LTE Band5 10MHz 16-QAM 50 0 MidCH20525-836.5



LTE_Band5 10MHz_16-QAM 50 0_HighCH20600-844



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角说明, 近秋台站木理到湖风之脉節貝貝, 四町近体節度所用 20人, 今秋台入社今公司東西町コールコマル液和 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司


```
www.tw.sgs.com
```



LTE Band7 5MHz 16-QAM 25 0 LowCH20775-2502.5




LTE Band7 5MHz 16-QAM 25 0 MidCH21100-2535




LTE_Band7 5MHz_16-QAM 25 0_HighCH21425-2567.5






LTE Band7 10MHz 16-QAM 50 0 LowCH20800-2505

LTE Band7 10MHz 16-QAM 50 0 MidCH21100-2535



LTE_Band7 10MHz_16-QAM 50 0_HighCH21400-2565



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

常非方有规则,近和省站本理到规制之体或具具。四时见体或证证所用200人,全体资本还全在了复始到上。在1970年度和 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488



LTE Band7 15MHz 16-QAM 75 0 LowCH20825-2507.5




LTE Band7 15MHz 16-QAM 75 0 MidCH21100-2535




LTE_Band7 15MHz_16-QAM 75 0_HighCH21375-2562.5






LTE Band7 20MHz 16-QAM 100 0 LowCH20850-2510

LTE_Band7 20MHz_16-QAM 100 0_MidCH21100-2535



LTE_Band7 20MHz_16-QAM 100 0_HighCH21350-2560



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

常非方有规则,近和省站本理到规制之体或具具。四时见体或证证所用200人,全体资本还全在了复始到上。在1970年度和 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488



LTE Band12 1.4MHz 16-QAM 6 0 LowCH23017-699.7




LTE Band12 1.4MHz 16-QAM 6 0 MidCH23095-707.5




LTE_Band12 1.4MHz_16-QAM 6 0_HighCH23173-715.3






LTE Band12 3MHz 16-QAM 15 0 LowCH23025-700.5

LTE Band12 3MHz 16-QAM 15 0 MidCH23095-707.5



LTE_Band12 3MHz_16-QAM 15 0_HighCH23165-714.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

常非方有规则,近和省站本理到规制之体或具具。四时见体或证证所用200人,全体资本还全在了复始到上。在1970年度和 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488




LTE Band12 5MHz 16-QAM 25 0 LowCH23035-701.5



LTE Band12 5MHz 16-QAM 25 0 MidCH23095-707.5




LTE_Band12 5MHz_16-QAM 25 0_HighCH23155-713.5




nter Freg 704.000000 MHz nter Freq: 704.000000 MHz Counts:100 k/100 kpt Radio Std: Nona Average Power Center Fre 20.30 dBm 10 43.96 % at 0dB 1 % 10.0 % 3.04 dB 0.1.% 5.01 dB 1.0 % CFS 0.1% 6.14 dB 0.01 % 6.82 dB 0.01 % 0.001 % 7.24 dB Freq Offs 0.0001 % --- dB 0.001 Peak 7.30 dB 27.60 dBm 0.0001 % 0 dB Info BW 8.0000 MH 20 dE

LTE Band12 10MHz 16-QAM 50 0 LowCH23060-704

LTE Band12 10MHz 16-QAM 50 0 MidCH23095-707.5



LTE_Band12 10MHz_16-QAM 50 0_HighCH23130-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角说明, 近秋台站木理到湖风之脉節貝貝, 四町近体節度所用 20人, 今秋台入社今公司東西町コールコマル液和 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號


台灣檢驗科技股份有限公司

```
www.tw.sgs.com
```




20 dE


LTE Band13 5MHz 16-QAM 25 0 LowCH23205-779.5



LTE Band13 5MHz 16-QAM 25 0 MidCH23230-782



LTE_Band13 5MHz_16-QAM 25 0_HighCH23255-784.5



台灣植

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated in escuts structure results structure results in the structure of the structure of the state and study and results and the state and study and results and structure of the structure of and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號 SGS Taiwan Ltd.

会验科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488

LTE Band13 10MHz 16-QAM 50 0 MidCH23230-782 nter Freq 782.000000 MHz Center Freq: 782.000000 MHz Trig: Free Run Counts:100 k/100 kpt Radio Std: None Average Power 100 Center Free 20.62 dBm 10 45.01 % at 0dB 1 % 10.0 % 3.02 dB 0.1.% 1.0 % 4.75 dB CFS 0.1% 5.74 dB 0.01 % 6.28 dB 0.01 % 0.001 % 6.73 dB Freq Offs 0.0001 % --- dB 0.001

0 dB Info BW 8.0000 MHa

6.77 dB 27.39 dBm


0.0001 %

Peak


Member of SGS Group




LTE Band17 5MHz 16-QAM 25 0 LowCH23755-706.5




LTE Band17 5MHz 16-QAM 25 0 MidCH23790-710




LTE_Band17 5MHz_16-QAM 25 0_HighCH23825-713.5






LTE Band17 10MHz 16-QAM 50 0 MidCH23790-710



LTE_Band17 10MHz_16-QAM 50 0_HighCH23800-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角说明, 近秋台站木理到湖风之脉節貝貝, 四町近体節度所用 20人, 今秋台入社今公司東西町コールコマル液和 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司



Report No.: ER/2016/90027 Page 335 of 335

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subduiting cannot be reproduced to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號