

# ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E and PART 27 SUBPART B, C & SUBPART L and PART 90S REQUIREMENT

	OF
Applicant:	HP Inc. 3390 East Harmony Road, Fort Collins Colorado, USA 80528
Product Name:	Tablet
Brand Name:	HP
Model No.:	HSN-I19C
Model Difference:	N/A
FCC ID:	B94HNI19CZVWP
Report Number:	E2/2018/40066
FCC Rule Part:	2 , 22H & 24E & 27B, C & L & 90S
Issue Date:	May 25, 2018
Date of Test:	Apr. 17, 2018 ~ May 18, 2018
Date of EUT Received:	Apr. 17, 2018
We hereby certify that:	

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.26-2015 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Tested By:

Aken Huang / Engineer

Approved By:

Jim Chang / Manager



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u>. Advant to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



# **Revision History**

Report Number	Revision	Description	Effected Page	Issue Date	Revised By	
E2/2018/40066	Rev.00	Initial creation of document	All	May 25, 2018	Violetta Tang	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subcarrier cannot be reproduced provident of the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



# Contents

	4
SYSTEM TEST CONFIGURATION	11
SUMMARY OF TEST RESULTS	14
DESCRIPTION OF TEST MODES	15
MEASUREMENT UNCERTAINTY	30
RF CONDUCTED OUTPUT POWER MEASUREMENT	31
EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED	
POWER MEASUREMENT	54
OCCUPIED BANDWIDTH MEASUREMENT	120
OUT OF BAND EMISSION AT ANTENNA TERMINALS	190
FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	353
FREQUENCY STABILITY MEASUREMENT	474
PEAK TO AVERAGE RATIO	485
	SUMMARY OF TEST RESULTS DESCRIPTION OF TEST MODES MEASUREMENT UNCERTAINTY RF CONDUCTED OUTPUT POWER MEASUREMENT EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER MEASUREMENT OCCUPIED BANDWIDTH MEASUREMENT OUT OF BAND EMISSION AT ANTENNA TERMINALS FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT FREQUENCY STABILITY MEASUREMENT

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. document is unlawful and offenders may be proceeded to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



# 1. GENERAL PRODUCT INFORMATION

# **1.1. Product Description**

### General:

Product Name:	Tablet									
Brand Name:	HP									
Model No.:	HSN-I190	2								
Model Difference:	N/A									
Hardware Version:	N/A	N/A								
Software Version:	N/A	N/A								
		om Rechargeable Li-ion Battery / / 12V / 15V / 20V from AC/DC Adapter								
Power Supply:	Battery:	<ol> <li>Model No: HSTNN-DB8I, Supplier: Dynapack International Technology Corp.</li> <li>Model No: HSTNN-UB7E, Supplier: SAMSUNG SDI CO LTD</li> </ol>								
	Adapter:	Model No.: TPN-LA12, Supplier: LITE-ON TECHNOLOGY CORP								
IMEI:	35919508	30025530								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law.



# 1.2. WCDMA / LTE: Cellular Phone Standards Frequency Range

Operating Frequency (MHz)										
WCDMA / HSPA+ Band II 1852.4 - 1907.0										
1712.4	-	1752.6								
826.4	-	846.6								
	1852.4 1712.4	1852.4 - 1712.4 -								

LTE Band	BW (MHz)	Operation Fr	eque	ency (MHz)	LTE Band	BW (MHz)	Operation Fre	quer	ncy (MHz)
	1.4	1850.7	-	1909.3	13	5	779.5	-	784.5
	3	1851.5	-	1908.5	15	10	7		
2	5	1852.5	-	1907.5	17	5	706.5	-	713.5
2	10	1855.0	-	1905.0	17	10	709.0	-	711.0
	15	1857.5	-	1902.5		1.4	1850.7	-	1914.3
	20	1860.0	-	1900.0		3	1851.5	-	1913.5
	1.4	1710.7	-	1754.3	- 25 -	5	1852.5	-	1912.5
	3	1711.5	-	1753.5	25	10	1855.0	-	1910.0
4	5	1712.5	-	1752.5		15	1857.5	-	1907.5
4	10	1715.0	-	1780.0		20	1860.0	-	1905.0
	15	1717.5	-	1747.5		1.4	824.7	-	848.3
	20	1720.0	-	1745.0		3	825.5	-	847.5
	1.4	824.7	-	848.3	26	5	826.5	-	846.5
5	3	825.5	-	847.5		10	829.0	-	844.0
5	5	826.5	-	846.5		15	831.5	-	841.5
	10	829.0	-	844.0		1.4	814.7	-	823.3
	5	2502.5	-	2567.5	26 Part90	3	815.5	-	822.5
7	10	2505.0	-	2565.0	20 Pan90	5	816.5	-	821.5
1	15	2507.5	-	2562.5		10	81	9.0	
	20	2510.0	-	2560.0	20	5	2307.5	-	2312.5
	1.4	699.7	-	715.3	30	10	23	10.0	
10	3	700.5	-	714.5		5	2572.5	-	2617.5
12	5	701.5	-	713.5	20	10	2575.0	-	2615.0
	10	704.0	-	711.0	38	15	2577.5	-	2612.5
						20	2580.0	-	2610.0

LTE Band	BW (MHz)	Operation F	requ	ency (MHz)	LTE Band	BW (MHz)	Operation Fr	eque	ncy (MHz)
	5	2498.5	-	2687.5		1.4	1710.7	-	1779.3
41	10	2501.0	-	2685.0	66	3	1711.5	-	1778.5
41	15	2503.5	-	2682.5		5	1712.5	-	1777.5
	20	2506.0	-	2680.0	66	10	1715.0	-	1775.0
						15	1717.5	-	1772.5
						20	1720.0	-	1770.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



### **Antenna Designation**

Vendor	Туре	Main / Aux	Antenna Part No.	Modulation		quei (MH:	2	Peak Antenna Gain (dBi)
		Aux	Pail NU.	WCDMA / HSPA Band II	1852.4	,ıvı ⊓. ∼	1907.6	-1.28
				WCDMA / HSPA Band IV	1712.4	~	1752.6	-5.02
				WCDMA / HSPA Band V	826.4	~	846.6	-3.02
				LTE Band 2	1850	~	1910	-2.09
				LTE Band 4	1710	~	1755	-4.98
				LTE Band 5	824	~	849	-2.62
				LTE Band 7	2503	~	2560	-7.93
				LTE Band 12	699	~	716	-3.45
			6036B0209101 (WA-C1-	LTE Band 12	777	~	787	-5.43
	PIFA	Main	LTE8-02-001)	LTE Band 17	704	~	716	-3.45
				LTE Band 25	1850	~	1910	-1.28
				LTE Band 26	824	~	849	-2.62
				LTE Band 26				
				(Part 90S)	814	~	824	N/A
				LTE Band 30	2305	~	2315	-9.94
				LTE Band 38	2573	~	2610	N/A
				LTE Band 41	2496	~	2690	N/A
				LTE Band 66	1710	~	1780	-4.98
INPAQ				WCDMA / HSPA Band II	1852.4	~	1907.6	N/A
				WCDMA / HSPA Band IV	1712.4	~	1752.6	N/A
				WCDMA / HSPA Band V	826.4	~	846.6	N/A
				LTE Band 2	1850	~	1910	-5.42
				LTE Band 4	1710	~	1755	N/A
				LTE Band 5	824	~	849	N/A
				LTE Band 7	2503	~	2560	N/A
				LTE Band 12	699	~	716	N/A
	PIFA	Aux	6036B0209001 (WA-C1-	LTE Band 13	777	~	787	N/A
	PIFA	Aux	LTE8-02-002)	LTE Band 17	704	~	716	N/A
				LTE Band 25	1850	~	1910	-4.92
				LTE Band 26	824	~	849	N/A
				LTE Band 26	814	~	824	N/A
				(Part 90S)	014	~	024	IN/A
				LTE Band 30	2305	~	2315	N/A
				LTE Band 38	2573	~	2610	N/A
				LTE Band 41	2496	~	2690	N/A
				LTE Band 66	1710	~	1780	N/A



# 1.3. Type of Emission & Max ERP/EIRP Power Measurement Result:

	ERP / EIRP (	dBm)	(W)	Type of Emission
WCDMA Band II	23.98	EIRP	0.250	4M16F9W
HSDPA Band II	24.69	EIRP	0.294	4M16F9W
HSUPA Band II	25.04	EIRP	0.319	4M15F9W
WCDMA Band IV	19.71	EIRP	0.094	4M14F9W
HSDPA Band IV	18.88	EIRP	0.077	4M13F9W
HSUPA Band IV	18.88	EIRP	0.077	4M15F9W
WCDMA Band V	4.66	ERP	0.003	4M15F9W
HSDPA Band V	4.60	ERP	0.003	4M14F9W
HSUPA Band V	4.58	ERP	0.003	4M15F9W

LTE Band	BW (MHz)	Modulation	ERP / EIRP (dBm)		(W)	Type of Emission	LTE Band	BW (MHz)	Modulation	ER Elf (dB	RP	(W)	Type of Emission
	1.4	QPSK	21.30	EIRP	0.135	1M09G7D		1.4	QPSK	20.29	EIRP	0.107	1M09G7D
	1.4	16QAM	21.31	EIRP	0.135	1M10D7W		1.4	16QAM	20.48	EIRP	0.112	1M10D7W
	3	QPSK	21.25	EIRP	0.133	2M70G7D		3	QPSK	20.50	EIRP	0.112	2M70G7D
	3	16QAM	21.58	EIRP	0.144	2M70D7W		3	16QAM	20.67	EIRP	0.117	2M70D7W
	5	QPSK	21.27	EIRP	0.134	4M49G7D		5	QPSK	20.69	EIRP	0.117	4M51G7D
2	5	16QAM	21.27	EIRP	0.134	4M50D7W	4	5	16QAM	20.96	EIRP	0.125	4M50D7W
2	10	QPSK	21.75	EIRP	0.150	8M98G7D	4	10	QPSK	20.35	EIRP	0.108	8M99G7D
	10	16QAM	21.91	EIRP	0.155	8M97D7W		10	16QAM	20.41	EIRP	0.11	8M98D7W
	15	QPSK	21.24	EIRP	0.133	13M5G7D		15	QPSK	20.13	EIRP	0.103	13M5G7D
	15	16QAM	21.30	EIRP	0.135	13M5D7W		15	16QAM	19.92	EIRP	0.098	13M5D7W
	20	QPSK	21.69	EIRP	0.148	18M0G7D		20	QPSK	19.78	EIRP	0.095	18M0G7D
	20	16QAM	21.66	EIRP	0.147	18M0D7W		20	16QAM	19.97	EIRP	0.099	18M1D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



LTE	BW		ERP		Type of	LTE	BW		ERP /		Type of
Band	(MHz)	Modulation	EIRP (dBm)	```	Emission	Band	(MHz)	Modulation	EIRP (dBm)	(W)	Emission
	1.4	QPSK	11.09 E	RP <b>0.013</b>	1M10G7D		5	QPSK	13.16 ERP	0.021	4M51G7D
	1.4	16QAM	11.60 E	RP <b>0.014</b>	1M10D7W	17	5	16QAM	13.14 ERP	0.021	4M51D7W
	3	QPSK	10.41 E	RP 0.011	2M70G7D	17	10	QPSK	12.41 ERP	0.017	9M01G7D
5	3	16QAM	11.46 E	RP 0.014	2M70D7W		10	16QAM	13.68 ERP	0.023	8M99D7W
5	5	QPSK	10.36 E	RP 0.011	4M50G7D		1.4	QPSK	17.40 EIRP	0.055	1M09G7D
	5	16QAM	11.15 E	RP 0.013	4M51D7W		1.4	16QAM	17.30 EIRP	0.054	1M09D7W
	10	QPSK	10.09 E	RP 0.010	9M01G7D		3	QPSK	18.07 EIRP	0.064	2M70G7D
	10	16QAM	10.00 E	RP 0.010	8M97D7W		3	16QAM	18.29 EIRP	0.067	2M70D7W
	5	QPSK	20.82 EI	RP 0.121	4M50G7D	25	5	QPSK	18.77 ERP	0.075	4M50G7D
	5	16QAM	20.90 EI	IRP 0.123	4M50D7W		5	16QAM	18.42 ERP	0.070	4M50D7W
	10	QPSK	21.72 EI	IRP <b>0.149</b>	8M99G7D	25	10	QPSK	18.40 ERP	0.069	9M01G7D
7	10	16QAM	21.87 EI	IRP <b>0.154</b>	8M97D7W		10	16QAM	18.64 ERP	0.073	8M98D7W
	15	QPSK	20.36 EI	IRP 0.109	13M5G7D		15	QPSK	18.43 ERP	0.070	13M5G7D
	15	16QAM	20.86 EI	RP 0.122	13M5D7W		15	16QAM	18.61 ERP	0.073	13M5D7W
	20	QPSK	21.50 EI	RP 0.141	18M0G7D		20	QPSK	18.17 ERP	0.066	18M0G7D
	20	16QAM	17.52 EI	RP 0.056	18M0D7W		20	16QAM	18.42 ERP	0.070	18M0D7W
	1.4	QPSK	4.79 E	RP 0.003	1M09G7D		1.4	QPSK	18.28 ERP	0.067	1M09G7D
	1.4	16QAM	5.31 E	RP 0.003	1M10D7W		1.4	16QAM	18.39 ERP	0.069	1M09D7W
	3	QPSK	6.31 E	RP 0.004	2M70G7D		3	QPSK	18.41 ERP	0.069	2M69G7D
12	3	16QAM	7.34 E	RP 0.005	2M70D7W		3	16QAM	18.53 ERP	0.071	2M70D7W
12	5	QPSK	6.33 E	RP 0.004	4M50G7D	26	5	QPSK	18.23 ERP	0.067	4M50G7D
	5	16QAM	7.28 E	RP 0.005	4M51D7W	20	5	16QAM	18.64 ERP	0.073	4M50D7W
	10	QPSK	10.09 E	RP <b>0.010</b>	9M00G7D		10	QPSK	18.12 ERP	0.065	9M01G7D
	10	16QAM	10.00 E	RP <b>0.010</b>	8M99D7W		10	16QAM	18.37 ERP	0.069	8M97D7W
	5	QPSK	19.78 E	RP <b>0.095</b>	4M52G7D		15	QPSK	18.05 ERP	0.064	13M5G7D
13	5	16QAM		RP <b>0.092</b>			15	16QAM	18.56 ERP	0.072	13M5D7W
	10	QPSK		RP 0.080							
	10	16QAM	19.00 E	RP 0.079	8M94D7W						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subduiting cannot be reproduced to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



LTE Band	BW (MHz)	Modulation	ERP / EIRP (dBm)	(W)	Type of Emission	LTE Band	BW (MHz)	Modulation	EIF	ERP / EIRP (dBm)		Type of Emission
	1.4	QPSK	17.85 ERF	0.061	1M09G7D	30	5	QPSK	16.01	EIRP	0.04	4M50G7D
	1.4	16QAM	18.52 ERF	0.071	1M09D7W		5	16QAM	16.40	EIRP	0.044	4M50D7W
26	3	QPSK	17.51 ERF	0.056	2M70G7D		10	QPSK	15.82	EIRP	0.038	8M98G7D
	3	16QAM	18.54 ERF	0.071	2M70D7W		10	16QAM	17.34	EIRP	0.054	8M95D7W
Part90	5	QPSK	17.45 ERF	0.056	4M51G7D							
	5	16QAM	18.46 ERF	0.070	4M51D7W							
	10	QPSK	17.67 ERF	0.058	8M99G7D							
	10	16QAM	17.88 ERF	0.061	8M96D7W							
			ERP /		Turneraf							

LTE Band	BW (MHz)	Modulation	ERP / EIRP (dBm)		(W)	Type of Emission
	5	QPSK	22.18	ERP	0.165	4M50G7D
	5	16QAM	21.70	ERP	0.148	4M50D7W
	10	QPSK	21.45	ERP	0.140	8M99G7D
38	10	16QAM	21.17	ERP	0.131	8M97D7W
30	15	QPSK	21.11	ERP	0.129	13M5G7D
	15	16QAM	21.12	ERP	0.129	13M5D7W
	20	QPSK	20.64	ERP	0.116	18M0G7D
	20	16QAM	20.73	ERP	0.118	18M0D7W

LTE Band	BW (MHz)	Modulation	ER Elf (dB	RP	(VV)	Type of Emission	LTE Band	BW (MHz)	Modulation	ER Ell (dB	RP	(VV)	Type of Emission
	5	QPSK	20.21	EIRP	0.105	4M80G7D		1.4	QPSK	20.04	EIRP	0.101	1M10G7D
	5	16QAM	20.61	EIRP	0.115	4M55D7W		1.4	16QAM	20.06	EIRP	0.101	1M11D7W
	10	QPSK	19.84	EIRP	0.096	8M99G7D		3	QPSK	19.76	EIRP	0.095	2M70G7D
41	10	16QAM	19.69	EIRP	0.093	8M98D7W		3	16QAM	19.97	EIRP	0.099	2M70D7W
41	15	QPSK	20.22	EIRP	0.105	13M5G7D		5	QPSK	19.86	EIRP	0.097	4M50G7D
	15	16QAM	19.89	EIRP	0.097	13M5D7W	66	5	16QAM	19.91	EIRP	0.098	4M50D7W
	20	QPSK	20.09	EIRP	0.102	18M0G7D	00	10	QPSK	19.24	EIRP	0.084	9M00G7D
	20	16QAM	20.71	EIRP	0.118	18M0D7W		10	16QAM	19.37	EIRP	0.086	8M97D7W
								15	QPSK	18.76	EIRP	0.075	13M5G7D
								15	16QAM	19.04	EIRP	0.080	13M5D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

20


20

**QPSK** 

16QAM

19.07 EIRP 0.081 18M0G7D

19.11 EIRP 0.081 18M0D7W





# 1.4. Test Methodology of Applied Standards

CC 47 CFR Part 2, 22, 24, 27, Part 90S.

ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03

KDB941225 D01 SAR test for 3G devices v03r01 (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

## 1.5. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333

(TAF code 0513)

FCC Registration Numbers are: 735305 / TW0002

### 1.6. Special Accessories

No special accessories were used during testing.

### **1.7. Equipment Modifications**

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 2. SYSTEM TEST CONFIGURATION

# 2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

# 2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

### 2.3. Test Procedure

#### 2.3.1 Conducted Measurement at Antenna Port

According to measurement procured ANSI C63.26-2015, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

#### 2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured ANSI C63.26-2015, The EUT is a placed on as turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

## 2.4. Measurement Results Explanation Example

#### For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation in physical test.

	RF cable loss (dB)	Attenuation factor(dB)	offset(dB)
Low Band (Below 1GHz)	3.6	10	13.6
High Band (Above 1 GHz)	3.9	10	13.9

# 2.5. Final Amplifier Voltage and Current Information:


Test Mode	DC voltage (V)	DC current (mA)
WCDMA B2		0.728
WCDMA B4		0.719
WCDMA B5		0.684
LTE Band 2		0.858
LTE Band 4		0.868
LTE Band 5		0.709
LTE Band 7		0.695
LTE Band 12		0.695
LTE Band 13	7.7	0.726
LTE Band 17		0.683
LTE Band 25		0.858
LTE Band 26		0.703
LTE Band 26 (Part 90S)		0.691
LTE Band 30		0.846
LTE Band 38		0.861
LTE Band 41		0.857
LTE Band 66		0.831

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and diffenders may he prosecuted to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.




# 2.6. Configuration of Tested System

# Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)



# Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)



# **Remote Side**



Table 2-1 Equipment Used in

ltem	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Radio Communication Analyzer	Anritsu	MT8820C	62011107337	shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may here produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may he prosecuted to the fully extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a) §22.913(a)(5) §24.232(c) §27.50(a)(3) §27.50(c)(10) §27.50(d)(4) §90.635	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a) §27.53(g) §27.50(c)(5) §27.53(h) §27.53(m)(4)(6) §90.691	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
§2.1053 §22.917(a) §24.238(a) §27.53(c)(2),(4) §27.50(c)(5) §27.53(f) §27.53(g) §27.53(h) §27.53(m)(4) §90.691(a)(1)(2)	Field Strength of Spurious Radiation	Compliant
§24.232(d) §27.53(d) (5) §27.50(i) (B)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54 §90.213	Frequency Stability	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law.



# 4. DESCRIPTION OF TEST MODES

# 4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION
WCDMA/HSPA Band II	E2-plan	E2-plan
WCDMA/HSPA Band IV	E2-plan	E2-plan
WCDMA/HSPA Band V	E2-plan	E2-plan
LTE Band 2	E2-plan	E2-plan
LTE Band 4	E2-plan	E2-plan
LTE Band 5	E2-plan	E2-plan
LTE Band 7	E2-plan	E2-plan
LTE Band 12	E2-plan	E2-plan
LTE Band 13	E2-plan	E2-plan
LTE Band 17	E2-plan	E2-plan
LTE Band 25	E2-plan	E2-plan
LTE Band 26	E2-plan	E2-plan
LTE Band 26 (Part 90S)	E2-plan	E2-plan
LTE Band 30	E2-plan	E2-plan
LTE Bnad 38	E2-plan	E2-plan
LTE Band 41	E2-plan	E2-plan
LTE Band 66	E2-plan	E2-plan

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. This document are not be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
EIRP	9262 to 9538 1312 to 1513	9262, 9400, 9583 1312, 1413, 1513	WCDMA/HSPA Band II WCDMA/HSPA Band IV
FREQUENCY STABILITY	4132 to 4233 1312 to 1513 9262 to 9538	4183 1413 9400	WCDMA Band II WCDMA Band IV WCDMA Band V
OCCUPIED BANDWIDTH	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA/HSPA Band II WCDMA/HSPA Band IV WCDMA/HSPA Band V
PEAK TO AVERAGE RATIO	1312 to 1513 9262 to 9538	1312, 1413, 1513 9262, 9400, 9583	WCDMA/HSPA Band II WCDMA/HSPA Band IV
BAND EDGE	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4233 1312, 1513 9262, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
CONDCUDETED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
RADIATED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subduiting cannot be reproduced to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



#### LTE Band 2 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE			
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest			
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest			
EIRP	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest			
EIRP	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest			
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest			
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest			
FREQUENCY STABILITY	18650 to 19150	18900	10MHz	QPSK	Full RB			
		18607, 18900, 19193	1.4MHz	QPSK, 16QAM	Full RB			
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	Full RB			
OCCUPIED BAND-		18625, 18900, 19175	5MHz	QPSK, 16QAM	Full RB			
WIDTH		18650, 18900, 19150	10MHz	QPSK, 16QAM	Full RB			
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	Full RB			
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	Full RB			
	18607 to 19193	18607, 18900, 19193	1.4MHz	16QAM	Full RB			
	18615 to 19185	18615, 18900, 19185	3MHz	16QAM	Full RB			
PEAK TO AVERAGE	18625 to 19175	18625, 18900, 19175	5MHz	16QAM	Full RB			
RATIO	18650 to 19150	18650, 18900, 19150	10MHz	16QAM	Full RB			
	18675 to 19125	18675, 18900, 19125	15MHz	16QAM	Full RB			
	18700 to 19100	18700, 18900, 19100	20MHz	16QAM	Full RB			
	18607 to 19193	18607, 19193	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB			
	18615 to 19185	18615, 19185	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB			
BAND EDGE	18625 to 19175	18625, 19175	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB			
DANDEDGE	18650 to 19150	18650, 19150	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB			
	18675 to 19125	18675, 19125	15MHz	QPSK	1 RB/ 0,74 RB Offest Full RB			
	18700 to 19100	18700, 19100	20MHz	QPSK	1 RB/ 0,99 RB Offest Full RB			
		18607, 18900, 19193	1.4MHz	QPSK	1 RB, 0 RB Offest			
		18615, 18900, 19185	3MHz	QPSK	1 RB, 0 RB Offest			
CONDCUDETED		18625, 18900, 19175	5MHz	QPSK	1 RB, 0 RB Offest			
EMISSION		18650, 18900, 19150	10MHz	QPSK	1 RB, 0 RB Offest			
		18675, 18900, 19125	15MHz	QPSK	1 RB, 0 RB Offest			
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK	1 RB, 0 RB Offest			
RADIATED EMISSION	18650 to 19150	18650, 18900, 19150	10MHz	16QAM	1 RB, 49 RB Offest			



#### LTE Band 4 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
EIRP	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
		20050, 20175, 20300	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20000 to 20350	20175	10MHz	QPSK	Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	Full RB
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM	Full RB
OCCUPIED BAND-		19975, 20175, 20375	5MHz	QPSK, 16QAM	Full RB
WIDTH		20000, 20175, 20350	10MHz	QPSK, 16QAM	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	16QAM	Full RB
		19965, 20175, 22385	3MHz	16QAM	Full RB
PEAK TO AVERAGE	19975 to 20375	19975, 20175, 20375	5MHz	16QAM	Full RB
RATIO	20000 to 20350	20000, 20175, 20350	10MHz	16QAM	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	16QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	16QAM	Full RB
	19957 to 19393	19957, 19393	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	19965 to 22385	19965, 22385	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	19975 to 20375	19975, 20375	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
DANDEDGE	20000 to 20350	20000, 20350	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	20025 to 20325	20025, 20325	15MHz	QPSK	1 RB/ 0,74 RB Offest Full RB
	20050 to 20300	20050, 20300	20MHz	QPSK	1 RB/ 0,99 RB Offest Full RB
		19957, 20175, 19393		QPSK	1 RB, 0 RB Offest
		19965, 20175, 22385		QPSK	1 RB, 0 RB Offest
CONDCUDETED		19975, 20175, 20375	5MHz	QPSK	1 RB, 0 RB Offest
EMISSION		20000, 20175, 20350		QPSK	1 RB, 0 RB Offest
		20025, 20175, 20325		QPSK	1 RB, 0 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	19975 to 20375	19975, 20175, 20375	5MHz	16QAM	1 RB, 24 RB Offest



#### LTE Band 5 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
ERP	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
EKF	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	20450 to 20600	20525	10MHz	QPSK	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM	Full RB
OCCUPIED BAND-	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM	Full RB
WIDTH	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	16QAM	Full RB
PEAK TO AVERAGE	20415 to 20635	20415, 20525, 20635	3MHz	16QAM	Full RB
RATIO	20425 to 20625	20425, 20525, 20625	5MHz	16QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	16QAM	Full RB
	20470 to 20643	20470, 20643	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	20415 to 20635	20415, 20635	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	20425 to 20625	20425, 20625	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	20450 to 20600	20450, 20600	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK	1 RB, 0 RB Offest
CONDCUDETED	20415 to 20635	20415, 20525, 20635	3MHz	QPSK	1 RB, 0 RB Offest
EMISSION	20425 to 20625	20425, 20525, 20625	5MHz	QPSK	1 RB, 0 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	20470 to 20643	20470, 20525, 20643	1.4MHz	16QAM	1 RB, 0 RB Offest



#### LTE Band 7 MODE

TEST ITEM	AVAILABLE	TESTED	CHANNEL	MODULATION	MODE
	CHANNEL	CHANNEL	BANDWIDTH		
		20775, 21100, 21425	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
EIRP	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
LINF	20850 to 21375	20850, 21100, 21375	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20800 to 21400	21100	10MHz	QPSK	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	Full RB
OCCUPIED BAND-	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM	Full RB
WIDTH	20850 to 21375	20850, 21100, 21375	15MHz	QPSK, 16QAM	Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	Full RB
		20775, 21100, 21425	5MHz	16QAM	Full RB
PEAK TO AVERAGE	20800 to 21400	20800, 21100, 21400	10MHz	16QAM	Full RB
RATIO	20850 to 21375	20850, 21100, 21375	15MHz	16QAM	Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	16QAM	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	20800 to 21400	20800, 21100, 21400	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
BAND EDGE	20850 to 21375	20850, 21100, 21375	15MHz	QPSK	1 RB/ 0,74 RB Offest Full RB
		20850, 21100, 21350	20MHz	QPSK	1 RB/ 0,99 RB Offest Full RB
		20775, 21100, 21425	5MHz	QPSK	1 RB, 0 RB Offest
CONDCUDETED		20800, 21100, 21400	10MHz	QPSK	1 RB, 0 RB Offest
EMISSION	20850 to 21375	20850, 21100, 21375	15MHz	QPSK	1 RB, 0 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	20800 to 21400	20800, 21100, 21400	10MHz	16QAM	1 RB, 49 RB Offest
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
EMISSION MASK	20800 to 21400	20800, 21100, 21400	10MHz	QPSK	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
	20850 to 21375	20850, 21100, 21375	15MHz	QPSK	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subduiting cannot be reproduced to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



#### LTE Band 12 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHAN- NEL BAND- WIDTH	MODULATION	MODE
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
ERP	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23060 to 23130	23095	10MHz	QPSK	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	Full RB
OCCUPIED	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	Full RB
BANDWIDTH	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	16QAM	Full RB
PEAK TO AV-	23025 to 23165	23025, 23095, 23165	3MHz	16QAM	Full RB
ERAGE RATIO	23035 to 23155	23035, 23095, 23155	5MHz	16QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	16QAM	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	23035 to 23155	23035, 23095, 23155	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK	1 RB, 0 RB Offest
CONDCU- DETED EMIS-	23025 to 23165	23025, 23095, 23165	3MHz	QPSK	1 RB, 0 RB Offest
SION	23035 to 23155	23035, 23095, 23155	5MHz	QPSK	1 RB, 0 RB Offest
SION	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subduiting cannot be reproduced to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



#### LTE Band 13 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23205 to 23255	23205, 23230, 23255	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
ENF	23230	23230	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23230	23230	10MHz	QPSK	Full RB
OCCUPIED	23205 to 23255	23205, 23230, 23255	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	23230	23230	10MHz	QPSK, 16QAM	Full RB
PEAK TO AV-	23205 to 23255	23205, 23230, 23255	5MHz	16QAM	Full RB
ERAGE RATIO	23230	23230	10MHz	16QAM	Full RB
BAND EDGE	23205 to 23255	23205, 23255	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	23230	23230	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
CONDCUDETED	23205 to 23255	23205, 23230, 23255	5MHz	QPSK	1 RB, 0 RB Offest
EMISSION	23230	23230	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	23205 to 23255	23205, 23230, 23255	5MHz	QPSK	1 RB, 0 RB Offest

#### LTE Band 17 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
ENF	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23780 to 23800	23790	10MHz	QPSK	Full RB
OCCUPIED	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM	Full RB
PEAK TO AV-	23755 to 23825	23755, 23790, 23825	5MHz	16QAM	Full RB
ERAGE RATIO	23780 to 23800	23780, 23790, 23800	10MHz	16QAM	Full RB
BAND EDGE	23755 to 23825	23755, 23825	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	23780 to 23800	23780, 23800	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
CONDCUDETED	23755 to 23825	23755, 23790, 23825	5MHz	QPSK	1 RB, 0 RB Offest
EMISSION	23780 to 23800	23780, 23790, 23800	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	23780 to 23800	23780, 23790, 23800	10MHz	16QAM	1 RB, 49 RB Offest



#### LTE Band 25 MODE

TEST ITEM	AVAILABLE CHAN- NEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	27047 to 26683	27047, 26365, 26683	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offset
	26055 to 26675	26055, 26365, 26675	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offset
	26065 to 26665	26065, 26365, 26665	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offset
EIRP	26096 to 26640	26096, 26365, 26640	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offset
	26115 to 26615	26115, 26365, 26615	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offset
	26140 to 26590	26140, 26365, 26590	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offset
FREQUENCY STABILITY	26096 to 26640	26365	10MHz	QPSK	Full RB
	27047 to 26683	27047, 26365, 26683	1.4MHz	QPSK, 16QAM	Full RB
	26055 to 26675	26055, 26365, 26675	3MHz	QPSK, 16QAM	Full RB
OCCUPIED BAND-	26065 to 26665	26065, 26365, 26665	5MHz	QPSK, 16QAM	Full RB
WIDTH	26096 to 26640	26096, 26365, 26640	10MHz	QPSK, 16QAM	Full RB
	26115 to 26615	26115, 26365, 26615	15MHz	QPSK, 16QAM	Full RB
	26140 to 26590	26140, 26365, 26590	20MHz	QPSK, 16QAM	Full RB
	27047 to 26683	27047, 26365, 26683	1.4MHz	16QAM	Full RB
	26055 to 26675	26055, 26365, 26675	3MHz	16QAM	Full RB
PEAK TO AVERAGE	26065 to 26665	26065, 26365, 26665	5MHz	16QAM	Full RB
RATIO	26096 to 26640	26096, 26365, 26640	10MHz	16QAM	Full RB
	26115 to 26615	26115, 26365, 26615	15MHz	16QAM	Full RB
	26140 to 26590	26140, 26365, 26590	20MHz	16QAM	Full RB
	27047 to 26683	27047, 26683	1.4MHz	QPSK	1 RB/ 0,5 RB Offset Full RB
	26055 to 26675	26055, 26675	3MHz	QPSK	1 RB/ 0,14 RB Offset Full RB
BAND EDGE	26065 to 26665	26065, 26665	5MHz	QPSK	1 RB/ 0,24 RB Offset Full RB
DANDEDGE	26096 to 26640	26096, 26640	10MHz	QPSK	1 RB/ 0,49 RB Offset Full RB
	26115 to 26615	26115, 26615	15MHz	QPSK	1 RB/ 0,74 RB Offset Full RB
	26140 to 26590	26140, 26590	20MHz	QPSK	1 RB/ 0,99 RB Offset Full RB
	27047 to 26683	27047, 26365, 26683	1.4MHz	QPSK	1 RB, 0 RB Offset
	26055 to 26675	26055, 26365, 26675	3MHz	QPSK	1 RB, 0 RB Offset
CONDCUDETED	26065 to 26665	26065, 26365, 26665	5MHz	QPSK	1 RB, 0 RB Offset
EMISSION	26096 to 26640	26096, 26365, 26640	10MHz	QPSK	1 RB, 0 RB Offset
	26115 to 26615	26115, 26365, 26615	15MHz	QPSK	1 RB, 0 RB Offset
	26140 to 26590	26140, 26365, 26590	20MHz	QPSK	1 RB, 0 RB Offset
RADIATED EMISSION	26065 to 26665	26065, 26365, 26665	5MHz	QPSK	1 RB, 0 RB Offset



#### LTE Band 26 MODE

TEST ITEM	AVAILABLE	TESTED	CHANNEL	MODULATION	MODE
	CHANNEL	CHANNEL	BANDWIDTH	WODULATION	WIODE
	26797 to 27033	26797, 26915, 27033	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
	26805 to 27025	26805, 26915, 27025	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
ERP	26815 to 27015	26815, 26915, 27015	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	26840 to 26990	26840, 26915, 26990	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	26865 to 26965	26865, 26915, 26965	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
FREQUENCY STABILITY	26865 to 26965	26915	15MHz	QPSK	Full RB
	26797 to 27033	26797, 26915, 27033	1.4MHz	QPSK, 16QAM	Full RB
OCCUPIED BAND-	26805 to 27025	26805, 26915, 27025	3MHz	QPSK, 16QAM	Full RB
WIDTH	26815 to 27015	26815, 26915, 27015	5MHz	QPSK, 16QAM	Full RB
WIDTH	26840 to 26990	26840, 26915, 26990	10MHz	QPSK, 16QAM	Full RB
	26865 to 26965	26865, 26915, 26965	15MHz	QPSK, 16QAM	Full RB
	26797 to 27033	26797, 26915, 27033	1.4MHz	16QAM	Full RB
PEAK TO AVER-	26805 to 27025	26805, 26915, 27025	3MHz	16QAM	Full RB
AGE RATIO	26815 to 27015	26815, 26915, 27015	5MHz	16QAM	Full RB
AGE NATIO	26840 to 26990	26840, 26915, 26990	10MHz	16QAM	Full RB
	26865 to 26965	26865, 26915, 26965	15MHz	16QAM	Full RB
	26797 to 27033	26797, 26915, 27033	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	26805 to 27025	26805, 26915, 27025	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	26815 to 27015	26815, 26915, 27015	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	26840 to 26990	26840, 26915, 26990	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	26865 to 26965	26865, 26915, 26965	15MHz	QPSK	1 RB/ 0,74 RB Offest
	26797 to 27033	26797, 26915, 27033	1.4MHz	QPSK	1 RB, 0 RB Offest
		26805, 26915, 27025	3MHz	QPSK	1 RB, 0 RB Offest
CONDCUDETED		26815, 26915, 27015	5MHz	QPSK	1 RB, 0 RB Offest
EMISSION		26840, 26915, 26990	10MHz	QPSK	1 RB, 0 RB Offest
	26865 to 26965	26865, 26915, 26965	15MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION		26815, 26915, 27015	5MHz	16QAM	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subduiting cannot be reproduced to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



## LTE Band 26 for 90S MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	26697 to 26783	26697, 26740, 26783	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
ERP	26705 to 26775	26705, 26740, 26775	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
LINF	26715 to 26765	26715, 26740, 26765	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	26740	26740	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	26697 to 26783	26740	1.4MHz	QPSK	Full RB
	26697 to 26783	26697, 26740, 26783	1.4MHz	QPSK, 16QAM	Full RB
OCCUPIED BAND-	26705 to 26775	26705, 26740, 26775	3MHz	QPSK, 16QAM	Full RB
WIDTH	26715 to 26765	26715, 26740, 26765	5MHz	QPSK, 16QAM	Full RB
	26740	26740	10MHz	QPSK, 16QAM	Full RB
	26697 to 26783	26697, 26740, 26783	1.4MHz	16QAM	Full RB
PEAK TO AVER-	26705 to 26775	26705, 26740, 26775	3MHz	16QAM	Full RB
AGE RATIO	26715 to 26765	26715, 26740, 26765	5MHz	16QAM	Full RB
	26740	26740	10MHz	16QAM	Full RB
	26697 to 26783	26697, 26740, 26783	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	26705 to 26775	26705, 26740, 26775	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	26715 to 26765	26715, 26740, 26765	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	26740	26740	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	26697 to 26783	26697, 26740, 26783	1.4MHz	QPSK	1 RB, 0 RB Offest
CONDCUDETED	26705 to 26775	26705, 26740, 26775	3MHz	QPSK	1 RB, 0 RB Offest
EMISSION	26715 to 26765	26715, 26740, 26765	5MHz	QPSK	1 RB, 0 RB Offest
	26740	26740	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	26705 to 26775	26705, 26740, 26775	3MHz	16QAM	1 RB, 0 RB Offest



#### LTE Band 30 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	27685 to 27735	27685, 27710, 27735	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
ERF	27710	27710	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	27710	27710	10MHz	QPSK	Full RB
OCCUPIED	27685 to 27735	27685, 27710, 27735	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	27710	27710	10MHz	QPSK, 16QAM	Full RB
PEAK TO AV-	27685 to 27735	27685, 27710, 27735	5MHz	16QAM	Full RB
ERAGE RATIO	27710	27710	10MHz	16QAM	Full RB
BAND EDGE	27685 to 27735	27685, 27710, 27735	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	27710	27710	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
CONDCUDETED	27685 to 27735	27685, 27710, 27735	5MHz	QPSK	1 RB, 0 RB Offest
EMISSION	27710	27710	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	27685 to 27735	27685, 27710, 27735	10MHz	16QAM	1 RB/ 0 RB Offest



#### LTE Band 38 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
EIRP	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK	Full RB
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM	Full RB
OCCUPIED BAND-		37800 , 38000, 38200	10MHz	QPSK, 16QAM	Full RB
WIDTH	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK, 16QAM	Full RB
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK, 16QAM	Full RB
	37775 to 38225	37775, 38000, 38225	5MHz	16QAM	Full RB
PEAK TO AVER-	37800 to 38200	37800 , 38000, 38200	10MHz	16QAM	Full RB
AGE RATIO	37825 to 38175	37825 , 38000, 38175	15MHz	16QAM	Full RB
	37850 to 38150	37850 , 38000, 38150	20MHz	16QAM	Full RB
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
BAND EDGE	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK	1 RB/ 0,74 RB Offest Full RB
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK	1 RB/ 0,99 RB Offest Full RB
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK	1 RB, 0 RB Offest
CONDCUDETED	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK	1 RB, 0 RB Offest
EMISSION	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK	1 RB, 0 RB Offest
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	37775 to 38225	37775, 38000, 38225	5MHz	QPSK	1 RB, 24 RB Offest
EMISSION MASK	37775 to 38225	37775, 38000, 38225	5MHz	QPSK	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	37850 to 38150	37850 , 38000, 38150	10MHz	16QAM	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset



#### LTE Band 41 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	39675 to 41565	39675, 40620, 41565	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
EIRP	39700 to 41540	39700, 40620, 41540	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
EIRP	39725 to 41515	39725, 40620, 41515	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	39750 to 41490	39750, 40620, 41490	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	39700 to 41540	39700, 40620, 41540	10MHz	QPSK	Full RB
	39675 to 41565	39675, 40620, 41565	5MHz	QPSK, 16QAM	Full RB
OCCUPIED BAND-	39700 to 41540	39700, 40620, 41540	10MHz	QPSK, 16QAM	Full RB
WIDTH	39725 to 41515	39725, 40620, 41515	15MHz	QPSK, 16QAM	Full RB
	39750 to 41490	39750, 40620, 41490	20MHz	QPSK, 16QAM	Full RB
	39675 to 41565	39675, 40620, 41565	5MHz	16QAM	Full RB
PEAK TO AVER-	39700 to 41540	39700, 40620, 41540	10MHz	16QAM	Full RB
AGE RATIO	39725 to 41515	39725, 40620, 41515	15MHz	16QAM	Full RB
	39750 to 41490	39750, 40620, 41490	20MHz	16QAM	Full RB
	39675 to 41565	39675, 41565	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	39700 to 41540	39700, 41540	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
BAND EDGE	39725 to 41515	39725, 41515	15MHz	QPSK	1 RB/ 0,74 RB Offest Full RB
	39750 to 41490	39750, 41490	20MHz	QPSK	1 RB/ 0,99 RB Offest Full RB
	39675 to 41565	39675, 40620, 41565	5MHz	QPSK	1 RB, 0 RB Offest
CONDCUDETED	39700 to 41540	39700, 40620, 41540	10MHz	QPSK	1 RB, 0 RB Offest
EMISSION	39725 to 41515	39725, 40620, 41515	15MHz	QPSK	1 RB, 0 RB Offest
	39750 to 41490	39750, 40620, 41490	20MHz	QPSK	1 RB, 0 RB Offest
	39675 to 41565	39675, 40620, 41565	5MHz	QPSK	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
EMISSION MASK	39700 to 41540	39700, 40620, 41540	10MHz	QPSK	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
	39725 to 41515	39725, 40620, 41515	15MHz	QPSK	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	39750 to 41490	39750, 40620, 41490	20MHz	QPSK	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset
RADIATED EMISSION	39750 to 41490	39750, 40620, 41490	20MHz	16QAM	1 RB, 99 RB Offest



#### LTE Band 66 MODE

TEST ITEM	AVAILABLE	TESTED	CHANNEL	MODULATION	MODE
TESTITEM	CHANNEL	CHANNEL	BANDWIDTH	WODULATION	WODE
				QPSK, 16QAM	1 RB/ 0,5 RB Offest
	131987 to 132657	131987, 132322, 132657	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
EIRP	131997 to 132647	131997, 132322, 132647	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
LIKE	132022 to 132622	132022, 132322, 132622	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	132047 to 132597	132047, 132322, 132597		QPSK, 16QAM	1 RB/ 0,74 RB Offest
	132072 to 132572	132072, 132322, 132572	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	18650 to 19150	18900	10MHz	QPSK	Full RB
	131979 to 132665	131979, 132322, 132665		QPSK, 16QAM	Full RB
			3MHz	QPSK, 16QAM	Full RB
OCCUPIED BAND-	131997 to 132647	131997, 132322, 132647	5MHz	QPSK, 16QAM	Full RB
WIDTH	132022 to 132622	132022, 132322, 132622	10MHz	QPSK, 16QAM	Full RB
	132047 to 132597	132047, 132322, 132597	15MHz	QPSK, 16QAM	Full RB
	132072 to 132572	132072, 132322, 132572	20MHz	QPSK, 16QAM	Full RB
	131979 to 132665	131979, 132322, 132665	1.4MHz	16QAM	Full RB
	131987 to 132657	131987, 132322, 132657	3MHz	16QAM	Full RB
PEAK TO AVER-		131997, 132322, 132647	5MHz	16QAM	Full RB
AGE RATIO	132022 to 132622	132022, 132322, 132622	10MHz	16QAM	Full RB
	132047 to 132597	132047, 132322, 132597	15MHz	16QAM	Full RB
	132072 to 132572	132072, 132322, 132572	20MHz	16QAM	Full RB
	18607 to 19193	18607, 19193	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	18615 to 19185	18615, 19185	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
	18625 to 19175	18625, 19175	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	18650 to 19150	18650, 19150	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	18675 to 19125	18675, 19125	15MHz	QPSK	1 RB/ 0,74 RB Offest Full RB
	18700 to 19100	18700, 19100	20MHz	QPSK	1 RB/ 0,99 RB Offest Full RB
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK	1 RB, 0 RB Offest
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK	1 RB, 0 RB Offest
CONDCUDETED	18625 to 19175	18625, 18900, 19175	5MHz	QPSK	1 RB, 0 RB Offest
EMISSION	18650 to 19150	18650, 18900, 19150	10MHz	QPSK	1 RB, 0 RB Offest
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK	1 RB, 0 RB Offest
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	18607 to 19193	18607, 18900, 19193	1.4MHz	16QAM	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subduiting cannot be reproduced to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



# 5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.10 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB
99% Occupied Bandwidth	+/- 5.19 Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.70 dB
Peak to Average Ratio	+/- 0.70 dB
Frequency Stability vs. Temperature	+/- 5.19 Hz
Frequency Stability vs. Voltage	+/- 5.19 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

### Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty (Polarization : Vertical)	180MHz -417MHz: +/- 3.19dB
	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz – 30MHz: +/- 2.87 dB
Maggurament ungerteint	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty (Polarization : <b>Horizontal</b> )	167MHz -500MHz: +/- 3.44dB
(i bialization : holizolitai)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and diffenders may he prosecuted to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號




# 6. RF CONDUCTED OUTPUT POWER MEASUREMENT

# 6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

# 6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

# 6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCD-MA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 6.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site										
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.						
Radio Communication Analyer	Anritsu	MT8820C	6201107337	2017/06/11	2018/06/10					
DC Power Supply	Agilent	E3640A	MY53130054	2017/09/04	2018/09/03					

### 6.5. Measurement Result **RF Conducted Output Power** WCDMA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing. **Results:** 

BNAD II	Avg. Power (dBm) Channel					
	9262	9400	9538			
WCDMA	23.96	23.98	24.10			
HSDPA	22.80	22.82	22.97			
HSUPA	21.93	21.94	22.05			

BNAD IV	Avg. Power (dBm) Channel					
	1312	1413	1513			
WCDMA	23.79	23.64	24.33			
HSDPA	22.62	22.94	23.22			
HSUPA	21.73	22.26	22.28			

BNAD V	Avg. Power (dBm) Channel					
	4132	4183	4233			
WCDMA	23.47	23.83	23.34			
HSDPA	22.93	22.97	22.72			
HSUPA	22.10	22.12	21.93			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may be produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unaverting and diffenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# LTE Result:

L	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz										
				Conducted power (dBm)							
BW	RB	RB Offset		QPSK			16QAM				
(MHz)	Size		СН	СН	СН	СН	СН	СН			
(11112)	SIZE	UISEL	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			18607	18900	19193	18607	18900	19193			
	1	0	22.75	22.62	22.64	22.05	21.79	22.40			
1.4	1	5	22.78	22.59	22.51	21.71	21.63	22.33			
1.4	3	2	22.82	22.64	22.63	22.04	21.75	22.05			
	6	0	21.54	21.67	21.90	20.67	20.64	20.95			
L	TE Ba	nd 2_U	olink fre	quency	band : 1	1 <b>850 to</b> 1	1910 MH	Z			
		RB RB Size Offset		Conducted power (dBm)							
BW	RB Size		QPSK			16QAM					
(MHz)			СН	СН	СН	СН	СН	СН			
(11112)			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			18615	18900	19185	18615	18900	19185			
	1	0	22.99	22.78	22.51	22.55	22.39	22.57			
3	1	14	23.18	22.92	22.82	22.39	22.04	21.85			
5	8	4	21.76	21.70	22.02	21.13	20.77	20.93			
	15	0	21.87	21.77	21.83	20.81	20.75	21.10			
L	TE Ba	nd 2_U	olink fre				1910 MH	Z			
					ducted p	power (d	,				
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН			
()	0.20	0	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			18625	18900	19175	18625	18900	19175			
	1	0	22.84	22.74	22.48	22.52	22.27	22.69			
5	1	24	23.01	23.06	22.77	22.42	22.01	21.82			
	12	6	21.73	21.72	22.07	21.09	20.90	21.01			
	25	0	21.90	21.74	21.83	20.77	20.71	21.03			



LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
					Conducted power (dBm)						
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН			
		SIZE UIIS	Unsei	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			18650	18900	19150	18650	18900	19150			
	1	0	22.89	22.84	22.64	22.37	22.30	22.56			
10	1	49	23.06	22.91	22.80	22.39	22.11	21.77			
10	25	12	21.75	21.65	22.06	21.09	20.87	20.94			
	50	0	21.82	21.87	21.86	20.79	20.73	21.07			

### LTE Band 2\_Uplink frequency band : 1850 to 1910 MHz

I		חח		Conducted power (dBm)						
	BW				QPSK			16QAM		
(MHz)	Size	RB RB Size Offset	СН	СН	СН	СН	СН	СН		
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
				18675	18900	19125	18675	18900	19125	
		1	0	22.92	22.70	22.63	22.45	22.27	22.64	
	15	1	74	23.07	22.91	22.78	22.26	22.15	21.82	
	10	36	19	21.85	21.78	22.05	21.07	20.75	20.95	
		75	0	21.93	21.74	21.90	20.85	20.66	21.19	
ſ										

L	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
			Conducted power (dBm)									
				(dBm)								
BW	RB	RB	QPSK 16QAM									
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН				
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			18700	18900	19100	18700	18900	19100				
	1	0	23.00	22.87	22.67	22.57	22.41	22.71				
20	1	99	23.20	23.10	22.83	22.46	22.18	21.97				
20	50	25	21.93	21.82	22.13	21.14	20.94	21.12				
	100	0	22.00	21.94	21.94	20.91	20.79	21.23				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



L	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
				Conducted power (dBm)								
BW	RB	RB	QPSK			16QAM						
ылл (MHz)	Size		СН	СН	СН	СН	СН	СН				
		SIZE	e Unsei	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
				19957	20175	20393	19957	20175	20393			
	1	0	22.95	22.77	22.57	21.72	21.78	21.76				
1.4	1	5	22.52	22.85	22.60	22.14	22.37	22.08				
1.4	3	2	23.02	22.90	22.71	21.72	21.79	21.93				
	6	0	21.40	21.82	21.74	20.85	20.89	20.76				

L	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz										
				Conducted power (dBm)							
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН			
(11112)	SIZE	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			19965	20175	20385	19965	20175	20385			
	1	0	22.36	22.12	22.35	21.88	22.39	21.49			
3	1	14	22.58	22.34	22.50	21.32	21.70	21.51			
3	8	4	21.45	21.45	21.56	20.77	20.82	20.76			
	15	0	21.77	21.77	21.58	20.62	20.67	20.61			

#### LTE Band 4\_Uplink frequency band : 1710 to 1755 MHz

BW (MHz)		RB RB Size Offset	Conducted power (dBm)						
	DD			QPSK			16QAM		
			СН	СН	СН	СН	СН	СН	
	SIZE		(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	
			19975	20175	20375	19975	20175	20375	
	1	0	22.37	22.17	22.36	21.88	22.35	21.47	
5	1	24	22.53	22.37	22.47	21.45	21.77	21.67	
5	12	6	21.50	21.37	21.54	20.76	20.88	20.74	
	25	0	21.71	21.84	21.62	20.76	20.81	20.58	

#### LTE Band 4\_Uplink frequency band : 1710 to 1755 MHz

BW (MHz)	RB Size	RB Offset	Conducted power (dBm)					
			QPSK			16QAM		
			СН	СН	СН	СН	СН	СН
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			20000	20175	20350	20000	20175	20350
10	1	0	22.37	22.18	22.38	21.83	22.21	21.34
	1	49	22.62	22.33	22.35	21.33	21.66	21.55
	25	12	21.55	21.34	21.51	20.74	20.91	20.62
	50	0	21.66	21.82	21.54	20.76	20.84	20.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

www.tw.sgs.com



LTE Band 4_Uplink frequency band : 1710 to 1755 MHz										
	RB Size	RB Offset	Conducted power (dBm)							
BW (MHz)			QPSK			16QAM				
			СН	СН	СН	СН	СН	СН		
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			20025	20175	20325	20025	20175	20325		
15	1	0	22.31	22.05	22.40	21.83	22.38	21.40		
	1	74	22.51	22.49	22.43	21.46	21.69	21.62		
	36	19	21.39	21.46	21.55	20.89	20.90	20.72		
	75	0	21.77	21.85	21.51	20.63	20.73	20.50		
LTE Band 4_Uplink frequency band : 1710 to 1755 MHz										
Conducted powe							wer (dBm)			
			(dBm)							
BW	RB	RB	QPSK			16QAM				
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН		
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			20050	20175	20300	20050	20175	20300		
20	1	0	22.51	22.34	22.52	22.08	22.51	21.60		
	1	99	22.74	22.61	22.65	21.58	21.95	21.78		
					01 00	01 00	01 OF	20.02		
20	50	25	21.68	21.58	21.80	21.02	21.05	20.92		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law.

documents in subduiting cannot be reproduced to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



	LTE	Band 5_	Uplink f	requency	y band : 8	324 to 84	9 MHz			
				Conducted power (dBm)						
BW	RB	RB		QPSK			16QAM			
ыл (MHz)	Size	Offset	СН	СН	СН	СН	СН	СН		
(11112)	SIZE	Size Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			20407	20525	20643	20407	20525	20643		
	1	0	23.36	23.30	23.29	22.32	22.16	22.80		
1.4	1	5	23.03	23.15	23.28	22.72	22.33	22.68		
1.4	3	2	23.41	23.01	23.13	22.99	22.18	22.68		
	6	0	22.10	22.05	22.19	21.13	21.09	21.00		

	LTE Band 5_Uplink frequency band : 824 to 849 MHz											
				Сс	onducted p	oower (dE	3m)					
BW	RB	RB	QPSK				16QAM					
(MHz) Size		СН	СН	СН	СН	СН	СН					
	Size	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20415	20525	20635	20415	20525	20635				
	1	0	23.23	23.26	23.22	22.37	22.41	22.39				
3	1	14	23.07	23.33	23.07	22.15	22.53	22.62				
5	8	4	22.33	22.43	22.37	21.16	21.34	21.36				
	15	0	22.25	22.33	22.46	21.19	21.26	21.50				

	LTE	Band 5_	_Uplink f	requency	y band : 8	324 to 84	9 MHz	
				Сс	onducted p	oower (dE	Sm)	
BW R	RB	RB		QPSK			16QAM	
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН
(11112)	SIZE	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			20425	20525	20625	20425	20525	20625
	1	0	23.08	23.07	23.26	22.26	22.37	22.57
5	1	24	23.24	23.30	23.04	22.11	22.51	22.51
J	12	6	22.18	22.41	22.51	21.19	21.34	21.48
	25	0	22.20	22.43	22.31	21.19	21.19	21.37

	LTE	Band 5_	_Uplink f	requency	/ band : 8	324 to 84	9 MHz		
				Conducted power (dBm)					
BW (MHz)	סס	RB		QPSK			16QAM		
	RB RB Size Offse		СН	СН	СН	СН	СН	СН	
		Size Ulisel	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	
			20450	20525	20600	20450	20525	20600	
	1	0	23.24	23.27	23.43	22.45	22.55	22.49	
10	1	49	23.25	23.48	23.13	22.51	22.62	22.63	
10	25	12	22.34	22.44	22.55	21.36	21.46	21.51	
	50	0	22.27	22.45	22.50	21.32	21.34	21.52	

www.tw.sgs.com



L	TE Ba	nd 7_U	plink fre	quency	band : 2	2500 to 2	2570 MH	z
					ducted p			
				QPSK	I	,	, 16QAM	
BW	RB	RB	СН	СН	СН	СН	СН	СН
(MHz)	Size	Offset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			20775	21100	21425	20775	21100	21425
	1	0	23.61	23.31	22.85	22.55	22.30	22.05
F	1	24	23.33	23.45	22.10	22.21	22.84	21.84
5	12	6	22.50	22.33	21.62	21.51	21.50	20.67
	25	0	22.51	22.36	21.75	21.61	21.44	20.58
L	TE Ba	nd 7_U	olink fre		band : 2			z
					ducted p	power (d		
BW	RB	RB		QPSK			16QAM	
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН
(11112)	0120	Onsor	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			20800	21100	21400	20800	21100	21400
	1	0	23.60	23.35	22.83	22.58	22.34	22.02
10	1	49	23.25	23.38	22.10	22.19	22.87	21.92
10	25	12	22.59	22.25	21.64	21.56	21.47	20.51
	50	0	22.50	22.43	21.69	21.43	21.46	20.54
L	TE Ba	nd 7_U	plink fre		band : 2			Z
					ducted p	oower (d		
BW	RB	RB		QPSK			16QAM	
(MHz)	Size	Offset	CH (	СН	СН	CH	СН	СН
· /			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			20825	21100	21375	20825	21100	21375
	1	0	23.64	23.33	22.95	22.40	22.48	22.02
15	1	74	23.16	23.48	22.11	22.13	22.96	21.78
	36	19	22.54	22.21	21.63	21.54	21.38	20.63
	75	0	22.44	22.47	21.65	21.57	21.50	20.69
1	TE Po	nd 7 U	olink fro	auopor	band : 2	)500 to (		7
L		nu /_0			ducted p			Z
				QPSK		u iswei	16QAM	
		DD		-	СН	СН	CH	СН
BW	RB	RB	CU					
(MHz)	RB Size	Offset	CH	CH (Mid)				
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
	Size	Offset	(Low) 20850	(Mid) 21100	(High) 21350	(Low) 20850	(Mid) 21100	(High) 21350
	Size	Offset 0	(Low) 20850 <b>23.67</b>	(Mid) 21100 23.40	(High) 21350 22.96	(Low) 20850 22.60	(Mid) 21100 22.50	(High) 21350 22.15
	Size	Offset 0 99	(Low) 20850 <b>23.67</b> 23.34	(Mid) 21100 23.40 23.52	(High) 21350 22.96 22.26	(Low) 20850 22.60 22.30	(Mid) 21100 22.50 <b>23.00</b>	(High) 21350 22.15 21.96
(MHz)	Size	Offset 0	(Low) 20850 <b>23.67</b>	(Mid) 21100 23.40	(High) 21350 22.96	(Low) 20850 22.60	(Mid) 21100 22.50	(High) 21350 22.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北產五股區新北產業園區五工路 134 號

www.tw.sgs.com



l	.TE Ba	and 12_	Uplink fi	requenc	y band	: 699 to	716 MH	Z
				Con	ducted p	bower (d	Bm)	
	חח	חח		QPSK			16QAM	
BW	RB Sizo	RB Offset	СН	СН	СН	СН	СН	СН
(MHz)	Size	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			23017	23095	23173	23017	23095	23173
	1	0	22.46	22.43	22.45	21.20	21.72	21.63
1.4	1	5	22.11	22.31	22.05	21.25	21.20	21.27
1.4	3	2	22.38	22.45	22.45	21.30	21.47	21.42
	6	0	21.22	21.32	21.36	20.26	20.29	20.30
L	TE Ba	and 12_	Uplink f	requenc	·			Z
				Con	Bm)			
BW	RB	RB		QPSK			16QAM	
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН
(11112)	0120	011300	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			23025	23095	23165	23025	23095	23165
	1	0	22.85	22.98	22.92	22.15	21.63	22.18
3	1	14	22.89	22.99	22.78	21.94	21.94	22.34
U	8	4	21.73	21.87	21.82	20.87	20.65	20.93
	15	0	21.72	21.64	21.66	20.60	20.73	20.75
	TE Ba	and 12_	Uplink fi	requenc	·			Z
					ducted p	power (d		
BW	RB	RB		QPSK			16QAM	
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН
()	0.20	0	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			23035	23095	23155	23035	23095	23155
	1	0	22.95	22.82	22.83	22.12	21.57	22.27
5	1	24	22.87	22.95	22.84	22.03	22.04	22.33
-	12	6	21.85	21.80	21.82	20.84	20.58	20.90
	25	0	21.68	21.64	21.70	20.79	20.69	20.74
l	TE Ba	and 12_	Uplink fi	requenc	·			Z
					ducted p	oower (d		
BW	RB	RB		QPSK			16QAM	
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН
()		2	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			23060	23095	23130	23060	23095	23130

0

49

12

0

22.96

23.01

21.88

21.85

22.99

23.08

21.90

21.82

22.97

22.94

21.94

21.85

1

1

25

50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may here produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may he prosecuted to the fully extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

22.20

22.13

20.93

20.80

21.71

22.05

20.74

20.79

22.29

22.42

20.97

20.88

10



l	TE Ba	and 13_	Uplink fi	requenc	y band :	: 777 to	787 MH:	Z
			Conducted power (dBm)					
BW	DD	RB	RB		QPSK			
(MHz)	Size		СН	СН	СН	СН	СН	СН
(11112)	JIZE	Unsei	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			23205	23230	23255	23205	23230	23255
	1	0	22.09	22.54	22.58	21.41	21.72	21.40
5	1	24	22.50	22.18	22.52	21.42	21.19	21.81
5	12	6	21.51	21.50	21.27	20.42	20.41	20.28
	25	0	21.50	21.44	21.62	20.57	20.59	20.69

L	TE Ba	and 13_	Uplink frequency band	: 777 to 787 MHz			
			Conducted power (dBm)				
BW	RB	RB	QPSK	16QAM			
(MHz)	Size	Offset	СН	СН			
			(Mid)	(Mid)			
			23230	23230			
	1	0	22.74	22.27			
10	1	49	22.85	22.12			
10	25	12	21.86	21.04			
	50	0	22.01	20.93			

l	TE Ba	and 17_	Uplink f	requenc	y band	: 704 to	716 MH	Z							
	RB RB			Conducted power (dBm)											
BW		RB		QPSK 16QAM											
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН							
	Size	SIZE	SIZE	SIZE	SIZE	Size	SIZE	SIZE	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			23755	23790	23825	23755	23790	23825							
	1	0	22.73	22.71	22.82	21.82	21.89	21.65							
5	1	24	22.79	22.74	22.79	21.96	22.21	21.80							
5	12	6	21.72	21.82	21.71	20.68	20.66	20.52							
	25	0	21.72	21.65	21.78	20.70	20.57	20.69							

# LTE Band 17 Uplink frequency band : 704 to 716 MHz

	RB RB Size Offset			Conducted power (dBm)						
BW				QPSK			16QAM			
		СН	СН	СН	СН	СН	СН			
		Unsei	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			23780	23790	23800	23780	23790	23800		
	1	0	22.81	22.82	22.90	21.95	22.03	21.67		
10	1	49	22.89	22.80	22.87	22.03	22.24	21.93		
10	25	12	21.88	21.85	21.78	20.81	20.75	20.64		
	50	0	21.78	21.68	21.91	20.75	20.71	20.81		



L	re Bar	nd 25_U	plink fre	equency	band :	1850 to	1915 Mł	Ηz			
				Con	ducted p	ower (d	Bm)				
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН			
(11112)	0120	Onset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			26047	26365	26683	26047	26365	26683			
	1	0	22.60	22.42	22.08	22.46	21.63	22.25			
1.4	1	5	22.61	22.66	22.93	21.93	21.64	21.49			
1.4	3	2	22.74	22.75	22.25	21.87	21.69	21.57			
	6	0	21.70	21.72	21.70	20.76	20.73	20.78			
LT	FE Bar	nd 25_U	plink fre	equency	band :	1850 to	1915 MH	lz			
			Conducted p			ower (d	<b>1915 MHz</b> 3m) 16QAM				
BW	RB	RB		QPSK							
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН			
(11112)	JIZE	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(Lliah)			
			(=0.1.)	(initia)	(i iigii)		(iviid)	(High)			
			26055	26365	(i ligit) 26675	26055	26365	(High) 26675			
	1	0	· · ·	• •		· · ·	• •				
2	1	0 14	26055	26365	26675	26055	26365	26675			
3	-	-	26055 22.69	26365 22.81	26675 22.87	<b>26055</b> 22.35	26365 21.87	26675 22.13			
3	1	14	26055 22.69 22.82	26365 22.81 23.17	26675 22.87 22.45	26055 22.35 22.61	26365 21.87 22.58	26675 22.13 21.77			
3	1	14 4	26055 22.69 22.82 21.69	26365 22.81 23.17 21.71	26675 22.87 22.45 21.51	26055 22.35 22.61 20.88	26365 21.87 22.58 20.91	26675 22.13 21.77 20.63			
	1 8 15	14 4 0	26055 22.69 22.82 21.69 21.80	26365 22.81 23.17 21.71 21.82	26675 22.87 22.45 21.51	26055 22.35 22.61 20.88 20.72	26365 21.87 22.58 20.91 20.96	26675 22.13 21.77 20.63 20.40			

#### QPSK 16QAM BW RB RB CH CH CH CH CH CH (MHz) Size Offset (Low) (Mid) (High) (Low) (Mid) (High) 26065 26365 26665 26065 26365 26665 22.92 21.92 22.75 22.82 22.38 22.28 1 0 22.58 22.59 21.73 1 24 22.88 23.11 22.48 5 12 20.91 6 21.69 21.69 21.51 20.85 20.56 21.93 21.95 25 21.75 20.63 20.39 0 20.86

# LTE Band 25\_Uplink frequency band : 1850 to 1915 MHz

		RB RB		Conducted power (dBm)					
BW	DD			QPSK			16QAM		
(MHz) Size	Offset	СН	СН	СН	СН	СН	СН		
	SIZE	Size Offset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	
			26090	26365	26640	26090	26365	26640	
	1	0	22.72	22.87	22.90	22.24	21.88	22.25	
10	1	49	22.90	23.14	22.47	22.45	22.63	22.40	
10	25	12	21.85	21.65	21.59	20.81	21.02	20.54	
	50	0	21.85	21.86	21.10	20.65	20.86	20.45	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may here produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may he prosecuted to the fully extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



L	TE Bar	nd 25_U	plink fre	equency	band :	1850 to	1915 Mł	Ηz	
				Con	ducted p	oower (d	Bm)		
BW	RB	RB		QPSK			16QAM	6QAM	
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН	
(101112)	JIZC	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	
			26115	26365	26615	26115	26365	26615	
	1	0	22.79	22.68	22.90	22.39	21.79	22.27	
15	1	74	22.86	23.08	22.51	22.44	22.57	21.70	
15	36	19	21.86	21.75	21.61	20.84	20.98	20.70	
	75	0	21.87	21.88	21.08	20.68	20.88	20.54	
	LTE Band 25_Uplink frequency band : 1850 to 1915 MHz								
LI	TE Bar	nd 25_U	plink fre	equency	band :	1850 to	1915 MI	Ηz	
Ľ	re Bar	nd 25_U	plink fre		band : ducted p			Ηz	
Ľ	re Bar	nd 25_U	plink fre		ducted p			lz	
LT BW	r <b>e Ba</b> r RB	nd 25_U RB	plink fre		ducted p	oower (d		-lz	
			plink fre	Con	ducted p	oower (d	Bm)	Hz CH	
BW	RB	RB		Con	ducted p (dE	oower (d Bm)	Bm) 16QAM		
BW	RB	RB	СН	Con QPSK CH	iducted p (dE CH	oower (d 3m) CH	Bm) 16QAM CH	СН	
BW	RB	RB	CH (Low)	Con QPSK CH (Mid)	ducted p (dE CH (High)	oower (d 3m) CH (Low)	Bm) 16QAM CH (Mid)	CH (High)	
BW (MHz)	RB Size	RB Offset	CH (Low) 26140	Con QPSK CH (Mid) 26365	ducted p (dE CH (High) 26590	oower (d 3m) CH (Low) 26140	Bm) 16QAM CH (Mid) 26365	CH (High) 26590	
BW	RB Size	RB Offset	CH (Low) 26140 22.83	Con QPSK CH (Mid) 26365 22.88	ducted p (dE CH (High) 26590 22.93	oower (d 3m) CH (Low) 26140 22.41	Bm) 16QAM CH (Mid) 26365 21.95	CH (High) 26590 22.31	



L	TE Ba	and 26_	Uplink fi	requenc	y band	: 824 to	849 MH	Z		
			Conducted power (dBm)							
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН		
(11112)	JIZE	Unsei	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			26797	26915	27033	26797	26915	27033		
	1	0	22.27	22.41	22.16	21.60	21.67	21.52		
1.4	1	5	22.31	22.31	22.01	21.80	21.25	21.73		
1.4	3	2	22.49	22.48	22.11	21.51	21.38	21.30		
	6	0	21.33	21.38	21.35	20.45	20.36	20.33		

# LTE Band 26\_Uplink frequency band : 824 to 849 MHz

I				Conducted power (dBm)						
BW	RB	RB	QPSK 16QAM							
	(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН	
	(11112)	SIZE	UISEL	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	
				26805	26915	27025	26805	26915	27025	
		1	0	22.53	22.60	22.55	22.09	21.50	21.87	
	3	1	14	22.62	22.71	22.49	21.77	22.13	21.36	
	J	8	4	21.80	21.82	21.85	20.79	20.85	20.90	
		15	0	21.72	21.80	21.67	20.76	20.63	20.74	
ſ										

L	LTE Band 26_Uplink frequency band : 824 to 849 MHz										
			Conducted power (dBm)								
BW	RB	RB		QPSK			16QAM CH CH				
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН			
(11112)	JIZC	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			26815	26915	27015	26815	26915	27015			
	1	0	22.62	22.52	22.40	22.02	21.55	21.93			
Б	1	24	22.61	22.74	22.48	21.70	22.17	21.41			
5	12	6	21.86	21.81	21.89	20.81	20.88	20.77			
	25	0	21.74	21.73	21.74	20.69	20.81	20.89			



L	TE Ba	and 26_	Uplink fi	requenc	y band	: 824 to	849 MH	Z		
				Con	ducted p	oower (d	Bm)			
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН		
(101112)	UILC	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			26840	26915	26990	26840	26915	26990		
	1	0	22.54	22.43	22.49	22.12	21.55	22.03		
10	1	49	22.55	22.62	22.56	21.77	22.08	21.25		
10	25	12	21.90	21.76	21.92	20.81	20.76	20.90		
	50	0	21.74	21.73	21.75	20.69	20.68	20.73		
L	_TE Ba	and 26_	12       21.90       21.76       21.92       20.81       20.76       20.9         0       21.74       21.73       21.75       20.69       20.68       20.7         d 26_Uplink frequency band : 824 to 849 MHz							
				Con	ducted p	power (d	Bm)			
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН		
(11112)	JIZE	Unsei	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			26865	26915	26965	26865	26915	26965		
	1	0	22.68	22.63	22.57	22.17	21.59	22.07		
15	1	74	22.65	22.79	22.66	21.89	22.19	21.45		
10	36	19	21.97	21.92	22.03	20.95	20.96	20.94		
	75	0	21.89	21.82	21.87	20.83	20.82	20.90		

document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Part 90S_LTE Band 26_Uplink frequency band : 814 to 824 MHz										
		Conducted power (dBm)								
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН		
(11112)	SIZE	Size Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			26697	26740	26783	26697	26740	26783		
	1	0	22.09	22.27	21.91	21.53	21.44	21.41		
1.4	1	5	22.18	22.16	21.85	21.62	21.13	21.61		
1.4	3	2	22.44	22.30	22.03	21.31	21.26	21.12		
	6	0	21.11	21.31	21.11	20.36	20.16	20.30		

#### Part 90S\_LTE Band 26\_Uplink frequency band : 814 to 824 MHz

BW (MHz)			Conducted power (dBm)						
	RB	RB	QPSK 160						
	Size	Offset	СН	СН	СН	СН	СН	СН	
	Size	Unsei	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	
			26705	26740	26775	26705	26740	26775	
	1	0	22.48	22.54	22.42	21.95	21.31	21.86	
3	1	14	22.48	22.60	22.24	21.54	22.01	21.17	
3	8	4	21.62	21.61	21.79	20.76	20.79	20.77	
	15	0	21.69	21.78	21.64	20.55	20.55	20.60	

#### Part 90S\_LTE Band 26\_Uplink frequency band : 814 to 824 MHz

BW (MHz)	RB		Conducted power (dBm)						
		RB	QPSK 160						
	Size	Offset	СН	СН	СН	СН	СН	СН	
(11112)	SIZE	UIISEL	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	
			26715	26740	26765	26715	26740	26765	
	1	0	22.56	22.37	22.22	21.79	21.52	21.69	
5	1	24	22.39	22.62	22.40	21.56	22.16	21.29	
5	12	6	21.83	21.61	21.77	20.75	20.79	20.52	
	25	0	21.60	21.54	21.61	20.56	20.69	20.72	

#### Part 90S LTE Band 26 Uplink frequency band : 814 to 824 MHz

		RB Size		Conducted power (dBm)				
	BW (MHz)		RB	QPSK	16QAM			
			Offset	СН	СН			
	(11172)	SIZE	Unset	(Mid)	(Mid)			
				26740	26740			
		1	0	22.57	22.43			
	10	1	49	22.86	22.06			
	10	25	12	22.11	21.00			
		50	0	21.96	20.99			



L	LTE Band 30_Uplink frequency band : 2305 to 2315 MHz										
				Con	ducted p	oower (d	Bm)				
BW	RB	RB		QPSK		16QAM					
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН			
((((12)	0120	Onsor	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			27685	27710	27735	27685	27710	27735			
	1	0	22.73	22.69	22.77	22.05	22.29	22.26			
5	1	24	22.56	22.71	22.67	21.95	22.31	22.14			
J	12	6	21.74	21.87	21.95	20.72	20.80	20.75			
	25	0	21.76	21.92	21.95	20.75	20.81	21.02			
LI	re Bar	nd 30_U	plink fre	equency	band :	2305 to	2315 Mł	Ηz			
				Con	iducted p	bower (d	Bm)				
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset		СН			СН				
(11112)	JIZE	Unsei		(Mid)			(Mid)				
				27710			27710				
	1	0		22.78			22.21				
10	1	49		22.79			21.83				
10	25	12		21.92			20.88				
	50	0		21.91			20.86				



LTE Band 38_Uplink frequency band : 2570 to 2620 MHz										
L	IE Bar	10 38_U	plink tre					IZ		
					ducted p	power (a				
BW	RB	RB		QPSK	011		16QAM			
(MHz)	Size	Offset	CH	CH	CH	CH	CH	CH		
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
	1	0	37775	38000	38225	37775	38000	38225		
	1	0	22.91	22.98	22.72 22.27	22.25	22.22	22.06		
5	-	24	22.41	22.31		21.55	21.60	21.38		
	12 25	6 0	21.38	21.23 21.31	21.05	20.48	20.34	20.30		
	25	0	21.74	21.31	21.20	20.49	20.28	20.27		
1-	TE Bar	nd 20 11	nlink fra	equency	hand ·	2570 to	2620 MI	17		
L	I E Dai	iu 30_0	ршк пе		ducted p			12		
				QPSK		u nower	16QAM			
BW	RB	RB	СН	CH	СН	СН	CH	СН		
(MHz)	Size	Offset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
				37800	38000	38200	37800	38000	38200	
	1	0	23.03	22.80	22.67	22.22	22.22	21.99		
	1	49	22.30	22.21	22.14	21.55	21.56	21.49		
10	25	12	21.38	21.25	21.05	20.48	20.28	20.31		
	50	0	21.62	21.45	21.21	20.56	20.24	20.20		
Ľ	TE Bar	nd 38_U	plink fre	equency	band :	2570 to	2620 MI	Ηz		
				Con	ducted p	oower (d	Bm)			
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН		
(11112)	JIZC	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			37825	38000	38175	37825	38000	38175		
	1	0	22.95	22.79	22.75	22.22	22.09	22.10		
15	1	74	22.39	22.31	22.22	21.53	21.62	21.38		
	36	19	21.33	21.21	21.13	20.30	20.37	20.23		
	75	0	21.69	21.44	21.21	20.46	20.28	20.23		
L	IE Bar	nd 38_U	plink fre	equency				ΗZ		
					ducted p	oower (d				
BW	RB	RB		QPSK	CLL		16QAM	011		
(MHz)	Size	Offset	CH	CH (Mid)	CH (Uiab)	CH	CH (Mid)	CH (Lligh)		
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
	1	0	37850	38000	38150	37850	38000	38150		
	1	0 99	<b>23.04</b> 22.44	22.99 22.34	22.86 22.28	<b>22.30</b> 21.61	22.27	22.13		
			1144	11.54	///X	21.01	21.69	21.55		
20	1						20 10			
20	50 100	25 0	21.49 21.75	21.26 21.48	21.20 21.34	20.50 20.62	20.40 20.40	20.32 20.33		



LI	re Bar	nd 41_U	plink fre	equency	band :	2496 to	2690 MI	Ηz		
				Con	ducted p	bower (d	Bm)			
BW	RB	RB		QPSK			16QAM			
ыл (MHz)	Size	Offset	СН	СН	СН	СН	СН	СН		
(11112)	SIZE	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			39675	40620	41565	39675	40620	41565		
	1	0	22.01	22.80	22.29	21.16	22.09	21.50		
5	1	24	22.06	22.97	22.03	21.69	22.18	21.28		
5	12	6	21.15	21.96	21.35	20.05	21.00	20.21		
	25	0	21.00	22.04	21.08	20.08	21.03	20.21		
LI	re Bar	nd 41_U	plink fre	equency	band :	2496 to	2690 Mł	Ηz		
			Conducted power (dBm)							
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН		
(11112)	SIZE	UIISEL	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			39700	40620	41540	39700	40620	41540		
	1	0	22.19	22.83	22.33	21.05	22.03	21.69		
10	1	49	22.11	22.98	22.11	21.56	22.33	21.39		
10	25	12	21.04	22.04	21.36	20.06	21.05	20.37		
	50	0	21.95	22.04	21.10	20.06	21.03	20.30		
LI	re Bar	nd 41_U	plink fre		band :			lz		
					ducted p	ower (d	/			
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН		
(101112)	SIZC	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			39725	40620	41515	39725	40620	41515		
	1	0	22.08	22.75	22.37	21.04	22.03	21.61		
15	1	74	22.19	23.00	22.07	21.54	22.20	21.30		
10	36	19	21.17	21.97	21.21	20.07	21.18	20.35		
	75	0	21.97	21.90	21.23	20.11	21.13	20.24		
LI	LTE Band 41_Uplink frequency band : 2496 to 2690 MHz									

L											
			Conducted power (dBm)								
BW		RB		QPSK			16QAM				
ыл (MHz)	RB Size	Offset	СН	СН	СН	СН	СН	СН			
(11112)	SIZE	e Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			39750	40620	41490	39750	40620	41490			
	1	0	22.05	22.88	22.45	21.24	22.10	21.70			
20	1	99	22.24	23.05	22.13	21.70	22.37	21.45			
20	50	25	21.24	22.13	21.39	20.17	21.19	20.41			
	100	0	21.10	22.06	21.27	20.12	21.16	20.39			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subduiting cannot be reproduced to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

www.tw.sgs.com



<b>.</b>											
L	re Bar	nd 66_U	plink fre	equency				Ηz			
				Con	ducted p	oower (d	Bm)				
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН			
(11112)	JIZE	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			1E+05	1E+05	1E+05	1E+05	1E+05	1E+05			
	1	0	22.48	22.34	22.34	21.84	21.61	21.88			
1.4	1	5	22.45	22.34	22.29	21.55	21.54	21.59			
1.4	3	2	22.67	22.54	22.52	21.58	21.54	21.27			
	6	0	21.50	21.41	21.30	20.52	20.53	20.40			
LTE Band 66_Uplink frequency band : 1709 to 1780 MHz											
Conducted power (dBm)											
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН			
(11112)	0120	Onsor	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			1E+05	1E+05	1E+05	1E+05	1E+05	1E+05			
	1	0	22.25	22.24	22.33	21.12	21.19	21.50			
3	1	14	22.40	22.20	22.28	21.92	21.18	21.26			
5	8	4	21.53	21.38	21.54	20.54	20.40	20.57			
	15	0	21.42	21.28	21.46	20.53	20.23	20.47			
L	re Bar	nd 66_U	plink fre	equency				lz			
					ducted p	bower (d	•				
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН			
()			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			1E+05	1E+05	1E+05	1E+05	1E+05	1E+05			
	1	0	22.20	22.14	22.15	21.23	21.22	21.56			
5	1	24	22.29	22.23	22.30	21.81	21.24	21.14			
	12	6	21.44	21.44	21.58	20.71	20.54	20.62			
	25	0	21.47	21.37	21.63	20.41	20.24	20.40			
						1700 -	1700 14				
L	E Bar	10 66_0	DINK TR	equency				ΊΖ			
				QPSK	ducted p	ower (a	вт) 16QAM				
BW	RB	RB	CU	CH	СН	СН	CH	CU			
(MHz)	Size	Offset	CH	(Mid)				CH (High)			
			(Low)	· · /	(High)	(Low)	(Mid)	(High)			
	1	0	1E+05	1E+05	1E+05	1E+05	1E+05	1E+05			
	1	0	22.17	22.17	22.22	21.19	21.29	21.58			
10	1 25	49	22.22	22.28	22.31	21.76	21.26	21.21			
	25	12	21.51	21.41	21.65	20.67	20.41	20.49			
	50	0	21.47	21.41	21.55	20.41	20.33	20.40			



L	LTE Band 66_Uplink frequency band : 1709 to 1780 MHz									
				Con	ducted p	oower (d	Bm)			
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН		
(101112)	JIZC	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			1E+05	1E+05	1E+05	1E+05	1E+05	1E+05		
	1	0	22.11	22.22	22.15	21.07	21.17	21.56		
15	1	74	22.30	22.37	22.19	21.82	21.27	21.10		
15	36	19	21.45	21.37	21.54	20.55	20.37	20.51		
	75	0	21.45	21.32	21.49	20.49	20.29	20.40		
L	TE Bar	nd 66_U	plink fre	equency	band :	1709 to	1780 Mł	Ηz		
				Con	ducted p	power (dBm)				
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН		
(11112)	JIZC	Unsei	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			1E+05	1E+05	1E+05	1E+05	1E+05	1E+05		
	1	0	22.28	22.27	22.35	21.24	21.30	21.66		
20	1	99	22.42	22.39	22.33	21.95	21.36	21.30		
20	50	25	21.61	21.56	21.70	20.74	20.57	20.63		
	100	0	21.52	21.42	21.66	20.57	20.35	20.53		



# **HSDPA Release 6 MODE:**

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

## **HSDPA SUB-TEST Setting**

Table C.10.1.4:  $\beta$  values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βc	βd	β₀ ( <b>SF</b> )	β₀/β₀	βнs ( <i>Note1,</i> Note 2)	<b>CM (dB)</b> (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

### **Results:**

Mode	Sub test	Avg	. Power (d Channel	Bm)	Power Class 3 Limitation (dBm)	Comments
	iesi	9262	9400	9538		
	1	22.80	22.82	22.97	20.3dBm – 25.7dBm	Pass
HSDPA II	2	21.90	21.87	22.02	20.3dBm – 25.7dBm	Pass
II JUFA II	3	21.15	21.20	21.23	19.8dBm – 25.7dBm	Pass
	4	21.09	21.08	21.14	19.8dBm – 25.7dBm	Pass

Mode	Sub	Avg	. Power (d Channel	Bm)	Power Class 3	Comments
	test	1312	1413	1513	Limitation (dBm)	
	1	22.62	22.94	23.22	20.3dBm – 25.7dBm	Pass
HSDPA IV	2	22.69	22.22	22.25	20.3dBm – 25.7dBm	Pass
ISUFAIV	3	20.91	21.44	21.43	19.8dBm – 25.7dBm	Pass
	4	20.80	21.35	21.36	19.8dBm – 25.7dBm	Pass

Mode	Sub	Avg	. Power (d Channel	Bm)	Power Class 3 Limitation (dBm)	Comments
	test	4132	4183	4233		
	1	22.93	22.97	22.72	20.3dBm – 25.7dBm	Pass
HSDPA V	2	22.03	22.06	21.86	20.3dBm – 25.7dBm	Pass
	3	21.21	21.23	21.07	19.8dBm – 25.7dBm	Pass
	4	21.11	21.15	20.96	19.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. This document are not be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

www.tw.sgs.com



# HSPA (HSDPA & HSUPA) Release 6 MODE

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing

## **HSPA SUB-TEST Setting**

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	βc	βa	β₀ (SF)	βс∕βа	βнs	βес	βed	β <sub>ed</sub> (SF)	β <sub>ed</sub> (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps )
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β <sub>ed</sub> 1: 47/15 β <sub>ed</sub> 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

### **Results:**

Mode	Sub	Avg. Power (dBm) Channel			Power Class 3 Limitation (dBm)	Comments
	test	9262	9400	9538		
	1	21.93	21.94	22.05	18.8dBm – 25.7dBm	Pass
	2	21.83	21.84	21.99	16.8dBm – 25.7dBm	Pass
HSUPA II	3	21.61	21.53	21.72	17.8dBm – 25.7dBm	Pass
	4	22.79	22.82	22.97	16.8dBm – 25.7dBm	Pass
	5	21.78	21.74	21.91	18.8dBm – 25.7dBm	Pass

Mode	Sub	Avg	. Power (d Channel	Bm)	Power Class 3 Limitation (dBm)	Comments
	test	1312	1413	1513		
	1	21.73	22.26	22.28	20.3dBm – 25.7dBm	Pass
	2	21.68	22.22	22.24	20.3dBm – 25.7dBm	Pass
HSDPA IV	3	21.40	21.92	21.93	19.8dBm – 25.7dBm	Pass
	4	22.65	22.72	23.22	19.8dBm – 25.7dBm	Pass
	5	21.56	22.11	22.13	19.8dBm – 25.7dBm	Pass

Mode	Sub	Avg	. Power (d Channel	Bm)	Power Class 3 Limitation (dBm)	Comments
	test	4132	4183	4233		
	1	22.10	22.12	21.93	18.8dBm – 25.7dBm	Pass
	2	22.03	22.04	21.82	16.8dBm – 25.7dBm	Pass
HSUPA V	3	21.76	21.74	21.56	17.8dBm – 25.7dBm	Pass
	4	22.81	22.97	22.63	16.8dBm – 25.7dBm	Pass
	5	21.97	22.00	21.81	18.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

除非方方机则 "此我告惑未僅對測風之樣而具真" 问时此能通性体留犯犬 《本現音未整本公司書面計引 "不可能过程者" This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sgs.com



# WCDMA/HSDPA/HSUPA band II, IV, V

The EUT output power was controlled by simulator. Set Communication Tester MT8820C function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 15 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. This document are not be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



# 7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER MEASUREMENT

# 7.1. Standard Applicable

According to FCC §2.1046

FCC 22.913(a) Mobile station is limited to 7W ERP.

FCC 24.232(b) Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50(a)(3) Mobile and portable stations (hand-held devices) are limited to 250 mW/ 5MHz EIRP.

FCC 27.50(b)(10) Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP.


FCC 27.50(c)(10) Portable stations (hand-held devices) are limited to 3 watts ERP.

FCC 27.50(d)(4) Fixed, mobile, and portable (hand-held) stations are limited to 1W EIRP.

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2 W EIRP FCC 90.635(b) Mobile station is limited to 100W ERP

# 7.2. Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below1000MHz



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# (B) Radiated Power Test Set-UP Frequency Over 1 GHz



# (C) Substituted Method Test Set-UP





# 7.3. Measurement Procedure

- The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
- 3. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated
- 4. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power level of S.G.
- 6. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 7. EIRP = S.G. output (dBm) + Antenna Gain (dBi) Cable Loss (dB)
- 8. Spectrum setting:

(1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.

(2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW ≈ 1~5% of the span, not to exceed 1 MHz

Set  $VBW = 3 \times RBW$ ;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt integration time (ex. Point = 601 points, then sweet time =  $601*10^{-3}$  = 6s.

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level;

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10\*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 7.4. Measurement Equipment Used

ER	ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber											
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.							
Broadband Antenna	TESEQ	CBL 6112D	35243	2017/11/10	2018/11/9							
Broadband Antenna	TESEQ	CBL 6112D	35243	2017/11/10	2018/11/9							
Horn Antenna	Schwarzbeck	BBHA9120D	1187	2018/01/04	2019/01/03							
Horn Antenna	Schwarzbeck	BBHA9120D	1341	2017/05/31	2018/05/30							
EMI Test Receiver	R&S	ESU 40	100363	2018/04/11	2019/04/10							
Radio Communica- tion Analyer	Anritsu	MT8820C	6201107337	2017/06/11	2018/06/10							
Pre-Amplifier	<b>EMC</b> Instruments	EMC330	980096	2017/12/26	2018/12/25							
Pre-Amplifier	<b>EMC</b> Instruments	EMC0011830	980199	2017/12/26	2018/12/25							
Pre-Amplifier	<b>EMC</b> Instruments	EMC184045B	980135	2017/10/27	2018/10/26							
Coaxial Cable	Huber Suhner	SUCOFLEX 104	MY17388/4	2017/12/26	2018/12/25							
Coaxial Cable	Huber Suhner	RG 214/U	W22.03	2017/12/26	2018/12/25							
Coaxial Cable	Huber Suhner	SUCOFLEX 104	MY17413/4	2017/12/26	2018/12/25							



# 7.5. Measurement Result: (Peak) -using option of peak measurement

	EUT				Measur	ement		
Operation	Fundamental	СН	Antenna	S.G.	Antenna	Cable	EIRP	Limit
Band	Frequency		Pol.	Output	Gain	Loss		
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1852.4	9262	V	8.23	9.58	-7.21	10.60	33.00
	1002.4	9202	Н	20.94	9.58	-7.21	23.31	33.00
WCDMA	1880.0	9400	V	8.89	9.69	-7.27	11.31	33.00
Band II	1000.0	7400	Н	23.56	9.69	-7.27	25.98	33.00
	1907.6	9538	V	8.78	9.81	-7.33	11.26	33.00
	1907.0	7000	Н	20.31	9.81	-7.33	22.79	33.00
	1052 4	02/2	V	4.50	9.58	-7.21	6.87	33.00
	1852.4	9262	Н	21.54	9.58	-7.21	23.91	33.00
HSDPA	1880.0	9400	V	7.45	9.70	-7.27	9.88	33.00
Band II	1000.0	9400	Н	22.26	9.70	-7.27	24.69	33.00
	1007 /	0520	V	8.77	9.81	-7.33	11.25	33.00
	1907.6	9538	Н	20.07	9.81	-7.33	22.55	33.00
	1052 4	02/2	V	3.15	9.58	-7.21	5.52	33.00
	1852.4	9262	Н	21.85	9.58	-7.21	24.22	33.00
HSUPA	1880.0	9400	V	6.30	9.70	-7.27	8.73	33.00
Band II	1000.0	9400	Н	22.61	9.70	-7.27	25.04	33.00
	1907.6	9538	V	8.98	9.81	-7.33	11.46	33.00
	1907.0	9000	Н	20.63	9.81	-7.33	23.11	33.00
Remark :	(1)The RBW,VB	W of SP/	A for frequer	ncy RBW=3	300 KHz, V	/BW=1MHz	Z	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



	EUT				Measur	ement		
Operation	Fundamental	СН	Antenna	S.G.	Antenna	Cable	EIRP	Limit
Band	Frequency		Pol.	Output	Gain	Loss		
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1712.4	1312	V	8.21	6.84	-6.59	8.46	30.00
	1712.4	1312	Н	19.46	6.84	-6.59	19.71	30.00
WCDMA	1732.6	1413	V	1.12	6.92	-6.62	1.42	30.00
Band IV	1752.0	1413	Н	15.67	6.93	-6.62	15.98	30.00
	1752.6	1513	V	1.80	7.01	-6.66	2.15	30.00
	1752.0	1010	Н	17.95	7.01	-6.66	18.30	30.00
	1710 /	1010	V	8.15	6.84	-6.59	8.40	30.00
	1712.4	1312	Н	18.62	6.85	-6.59	18.88	30.00
HSDPA	1732.6	1413	V	1.04	6.92	-6.62	1.34	30.00
Band IV	1752.0	1415	Н	15.99	6.92	-6.62	16.29	30.00
	1752.6	1513	V	1.83	7.01	-6.66	2.18	30.00
	1752.0	1010	Н	17.94	7.01	-6.66	18.29	30.00
	1712.4	1312	V	8.19	6.84	-6.58	8.45	30.00
	1712.4	1312	Н	18.63	6.84	-6.59	18.88	30.00
HSUPA	1732.6	1413	V	0.92	6.92	-6.62	1.22	30.00
Band IV	1702.0	111	Н	15.73	6.93	-6.62	16.04	30.00
	1752.6	1513	V	2.28	7.01	-6.66	2.63	30.00
H 17.91 7.01 -6.66 18.26 30.00								
Remark :	(1)The RBW,VB	W of SP/	A for frequer	ncy RBW=	5MHz , VE	3W= 8MHz	,	



	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	826.4	4132	V	2.23	5.13	-4.19	3.17	38.45
	020.4	4132	Н	0.55	5.13	-4.19	1.49	38.45
WCDMA	836.6	4183	V	3.26	5.09	-4.23	4.12	38.45
Band V	030.0	4103	Н	0.48	5.10	-4.23	1.35	38.45
	846.6	4233	V	3.86	5.06	-4.26	4.66	38.45
	040.0	4233	Н	1.56	5.06	-4.26	2.36	38.45
	826.4	4132	V	2.39	5.13	-4.19	3.33	38.45
	020.4	4132	Н	0.66	5.13	-4.18	1.61	38.45
HSDPA	026.6	4183	V	3.19	5.10	-4.23	4.06	38.45
Band V	836.6	4103	Н	0.90	5.10	-4.23	1.77	38.45
	846.6	4233	V	3.80	5.06	-4.26	4.60	38.45
	040.0	4233	Н	-0.35	5.06	-4.26	0.45	38.45
	826.4	4132	V	2.27	5.13	-4.18	3.22	38.45
	020.4	4132	Н	0.37	5.13	-4.19	1.31	38.45
HSUPA	836.6	4183	V	3.11	5.09	-4.23	3.97	38.45
Band V	030.0	4103	Н	0.57	5.10	-4.22	1.45	38.45
-	Q16 6	1000	V	3.78	5.06	-4.26	4.58	38.45
	846.6	4233 -	Н	1.56	5.06	-4.26	2.36	38.45
Remark :	(1)The RBW,VB	W of SP/	A for frequer	ncy RBW=3	300 KHz, V	/BW=1MHz	Z	



	EUT				Measurem	nent		
Operation Band	Fundamental	СН	Antenna	S.G.	Antenna	Cable	EIRP	Limit
Band	Frequency		Pol.	Output	Gain		dDm	مالك
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1850.7	18607	V	8.30	7.42	-6.86	8.86	33.01
BAND 2			H	20.74	7.42	-6.86	21.30	33.01
BW: 1.4M	1880.0	18900	V	-1.11	7.54	-6.91	-0.48	33.01
QPSK			H	20.19	7.55	-6.91	20.83	33.01
RB: 1,0	1909.3	19193	V	-2.94	7.67	-6.97	-2.24	33.01
			H	18.95	7.67	-6.97	19.65	33.01
LTE	1850.7	18607	V	7.78	7.43	-6.86	8.35	33.01
BAND 2			H	20.58	7.42	-6.86	21.14	33.01
BW: 1.4M QPSK	1880.0	18900	V	0.64	7.55	-6.91	1.28	33.01
		10700	Н	20.46	7.55	-6.91	21.10	33.01
RB: 1,5	1909.3	19193	V	-5.36	7.67	-6.97	-4.66	33.01
ND: 1,5	1707.5	17175	Н	18.98	7.67	-6.97	19.68	33.01
LTE	1850.7	18607	V	7.92	7.42	-6.86	8.48	33.01
BAND 2	1050.7	10007	Н	20.60	7.42	-6.86	21.16	33.01
BW: 1.4M	1880.0	18900	V	-0.83	7.55	-6.91	-0.19	33.01
16QAM	1000.0	10900	Н	20.59	7.55	-6.91	21.23	33.01
RB: 1,0	1909.3	19193	V	-3.74	7.67	-6.97	-3.04	33.01
KD. 1,0	1707.3	17175	Н	19.18	7.67	-6.97	19.88	33.01
LTE	1850.7	18607	V	8.02	7.43	-6.86	8.59	33.01
	1000.7	10007	Н	20.74	7.43	-6.86	21.31	33.01
BAND 2	1000 0	10000	V	-0.47	7.55	-6.91	0.17	33.01
BW: 1.4M 16QAM RB: 1,5	1880.0	18900	Н	20.66	7.55	-6.91	21.30	33.01
	1000.2	10102	V	-3.81	7.67	-6.97	-3.11	33.01
	1909.3	19193	H	19.15	7.67	-6.97	19.85	33.01
Remark :	(1)The RBW,VB	W of SP	A for frequer	ncy RBW=	8MHz , VB	W= 8MH	Z	




	EUT				Measure	ment				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
LTE	1851.5	18615	V	7.70	7.42	-6.86	8.26	33.01		
BAND 2	1051.5	10015	Н	20.55	7.42	-6.86	21.11	33.01		
BW: 3M	1880.0	18900	V	-0.62	7.54	-6.91	0.01	33.01		
QPSK	1000.0	10700	Н	20.38	7.54	-6.91	21.01	33.01		
RB: 1,0	1908.5	19185	V	-4.68	7.66	-6.96	-3.98	33.01		
KD. 1,0	1900.5	17105	Н	19.40	7.66	-6.96	20.10	33.01		
LTE	1851.5	18615	V	7.47	7.43	-6.86	8.04	33.01		
BAND 2	1031.3	10015	Н	20.67	7.43	-6.86	21.24	33.01		
BW: 3M QPSK	1880.0	18900	V	1.74	7.55	-6.91	2.38	33.01		
	1000.0	10700	Н	20.61	7.55	-6.91	21.25	33.01		
RB: 1,14	1008 5	19185	V	-5.27	7.67	-6.97	-4.57	33.01		
ND. 1,14	1908.5	17105	Н	19.06	7.67	-6.97	19.76	33.01		
LTE	1851.5	18615	V	8.17	7.42	-6.86	8.73	33.01		
BAND 2	1031.3	10015	Н	20.95	7.42	-6.86	21.51	33.01		
BAND 2 BW: 3M	1880.0	18900	V	-1.37	7.54	-6.91	-0.74	33.01		
16QAM	1000.0	10700	Н	20.80	7.54	-6.91	21.43	33.01		
RB: 1,0	1908.5	19185	V	-2.90	7.66	-6.96	-2.20	33.01		
KD. 1,0	1700.5	17105	Н	19.50	7.66	-6.96	20.20	33.01		
LTE	1851.5	18615	V	7.55	7.43	-6.86	8.12	33.01		
BAND 2	1051.5	10015	Н	21.01	7.43	-6.86	21.58	33.01		
	1880.0	18900	V	0.60	7.55	-6.92	1.23	33.01		
BW: 3M 16QAM RB: 1,14	1000.0	10700	Н	20.91	7.55	-6.91	21.55	33.01		
	1908.5	19185	V	-5.33	7.67	-6.97	-4.63	33.01		
KD. 1,14	1700.0	17103	Н	19.34	7.67	-6.97	20.04	33.01		
Remark :										



	EUT				Measure	ment			
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
LTE	1852.5	18625	V	8.82	7.42	-6.86	9.38	33.01	
BAND 2	1002.0	10020	Н	20.71	7.42	-6.86	21.27	33.01	
BAND 2 BW: 5M	1880.0	18900	V	-3.72	7.54	-6.91	-3.09	33.01	
QPSK	1000.0	10700	Н	19.93	7.54	-6.91	20.56	33.01	
RB: 1,0	1907.5	19175	V	-1.79	7.65	-6.96	-1.10	33.01	
KD. 1,0	1907.5	19175	Н	19.13	7.65	-6.96	19.82	33.01	
LTE	1852.5	18625	V	7.79	7.44	-6.86	8.37	33.01	
BAND 2	1052.5	10025	Η	20.22	7.44	-6.86	20.80	33.01	
BW: 5M QPSK	1880.0	18900	V	1.64	7.55	-6.92	2.27	33.01	
	1000.0	10700	Η	20.44	7.56	-6.92	21.08	33.01	
RB: 1,24	1907.5	19175	V	-4.69	7.67	-6.97	-3.99	33.01	
ND. 1,24	1907.5	17175	Н	18.78	7.67	-6.97	19.48	33.01	
LTE	1852.5	18625	V	8.17	7.42	-6.86	8.73	33.01	
BAND 2	1052.5	10025	Н	20.49	7.42	-6.86	21.05	33.01	
BAND 2 BW: 5M	1880.0	18900	V	-2.99	7.53	-6.91	-2.37	33.01	
16QAM	1000.0	10700	Н	20.14	7.54	-6.91	20.77	33.01	
RB: 1,0	1907.5	19175	V	-1.14	7.65	-6.96	-0.45	33.01	
KD. 1,0	1707.5	17175	Н	19.20	7.65	-6.96	19.89	33.01	
LTE	1852.5	18625	V	7.74	7.44	-6.86	8.32	33.01	
BAND 2	1052.5	10025	Η	20.35	7.44	-6.86	20.93	33.01	
	1880.0	18900	V	2.53	7.56	-6.92	3.17	33.01	
BW: 5M 16QAM RB: 1,24	1000.0	10700	Н	20.63	7.56	-6.92	21.27	33.01	
	1907.5	19175	V	-6.71	7.67	-6.97	-6.01	33.01	
H 18.98 /.6/ -6.9/ 19.68 33.01									
Remark :	(1) The RBW,	/BW of S	SPA for free	luency R	RM= 8MH	z,VBW=	= 8MHz		



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1855.0	18650	V	7.15	7.42	-6.86	7.71	33.01
BAND 2	1055.0	10050	Н	20.09	7.42	-6.86	20.65	33.01
BW: 10M	1880.0	18900	V	-9.82	7.53	-6.90	-9.19	33.01
	1000.0	10700	Н	19.82	7.53	-6.90	20.45	33.01
QPSK RB: 1,0 LTE BAND 2 BW: 10M	1905.0	19150	V	1.06	7.63	-6.95	1.74	33.01
	1703.0	17130	Н	19.01	7.63	-6.95	19.69	33.01
ITE	1855.0	18650	V	7.22	7.46	-6.87	7.81	33.01
	1000.0	10050	Н	21.16	7.46	-6.87	21.75	33.01
	1880.0	18900	V	2.17	7.57	-6.92	2.82	33.01
	1000.0	10700	Н	20.83	7.57	-6.92	21.48	33.01
RB: 1,49	1905.0	19150	V	-2.83	7.67	-6.97	-2.13	33.01
	1700.0	17100	Н	18.81	7.67	-6.97	19.51	33.01
LTE	1855.0	18650	V	7.29	7.42	-6.86	7.85	33.01
BAND 2	1000.0	10000	Н	20.31	7.42	-6.86	20.87	33.01
BW: 10M	1880.0	18900	V	-11.86	7.53	-6.91	-11.24	33.01
16QAM	1000.0	10700	Н	20.02	7.53	-6.90	20.65	33.01
RB: 1,0	1905.0	19150	V	1.55	7.63	-6.95	2.23	33.01
KD. 1,0	1705.0	17150	Н	19.39	7.63	-6.95	20.07	33.01
LTE	1855.0	18650	V	7.37	7.46	-6.87	7.96	33.01
BAND 2	1055.0	10030	Н	21.32	7.46	-6.87	21.91	33.01
	1880.0	18900	V	1.23	7.57	-6.92	1.88	33.01
BW: 10M 16QAM RB: 1,49	1000.0	10700	Н	21.02	7.57	-6.92	21.67	33.01
	1905.0	19150	V	-4.12	7.67	-6.97	-3.42	33.01
			Н	18.98	7.67	-6.97	19.68	33.01
Remark :	(1)The RBW,V	BW of S	PA for frequ	uency RE	BW= 8MHz	, VBW=	8MHz	





	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1857.5	18675	V	7.63	7.42	-6.86	8.19	33.01
BAND 2	1037.3	10075	Н	20.37	7.42	-6.86	20.93	33.01
BW: 15M	1880.0	18900	V	-7.55	7.51	-6.90	-6.94	33.01
QPSK	1000.0	10700	Н	19.64	7.52	-6.90	20.26	33.01
RB: 1,0	1902.5	19125	V	3.32	7.61	-6.94	3.99	33.01
KD. 1,0	1702.5	17125	Н	19.60	7.61	-6.94	20.27	33.01
LTE	1857.5	18675	V	5.17	7.48	-6.88	5.77	33.01
BAND 2	1037.5	10073	Н	20.61	7.48	-6.88	21.21	33.01
BAND 2 BW: 15M QPSK RB: 1,74	1880.0	18900	V	1.75	7.58	-6.93	2.40	33.01
	1000.0	10700	Н	20.59	7.57	-6.92	21.24	33.01
	1902.5	19125	V	-1.95	7.67	-6.97	-1.25	33.01
	1702.5	17125	Н	18.88	7.67	-6.97	19.58	33.01
LTE	1857.5	18675	V	7.52	7.43	-6.86	8.09	33.01
BAND 2	1037.3	10075	Н	20.36	7.42	-6.86	20.92	33.01
BW: 15M	1880.0	18900	V	-6.66	7.52	-6.90	-6.04	33.01
16QAM	1000.0	10700	Н	20.05	7.52	-6.90	20.67	33.01
RB: 1,0	1902.5	19125	V	3.37	7.61	-6.94	4.04	33.01
KD. 1,0	1702.5	17125	Н	19.99	7.61	-6.94	20.66	33.01
LTE	1857.5	18675	V	4.93	7.48	-6.88	5.53	33.01
BAND 2	1057.5	10075	Н	20.53	7.48	-6.88	21.13	33.01
	1880.0	18900	V	3.25	7.58	-6.93	3.90	33.01
BW: 15M 16QAM RB: 1,74	1000.0	10700	Н	20.66	7.57	-6.93	21.30	33.01
	1902.5	19125	V	-3.78	7.66	-6.96	-3.08	33.01
			Н	19.05	7.67	-6.97	19.75	33.01
Remark :	(1)The RBW,V	BW of S	PA for frequ	lency RE	3W= 8MHz	: , VBW=	8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1860.0	18700	V	7.26	7.43	-6.86	7.83	33.01
BAND 2	1000.0	10700	Н	20.32	7.42	-6.86	20.88	33.01
BW: 20M	1880.0	18900	V	-3.85	7.51	-6.90	-3.24	33.01
QPSK	1000.0	10700	Н	20.46	7.51	-6.90	21.07	33.01
RB: 1,0	1860.0         1880.0         1900.0         1860.0         1880.0         1880.0         1880.0         1880.0         1880.0         1880.0         1880.0         1880.0	19100	V	4.22	7.59	-6.93	4.88	33.01
KD. 1,0	1700.0	19100	Н	20.65	7.59	-6.93	21.31	33.01
LTE	1860.0	18700	V	-1.22	7.50	-6.89	-0.61	33.01
BAND 2	1000.0	10700	Н	21.08	7.50	-6.89	21.69	33.01
BAND 2 BW: 20M QPSK RB: 1,99	1880 0	18900	V	3.85	7.58	-6.93	4.50	33.01
	1000.0	10900	Н	20.37	7.58	-6.93	21.02	33.01
	1000 0	10100	V	-5.12	7.67	-6.97	-4.42	33.01
ND. 1,77	1700.0	19100	Н	18.96	7.67	-6.97	19.66	33.01
LTE	1860.0	18700	V	7.53	7.42	-6.86	8.09	33.01
BAND 2	1000.0	10700	Н	20.57	7.43	-6.86	21.14	33.01
BW: 20M	1880 0	18900	V	-3.77	7.51	-6.90	-3.16	33.01
16QAM	1000.0	10900	Н	20.78	7.51	-6.90	21.39	33.01
RB: 1,0	1900.0	19100	V	4.22	7.60	-6.93	4.89	33.01
KD. 1,0	1700.0	19100	Н	20.69	7.60	-6.93	21.36	33.01
LTE	1860.0	18700	V	-1.55	7.50	-6.89	-0.94	33.01
	1000.0	10700	Н	21.05	7.50	-6.89	21.66	33.01
BAND 2 BW: 15M 16QAM RB: 1,99	1000 0	10000	V	3.76	7.58	-6.93	4.41	33.01
	1880.0	18900	Н	20.31	7.59	-6.93	20.97	33.01
	1000 0	19100	V	-4.59	7.67	-6.97	-3.89	33.01
ND. 1,77	1900.0	19100	Н	19.08	7.67	-6.97	19.78	33.01
Remark :	(1)The RBW,	/BW of S	SPA for free	quency R	BW= 8MH	z,VBW	= 8MHz	



	EUT				Measure	ment			
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
LTE	1710.7	19957	V	10.35	6.83	-6.58	10.60	30.00	
BAND 4	1710.7	17737	Н	19.23	6.83	-6.58	19.48	30.00	
BW: 1.4M	1732.5	20175	V	1.58	6.92	-6.62	1.88	30.00	
QPSK	1752.5	20175	Н	15.75	6.93	-6.62	16.06	30.00	
RB: 1,0	1754.3	20393	V	3.49	7.02	-6.67	3.84	30.00	
$\mathbf{ND}$ . $\mathbf{I}_{i}\mathbf{U}$	1754.5	20373	Н	19.95	7.01	-6.67	20.29	30.00	
LTE	1710.7	19957	V	9.53	6.84	-6.58	9.79	30.00	
BAND 4	1710.7	17737	Н	18.66	6.84	-6.58	18.92	30.00	
BAND 4 BW: 1.4M QPSK	1732.5	20175	V	0.97	6.93	-6.63	1.27	30.00	
	1752.5	20175	Н	15.60	6.93	-6.63	15.90	30.00	
RB: 1,5	1754.3	20393	V	3.23	7.02	-6.67	3.58	30.0030.0030.0030.0030.0030.0030.0030.00	
ND, T, 0	1754.5	20393	Н	19.89	7.02	-6.67	20.24	30.00	
LTE	1710.7	19957	V	9.22	6.83	-6.58	9.47	30.00	
BAND 4	1710.7	17737	Н	18.36	6.83	-6.58	18.61	30.00	
BW: 1.4M	1732.5	20175	V	2.04	6.92	-6.62	2.34	30.00	
16QAM	1752.5	20175	Н	16.14	6.93	-6.62	16.45	30.00	
RB: 1,0	1754.3	20393	V	3.66	7.02	-6.67	4.01	30.00	
KD. 1,0	1754.5	20373	Н	20.13	7.02	-6.67	20.48	30.00	
LTE	1710.7	19957	V	9.40	6.84	-6.58	9.66	30.00	
	1710.7	19937	Н	19.01	6.84	-6.58	19.27	30.00	
BAND 4 BW: 1.4M 16QAM RB: 1,5	1722 5	20175	V	0.92	6.93	-6.63	1.22	30.00	
	1732.5	20175	Н	16.11	6.93	-6.63	16.41	30.00	
	1754.3	20393	V	3.31	7.02	-6.67	3.66	30.00	
H 20.00 7.02 -6.67 20.35 30.00									
Remark :	(1)The RBW,	/BW of S	SPA for free	quency R	BW= 8MH	z , VBW=	= 8MHz		



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1711.5	19965	V	7.47	6.83	-6.58	7.72	30.00
BAND 4	1711.5	17703	Н	19.41	6.83	-6.58	19.66	30.00
BAND 4 BW: 3M	1732.5	20175	V	2.58	6.92	-6.62	2.88	30.00
QPSK	1752.5	20175	Н	16.01	6.92	-6.62	16.31	30.00
RB: 1,0	1753.5	20385	V	7.86	7.01	-6.66	8.21	30.00
KD. 1,0	1755.5	20303	Η	20.15	7.01	-6.66	20.50	30.00
LTE	1711.5	19965	V	8.35	6.85	-6.59	8.61	30.00
BAND 4	1711.5	19900	Н	20.23	6.84	-6.59	20.48	30.00
BAND 4 BW: 3M QPSK RB: 1,14	1732.5	20175	V	3.09	6.93	-6.63	3.39	30.00
	1752.0	20175	Н	15.85	6.93	-6.63	16.15	30.00
	1753.5	20205	V	6.77	7.02	-6.67	7.12	30.00
ND. 1,14	1705.0	20385	Н	19.86	7.02	-6.67	20.21	30.00
LTE	1711.5	10065	V	7.61	6.83	-6.58	7.86	30.00
BAND 4	1711.5	19965	Η	18.43	6.83	-6.58	18.68	30.00
BW: 3M	1732.5	20175	V	2.99	6.92	-6.62	3.29	30.00
16QAM	1752.5	20175	Н	16.54	6.92	-6.62	16.84	30.00
RB: 1,0	1753.5	20385	V	8.14	7.01	-6.66	8.49	30.00
KD. 1,0	1705.0	20300	Н	20.24	7.01	-6.66	20.59	30.00
LTE	1711 5	10045	V	8.88	6.84	-6.59	9.13	30.00
BAND 4	1711.5	19965	Н	20.41	6.85	-6.59	20.67	30.00
	1720 F	20175	V	3.78	6.93	-6.63	4.08	30.00
BW: 3M 16QAM RB: 1,14	1732.5	20175	Н	16.19	6.93	-6.63	16.49	30.00
	1753.5	20385	V	7.17	7.02	-6.67	7.52	30.00
ND. 1,14	1700.0	20000	Н	20.03	7.02	-6.67	20.38	30.00
Remark :	(1)The RBW,	/BW of S	SPA for free	quency R	BW= 8MF	łz , VBW	/= 8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1712.5	19975	V	8.60	6.83	-6.58	8.85	30.00
BAND 4	1712.5	17775	Н	18.03	6.83	-6.58	18.28	30.00
BW: 5M	1732.5	20175	V	3.03	6.92	-6.62	3.33	30.00
QPSK	1752.5	20175	Н	15.85	6.92	-6.62	16.15	30.00
RB: 1,0	1752.5	20375	V	8.65	7.00	-6.66	8.99	30.00
KD. 1,0	1752.5	20375	Н	20.08	7.00	-6.66	20.42	30.00
	1712.5	19975	V	7.78	6.85	-6.59	8.04	30.00
	1712.0	17770	Н	20.43	6.85	-6.59	20.69	30.00
	1732.5	20175	V	3.29	6.94	-6.63	3.60	30.00
LTE BAND 4 BW: 5M QPSK RB: 1,24 LTE	1752.5	20175	Н	15.68	6.94	-6.63	15.99	30.00
	1752.5	20375	V	7.10	7.02	-6.67	7.45	30.00
KD. 1,24	1752.5	20375	Н	19.80	7.02	-6.67	20.15	30.00
ITC	1712.5	19975	V	7.29	6.84	-6.58	7.55	30.00
BAND 4	1712.0	19970	Н	18.43	6.83	-6.58	18.68	30.00
	1722 5	20175	V	3.13	6.92	-6.62	3.43	30.00
BW: 5M	1732.5	20175	Н	16.40	6.91	-6.62	16.69	30.00
16QAM	1753 5	20275	V	8.75	7.00	-6.66	9.09	30.00
RB: 1,0	1752.5	20375	Н	20.29	7.00	-6.66	20.63	30.00
LTE	1710 E	10075	V	8.15	6.85	-6.59	8.41	30.00
BAND 4	1712.5	19975	Н	20.70	6.85	-6.59	20.96	30.00
BW: 5M	1720 E	2017⊑	V	3.83	6.94	-6.63	4.14	30.00
	1732.5	20175	Н	16.27	6.94	-6.63	16.58	30.00
16QAM RB: 1,24	1752 5	20375 -	V	7.34	7.02	-6.67	7.69	30.00
KD. 1,24	1752.5		Н	20.00	7.02	-6.67	20.35	30.00
Remark :	(1)The RBW,V	BW of S	PA for freq	uency RE	BW= 8MHz	z , VBW=	= 8MHz	



EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
LTE BAND 4	1715.0	20000	V	11.63	6.84	-6.58	11.89	30.00	
			Н	18.42	6.83	-6.58	18.67	30.00	
BW: 10M	1732.0	20175	V	8.37	6.91	-6.62	8.66	30.00	
QPSK	1752.0	20175	Н	16.48	6.91	-6.62	16.77	30.00	
	1750.0	20350	V	11.48	6.98	-6.65	11.81	30.00	
RB: 1,0			Н	19.55	6.98	-6.65	19.88	30.00	
LTE	1715.0	20000	V	11.27	6.87	-6.60	11.54	30.00	
BAND 4			Н	19.75	6.87	-6.60	20.02	30.00	
BAND 4 BW: 10M	1732.0	20175	V	8.53	6.95	-6.63	8.85	30.00	
QPSK			Н	15.76	6.94	-6.63	16.07	30.00	
	1750.0	20350	V	10.56	7.02	-6.67	10.91	30.00	
RB: 1,49			Н	20.00	7.02	-6.67	20.35	30.00	
LTE	1715.0	20000	V	11.69	6.84	-6.58	11.95	30.00	
BAND 4			Н	18.51	6.83	-6.58	18.76	30.00	
BW: 10M	1732.0	20175	V	9.03	6.91	-6.62	9.32	30.00	
16QAM			Н	17.13	6.91	-6.62	17.42	30.00	
	1750.0	20350	V	11.87	6.98	-6.65	12.20	30.00	
RB: 1,0			Н	19.77	6.98	-6.65	20.10	30.00	
LTE	1715.0	20000	V	11.45	6.87	-6.60	11.72	30.00	
BAND 4 BW: 10M 16QAM RB: 1,49			Н	19.85	6.87	-6.60	20.12	30.00	
	1732.0	20175	V	9.15	6.94	-6.63	9.46	30.00	
			Н	16.35	6.94	-6.63	16.66	30.00	
	1750.0	20350	V	10.91	7.02	-6.67	11.26	30.00	
			Н	20.06	7.02	-6.67	20.41	30.00	
Remark: (1)The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz									



EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
LTE BAND 4	1717.5	20025	V	13.19	6.83	-6.58	13.44	30.00	
			Н	18.42	6.83	-6.58	18.67	30.00	
BW: 15M	1732.5	20175	V	9.89	6.90	-6.61	10.18	30.00	
QPSK			Н	17.07	6.90	-6.61	17.36	30.00	
RB: 1,0	1747.5	20325	V	10.00	6.96	-6.64	10.32	30.00	
KD. 1,U			Н	16.43	6.96	-6.64	16.75	30.00	
LTE BAND 4 BW: 15M QPSK	1717.5	20025	V	10.19	6.89	-6.61	10.47	30.00	
			Н	17.71	6.89	-6.61	17.99	30.00	
	1732.5	20175	V	9.38	6.95	-6.64	9.69	30.00	
			Н	16.01	6.95	-6.64	16.32	30.00	
RB: 1,74	1747.5	20325	V	10.65	7.02	-6.67	11.00	30.00	
ND. 1,74			Н	19.78	7.02	-6.67	20.13	30.00	
LTE	1717.5	20025	V	11.88	6.84	-6.58	12.14	30.00	
BAND 4			Н	18.83	6.83	-6.58	19.08	30.00	
BW: 15M	1732.5	20175	V	10.02	6.90	-6.61	10.31	30.00	
16QAM			Н	17.61	6.90	-6.61	17.90	30.00	
RB: 1,0	1747.5	20325	V	10.28	6.96	-6.64	10.60	30.00	
KD. 1,0			Н	16.88	6.96	-6.64	17.20	30.00	
LTE BAND 4 BW: 15M 16QAM RB: 1,74	1717.5	20025	V	10.11	6.89	-6.61	10.39	30.00	
			Н	18.28	6.89	-6.61	18.56	30.00	
	1732.5	20175	V	9.74	6.95	-6.64	10.05	30.00	
			Н	16.65	6.95	-6.64	16.96	30.00	
	1747.5	20325	V	10.52	7.02	-6.67	10.87	30.00	
			Н	19.57	7.02	-6.67	19.92	30.00	
<b>Remark :</b> (1) The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz									



EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
LTE BAND 4	1720.0	20050	V	11.71	6.84	-6.58	11.97	30.00	
			Н	18.40	6.83	-6.58	18.65	30.00	
BW: 20M	1732.5	20175	V	9.94	6.89	-6.61	10.22	30.00	
QPSK	1752.0		Н	18.38	6.89	-6.61	18.66	30.00	
RB: 1,0	17/5 0	20300	V	8.69	6.94	-6.63	9.00	30.00	
RD: 1,0	1745.0		Η	15.70	6.94	-6.63	16.01	30.00	
LTE	1720.0	20050	V	7.91	6.91	-6.62	8.20	30.00	
BAND 4			Η	16.64	6.91	-6.62	16.93	30.00	
BW: 20M	1732.5	20175	V	9.56	6.96	-6.64	9.88	30.00	
QPSK			Н	16.87	6.96	-6.64	17.19	30.00	
RB: 1,99	1745.0	20300	V	10.22	7.02	-6.67	10.57	30.00	
KD. 1,99			Н	19.43	7.02	-6.67	19.78	30.00	
LTE	1720.0	20050	V	11.80	6.84	-6.58	12.06	30.00	
BAND 4			Н	18.76	6.84	-6.58	19.02	30.00	
BAND 4 BW: 20M	1732.5	20175	V	10.22	6.89	-6.61	10.50	30.00	
			Н	18.55	6.89	-6.61	18.83	30.00	
16QAM RB: 1,0	1745.0	20300	V	8.82	6.94	-6.63	9.13	30.00	
			Н	16.38	6.94	-6.63	16.69	30.00	
LTE	1720.0	20050	V	7.99	6.91	-6.62	8.28	30.00	
BAND 4 BW: 20M 16QAM RB: 1,99			Н	16.85	6.91	-6.62	17.14	30.00	
	1732.5	20175	V	10.28	6.96	-6.64	10.60	30.00	
			Н	17.39	6.96	-6.64	17.71	30.00	
	1745.0	20300	V	10.05	7.02	-6.67	10.40	30.00	
			Н	19.63	7.01	-6.67	19.97	30.00	
<b>Remark :</b> (1) The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz									



	EUT				Measurer	nent				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit		
	MHz		V/H	dBm	dBd	dB	dBm	dBm		
LTE	824.7	20407	V	8.05	5.14	-4.18	9.01	38.45		
BAND 5	024.7	20407	Н	6.24	5.14	-4.18	7.20	38.45		
BAND 5 BW: 1.4M	836.5	20525	V	8.93	5.10	-4.22	9.81	38.45		
QPSK	030.5	20525	Н	6.35	5.10	-4.22	7.23	38.45		
RB: 1,0	848.3	20643	V	10.29	5.06	-4.26	11.09	38.45		
KD. 1,0	040.5	20043	Н	8.49	5.06	-4.26	9.29	38.45		
LTE	824.7	20407	V	7.69	5.13	-4.18	8.64	38.45		
BAND 5	024.7	20407	Н	5.89	5.13	-4.18	6.84	38.45		
BW: 1.4M QPSK	836.5	20525	V	9.81	5.09	-4.23	10.67	38.45		
	030.5	20525	Н	7.15	5.09	-4.23	8.01	38.45		
RB: 1,5	848.3	20643	V	9.98	5.06	-4.26	10.78	38.45		
KD, 1,0	040.5	20043	Н	8.39	5.06	-4.27	9.18	38.45		
LTE	824.7	20407	V	8.72	5.14	-4.18	9.68	38.45		
BAND 5	024.7	20407	Н	7.29	5.14	-4.18	8.25	38.45		
BAND 5 BW: 1.4M	836.5	20525	V	10.32	5.10	-4.23	11.19	38.45		
16QAM	030.5	20525	Н	7.44	5.10	-4.22	8.32	38.45		
RB: 1,0	848.3	20643	V	10.80	5.06	-4.26	11.60	38.45		
KD. 1,0	040.3	20043	Н	8.98	5.06	-4.26	9.78	38.45		
LTE	824.7	20407	V	8.79	5.13	-4.18	9.74	38.45		
BAND 5	024.7	20407	Н	6.94	5.13	-4.18	7.89	38.45		
	836 F	20525	V	10.02	5.09	-4.23	10.88	38.45		
BW: 1.4M 16QAM RB: 1,5	836.5	20020	Н	8.08	5.09	-4.23	8.94	38.45		
	010 0	20642	V	10.19	5.06	-4.26	10.99	38.45		
KD. 1,3	848.3	20643	Н	8.52	5.06	-4.26	9.32	38.45		
Remark :										



	EUT				Measurer	ment	ERPLimitdBmdBm8.8838.456.5938.4510.0338.456.4238.4510.3638.458.2038.45					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	ERP	Limit				
	MHz		V/H	dBm	dBd	dB	dBm	dBm				
LTE	825.5	20415	V	7.92	5.14	-4.18	8.88	38.45				
BAND 5	023.3	20415	Н	5.63	5.14	-4.18	6.59	38.45				
BAND 3 BW: 3M	836.5	20525	V	9.15	5.10	-4.22	10.03	38.45				
QPSK	030.5	20525	Н	5.54	5.10	-4.22	6.42	38.45				
RB: 1,0	847.5	20635	V	9.56	5.06	-4.26	10.36	38.45				
KD. 1,0	047.5	20035	Н	7.40	5.06	-4.26	8.20	38.45				
LTE	825.5	20415	V	7.57	5.13	-4.19	8.51	38.45				
BAND 5	020.0	20415	Н	5.57	5.13	-4.19	6.51	38.45				
BW: 3M QPSK	836.5	20525	V	9.55	5.09	-4.23	10.41	38.45				
	030.5	20525	Н	6.09	5.09	-4.23	6.95	38.45				
RB: 1,14	847.5	20635	V	9.15	5.06	-4.26	9.95	38.45				
ND. 1,14	047.5	20035	Н	7.43	5.06	-4.27	8.22	38.45				
LTE	825.5	20415	V	9.08	5.14	-4.18	10.04	38.45				
BAND 5	020.0	20415	Н	6.57	5.13	-4.19	7.51	38.45				
BAND 5 BW: 3M	836.5	20525	V	9.25	5.10	-4.22	10.13	38.45				
16QAM	030.0	20020	Н	7.79	5.09	-4.23	8.65	38.45				
RB: 1,0	847.5	20635	V	10.66	5.06	-4.26	11.46	38.45				
KD. 1,0	047.0	20030	Н	8.43	5.06	-4.27	9.22	38.45				
ITC	025 F	20/15	V	8.56	5.13	-4.19	9.50	38.45				
LTE DAND 5	825.5	20415	Н	6.61	5.13	-4.19	7.55	38.45				
BAND 5 BW: 3M 16QAM RB: 1,14	024 E	20525	V	9.74	5.09	-4.23	10.60	38.45				
	836.5	20525	Н	7.78	5.09	-4.23	8.64	38.45				
	017 5	20625	V	10.09	5.06	-4.26	10.89	38.45				
	847.5	20635	Н	8.43	5.06	-4.27	9.22	38.45				
Remark :	(1)The RBW,V	BW of S	PA for frequ	ency RB	N= 8MHz	, VBW=	8MHz					



	EUT				Measure	ment		n         dBm           32         38.45           31         38.45           38         38.45           38         38.45           39         38.45           30         38.45           30         38.45           30         38.45           32         38.45           32         38.45           32         38.45           32         38.45           32         38.45           32         38.45           32         38.45           32         38.45					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	ERP	Limit					
	MHz		V/H	dBm	dBd	dB	dBm	dBm					
LTE	826.5	20425	V	7.87	5.13	-4.18	8.82	38.45					
BAND 5	020.5	20423	Н	6.35	5.14	-4.18	7.31	38.45					
BW: 5M	836.5	20525	V	8.00	5.10	-4.22	8.88	38.45					
QPSK	030.5	20323	Н	5.61	5.10	-4.22	6.49	38.45					
RB: 1,0	846.5	20625	V	9.54	5.07	-4.25	10.36	38.45					
KD. 1,0	040.5	20025	Н	7.48	5.07	-4.25	8.30	38.45					
LTE	826.5	20425	V	8.53	5.12	-4.20	9.45	38.45					
BAND 5	020.5	20423	Н	6.30	5.12	-4.19	7.23	38.45					
BW: 5M	836.5	20525	V	8.96	5.09	-4.23	9.82	38.45					
	030.5	20323	Н	6.26	5.09	-4.23	7.12	38.45					
	846.5	20625	V	9.04	5.05	-4.27	9.82	38.45					
QPSK RB: 1,24	040.5	20025	Н	7.42	5.06	-4.26	8.22	38.45					
LTE	826.5	20425	V	8.31	5.14	-4.18	9.27	38.45					
BAND 5	020.5	20425	Н	7.39	5.14	-4.18	8.35	38.45					
BAND 5 BW: 5M	836.5	20525	V	9.34	5.10	-4.22	10.22	38.45					
16QAM	030.5	20525	Η	6.98	5.10	-4.22	7.86	38.45					
RB: 1,0	846.5	20625	V	9.89	5.07	-4.25	10.71	38.45					
KD. 1,0	040.5	20025	Н	7.71	5.07	-4.25	8.53	38.45					
LTE	826.5	20425	V	9.60	5.12	-4.20	10.52	38.45					
BAND 5	020.0	20420	Н	7.31	5.12	-4.19	8.24	38.45					
	836.5	20525	V	10.20	5.09	-4.23	11.06	38.45					
BW: 5M 16QAM RB: 1,24	030.0	20020	Н	7.47	5.09	-4.23	8.33	38.45					
	016 5	<u>ງ</u> 06 ງ E	V	10.35	5.06	-4.26	11.15	38.45					
	846.5	20625	Н	8.56	5.06	-4.26	9.36	38.45					
Remark :	(1)The RBW,V	'BW of S	PA for frequ	Jency RE	BW= 8MHz	, VBW=	8MHz						



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	829.0	20450	V	8.30	5.14	-4.18	9.26	38.45
BAND 5	027.0	20430	Н	5.70	5.14	-4.18	6.66	38.45
BW: 10M	836.5	20525	V	8.70	5.11	-4.21	9.60	38.45
QPSK	030.5	20323	Н	6.07	5.11	-4.21	6.97	38.45
RB: 1,0	844.0	20600	V	9.24	5.09	-4.24	10.09	38.45
KD. 1,0	044.0	20000	Н	6.59	5.09	-4.24	7.44	38.45
LTE	829.0	20450	V	8.28	5.11	-4.21	9.18	38.45
BAND 5	027.0	20430	Н	5.81	5.11	-4.21	6.71	38.45
BW: 10M QPSK	836.5	20525	V	8.87	5.08	-4.24	9.71	38.45
	030.5	20323	Н	6.51	5.08	-4.24	7.35	38.45
RB: 1,49	844.0	20600	V	9.08	5.06	-4.26	9.88	38.45
ND. 1,47	044.0	20600	Н	7.37	5.06	-4.26	8.17	38.45
LTE	829.0	20450	V	8.33	5.14	-4.18	9.29	38.45
BAND 5	027.0	20430	Н	5.72	5.14	-4.18	6.68	38.45
BW: 10M	836.5	20525	V	8.90	5.11	-4.21	9.80	38.45
16QAM	030.0	20525	Н	6.12	5.11	-4.21	7.02	38.45
RB: 1,0	844.0	20600	V	8.37	5.09	-4.24	9.22	38.45
KD. 1,0	044.0	20000	Н	6.61	5.09	-4.24	7.46	38.45
LTE	829.0	20450	V	8.36	5.11	-4.21	9.26	38.45
BAND 5	029.0	20430	Н	5.84	5.11	-4.21	6.74	38.45
	836.5	20525	V	8.07	5.08	-4.24	8.91	38.45
BW: 10M 16QAM RB: 1,49	030.0	20020	Н	6.57	5.08	-4.24	7.41	38.45
	944.0	20600	V	9.20	5.06	-4.26	10.00	38.45
КD. 1,49	844.0	20000	Н	7.37	5.06	-4.27	8.16	38.45
Remark :	(1)The RBW,V	'BW of S	PA for freq	uency RI	$BW = \overline{8MH}$	z , VBW=	= 8MHz	




	EUT				Measure	ment		BmdBm4.8433.010.1433.012.2233.010.0433.012.6133.019.7933.013.4833.018.9633.01					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit					
	MHz		V/H	dBm	dBi	dB	dBm	dBm					
LTE	2502.5	20775	V	14.12	8.55	-7.83	14.84	33.01					
BAND 7	2302.3	20113	Н	19.42	8.55	-7.83	20.14	33.01					
BW: 5M	2535.0	21100	V	11.50	8.59	-7.87	12.22	33.01					
QPSK	2000.0	21100	Н	19.32	8.59	-7.87	20.04	33.01					
RB: 1,0	2567.5	21425	V	11.88	8.63	-7.90	12.61	33.01					
KD. 1,0	2307.3	21425	Н	19.06	8.63	-7.90	19.79	33.01					
LTE	2502.5	20775	V	12.76	8.56	-7.84	13.48	33.01					
BAND 7	2002.0	20775	Н	18.23	8.56	-7.83	18.96	33.01					
BW: 5M QPSK	2535.0	21100	V	12.05	8.59	-7.87	12.77	33.01					
	2000.0	21100	Н	20.10	8.59	-7.87	20.82	33.01					
RB: 1,24	2567.5	21425	V	10.17	8.63	-7.91	10.89	33.01					
ND. 1,24	2307.3	21423	Н	17.28	8.63	-7.91	18.00	33.01					
LTE	2502.5	20775	V	13.37	8.55	-7.83	14.09	33.01					
BAND 7	2302.3	20775	Н	18.67	8.55	-7.83	19.39	33.01					
BAND 7 BW: 5M	2535.0	21100	V	11.13	8.59	-7.87	11.85	33.01					
16QAM	2000.0	21100	Н	19.50	8.59	-7.87	20.22	33.01					
RB: 1,0	2567.5	21425	V	11.90	8.63	-7.90	12.63	33.01					
KD. 1,0	2007.0	21420	Н	19.24	8.63	-7.90	19.97	33.01					
LTE	2502 5	20775	V	13.59	8.56	-7.84	14.31	33.01					
	2502.5	20775	Н	18.32	8.56	-7.83	19.05	33.01					
BAND 7	2525.0	21100	V	12.32	8.59	-7.87	13.04	33.01					
BW: 5M 16QAM RB: 1,24	2535.0	21100	Н	20.18	8.59	-7.87	20.90	33.01					
		<u>ງ</u> 1∦ງ⊑	V	10.82	8.63	-7.91	11.54	33.01					
KD: 1,24	2567.5	21425	Н	17.85	8.63	-7.91	18.57	33.01					
Remark:	(1)The RBW,V	'BW of S	PA for freq	uency RI	BW= 8MHz	, VBW=	8MHz						



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	2505.0	20800	V	13.86	8.55	-7.83	14.58	33.01
BAND 7	2303.0	20000	Н	19.08	8.55	-7.83	19.80	33.01
BW: 10M	2535.0	21100	V	10.75	8.59	-7.86	11.48	33.01
QPSK	2000.0	21100	Н	19.44	8.59	-7.86	20.17	33.01
RB: 1,0	2565.0	21400	V	11.42	8.62	-7.90	12.14	33.01
KD. 1,0	2303.0	21400	Н	19.19	8.62	-7.90	19.91	33.01
LTE	2505.0	20800	V	12.99	8.56	-7.84	13.71	33.01
BAND 7	2303.0	20000	Н	19.20	8.56	-7.84	19.92	33.01
BW: 10M QPSK	2535.0	21100	V	12.60	8.60	-7.87	13.33	33.01
	2000.0	21100	Н	20.99	8.60	-7.87	21.72	33.01
RB: 1,49	2565.0	21400	V	10.10	8.63	-7.91	10.82	33.01
ND, 1, 4	2303.0	21400	Н	17.40	8.63	-7.91	18.12	33.01
LTE	2505.0	20800	V	12.50	8.55	-7.83	13.22	33.01
BAND 7	2303.0	20000	Н	18.90	8.55	-7.83	19.62	33.01
BW: 10M	2535.0	21100	V	10.97	8.59	-7.86	11.70	33.01
16QAM	2000.0	21100	Н	19.40	8.59	-7.86	20.13	33.01
RB: 1,0	2565.0	21400	V	11.51	8.62	-7.90	12.23	33.01
Ι <u>΄</u> Ο. Ι <sub>,</sub> Ο	2303.0	21400	Н	19.14	8.62	-7.90	19.86	33.01
LTE	2505.0	20800	V	12.98	8.56	-7.84	13.70	33.01
BAND 7	2303.0	20000	Н	19.21	8.56	-7.84	19.93	33.01
	2535.0	21100	V	12.70	8.60	-7.87	13.43	33.01
BW: 10M 16QAM RB: 1,49	2000.0	21100	Н	21.14	8.60	-7.87	21.87	33.01
	2565.0	21400	V	10.63	8.63	-7.91	11.35	33.01
KD. 1,47	2000.0	21400	Н	18.02	8.63	-7.91	18.74	33.01
Remark :	(1) The RBW, V	'BW of S	PA for free	quency R	BW= 8MH	z , VBW=	= 8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	2507.5	20825	V	16.99	8.55	-7.83	17.71	33.01
BAND 7	2307.3	20025	Н	18.31	8.55	-7.83	19.03	33.01
BW: 15M	2535.0	21100	V	13.99	8.58	-7.86	14.71	33.01
QPSK	2000.0	21100	Н	18.40	8.58	-7.86	19.12	33.01
RB: 1,0	2562.5	21375	V	14.91	8.62	-7.89	15.64	33.01
KD. 1,0	2302.3	21375	Н	18.85	8.62	-7.89	19.58	33.01
LTE	2507.5	20825	V	16.82	8.57	-7.85	17.54	33.01
BAND 7	2307.3	20025	Н	18.80	8.57	-7.85	19.52	33.01
BW: 15M QPSK	2535.0	21100	V	15.27	8.60	-7.88	15.99	33.01
	2000.0	21100	Н	19.64	8.60	-7.88	20.36	33.01
RB: 1,74	2562.5	21275	V	11.85	8.63	-7.91	12.57	33.01
ND. 1,74	2302.3	21375	Н	17.39	8.63	-7.91	18.11	33.01
LTE	2507.5	20825	V	16.41	8.55	-7.83	17.13	33.01
BAND 7	2307.3	20025	Н	18.62	8.55	-7.83	19.34	33.01
BAND 7 BW: 15M	2535.0	21100	V	14.20	8.58	-7.86	14.92	33.01
16QAM	2000.0	21100	Н	18.46	8.58	-7.86	19.18	33.01
RB: 1,0	2562.5	21375	V	15.11	8.62	-7.89	15.84	33.01
KD. 1,0	2302.3	21373	Н	18.95	8.62	-7.89	19.68	33.01
LTE	2507.5	20825	V	16.80	8.57	-7.85	17.52	33.01
BAND 7	2007.0	20025	Н	17.91	8.57	-7.85	18.63	33.01
	2535.0	21100	V	15.47	8.60	-7.88	16.19	33.01
BW: 15M 16QAM RB: 1,74	2000.0	21100	Н	20.14	8.60	-7.88	20.86	33.01
	2562.5	21375	V	12.51	8.63	-7.91	13.23	33.01
	2002.0	21373	Н	18.42	8.63	-7.91	19.14	33.01
Remark:	(1)The RBW,V	BW of S	PA for free	uency R	BW= 8MH	z , VBW	= 8MHz	





	EUT				Measurer	nent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	2510.0	20850	V	20.78	8.55	-7.83	21.50	33.01
BAND 7	2510.0	20030	Н	10.18	8.55	-7.83	10.90	33.01
BW: 20M	2535.0	21100	V	14.41	8.58	-7.86	15.13	33.01
QPSK	2000.0	21100	Н	8.88	8.58	-7.86	9.60	33.01
RB: 1,0	2560.0	21350	V	16.42	8.61	-7.89	17.14	33.01
ND. 1,0	2300.0	21330	Н	9.86	8.61	-7.89	10.58	33.01
LTE	2510.0	20850	V	14.76	8.57	-7.85	15.48	33.01
BAND 7	2310.0	20030	Н	8.49	8.57	-7.85	9.21	33.01
BW: 20M QPSK	2535.0	21100	V	15.88	8.60	-7.88	16.60	33.01
	2000.0	21100	Н	8.93	8.60	-7.88	9.65	33.01
RB: 1,99	2560.0	21350	V	12.08	8.63	-7.91	12.80	33.01
RD, T, T, T	2300.0	21330	Н	8.26	8.63	-7.91	8.98	33.01
LTE	2510.0	20850	V	16.74	8.55	-7.83	17.46	33.01
BAND 7	2310.0	20030	Н	8.78	8.55	-7.83	9.50	33.01
BW: 20M	2535.0	21100	V	14.84	8.58	-7.86	15.56	33.01
16QAM	2000.0	21100	Н	9.97	8.58	-7.86	10.69	33.01
RB: 1,0	2560.0	21350	V	16.80	8.61	-7.89	17.52	33.01
ND. 1,0	2300.0	21550	Н	10.39	8.61	-7.89	11.11	33.01
LTE	2510.0	20850	V	16.56	8.57	-7.85	17.28	33.01
BAND 7	2510.0	20030	Н	9.24	8.57	-7.85	9.96	33.01
	2535.0	21100	V	16.24	8.60	-7.88	16.96	33.01
BW: 20M 16QAM RB: 1,99	2000.0	21100	Н	9.29	8.60	-7.88	10.01	33.01
	2560.0	21350	V	12.98	8.63	-7.91	13.70	33.01
H         9.04         8.63         -7.91         9.76         33.01								
Remark :	(1)The RBW,V	'BW of S	PA for freq	uency RI	3W= 8MHz	, VBW=	8MHz	



	EUT				Measure	ment			
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit	
	MHz		V/H	dBm	dBd	dB	dBm	dBm	
LTE	699.7	23017	V	-0.10	5.05	-3.82	1.13	34.77	
BAND 12	099.7	23017	Н	2.63	5.06	-3.82	3.87	34.77	
BW: 1.4M	707.5	23095	V	-0.04	5.07	-3.84	1.19	34.77	
QPSK	707.5	23095	Н	1.56	5.07	-3.84	2.79	34.77	
RB: 1,0	715.3	23173	V	1.36	5.09	-3.86	2.59	34.77	
KD. 1,0	715.5	23173	Н	3.57	5.09	-3.87	4.79	34.77	
LTE	699.7	23017	V	-0.51	5.06	-3.82	0.73	34.77	
BAND 12	077.7	23017	Н	2.21	5.06	-3.82	3.45	34.77	
BW: 1.4M QPSK	707.5	23095	V	-0.01	5.08	-3.84	1.23	34.77	
	707.5	23095	Н	1.75	5.08	-3.84	2.99	34.77	
RB: 1,5	715.3	23173	V	0.63	5.09	-3.87	1.85	34.77	
KD, 1,5	715.5	23173	Η	3.10	5.10	-3.88	4.32	34.77	
LTE	699.7	23017	V	0.92	5.05	-3.82	2.15	34.77	
BAND 12	077.7	23017	Н	3.78	5.05	-3.82	5.01	34.77	
BW: 1.4M	707.5	23095	V	0.92	5.07	-3.84	2.15	34.77	
16QAM	101.5	23075	Н	2.57	5.07	-3.84	3.80	34.77	
RB: 1,0	715.3	23173	V	1.58	5.09	-3.87	2.80	34.77	
KD. 1,0	715.5	23175	Η	3.81	5.09	-3.87	5.03	34.77	
LTE	699.7	23017	V	0.56	5.06	-3.82	1.80	34.77	
BAND 12	077.7	23017	Н	3.30	5.06	-3.82	4.54	34.77	
	707.5	23095	V	0.95	5.08	-3.84	2.19	34.77	
BW: 1.4M 16QAM RB: 1,5	101.5	20090	Н	2.77	5.08	-3.84	4.01	34.77	
	715.3	23173	V	1.79	5.09	-3.87	3.01	34.77	
H 4.09 5.09 -3.87 5.31 34.77									
Remark :	(1)The RBW,	/BW of S	SPA for free	quency R	BW= 8MH	z,VBW	= 8MHz		



	EUT				Measure	ment			
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	ERP	Limit	
	MHz		V/H	dBm	dBd	dB	dBm	dBm	
LTE	700.5	23025	V	-0.43	5.05	-3.82	0.80	34.77	
BAND 12	700.5	23023	Н	5.07	5.06	-3.82	6.31	34.77	
BW: 3M	707.5	23095	V	-0.01	5.07	-3.84	1.22	34.77	
QPSK	101.5	23073	Н	3.69	5.07	-3.84	4.92	34.77	
RB: 1,0	714.5	23165	V	0.89	5.09	-3.86	2.12	34.77	
KD. 1,0	714.5	23103	Н	4.49	5.09	-3.86	5.72	34.77	
LTE	700.5	23025	V	-1.17	5.06	-3.82	0.07	34.77	
BAND 12	700.5	23023	Н	3.34	5.07	-3.83	4.58	34.77	
BAND 12 BW: 3M QPSK	707.5	23095	V	-0.73	5.08	-3.85	0.50	34.77	
	101.5	23075	Н	2.70	5.08	-3.85	3.93	34.77	
RB: 1,14	714.5	23165	V	0.76	5.09	-3.87	1.98	34.77	
ND. 1,14	714.5	23103	Н	4.39	5.09	-3.87	5.61	34.77	
LTE	700.5	23025	V	1.14	5.05	-3.82	2.37	34.77	
BAND 12	700.5	23023	Н	6.11	5.05	-3.82	7.34	34.77	
BW: 3M	707.5	23095	V	0.92	5.07	-3.84	2.15	34.77	
16QAM	101.5	23073	Н	4.67	5.07	-3.84	5.90	34.77	
RB: 1,0	714.5	23165	V	1.75	5.09	-3.86	2.98	34.77	
KD. 1,0	714.5	23103	Н	5.36	5.09	-3.86	6.59	34.77	
LTE	700.5	23025	V	0.19	5.06	-3.83	1.42	34.77	
BAND 12	700.5	23025	Н	4.95	5.06	-3.83	6.18	34.77	
	707.5	23095	V	0.28	5.08	-3.85	1.51	34.77	
BW: 3M 16QAM RB: 1,14	101.5	20070	Н	3.98	5.08	-3.85	5.21	34.77	
	714.5	23165	V	1.65	5.09	-3.87	2.87	34.77	
H 5.28 5.09 -3.87 6.50 34.77									
Remark :	(1)The RBW,	/BW of S	SPA for free	quency R	BW= 8MF	lz , VBW	'= 8MHz		



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	701.5	23035	V	0.63	5.06	-3.82	1.87	34.77
BAND 12	701.5	23033	Н	5.10	5.05	-3.82	6.33	34.77
BW: 5M	707.5	23095	V	1.53	5.07	-3.84	2.76	34.77
QPSK	707.5	23073	Н	3.99	5.07	-3.84	5.22	34.77
RB: 1,0	713.5	23155	V	-1.02	5.08	-3.85	0.21	34.77
KD. 1,0	715.5	23133	Н	3.60	5.08	-3.85	4.83	34.77
LTE	701.5	23035	V	-1.28	5.07	-3.83	-0.04	34.77
BAND 12	701.5	23033	Н	3.30	5.07	-3.83	4.54	34.77
BAND 12 BW: 5M QPSK RB: 1,24	707.5	23095	V	-1.01	5.08	-3.85	0.22	34.77
	707.5	23075	Н	2.84	5.08	-3.85	4.07	34.77
	713.5	23155	V	0.66	5.09	-3.87	1.88	34.77
ND. 1,24	715.5	23155	Н	4.41	5.09	-3.87	5.63	34.77
LTE	701.5	23035	V	0.86	5.05	-3.82	2.09	34.77
BAND 12	701.5	23033	Н	6.05	5.05	-3.82	7.28	34.77
BW: 5M	707.5	23095	V	0.87	5.07	-3.84	2.10	34.77
16QAM	707.5	23075	Н	4.96	5.07	-3.84	6.19	34.77
RB: 1,0	713.5	23155	V	-0.04	5.08	-3.86	1.18	34.77
KD. 1,0	715.5	23155	Н	3.81	5.08	-3.85	5.04	34.77
LTE	701.5	23035	V	0.30	5.07	-3.83	1.54	34.77
BAND 12	701.5	23030	Н	4.10	5.07	-3.83	5.34	34.77
	707.5	23095	V	0.00	5.08	-3.85	1.23	34.77
BW: 5M 16QAM RB: 1,24	101.5	Z3033	Н	3.93	5.08	-3.85	5.16	34.77
	713.5	23155	V	1.55	5.09	-3.87	2.77	34.77
ND. 1,24	710.0	20100	Н	5.33	5.09	-3.87	6.55	34.77
Remark :	(1)The RBW,V	BW of S	SPA for free	quency R	BW= 8MF	Iz , VBW	/= 8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	704.0	23060	V	8.30	5.14	-4.18	9.26	34.77
BAND 12	704.0	23000	Н	5.70	5.14	-4.18	6.66	34.77
BW: 10M	707.5	23095	V	8.70	5.11	-4.21	9.60	34.77
QPSK	707.5	23075	Н	6.07	5.11	-4.21	6.97	34.77
RB: 1,0	711.0	23130	V	9.24	5.09	-4.24	10.09	34.77
KD. 1,0	711.0	23130	Н	6.59	5.09	-4.24	7.44	34.77
LTE	704.0	23060	V	8.28	5.11	-4.21	9.18	34.77
	704.0	23000	Н	5.81	5.11	-4.21	6.71	34.77
BAND 12 BW: 10M QPSK RB: 1,49	707.5	23095	V	8.87	5.08	-4.24	9.71	34.77
	707.5	23090	Н	6.51	5.08	-4.24	7.35	34.77
	711.0	23130	V	9.08	5.06	-4.26	9.88	34.77
KD. 1,49	/11.0	23130	Н	7.37	5.06	-4.26	8.17	34.77
LTE	704.0	23060	V	8.33	5.14	-4.18	9.29	34.77
BAND 12	704.0	23000	Н	5.72	5.14	-4.18	6.68	34.77
BAND 12 BW: 10M	707.5	23095	V	8.90	5.11	-4.21	9.80	34.77
16QAM	707.5	23090	Н	6.12	5.11	-4.21	7.02	34.77
	711.0	23130	V	8.37	5.09	-4.24	9.22	34.77
RB: 1,0	711.0	23130	Н	6.61	5.09	-4.24	7.46	34.77
LTE	704.0	22060	V	8.36	5.11	-4.21	9.26	34.77
BAND 12	704.0	23060	Н	5.84	5.11	-4.21	6.74	34.77
	707 5	2200E	V	8.07	5.08	-4.24	8.91	34.77
BW: 10M 16QAM RB: 1,49	707.5	23095	Н	6.57	5.08	-4.24	7.41	34.77
	711.0	23130	V	9.20	5.06	-4.26	10.00	34.77
IND. 1,47	/11.0	23130	Н	7.37	5.06	-4.27	8.16	34.77
Remark :	(1)The RBW,	/BW of S	SPA for free	quency R	BW= 8MH	z , VBW	= 8MHz	



	EUT				Measurer	nent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
ITE	770 5	22205	V	14.05	5.19	-4.04	15.20	34.77
	117.5	23203	Н	17.43	5.19	-4.04	18.58	34.77
	782.0	22230	V	15.95	5.19	-4.05	17.09	34.77
	702.0	23230	Н	18.63	5.20	-4.05	19.78	34.77
	784 5	22255	V	14.19	5.20	-4.06	15.33	34.77
KD. 1,0	704.5	23233	Н	17.43	5.20	-4.06	18.57	34.77
	770 5	22205	V	14.96	5.20	-4.05	16.11	34.77
	119.5	23205	Н	18.35	5.20	-4.05	19.50	34.77
BAND 13 BW: 5M QPSK RB: 1,24	792.0	22220	V	13.55	5.20	-4.06	14.69	34.77
	702.0	23230	Н	17.06	5.20	-4.06	18.20	34.77
	794 5	22255	V	13.01	5.20	-4.07	14.14	34.77
ND. 1,24	Band         Frequency         CH         Pol.         Output         Gain           LTE         MHz         V/H         dBm         dBd           LTE         779.5         23205         V         14.05         5.1           AND 13         782.0         23230         V         15.95         5.1           AW: 5M         782.0         23255         V         14.19         5.2           QPSK         784.5         23255         V         14.19         5.2           AND 13         782.0         23205         V         14.96         5.2           AND 13         782.0         23230         V         14.96         5.2           AND 13         782.0         23230         V         13.55         5.2           QPSK         784.5         23255         H         17.06         5.2           QPSK         782.0         23230         V         13.01         5.2           QPSK         784.5         23255         H         16.45         5.2           LTE         779.5         23205         V         14.87         5.1           AND 13         782.0         23230         V	5.20	-4.08	17.57	34.77			
ITE	770 5	22205	V	14.87	5.19	-4.03	16.03	34.77
	117.5	23203	Н	18.28	5.19	-4.04	19.43	34.77
	792.0	22220	V	15.26	5.19	-4.05	16.40	34.77
	702.0	23230	Н	18.47	5.20	-4.05	19.62	34.77
	794 5	22255	V	15.10	5.20	-4.05	16.25	34.77
KD. 1,0	704.0	23200	Н	18.34	5.20	-4.06	19.48	34.77
ITC	770 5	22205	V	14.84	5.20	-4.05	15.99	34.77
	119.5	23205	Н	18.35	5.20	-4.05	19.50	34.77
	782.0	<u>,</u> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	V	13.97	5.20	-4.06	15.11	34.77
BW: 5M 16QAM RB: 1.24	102.0	23230	Н	17.53	5.20	-4.07	18.66	34.77
	791 5	JJJEE	V	13.05	5.20	-4.08	14.17	34.77
ΓD. 1,24	704.0	Z9Z00	Н	16.50	5.20	-4.08	17.62	34.77
Remark :	(1)The RBW,V	'BW of S	PA for freq	uency RE	3W= 8MHz	, VBW=	8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE BAND 13 BW: 10M	782.0	23230	V	14.16	5.19	-4.04	15.31	34.77
QPSK RB: 1,0		23230	Н	17.88	5.19	-4.04	19.03	34.77
LTE BAND 13	702.0	22220	V	12.77	5.20	-4.07	13.90	34.77
BW: 10M QPSK RB: 1,49	782.0	23230	Н	16.35	5.20	-4.07	17.48	34.77
LTE BAND 13	702.0	22220	V	14.98	5.19	-4.04	16.13	34.77
BW: 10M 16QAM RB: 1,0	782.0	23230	Н	17.85	5.19	-4.04	19.00	34.77
LTE BAND 13	702.0	22220	V	12.81	5.20	-4.07	13.94	34.77
BW: 10M 16QAM RB: 1,49	782.0	23230	Н	16.37	5.20	-4.07	17.50	34.77
Remark :	(1)The RBW,V	BW of S	PA for free	uency R	BW= 8MH	z, VBW	= 8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	706.5	23755	V	0.26	5.07	-3.83	1.50	34.77
BAND 17	700.5	23733	Н	5.87	5.07	-3.84	7.10	34.77
BAND 17 BW: 5M	710.0	23790	V	0.01	5.08	-3.84	1.25	34.77
QPSK	710.0	23770	Н	10.60	5.08	-3.84	11.84	34.77
RB: 1,0	713.5	23825	V	0.55	5.08	-3.85	1.78	34.77
KD. 1,0	715.5	23020	Н	10.79	5.08	-3.85	12.02	34.77
LTE	706.5	23755	V	0.21	5.08	-3.85	1.44	34.77
BAND 17	700.5	23700	Н	5.91	5.08	-3.85	7.14	34.77
BAND 17 BW: 5M QPSK RB: 1,24	710.0	23790	V	0.32	5.08	-3.86	1.54	34.77
	710.0	23790	Н	10.45	5.09	-3.86	11.68	34.77
	713.5	23825	V	2.79	5.09	-3.87	4.01	34.77
KD. 1,24	715.5	23020	Н	11.94	5.09	-3.87	13.16	34.77
LTE	706.5	23755	V	1.20	5.07	-3.83	2.44	34.77
BAND 17	700.5	23755	Н	6.65	5.07	-3.83	7.89	34.77
BAND TA BW: 5M	710.0	23790	V	1.17	5.08	-3.85	2.40	34.77
16QAM	710.0	23790	Н	11.72	5.08	-3.84	12.96	34.77
RB: 1,0	713.5	23825	V	2.75	5.09	-3.87	3.97	34.77
KD. 1,0	715.5	23020	Н	10.69	5.08	-3.86	11.91	34.77
LTE	706.5	23755	V	1.13	5.08	-3.85	2.36	34.77
BAND 17	700.5	23700	Н	6.78	5.08	-3.85	8.01	34.77
	710.0	22200	V	1.45	5.09	-3.86	2.68	34.77
BW: 5M 16QAM RB: 1,24	710.0	23790	Н	11.65	5.08	-3.86	12.87	34.77
	713.5	23825	V	2.75	5.09	-3.87	3.97	34.77
ND. 1,24	713.3	20020	Н	11.92	5.09	-3.87	13.14	34.77
Remark :	(1)The RBW,V	BW of S	PA for freq	uency RE	3W= 8MHz	z , VBW=	8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	709.0	23780	V	-1.43	5.07	-3.83	-0.19	34.77
BAND 17	707.0	23700	Н	10.13	5.07	-3.83	11.37	34.77
BW: 10M	710.0	23790	V	0.36	5.07	-3.84	1.59	34.77
QPSK	710.0	23770	Н	10.36	5.07	-3.84	11.59	34.77
RB: 1,0	711.0	23800	V	11.01	5.09	-3.86	12.24	34.77
KD. 1,0	711.0	23000	Н	0.18	5.07	-3.84	1.41	34.77
LTE	709.0	23280	V	10.58	5.07	-3.84	11.81	34.77
BAND 17	707.0	23700	Н	1.54	5.09	-3.86	2.77	34.77
BW: 10M	710.0	22700	V	11.18	5.09	-3.86	12.41	34.77
	710.0	23770	Н	0.12	5.09	-3.86	1.35	34.77
	711.0	23780 - 23790 - 23800 - 23780 -	V	11.15	5.09	-3.86	12.38	34.77
BW: 10M QPSK RB: 1,49	711.0		Н	0.27	5.09	-3.87	1.49	34.77
LTE	709.0	23780	V	11.50	5.09	-3.87	12.72	34.77
BAND 17	707.0	23700	Н	0.54	5.07	-3.84	1.77	34.77
BW: 10M	710.0	23790	V	10.13	5.07	-3.83	11.37	34.77
16QAM	710.0	23790	Н	0.31	5.07	-3.84	1.54	34.77
RB: 1,0	711.0	23800	V	11.51	5.07	-3.84	12.74	34.77
KD. 1,0	711.0	23000	Н	0.19	5.07	-3.84	1.42	34.77
LTE	709.0	23780	V	11.59	5.07	-3.84	12.82	34.77
	709.0	23700	Н	2.48	5.09	-3.86	3.71	34.77
BAND 17 BW: 10M 16QAM RB: 1,49	710.0	23790	V	11.30	5.09	-3.86	12.53	34.77
	710.0	23/70	Н	1.00	5.09	-3.86	2.23	34.77
	711.0	23800	V	0.38	5.09	-3.87	1.60	34.77
ND. 1,47	711.0	2000	Н	12.46	5.09	-3.87	13.68	34.77
Remark :	(1)The RBW,V	'BW of S	PA for free	luency R	BW= 8MH	z , VBW=	= 8MHz	




	EUT				Measure	ment			
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
LTE	1850.7	26047	V	15.96	7.42	-6.86	16.52	33.01	
BAND 25	1030.7	20047	Н	16.30	7.42	-6.86	16.86	33.01	
BW: 1.4M	1882.5	26365	V	15.41	7.56	-6.92	16.05	33.01	
QPSK	1002.5	20303	Н	16.76	7.56	-6.92	17.40	33.01	
RB: 1,0	1914.3	26683	V	11.79	7.69	-6.98	12.50	33.01	
KD. 1,0	1714.3	20005	Н	15.36	7.69	-6.97	16.08	33.01	
LTE	1850.7	26047	V	15.66	7.43	-6.86	16.23	33.01	
BAND 25	1050.7	20047	Н	16.32	7.43	-6.86	16.89	33.01	
BW: 1.4M QPSK	1882.5	26365	V	15.00	7.56	-6.92	15.64	33.01	
	1002.0	20303	Н	16.52	7.56	-6.92	17.16	33.01	
RB: 1,5	1914.3	26602	V	11.55	7.69	-6.98	12.26	33.01	
KD. 1,3	1714.3	26683	Н	14.81	7.69	-6.98	15.52	33.01	
LTE	1850.7	26047	V	16.18	7.42	-6.86	16.74	33.01	
BAND 25	1050.7	20047	Н	16.55	7.42	-6.86	17.11	33.01	
BW: 1.4M	1882.5	26365	V	15.54	7.56	-6.92	16.18	33.01	
16QAM	1002.0	20303	Н	16.66	7.56	-6.92	17.30	33.01	
RB: 1,0	1914.3	26683	V	11.97	7.69	-6.98	12.68	33.01	
KD. 1,0	1714.3	20003	Н	15.63	7.69	-6.98	16.34	33.01	
LTE	1050 7	26047	V	16.30	7.43	-6.86	16.87	33.01	
BAND 25	1850.7	26047	Н	16.42	7.42	-6.86	16.98	33.01	
	1882.5	2626E	V	15.26	7.56	-6.92	15.90	33.01	
BW: 1.4M 16QAM RB: 1,5	1002.3	26365	Н	16.52	7.56	-6.92	17.16	33.01	
	1914.3	26683	V	11.87	7.69	-6.98	12.58	33.01	
H 15.13 7.69 -6.98 15.84 33.01									
Remark :	(1)The RBW,	/BW of S	SPA for fre	equency F	RBW= 8MI	Hz , VBV	V= 8MHz		



	EUT				Measurer	nent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1851.5	26055	V	16.54	7.42	-6.86	17.10	33.01
BAND 25	1051.5	20033	Н	17.45	7.42	-6.86	18.01	33.01
BAND 25 BW: 3M	1882.5	26365	V	15.83	7.55	-6.91	16.47	33.01
QPSK	1002.5	20303	Н	17.37	7.55	-6.92	18.00	33.01
RB: 1,0	1913.5	26675	V	12.52	7.68	-6.97	13.23	33.01
KD. 1,0	1713.5	20075	Н	16.18	7.68	-6.97	16.89	33.01
LTE	1851.5	26055	V	16.38	7.43	-6.86	16.95	33.01
BAND 25	1001.0	20033	Н	17.46	7.43	-6.86	18.03	33.01
BAND 25 BW: 3M QPSK RB: 1,14	1882.5	26365	V	15.14	7.56	-6.92	15.78	33.01
	1002.5	20300	Н	17.43	7.56	-6.92	18.07	33.01
	1913.5	26675	V	11.73	7.69	-6.98	12.44	33.01
	1713.3	26675	Н	15.56	7.69	-6.98	16.27	33.01
LTE	1851.5	26055	V	16.51	7.42	-6.86	17.07	33.01
BAND 25	1001.0	20033	Н	17.63	7.42	-6.86	18.19	33.01
BAND 25 BW: 3M	1882.5	26365	V	15.88	7.55	-6.91	16.52	33.01
16QAM	1002.5	20300	Н	17.61	7.55	-6.91	18.25	33.01
RB: 1,0	1913.5	26675	V	12.73	7.68	-6.97	13.44	33.01
KD. 1,0	1913.3	20075	Н	16.43	7.68	-6.97	17.14	33.01
LTE	1051 5	24055	V	16.55	7.43	-6.86	17.12	33.01
BAND 25	1851.5	26055	Н	17.72	7.43	-6.86	18.29	33.01
BAND 25 BW: 3M	1000 5	2626E	V	15.34	7.56	-6.92	15.98	33.01
	1882.5	26365	Н	17.61	7.56	-6.92	18.25	33.01
16QAM RB: 1,14	1913.5	26675	V	12.11	7.69	-6.98	12.82	33.01
IXD. 1,14	1713.3	20073	Н	15.93	7.69	-6.98	16.64	33.01
Remark :	(1)The RBW,	/BW of S	SPA for freq	uency Rl	BW= 8MHz	z,VBW=	8MHz	



	EUT				Measure	ment				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	EIRP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
LTE	1852.5	26065	V	16.23	7.42	-6.86	16.79	33.01		
BAND 25	1052.5	20003	Н	18.21	7.42	-6.86	18.77	33.01		
BW: 5M	1882.5	26365	V	15.66	7.55	-6.91	16.30	33.01		
QPSK	1002.5	20303	Н	17.53	7.55	-6.91	18.17	33.01		
RB: 1,0	1912.5	26665	V	12.17	7.67	-6.97	12.87	33.01		
KD. 1,0	1712.5	20005	Н	15.95	7.67	-6.97	16.65	33.01		
LTE	1852.5	26065	V	16.15	7.44	-6.86	16.73	33.01		
BAND 25	1052.5	20003	Н	17.47	7.44	-6.86	18.05	33.01		
BAND 25 BW: 5M QPSK RB: 1,24	1882.5	26365	V	14.80	7.57	-6.92	15.45	33.01		
	1002.5	20303	Н	17.61	7.57	-6.92	18.26	33.01		
	1912.5	26665	V	11.80	7.69	-6.98	12.51	33.01		
$ND, T_{I}ZH$	1712.5	20003	Н	15.97	7.69	-6.98	16.68	33.01		
LTE	1852.5	26065	V	16.47	7.42	-6.86	17.03	33.01		
BAND 25	1052.5	20003	Н	17.66	7.42	-6.86	18.22	33.01		
BW: 5M	1882.5	26365	V	15.80	7.55	-6.91	16.44	33.01		
16QAM	1002.5	20303	Н	17.63	7.55	-6.91	18.27	33.01		
RB: 1,0	1912.5	26665	V	12.21	7.68	-6.97	12.92	33.01		
	1712.5	20003	Н	16.05	7.67	-6.97	16.75	33.01		
LTE	1852.5	26065	V	16.26	7.44	-6.87	16.83	33.01		
BAND 25	1052.5	20003	Н	17.67	7.44	-6.86	18.25	33.01		
	1882.5	26365	V	14.94	7.57	-6.92	15.59	33.01		
BW: 5M 16QAM RB: 1,24	1002.0	20303	Н	17.77	7.57	-6.92	18.42	33.01		
	1912.5	26665	V	12.07	7.69	-6.98	12.78	33.01		
	H 16.12 7.69 -6.98 16.83 33.01									
Remark :	(1)The RBW,	/BW of S	SPA for free	uency R	BW= 8MH	z,VBW	= 8MHz			






	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1855.0	26090	V	16.29	7.42	-6.86	16.85	33.01
BAND 25	1000.0	20090	Н	17.76	7.42	-6.86	18.32	33.01
BAND 25 BW: 10M	1882.5	26365	V	15.63	7.54	-6.91	16.26	33.01
QPSK	1002.0	20300	Н	17.15	7.54	-6.91	17.78	33.01
RB: 1,0	1910.0	26640	V	13.27	7.65	-6.96	13.96	33.01
KD. 1,0	1910.0	20040	Н	16.22	7.65	-6.96	16.91	33.01
LTE	1855.0	26090	V	15.92	7.46	-6.87	16.51	33.01
BAND 25	1055.0	20090	Н	17.81	7.46	-6.87	18.40	33.01
BAND 25 BW: 10M QPSK RB: 1,49	1882.5	26365	V	14.69	7.57	-6.93	15.33	33.01
	1002.5	20303	Н	17.27	7.58	-6.93	17.92	33.01
	1910.0	26640	V	12.06	7.69	-6.98	12.77	33.01
ND. 1,47	1710.0	20040	Н	15.71	7.69	-6.98	16.42	33.01
LTE	1855.0	26090	V	16.07	7.43	-6.86	16.64	33.01
BAND 25	1055.0	20070	Н	17.72	7.42	-6.86	18.28	33.01
BW: 10M	1882.5	26365	V	15.93	7.54	-6.91	16.56	33.01
16QAM	1002.0	20303	Н	17.65	7.54	-6.91	18.28	33.01
RB: 1,0	1910.0	26640	V	13.43	7.65	-6.96	14.12	33.01
KD. 1,0	1910.0	20040	Н	16.20	7.66	-6.96	16.90	33.01
LTE	1855.0	26090	V	15.39	7.46	-6.87	15.98	33.01
BAND 25	1055.0	20090	Н	18.05	7.46	-6.87	18.64	33.01
	1882.5	26365	V	14.78	7.58	-6.93	15.43	33.01
BW: 10M 16QAM RB: 1,49	1002.0	20300	Н	17.47	7.58	-6.93	18.12	33.01
		26640	V	12.17	7.69	-6.98	12.88	33.01
		26640 -	Н	16.32	7.69	-6.98	17.03	33.01
Remark	(1)The RBW,	/BW of S	SPA for free	quency R	BW= 8MF	lz , VBW	= 8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1857.5	26115	V	16.05	7.43	-6.86	16.62	33.01
BAND 25	1037.5	20113	Н	17.87	7.42	-6.86	18.43	33.01
BW: 15M	1882.5	26365	V	15.29	7.53	-6.90	15.92	33.01
QPSK	1002.5	20303	Н	17.53	7.53	-6.90	18.16	33.01
RB: 1,0	1907.5	26615	V	14.51	7.64	-6.95	15.20	33.01
	1707.5	20013	Н	17.61	7.63	-6.95	18.29	33.01
LTE	1857.5	26115	V	13.78	7.48	-6.88	14.38	33.01
BAND 25	1037.3	20113	Н	16.11	7.537.537.647.637.487.487.587.587.697.697.427.437.537.53	-6.88	16.71	33.01
BAND 23 BW: 15M QPSK RB: 1,74	1882.5	26365	V	14.08	7.58	-6.93	14.73	33.01
	1002.5	20303	Н	17.37	7.58	-6.93	18.02	dBm         33.01
	1907.5	26615	V	11.99	7.69	-6.98	12.70	33.01
	1707.5	20013	Н	15.74	7.69	-6.98	16.45	33.01
LTE	1857.5	26115	V	15.51	7.42	-6.86	16.07	33.01
BAND 25	1037.3	20115	Н	17.84	7.43	-6.86	18.41	33.01
BW: 15M	1882.5	26365	V	15.17	7.53	-6.90	15.80	33.01
16QAM	1002.5	20303	Н	17.54	7.53	-6.90	18.17	33.01
RB: 1,0	1907.5	26615	V	14.86	7.64	-6.95	15.55	33.01
KD. 1,0	1907.5	20015	Н	17.86	7.64	-6.95	18.55	33.01
LTE	1857.5	26115	V	15.76	7.48	-6.88	16.36	33.01
BAND 25	1007.0	20113	Н	18.01	7.48	-6.88	18.61	33.01
	1000 F	26365	V	14.16	7.59	-6.93	14.82	33.01
BW: 15M 16QAM RB: 1,74	1882.5	20303	Н	17.35	7.58	-6.93	18.00	33.01
	1907.5	26615	V	12.17	7.69	-6.98	12.88	33.01
IXD. 1,74	1707.5	20010	Н	16.03	7.69	-6.98	16.74	33.01
Remark :	(1)The RBW,	/BW of S	SPA for fre	quency F	RBW= 8MF	łz , VBW	/= 8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1860.0	26140	V	14.44	7.43	-6.86	15.01	33.01
BAND 25	1000.0	20140	Н	17.42	7.42	-6.86	17.98	33.01
BW: 20M	1882.5	26365	V	15.55	7.52	-6.90	16.17	33.01
QPSK	1002.5	20303	Н	17.41	7.52	-6.90	18.03	33.01
RB: 1,0	1905.0	26590	V	14.91	7.61	-6.94	15.58	33.01
KD. 1,0	1905.0	20090	Н	17.48	7.62	-6.94	18.16	33.01
LTE	1860.0	26140	V	16.32	7.43	-6.86	16.89	33.01
BAND 25	1000.0	20140	Н	17.60	7.43	-6.86	18.17	33.01
BAND 25 BW: 20M QPSK	1882.5	26365	V	14.14	7.60	-6.93	14.81	33.01
	1002.0	20300	Н	17.17	7.60	-6.93	17.84	33.01
RB: 1,99	1905.0	26590	V	12.10	7.69	-6.98	12.81	33.01
KD. 1,99	1905.0	20370	Н	15.92	7.69	-6.98	16.63	33.01
LTE	1860.0	26140	V	16.45	7.43	-6.86	17.02	33.01
BAND 25	1000.0	20140	Н	17.86	7.42	-6.86	18.42	33.01
BAND 25 BW: 20M	1882.5	26365	V	15.65	7.52	-6.90	16.27	33.01
16QAM	1002.0	20300	Н	16.10	7.52	-6.90	16.72	33.01
RB: 1,0	1905.0	26590	V	15.06	7.61	-6.94	15.73	33.01
KD. 1,0	1905.0	20090	Н	17.74	7.62	-6.94	18.42	33.01
LTE	1940.0	26140	V	14.23	7.50	-6.89	14.84	33.01
BAND 25	1860.0	26140	Н	15.77	7.50	-6.89	16.38	33.01
	1002 5	J6365	V	14.08	7.59	-6.93	14.74	33.01
BW: 20M 16QAM RB: 1,99	1882.5	26365	Н	17.28	7.60	-6.93	17.95	33.01
	1905.0	26590	V	12.41	7.69	-6.97	13.13	33.01
ιτυ. 1,77	1703.0	20370	Н	15.98	7.69	-6.98	16.69	33.01
Remark :	(1)The RBW,V	BW of S	SPA for free	quency R	BW= 8MF	Iz , VBW	/= 8MHz	





	EUT			1	Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	824.7	26797	V	13.03	5.14	-4.18	13.99	38.45
BAND 26	024.7	20191	Н	13.70	5.14	-4.18	14.66	38.45
BAND 20 BW: 1.4M	836.5	26915	V	13.28	5.10	-4.22	14.16	38.45
QPSK	030.0	20915	Н	15.43	5.10	-4.22	16.31	38.45
RB: 1,0	848.3	27033	V	14.33	5.06	-4.26	15.13	38.45
KD. 1,0	040.3	27033	Н	17.17	5.06	-4.26	17.97	38.45
LTE	824.7	26797	V	12.37	5.13	-4.18	13.32	38.45
BAND 26	024.7	20777	Н	14.05	5.14	-4.18	15.01	38.45
BW: 1.4M	836.5	26915	V	13.39	5.09	-4.23	14.25	38.45
	030.0	20915	Н	15.79	5.09	-4.23	16.65	38.45
	848.3	27033	V	14.71	5.06	-4.27	15.50	38.45
QPSK RB: 1,5	040.5	27033	Н	17.50	5.05	-4.27	18.28	38.45
LTE	824.7	26797	V	12.44	5.14	-4.18	13.40	38.45
BAND 26	024.7	20777	Н	13.75	5.14	-4.18	14.71	38.45
BW: 1.4M	836.5	26915	V	13.68	5.10	-4.22	14.56	38.45
16QAM	030.3	20713	Н	15.65	5.10	-4.22	16.53	38.45
RB: 1,0	848.3	27033	V	14.30	5.06	-4.26	15.10	38.45
$\mathbf{ND}$ , $\mathbf{I}$ , $\mathbf{O}$	040.5	27033	Н	17.35	5.06	-4.26	18.15	38.45
LTE	824.7	26797	V	12.87	5.13	-4.18	13.82	38.45
	024.7	20777	Н	14.13	5.13	-4.18	15.08	38.45
BAND 26 BW: 1.4M 16QAM RB: 1,5	836.5	26915	V	13.64	5.10	-4.23	14.51	38.45
	030.0	20713	Н	15.96	5.09	-4.23	16.82	38.45
	848.3	27033	V	14.58	5.06	-4.26	15.38	38.45
KD. 1,0	040.3	21033	Н	17.60	5.06	-4.27	18.39	38.45
Remark :	(1)The RBW,	/BW of S	SPA for fre	quency R	BW= 8MH	z,VBW	= 8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	825.5	26805	V	12.46	5.14	-4.18	13.42	38.45
BAND 26	023.3	20005	Н	15.27	5.14	-4.18	16.23	38.45
BW: 3M	836.5	26915	V	11.94	5.10	-4.22	12.82	38.45
QPSK	030.5	20713	Н	14.22	5.10	-4.22	15.10	38.45
RB: 1,0	847.5	27025	V	14.01	5.06	-4.26	14.81	38.45
KD. 1,0	047.5	27025	Н	16.85	5.07	-4.26	17.66	38.45
LTE	825.5	26805	V	12.48	5.13	-4.19	13.42	38.45
BAND 26	023.3	20005	Н	13.76	5.13	-4.19	14.70	38.45
BW: 3M QPSK RB: 1,14	836.5	26915	V	13.41	5.09	-4.23	14.27	38.45
	030.5	20713	Н	15.69	5.09	-4.23	16.55	38.45
	847.5	26915 27025	V	14.73	5.06	-4.26	15.53	38.45
	047.5		Н	17.63	5.05	-4.27	18.41	38.45
LTE	825.5	26805	V	12.51	5.14	-4.18	13.47	38.45
BAND 26	023.3	20005	Н	13.79	5.14	-4.18	14.75	38.45
BW: 3M	836.5	26915	V	13.13	5.10	-4.22	14.01	38.45
16QAM	030.5	20715	Н	15.34	5.10	-4.22	16.22	38.45
RB: 1,0	847.5	27025	V	14.99	5.06	-4.26	15.79	38.45
KD. 1,0	047.5	27025	Н	17.73	5.06	-4.26	18.53	38.45
LTE	825.5	26805	V	13.40	5.13	-4.19	14.34	38.45
BAND 26	020.0	20005	Н	14.66	5.13	-4.19	15.60	38.45
	836.5	26915	V	13.63	5.09	-4.23	14.49	38.45
BW: 3M 16QAM RB: 1,14	030.0	20713	Н	16.03	5.09	-4.23	16.89	38.45
	847.5	27025	V	14.70	5.06	-4.26	15.50	38.45
	047.0	21023	Н	17.62	5.06	-4.26	18.42	38.45
Remark :	(1)The RBW,V	BW of S	PA for freq	uency RI	BW= 8MHz	z , VBW=	= 8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	826.5	26815	V	12.58	5.14	-4.18	13.54	38.45
BAND 26	020.5	20013	Н	16.04	5.14	-4.18	17.00	38.45
BW: 5M	836.5	26915	V	12.02	5.10	-4.22	12.90	38.45
QPSK	030.5	20713	Н	15.60	5.10	-4.22	16.48	38.45
RB: 1,0	846.5	27015	V	14.02	5.07	-4.25	14.84	38.45
KD. 1,0	040.5	27013	Н	16.91	5.07	-4.25	17.73	38.45
LTE	826.5	26815	V	12.87	5.12	-4.19	13.80	38.45
BAND 26	020.0	20010	Н	16.23	5.12	-4.19	17.16	38.45
BW: 5M QPSK	836.5	26015	V	13.48	5.09	-4.23	14.34	38.45
	030.0	20910	Н	16.74	5.09	-4.23	17.60	38.45
RB: 1,24	846.5	26915 27015	V	14.68	5.06	-4.27	15.47	38.45
KD. 1,24	040.0		Н	17.43	5.06	-4.26	18.23	38.45
LTE	826.5	26815	V	12.51	5.14	-4.18	13.47	38.45
BAND 26	020.5	20015	Н	16.03	5.14	-4.18	16.99	38.45
BW: 5M	836.5	26915	V	12.90	5.10	-4.22	13.78	38.45
16QAM	030.0	20910	Н	16.43	5.10	-4.22	17.31	38.45
RB: 1,0	846.5	27015	V	14.88	5.07	-4.25	15.70	38.45
KD. 1,0	040.0	27015	Н	17.82	5.07	-4.25	18.64	38.45
LTE	826.5	26815	V	14.07	5.12	-4.20	14.99	38.45
BAND 26	020.0	20010	Н	17.57	5.12	-4.19	18.50	38.45
	836.5	26915	V	13.69	5.09	-4.23	14.55	38.45
BW: 5M 16QAM RB: 1,24	030.3	20710	Н	17.03	5.09	-4.24	17.88	38.45
	916 5	27015	V	14.58	5.06	-4.26	15.38	38.45
κd. 1,24	846.5	27015	Н	17.42	5.06	-4.26	18.22	38.45
Remark :	(1)The RBW,	/BW of S	SPA for free	quency R	BW= 8MH	z , VBW=	= 8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	829.0	26840	V	12.36	5.13	-4.18	13.31	38.45
BAND 26	027.0	20040	Н	13.23	5.14	-4.18	14.19	38.45
BW: 10M	836.5	26915	V	13.08	5.11	-4.21	13.98	38.45
QPSK	030.5	20713	Н	15.29	5.11	-4.21	16.19	38.45
RB: 1,0	844.0	26990	V	13.35	5.08	-4.24	14.19	38.45
	044.0	20770	Н	16.41	5.09	-4.24	17.26	38.45
LTE	829.0	26840	V	10.93	5.11	-4.21	11.83	38.45
BAND 26	027.0	20040	Н	13.16	5.11	-4.21	14.06	38.45
BAND 20 BW: 10M QPSK	836.5	26015	V	13.59	5.08	-4.24	14.43	38.45
	030.5	20713	Н	16.60	5.08	-4.24	17.44	38.45
RB: 1,49	844.0	26915 26990	V	13.97	5.06	-4.26	14.77	38.45
ND. 1,47	044.0	20770	Н	17.32	5.06	-4.26	18.12	38.45
LTE	829.0	26840	V	11.81	5.14	-4.18	12.77	38.45
BAND 26	027.0	20040	Н	14.01	5.14	-4.18	14.97	38.45
BW: 10M	836.5	26915	V	13.03	5.11	-4.21	13.93	38.45
16QAM	030.5	20713	Н	15.23	5.11	-4.21	16.13	38.45
RB: 1,0	844.0	26990	V	13.28	5.08	-4.24	14.12	38.45
KD. 1,0	044.0	20770	Н	16.38	5.09	-4.24	17.23	38.45
LTE	829.0	26840	V	11.92	5.11	-4.21	12.82	38.45
BAND 26	027.0	20040	Н	13.32	5.11	-4.21	14.22	38.45
	836.5	26915	V	13.77	5.08	-4.24	14.61	38.45
BW: 10M 16QAM RB: 1,49	030.0	20713	Н	15.73	5.08	-4.24	16.57	38.45
	844.0	26990	V	13.97	5.06	-4.26	14.77	38.45
ND. 1,47	044.0	20770	Н	17.58	5.06	-4.27	18.37	38.45
Remark :	(1)The RBW,V	'BW of S	PA for freq	uency RE	3W= 8MHz	, VBW=	8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	831.5	26865	V	12.76	5.13	-4.18	13.71	38.45
BAND 26	031.5	20005	Н	16.02	5.14	-4.18	16.98	38.45
BW: 15M	836.5	26915	V	12.56	5.12	-4.20	13.48	38.45
QPSK	030.3	20713	Н	16.96	5.12	-4.20	17.88	38.45
RB: 1,0	841.5	26965	V	11.67	5.10	-4.22	12.55	38.45
KD. 1,0	041.5	20703	Н	15.14	5.10	-4.22	16.02	38.45
LTE	831.5	26865	V	13.05	5.09	-4.23	13.91	38.45
BAND 26	031.5	20005	Н	16.47	5.09	-4.23	17.33	38.45
	836.5	26915	V	12.82	5.07	-4.25	13.64	38.45
BW: 15M QPSK	030.5	20713	Н	15.76	5.08	-4.25	16.59	38.45
RB: 1,74	841.5	26965	V	13.75	5.06	-4.26	14.55	38.45
	841.3	20703	Н	17.25	5.06	-4.26	18.05	38.45
LTE	831.5	26865	V	12.65	5.13	-4.18	13.60	38.45
BAND 26	031.3	20003	Н	16.16	5.13	-4.18	17.11	38.45
BW: 15M	836.5	26915	V	12.60	5.12	-4.20	13.52	38.45
16QAM	030.5	20713	Н	15.94	5.12	-4.20	16.86	38.45
RB: 1,0	841.5	26965	V	11.68	5.10	-4.22	12.56	38.45
KD. 1,0	011.5	20703	Н	15.33	5.10	-4.22	16.21	38.45
LTE	831.5	26865	V	13.72	5.09	-4.23	14.58	38.45
BAND 26	031.5	20005	Н	16.28	5.10	-4.22	17.16	38.45
	836.5	26915	V	12.83	5.07	-4.25	13.65	38.45
BW: 15M 16QAM RB: 1,74	030.3	2071J	Н	17.74	5.07	-4.25	18.56	38.45
	841.5	26965	V	13.97	5.06	-4.26	14.77	38.45
KD. 1,74	041.0	20700	Н	16.82	5.06	-4.26	17.62	38.45
Remark	(1)The RBW,V	'BW of S	SPA for freq	uency RI	BW= 8MHz	z , VBW=	8MHz	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subduiting cannot be reproduced to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	814.7	26697	V	13.07	5.17	-4.14	14.10	50.00
BAND 26	014.7	20077	Н	16.82	5.17	-4.14	17.85	50.00
BW: 1.4M	819.0	26740	V	12.43	5.16	-4.16	13.43	50.00
QPSK	017.0	20740	Н	16.07	5.16	-4.16	17.07	50.00
RB: 1,0	823.3	26783	V	11.98	5.14	-4.17	12.95	50.00
KD. 1,0	023.5	20703	Н	15.38	5.14	-4.17	16.35	50.00
LTE	814.7	26697	V	12.96	5.17	-4.15	13.98	50.00
BAND 26	014.7	20077	Н	16.77	5.17	-4.14	17.80	50.00
BW: 1.4M QPSK	819.0	26740	V	12.30	5.15	-4.16	13.29	50.00
	017.0	20740	Н	15.94	5.15	-4.16	16.93	50.00
RB: 1,5	823.3	26783	V	12.32	5.14	-4.18	13.28	50.00
KD. 1,5	023.5	20703	Н	15.67	5.14	-4.18	16.63	50.00
LTE	814.7	26697	V	13.67	5.17	-4.14	14.70	50.00
BAND 26	014.7	20077	Н	17.48	5.17	-4.14	18.51	50.00
BW: 1.4M	819.0	26740	V	12.68	5.16	-4.16	13.68	50.00
16QAM	017.0	20740	Н	16.27	5.16	-4.16	17.27	50.00
RB: 1,0	823.3	26783	V	12.04	5.14	-4.17	13.01	50.00
KD. 1,0	023.5	20703	Н	15.38	5.14	-4.17	16.35	50.00
LTE	814.7	26697	V	13.68	5.17	-4.15	14.70	50.00
BAND 26	014.7	20077	Н	17.50	5.17	-4.15	18.52	50.00
	819.0	26740	V	12.36	5.15	-4.16	13.35	50.00
BW: 1.4M 16QAM RB: 1,5	017.0	20/40	Н	15.87	5.15	-4.16	16.86	50.00
	012.2	26783	V	12.31	5.14	-4.18	13.27	50.00
	823.3	20/03	Н	15.66	5.14	-4.18	16.62	50.00
Remark :	(1)The RBW,	/BW of S	SPA for free	quency R	BW= 8MH	z, VBW	= 8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	815.5	26705	V	13.29	5.18	-4.14	14.33	50.00
BAND 26	013.5	20703	Н	16.48	5.17	-4.14	17.51	50.00
BW: 3M	819.0	26740	V	12.43	5.16	-4.15	13.44	50.00
QPSK	017.0	20740	Н	16.13	5.16	-4.15	17.14	50.00
RB: 1,0	822.5	26775	V	11.87	5.15	-4.17	12.85	50.00
KD. 1,0	022.5	20113	Н	15.35	5.15	-4.17	16.33	50.00
LTE	815.5	26705	V	12.35	5.16	-4.15	13.36	50.00
BAND 26	013.5	20703	Н	16.11	5.16	-4.15	17.12	50.00
BW: 3M QPSK	819.0	26740	V	11.37	5.15	-4.16	12.36	50.00
	017.0	20740	Н	14.98	5.15	-4.16	15.97	50.00
RB: 1,14	822.5	26775	V	12.21	5.14	-4.18	13.17	50.00
ND. 1,14	022.5	26775	Н	15.27	5.14	-4.17	16.24	50.00
LTE	815.5	26705	V	13.66	5.17	-4.14	14.69	50.00
BAND 26	015.5	20705	Н	17.51	5.17	-4.14	18.54	50.00
BAND 20 BW: 3M	819.0	26740	V	13.06	5.16	-4.15	14.07	50.00
16QAM	017.0	20740	Н	16.23	5.16	-4.15	17.24	50.00
RB: 1,0	822.5	26775	V	11.90	5.15	-4.17	12.88	50.00
KD. 1,0	022.5	20775	Н	15.42	5.15	-4.17	16.40	50.00
LTE	815.5	26705	V	13.25	5.16	-4.15	14.26	50.00
BAND 26	013.3	20703	Н	17.06	5.16	-4.15	18.07	50.00
	819.0	26740	V	12.06	5.15	-4.16	13.05	50.00
BW: 3M 16QAM RB: 1,14	017.0	20740	Н	15.63	5.15	-4.16	16.62	50.00
	822.5	26775	V	12.28	5.14	-4.18	13.24	50.00
κd. 1,14	022.0	20773	Н	15.70	5.14	-4.17	16.67	50.00
Remark :	(1)The RBW,V	'BW of S	PA for freq	uency RE	3W= 8MHz	z, VBW=	8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	816.5	26715	V	12.86	5.17	-4.14	13.89	50.00
BAND 26	010.5	20713	Н	16.42	5.17	-4.14	17.45	50.00
BW: 5M	819.0	26740	V	12.51	5.16	-4.15	13.52	50.00
QPSK	017.0	20740	Н	16.06	5.16	-4.15	17.07	50.00
RB: 1,0	821.5	26765	V	11.41	5.15	-4.16	12.40	50.00
KD. 1,0	021.0	20703	Н	14.83	5.15	-4.16	15.82	50.00
LTE	816.5	26715	V	11.29	5.15	-4.16	12.28	50.00
BAND 26	010.5	20713	Н	14.81	5.16	-4.16	15.81	50.00
BAND 20 BW: 5M QPSK	819.0	26740	V	11.65	5.15	-4.17	12.63	50.00
	017.0	20740	Н	14.96	5.15	-4.16	15.95	50.00
RB: 1,24	821.5	26765	V	11.96	5.14	-4.18	12.92	50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00
ND. 1,24	021.5	20705	Н	15.29	5.14	-4.18	16.25	50.00
LTE	816.5	26715	V	13.63	5.17	-4.14	14.66	50.00
BAND 26	010.5	20715	Н	17.43	5.17	-4.14	18.46	50.00
BAND 20 BW: 5M	819.0	26740	V	13.37	5.16	-4.15	14.38	50.00
16QAM	017.0	20740	Н	17.07	5.16	-4.15	18.08	50.00
RB: 1,0	821.5	26765	V	12.35	5.15	-4.16	13.34	50.00
KD. 1,0	021.0	20705	Н	15.91	5.15	-4.16	16.90	50.00
LTE	816.5	26715	V	12.60	5.16	-4.16	13.60	50.00
BAND 26	010.0	20715	Н	16.01	5.16	-4.16	17.01	50.00
	819.0	26740	V	11.86	5.15	-4.17	12.84	50.00
BW: 5M 16QAM RB: 1,24	017.0	20740	Н	15.31	5.15	-4.17	16.29	50.00
	821.5	26765	V	12.23	5.14	-4.18	13.19	50.00
	021.0	26765	Н	15.51	5.14	-4.18	16.47	50.00
Remark :	(1)The RBW,V	'BW of S	SPA for free	quency R	BW= 8MF	Iz , VBW	/= 8MHz	



	EUT				Measure	ment			
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit	
	MHz		V/H	dBm	dBd	dB	dBm	dBm	
LTE BAND 26 BW: 10M	819.0	26740	V	12.87	5.17	-4.14	13.90	50.00	
QPSK RB: 1,0	019.0	20740	Н	16.64	5.17	-4.14	17.67	50.00	
LTE BAND 26 BW: 10M	819.0	26740	V	11.84	5.14	-4.17	12.81	50.00	
QPSK RB: 1,49	017.0	26740	Н	15.17	5.14	-4.17	16.14	50.00	
LTE BAND 26 BW: 10M	819.0	26740	V	13.17	5.17	-4.14	14.20	50.00	
16QAM RB: 1,0	017.0	20740	Н	16.85	5.17	-4.14	17.88	50.00	
LTE BAND 26			V	11.91	5.14	-4.18	12.87	50.00	
BW: 10M 16QAM RB: 1,49	819.0	26740	Н	15.16	5.14	-4.17	16.13	50.00	
Remark :									



	EUT				Measure	ment		Limit dBm 24.00 24.00 24.00 24.00 24.00 24.00					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit					
	MHz		V/H	dBm	dBd	dB	dBm	dBm					
LTE	2307.5	27685	V	13.09	10.51	-7.59	16.01	24.00					
BAND 30	2307.3	27005	Н	12.06	10.50	-7.59	14.97	24.00					
BW: 5M	2310.0	27710	V	13.03	10.51	-7.59	15.95	24.00					
QPSK	2310.0	27710	Н	12.32	10.51	-7.59	15.24	24.00					
RB: 1,0	2312.5	27735	V	12.95	10.51	-7.59	15.87	24.00					
KD. 1,0	2312.3	21133	Н	12.20	10.51	-7.59	15.12	24.00					
LTE	2307.5	27685	V	11.93	10.51	-7.59	14.85	24.00					
BAND 30	2307.3	27005	Н	10.69	10.51	-7.59	13.61	24.00					
BAND 30 BW: 5M QPSK	2310.0	27710	V	12.13	10.51	-7.60	15.04	24.00					
	2310.0	27710	Н	11.09	10.51	-7.60	14.00	24.00					
RB: 1,24	2312.5	27735	V	12.01	10.51	-7.60	14.92	24.00					
	2312.5	21133	Н	10.52	10.51	-7.60	13.43	24.00					
LTE	2307.5	27685	V	13.19	10.51	-7.59	16.11	24.00					
BAND 30	2307.3	27005	Н	12.07	10.51	-7.59	14.99	24.00					
BW: 5M	2310.0	27710	V	13.34	10.51	-7.59	16.26	24.00					
16QAM	2310.0	27710	Н	12.47	10.51	-7.59	15.39	24.00					
RB: 1,0	2312.5	27735	V	13.48	10.51	-7.59	16.40	24.00					
	2012.0	21100	Н	12.47	10.51	-7.59	15.39	24.00					
LTE	2307.5	27685	V	12.04	10.51	-7.59	14.96	24.00					
	2307.5	27003	Н	10.86	10.51	-7.59	13.78	24.00					
BAND 30 - BW: 5M 16QAM - RB: 1,24	2310.0	27710	V	12.53	10.51	-7.60	15.44	24.00					
	2010.0	21/10	Н	11.47	10.51	-7.60	14.38	24.00					
	2312.5	27735	V	12.14	10.51	-7.60	15.05	24.00					
H 12.21 10.51 -7.59 15.13 24.00													
Remark :	(1)The RBW,	/BW of S	SPA for fre	quency R	RBW= 8MH	lz , VBW	= 8MHz						



	EUT				Measurer	nent			
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit	
	MHz		V/H	dBm	dBd	dB	dBm	dBm	
LTE BAND 30 BW: 10M	2310.0	27710	V	12.90	10.51	-7.59	15.82	24.00	
QPSK RB: 1,0			Н	12.33	10.51	-7.59	15.25	24.00	
LTE BAND 30 BW: 10M	2310.0	27710	V	12.30	10.51	-7.60	15.21	24.00	
QPSK RB: 1,49			Н	11.06	10.51	-7.60	13.97	24.00	
LTE BAND 30 BW: 10M	2310.0	27710	V	14.42	10.51	-7.59	17.34	24.00	
16QAM RB: 1,0			Н	13.78	10.51	-7.59	16.70	24.00	
LTE BAND 30 BW: 10M	2310.0	27710	V	12.47	10.51	-7.60	15.38	24.00	
16QAM RB: 1,49	2310.0	21110 -	Н	11.20	10.51	-7.60	14.11	24.00	
Remark :									

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北產五股區新北產業園區五工路 134 號



	EUT				Measure	ment				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
LTE	2572.5	37775	V	18.61	8.63	-7.91	19.33	33.00		
BAND 38	2372.3	37773	Н	21.01	8.63	-7.91	21.73	33.00		
BW: 5M	2595.0	38000	V	18.26	8.66	-7.93	18.99	33.00		
QPSK	2375.0	30000	Н	19.27	8.66	-7.93	20.00	33.00		
RB: 1,0	2617.5	38225	V	16.83	8.69	-7.96	17.56	33.00		
KD. 1,0	2017.5	30223	Н	19.11	8.69	-7.96	19.84	33.00		
LTE	2572.5	37775	V	18.84	8.64	-7.91	19.57	33.00		
BAND 38 BW: 5M QPSK	2372.3	37773	Н	21.45	8.64	-7.91	22.18	33.00		
	2595.0	38000	V	18.19	8.67	-7.94	18.92	33.00		
	2375.0	30000	Н	19.80	8.67	-7.94	20.53	33.00		
RB: 1,24	2617.5	38225	V	16.81	8.69	-7.96	17.54	33.00		
ND. 1,24	2017.5	30223	Н	18.98	8.69	-7.96	19.71	33.00		
LTE	2572.5	37775	V	18.31	8.63	-7.91	19.03	33.00		
BAND 38	2372.3	37773	Н	20.26	8.63	-7.91	20.98	33.00		
BW: 5M	2595.0	38000	V	18.58	8.66	-7.93	19.31	33.00		
16QAM	2375.0	30000	Н	19.44	8.66	-7.93	20.17	33.00		
RB: 1,0	2617.5	38225	V	16.92	8.69	-7.96	17.65	33.00		
KD. 1,0	2017.5	30223	Н	19.06	8.69	-7.96	19.79	33.00		
LTE	2572.5	37775	V	18.51	8.64	-7.91	19.24	33.00		
BAND 38	2372.3	37773	Н	20.97	8.64	-7.91	21.70	33.00		
	2595.0	38000	V	17.70	8.67	-7.94	18.43	33.00		
BW: 5M 16QAM RB: 1,24	2070.0	30000	Н	19.19	8.67	-7.94	19.92	33.00		
	2617.5	38225	V	16.46	8.69	-7.96	17.19	33.00		
	2017.3	JUZZJ	Н	19.25	8.69	-7.96	19.98	33.00		
Remark :										



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	2575.0	37800	V	16.73	8.64	-7.91	17.46	33.00
BAND 38	2373.0	37000	Н	20.73	8.63	-7.91	21.45	33.00
BW: 10M	2595.0	38000	V	15.67	8.66	-7.93	16.40	33.00
QPSK	2375.0	30000	Н	18.76	8.66	-7.93	19.49	33.00
RB: 1,0	2615.0	38200	V	16.41	8.68	-7.95	17.14	33.00
KD. 1,0	2015.0	30200	Н	18.76	8.68	-7.95	19.49	33.00
LTE	2575.0	37800	V	17.45	8.64	-7.92	18.17	33.00
BAND 38	2070.0	37800	Н	20.26	8.64	-7.92	20.98	33.00
BAND 38 BW: 10M QPSK	2595.0	38000	V	15.42	8.67	-7.94	16.15	33.00
	2090.0	30000	Н	19.24	8.67	-7.94	19.97	33.00
RB: 1,49	2615.0	20200	V	14.93	8.69	-7.96	15.66	dBm 33.00 33.00 33.00 33.00 33.00 33.00 33.00 33.00 33.00
KD. 1,49	2015.0	38200	Н	18.09	8.69	-7.96	18.82	33.00
LTE	2575.0	37800	V	18.51	8.63	-7.91	19.23	33.00
BAND 38	2070.0	37000	Н	20.45	8.63	-7.91	21.17	33.00
BAND 30 BW: 10M	2595.0	38000	V	14.94	8.66	-7.93	15.67	33.00
	2090.0	30000	Н	18.60	8.66	-7.93	19.33	33.00
16QAM	2615.0	20200	V	16.00	8.68	-7.95	16.73	33.00
RB: 1,0	2615.0	38200	Н	16.62	8.68	-7.95	17.35	33.00
LTE		27000	V	17.96	8.65	-7.92	18.69	33.00
BAND 38	2575.0	37800	Н	19.89	8.65	-7.92	20.62	33.00
		20000	V	17.30	8.67	-7.94	18.03	33.00
BW: 10M 16QAM RB: 1,49	2595.0	38000	Н	17.08	8.67	-7.94	17.81	33.00
	2615.0	38200	V	14.39	8.69	-7.96	15.12	33.00
кd. 1,49	2013.0	30200	Н	15.95	8.69	-7.96	16.68	33.00
Remark :	(1)The RBW,V	BW of S	SPA for freq	uency RI	BW= 8MHz	z , VBW=	= 8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	2577.5	37825	V	18.07	8.63	-7.91	18.79	33.00
BAND 38	2377.3	37025	Η	20.38	8.63	-7.91	21.10	33.00
BW: 15M	2595.0	38000	V	14.86	8.66	-7.93	15.59	33.00
QPSK	2373.0	30000	Н	17.50	8.66	-7.93	18.23	33.00
RB: 1,0	2612.5	38175	V	14.94	8.68	-7.95	15.67	33.00
KD. 1,0	2012.5	30173	Н	19.53	8.68	-7.95	20.26	33.00
LTE	2577.5	37825	V	16.89	8.65	-7.92	17.62	33.00
BAND 38	2377.3	57025	Н	20.38	8.65	-7.92	21.11	33.00
BAND 38 BW: 15M QPSK	2595.0	38000	V	14.90	8.67	-7.94	15.63	33.00
	2375.0	30000	Н	19.44	8.67	-7.94	20.17	33.00
RB: 1,74	2612.5	38175	V	15.03	8.69	-7.96	15.76	33.00
	2012.5	30173	Н	18.45	8.69	-7.96	19.18	33.00
LTE	2577.5	38175 37825	V	18.12	8.63	-7.91	18.84	33.00
BAND 38	2011.0	37023	Н	20.39	8.64	-7.91	21.12	33.00
BW: 15M	2595.0	38000	V	16.73	8.66	-7.93	17.46	33.00
16QAM	2373.0	30000	Н	18.89	8.66	-7.93	19.62	33.00
RB: 1,0	2612.5	38175	V	17.37	8.68	-7.95	18.10	33.00
KD. 1,0	2012.5	30173	Н	19.18	8.68	-7.95	19.91	33.00
LTE	2577.5	37825	V	16.62	8.65	-7.92	17.35	33.00
BAND 38	2377.3	37023	Н	19.80	8.65	-7.92	20.53	33.00
BW: 15M	2595.0	38000	V	16.48	8.67	-7.94	17.21	33.00
BW: 15M 16QAM RB: 1,74	2070.0	30000	Н	18.95	8.67	-7.94	19.68	33.00
	2612.5	38175	V	14.86	8.69	-7.96	15.59	33.00
			Н	17.96	8.69	-7.96	18.69	33.00
Remark :	(1)The RBW,V	/BW of S	SPA for free	luency R	BW= 8MH	z , VBW=	= 8MHz	



	EUT				Measurer	nent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	2580.0	37850	V	16.95	8.64	-7.91	17.68	33.00
BAND 38	2300.0	37030	Н	19.91	8.64	-7.91	20.64	33.00
BW: 20M	2595.0	38000	V	15.29	8.65	-7.92	16.02	33.00
QPSK	2373.0	30000	Н	17.37	8.65	-7.92	18.10	33.00
RB: 1,0	2610.0	38150	V	15.23	8.67	-7.94	15.96	33.00
KD. 1,0	2010.0	30130	Н	19.07	8.67	-7.94	19.80	33.00
LTE	2580.0	37850	V	17.39	8.66	-7.93	18.12	33.00
BAND 38	2300.0	57050	Н	19.79	8.66	-7.93	20.52	33.00
BW: 20M	2595.0	38000	V	15.32	8.67	-7.94	16.05	33.00
QPSK	2373.0	30000	Н	17.50	8.68	-7.94	18.24	33.00
RB: 1,99	2610.0	38150	V	15.47	8.69	-7.96	16.20	33.00
ND. 1,77	2010.0	30130	Н	18.04	8.69	-7.96	18.77	33.00
LTE	2580.0	37850	V	18.34	8.64	-7.91	19.07	33.00
BAND 38	2300.0	57050	Н	19.30	8.64	-7.91	20.03	33.00
BW: 20M	2595.0	38000	V	14.84	8.65	-7.93	15.56	33.00
16QAM	2373.0	30000	Н	17.02	8.65	-7.92	17.75	33.00
RB: 1,0	2610.0	38150	V	15.16	8.67	-7.94	15.89	33.00
KD. 1,0	2010.0	30130	Η	17.12	8.67	-7.94	17.85	33.00
LTE	2580.0	37850	V	18.00	8.66	-7.93	18.73	33.00
BAND 38	2000.0	37000	Н	19.49	8.66	-7.93	20.22	33.00
BW: 20M	2595.0	38000	V	14.92	8.67	-7.94	15.65	33.00
16QAM	2070.0	20000	Н	20.00	8.67	-7.94	20.73	33.00
RB: 1,99	2610.0	38150	V	15.10	8.69	-7.96	15.83	33.00
	2010.0	50150	Н	17.65	8.69	-7.96	18.38	33.00
Remark :	(1)The RBW,V	'BW of S	PA for frequ	uency RB	BW= 8MHz	, VBW=	8MHz	



	EUT			-	Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	2498.5	39675	V	18.46	8.55	-7.83	19.18	33.00
BAND 41	2490.0	37075	Н	18.82	8.55	-7.83	19.54	33.00
BW: 5M	2593.0	40620	V	17.49	8.66	-7.93	18.22	33.00
QPSK	2373.0	40020	Н	18.61	8.66	-7.93	19.34	33.00
RB: 1,0	2687.5	41565	V	7.43	8.77	-8.03	8.17	33.00
KD. 1,0	2007.5	41505	Н	14.86	8.77	-8.03	15.60	33.00
LTE	2498.5	39675	V	19.49	8.55	-7.83	20.21	33.00
BAND 41	2470.0	37075	Н	18.91	8.55	-7.83	19.63	33.00
BAND 41 BW: 5M	2593.0	40620	V	17.48	8.66	-7.94	18.20	33.00
QPSK	2095.0	40020	Н	18.77	8.66	-7.93	19.50	33.00
RB: 1,24	2687.5	41565	V	6.09	8.78	-8.03	6.84	33.00
ND. 1,24	2007.5	41505	Н	14.30	8.78	-8.03	15.05	33.00
LTE	2498.5	39675	V	18.36	8.55	-7.83	19.08	33.00
BAND 41	2470.0	37075	Н	18.70	8.55	-7.83	19.42	33.00
BW: 5M	2593.0	40620	V	17.23	8.66	-7.93	17.96	33.00
16QAM	2373.0	40020	Н	19.55	8.66	-7.93	20.28	33.00
RB: 1,0	2687.5	41565	V	11.83	8.77	-8.03	12.57	33.00
KD. 1,0	2007.5	41505	Н	15.34	8.77	-8.02	16.09	33.00
LTE	2498.5	39675	V	19.89	8.55	-7.83	20.61	33.00
BAND 41	2490.0	37075	Н	18.95	8.55	-7.83	19.67	33.00
BAND 41 BW: 5M	2593.0	40620	V	16.87	8.66	-7.93	17.60	33.00
16QAM	2070.0	40020	Н	18.23	8.66	-7.93	18.96	33.00
RB: 1,24	2687.5	41565	V	10.48	8.78	-8.03	11.23	33.00
	2007.0	41000	Н	14.46	8.78	-8.03	15.21	33.00
Remark :	(1)The RBW,	/BW of S	SPA for free	quency R	BW= 8MH	z , VBW	= 8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	2501.0	39700	V	8.23	8.55	-7.83	8.95	33.00
BAND 41	2301.0	37700	Н	13.13	8.55	-7.83	13.85	33.00
BW: 10M	2593.0	40620	V	15.14	8.66	-7.93	15.87	33.00
QPSK	2373.0	40020	Н	16.91	8.66	-7.93	17.64	33.00
RB: 1,0	2685.0	41540	V	5.44	8.77	-8.02	6.19	33.00
KD. 1,0	2003.0	41540	Н	10.09	8.77	-8.02	10.84	33.00
LTE	2501.0	39700	V	19.12	8.56	-7.84	19.84	33.00
BAND 41	2301.0	37700	Н	19.05	8.56	-7.84	19.77	33.00
BW: 10M	2593.0	40620	V	15.13	8.67	-7.94	15.86	33.00
QPSK	2095.0	40020	Н	17.69	8.67	-7.94	18.42	33.00
RB: 1,49	2685.0	41540	V	9.73	8.78	-8.03	10.48	33.00
ND. 1,47	2005.0	41540	Н	14.52	8.78	-8.03	15.27	33.00
LTE	2501.0	39700	V	18.02	8.55	-7.83	18.74	33.00
BAND 41	2301.0	39700	Н	18.97	8.55	-7.83	19.69	33.00
BW: 10M	2593.0	40620	V	14.89	8.66	-7.93	15.62	33.00
16QAM	2095.0	40020	Н	16.92	8.66	-7.93	17.65	33.00
RB: 1,0	2685.0	41540	V	7.19	8.77	-8.02	7.94	33.00
KD. 1,0	2005.0	41540	Н	11.50	8.77	-8.02	12.25	33.00
LTE	2501.0	39700	V	18.77	8.56	-7.84	19.49	33.00
BAND 41	2001.0	39700	Н	18.73	8.56	-7.84	19.45	33.00
BW: 10M	2502.0	10620	V	14.63	8.67	-7.94	15.36	33.00
16QAM	2593.0	40620	Н	17.01	8.67	-7.94	17.74	33.00
RB: 1,49	2685.0	41540	V	5.31	8.78	-8.03	6.06	33.00
11, 1,47	2003.0	11340	Н	8.14	8.78	-8.03	8.89	33.00
Remark :	(1)The RBW,	/BW of S	SPA for fre	quency R	BW= 8MH	z , VBW=	= 8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	2503.5	39725	V	8.42	8.55	-7.83	9.14	33.00
BAND 41	2303.3	57725	Н	19.16	8.55	-7.83	19.88	33.00
BW: 15M	2593.0	40620	V	15.04	8.65	-7.92	15.77	33.00
QPSK	2373.0	40020	Н	16.75	8.65	-7.92	17.48	33.00
RB: 1,0	2682.5	41515	V	7.67	8.76	-8.02	8.41	33.00
KD. 1,0	2002.5	41515	Н	11.77	8.76	-8.02	12.51	33.00
LTE	2503.5	39725	V	19.50	8.56	-7.84	20.22	33.00
BAND 41	2000.0	37723	Н	19.15	8.56	-7.84	19.87	33.00
BW: 15M	2593.0	40620	V	15.39	8.67	-7.94	16.12	33.00
QPSK	2373.0	40020	Н	17.16	8.67	-7.94	17.89	33.00
RB: 1,74	2682.5	41515	V	5.77	8.78	-8.03	6.52	33.00
ND. 1,74	2002.5	41313	Н	9.66	8.78	-8.03	10.41	33.00
LTE	2503.5	39725	V	19.17	8.55	-7.83	19.89	33.00
BAND 41	2303.3	37723	Н	18.33	8.55	-7.83	19.05	33.00
BW: 15M	2593.0	40620	V	14.58	8.65	-7.93	15.30	33.00
16QAM	2373.0	40020	Н	16.40	8.65	-7.92	17.13	33.00
RB: 1,0	2682.5	41515	V	7.43	8.76	-8.02	8.17	33.00
KD. 1,0	2002.5	41515	Н	11.66	8.76	-8.02	12.40	33.00
LTE	2503.5	39725	V	19.09	8.56	-7.84	19.81	33.00
BAND 41	2000.0	37723	Н	18.77	8.56	-7.84	19.49	33.00
BW: 15M	2593.0	40620	V	13.92	8.67	-7.94	14.65	33.00
16QAM	2373.0	40020	Н	16.88	8.67	-7.94	17.61	33.00
RB: 1,74	2682.5	41515	V	4.84	8.78	-8.03	5.59	33.00
	2002.0	JJJJ	Н	8.02	8.78	-8.03	8.77	33.00
Remark :	(1)The RBW,V	'BW of S	PA for freq	uency RE	3W= 8MHz	: , VBW=	8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	2506.0	39750	V	17.96	8.55	-7.83	18.68	33.00
BAND 41	2300.0	37730	Н	18.03	8.55	-7.83	18.75	33.00
BW: 20M	2593.0	40620	V	14.46	8.65	-7.92	15.19	33.00
QPSK	2373.0	40020	Н	18.89	8.65	-7.92	19.62	33.00
RB: 1,0	2680.0	41490	V	5.90	8.75	-8.01	6.64	33.00
KD. 1,0	2000.0	41470	Н	11.35	8.75	-8.01	12.09	33.00
LTE	2506.0	39750	V	19.37	8.57	-7.85	20.09	33.00
BAND 41	2300.0	37730	Н	18.78	8.57	-7.85	19.50	33.00
BW: 20M	2593.0	40620	V	15.06	8.67	-7.94	15.79	33.00
QPSK	2373.0	40020	Н	18.97	8.67	-7.94	19.70	33.00
RB: 1,99	2680.0	41490	V	5.78	8.78	-8.03	6.53	33.00
ND. 1,77	2000.0	41470	Н	8.64	8.78	-8.03	9.39	33.00
LTE	2506.0	39750	V	18.91	8.55	-7.83	19.63	33.00
BAND 41	2300.0	37730	Н	18.11	8.55	-7.83	18.83	33.00
BW: 20M	2593.0	40620	V	14.08	8.65	-7.92	14.81	33.00
16QAM	2090.0	40020	Н	17.84	8.65	-7.92	18.57	33.00
RB: 1,0	2680.0	41490	V	7.43	8.76	-8.01	8.18	33.00
KD. 1,0	2000.0	41490	Н	11.46	8.75	-8.01	12.20	33.00
LTE	2506.0	20750	V	19.99	8.57	-7.85	20.71	33.00
BAND 41	2500.0	39750	Н	19.78	8.57	-7.85	20.50	33.00
BW: 20M	2593.0	40620	V	14.68	8.67	-7.94	15.41	33.00
	2070.0	40020	Н	18.98	8.67	-7.94	19.71	33.00
16QAM RB: 1,99	2680.0	41490	V	6.64	8.78	-8.03	7.39	33.00
ILD. 1,77	2000.0	41470	Н	8.52	8.78	-8.03	9.27	33.00
Remark :	(1)The RBW,V	BW of S	PA for freq	uency RE	3W= 8MHz	z,VBW=	8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenn a Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1710.7	131979	V	11.51	8.98	-6.58	13.91	30.00
BAND 66	1710.7	1317/7	Н	16.11	8.98	-6.58	18.51	30.00
BAND 00 BW: 1.4M	1745.0	132322	V	9.54	9.13	-6.65	12.02	30.00
QPSK	1743.0	IJZJZZ	Н	17.25	9.13	-6.65	19.73	30.00
RB: 1,0	1779.3	132665	V	8.55	9.27	-6.72	11.10	30.00
KD. 1,0	1777.5	132003	Н	16.54	9.27	-6.72	19.09	30.00
LTE	1710.7	131979	V	11.40	8.99	-6.58	13.81	30.00
BAND 66	1710.7	1317/7	Н	16.46	8.99	-6.58	18.87	30.00
BW: 1.4M	1745.0	132322	V	9.34	9.13	-6.65	11.82	30.00
QPSK	1745.0	IJZJZZ	Н	17.56	9.13	-6.65	20.04	30.00
RB: 1,5	1779.3	132665	V	8.48	9.27	-6.72	11.03	30.00
KD. 1,3	177.5	132003	Н	16.59	9.27	-6.72	19.14	30.00
LTE	1710.7	131979	V	11.73	8.98	-6.58	14.13	30.00
BAND 66	1710.7	1317/7	Н	16.21	8.98	-6.58	18.61	30.00
BAND 00 BW: 1.4M	1745.0	132322	V	9.43	9.13	-6.65	11.91	30.00
16QAM	1743.0	192922	Н	17.18	9.13	-6.65	19.66	30.00
	1779.3	132665	V	8.77	9.27	-6.72	11.32	30.00
RB: 1,0	177.5	132003	Н	17.09	9.27	-6.72	19.64	30.00
LTE	1710 7	121070	V	12.08	8.99	-6.58	14.49	30.00
BAND 66	1710.7	131979	Н	16.69	8.99	-6.58	19.10	30.00
BAND 00 BW: 1.4M	1745 0	10000	V	10.07	9.13	-6.65	12.55	30.00
	1745.0	132322	Н	17.58	9.13	-6.65	20.06	30.00
16QAM RB: 1.5	1770.2	12266	V	9.39	9.27	-6.72	11.94	30.00
кd. I,Э	Instruction         Instruction							30.00
Remark :	(1)The RBW,V	BW of SF	PA for frequ	iency RB	W= 8MHz	, VBW=	8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1711.5	131987	V	11.67	8.98	-6.58	14.07	30.00
BAND 66	1711.5	131707	Η	16.82	8.98	-6.58	19.22	30.00
BW: 3M	1745.0	132322	V	8.24	9.12	-6.65	10.71	30.00
QPSK	1743.0	IJZJZZ	H	16.64	9.12	-6.65	19.11	30.00
RB: 1,0	1778.5	132657	V	8.77	9.26	-6.71	11.32	30.00
	1770.5	132037	Н	16.99	9.26	-6.71	19.54	30.00
LTE	1711.5	131987	V	11.99	8.99	-6.59	14.39	30.00
BAND 66	1711.5	131707	Н	17.36	8.99	-6.59	19.76	30.00
BW: 3M	1745.0	132322	V	8.73	9.13	-6.65	11.21	30.00
QPSK	1743.0	132322	H	17.18	9.13	-6.65	19.66	30.00
RB: 1,14	1778.5	132657	V	8.94	9.27	-6.72	11.49	30.00
	1770.5	132037	Н	16.44	9.28	-6.72	19.00	30.00
LTE	1711.5	131987	V	11.99	8.98	-6.58	14.39	30.00
BAND 66	1711.5	131707	Н	17.04	8.98	-6.58	19.44	30.00
BW: 3M	1745.0	132322	V	8.66	9.12	-6.65	11.13	30.00
16QAM	1745.0	IJZJZZ	Н	16.59	9.12	-6.65	19.06	30.00
RB: 1,0	1778.5	132657	V	9.07	9.26	-6.71	11.62	30.00
KD. 1,0	1770.5	132037	Н	17.09	9.26	-6.71	19.64	30.00
LTE	1711.5	131987	V	12.18	8.99	-6.59	14.58	30.00
BAND 66	1711.5	131707	Н	17.56	8.99	-6.58	19.97	30.00
BW: 3M	1745.0	132322	V	9.02	9.13	-6.65	11.50	30.00
16QAM	1740.0	132322	Н	17.37	9.13	-6.65	19.85	30.00
RB: 1,14	1778.5	132657	V	8.89	9.28	-6.72	11.45	30.00
	1770.5	102007	Н	16.65	9.27	-6.72	19.20	30.00
Remark :	(1)The RBW,V	BW of SP	A for freque	ency RB	N= 8MHz	, VBW= 8	8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1712.5	131997	V	11.03	8.98	-6.58	13.43	30.00
BAND 66	1712.5	131777	Н	16.97	8.98	-6.58	19.37	30.00
BW: 5M	1745.0	132322	V	7.53	9.12	-6.65	10.00	30.00
QPSK	1745.0	IJZJZZ	Н	15.83	9.12	-6.65	18.30	30.00
RB: 1,0	1777.5	132647	V	9.48	9.26	-6.71	12.03	30.00
KD. 1,0	1777.5	132047	Н	16.65	9.26	-6.71	19.20	30.00
LTE	1712.5	131997	V	10.91	9.00	-6.59	13.32	30.00
BAND 66	1712.5	131777	Н	17.45	9.00	-6.59	19.86	30.00
BW: 5M	1745.0	132322	V	8.24	9.14	-6.65	10.73	30.00
QPSK	1745.0	IJZJZZ	Н	17.04	9.14	-6.65	19.53	30.00
RB: 1,24	1777.5	132647	V	8.42	9.27	-6.72	10.97	30.00
ND. 1,24	1777.5	132047	Н	16.05	9.27	-6.72	18.60	30.00
LTE	1712.5	131997	V	11.16	8.98	-6.58	13.56	30.00
BAND 66	1712.5	131777	Н	17.08	8.98	-6.58	19.48	30.00
BAND 00 BW: 5M	1745.0	132322	V	7.98	9.12	-6.65	10.45	30.00
16QAM	1745.0	IJZJZZ	Н	15.91	9.12	-6.65	18.38	30.00
RB: 1,0	1777.5	132647	V	9.22	9.26	-6.71	11.77	30.00
KD. 1,0	1777.5	132047	Н	16.89	9.25	-6.71	19.43	30.00
LTE	1712.5	131997	V	11.02	9.00	-6.59	13.43	30.00
BAND 66	1712.0	131771	Н	17.50	9.00	-6.59	19.91	30.00
BW: 5M	1745.0	132322	V	8.59	9.14	-6.65	11.08	30.00
16QAM	1740.0	IJZJZZ	Н	17.19	9.14	-6.65	19.68	30.00
RB: 1,24	1777.5	132647	V	8.74	9.27	-6.72	11.29	30.00
	1777.0	132047	Н	16.93	9.26	-6.71	19.48	30.00
Remark :	(1)The RBW,V	BW of SI	PA for frequ	iency RB	SW= 8MHz	, VBW=	8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1715.0	132022	V	10.10	8.98	-6.58	12.50	30.00
BAND 66	1713.0	132022	Н	14.98	8.98	-6.58	17.38	30.00
BW: 10M	1745.0	132322	V	7.69	9.11	-6.64	10.16	30.00
QPSK	1743.0	IJZJZZ	Н	14.19	9.11	-6.64	16.66	30.00
RB: 1,0	1775.0	132622	V	7.84	9.24	-6.70	10.38	30.00
KD. 1,0	1775.0	132022	Н	15.82	9.24	-6.70	18.36	30.00
LTE	1715.0	132022	V	9.34	9.02	-6.60	11.76	30.00
BAND 66	1715.0	132022	Н	15.88	9.02	-6.60	18.30	30.00
BW: 10M	1745.0	132322	V	7.96	9.15	-6.66	10.45	30.00
QPSK	1743.0	IJZJZZ	Н	16.75	9.15	-6.66	19.24	30.00
RB: 1,49	1775.0	132622	V	8.28	9.28	-6.72	10.84	30.00
	1775.0	132022	Н	16.21	9.27	-6.72	18.76	30.00
LTE	1715.0	132022	V	10.02	8.99	-6.58	12.43	30.00
BAND 66	1713.0	132022	Н	15.26	8.99	-6.58	17.67	30.00
BW: 10M	1745.0	132322	V	7.04	9.11	-6.64	9.51	30.00
16QAM	1743.0	IJZJZZ	Н	14.27	9.11	-6.64	16.74	30.00
RB: 1,0	1775.0	132622	V	8.52	9.24	-6.70	11.06	30.00
KD. 1,0	1775.0	132022	Н	15.95	9.24	-6.70	18.49	30.00
LTE	1715.0	132022	V	9.38	9.02	-6.60	11.80	30.00
BAND 66	1715.0	132022	Н	16.11	9.02	-6.60	18.53	30.00
BW: 10M	1745.0	132322	V	8.14	9.15	-6.66	10.63	30.00
16QAM	1740.0	132322	Н	16.88	9.15	-6.66	19.37	30.00
RB: 1,49	1775.0	132622	V	9.29	9.27	-6.72	11.84	30.00
IXD. 1,47	1775.0	IJZUZZ	V         9.29         9.27         -6.72         11.84         3           H         16.46         9.27         -6.72         19.01         3           PA for frequency RBW= 8MHz , VBW= 8MHz					
Remark :	(1)The RBW,V	'BW of SF	PA for frequ	ency RB	W= 8MHz	, VBW=	8MHz	



	EUT				Measure	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1717.5	132047	V	10.53	8.99	-6.58	12.94	30.00
BAND 66	1717.5	132047	Н	15.81	8.98	-6.58	18.21	30.00
BW: 15M	1745.0	132322	V	6.96	9.10	-6.64	9.42	30.00
QPSK	1743.0	IJZJZZ	Н	13.47	9.10	-6.64	15.93	30.00
RB: 1,0	1772.5	132597	V	6.14	9.22	-6.69	8.67	30.00
	1772.5	132377	Н	14.15	9.22	-6.69	16.68	30.00
LTE	1717.5	132047	V	8.90	9.04	-6.61	11.33	30.00
BAND 66	1717.5	132077	Н	15.21	9.04	-6.61	17.64	30.00
BW: 15M	1745.0	132322	V	7.04	9.15	-6.66	9.53	30.00
QPSK	1743.0	132322	Н	15.32	9.16	-6.66	17.82	30.00
RB: 1,74	1772.5	132597	V	8.58	9.27	-6.72	11.13	30.00
$ND, T_{1}T_{4}$	1772.5	132377	Н	16.21	9.27	-6.72	18.76	30.00
LTE	1717.5	132047	V	10.51	8.99	-6.58	12.92	30.00
BAND 66	1717.5	132047	Н	15.69	8.98	-6.58	18.09	30.00
BW: 15M	1745.0	132322	V	6.37	9.10	-6.64	8.83	30.00
16QAM	1743.0	IJZJZZ	Н	13.90	9.10	-6.64	16.36	30.00
RB: 1,0	1772.5	132597	V	6.46	9.22	-6.69	8.99	30.00
ND. 1,0	1772.5	132377	Н	14.54	9.22	-6.69	17.07	30.00
LTE	1717.5	132047	V	8.43	9.04	-6.61	10.86	30.00
BAND 66	1717.5	132047	Н	15.18	9.04	-6.61	17.61	30.00
BW: 15M	1745.0	132322	V	7.29	9.16	-6.66	9.79	30.00
16QAM	1740.0	132322	Н	15.49	9.15	-6.66	17.98	30.00
RB: 1,74	1772.5	132597	V	8.79	9.27	-6.72	11.34	30.00
			Н	16.49	9.27	-6.72	30.00	
Remark :	(1)The RBW,V	BW of SF	PA for frequ	iency RB	W= 8MHz	, VBW=	8MHz	



	EUT				Measurer	ment		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1720.0	132072	V	10.69	8.99	-6.58	13.10	30.00
BAND 66	1720.0	132072	Н	16.65	8.99	-6.58	19.06	30.00
BW: 20M	1745.0	132322	V	5.55	9.09	-6.63	8.01	30.00
QPSK	1743.0	132322	Н	13.36	9.09	-6.63	15.82	30.00
RB: 1,0	1770.0	132572	V	7.17	9.20	-6.68	9.69	30.00
	1770.0	132372	Н	15.69	9.20	-6.68	18.21	30.00
LTE	1720.0	132072	V	6.87	9.06	-6.62	9.31	30.00
BAND 66	1720.0	132072	Н	14.38	9.06	-6.62	16.82	30.00
BW: 20M	1745.0	132322	V	7.38	9.17	-6.67	9.88	30.00
QPSK	1745.0	IJZJZZ	Н	11.90	9.17	-6.67	14.40	30.00
RB: 1,99	1770.0	132572	V	8.65	9.27	-6.72	11.20	30.00
ND, 1,77	1770.0	132372	Н	16.52	9.27	-6.72	19.07	30.00
LTE	1720.0	132072	V	11.44	8.99	-6.58	13.85	30.00
BAND 66	1720.0	132072	Н	16.71	8.98	-6.58	19.11	30.00
BW: 20M	1745.0	132322	V	5.91	9.09	-6.63	8.37	30.00
16QAM	1745.0	IJZJZZ	Н	13.62	9.09	-6.63	16.08	30.00
RB: 1,0	1770.0	132572	V	6.93	9.20	-6.68	9.45	30.00
КD. 1,0	1770.0	132372	Н	15.60	9.20	-6.68	18.12	30.00
LTE	1720.0	132072	V	7.60	9.06	-6.62	10.04	30.00
BAND 66	1720.0	132072	Н	14.61	9.06	-6.62	17.05	30.00
BW: 20M	1745.0	127277	V	6.14	9.17	-6.67	8.64	30.00
16QAM	1745.0	132322	Н	12.04	9.17	-6.67	14.54	30.00
RB: 1,99	1770.0	132572	V	8.84	9.27	-6.72	11.39	30.00
ND. 1,77	1770.0	132372	Н	16.52	9.27	-6.72	19.07	30.00
Remark :	(1)The RBW,V	BW of SP	A for freque	ency RBV	V= 8MHz ,	VBW= 8	MHz	




# 8. OCCUPIED BANDWIDTH MEASUREMENT

# 8.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

# 8.2. Test Set-up



# 8.3. Measurement Procedure

# 99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 \* Signal BW, set % Power = 99%.

# 99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about  $1\% \sim 5\%$  of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW=  $1\% \sim 5\%$ , VBW= 3 RBW, with span > 2 \* Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 8.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site										
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.						
Spectrum Analyzer	Agilent	N9010A	MY53400256	2017/10/30	2018/10/29					
Radio Communica- tion Analyer	Anritsu	MT8820C	6201107337	2017/06/11	2018/06/10					
DC Power Supply	Agilent	E3640A	MY53130054	2017/09/04	2018/09/03					
Attenuator	Marvelous	MVE2213-10	RF30	2017/12/26	2018/12/25					
Splitter	<b>RF-LAMBAD</b>	RFLT2W1G18G	RF35	2017/12/26	2018/12/25					

# 8.5. Measurement Result

Freq.		<b>99</b> %	6 BW (MH	lz)	26 c	ib bw (Mi	Hz)
(MHz)	СН	WCDMA	HSDPA	HSUPA	WCDMA	HSDPA	HSUPA
(10112)		=	=	I	=	Ш	П
1852.40	9262	4.14980	4.15670	4.14380	4.70500	4.68940	4.68350
1880.00	9400	4.14920	4.15180	4.14520	4.70460	4.70500	4.70580
1907.60	9538	4.15590	4.13870	4.13710	4.67690	4.71420	4.70160

Erog		<b>99</b> %	% BW (MH	lz)	26 c	ib bw (Mi	Hz)
Freq. (MHz)	СН	WCDMA	HSDPA	HSUPA	WCDMA	HSDPA	HSUPA
(11112)		IV	IV	IV	IV	IV	IV
1712.40	1312	4.13100	4.13340	4.13910	4.68900	4.69500	4.70000
1732.60	1413	4.13980	4.12410	4.14520	4.66400	4.69300	4.68400
1752.60	1513	4.14420	4.13230	4.12650	4.67100	4.67300	4.69100

Erog		<b>99</b> %	% BW (MH	lz)	26 c	ib bw (Mi	Hz)
Freq. (MHz)	СН	WCDMA	HSDPA	HSUPA	WCDMA	HSDPA	HSUPA
		V	V	V	V	V	V
826.40	4132	4.14850	4.14150	4.14610	4.73990	4.69640	4.67420
836.60	4183	4.14370	4.13420	4.14160	4.73810	4.70060	4.72320
846.60	4233	4.12730	4.12970	4.11280	4.73540	4.68210	4.71040



Ľ	TE BAND	) 2 Chann	el bandwi	dth: 1.4MI	Hz			LTE BAN	D 2 Chan	nel bandwi	dth: 3MH	z
Freq.		99% BV		26 dB B			Freq.		99% BV		26 dB B	
(MHz)	СН	QPSK	16QAM	QPSK	16QAM		(MHz)	СН	QPSK	16QAM	QPSK	16QAM
1850.7	18607	1.0908	1.0953	1.2353	1.2379		1851.5	18615	2.6950	2.6953	2.9792	2.9844
1880.0	18900	1.0934	1.0941	1.2343	1.2433		1880.0	18900	2.6998	2.6909	2.9975	3.0084
1909.3	19193	1.0923	1.0948	1.2412	1.2366		1908.5	19185	2.6969	2.6974	2.9960	3.0122
L	TE BAN	D 2 Chan	nel bandw	idth: 5MH	Z		L	TE BAN	D 2 Chanr	nel bandwi	dth: 10MF	lz
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)		Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)
(MHz)	CIT	QPSK	16QAM	QPSK	16QAM		(MHz)	CIT	QPSK	16QAM	QPSK	16QAM
1852.5	18625	4.4882	4.4951	4.9610	4.9513		1855.0	18650	8.9782	8.9558	9.741	9.804
1880.0	18900	4.4889	4.4939	4.9939	4.9742		1880.0	18900	8.9673	8.9679	9.809	9.731
1907.5	19175	4.4892	4.4961	4.9595	4.9638		1905.0	19150	8.9827	8.9420	9.730	9.772
L	te bani	D 2 Chanr	iel bandwi	dth: 15MF	Ηz		L	TE BAN	D 2 Chanr	nel bandwi	dth: 20MF	lz
Freq.	СН	99% BV	V (MHz)	26 dB B	N (MHz)		Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)
(MHz)	CIT	QPSK	16QAM	QPSK	16QAM		(MHz)	CIT	QPSK	16QAM	QPSK	16QAM
1857.5	18675	13.499	13.489	14.696	14.609		1860.0	18700	17.985	17.965	19.598	19.438
1880.0	18900	13.455	13.460	14.606	14.559		1880.0	18900	17.939	17.951	19.498	19.415
1902.5	19125	13.480	13.452	14.705	14.693		1900.0	19100	17.968	17.998	19.586	19.428
	TE BAN	D 4 Chanr	el bandwid	dth: 1.4MF	lz			LTE BAI	ND 4 Chan	nel bandwi	dth: 3MHz	
Freq.		99% BV		26 dB B			Freq.			V (MHz)	26 dB B	
(MHz)	СН	QPSK	16QAM	QPSK	16QAM		(MHz)	СН	QPSK	16QAM	QPSK	16QAM
1710.7	19957	1.0943	1.0983	1.2449	1.2550		1711.5	19965	2.7000	2.6990	2.9966	3.0159
1732.5	20175	1.0944	1.0908	1.2484	1.2330		1732.5	20175	2.7003	2.6990	3.0257	3.0236
1754.3	20393	1.0922	1.0934	1.2461	1.2340		1753.5	20385	2.6986	2.6994	3.0214	3.0270
_	LTE BAN			idth: 5MH				LTE BAN	D 4 Chanr			
Freq.	СН		V (MHz)		W (MHz)		Freq.	СН		V (MHz)	26 dB B	, <i>i</i>
(MHz)	10057	QPSK	16QAM	QPSK	16QAM		(MHz)	20000	QPSK	16QAM	QPSK	16QAM
1712.5	19957	4.4952	4.5007	4.9827	4.9622		1715.0	20000	8.9919	8.9589	9.856	9.773
1732.5	20175	4.4979	4.4933	4.9606	4.9369		1732.5	20175	8.9834	8.9750	9.835	9.797
1752.5	20375	4.5051	4.4890	5.0132	5.0144		1750.0	20350	8.9892	8.9734	9.784	9.795
	TF BAN	D 4 Chanr	nel bandwi	dth: 15MH	7	-		I TE BAN	ID 4 Chanr	nel bandwic	th: 20MH	7
Freq.			V (MHz)		W (MHz)	-	Freq.			V (MHz)	26 dB B	
(MHz)	СН	QPSK	16QAM	QPSK	16QAM		(MHz)	СН	QPSK	16QAM	QPSK	16QAM
1717.5	20025	13.470	13.458	14.639	14.645		1720.0	20050	17.903	17.897	19.388	19.351
1732.5	20175	13.528	13.506	14.599	14.710		1732.5	20175	18.042	18.055	19.715	19.585
1747.5	20325	13.488	13.486	14.746	14.778		1745.0	20300	17.959	17.998	19.491	19.389

t (886-2) 2299-3279

```
www.tw.sgs.com
```



L	TE BAND	) 5 Chann	el bandwi	dth: 1.4M	Hz			LTE BAN	ID 5 Chanr	nel bandwi	dth: 3MH	Z
Freq.	011	99% BV	V (MHz)	26 dB B	W (MHz)		Freq.	011	99% BV	V (MHz)	26 dB B	W (MHz)
(MHz)	СН	QPSK	16QAM	QPSK	16QAM		(MHz)	СН	QPSK	16QAM	QPSK	16QAM
824.7	20407	1.0951	1.0931	1.2350	1.2440		825.5	20415	2.6927	2.6932	2.9570	3.0010
836.5	20525	1.0913	1.0942	1.2350	1.2450		836.5	20525	2.6958	2.6983	2.9960	2.9720
848.3	20643	1.0933	1.0954	1.2370	1.2420		847.5	20635	2.6976	2.6962	3.0010	3.0020
L	TE BAN	D 5 Chan	nel bandw	idth: 5MH	Iz		Ĺ	TE BAN	D 5 Chann	el bandwid	dth: 10MF	lz
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)		Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)
(MHz)	CH	QPSK	16QAM	QPSK	16QAM		(MHz)	CIT	QPSK	16QAM	QPSK	16QAM
826.5	20425	4.4971	4.5090	4.9480	4.9740		829.0	20450	8.9679	8.9584	9.800	9.743
836.5	20525	4.4992	4.4997	5.0110	4.9320		836.5	20525	9.0095	8.9711	9.847	9.745
846.5	20625	4.4891	4.4943	4.9640	4.9430		844.0	20600	8.9921	8.9559	9.780	9.689
	I TF BAN	ID 7 Chan	nel bandw	idth: 5MH;	7			I TF BAN	ID 7 Chanr	nel bandwig	dth <sup>.</sup> 10MH	7
Freq.		99% BV		26 dB B		-	Freq.			V (MHz)		W (MHz)
(MHz)	СН	QPSK	16QAM	QPSK	16QAM	1	(MHz)	СН	QPSK	16QAM	QPSK	16QAM
2502.5	20775	4.4963	4.4928	4.9350	4.8860		2505.0	20800	8.9649	8.9664	9.719	9.751
2535.0	21100	4.4955	4.5040	4.9760	4.9600		2535.0	21100	8.9853	8.9744	9.815	9.743
2567.5	21425	4.4966	4.5008	4.9150	4.9370		2565.0	21400	8.9942	8.9594	9.842	9.789
L	_TE BANI	D 7 Chanr	nel bandwid	dth: 15MH	Z			LTE BAN	ID 7 Chanr	nel bandwi	dth: 20MH	Z
Freq.	СН	99% BW (MHz) 26 dB BW (MHz)					Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)
(MHz)	CII	QPSK	16QAM	QPSK	16QAM		(MHz)	CH	QPSK	16QAM	QPSK	16QAM
2507.5	20825	13.442	13.473	14.590	14.690		2510.0	20850	17.954	17.954	19.520	19.520
2535.0	21100	13.496	13.498	14.720	14.810		2535.0	21100	18.022	18.022	19.730	19.730
2562.5	21375	13.489	13.467	14.760	14.690		2560.0	21350	17.943	17.943	19.310	19.310
LT	E BAND	12 Chani	nel bandw	idth: 1.4M	IHz		L	TE BAN	D 12 Chan	nel bandw	vidth: 3MF	z
Freq.	011	99% BV	V (MHz)	26 dB B	W (MHz)		Freq.	011	99% BV	V (MHz)	26 dB B	W (MHz)
(MHz)	СН	QPSK	16QAM	QPSK	16QAM		(MHz)	СН	QPSK	16QAM	QPSK	16QAM
699.7	23017	1.0917	1.0980	1.2360	1.2310		700.5	23025	2.6984	2.6990	2.9560	3.0000
707.5	23095	1.0931	1.0931	1.2380	1.2320		707.5	23095	2.6963	2.6977	2.9820	3.0030
715.3	23173	1.0927	1.0953	1.2370	1.2370		714.5	23165	2.7005	2.6922	2.9810	2.9950
L	TE BANI	D 12 Char	nel bandv	vidth: 5MI	Ηz		L	te bane	) 12 Chani	nel bandwi	dth: 10MI	Ηz
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)		Freq.	СЦ	99% BV	V (MHz)	26 dB B	W (MHz)
(MHz)	СП	QPSK	16QAM	QPSK	16QAM		(MHz)	СН	QPSK	16QAM	QPSK	16QAM
701.5	23035	4.4971	4.4993	4.9580	4.8900		704.0	23060	8.9724	8.9497	9.717	9.736
707.5	23095	4.4983	4.5050	4.9310	4.9420		707.5	23095	8.9836	8.9883	9.756	9.780
713.5	23155	4.4954	4.4871	4.9400	4.9920		711.0	23130	9.0049	8.9737	9.768	9.789

f (886-2) 2298-0488

www.tw.sgs.com



l	TE BAN	D 13 Char	nel bandw	vidth: 5MH	Z		LTE BAN	D 13 Chan	nel bandw	idth: 10MH	łz
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)	Freq.	СН	99% BV	V (MHz)	26 dB B	SW (MHz)
(MHz)	CH	QPSK	16QAM	QPSK	16QAM	(MHz)	CII	QPSK	16QAM	QPSK	16QAM
779.5	23205	4.4849	4.4891	4.9130	4.9530	782.0	23230	8.961	8.943	9.806	9.751
782.0	23230	4.5157	4.5089	5.0250	4.9860						
784.5	23255	4.4895	4.5025	4.9220	4.9480						
			nel bandv	width: 5MI	47			) 17 Chani	nol handwi	dth: 10M	47
Freq.			V (MHz)	26 dB B		 Freq.		99% BV		26 dB B	
(MHz)	СН	QPSK	16QAM	QPSK	16QAM	(MHz)	СН	QPSK	16QAM	QPSK	16QAM
706.5	23755	4.5056	4.5118	4.9750	4.9630	709.0	23780	9.0085	8.9859	9.861	9.746
710.0	23755	4.5056 4.5099	4.5116 4.5141	4.9750 5.1260	4.9030	 709.0	23780	9.0065 8.9910	8.9009 8.9915	9.001 9.868	9.740
710.0	23790	4.3099	4.5012	4.9900	4.9000 <b>4.9930</b>	 711.0	23790	9.0038	8.9754	<b>9.000</b> 9.747	9.815 9.829
715.0	23023	4.4711	4.301Z	4.9900	4.9930	711.0	23000	9.0030	0.9704	9.747	9.029
LI	E BAND	25 Chan	nel bandw	idth: 1.4M	Hz	L	TE BAN	D 25 Chan	nel bandw	vidth: 3MF	lz
Freq.	011	99% BV	V (MHz)	26 dB B	W (MHz)	 Freq.	011	99% BV	V (MHz)	26 dB B	W (MHz)
(MHz)	СН	QPSK	16QAM	QPSK	16QAM	(MHz)	СН	QPSK	16QAM	QPSK	16QAM
1850.7	26047	1.0901	1.0946	1.238	1.223	1851.5	26055	2.6929	2.6994	3.008	2.997
1882.5	26365	1.0932	1.0949	1.239	1.234	1882.5	26365	2.6982	2.6918	2.991	3.002
1914.3	26683	1.0920	1.0944	1.244	1.238	1913.5	26675	2.6948	2.6962	2.996	2.979
L	TE BANI	D 25 Char	nel bandv	vidth: 5MI	Ηz	Ľ	te bane	) 25 Chani	nel bandwi	idth: 10MI	Ηz
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)	Freq.	CLL	99% BV	V (MHz)	26 dB B	W (MHz)
(MHz)	Сн	QPSK	16QAM	QPSK	16QAM	(MHz)	СН	QPSK	16QAM	QPSK	16QAM
1852.5	26065	4.4937	4.4929	4.952	4.967	1855.0	26090	8.9714	8.9597	9.766	9.776
1882.5	26365	4.4967	4.4948	4.976	4.959	1882.5	26365	9.0053	8.9753	9.779	9.670
1912.5	26665	4.4955	4.4963	4.951	5.007	1910.0	26640	8.9734	8.9585	9.683	9.753
L	LE BAND	25 Chan	nel bandw	idth: 15M	Hz	L	te bane	) 25 Chani	nel bandwi	idth: 20MI	Ηz
Freq.		99% BV	V (MHz)	26 dB B	W (MHz)	Freq.		99% BV	V (MHz)	26 dB B	W (MHz)
(MHz)	СН	QPSK	16QAM	QPSK	16QAM	(MHz)	СН	QPSK	16QAM	QPSK	16QAM
1857.5	26115	13.499	13.471	14.51	14.72	1860.0	26140	17.9530	17.9570	19.470	19.460
1882.5	26365	13.471	13.455	14.64	14.69	1882.5	26365	17.9330	17.9590	19.580	19.360
1907.5	26615	13.472	13.451	14.57	14.63	1905.0	26590	17.9310	17.9150	19.470	19.480



L	TE BAND	26 Chan	nel bandw	idth: 1.4M	Hz	L	TE BAN	D 26 Chan	nel bandw	idth: 3MH	Z
Freq.		99% BV	V (MHz)	26 dB B	W (MHz)	Freq.		99% BV	V (MHz)	26 dB B	N (MHz)
(MHz)	СН	QPSK	16QAM	QPSK	16QAM	(MHz)	СН	QPSK	16QAM	QPSK	16QAM
824.7	26797	1.0923	1.0948	1.2320	1.2380	825.5	26805	2.6858	2.6910	2.9910	2.9930
836.5	26915	1.0900	1.0924	1.2310	1.2340	836.5	26915	2.6911	2.6965	2.9850	2.9750
848.3	27033	1.0940	1.0945	1.2400	1.2340	847.5	27025	2.6921	2.6956	3.0100	2.9960
L	TE BAN	D 26 Char	nnel bandv	vidth: 5Mł	Ηz	Ľ	te bane	) 26 Chani	nel bandwi	dth: 10MF	łz
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)	Freq.	СН	99% BV	V (MHz)	26 dB B	N (MHz)
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	(MHz)	СП	QPSK	16QAM	QPSK	16QAM
826.5	26815	4.4928	4.4905	4.9380	4.9930	829.0	26840	9.0082	8.9663	9.763	9.731
836.5	26915	4.4918	4.4889	4.9400	4.9650	836.5	26915	8.9865	8.9454	9.832	9.781
846.5	27015	4.5032	4.4993	4.9480	4.9370	844.0	26990	8.9988	8.9540	9.737	9.754
Ľ	te band	) 26 Chan	nel bandw	idth: 15M	Hz						
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)						
(MHz)	CIT	QPSK	16QAM	QPSK	16QAM						
831.5	26865	13.539	13.494	14.700	14.760						
836.5	26915	13.490	13.447	14.680	14.610						
841.5	26965	13.491	13.482	14.760	14.670						
LTE BA	ND 26 fo	1	Channel b			LTE E	BAND 26	for part 90		-	
Freq.	СН	99% BV	, <i>i</i>	26 dB B		 Freq.	СН		V (MHz)		W (MHz)
(MHz)		QPSK	16QAM	QPSK	16QAM	(MHz)		QPSK	16QAM	QPSK	16QAM
814.7	26697	1.0902	1.0929	1.2390	1.2350	815.5	26705	2.6917	2.6945	2.9730	2.9920
819.0	26740	1.0932	1.0937	1.2430	1.2340	 819.0	26740	2.6936	2.6936	2.9920	3.0060
823.3	26783	1.0918	1.0926	1.2410	1.2320	822.5	26775	2.6985	2.7018	2.9940	3.0100
-	AND 26 f		S Channel				AND 26 f	or part 90S		1	
Freq.	СН	99% BV	, <i>i</i>		W (MHz)	Freq.	СН		V (MHz)		W (MHz)
(MHz)		QPSK	16QAM	QPSK	16QAM	(MHz)		QPSK	16QAM	QPSK	16QAM
816.5	26715	4.4954	4.5010	4.9530	4.9330	819.0	26740	8.9910	8.9584	9.779	9.741
819.0	26740	4.4951	4.4960	4.9440	4.9710						
821.5	26765	4.5070	4.5053	4.9960	4.9880						




L	TE BANI	D 30 Char	nnel bandv	vidth: 5MI	Ηz		Ľ	TE BANE	) 30 Chani	nel bandwi	idth: 10MI	Ιz
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)		Freq.	CLL	99% BV	/ (MHz)	26 dB B	N (MHz)
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM		(MHz)	СН	QPSK	16QAM	16QAM	QPSK
2307.5	27685	4.4929	4.4974	4.9830	4.9600		2310.0	27710	8.9845	8.9451	9.7890	9.7620
2310.0	27710	4.4969	4.5041	5.0060	4.9390							
2312.5	27735	4.4974	4.4914	4.9840	4.9710							
		D 20 Char	nel bandw	udth, EMII	7				D 38 Chan	nolhandwi	idth, 10MI	17
-		99% BV		26 dB B		_				V (MHz)	1	W (MHz)
Freq. (MHz)	СН	QPSK	16QAM	QPSK	16QAM	1	Freq. (MHz)	СН	QPSK	16QAM	QPSK	16QAM
2572.5	37775	4.4957	4.4983	5.1810	4.9030		2575.0	37800	8.9864	8.9720	9.938	9.801
2595.0	38000	4.4937	4.4903	5.0840	4.9030		2595.0	38000	8.9687	8.9606	9.815	9.732
2617.5	38225	4.4997	4.5042	4.8910	4.9290		2615.0	38200	8.9673	8.9649	9.747	9.942
2017.3	J022J	4.4777	4.3013	4.0710	4.7270		2013.0	30200	0.7073	0.7047	7.747	7.74Z
	TE BAND	) 38 Chan	nel bandw	idth: 15MF	lz	-		LTE BAN	D 38 Chan	nel bandwi	idth: 20MF	lz
Freq.		99% BV		26 dB B			Freq.		1	V (MHz)	1	W (MHz)
(MHz)	СН	QPSK	16QAM	QPSK	16QAM	1	(MHz)	СН	QPSK	16QAM	QPSK	16QAM
2577.5	37825	13.516	13.489	15.570	14.560		2580.0	37850	17.950	17.913	19.220	19.290
2595.0	38000	13.467	13.483	15.000	14.630		2595.0	38000	17.955	17.973	20.010	19.240
2612.5	38175	13.516	13.478	15.480	14.680		2610.0	38150	17.927	17.900	19.300	19.410
	TF RANI	) 41 Char	nel bandv	vidth: 5MI	-17		<u> </u>	TF RANG	) 41 Chani	nel handwi	idth 10MI	-17
Freq.			V (MHz)		W (MHz)		Freq.		99% BV		26 dB B	
(MHz)	СН	QPSK	16QAM	QPSK	16QAM		(MHz)	СН	QPSK	16QAM	QPSK	16QAM
2498.5	39675	4.4919	4.5007	5.1720	5.0830		2501.0	39700	8.9667	8.9656	9.812	9.879
2593.0	40620	4.4926	4.5062	5.2330	5.0010		2593.0	40620	8.9685	8.9661	9.791	9.861
2687.5	41565	4.7967	4.5532	5.2320	5.0810		2685.0	41540	8.9857	8.9759	9.871	9.776
Ľ	TE BAND	) 41 Chan	nel bandw	idth: 15M	Hz		Ľ	te bane	) 41 Chani	nel bandwi	idth: 20MI	Ηz
Freq.	<u></u>	99% BV	V (MHz)	26 dB B	W (MHz)		Freq.		99% BV	/ (MHz)	26 dB B	N (MHz)
(MHz)	СН	QPSK	16QAM	QPSK	16QAM		(MHz)	СН	QPSK	16QAM	QPSK	16QAM
2503.5	39725	13.518	13.501	15.830	15.620		2506.0	39750	17.937	17.946	19.610	19.300
2593.0	40620	13.486	13.475	15.370	15.000		2593.0	40620	17.951	17.980	20.150	19.480
2682.5	41515	13.504	13.476	15.390	14.680		2680.0	41490	17.964	17.967	19.720	19.580




L	TE BAND	0 66 Chanr	nel bandwi	dth: 1.4MF	lz		LTE BAN	D 66 Char	nel bandw	idth: 3MHz	
Freq.	СН	99% BV	/ (MHz)	26 dB B\	N (MHz)	Freq.	СН	99% BV	V (MHz)	26 dB B\	V (MHz)
(MHz)	CIT	QPSK	16QAM	QPSK	16QAM	(MHz)	CIT	QPSK	16QAM	QPSK	16QAM
1710.7	131979	1.0928	1.1027	1.2440	1.3230	1711.5	131987	2.6952	2.7009	2.9810	3.0080
1745.0	132322	1.0934	1.1071	1.2480	1.3640	1745.0	132322	2.6963	2.6983	2.9840	2.9800
1779.3	132665	1.0950	1.0954	1.2400	1.2390	1778.5	132657	2.7010	2.6979	3.0080	3.0040
	LTE BAN	D 66 Chan	nel bandw	idth: 5MH	Z		LTE BAN	D 66 Chan	nel bandwi	dth: 10MH	Z
Freq.	СН	99% BV	/ (MHz)	26 dB B\	N (MHz)	Freq.	СН	99% BV	V (MHz)	26 dB BV	V (MHz)
(MHz)	CIT	QPSK	16QAM	QPSK	16QAM	(MHz)	CIT	QPSK	16QAM	QPSK	16QAM
1712.5	131997	4.4953	4.4981	5.0020	4.9380	1715.0	132022	8.9988	8.9612	9.8510	9.7840
1745.0	132322	4.4910	4.4960	4.9710	4.9790	1745.0	132322	8.9760	8.9636	9.7690	9.7870
1777.5	132647	4.4968	4.4992	4.9940	4.9870	1775.0	132622	9.0044	8.9696	9.8640	9.7510
l	LTE BANI	D 66 Chani	nel bandw	idth: 15MF	z		LTE BAN	D 66 Chan	nel bandwi	dth: 20MH	Z
Freq.	СН	99% BV	/ (MHz)	26 dB B\	N (MHz)	Freq.	СН	99% BV	V (MHz)	26 dB BV	V (MHz)
(MHz)	CIT	QPSK	16QAM	QPSK	16QAM	(MHz)	CIT	QPSK	16QAM	QPSK	16QAM
1717.5	132047	13.4780	13.4670	14.7800	14.6500	1720.0	132072	17.9390	17.9420	19.4800	19.4500
1745.0	132322	13.4590	13.4780	14.7000	14.7300	1745.0	132322	17.9780	18.0010	19.5600	19.4400
1772.5	132597	13.5140	13.5030	14.7300	14.6400	1770.0	132572	17.9870	18.0120	19.5500	19.9000




# WCDMA B2 LowCH9262-1852.4




## WCDMA B2 MidCH9400-1880



# WCDMA\_B2\_HighCH9538-1907.6




# HSDPA B2 LowCH9262-1852.4



#### HSDPA\_B2\_MidCH9400-1880



## HSDPA\_B2\_HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488


www.tw.sqs.com




## HSUPA B2 LowCH9262-1852.4

Against Spectra	-Annyati Orta	and B //r				A LOT MITE	01.04 A9 PM 40 25, 20	1,0 4 64
	q 1.852400		194. TI	inter Free Run ig: Free Run itten: 30 dB	Avg Hok		Radio Std: None Radio Device: BTS	Frequency
0 dB/div	Ref Offset 1 Ref 30.00					-		
20.0	-	malan	andra	someway.	min	-		Center Freq 1.852400000 GHz
0.00	1						1	
200	J						ho	5
40.0 90.0								
0.0								CF Step 500.000 kHz
Center 1.8 Res BW 4				#VBW 150	kHz		Span 6 MH Sweep 2.6 m	iz <u>Auto</u> Man
Occupi	ed Bandy		438 MHz		Power	31.0	) dBm	Freq Offset 0 Hz
Transmi	t Freq Erro	or	5.045 kHz	OBW	Power	99	.00 %	
x dB Ba	ndwidth		4.683 MHz	x dB		-26.	00 dB	
nici	_					STATU		


## HSUPA B2 MidCH9400-1880



# HSUPA\_B2\_HighCH9538-1907.6




# WCDMA B4 LowCH1312-1712.4



#### WCDMA\_B4\_MidCH1413-1732.6



# WCDMA\_B4\_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488


www.tw.sqs.com




# HSDPA B4 LowCH1312-1712.4

Center Fre	q 1.712400000	ALIMI MUTC 03A6 A1 PM Apr25 Radio Std: None d: 50/50 Radio Device: BT	Frequency		
10 dB/div	Ref Offset 13.9 dB Ref 30.00 dBm				
000 100 100 100 200 200 400 400		~ (~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			Center Freq 1.712400000 GHz
Center 1.7			#VBW 150 kHz	Span 6 I Sweep 2,6	MHz Auto Man
Occup	ied Bandwidt 4.	h 1334 MHz	Total Power	31.6 dBm	Freq Offset 0 Hz
	it Freq Error ndwidth	17.360 kHz 4.695 MHz		99.00 % -26.00 dB	
atjici				STATUS	


# HSDPA B4 MidCH1413-1732.6




# HSDPA\_B4\_HighCH1513-1752.6




# HSUPA B4 LowCH1312-1712.4



#### HSUPA B4 MidCH1413-1732.6



# HSUPA\_B4\_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## WCDMA B5 LowCH4132-826.4




## WCDMA B5 MidCH4183-836.6




# WCDMA\_B5\_HighCH4233-846.6




# HSDPA B5 LowCH4132-826.4



#### HSDPA\_B5\_MidCH4183-836.6



## HSDPA\_B5\_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488


www.tw.sqs.com




## HSUPA B5 LowCH4132-826.4

Center Fre	eq 826.400000	7	enter Freq. 826.400000 MHz rig: Free Run Avgitt Atten: 30 dB	ALIAN MUTC	Radio Std: None Radio Device: BTS	Frequency
0 dB/div						
						Center Freq 826.400000 MHz
enter 826 Res BW 4			#VBW 150 kHz		Span 6 MH Sweep 2,6 m	
Occupi	ied Bandwid 4.	<sup>th</sup> 1461 MHz	Total Power	30.	7 dBm	Freq Offset 0 Hz
	it Freq Error ndwidth	8.624 kHz 4.674 MHz			9.00 % .00 dB	
6				STAT	8	1.


## HSUPA B5 MidCH4183-836.6



## HSUPA\_B5\_HighCH4233-846.6





## Band2 1 4MHz QPSK 6 0 LowCH18607-1850.7











Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band2 1 4MHz 16QAM 6 0 LowCH18607-1850.7




## Band2\_1\_4MHz\_16QAM\_6\_0\_MidCH18900-1880




# Band2\_1\_4MHz\_16QAM\_6\_0\_HighCH19193-1909.3




# Band2 3MHz QPSK 15 0 LowCH18615-1851.5



#### Band2\_3MHz\_QPSK\_15\_0\_MidCH18900-1880



## Band2\_3MHz\_QPSK\_15\_0\_HighCH19185-1908.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band2 3MHz 16QAM 15 0 LowCH18615-1851.5




#### Band2\_3MHz\_16QAM\_15\_0\_MidCH18900-1880




## Band2\_3MHz\_16QAM\_15\_0\_HighCH19185-1908.5





## Band2 5MHz QPSK 25 0 LowCH18625-1852.5











Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band2 5MHz 16QAM 25 0 LowCH18625-1852.5




#### Band2\_5MHz\_16QAM\_25\_0\_MidCH18900-1880




## Band2\_5MHz\_16QAM\_25\_0\_HighCH19175-1907.5




## Band2 10MHz QPSK 50 0 LowCH18650-1855



#### Band2\_10MHz\_QPSK\_50\_0\_MidCH18900-1880



## Band2\_10MHz\_QPSK\_50\_0\_HighCH19150-1905



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band2 10MHz 16QAM 50 0 LowCH18650-1855




## Band2\_10MHz\_16QAM\_50\_0\_MidCH18900-1880




## Band2\_10MHz\_16QAM\_50\_0\_HighCH19150-1905




## Band2 15MHz QPSK 75 0 LowCH18675-1857.5



#### Band2\_15MHz\_QPSK\_75\_0\_MidCH18900-1880



## Band2\_15MHz\_QPSK\_75\_0\_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band2 15MHz 16QAM 75 0 LowCH18675-1857.5




## Band2\_15MHz\_16QAM\_75\_0\_MidCH18900-1880





# Band2\_15MHz\_16QAM\_75\_0\_HighCH19125-1902.5




# Band2 20MHz QPSK 100 0 LowCH18700-1860







## Band2\_20MHz\_QPSK\_100\_0\_HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488


www.tw.sgs.com




## Band2 20MHz 16QAM 100 0 LowCH18700-1860




#### Band2\_20MHz\_16QAM\_100\_0\_MidCH18900-1880




## Band2\_20MHz\_16QAM\_100\_0\_HighCH19100-1900




## Band4 1 4MHz QPSK 6 0 LowCH19957-1710.7







# Band4\_1\_4MHz\_QPSK\_6\_0\_HighCH20393-1754.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




# Band4 1 4MHz 16QAM 6 0 LowCH19957




## Band4\_1\_4MHz\_16QAM\_6\_0\_MidCH20175




# Band4\_1\_4MHz\_16QAM\_6\_0\_HighCH20393




## Band4 3MHz QPSK 15 0 LowCH19965-1711.5



#### Band4\_3MHz\_QPSK\_15\_0\_MidCH20175-1732.5



## Band4\_3MHz\_QPSK\_15\_0\_HighCH20385-1753.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band4 3MHz 16QAM 15 0 LowCH19965-1711.5




## Band4\_3MHz\_16QAM\_15\_0\_MidCH20175-1732.5




# Band4\_3MHz\_16QAM\_15\_0\_HighCH20385-1753.5




## Band4 5MHz QPSK 25 0 LowCH19975-1712.5



#### Band4\_5MHz\_QPSK\_25\_0\_MidCH20175-1732.5



# Band4\_5MHz\_QPSK\_25\_0\_HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band4 5MHz 16QAM 25 0 LowCH19975-1712.5




## Band4\_5MHz\_16QAM\_25\_0\_MidCH20175-1732.5



## Band4\_5MHz\_16QAM\_25\_0\_HighCH20375-1752.5




## Band4 10MHz QPSK 50 0 LowCH20000-1715



#### Band4\_10MHz\_QPSK\_50\_0\_MidCH20175-1732.5



## Band4\_10MHz\_QPSK\_50\_0\_HighCH20350-1750



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band4\_10MHz\_16QAM\_50\_0\_LowCH20000-1715

Center Freq 1.715000000 GHz Center Freq 1.71600000 GHz Radio Std: None AFCalinc.Lew Freq 1.71600000 GHz Radio Std: None AFCalinc.Lew Freq 1.71600000 GHz Radio Device: BTS Ref Offset 13.9 dB Ref 30.00 dBm										Frequency
									1.1	
20 0		-	Am	and the second second		-uner-inverseri				Center Freq 1.715000000 GHz
0.00		Α			_		1	anninerra		
00	man	~							and the second	
0.0		_								
000 enter 1.715 GHz Span 20 MHz Res BW 200 kHz ≇VBW 620 kHz Sweep 1 ms									CF Step 2.000000 MHz Auto Man	
Occupied Bandwidth 8.9589 MHz				Ηz	Total Power		29.5 dBm			Freq Offset 0 Hz
Transmit Freq Error49.728 kHzx dB Bandwidth9.773 MHz					OBW Power x dB		99.00 % -26.00 dB			
					-		STAT	us		


## Band4\_10MHz\_16QAM\_50\_0\_MidCH20175-1732.5




# Band4\_10MHz\_16QAM\_50\_0\_HighCH20350-1750




## Band4 15MHz QPSK 75 0 LowCH20025-1717.5



#### Band4\_15MHz\_QPSK\_75\_0\_MidCH20175-1732.5



# Band4\_15MHz\_QPSK\_75\_0\_HighCH20325-1747.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to Electronic document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279


```
www.tw.sgs.com
```




## Band4 15MHz 16QAM 75 0 LowCH20025-1717.5




## Band4\_15MHz\_16QAM\_75\_0\_MidCH20175-1732.5




# Band4\_15MHz\_16QAM\_75\_0\_HighCH20325-1747.5




## Band4 20MHz QPSK 100 0 LowCH20050-1720



#### Band4\_20MHz\_QPSK\_100\_0\_MidCH20175-1732.5



## Band4\_20MHz\_QPSK\_100\_0\_HighCH20300-1745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful or doffender more the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




# Band4\_20MHz\_16QAM\_100\_0\_LowCH20050-1720

Center Fre	q 1.72000000	VM Apr 23, 2018 1: None vice: BTS	Frequency						
0 dB/div	1.1								
.09 20 n 10.0		panewar	a Theologica	~~~~	manna	2			Center Fre 1.720000000 GH
00 00 00 000000000	-					ha	Manimore	antheration	
10 10			_			-			
enter 1.7	2 GHz		_		_	-	Spa	an 40 MHz	CF Step 4.000000 MH3 Auto Mar
Res BW 390 kHz #VBW 1.2 MHz Sweep 1 ms								eep 1 ms	
Occup	ied Bandwidt 17	z	Total P	ower	29.4 dBm			Freq Offset 0 Hz	
Transmit Freq Error 46.796 kHz x dB Bandwidth 19.35 MHz				OBW Power x dB			99.00 % 5.00 dB		
80	_	STATUS							


## Band4\_20MHz\_16QAM\_100\_0\_MidCH20175-1732.5




## Band4\_20MHz\_16QAM\_100\_0\_HighCH20300-1745




## Band5 1 4MHz QPSK 6 0 LowCH20407







## Band5\_1\_4MHz\_QPSK\_6\_0\_HighCH20643



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to Electronic document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488


www.tw.sgs.com




# Band5 1 4MHz 16QAM 6 0 LowCH20407




## Band5\_1\_4MHz\_16QAM\_6\_0\_MidCH20525




# Band5\_1\_4MHz\_16QAM\_6\_0\_HighCH20643




## Band5 3MHz QPSK 15 0 LowCH20415



#### Band5\_3MHz\_QPSK\_15\_0\_MidCH20525



### Band5\_3MHz\_QPSK\_15\_0\_HighCH20635



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band5 3MHz 16QAM 15 0 LowCH20415




### Band5\_3MHz\_16QAM\_15\_0\_MidCH20525



# Band5\_3MHz\_16QAM\_15\_0\_HighCH20635




## Band5 5MHz QPSK 25 0 LowCH20425



#### Band5\_5MHz\_QPSK\_25\_0\_MidCH20525



### Band5\_5MHz\_QPSK\_25\_0\_HighCH20625



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488




## Band5 5MHz 16QAM 25 0 LowCH20425




### Band5\_5MHz\_16QAM\_25\_0\_MidCH20525




# Band5\_5MHz\_16QAM\_25\_0\_HighCH20625




## Band5 10MHz QPSK 50 0 LowCH20450



#### Band5\_10MHz\_QPSK\_50\_0\_MidCH20525



### Band5\_10MHz\_QPSK\_50\_0\_HighCH20600



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band5 10MHz 16QAM 50 0 LowCH20450




## Band5\_10MHz\_16QAM\_50\_0\_MidCH20525



# Band5\_10MHz\_16QAM\_50\_0\_HighCH20600




## Band7 5MHz QPSK 25 0 LowCH20775



#### Band7\_5MHz\_QPSK\_25\_0\_MidCH21100



### Band7\_5MHz\_QPSK\_25\_0\_HighCH21425



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




# Band7 5MHz 16QAM 25 0 LowCH20775




# Band7\_5MHz\_16QAM\_25\_0\_MidCH21100



# Band7\_5MHz\_16QAM\_25\_0\_HighCH21425




# Band7 10MHz QPSK 50 0 LowCH20800



#### Band7\_10MHz\_QPSK\_50\_0\_MidCH21100



# Band7\_10MHz\_QPSK\_50\_0\_HighCH21400



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488




## Band7 10MHz 16QAM 50 0 LowCH20800




## Band7\_10MHz\_16QAM\_50\_0\_MidCH21100




# Band7\_10MHz\_16QAM\_50\_0\_HighCH21400




## Band7 15MHz QPSK 75 0 LowCH20825







# Band7\_15MHz\_QPSK\_75\_0\_HighCH21375



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




# Band7 15MHz 16QAM 75 0 LowCH20825




# Band7\_15MHz\_16QAM\_75\_0\_MidCH21100




# Band7\_15MHz\_16QAM\_75\_0\_HighCH21375




# Band7 20MHz QPSK 100 0 LowCH20850



### Band7\_20MHz\_QPSK\_100\_0\_MidCH21100



# Band7\_20MHz\_QPSK\_100\_0\_HighCH21350



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488




# Band7 20MHz 16QAM 100 0 LowCH20850




# Band7\_20MHz\_16QAM\_100\_0\_MidCH21100




# Band7\_20MHz\_16QAM\_100\_0\_HighCH21350




## Band12 1 4MHz QPSK 6 0 LowCH23017







# Band12\_1\_4MHz\_QPSK\_6\_0\_HighCH23173



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




# Band12 1 4MHz 16QAM 6 0 LowCH23017




## Band12\_1\_4MHz\_16QAM\_6\_0\_MidCH23095




# Band12\_1\_4MHz\_16QAM\_6\_0\_HighCH23173




# Band12 3MHz QPSK 15 0 LowCH23025



#### Band12\_3MHz\_QPSK\_15\_0\_MidCH23095



# Band12\_3MHz\_QPSK\_15\_0\_HighCH23165



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488




## Band12 3MHz 16QAM 15 0 LowCH23025




## Band12\_3MHz\_16QAM\_15\_0\_MidCH23095




# Band12\_3MHz\_16QAM\_15\_0\_HighCH23165




## Band12 5MHz QPSK 25 0 LowCH23035



#### Band12\_5MHz\_QPSK\_25\_0\_MidCH23095



### Band12\_5MHz\_QPSK\_25\_0\_HighCH23155



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488




## Band12 5MHz 16QAM 25 0 LowCH23035




### Band12\_5MHz\_16QAM\_25\_0\_MidCH23095




# Band12\_5MHz\_16QAM\_25\_0\_HighCH23155




## Band12 10MHz QPSK 50 0 LowCH23060





### Band12\_10MHz\_QPSK\_50\_0\_MidCH23095

### Band12\_10MHz\_QPSK\_50\_0\_HighCH23130



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band12 10MHz 16QAM 50 0 LowCH23060




### Band12\_10MHz\_16QAM\_50\_0\_MidCH23095



# Band12\_10MHz\_16QAM\_50\_0\_HighCH23130




## Band13 5MHz QPSK 25 0 LowCH23205



#### Band13\_5MHz\_QPSK\_25\_0\_MidCH23230



### Band13\_5MHz\_QPSK\_25\_0\_HighCH23255



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band13 5MHz 16QAM 25 0 LowCH23205




### Band13\_5MHz\_16QAM\_25\_0\_MidCH23230




### Band13\_5MHz\_16QAM\_25\_0\_HighCH23255




# Band13 10MHz QPSK 50 0 MidCH23230







### Band17\_5MHz\_QPSK\_25\_0\_LowCH23755



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band17 5MHz QPSK 25 0 MidCH23790

Center Fro	eq 710.000000 M	Trig:	er Freq: 710.000000 MHz Free Run Avgittok n: 30 dB	ALIN/ MUTC d: 50/50	11125/58 AM Apr 24, 2018 Radio Std: None Radio Device: BTS	Frequency
0 dB/div	Ref Offset 13.6 dB Ref 30.00 dBm					
20 n 10.0		parameter	um-man	m		Center Freq 710.000000 MHz
0.00	mantener			Vac	watch watches	
00	who lin who has					
00						
enter 71 Res BW			¥VBW 300 kHz		Span 10 MHz Sweep 1 ms	
Occupied Bandwidth 4.5099 MH			Total Power 30		3 dBm	Freq Offsel 0 Hz
		8.067 kHz 5.126 MHz	OBW Power x dB		9.00 % .00 dB	
96)				STATU	¢	


### Band17\_5MHz\_QPSK\_25\_0\_HighCH23825



### Band17\_5MHz\_16QAM\_25\_0\_LowCH23755




## Band17 5MHz 16QAM 25 0 MidCH23790











Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488




## Band17 10MHz QPSK 50 0 MidCH23790




### Band17\_10MHz\_QPSK\_50\_0\_HighCH23800




### Band17\_10MHz\_16QAM\_50\_0\_LowCH23780




### Band17 10MHz 16QAM 50 0 MidCH23790











Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band25 1 4MHz QPSK 6 0 MidCH26365

Center Fre	g 1.882500000	Trig:	er Freq. 1.882500000 GHz Free Run Avgitto m: 30 dB	id: 50/50	Std: None Device: BTS	Frequency
10 dB/div	Ref Offset 13.9 dB Ref 30.00 dBm					
0 <b>9</b> 2011						Center Freq 1.882600000 GHz
00 00 00 00	Reconstruction of the second sec	2 <sup>4</sup>		manufactures	manan	
Center 1.883 GHz Span 3 MHz Res BW 30 kHz Sweep 3.2 ms						CF Step 300.000 kHz Auto Man
Occupied Bandwidth 1.0932 MHz			Total Power	29.9 dBm	'	Freq Offset 0 Hz
and the second		-747 Hz 1.239 MHz	OBW Power x dB	99.00 % -26.00 dB		
njc.				STATUS		


### Band25\_1\_4MHz\_QPSK\_6\_0\_HighCH26683



### Band25\_1\_4MHz\_16QAM\_6\_0\_LowCH26047




## Band25 1 4MHz 16QAM 6 0 MidCH26365







### Band25\_3MHz\_QPSK\_15\_0\_LowCH26055



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279


```
www.tw.sgs.com
```




## Band25 3MHz QPSK 15 0 MidCH26365




### Band25\_3MHz\_QPSK\_15\_0\_HighCH26675




# Band25\_3MHz\_16QAM\_15\_0\_LowCH26055




## Band25 3MHz 16QAM 15 0 MidCH26365







### Band25\_5MHz\_QPSK\_25\_0\_LowCH26065



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band25 5MHz QPSK 25 0 MidCH26365




### Band25\_5MHz\_QPSK\_25\_0\_HighCH26665



### Band25\_5MHz\_16QAM\_25\_0\_LowCH26065




# Band25 5MHz 16QAM 25 0 MidCH26365



#### Band25\_5MHz\_16QAM\_25\_0\_HighCH26665



### Band25\_10MHz\_QPSK\_50\_0\_LowCH26090



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




### Band25 10MHz QPSK 50 0 MidCH26365




### Band25\_10MHz\_QPSK\_50\_0\_HighCH26640




### Band25\_10MHz\_16QAM\_50\_0\_LowCH26090




## Band25 10MHz 16QAM 50 0 MidCH26365







### Band25\_15MHz\_QPSK\_75\_0\_LowCH26115



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band25 15MHz QPSK 75 0 MidCH26365




### Band25\_15MHz\_QPSK\_75\_0\_HighCH26615




### Band25\_15MHz\_16QAM\_75\_0\_LowCH26115




## Band25 15MHz 16QAM 75 0 MidCH26365







### Band25\_20MHz\_QPSK\_100\_0\_LowCH26140



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band25 20MHz QPSK 100 0 MidCH26365




### Band25\_20MHz\_QPSK\_100\_0\_HighCH26590



### Band25\_20MHz\_16QAM\_100\_0\_LowCH26140




### Band25 20MHz 16QAM 100 0 MidCH26365



#### Band25\_20MHz\_16QAM\_100\_0\_HighCH26590



### Band26\_1\_4MHz\_QPSK\_6\_0\_LowCH26697



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




## Band26 1 4MHz QPSK 6 0 MidCH26865

Center Fre	g 831.500000 N	70	anter Freq. 831.50000 ig: Free Run litten: 30 dB	Avg Hold: 50/50	Radio Std: None Radio Device: BT	Frequency
0 dB/div	Ref Offset 13.6 dB Ref 30.00 dBm					
00	monor	from	~~~~~	1	unaturtonand	Center Freq 831.500000 MHz
enter 831 Res BW 3			#VBW 91 kHz		Span 3 Sweep 3.2	CF Step 300.000 kHz MHz Auto Man
Occupied Bandwidth 1.0900 MHz			1.464.0	Total Power 29.		Freq Offset 0 Hz
Contraction of the second s		95 Hz 1.231 MHz			99.00 % -26.00 dB	
90-					STATUS	


## Band26\_1\_4MHz\_QPSK\_6\_0\_HighCH27033




# Band26\_1\_4MHz\_16QAM\_6\_0\_LowCH26697




# Band26 1 4MHz 16QAM 6 0 MidCH26865







### Band26\_3MHz\_QPSK\_15\_0\_LowCH26705



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and storp in an entertained of 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素 同時此樣品僅保留的人気。本報告未變本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488