



E2/2018/70058 Fundamental Frequency 784.5 MHz Project No. 359324080457857 Tx CH High Operation Band IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry



Frequency	Note	ERP		Antenna Gain	Limit	Margin
			l evel			


MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
53.28	S	-57.65	-40.39	-16.80	-0.45	-13.00	-44.65
109.54	S	-55.27	-47.32	-7.36	-0.59	-13.00	-42.27
216.24	S	-65.35	-63.61	-0.88	-0.85	-13.00	-52.35
300.63	S	-61.29	-58.67	-1.60	-1.02	-13.00	-48.29
527.61	S	-62.04	-59.37	-1.36	-1.31	-13.00	-49.04
932.10	S	-46.20	-42.44	-1.97	-1.80	-13.00	-33.20
1569.00	Н	-66.09	-70.27	6.57	-2.39	-40.00	-26.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






E2/2018/70058 Fundamental Frequency 784.5 MHz Project No. 359324080457857 Tx CH High Operation Band IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry



Frequency	Note	ERP		Antenna Gain	Limit	Margin
			l evel			


MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
46.49	S	-58.12	-39.65	-18.06	-0.41	-13.00	-45.12
90.14	S	-55.53	-48.66	-6.34	-0.53	-13.00	-42.53
171.62	S	-49.51	-42.86	-5.90	-0.75	-13.00	-36.51
249.22	S	-56.51	-54.20	-1.38	-0.94	-13.00	-43.51
406.36	S	-60.09	-57.38	-1.42	-1.29	-13.00	-47.09
933.07	S	-46.87	-43.10	-1.97	-1.80	-13.00	-33.87
1569.00	Н	-52.94	-57.12	6.57	-2.39	-40.00	-12.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





Radiated Spurious Emission Measurement Result: LTE-Band 13 (763~775MHz)

E2/2018/70058 Fundamental Frequency 779.5 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry




Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			Level			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
764.18	S	-63.02	-59.20	-2.23	-1.59	-40.00	-23.02
766.29	S	-62.30	-58.49	-2.21	-1.60	-40.00	-22.30
769.08	S	-62.64	-58.84	-2.19	-1.61	-40.00	-22.64
771.60	S	-63.08	-59.28	-2.17	-1.63	-40.00	-23.08
773.75	S	-62.97	-59.18	-2.15	-1.64	-40.00	-22.97
774.92	S	-63.32	-59.55	-2.13	-1.64	-40.00	-23.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





E2/2018/70058 Fundamental Frequency 779.5 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.


LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry



Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			Level			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
763.95	S	-61.38	-57.55	-2.24	-1.58	-40.00	-21.38
765.64	S	-61.81	-58.00	-2.22	-1.59	-40.00	-21.81
767.97	S	-61.86	-58.06	-2.20	-1.61	-40.00	-21.86
770.57	S	-62.04	-58.24	-2.17	-1.62	-40.00	-22.04
771.58	S	-62.01	-58.22	-2.17	-1.63	-40.00	-22.01
774.76	S	-62.18	-58.40	-2.14	-1.64	-40.00	-22.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



E2




E2/2018/70058 **Fundamental Frequency** 782 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi.

HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora) SKU4)

Notebook Computer **EUT Name** EUT Pol.

LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry



Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			l evel			


MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
763.13	S	-62.64	-58.81	-2.24	-1.58	-40.00	-22.64
764.85	S	-62.79	-58.97	-2.23	-1.59	-40.00	-22.79
767.20	S	-62.31	-58.50	-2.21	-1.60	-40.00	-22.31
769.07	S	-62.68	-58.87	-2.19	-1.61	-40.00	-22.68
771.86	S	-62.63	-58.84	-2.16	-1.63	-40.00	-22.63
773.52	S	-63.00	-59.22	-2.15	-1.64	-40.00	-23.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






E2/2018/70058 Fundamental Frequency 782 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry




Frequency	Note	ERP	SG Output Level	Cable Loss	Limit	Margin
			Levei			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
763.83	S	-60.76	-56.94	-2.24	-1.58	-40.00	-20.76
764.87	S	-60.46	-56.64	-2.23	-1.59	-40.00	-20.46
765.93	S	-60.62	-56.81	-2.22	-1.59	-40.00	-20.62
767.36	S	-60.57	-56.76	-2.20	-1.60	-40.00	-20.57
768.44	S	-60.39	-56.58	-2.19	-1.61	-40.00	-20.39
773.48	S	-61.54	-57.76	-2.15	-1.64	-40.00	-21.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 779.5 MHz Project No. 359324080457857 Tx CH High Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry




Frequency	Note	ERP		Antenna Gain	Limit	Margin
			Levei			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
763.94	S	-62.75	-58.93	-2.24	-1.58	-40.00	-22.75
765.99	S	-62.52	-58.70	-2.22	-1.60	-40.00	-22.52
767.94	S	-62.01	-58.21	-2.20	-1.61	-40.00	-22.01
770.64	S	-62.75	-58.95	-2.17	-1.62	-40.00	-22.75
772.74	S	-62.90	-59.11	-2.15	-1.63	-40.00	-22.90
774.75	S	-63.17	-59.39	-2.14	-1.64	-40.00	-23.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司





E2/2018/70058 Fundamental Frequency 779.5 MHz Project No. 359324080457857 Operation Band Tx CH High IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi. Horizontal HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry



Frequency	Note	ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
							_
763.32	S	-60.24	-56.42	-2.24	-1.58	-40.00	-20.24
764.81	S	-60.66	-56.84	-2.23	-1.59	-40.00	-20.66
766.74	S	-60.98	-57.17	-2.21	-1.60	-40.00	-20.98
768.11	S	-60.16	-56.35	-2.20	-1.61	-40.00	-20.16
770.45	S	-60.69	-56.90	-2.18	-1.62	-40.00	-20.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

-57.00

-60.77

-2.14

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

-1.64

-40.00

台灣檢驗科技股份有限公司


S

774.70

t (886-2) 2299-3279

f (886-2) 2298-0488

-20.77





Radiated Spurious Emission Measurement Result: LTE-Band 13 (793~805MHz)

E2/2018/70058 Fundamental Frequency 779.5 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry




Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			Level			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
794.46	S	-65.18	-61.63	-1.96	-1.59	-40.00	-25.18
795.93	S	-65.25	-61.71	-1.94	-1.59	-40.00	-25.25
798.44	S	-64.97	-61.46	-1.92	-1.60	-40.00	-24.97
800.80	S	-66.12	-62.61	-1.91	-1.60	-40.00	-26.12
803.19	S	-65.58	-62.07	-1.91	-1.60	-40.00	-25.58
804.70	S	-65.91	-62.39	-1.91	-1.60	-40.00	-25.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





E2/2018/70058 Fundamental Frequency 779.5 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No.

22.7deg_C/57RH Temp. / Humi. **EUT Description**


HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry




Frequency	Note	ERP		Antenna Gain	Limit	Margin
			l evel			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
794.93	S	-63.80	-60.25	-1.95	-1.59	-40.00	-23.80
796.25	S	-64.68	-61.14	-1.94	-1.59	-40.00	-24.68
797.54	S	-64.34	-60.82	-1.93	-1.60	-40.00	-24.34
801.47	S	-64.35	-60.84	-1.91	-1.60	-40.00	-24.35
803.76	S	-63.78	-60.26	-1.91	-1.60	-40.00	-23.78
804.38	S	-64.12	-60.61	-1.91	-1.60	-40.00	-24.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司





E2/2018/70058 Fundamental Frequency 782 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.


LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry



Frequency	Note	ERP		Antenna Gain	Limit	Margin
			l evel			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
794.44	S	-63.51	-59.96	-1.96	-1.59	-40.00	-23.51
795.64	S	-63.05	-59.51	-1.95	-1.59	-40.00	-23.05
797.37	S	-62.33	-58.80	-1.93	-1.60	-40.00	-22.33
799.49	S	-62.15	-58.64	-1.91	-1.60	-40.00	-22.15
802.47	S	-63.13	-59.62	-1.91	-1.60	-40.00	-23.13
804.90	S	-63.11	-59.59	-1.91	-1.60	-40.00	-23.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





E2/2018/70058 Fundamental Frequency 782 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.


LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry



Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			Level			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
794.40	S	-63.12	-59.57	-1.96	-1.59	-40.00	-23.12
796.40	S	-64.15	-60.62	-1.94	-1.59	-40.00	-24.15
798.45	S	-64.42	-60.90	-1.92	-1.60	-40.00	-24.42
801.39	S	-63.59	-60.08	-1.91	-1.60	-40.00	-23.59
803.15	S	-62.97	-59.46	-1.91	-1.60	-40.00	-22.97
804.71	S	-63.04	-59.53	-1.91	-1.60	-40.00	-23.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





E2/2018/70058 Fundamental Frequency 779.5 MHz Project No. 359324080457857 Tx CH High Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.


LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry



Frequency	Note	ERP		Antenna Gain	Limit	Margin
			l evel			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
794.43	S	-65.12	-61.57	-1.96	-1.59	-40.00	-25.12
797.16	S	-65.41	-61.88	-1.93	-1.60	-40.00	-25.41
798.09	S	-64.65	-61.13	-1.93	-1.60	-40.00	-24.65
799.29	S	-65.93	-62.41	-1.91	-1.60	-40.00	-25.93
800.82	S	-66.12	-62.61	-1.91	-1.60	-40.00	-26.12
803.22	S	-65.07	-61.56	-1.91	-1.60	-40.00	-25.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





E2/2018/70058 Fundamental Frequency 779.5 MHz Project No. 359324080457857 Tx CH High Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.


LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry



Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			Level			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
793.06	S	-63.02	-59.46	-1.97	-1.59	-40.00	-23.02
795.10	S	-62.91	-59.37	-1.95	-1.59	-40.00	-22.91
797.96	S	-63.04	-59.52	-1.93	-1.60	-40.00	-23.04
799.97	S	-63.73	-60.22	-1.91	-1.60	-40.00	-23.73
801.72	S	-63.31	-59.80	-1.91	-1.60	-40.00	-23.31
804.82	S	-62.99	-59.47	-1.91	-1.60	-40.00	-22.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Radiated Spurious Emission Measurement Result: LTE-Band 13 (1558~1610MHz)

E2/2018/70058 Fundamental Frequency 779.5 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry




Frequency	Note	ERP		Antenna Gain	Limit	Margin
			Levei			

_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB	
_									_
	1559.00	Н	-65.45	-69.61	6.54	-2.38	-40.00	-25.45	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com





E2/2018/70058 Fundamental Frequency 779.5 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry




Frequency	Note	ERP		Antenna Gain	Limit	Margin
			Levei			

 MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1559 00	Н	-52 94	-57 10	6 54	-2 38	-40 00	-12 9

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.tw.sgs.com





E2/2018/70058 Fundamental Frequency 782 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry




Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			Level			

 MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB	
1564.00	Н	-64.81	-68.97	6.55	-2.39	-40.00	-24.81	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com





E2/2018/70058 Fundamental Frequency 782 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry




Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			l evel			

 MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
1564.00	Н	-53.89	-58.06	6.55	-2.39	-40.00	-13.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 t (886-2) 2299-3279 www.tw.sgs.com





E2/2018/70058 Fundamental Frequency 784.5 MHz Project No. 359324080457857 Tx CH High Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.


LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry



Frequency	Note	ERP		Antenna Gain	Limit	Margin
			l evel			

_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
_			•					
	1569.00	Н	-66.09	-70.27	6.57	-2.39	-40.00	-26.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





E2/2018/70058 Fundamental Frequency 784.5 MHz Project No. 359324080457857 Operation Band Tx CH High IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.


LTEB13 5M QPSK 1.24 Operation Mode Test Engineer Jerry



Frequency	Note	ERP		Antenna Gain	Limit	Margin
			l evel			

 MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
							_
1569.00	Н	-52.94	-57.12	6.57	-2.39	-40.00	-12.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Vertical

Radiated Spurious Emission Measurement Result: LTE-Band 17 (The Worst Case)

E2/2018/70058 **Fundamental Frequency** 709 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB17 10M QPSK 1.0 Operation Mode Test Engineer Jerry



Frequency	Note	ERP	SG Output Level	Cable Loss	Limit	Margin
			Levei			


MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
31.94	S	-45.22	-24.61	-20.31	-0.31	-13.01	-32.21
94.02	S	-58.25	-51.30	-6.41	-0.54	-13.01	-45.24
138.64	S	-62.87	-54.47	-7.65	-0.75	-13.01	-49.86
267.65	S	-59.61	-57.12	-1.55	-0.94	-13.01	-46.60
334.58	S	-58.64	-56.13	-1.39	-1.11	-13.01	-45.63
932.10	S	-45.87	-42.11	-1.97	-1.80	-13.01	-32.86
1418.00	Н	-63.86	-67.58	5.99	-2.26	-13.01	-50.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 709 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB17 10M QPSK 1.0 Operation Mode Test Engineer Jerry



Frequency	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output	Gain	Loss		
			l evel				


MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.97	S	-38.53	-17.76	-20.47	-0.30	-13.01	-25.52
90.14	S	-56.01	-49.14	-6.34	-0.53	-13.01	-43.00
173.56	S	-49.78	-43.46	-5.57	-0.75	-13.01	-36.77
247.28	S	-55.48	-53.15	-1.40	-0.93	-13.01	-42.47
400.54	S	-61.28	-58.59	-1.42	-1.28	-13.01	-48.27
450.01	S	-61.60	-58.90	-1.52	-1.19	-13.01	-48.59
1418.00	Н	-62.86	-66.58	5.99	-2.26	-13.01	-49.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 710 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No.

英業達 22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB17 10M QPSK 1.0 Operation Mode Test Engineer Jerry



Frequency	Note	ERP	SG Output Level	Cable Loss	Limit	Margin
			Levei			


MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
58.13	S	-59.61	-43.46	-15.68	-0.47	-13.01	-46.60
111.48	S	-55.28	-47.22	-7.46	-0.60	-13.01	-42.27
172.59	S	-59.59	-53.10	-5.73	-0.75	-13.01	-46.58
277.35	S	-60.59	-57.91	-1.73	-0.96	-13.01	-47.58
400.54	S	-59.88	-57.18	-1.42	-1.28	-13.01	-46.87
935.01	S	-47.92	-44.15	-1.98	-1.80	-13.01	-34.91
1420.00	Н	-63.58	-67.31	6.00	-2.27	-13.01	-50.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 710 MHz Project No. 359324080457857 Operation Band Tx CH Mid IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB17 10M QPSK 1.0 Operation Mode Jerry Test Engineer



Frequency Note ER	P SG Output Level	Antenna Gain		Limit	Margin
-------------------	-------------------------	-----------------	--	-------	--------

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
47.46	S	-57.63	-39.30	-17.92	-0.41	-13.01	-44.62
124.09	S	-47.50	-39.08	-7.77	-0.65	-13.01	-34.49
180.35	S	-55.23	-50.06	-4.42	-0.75	-13.01	-42.22
334.58	S	-61.12	-58.62	-1.39	-1.11	-13.01	-48.11
420.91	S	-57.61	-54.89	-1.44	-1.27	-13.01	-44.60
932.10	S	-46.57	-42.80	-1.97	-1.80	-13.01	-33.56
1420.00	Н	-62.00	-65.74	6.00	-2.27	-13.01	-48.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 711 MHz Project No. 359324080457857 Operation Band Tx CH High IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB17 10M QPSK 1.0 Operation Mode Jerry Test Engineer



Frequency	Note	ERP		Antenna Gain	Limit	Margin
			l evel			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
64.92	S	-61.36	-47.01	-13.87	-0.48	-13.01	-48.35
123.12	S	-49.35	-40.92	-7.78	-0.65	-13.01	-36.34
246.31	S	-51.34	-49.01	-1.41	-0.93	-13.01	-38.33
303.54	S	-59.87	-57.26	-1.58	-1.03	-13.01	-46.86
419.94	S	-63.01	-60.29	-1.44	-1.28	-13.01	-50.00
938.89	S	-51.37	-47.58	-1.98	-1.81	-13.01	-38.36
1422.00	Н	-64.32	-68.06	6.01	-2.27	-13.01	-51.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 711 MHz Project No. 359324080457857 Operation Band Tx CH High IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB17 10M QPSK 1.0 Operation Mode Jerry Test Engineer oart 22 24 27 Tx PK Level [(dBm/mj)]

Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			l evel			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
56.19	S	-57.44	-40.85	-16.13	-0.46	-13.01	-44.43
129.91	S	-52.86	-44.46	-7.71	-0.69	-13.01	-39.85
206.54	S	-59.46	-57.34	-1.30	-0.82	-13.01	-46.45
379.20	S	-64.99	-62.50	-1.36	-1.13	-13.01	-51.98
427.70	S	-58.66	-55.96	-1.46	-1.25	-13.01	-45.65
938.89	S	-51.79	-48.00	-1.98	-1.81	-13.01	-38.78
1422.00	Н	-62.24	-65.97	6.01	-2.27	-13.01	-49.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.


Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279





Radiated Spurious Emission Measurement Result: LTE-Band 26 (The Worst Case)



22.7deg_C/57RH

英業達 **EUT Description** Temp. / Humi.


Vertical HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer E2 **EUT Name** EUT Pol.

LTEB26 5M QPSK 1.0 Operation Mode Jerry Test Engineer



Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			l evel			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
							_
30.97	S	-44.72	-23.95	-20.47	-0.30	-13.01	-31.71
110.51	S	-54.08	-46.07	-7.42	-0.59	-13.01	-41.07
244.37	S	-50.00	-47.64	-1.42	-0.93	-13.01	-36.99
334.58	S	-58.73	-56.23	-1.39	-1.11	-13.01	-45.72
515.00	S	-62.67	-59.96	-1.35	-1.36	-13.01	-49.66
772.05	S	-52.73	-48.94	-2.16	-1.63	-13.01	-39.72
1653.00	Н	-65.72	-70.12	6.84	-2.44	-13.01	-52.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 826.5 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No.

英業達 22.7deg_C/57RH **EUT Description** Temp. / Humi.


Horizontal HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer E2 **EUT Name** EUT Pol.

LTEB26 5M QPSK 1.0 Operation Mode Jerry Test Engineer



Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			Level			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.97	S	-37.82	-17.05	-20.47	-0.30	-13.01	-24.81
57.16	S	-54.41	-38.04	-15.90	-0.47	-13.01	-41.40
171.62	S	-49.55	-42.90	-5.90	-0.75	-13.01	-36.54
413.15	S	-62.67	-59.94	-1.43	-1.30	-13.01	-49.66
487.84	S	-63.54	-60.80	-1.37	-1.36	-13.01	-50.53
759.44	S	-56.64	-52.80	-2.28	-1.56	-13.01	-43.63
1653.00	Н	-64.12	-68.52	6.84	-2.44	-13.01	-51.11

Unless otherwise stated the results shown in the 2400 \$ \$1700 \$ \$8\$ sample(s) tester and such sample(s) are retained for 90 \$35.5 MHz

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可都扮複製


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the five the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





Project No.

Frequency

1673.00

Note

ERP

359324080457857 Operation Band Tx CH Mid IMEI No.

22.7deg_C/57RH Temp. / Humi. **EUT Description**


Vertical **EUT Model** HSN-I20C [Blurr] Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer E2 **EUT Name** EUT Pol.

LTEB26 5M QPSK 1.0 Operation Mode Test Engineer Jerry



				Output Level	Gain	Loss		_	
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB	
	46.49	S	-56.88	-38.42	-18.06	-0.41	-13.01	-43.87	
	122.15	S	-49.21	-40.78	-7.79	-0.64	-13.01	-36.20	
	261.83	S	-55.52	-53.12	-1.45	-0.94	-13.01	-42.51	
	399.57	S	-61.92	-59.23	-1.42	-1.28	-13.01	-48.91	
	600.36	S	-61.43	-57.98	-2.01	-1.45	-13.01	-48.42	
	934.04	S	-48.35	-44.58	-1.97	-1.80	-13.01	-35.34	

SG

Antenna

Cable

Limit

-13.01

Margin

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

-70.15

-65.70

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


6.90

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Н

-2.45

-52.69





E2/2018/70058 Fundamental Frequency 836.5 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB26 5M QPSK 1.0 Operation Mode Jerry Test Engineer oart 22 24 27 Tx PK Level [(dBm/mj)]

Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			l evel			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
							_
33.88	S	-56.05	-35.75	-19.99	-0.32	-13.01	-43.04
92.08	S	-55.51	-48.60	-6.37	-0.54	-13.01	-42.50
246.31	S	-55.44	-53.11	-1.41	-0.93	-13.01	-42.43
426.73	S	-60.07	-57.36	-1.46	-1.25	-13.01	-47.06
444.19	S	-62.70	-60.00	-1.50	-1.20	-13.01	-49.69
772.05	S	-51.70	-47.91	-2.16	-1.63	-13.01	-38.69
1673.00	Н	-62.86	-67.31	6.90	-2.45	-13.01	-49.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





E2/2018/70058 Fundamental Frequency 846.5 MHz Project No. 359324080457857 Operation Band Tx CH High IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB26 5M QPSK 1.0 Operation Mode Jerry Test Engineer



Frequency	Note	ERP		Antenna Gain		Limit	Margin
NALI-	E/LI/E/S	dDm	dDm	4D4	٩D	dDm	٩D

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB	
55.22	S	-59.17	-42.35	-16.35	-0.46	-13.01	-46.16	
172.59	S	-60.02	-53.54	-5.73	-0.75	-13.01	-47.01	
265.71	S	-56.42	-53.96	-1.52	-0.94	-13.01	-43.41	
448.07	S	-62.60	-59.90	-1.51	-1.19	-13.01	-49.59	
760.41	S	-58.00	-54.16	-2.27	-1.56	-13.01	-44.99	
936.95	S	-50.87	-47.09	-1.98	-1.80	-13.01	-37.86	
1693.00	Н	-65.39	-69.86	6.97	-2.49	-13.01	-52.38	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.


Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 846.5 MHz Project No. 359324080457857 Operation Band Tx CH High IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB26 5M QPSK 1.0 Operation Mode Jerry Test Engineer



Frequency	Note	ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB

		···	<u> </u>	U. — U.		<u></u>		
47.46	S	-58.79	-40.46	-17.92	-0.41	-13.01	-45.78	
123.12	S	-47.92	-39.50	-7.78	-0.65	-13.01	-34.91	
400.54	S	-61.75	-59.05	-1.42	-1.28	-13.01	-48.74	
436.43	S	-61.39	-58.69	-1.48	-1.22	-13.01	-48.38	
731.31	S	-55.46	-51.90	-2.11	-1.45	-13.01	-42.45	
932.10	S	-46.07	-42.31	-1.97	-1.80	-13.01	-33.06	
1693.00	Н	-63.47	-67.95	6.97	-2.49	-13.01	-50.46	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2018/70058



Radiated Spurious Emission Measurement Result: LTE-Band 26 for Part 90S (The Worst Case)




22.7deg_C/57RH **EUT Description** Temp. / Humi.

Vertical HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora) SKU4)

Notebook Computer E2 **EUT Name** EUT Pol.

LTEB26 5M QPSK 1.24 Operation Mode Jerry Test Engineer



Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			l evel			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
56.19	S	-56.88	-40.29	-16.13	-0.46	-13.01	-43.87
93.44	S	-59.90	-52.96	-6.40	-0.54	-13.01	-46.89
244.37	S	-50.38	-48.03	-1.42	-0.93	-13.01	-37.37
337.49	S	-58.48	-55.99	-1.38	-1.11	-13.01	-45.47
759.44	S	-56.55	-52.71	-2.28	-1.56	-13.01	-43.54
938.89	S	-53.19	-49.40	-1.98	-1.81	-13.01	-40.18
1633.00	Н	-65.00	-69.34	6.78	-2.43	-13.01	-51.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com





E2/2018/70058 Fundamental Frequency 816.5 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


Horizontal HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer E2 **EUT Name** EUT Pol.


LTEB26 5M QPSK 1.24 Operation Mode Jerry Test Engineer



Frequency	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
57.16	S	-57.16	-40.79	-15.90	-0.47	-13.01	-44.15
108.57	S	-57.04	-49.19	-7.27	-0.58	-13.01	-44.03
244.37	S	-56.31	-53.96	-1.42	-0.93	-13.01	-43.30
416.06	S	-60.12	-57.39	-1.44	-1.29	-13.01	-47.11
515.00	S	-64.00	-61.29	-1.35	-1.36	-13.01	-50.99
932.10	S	-49.67	-45.90	-1.97	-1.80	-13.01	-36.66
1633.00	Н	-55.14	-59.48	6.78	-2.43	-13.01	-42.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





E2/2018/70058 Fundamental Frequency 819 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi.


Vertical HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer E2 **EUT Name** EUT Pol.

LTEB26 5M QPSK 1.24 Operation Mode Jerry Test Engineer




Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			Level			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
							_
31.94	S	-45.34	-24.72	-20.31	-0.31	-13.01	-32.33
65.89	S	-58.72	-44.63	-13.60	-0.49	-13.01	-45.71
107.60	S	-54.36	-46.60	-7.19	-0.58	-13.01	-41.35
303.54	S	-60.93	-58.32	-1.58	-1.03	-13.01	-47.92
400.54	S	-57.80	-55.10	-1.42	-1.28	-13.01	-44.79
772.05	S	-52.49	-48.70	-2.16	-1.63	-13.01	-39.48
1638.00	Н	-66.07	-70.43	6.79	-2.44	-13.01	-53.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 819 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


Horizontal HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer E2 **EUT Name** EUT Pol.


LTEB26 5M QPSK 1.24 Operation Mode Jerry Test Engineer



Frequency	Note	ERP		Antenna		Limit	Margin
			Level	Gain	LUSS		

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.97	S	-37.34	-16.57	-20.47	-0.30	-13.01	-24.33
63.95	S	-60.57	-45.95	-14.14	-0.48	-13.01	-47.56
123.12	S	-48.22	-39.80	-7.78	-0.65	-13.01	-35.21
332.64	S	-62.36	-59.84	-1.40	-1.12	-13.01	-49.35
426.73	S	-61.19	-58.49	-1.46	-1.25	-13.01	-48.18
760.41	S	-59.59	-55.76	-2.27	-1.56	-13.01	-46.58
1638.00	Н	-57.21	-61.56	6.79	-2.44	-13.01	-44.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





E2/2018/70058 Fundamental Frequency 821.5 MHz Project No. 359324080457857 Tx CH High Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


Vertical HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer E2 **EUT Name** EUT Pol.

LTEB26 5M QPSK 1.24 Operation Mode Jerry Test Engineer



Frequency	Note	ERP	Output	Antenna Gain	Limit	Margin
			ו בעבו			

MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
51.34	S	-58.65	-40.96	-17.25	-0.44	-13.01	-45.64
85.29	S	-59.63	-51.55	-7.55	-0.52	-13.01	-46.62
123.12	S	-49.01	-40.59	-7.78	-0.65	-13.01	-36.00
331.67	S	-58.86	-56.33	-1.41	-1.12	-13.01	-45.85
435.46	S	-60.59	-57.90	-1.48	-1.22	-13.01	-47.58
932.10	S	-48.24	-44.48	-1.97	-1.80	-13.01	-35.23
1643.00	Н	-66.20	-70.57	6.81	-2.44	-13.01	-53.19


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488






E2/2018/70058 Fundamental Frequency 821.5 MHz Project No. 359324080457857 Tx CH High Operation Band IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi. Horizontal HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer E2 **EUT Name** EUT Pol.

LTEB26 5M QPSK 1.24 Operation Mode Jerry Test Engineer



Frequency	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		


MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
46.49	S	-57.62	-39.15	-18.06	-0.41	-13.01	-44.61
90.14	S	-56.16	-49.29	-6.34	-0.53	-13.01	-43.15
172.59	S	-50.33	-43.84	-5.73	-0.75	-13.01	-37.32
400.54	S	-60.78	-58.08	-1.42	-1.28	-13.01	-47.77
459.71	S	-63.58	-60.86	-1.47	-1.24	-13.01	-50.57
772.05	S	-54.54	-50.75	-2.16	-1.63	-13.01	-41.53
1643.00	Н	-60.44	-64.81	6.81	-2.44	-13.01	-47.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 401 of 471

Radiated Spurious Emission Measurement Result: LTE-Band 30 (The Worst Case)

E2/2018/70058 **Fundamental Frequency** 2310 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB30 10M QPSK 1.0 Operation Mode Test Engineer Jerry



Frequency	Note	EIRP	Output	Antenna Gain	Cable Loss	Limit	Margin
			Level				

MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
109.54	S	-54.64	-48.84	-5.21	-0.59	-40.00	-14.64
122.15	S	-49.07	-42.79	-5.64	-0.64	-40.00	-9.07
247.28	S	-50.97	-50.79	0.75	-0.93	-40.00	-10.97
322.94	S	-58.89	-58.46	0.69	-1.12	-40.00	-18.89
334.58	S	-58.52	-58.16	0.75	-1.11	-40.00	-18.52
399.57	S	-58.62	-58.07	0.73	-1.28	-40.00	-18.62
4620.00	Н	-59.03	-67.46	12.63	-4.20	-40.00	-19.03
6930.00	Н	-49.24	-55.63	11.56	-5.17	-40.00	-9.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 2310 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi. Horizontal


HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer E2 **EUT Name** EUT Pol.

LTEB30 10M QPSK 1.0 Operation Mode Jerry Test Engineer



Frequency	Note	EIRP	Output	Antenna Gain	Limit	Margin
			Level			


MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
56.19	S	-51.53	-37.09	-13.98	-0.46	-40.00	-11.53
122.15	S	-50.18	-43.90	-5.64	-0.64	-40.00	-10.18
173.56	S	-63.28	-59.11	-3.42	-0.75	-40.00	-23.28
246.31	S	-57.25	-57.06	0.74	-0.93	-40.00	-17.25
335.55	S	-61.50	-61.15	0.76	-1.11	-40.00	-21.50
399.57	S	-62.18	-61.63	0.73	-1.28	-40.00	-22.18
4620.00	Н	-58.05	-66.48	12.63	-4.20	-40.00	-18.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Radiated Spurious Emission Measurement Result: LTE-Band 38 (The Worst Case)

E2/2018/70058 **Fundamental Frequency** 2575 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No. 22.7deg_C/57RH 英業達 **EUT Description** Temp. / Humi. Vertical HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol.



LTEB38 10M QPSK




Frequency	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	_
110.51	S	-52.61	-46.74	-5.27	-0.59	-25.00	-27.61	
257.95	S	-56.36	-56.16	0.74	-0.94	-25.00	-31.36	
332.64	S	-58.97	-58.59	0.74	-1.12	-25.00	-33.97	
424.79	S	-61.99	-61.44	0.70	-1.26	-25.00	-36.99	
547.01	S	-64.19	-63.64	0.76	-1.31	-25.00	-39.19	
839.95	S	-63.17	-61.75	0.20	-1.62	-25.00	-38.17	
5150.00	Н	-58.43	-66.48	12.52	-4.47	-25.00	-33.43	
7725.00	Н	-52.18	-57.47	10.86	-5.56	-25.00	-27.18	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279





E2/2018/70058 **Fundamental Frequency** 2575 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No. 英業達 22.7deg_C/57RH **EUT Description** Temp. / Humi. Horizontal HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer **EUT Name** E2 EUT Pol. LTEB38 10M QPSK Operation Mode Test Engineer Jerry 1.49




Frequency	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	
30.97	S	-38.49	-19.86	-18.32	-0.30	-25.00	-13.49	
122.15	S	-47.14	-40.86	-5.64	-0.64	-25.00	-22.14	
303.54	S	-65.53	-65.07	0.57	-1.03	-25.00	-40.53	
428.67	S	-61.71	-61.16	0.69	-1.24	-25.00	-36.71	
646.92	S	-67.41	-66.22	0.24	-1.43	-25.00	-42.41	
869.05	S	-63.87	-62.36	0.21	-1.72	-25.00	-38.87	
5150.00	Н	-57.36	-65.41	12.52	-4.47	-25.00	-32.36	
7725.00	Н	-53.48	-58.77	10.86	-5.56	-25.00	-28.48	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Jerry




Operation Mode

E2/2018/70058 Fundamental Frequency 2595 MHz Project No. 359324080457857 Operation Band Tx CH Mid IMEI No. 22.7deg_C/57RH 英業達 **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol.



LTEB38 10M QPSK



Frequency	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
247.28	S	-49.55	-49.37	0.75	-0.93	-25.00	-24.55
309.36	S	-59.80	-59.36	0.61	-1.06	-25.00	-34.80
399.57	S	-60.02	-59.48	0.73	-1.28	-25.00	-35.02
517.91	S	-63.14	-62.59	0.80	-1.35	-25.00	-38.14
787.57	S	-63.36	-61.89	0.13	-1.60	-25.00	-38.36
959.26	S	-59.48	-57.82	0.20	-1.86	-25.00	-34.48
5190.00	Н	-57.31	-65.39	12.55	-4.47	-25.00	-32.31
7795.00	Н	-41.90	-46.97	10.84	-5.77	-25.00	-16.90


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms endocuments, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號





E2/2018/70058 Fundamental Frequency 2595 MHz Project No. 359324080457857 Operation Band Tx CH Mid IMEI No. 22.7deg_C/57RH 英業達 **EUT Description** Temp. / Humi. Horizontal HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB38 10M QPSK Operation Mode Jerry Test Engineer 1.49



Frequency	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	
56.19	S	-53.81	-39.36	-13.98	-0.46	-25.00	-28.81	
244.37	S	-54.65	-54.45	0.72	-0.93	-25.00	-29.65	
399.57	S	-61.22	-60.67	0.73	-1.28	-25.00	-36.22	
522.76	S	-66.03	-65.50	0.80	-1.33	-25.00	-41.03	
775.93	S	-63.05	-61.43	0.02	-1.63	-25.00	-38.05	
951.50	S	-62.45	-60.74	0.15	-1.86	-25.00	-37.45	
5190.00	Н	-57.51	-65.60	12.55	-4.47	-25.00	-32.51	
7795.00	Н	-50.37	-55.44	10.84	-5.77	-25.00	-25.37	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488





E2/2018/70058 Fundamental Frequency 2615 MHz Project No. 359324080457857 Operation Band Tx CH High IMEI No. 22.7deg_C/57RH 英業達 **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol.

LTEB38 10M QPSK Operation Mode Jerry Test Engineer 1.49




Frequency	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
122.15	S	-48.95	-42.66	-5.64	-0.64	-25.00	-23.95
298.69	S	-60.97	-60.50	0.54	-1.02	-25.00	-35.97
338.46	S	-60.04	-59.71	0.77	-1.11	-25.00	-35.04
456.80	S	-65.62	-65.06	0.66	-1.23	-25.00	-40.62
743.92	S	-64.67	-63.06	-0.13	-1.48	-25.00	-39.67
932.10	S	-57.34	-55.72	0.18	-1.80	-25.00	-32.34
5230.00	Н	-59.21	-67.31	12.58	-4.49	-25.00	-34.21
7845.00	Н	-52.06	-57.29	10.83	-5.61	-25.00	-27.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 2615 MHz Project No. 359324080457857 Operation Band Tx CH High IMEI No. 22.7deg_C/57RH 英業達 **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB38 10M QPSK Operation Mode Jerry Test Engineer 1.49




Frequency	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	_
46.49	Н	-57.58	-41.26	-15.91	-0.41	-25.00	-32.58	
171.62	Н	-49.66	-45.16	-3.75	-0.75	-25.00	-24.66	
337.49	Н	-63.05	-62.71	0.77	-1.11	-25.00	-38.05	
452.92	Н	-63.91	-63.35	0.64	-1.21	-25.00	-38.91	
699.30	Н	-66.00	-64.93	0.47	-1.54	-25.00	-41.00	
933.07	Н	-59.19	-57.56	0.17	-1.80	-25.00	-34.19	
5230.00	Н	-57.99	-66.09	12.58	-4.49	-25.00	-32.99	
7845.00	Н	-53.00	-58.22	10.83	-5.61	-25.00	-28.00	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





Radiated Spurious Emission Measurement Result: LTE-Band 41 (The Worst Case)

E2/2018/70058 **Fundamental Frequency** 2501 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No. 22.7deg_C/57RH 英業達 **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB41 10M QPSK 1.0 Operation Mode Test Engineer Jerry




			Output Level	Gain	Loss			
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	_
30.97	S	-45.60	-26.98	-18.32	-0.30	-25.00	-20.60	
122.15	S	-48.43	-42.15	-5.64	-0.64	-25.00	-23.43	
262.80	S	-55.48	-55.22	0.68	-0.94	-25.00	-30.48	
454.86	S	-63.49	-62.92	0.65	-1.22	-25.00	-38.49	
656.62	S	-63.33	-62.14	0.28	-1.48	-25.00	-38.33	
799.21	S	-61.72	-60.36	0.23	-1.60	-25.00	-36.72	
5002.00	Н	-58.21	-66.21	12.40	-4.40	-25.00	-33.21	
7503.00	Н	-53.65	-59.11	10.90	-5.44	-25.00	-28.65	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 2501 MHz Project No. 359324080457857 Operation Band Tx CH Low IMEI No. 22.7deg_C/57RH 英業達 **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB41 10M QPSK 1.0 Operation Mode Jerry Test Engineer Level [[dBm/m]] LTE B41 Tx

Frequency	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
31.94	S	-40.80	-22.33	-18.16	-0.31	-25.00	-15.80
172.59	S	-50.03	-45.69	-3.58	-0.75	-25.00	-25.03
384.05	S	-64.30	-63.90	0.78	-1.17	-25.00	-39.30
429.64	S	-62.68	-62.13	0.69	-1.24	-25.00	-37.68
638.19	S	-66.55	-65.39	0.23	-1.39	-25.00	-41.55
821.52	S	-63.80	-62.44	0.22	-1.58	-25.00	-38.80
5186.00	Н	-57.37	-65.46	12.55	-4.46	-25.00	-32.37

15015 Frequency [MHz]

12018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





E2/2018/70058 **Fundamental Frequency** 2593 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No. 英業達 22.7deg_C/57RH Temp. / Humi. **EUT Description**


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB41 10M QPSK 1.0 Operation Mode Test Engineer Jerry




,			Output Level	Gain	Loss		- J	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	_
55.22	S	-58.24	-43.57	-14.20	-0.46	-25.00	-33.24	
172.59	S	-60.57	-56.24	-3.58	-0.75	-25.00	-35.57	
334.58	S	-58.62	-58.26	0.75	-1.11	-25.00	-33.62	
521.79	S	-62.37	-61.83	0.80	-1.33	-25.00	-37.37	
694.45	S	-63.57	-62.49	0.45	-1.53	-25.00	-38.57	
862.26	S	-62.96	-61.46	0.20	-1.70	-25.00	-37.96	
5186.00	Н	-58.05	-66.14	12.55	-4.46	-25.00	-33.05	
7779.00	Н	-50.82	-56.13	10.84	-5.53	-25.00	-25.82	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



2593 MHz



Project No.

E2/2018/70058

359324080457857 Operation Band Tx CH Mid IMEI No. 22.7deg_C/57RH 英業達 **EUT Description** Temp. / Humi. Horizontal HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB41 10M QPSK 1.0 Operation Mode Jerry Test Engineer Level [(dBm/mj)] LTE B41 Tx 12018 Frequency Note **EIRP** SG Antenna Cable Limit Margin Output Gain Loss Level

Fundamental Frequency

MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
58.13	S	-56.06	-42.06	-13.53	-0.47	-25.00	-31.06
248.25	S	-55.96	-55.79	0.76	-0.93	-25.00	-30.96
411.21	S	-62.16	-61.59	0.72	-1.30	-25.00	-37.16
492.69	S	-66.43	-65.84	0.79	-1.37	-25.00	-41.43
743.92	S	-64.51	-62.90	-0.13	-1.48	-25.00	-39.51
916.58	S	-62.36	-60.80	0.21	-1.77	-25.00	-37.36
5186.00	Н	-57.47	-65.56	12.55	-4.46	-25.00	-32.47
7779.00	Н	-52.60	-57.92	10.84	-5.53	-25.00	-27.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488






E2/2018/70058 **Fundamental Frequency** 2685 MHz Project No. 359324080457857 Tx CH High Operation Band IMEI No. 22.7deg_C/57RH 英業達 Temp. / Humi. **EUT Description** HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB41 10M QPSK 1.0 Operation Mode Test Engineer Jerry




			Output Level	Gain	Loss			
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	_
108.57	S	-54.51	-48.81	-5.12	-0.58	-25.00	-29.51	
245.34	S	-49.65	-49.46	0.73	-0.93	-25.00	-24.65	
400.54	S	-62.08	-61.53	0.73	-1.28	-25.00	-37.08	
600.36	S	-62.66	-61.35	0.14	-1.45	-25.00	-37.66	
770.11	S	-61.48	-59.83	-0.03	-1.62	-25.00	-36.48	
933.07	S	-58.22	-56.59	0.17	-1.80	-25.00	-33.22	
5370.00	Н	-57.74	-65.89	12.70	-4.54	-25.00	-32.74	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





E2/2018/70058

Fundamental Frequency 2685 MHz Project No. 359324080457857 Operation Band Tx CH High IMEI No. 22.7deg_C/57RH 英業達 **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB41 10M QPSK 1.0 Operation Mode Jerry Test Engineer Level [(dBm/mj)] LTE B41 Tx

Frequency	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	_
123.12	S	-46.52	-40.24	-5.63	-0.65	-25.00	-21.52	
334.58	S	-62.77	-62.41	0.75	-1.11	-25.00	-37.77	
417.03	S	-62.36	-61.78	0.71	-1.29	-25.00	-37.36	
587.75	S	-67.73	-66.56	0.30	-1.48	-25.00	-42.73	
770.11	S	-62.96	-61.31	-0.03	-1.62	-25.00	-37.96	
950.53	S	-62.01	-60.29	0.14	-1.86	-25.00	-37.01	
5370.00	Н	-56.38	-64.54	12.70	-4.54	-25.00	-31.38	

12018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms endocuments, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279





Radiated Spurious Emission Measurement Result: LTE-Band 66 (The Worst Case)



359324080457857 Tx CH Low Operation Band IMEI No.

22.7deg_C/57RH **EUT Description** Temp. / Humi.


HSN-I20C [Blurr] Vertical **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB66 15M QPSK Operation Mode Test Engineer Jerry 1.74



Frequency	Note	EIRP	Output	Antenna Gain	Limit	Margin
			l evel			

MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
55.22	S	-56.89	-42.22	-14.20	-0.46	-13.01	-43.88
121.18	S	-48.87	-42.59	-5.65	-0.64	-13.01	-35.86
282.20	S	-62.50	-61.95	0.41	-0.97	-13.01	-49.49
400.54	S	-61.58	-61.03	0.73	-1.28	-13.01	-48.57
511.12	S	-63.49	-62.92	0.81	-1.38	-13.01	-50.48
771.08	S	-61.54	-59.89	-0.02	-1.62	-13.01	-48.53
3435.00	Н	-61.63	-70.24	12.17	-3.56	-13.01	-48.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 1717.5 MHz Project No. 359324080457857 Tx CH Low Operation Band IMEI No. 22.7deg_C/57RH **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer **EUT Name** E2 EUT Pol. LTEB66 15M QPSK Operation Mode Test Engineer Jerry 1.74



Frequency	Note	EIRP	Output	Antenna Gain	Limit	Margin
			Level			


MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
47.46	S	-57.41	-41.23	-15.77	-0.41	-13.01	-44.40
123.12	S	-45.72	-39.45	-5.63	-0.65	-13.01	-32.71
246.31	S	-55.33	-55.14	0.74	-0.93	-13.01	-42.32
400.54	S	-62.38	-61.83	0.73	-1.28	-13.01	-49.37
500.45	S	-66.85	-66.26	0.81	-1.40	-13.01	-53.84
933.07	S	-60.15	-58.53	0.17	-1.80	-13.01	-47.14
3435.00	Н	-59.49	-68.10	12.17	-3.56	-13.01	-46.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 1745 MHz Project No. 359324080457857 Tx CH Mid Operation Band IMEI No. 22.7deg_C/57RH 英業達 **EUT Description** Temp. / Humi. Vertical HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB66 15M QPSK Operation Mode Jerry Test Engineer

1.74




			Output Level	Gain	Loss			
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	_
64.92	S	-61.11	-48.90	-11.72	-0.48	-13.01	-48.10	
171.62	S	-60.99	-56.50	-3.75	-0.75	-13.01	-47.98	
334.58	S	-58.40	-58.04	0.75	-1.11	-13.01	-45.39	
417.03	S	-63.61	-63.03	0.71	-1.29	-13.01	-50.60	
563.50	S	-64.35	-63.54	0.60	-1.41	-13.01	-51.34	
800.18	S	-60.32	-58.96	0.24	-1.60	-13.01	-47.31	
3490.00	Н	-60.10	-68.82	12.28	-3.56	-13.01	-47.09	
6980.00	Н	-47.02	-53.28	11.52	-5.26	-13.01	-34.01	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency Project No. 1745 MHz 359324080457857 Operation Band Tx CH Mid IMEI No.

22.7deg_C/57RH 英業達 **EUT Description** Temp. / Humi.


Horizontal HSN-I20C [Blurr] **EUT Model** Measurement Antenna Pol.

(WWAN_L850-GL(Pandora)

SKU4)

Notebook Computer **EUT Name** E2 EUT Pol.

LTEB66 15M QPSK Operation Mode Test Engineer Jerry



			Level					
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	
56.19	S	-54.06	-39.62	-13.98	-0.46	-13.01	-41.05	
172.59	S	-49.53	-45.19	-3.58	-0.75	-13.01	-36.52	
332.64	S	-62.45	-62.08	0.74	-1.12	-13.01	-49.44	
417.03	S	-61.98	-61.41	0.71	-1.29	-13.01	-48.97	
522.76	S	-66.61	-66.08	0.80	-1.33	-13.01	-53.60	
957.32	S	-61.69	-60.01	0.19	-1.87	-13.01	-48.68	
3490.00	Н	-53.70	-62.42	12.28	-3.56	-13.01	-40.69	

Output

Gain


Loss

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279





Project No.	E2/2018/70058	Fundamental Frequency	1772.5 MHz
IMEI No.	359324080457857	Operation Band	Tx CH High
EUT Description		Temp. / Humi.	22.7deg_C/57RH
EUT Model	HSN-I20C [Blurr] (WWAN_L850-GL(Pandora) SKU4)	Measurement Antenna Pol.	Vertical
EUT Name	Notebook Computer	EUT Pol.	E2
Operation Mode	LTEB66 15M QPSK 1.74	Test Engineer	Jerry



Frequency	Note	EIRP		Antenna Gain	Limit	Margin
			LEVE			

MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
30.97	S	-44.56	-25.94	-18.32	-0.30	-13.01	-31.55
73.65	S	-61.16	-51.64	-9.01	-0.50	-13.01	-48.15
243.40	S	-50.10	-49.89	0.71	-0.93	-13.01	-37.09
348.16	S	-62.53	-62.25	0.81	-1.09	-13.01	-49.52
457.77	S	-65.63	-65.06	0.67	-1.23	-13.01	-52.62
600.36	S	-63.02	-61.71	0.14	-1.45	-13.01	-50.01
3545.00	Н	-59.38	-68.05	12.32	-3.65	-13.01	-46.37
5317.50	Н	-49.78	-57.91	12.65	-4.53	-13.01	-36.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms endocuments, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279





E2/2018/70058 Fundamental Frequency 1772.5 MHz Project No. 359324080457857 Operation Band Tx CH High IMEI No. 22.7deg_C/57RH 英業達 **EUT Description** Temp. / Humi. HSN-I20C [Blurr] Horizontal **EUT Model** Measurement Antenna Pol. (WWAN_L850-GL(Pandora) SKU4) Notebook Computer E2 **EUT Name** EUT Pol. LTEB66 15M QPSK Operation Mode Jerry Test Engineer 1.74



Frequency	Note	EIRP	Output	Antenna Gain	Limit	Margin
			Level			

MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.97	S	-38.88	-20.26	-18.32	-0.30	-13.01	-25.87
92.08	S	-56.00	-51.24	-4.23	-0.54	-13.01	-42.99
191.99	S	-57.06	-56.06	-0.22	-0.78	-13.01	-44.05
383.08	S	-64.08	-63.70	0.78	-1.16	-13.01	-51.07
479.11	S	-65.57	-64.99	0.75	-1.33	-13.01	-52.56
771.08	S	-61.92	-60.28	-0.02	-1.62	-13.01	-48.91
3545.00	Н	-58.92	-67.59	12.32	-3.65	-13.01	-45.91
5317.50	Н	-51.23	-59.36	12.65	-4.53	-13.01	-38.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 421 of 471


FREQUENCY STABILITY MEASUREMENT

10.1. Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

10.2. Test Set-up

Temperature Chamber



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this test report elect only do the sample(s) tested and story and retained to 30 days only.

Phis document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

GS Taiwan Ltd.



Page 422 of 471

10.3. Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.



Page 423 of 471

10.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	Agilent	N9010A	MY53400256	10/30/2017	10/29/2018			
Radio Communica- tion Analyer	Anritsu	MT8820C	6201107337	06/09/2018	06/08/2019			
DC Power Supply	Agilent	E3640A	MY53130054	09/04/2017	09/03/2018			
Attenuator	Marvelous	MVE2213-1 0	RF30	12/26/2017	12/25/2018			
Splitter	RF-LAMBAD	RFLT2W1G 18G	RF35	12/26/2017	12/25/2018			
Spectrum Analyzer	Agilent	N9010A	MY53400256	10/30/2017	10/29/2018			
Radio Communica- tion Analyer	Anritsu	MT8820C	6201107337	06/09/2018	06/08/2019			
DC Power Supply	Agilent	E3640A	MY53130054	09/04/2017	09/03/2018			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到夭。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WukungRand NewTaipeiIndustrialPark WukuDistrict NewTaipeiCity.Taiwan24803/新士市五股區新士產業園區五工路 134 號

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





10.5. Measurement Result

ment Result		MALINIA Chamal	1000	N / I I —
		MA II Mid Channel	1880	MHz
		mit: +/- 2.5 ppm	5 1: (11)	I
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz
		Y ERROR vs. VOI		•
8.855	20	1880.000398	397.9999999	4700
7.7	20	1880.000409	409	4700
6	20	1880.000401	401	4700
100(End point)	20	1880.000379	379.0000001	4700
	FREQUEN	ICY ERROR vs. To		
7.7	50	1880.000397	397	4700
7.7	40	1880.000384	383.9999999	4700
7.7	30	1880.000413	413	4700
7.7	20	1880.000409	409	4700
7.7	10	1880.000405	405	4700
7.7	0	1880.00041	410.0000001	4700
7.7	-10	1880.000399	399	4700
7.7	-20	1880.00041	410.0000001	4700
7.7	-30	1880.000381	381.0000001	4700
	WCDM	1A IV Mid Channel	1732.6	MHz
	Lir	mit: +/- 2.5 ppm		
Vdc	Temp.(°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz
	FREQUENC	Y ERROR vs. VOI	_TAGE	
8.855	20	1732.600624	624	4331
7.7	20	1732.600644	644.0000002	4331
6	20	1732.600642	642.0000002	4331
100(End point)	20	1732.600641	641.0000001	4331
	FREQUEN	ICY ERROR vs. To	emp.	
7.7	50	1732.600614	614	4331
7.7	40	1732.600617	617.0000001	4331
7.7	30	1732.600608	608.0000001	4331
7.7	20	1732.600605	605.0000002	4331
7.7	10	1732.600608	608.0000001	4331
7.7	0	1732.600641	641.0000001	4331
7.7	-10	1732.600626	626	4331
7.7	-20	1732.600627	627.0000001	4331
7.7	-30	1732.600607	607.0000002	4331

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.


t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到夭。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WukungRand NewTaipeiIndustrialPark WukuDistrict NewTaipeiCity.Taiwan24803/新士市五股區新士產業園區五工路 134 號





WCDMA V Mid Channel 836.6 MHz								
	Li	mit: +/- 2.5 ppm						
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)				
	FREQUENCY ERROR vs. VOLTAGE							
8.855	20	836.600128	128	2091				
7.7	20	836.600137	137	2091				
6	20	836.600154	154	2091				
100(End point)	20	836.60014	140	2091				
	FREQUENCY ERROR vs. Temp.							
7.7	50	836.600143	143	2091				
7.7	40	836.600157	156.9999999	2091				
7.7	30	836.60013	130	2091				
7.7	20	836.600122	122	2091				
7.7	10	836.600141	141	2091				
7.7	0	836.600129	129	2091				
7.7	-10	836.600157	156.9999999	2091				
7.7	-20	836.600132	132	2091				
7.7	-30	836.600165	164.9999999	2091				






Reference Freq.:	LTE B2 Mid Channel		1880	MHz 20M QPSK CH 18900		
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)		
		Freq. ERROR vs	s. VOLTAGE			
7.7	25	1880.000015	15	4700		
100 (End Point)	25	1879.999985	-15	4700		
Freq. ERROR vs. Temp.						
7.7	-30	1879.999999	-1	4700		
7.7	-20	1879.999983	-17	4700		
7.7	-10	1880.000002	2	4700		
7.7	0	1879.999985	-15	4700		
7.7	10	1880.000020	20	4700		
7.7	20	1880.000021	21	4700		
7.7	30	1880.000018	18	4700		
7.7	40	1879.999999	-1	4700		
7.7	50	1879.999991	-9	4700		

Reference Freq.:		B4 Mid annel	1732.5	MHz 20M QPSK CH 20175				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)				
	F	req. ERROR vs	. VOLTAGE					
7.7	25	1732.500022	22	4331				
100 (End Point)	25	1732.499989	-11	4331				
	Freq. ERROR vs. Temp.							
7.7	-30	1732.500002	2	4331				
7.7	-20	1732.500008	8	4331				
7.7	-10	1732.500021	21	4331				
7.7	0	1732.499993	-7	4331				
7.7	10	1732.499984	-16	4331				
7.7	20	1732.499998	-2	4331				
7.7	30	1732.499984	-16	4331				
7.7	40	1732.499987	-13	4331				
7.7	50	1732.500013	13	4331				

t (886-2) 2299-3279






LTE B5 Mid Reference Freq.: MHz 10M QPSK CH 20525 836.5 Channel Power Supply Vdc Freq. (MHz) Delta (Hz) Temp. (°C) Limit = +/- 2.5 ppm (Hz)Freq. ERROR vs. VOLTAGE 7.7 25 836.499997 2091 -3 100 25 836.499997 -3 2091 (End Point) Freq. ERROR vs. Temp. -30 836.499996 2091 7.7 -4 2091 -20 836.499994 7.7 -6 7.7 -10 15 2091 836.500015 7.7 0 836.499992 2091 -8 7.7 10 836.499981 -19 2091 7.7 20 20 2091 836.500020 7.7 30 -9 2091 836.499991 7.7 40 836.499991 -9 2091 50 7.7 836.499981 -19 2091

Reference Freq.:	LTE B7 Mid Channel		ce Fren 2535		2535	MHz 10M QPSK CH 21100
Power Supply Vdc	Temp.(°℃)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)		
7.7	25	2534.999985	-15	6338		
100 (End Point)	25	2535.000010	10	6338		
Freq. ERROR vs. Temp.						
7.7	-30	2535.000016	16	6338		
7.7	-20	2535.000000	0	6338		
7.7	-10	2534.999976	-24	6338		
7.7	0	2535.000000	0	6338		
7.7	10	2534.999978	-22	6338		
7.7	20	2535.000014	14	6338		
7.7	30	2535.000009	8.9999999	6338		
7.7	40	2534.999979	-21	6338		
7.7	50	2534.999991	-9	6338		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






Reference Freq.:	LTE B12 Mid Channel		707.5	MHz 10M QPSK CH 23095		
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)		
Freq. ERROR vs. VOLTAGE						
7.7	25	707.499986	-14	1769		
100 (End Point)	25	707.500005	5	1769		
Freq. ERROR vs. Temp.						
7.7	-30	707.499982	-18	1769		
7.7	-20	707.499987	-13	1769		
7.7	-10	707.499984	-16	1769		
7.7	0	707.499994	-6	1769		
7.7	10	707.499987	-13	1769		
7.7	20	707.500010	10	1769		
7.7	30	707.500016	16	1769		
7.7	40	707.500009	9	1769		
7.7	50	707.499996	-4	1769		

Reference Freq.:	LTE B13 Mid Channel		782	MHz 10M QPSK CH 23230			
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)			
	F	req. ERROR vs	. VOLTAGE				
7.7	25	781.999989	-11	1955			
100 (End Point)	25	782.000004	4	1955			
Freq. ERROR vs. Temp.							
7.7	-30	781.999985	-15	1955			
7.7	-20	781.999990	-10	1955			
7.7	-10	781.999999	-1	1955			
7.7	0	782.000019	19	1955			
7.7	10	782.000001	1	1955			
7.7	20	782.000005	5	1955			
7.7	30	781.999977	-23	1955			
7.7	40	782.000018	18	1955			
7.7	50	782.000013	13	1955			

t (886-2) 2299-3279






Reference Freq.:	LTE B17 Mid Channel		· /1() MHz 1()M()PSK(MHz 10M QPSK CH 23790	
Power Supply Vdc	Temp.(°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)		
Freq. ERROR vs. VOLTAGE						
7.7	25	710.000015	15	1775		
100 (End Point)	25	710.000002	2	1775		
Freq. ERROR vs. Temp.						
7.7	-30	710.000005	5	1775		
7.7	-20	710.000001	1	1775		
7.7	-10	709.999991	-9	1775		
7.7	0	709.999977	-23	1775		
7.7	10	710.000016	16	1775		
7.7	20	710.000019	19	1775		
7.7	30	710.000018	18	1775		
7.7	40	710.000017	17	1775		
7.7	50	709.999988	-12	1775		

Reference Freq.:	LTE B26 Mid Channel		831.5	MHz 15M QPSK CH 26865		
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)		
Freq. ERROR vs. VOLTAGE						
7.7	25	831.499979	-21	2091		
100 (End Point)	25	831.499997	-3	2091		
Freq. ERROR vs. Temp.						
7.7	-30	831.500007	7	2091		
7.7	-20	831.499987	-13	2091		
7.7	-10	831.499987	-13	2091		
7.7	0	831.499982	-18	2091		
7.7	10	831.499985	-15	2091		
7.7	20	831.499978	-22	2091		
7.7	30	831.499997	-3	2091		
7.7	40	831.499993	-7	2091		
7.7	50	831.500014	14	2091		

t (886-2) 2299-3279





Power Supply Vdc Temp. (°C) Freq. (MHz) Delta (Hz) Limit = +/- 2.5 ppm (Hz) Freq. ERROR vs. VOLTAGE (LTE B26 for Part 90S) 7.7 25 818.999976 -24 2048 100 (End Point) 25 819.000007 7 2048 7.7 -30 818.999975 -25 2048 7.7 -20 819.000002 2 2048 7.7 -10 819.000013 13 2048 7.7 0 818.999982 -18 2048 7.7 10 818.999994 -6 2048 7.7 20 819.00003 3 2048 7.7 30 819.000015 15 2048						
7.7 25 818.999976 -24 2048 100 (End Point) 25 819.000007 7 2048 Freq. ERROR vs. Temp. 7.7 -30 818.999975 -25 2048 7.7 -20 819.000002 2 2048 7.7 -10 819.000013 13 2048 7.7 0 818.999982 -18 2048 7.7 10 818.999994 -6 2048 7.7 20 819.000003 3 2048 7.7 30 819.000015 15 2048						
100 (End Point) Freq. ERROR vs. Temp. 7.7 -30 818.999975 -25 2048 7.7 -20 819.000002 2 2048 7.7 -10 819.000013 13 2048 7.7 0 818.999982 -18 2048 7.7 10 818.999994 -6 2048 7.7 20 819.000003 3 2048 7.7 30 819.000015 15 2048						
(End Point) 25 819.000007 7 2048 Freq. ERROR vs. Temp. 7.7 -30 818.999975 -25 2048 7.7 -20 819.000002 2 2048 7.7 -10 819.000013 13 2048 7.7 0 818.999982 -18 2048 7.7 10 818.999994 -6 2048 7.7 20 819.000003 3 2048 7.7 30 819.000015 15 2048						
7.7 -30 818.999975 -25 2048 7.7 -20 819.000002 2 2048 7.7 -10 819.000013 13 2048 7.7 0 818.999982 -18 2048 7.7 10 818.999994 -6 2048 7.7 20 819.000003 3 2048 7.7 30 819.000015 15 2048						
7.7 -20 819.000002 2 2048 7.7 -10 819.000013 13 2048 7.7 0 818.999982 -18 2048 7.7 10 818.999994 -6 2048 7.7 20 819.000003 3 2048 7.7 30 819.000015 15 2048						
7.7 -10 819.000013 13 2048 7.7 0 818.999982 -18 2048 7.7 10 818.999994 -6 2048 7.7 20 819.000003 3 2048 7.7 30 819.000015 15 2048						
7.7 0 818.999982 -18 2048 7.7 10 818.999994 -6 2048 7.7 20 819.000003 3 2048 7.7 30 819.000015 15 2048						
7.7 10 818.999994 -6 2048 7.7 20 819.000003 3 2048 7.7 30 819.000015 15 2048						
7.7 20 819.000003 3 2048 7.7 30 819.000015 15 2048						
7.7 30 819.000015 15 2048						
7.7 40 010,000011 11 2040						
7.7 40 819.000011 11 2048						
7.7 50 818.999993 -7 2048						
Reference Freq.: LTE B30 Mid Channel 2310 MHz 10M QPSK CH 277	10					
Power Supply Vdc Temp. (°C) Freq. (MHz) Delta (Hz) Limit = +/- 2.5 ppm (Hz)						
Freq. ERROR vs. VOLTAGE						
7.7 25 2310.000023 23 6488						
100 (End Point) 25 2310.000007 7.0000001 6488						
Freq. ERROR vs. Temp.						
7.7 -30 2309.999978 -22 6488						
7.7 -20 2310.000014 14 6488						
7.7 -10 2310.000010 10 6488						
7.7 0 2309.999994 -6 6488						
7.7 10 2309.999984 -16 6488						
7.7 20 2309.999989 -11 6488						
7.7 30 2310.000011 11 6488						
7.7 40 2310.000007 7.0000001 6488						

2310.000010


t (886-2) 2299-3279

f (886-2) 2298-0488

10

6488

7.7





Reference Freq.:		B38 Mid nannel	2595	MHz 10M QPSK CH 38000	
Power Supply Vdc			Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
		Freq. ERROR vs	. VOLTAGE		
7.7	25	2595.000001	0.9999999	6488	
100 (End Point)	25	2594.999994	-6	6488	
,	•	Freq. ERROR	vs. Temp.		
7.7	-30	2595.000024	24	6488	
7.7	-20	2595.000024	24	6488	
7.7	-10	2594.999996	-4	6488	
7.7	0	2594.999986	-14	6488	
7.7	10	2594.999994	-6	6488	
7.7	20	2595.000000	0	6488	
7.7	30	2595.000001	0.9999999	6488	
7.7	40	2594.999993	-7	6488	
7.7	50	2594.999996	-4	6488	
Reference Freq.:	LTE E Reference Freq.: Cha		2593	MHz 10M QPSK CH 40620	
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
113		Freq. ERROR vs			
7.7	25	2592.999975	-25	6488	
100 (End Point)	25	2592.999993	-7	6488	
, , ,		Freq. ERROR	vs. Temp.		
7.7	-30	2592.999976	-24	6488	
7.7	-20	2592.999977	-23	6488	
7.7	-10	2592.999999	-1	6488	
7.7	0	2592.999989	-11	6488	
7.7	10	2592.999993	-7	6488	
7.7	20	2592.999978	-22	6488	
7.7	30	2593.000018	18	6488	
7.7	40	2592.999997	-3	6488	
7.7	50	2592.999977	-23	6488	



Page 432 of 471

Reference Freq.:	LTE B66 Mid Channel		1745	MHz 10M QPSK CH 132322		
Power Supply Vdc	Temp.(°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)		
Freq. ERROR vs. VOLTAGE						
7.7	25	1745.000015	15	6488		
100 (End Point)	25	1745.000008	8	6488		
Freq. ERROR vs. Temp.						
7.7	-30	1744.999999	-1	6488		
7.7	-20	1745.000000	0	6488		
7.7	-10	1744.999999	-1	6488		
7.7	0	1745.000009	9.0000001	6488		
7.7	10	1744.999994	-6	6488		
7.7	20	1745.000002	2	6488		
7.7	30	1744.999995	-5	6488		
7.7	40	1744.999993	-7	6488		
7.7	50	1745.000022	22	6488		

Note: The battery is rated 7.7V dc.




Page 433 of 471

11. **PEAK TO AVERAGE RATIO**

11.1. Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

11.2. Test SET-UP



11.3. **Measurement Procedure**

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

11.4. **Measurement Equipment Used**

Conduc	Conducted Emission (measured at antenna port) Test Site							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.			
Spectrum Analyzer	Agilent	N9010A	MY53400256	10/30/2017	10/29/2018			
Radio Communica- tion Analyer	Anritsu	MT8820C	6201107337	06/09/2018	06/08/2019			
DC Power Supply	Agilent	E3640A	MY53130054	09/04/2017	09/03/2018			
Attenuator	Marvelous	MVE2213- 10	RF30	12/26/2017	12/25/2018			
Splitter	RF-LAMBAD	RFLT2W1 G18G	RF35	12/26/2017	12/25/2018			
Spectrum Analyzer	Agilent	N9010A	MY53400256	10/30/2017	10/29/2018			
Radio Communica- tion Analyer	Anritsu	MT8820C	6201107337	06/09/2018	06/08/2019			
DC Power Supply	Agilent	E3640A	MY53130054	09/04/2017	09/03/2018			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this test report elect only do the sample(s) tested and story and retained to 30 days only.

Phis document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 434 of 471

11.5. **Measurement Result**

Tabular Results:

Erog		Peak-to-Average Ratio (dB)			
Freq. (MHz)	CH	WCDMA	HSDPA	HSUPA	
(IVITIZ)		II	II	II	
1852.4	9262	3.47	4.30	4.09	
1880	9400	3.46	4.07	3.59	
1907.6	9538	3.40	3.96	4.23	

Erog		Peak-to-Average Ratio (dB)				
Freq. (MHz)	CH	WCDMA	HSDPA	HSUPA		
(IVII IZ)		IV	IV	IV		
1712.4	1312	3.35	4.06	3.89		
1732.6	1413	3.37	3.54	4.39		
1752.6	1513	3.26	3.92	3.76		

Eroa		Peak-to-Average Ratio (dB)			
Freq. (MHz)	CH	WCDMA	HSDPA	HSUPA	
(IVII IZ)		V	V	V	
826.4	4132	3.25	4.01	3.36	
836.6	4183	3.09	3.33	3.48	
846.6	4233	2.67	2.87	2.85	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New TaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134, WuKungRoad, New TaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號






	LTE BAND 2										
Chan	nel bandı	width: 1.4l	MHz	Char	nnel band	lwidth: 3N	lHz				
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit				
1850.7	18607	6.45	13	1851.5	18615	6.66	13				
1880.0	18900	6.49	13	1880.0	18900	6.62	13				
1909.3	19193	6.50	13	1908.5	19185	6.63	13				

	LTE BAND 2										
Char	nnel band	lwidth: 5N	lHz	Channel bandwidth: 10MHz							
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit				
1852.5	18625	6.61	13	1855.0	18650	6.49	13				
1880.0	18900	6.50	13	1880.0	18900	6.54	13				
1907.5	19175	6.44	13	1905.0	19150	6.43	13				

	LTE BAND 2										
Chan	nel band	width: 15N	ЛНz	Channel bandwidth: 20MHz							
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit				
1857.5	18675	6.39	13	1860.0	18700	6.65	13				
1880.0	18900	6.34	13	1880.0	18900	6.65	13				
1902.5	19125	6.36	13	1900.0	19100	6.62	13				

t (886-2) 2299-3279






	LTE BAND 4										
Chanr	nel band	width: 1.4	MHz	Chan	nel ban	dwidth: 3N	ЛHz				
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	PAPR (dB)				
(MHz)	СП	16 QAM	Limit	(MHz)	СН	16 QAM	Limit				
1710.7	19957	6.47	13	1711.5	19965	6.49	13				
1732.5	20175	6.34	13	1732.5	20175	6.44	13				
1754.3	20393	6.31	13	1753.5	20385	6.41	13				

	LTE BAND 4										
Chan	nel ban	dwidth: 5N	ЛHz	Chani	nel band	lwidth: 10	MHz				
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	CII	16 QAM	Limit	(MHz)	CII	16 QAM	Limit				
1712.5	19957	6.23	13	1715.0	20000	6.28	13				
1732.5	20175	6.34	13	1732.5	20175	6.42	13				
1752.5	20375	6.18	13	1750.0	20350	6.29	13				

	LTE BAND 4										
Chani	nel band	lwidth: 15	MHz	Chani	nel band	lwidth: 20	MHz				
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	CII	16 QAM	Limit	(MHz)	CII	16 QAM	Limit				
1717.5	20025	6.15	13	1720.0	20050	6.57	13				
1732.5	20175	6.23	13	1732.5	20175	6.69	13				
1747.5	20325	6.15	13	1745.0	20300	6.70	13				

	LTE BAND 5										
Chan	nel bandı	width: 1.4	MHz	Channel bandwidth: 3MHz							
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	CII	16 QAM	Limit	(MHz)	CII	16 QAM	Limit				
824.7	20407	5.87	13	825.5	20415	6.08	13				
836.5	20525	6.01	13	836.5	20525	6.14	13				
848.3	20643	5.66	13	847.5	20635	5.67	13				

	LTE BAND 5										
Char	nnel band	lwidth: 5N	lHz	Channel bandwidth: 10MHz							
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	Сп	16 QAM	Limit	(MHz)	Сп	16 QAM	Limit				
826.5	20425	6.08	13	829.0	20450	5.93	13				
836.5	20525	6.22	13	836.5	20525	6.45	13				
846.5	20625	5.41	13	844.0	20600	5.93	13				





	LTE BAND 7										
Chan	nel band	dwidth: 5N	ЛHz	Channel bandwidth: 10MHz							
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit				
2502.5	20775	5.91	13	2505.0	20800	5.96	13				
2535.0	21100	6.10	13	2535.0	21100	6.16	13				
2567.5	21425	6.01	13	2565.0	21400	6.35	13				


	LTE BAND 7										
Chani	nel band	lwidth: 15	MHz	Chani	nel band	lwidth: 201	MHz				
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit				
2507.5	20825	6.08	13	2510	20850	6.64	13				
2535.0	21100	6.05	13	2535	21100	6.59	13				
2562.5	21375	6.14	13	2560	21350	6.65	13				

	LTE BAND 12										
Chan	nel bandı	width: 1.4l	MHz	Channel bandwidth: 3MHz							
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	CII	16 QAM	Limit	(MHz)	CII	16 QAM	Limit				
699.7	23017	5.55	13	700.5	23025	6.06	13				
707.5	23095	5.10	13	707.5	23095	5.63	13				
715.3	23173	5.42	13	714.5	23165	6.06	13				

	LTE BAND 12										
Char	nnel band	lwidth: 5N	lHz	Channel bandwidth: 10MHz							
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit				
701.5	23035	5.93	13	704.0	23060	5.99	13				
707.5	23095	5.55	13	707.5	23095	6.45	13				
713.5	23155	5.85	13	711.0	23130	6.23	13				

	LTE BAND 13										
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz							
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit				
779.5	23205	6.25	13								
782.0	23230	6.34	13	782.0	23230	6.38	13				
784.5	23255	6.43	13								

t (886-2) 2299-3279






LTE BAND 17										
Chan	nel band	dwidth: 5N	ЛHz	Channel bandwidth: 10MHz						
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)			
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit			
706.5	23755	5.56	13	709	23780	6.06	13			
710	23790	5.69	13	710	23790	6.46	13			
713.5	23825	5.89	13	711	23800	6.29	13			

	LTE BAND 26										
Chan	nel bandı	width: 1.4	MHz	Char	nnel band	lwidth: 3N	lHz				
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit				
814.7	26697	5.77	13	815.5	26705	5.98	13				
831.5	26865	5.44	13	831.5	26865	5.77	13				
848.3	27033	5.56	13	847.5	27025	5.75	13				

	LTE BAND 26										
Char	nnel band	lwidth: 5N	lHz	Channel bandwidth: 10MHz							
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit				
816.5	26715	6.07	13	820.0	26750	6.41	13				
831.5	26865	5.70	13	831.5	26865	5.89	13				
846.5	27015	5.31	13	844.0	26990	5.85	13				

LTE BAND 26									
Chan	nel band	width: 15N	ЛHz						
Freq.	eq. CH PAPR (dB)								
(MHz)	СП	16 QAM	Limit						
822.5	26775	6.33	13						
831.5	26865	6.02	13						
841.5	26965	6.47	13						

t (886-2) 2299-3279





LTE BAND 26 for part 90S									
Chanr	nel band	width: 1.4	MHz	Channel bandwidth: 3MHz					
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)		
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit		
814.7	26697	5.80	13	815.5	26705	6.08	13		
819.0	26740	6.07	13	819	26740	6.07	13		
823.3	26783	6.20	13	822.5	26775	6.25	13		


LTE BAND 26 for part 90S										
Chan	nel band	dwidth: 5N	/lHz	Channel bandwidth: 10MHz						
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)			
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit			
816.5	26715	6.13	13							
819.0	26740	6.16	13	819.0	26740	6.26	13			
821.5	26765	6.32	13							

	LTE BAND 30										
Char	nnel band	lwidth: 5N	lHz	Channel bandwidth: 10MHz							
Freq.	СН	Peak-	·to-	Freq.	СН	Peak-	·to-				
(MHz)	СП	6.01	Limit	(MHz)	СН	6.01	Limit				
2307.5	27685	6.28	13								
2310.0	27710	6.30	13	2310.0	27710	6.10	13				
2312.5	27735	6.32	13								

	LTE BAND 38										
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz							
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)				
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit				
2572.5	37775	9.23	13	2575	37800	9.14	13				
2595.0	38000	8.72	13	2595	38000	9.43	13				
2617.5	38225	10.08	13	2615	38200	9.31	13				

	LTE BAND 38									
Chan	nel band	width: 15N	ЛHz	Chan	nel band	width: 20N	ЛHz			
Freq.	СН	PAPR	Freq.	СН	PAPR	(dB)				
(MHz)	Сп	16 QAM	Limit	(MHz)	Сп	16 QAM	Limit			
2577.5	37825	10.49	13	2580.0	37850	8.30	13			
2595.0	38000	8.73	13	2595.0	38000	9.31	13			
2612.5	38175	11.11	13	2610.0	38150	10.42	13			

t (886-2) 2299-3279





	LTE BAND 41									
Chan	nel band	dwidth: 5N	ЛHz	Channel bandwidth: 10MHz						
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)			
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit			
2498.5	39675	7.99	13	2501.0	39700	8.50	13			
2593.0	40620	9.13	13	2593.0	40620	9.19	13			
2687.5	41565	10.26	13	2685.0	41540	7.68	13			

	LTE BAND 41									
Chani	nel band	lwidth: 15	MHz	Channel bandwidth: 20MHz						
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)			
(MHz)	СП	16 QAM	Limit	(MHz)	СП	16 QAM	Limit			
2503.5	39725	8.38	13	2506.0	39750	9.19	13			
2593.0	40620	9.00	13	2593.0	40620	11.10	13			
2682.5	41515	9.55	13	2680.0	41490	9.88	13			

LTE BAND 66									
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz					
Freq. (MHz)	СН	Peak-to-		Freq.	СН	Peak-to-			
	CII	16QAM	Limit	(MHz)	СП	16QAM	Limit		
1710.7	131979	6.37	13	1711.5	131987	6.33	13		
1745.0	132322	6.42	13	1745.0	132322	6.40	13		
1779.3	132665	6.24	13	1778.5	132657	6.21	13		

LTE BAND 66								
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz				
Freq. (MHz)	СН	Peak-to-		Freq.	СН	Peak-to-		
	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit	
1712.5	131997	6.38	13	1715.0	132022	6.32	13	
1745.0	132322	6.42	13	1745.0	132322	6.38	13	
1777.5	132647	6.25	13	1775.0	132622	6.36	13	


LTE BAND 66								
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz				
Freq.	СН	Peak-to-		Freq.	СН	Peak-to-		
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit	
1717.5	132047	6.21	13	1720.0	132072	6.66	13	
1745.0	132322	6.25	13	1745.0	132322	6.75	13	
1772.5	132597	6.24	13	1770.0	132572	6.71	13	

Please refer to next page for test plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279







WCDMA_B2_LowCH9262-1852.4




HSDPA_B2_LowCH9262-1852.4



WCDMA B2 MidCH9400-1880



HSDPA_B2_MidCH9400-1880



WCDMA_B2_HighCH9538-1907.6



HSDPA_B2_HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this test report felic only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) the retained for 90 days only.


First part of the retained for 90 days only.

First part of the retained for 90 days only.

First part of 90 days only.


First part of 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





HSUPA_B2_LowCH9262-1852.4




WCDMA_B4_LowCH1312-1712.4



HSUPA B2 MidCH9400-1880




WCDMA B4 MidCH1413-1732.6



HSUPA_B2_HighCH9538-1907.6




WCDMA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results strown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix a fail in the first strong and the company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and of the content or appearance of this document is unlawful and of the content or appearance of this document is unlawful. and offenders may be prosecuted to the fullest extent of the law.







HSDPA_B4_LowCH1312-1712.4




HSUPA_B4_LowCH1312-1712.4




HSDPA B4 MidCH1413-1732.6



HSUPA B4 MidCH1413-1732.6



HSDPA_B4_HighCH1513-1752.6



HSUPA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results strown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix a fail in the first strong and the company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and of the content or appearance of this document is unlawful and of the content or appearance of this document is unlawful. and offenders may be prosecuted to the fullest extent of the law.