

Page: 1 of 608

SAR TEST REPORT





The following samples were submitted and identified on behalf of the client as:

Equipment Under Test Notebook Computer

Brand Name HP

Model No. HSN-122C **Company Name** HP Inc.

Company Address 1501 Page Mill Road, Palo Alto CA 94304 USA

IEEE/ANSI C95.1-1992, IEEE 1528-2013, **Standards**

> KDB616217D04v01r02,KDB865664D01v01r04, KDB865664D02v01r02,KDB941225D01v03r01, KDB941225D05v02r05,KDB941225D05Av01r02.

KDB447498D01v06, KDB248227D01v02r02

FCC ID B94HNI22CPK **Date of Receipt** Nov. 26, 2018

Date of Test(s) Dec. 01, 2018 ~ Dec. 19, 2018

Date of Issue Jan. 21, 2019

In the configuration tested, the EUT complied with the standards specified above.

Remarks:

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Electronic & Communication Laboratory or testing done by SGS Taiwan Electronic & Communication Laboratory in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Electronic & Communication Laboratory in writing.

Signed on behalf of SGS

Clerk / Annie Chang	Asst. Supervisor / Afu Chen	Asst. Manager / John Yeh
Annie Chang	afor Chen	John Teh

Date: Jan. 21, 2019

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 2 of 608

Revision History

Report Number	Revision	Description	Issue Date
EN/2018/B0032	Rev.00	Initial creation of document	Jan. 04, 2019
EN/2018/B0032	Rev.01	Modify FCC ID & co-sar	Jan. 16, 2019
EN/2018/B0032	Rev.02	Modify FCC ID	Jan. 21, 2019

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 3 of 608

Contents

1. General Information	
1.1 Testing Laboratory	
1.2 Details of Applicant	
1.3 Description of EUT	<u>5</u>
1.4 Test Environment	266
1.5 Operation Description	
1.6 The SAR Measurement System	275
1.7 System Components	
1.8 SAR System Verification	
1.9 Tissue Simulant Fluid for the Frequency Band	
1.10 Evaluation Procedures	
1.11 Probe Calibration Procedures	
1.12 Test Standards and Limits	
2. Summary of Results	
3. Simultaneous Transmission Analysis	320
3.1 Estimated SAR calculation	
3.2 SPLSR evaluation and analysis	
4. Instruments List	433
5. Measurements	435
6. SAR System Performance Verification	497
7. DAE & Probe Calibration Certificate	519
8. Uncertainty Budget	535
9. Phantom Description	
10.System Validation from Original Equipment Supplier	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 4 of 608

1. General Information

1.1 Testing Laboratory

SGS Taiwan Ltd. Electronics & Communication Laboratory					
1F, No. 8, Alley 15, Lane 120, Sec. 1, NeiHu Road, Neihu District, Taipei City,					
11493, Taiwan.					
Tel	+886-2-2299-3279				
Fax	+886-2-2298-0488				
Internet	http://www.tw.sgs.com/				

1.2 Details of Applicant

Company Name	HP Inc.
Company Address	1501 Page Mill Road, Palo Alto CA 94304 USA

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 5 of 608

1.3 Description of EUT

	T				1
Equipment Under Test	Notebook Computer				
Brand Name	HP				
Model No.	HSN-I22C				
Intograted Module	WLAN Model N		Name : Intel Name : 8265NGW D : B94-8265NGWR		
Integrated Module	WWAN	Model N	lame : Fil lame : L8 : B94HN	860-GI	L
Mode of Operation					
	WCDMA		1		
	LTE FDD		1		
Duty Cycle	LTE TDD		0.633		
	WLAN802.11 a/b/g/n(20M/40M)/ ac(20M/40M/80M)			1	
	Bluetooth			1	
	WCDMA Band II		1850	_	1910
	WCDMA Band IV		1710	_	1755
TX Frequency Range	WCDMA Band V		824	_	849
(MHz)	LTE FDD Band 2		1850	_	1910
	LTE FDD Band 4		1710	_	1755
	LTE FDD Band 5		824		849

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 6 of 608

	LTE FDD Band 7	2500	_	2570
	LTE FDD Band 12	699	_	716
	LTE FDD Band 13	777	_	787
	LTE FDD Band 14	788	_	798
	LTE FDD Band 17	704	_	716
	LTE FDD Band 25	1850	_	1915
	LTE FDD Band 26	814	_	849
	LTE FDD Band 30	2305	_	2315
	LTE TDD Band 38	2570	_	2620
	LTE TDD Band 41	2496	_	2690
	LTE FDD Band 66	1710	_	1780
	WLAN802.11 b/g/n(20M)	2412	_	2472
TX Frequency Range	WLAN802.11 n(40M)	2422	_	2462
(MHz)	WLAN802.11 a/n(20M)/ac(20M) 5.2G	5180	_	5240
	WLAN802.11 n(40M)/ac(40M) 5.2G	5190	_	5230
	WLAN802.11 ac(80M) 5.2G		5210	
	WLAN802.11 a/n(20M)/ac(20M) 5.3G	5260	_	5320
	WLAN802.11 n(40M)/ac(40M) 5.3G	5270	_	5310
	WLAN802.11 ac(80M) 5.3G	5290		
	WLAN802.11 a/n/ac(20M) 5.6G	5500	_	5720
	WLAN802.11 n/ac(40M) 5.6G	5510	_	5710
	WLAN802.11 ac(80M) 5.6G	5530	_	5690
	WLAN802.11 a/n(20M)/ac(20M) 5.8G	5745	_	5825
	WLAN802.11 n(40M)/ac(40M) 5.8G	5710	_	5795
	WLAN802.11 ac(80M) 5.8G		5775	
	Bluetooth	2402	_	2480
Channel Number	WCDMA Band II	9262	_	9538
(ARFCN)	WCDMA Band IV	1312	_	1513

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 7 of 608

WCDMA Band V	4132	_	4233
LTE FDD Band 2	18607	_	19193
LTE FDD Band 4	19957	_	20393
LTE FDD Band 5	20407	_	20643
LTE FDD Band 7	20775	_	21425
LTE FDD Band 12	23017	_	23173
LTE FDD Band 13	23205	_	23255
LTE FDD Band 14	23305	_	23355
LTE FDD Band 17	23755	_	23825
LTE FDD Band 25	26047	_	26683
LTE FDD Band 26	26697	_	27033
LTE FDD Band 30	27685	_	27735
LTE TDD Band 38	37775	_	38225
LTE TDD Band 41	39675	_	41565
LTE FDD Band 66	131979	_	132665
WLAN802.11 b/g/n(20M)	1	_	13
WLAN802.11 n(40M)	3	_	11
WLAN802.11 a/n(20M)/ac(20M) 5.2G	36	_	48
WLAN802.11 n(40M)/ac(40M) 5.2G	38	_	46
WLAN802.11 ac(80M) 5.2G		42	
WLAN802.11 a/n(20M)/ac(20M) 5.3G	52	_	64
WLAN802.11 n(40M)/ac(40M) 5.3G	54	_	62
WLAN802.11 ac(80M) 5.3G		58	
WLAN802.11 a/n/ac(20M) 5.6G	100	_	144
WLAN802.11 n/ac(40M) 5.6G	102	_	142
WLAN802.11 ac(80M) 5.6G	106	_	138
WLAN802.11 a/n(20M)/ac(20M) 5.8G	149	_	165
	LTE FDD Band 2 LTE FDD Band 4 LTE FDD Band 5 LTE FDD Band 7 LTE FDD Band 12 LTE FDD Band 13 LTE FDD Band 14 LTE FDD Band 25 LTE FDD Band 26 LTE FDD Band 30 LTE FDD Band 30 LTE TDD Band 41 LTE FDD Band 66 WLAN802.11 b/g/n(20M) WLAN802.11 n(40M) WLAN802.11 n(40M)/ac(20M) 5.2G WLAN802.11 a/n(20M)/ac(20M) 5.3G WLAN802.11 a/n(20M)/ac(40M) 5.3G WLAN802.11 a/n(20M)/ac(40M) 5.3G WLAN802.11 a/n/ac(20M) 5.6G WLAN802.11 n/ac(40M) 5.6G WLAN802.11 n/ac(40M) 5.6G WLAN802.11 n/ac(40M) 5.6G	LTE FDD Band 2 LTE FDD Band 4 LTE FDD Band 5 LTE FDD Band 7 LTE FDD Band 7 LTE FDD Band 12 LTE FDD Band 13 LTE FDD Band 14 LTE FDD Band 14 LTE FDD Band 17 LTE FDD Band 17 LTE FDD Band 25 LTE FDD Band 26 LTE FDD Band 30 LTE FDD Band 30 LTE FDD Band 38 LTE TDD Band 41 LTE TDD Band 41 LTE TDD Band 66 WLAN802.11 b/g/n(20M) WLAN802.11 a/n(20M)/ac(20M) 5.2G WLAN802.11 a/n(20M)/ac(20M) 5.3G WLAN802.11 a/n(20M)/ac(40M) 5.3G WLAN802.11 ac(80M) 5.3G WLAN802.11 a/n(20M)/ac(20M) 5.3G WLAN802.11 a/n(20M)/ac(20M) 5.3G WLAN802.11 a/n(20M)/ac(40M) 5.3G WLAN802.11 a/n(20M)/ac(40M) 5.3G WLAN802.11 a/n(20M)/ac(40M) 5.3G WLAN802.11 a/n(20M)/ac(40M) 5.3G WLAN802.11 a/n(ac(40M) 5.6G WLAN802.11 n/ac(40M) 5.6G WLAN802.11 n/ac(40M) 5.6G WLAN802.11 n/ac(40M) 5.6G	LTE FDD Band 2 LTE FDD Band 4 LTE FDD Band 5 LTE FDD Band 7 LTE FDD Band 7 LTE FDD Band 12 LTE FDD Band 13 LTE FDD Band 14 LTE FDD Band 14 LTE FDD Band 17 LTE FDD Band 17 LTE FDD Band 17 LTE FDD Band 25 LTE FDD Band 25 LTE FDD Band 26 LTE FDD Band 30 LTE FDD Band 30 LTE FDD Band 38 LTE TDD Band 41 LTE TDD Band 41 LTE FDD Band 66 LTE FDD Band 66 LTE FDD Band 66 WLAN802.11 n/40M) WLAN802.11 n/40M)/ac(20M) 5.2G WLAN802.11 a/n(20M)/ac(20M) 5.3G WLAN802.11 a/n/ac(20M) 5.3G WLAN802.11 a/n/ac(20M) 5.6G WLAN802.11 n/ac(40M) 5.6G

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 8 of 608

Channel Number (ARFCN)	WLAN802.11 n(40M)/ac(40M) 5.8G	151	_	159
	WLAN802.11 ac(80M) 5.8G	ac(80M) 5.8G 155		
(* 51.1)	Bluetooth	0	_	78

AWAN

Max. SAR (1 g) (Unit: W/Kg)						
Band	Measured	Reported	Channel	Position		
WCDMA Band II	1.38	1.41	9262	Top side		
WCDMA Band IV	1.35	1.37	1513	Top side		
WCDMA Band V	1.40	1.41	4132	Top side		
LTE FDD Band 2	1.36	1.36	18900	Top side		
LTE FDD Band 4	1.33	1.33	20300	Top side		
LTE FDD Band 5	1.43	1.44	20450	Top side		
LTE FDD Band 7	1.37	1.39	20850	Top side		
LTE FDD Band 12	1.34	1.37	23095	Top side		
LTE FDD Band 13	1.29	1.32	23230	Top side		
LTE FDD Band 14	1.31	1.31	23330	Top side		
LTE FDD Band 17	1.35	1.35	23800	Top side		
LTE FDD Band 25	1.30	1.38	26365	Top side		
LTE FDD Band 26	1.32	1.32	26965	Top side		
LTE FDD Band 30	1.37	1.38	27710	Top side		
LTE TDD Band 38	1.15	1.21	37850	Top side		
LTE TDD Band 41	1.34	1.34	40185	Top side		
LTE FDD Band 66	1.35	1.37	132572	Top side		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 9 of 608

HONG-BO

Max. SAR (1 g) (Unit: W/Kg)						
Band	Measured	Reported	Channel	Position		
WCDMA Band II	1.27	1.30	9262	Top side		
WCDMA Band IV	1.37	1.39	1513	Top side		
WCDMA Band V	1.30	1.31	4132	Top side		
LTE FDD Band 2	1.25	1.25	18900	Top side		
LTE FDD Band 4	1.36	1.36	20300	Top side		
LTE FDD Band 5	1.34	1.35	20450	Top side		
LTE FDD Band 7	1.33	1.35	20850	Top side		
LTE FDD Band 12	1.36	1.37	23060	Top side		
LTE FDD Band 13	1.30	1.42	23230	Top side		
LTE FDD Band 14	1.27	1.39	23330	Top side		
LTE FDD Band 17	1.33	1.34	23780	Top side		
LTE FDD Band 25	1.35	1.43	26365	Top side		
LTE FDD Band 26	1.36	1.39	26865	Top side		
LTE FDD Band 30	1.30	1.31	27710	Top side		
LTE TDD Band 38	1.07	1.13	37850	Top side		
LTE TDD Band 41	1.27	1.38	41490	Top side		
LTE FDD Band 66	1.35	1.37	132572	Top side		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 10 of 608

AWAN

	Max. SAR (1g) (Unit: W/Kg)						
Antenna	Band	Measured	Reported	Channel	Position		
	WLAN 802.11b	0.46	0.46	1	Top side		
	WLAN 802.11n(40M) 5.2G	0.47	0.47	46	Top side		
	WLAN 802.11a 5.3G	0.37	0.37	60	Top side		
Main	WLAN 802.11n(40M) 5.3G	0.41	0.41	54	Top side		
	WLAN 802.11n(40M) 5.6G	0.57	0.57	102	Top side		
	WLAN 802.11ac(80M) 5.6G	0.85	0.85	138	Top side		
	WLAN 802.11ac(80M) 5.8G	0.90	0.90	155	Top side		
	WLAN 802.11b	0.75	0.75	1	Top side		
	Bluetooth(GFSK)	0.15	0.15	39	Top side		
	WLAN 802.11n(40M) 5.2G	0.38	0.38	38	Top side		
Aux	WLAN 802.11a 5.3G	0.47	0.47	60	Top side		
	WLAN 802.11n(40M) 5.3G	0.41	0.41	54	Top side		
	WLAN 802.11ac(80M) 5.6G	0.90	0.90	138	Top side		
	WLAN 802.11ac(80M) 5.8G	0.78	0.78	155	Top side		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 11 of 608

HONG-BO

	Max. SAR (1g) (Unit: W/Kg)								
Antenna	Band	Measured	Reported	Channel	Position				
	WLAN 802.11b	0.63	0.63	1	Top side				
	WLAN 802.11n(40M) 5.2G	0.85	0.85	38	Top side				
	WLAN 802.11a 5.3G	0.96	0.97	64	Top side				
Main	WLAN 802.11n(40M) 5.3G	0.88	0.88	54	Top side				
	WLAN 802.11n(40M) 5.6G	1.03	1.04	134	Top side				
	WLAN 802.11ac(80M) 5.6G	0.92	0.92	138	Top side				
	WLAN 802.11ac(80M) 5.8G	0.96	0.96	155	Top side				
	WLAN 802.11b	1.19	1.19	1	Top side				
	Bluetooth(GFSK)	0.27	0.27	39	Top side				
	WLAN 802.11n(40M) 5.2G	0.92	0.94	46	Top side				
Aux	WLAN 802.11a 5.3G	1.00	1.01	52	Top side				
	WLAN 802.11n(40M) 5.3G	0.99	0.99	54	Top side				
	WLAN 802.11ac(80M) 5.6G	0.91	0.92	106	Top side				
	WLAN 802.11ac(80M) 5.8G	0.77	0.77	155	Top side				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 12 of 608

Antenna Information

WI AN

WEAN										
	Tablet mode									
Vendor		AWAN Corporation								
Antenna			Main					Aux		
Part Number	603	6B02342	201(ANF	P6Y-1002	280)	603	6B02341	101(ANF	6Y-1002	279)
Frequency	2.4	5.2	5.3	5.6	5.8	2.4	5.2	5.3	5.6	5.8
Gain (dBi)	-3.21	0.29	-0.84	-0.18	-0.18	-3.68	-2.82	-2.44	-1.62	-1.27
				NE	3 mode					
Vendor				Α	WAN Co	rporation	on			
Antenna			Main					Aux		
Part Number	603	6B02342	201(ANF	P6Y-1002	280)	603	6B0234	101(ANF	6Y-1002	279)
Frequency	2.4	5.2	5.3	5.6	5.8	2.4 5.2 5.3 5.6 5.8				5.8
Gain (dBi)	-2.08	0.99	-0.17	-0.68	-1.44	0.18	-1.48	-1.36	0.25	0.44

	Tablet mode									
Vendor		HONG-BO								
Antenna			Main					Aux		
Part Number	6	036B023	33101(26	60-2727	3)	6	036B023	33001(26	60-2727	2)
Frequency	2.4	5.2	5.3	5.6	5.8	2.4	5.2	5.3	5.6	5.8
Gain (dBi)	-2.89	-0.32	-1.11	-2.04	1.54	-1.07	-1.65	-1.65	-1.25	-0.03
				NE	3 mode					
Vendor					HON	G-BO				
Antenna			Main					Aux		
Part Number	6	036B023	33101(26	60-2727	3)	6	036B023	33001(26	60-2727	2)
Frequency	2.4	5.2	5.3	5.6	5.8	2.4	5.2	5.3	5.6	5.8
Gain (dBi)	0.49	2.58	2.18	1.48	1.19	-1.13 1.32 1.99 1.89 1.89				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 13 of 608

WWAN

Vendor	Type	Main/	Antenna	Modulation	1	•	ncy	Peak Antenna
VOIIGOI	1,700	Aux	Part No.		· ·	MH.		Gain (dBi)
				WCDMA / HSPA Band II	1852.4	_	1907.6	-0.87
				WCDMA / HSPA Band IV	1712.4	~	1752.6	-0.9
				WCDMA / HSPA Band V	826.4	~	846.6	-1.73
				LTE Band 2	1850	~	1910	-0.87
				LTE Band 4	1710	~	1755	-0.66
				LTE Band 5	824	~	849	-1.73
				LTE Band 7	2503	~	2560	-0.53
				LTE Band 12	699	~	716	-1.14
	PIFA	Main	6036B0232901 (ANP6Y-	LTE Band 13	777	~	787	-0.23
	FIFA	IVIAIII	100277)	LTE Band 14	788	~	798	-0.58
				LTE Band 17	704	~	716	-1.14
				LTE Band 25	1850	~	1915	-0.87
				LTE Band 26	824	~	849	-1.77
			LTE Band 26 Part 90S	814.7	~	823.3	-1.79	
			LTE Band 30	2305	~	2315	1.92	
				LTE Band 38	2570	~	2620	0.03
				LTE Band 41	2496	~	2690	0.03
۸				LTE Band 66	1710	~	1780	-0.66
Awan				WCDMA / HSPA Band II	1852.4	~	1907.6	0.76
				WCDMA / HSPA Band IV	1712.4	~	1752.6	N/A
				WCDMA / HSPA Band V	826.4	~	846.6	N/A
				LTE Band 2	1850	~	1910	0.76
				LTE Band 4	1710	~	1755	N/A
				LTE Band 5	824	~	849	N/A
				LTE Band 7	2503	~	2560	N/A
				LTE Band 12	699	~	716	N/A
	PIFA	Aux	6036B0232801 (ANP6Y-	LTE Band 13	777	~	787	N/A
	PIFA	Aux	100278)	LTE Band 14	788	~	798	-2.02
				LTE Band 17	704	~	716	N/A
				LTE Band 25	1850	~	1915	-0.43
				LTE Band 26	824	~	849	N/A
				LTE Band 26 Part 90S	814.7	~	823.3	-2.6
				LTE Band 30	2305	~	2315	1.23
				LTE Band 38	2570	~	2620	-0.33
				LTE Band 41	2496	~	2690	-0.33
				LTE Band 66	1710	~	1780	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 14 of 608

Vendor	Type	Main/	Antenna	Modulation		•	ncy	Peak Antenna
	. 71	Aux	Part No.		(MHz)		Gain (dBi)	
				WCDMA / HSPA Band II	1852.4	~	1907.6	0.79
				WCDMA / HSPA Band IV	1712.4	~	1752.6	-0.27
				WCDMA / HSPA Band V	826.4	~	846.6	-2.06
				LTE Band 2	1850	~	1910	0.85
				LTE Band 4	1710	~	1755	-0.27
				LTE Band 5	824	~	849	-2.06
				LTE Band 7	2503	~	2560	1.25
				LTE Band 12	699	~	716	-0.63
	PIFA	Main	6026D0222004 (260 27270)	LTE Band 13	777	~	787	0.01
	PIFA	Iviain	6036B0233801 (260-27270)	LTE Band 14	788	~	798	-0.5
				LTE Band 17	704	~	716	-0.97
				LTE Band 25	1850	~	1915	0.85
				LTE Band 26	824	~	849	-2.06
				LTE Band 26 Part 90S	814.7	~	823.3	-2.06
				LTE Band 30	2305	~	2315	3.37
				LTE Band 38	2570	~	2620	2.96
				LTE Band 41	2496	~	2690	2.96
			 	LTE Band 66	1710	~	1780	-0.27
HONG-BO				WCDMA / HSPA Band II	1852.4	~	1907.6	0.97
				WCDMA / HSPA Band IV	1712.4	~	1752.6	N/A
				WCDMA / HSPA Band V	826.4	~	846.6	N/A
				LTE Band 2	1850	~	1910	0.97
				LTE Band 4	1710	~	1755	N/A
				LTE Band 5	824	~	849	N/A
				LTE Band 7	2503	~	2560	N/A
				LTE Band 12	699	~	716	N/A
				LTE Band 13	777	~	787	N/A
	PIFA	Aux	6036B0233901 (260-27271)	LTE Band 14	788	~	798	-5.25
				LTE Band 17	704	~	716	N/A
				LTE Band 25	1850	~	1915	0.79
				LTE Band 26	824	~	849	N/A
				LTE Band 26 Part 90S	814.7	~	823.3	-5.57
				LTE Band 30	2305	~	2315	-1.28
				LTE Band 38	2570	~	2620	-4.32
				LTE Band 41	2496	~	2690	-0.95
				LTE Band 66	1710	~	1780	-0.95 N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 15 of 608

WCDMA Band II / Band IV / Band V - HSDPA / HSUPA / HSPA+ / DC-HSDPA conducted power table (Full power):

Unit: dRm

Unit: abiii						
	Band					
	TX Channel	9262	9400	9538		
Fre	equency (MHz)	1852.4	1880	1907.6		
Max. Rated Avg.	Max. Rated Avg. Power+Max. Tolerance (dBm)					
3GPP Rel 99	RMC 12.2Kbps	24.08	24.29	24.09		
	HSDPA Subtest-1	24.04	24.23	24.05		
3GPP Rel 5	HSDPA Subtest-2	23.02	23.21	23.06		
SGPP Rei S	HSDPA Subtest-3	22.48	22.69	22.52		
	HSDPA Subtest-4	22.22	22.41	22.27		
	HSUPA Subtest-1	24.02	24.21	24.03		
	HSUPA Subtest-2	22.49	22.71	22.57		
3GPP Rel 6	HSUPA Subtest-3	23.01	23.21	23.05		
	HSUPA Subtest-4	22.41	22.70	22.52		
	HSUPA Subtest-5	23.98	24.22	24.01		
3GPP Rel 7	HSPA+	22.46	22.76	22.56		
	DC-HSDPA Subtest-1	24.03	24.16	24.01		
3GPP Rel 8	DC-HSDPA Subtest-2	22.94	23.20	23.00		
SGFF Rel o	DC-HSDPA Subtest-3	22.46	22.61	22.50		
	DC-HSDPA Subtest-4	22.21	22.34	22.19		

	Band	WCDMA IV			
	TX Channel	1312	1412	1513	
Fre	equency (MHz)	1712.4	1732.4	1752.6	
Max. Rated Avg. I	Max. Rated Avg. Power+Max. Tolerance (dBm)				
3GPP Rel 99	RMC 12.2Kbps	24.25	24.19	24.18	
	HSDPA Subtest-1	24.21	24.11	24.13	
3GPP Rel 5	HSDPA Subtest-2	23.16	23.03	23.12	
SGFF Rei S	HSDPA Subtest-3	22.61	22.47	22.66	
	HSDPA Subtest-4	22.39	22.18	22.38	
	HSUPA Subtest-1	24.18	24.15	24.11	
	HSUPA Subtest-2	23.17	22.99	23.11	
3GPP Rel 6	HSUPA Subtest-3	22.63	22.46	22.65	
	HSUPA Subtest-4	23.12	22.95	23.13	
	HSUPA Subtest-5	24.13	24.11	24.10	
3GPP Rel 7	HSPA+	23.14	22.93	23.13	
	DC-HSDPA Subtest-1	24.17	24.09	24.11	
3GPP Rel 8	DC-HSDPA Subtest-2	23.10	23.03	23.04	
SGFF KEI 0	DC-HSDPA Subtest-3	22.56	22.47	22.63	
	DC-HSDPA Subtest-4	22.30	22.16	22.32	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 16 of 608

	Band	\	WCDMA \	/
	TX Channel	4132	4183	4233
Fre	equency (MHz)	826.4	836.6	846.6
Max. Rated Avg. I	Max. Rated Avg. Power+Max. Tolerance (dBm)			
3GPP Rel 99	RMC 12.2Kbps	24.09	24.14	24.08
	HSDPA Subtest-1	24.06	24.11	24.06
3GPP Rel 5	HSDPA Subtest-2	23.03	23.06	22.92
SGPP Rei S	HSDPA Subtest-3	22.52	22.54	22.34
	HSDPA Subtest-4	22.21	22.26	22.04
	HSUPA Subtest-1	24.03	24.07	24.01
	HSUPA Subtest-2	23.03	23.05	22.89
3GPP Rel 6	HSUPA Subtest-3	22.51	22.54	22.36
	HSUPA Subtest-4	23.01	23.04	22.87
	HSUPA Subtest-5	23.97	24.01	23.91
3GPP Rel 7	HSPA+	23.05	23.04	22.83
	DC-HSDPA Subtest-1	23.97	24.09	24.06
3GPP Rel 8	DC-HSDPA Subtest-2	22.94	22.99	22.91
JOFF Nei 0	DC-HSDPA Subtest-3	22.52	22.48	22.33
	DC-HSDPA Subtest-4	22.13	22.26	22.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 17 of 608

WCDMA Band II / Band IV / Band V - HSDPA / HSUPA / HSPA+ / DC-HSDPA conducted power table(Reduced power):

Unit: dBm

Offic. abili					
	Band	WCDMA II			
	TX Channel	9262	9400	9538	
Fre	equency (MHz)	1852.4	1880	1907.6	
Max. Rated Avg.	Power+Max. Tolerance (dBm)		19.00		
3GPP Rel 99	RMC 12.2Kbps	18.91	18.95	18.86	
	HSDPA Subtest-1	18.78	18.86	18.84	
3GPP Rel 5	HSDPA Subtest-2	18.70	18.78	18.83	
SGPP Rei S	HSDPA Subtest-3	18.67	18.74	18.81	
	HSDPA Subtest-4	18.67	18.72	18.78	
	HSUPA Subtest-1	18.73	18.79	18.77	
	HSUPA Subtest-2	18.75	18.83	18.81	
3GPP Rel 6	HSUPA Subtest-3	18.67	18.73	18.72	
	HSUPA Subtest-4	18.77	18.87	18.82	
	HSUPA Subtest-5	18.73	18.76	18.73	
3GPP Rel 7	HSPA+	18.84	18.93	18.84	
	DC-HSDPA Subtest-1	18.82	18.94	18.79	
3GPP Rel 8	DC-HSDPA Subtest-2	18.76	18.87	18.80	
JOI I Kelo	DC-HSDPA Subtest-3	18.82	18.91	18.80	
	DC-HSDPA Subtest-4	18.82	18.89	18.76	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 18 of 608

	Band	WCDMA IV			
	TX Channel	1312	1412	1513	
Fre	equency (MHz)	1712.4	1732.4	1752.6	
Max. Rated Avg. I		20.00			
3GPP Rel 99	RMC 12.2Kbps	19.98	19.96	19.93	
	HSDPA Subtest-1	19.84	19.92	19.82	
3GPP Rel 5	HSDPA Subtest-2	19.83	19.76	19.85	
JOFF Rei J	HSDPA Subtest-3	19.82	19.68	19.84	
	HSDPA Subtest-4	19.83	19.66	19.82	
	HSUPA Subtest-1	19.86	19.79	19.87	
	HSUPA Subtest-2	19.85	19.86	19.85	
3GPP Rel 6	HSUPA Subtest-3	19.83	19.71	19.86	
	HSUPA Subtest-4	19.86	19.93	19.86	
	HSUPA Subtest-5	19.84	19.72	19.84	
3GPP Rel 7	HSPA+	19.80	19.68	19.83	
	DC-HSDPA Subtest-1	19.75	19.63	19.80	
3GPP Rel 8	DC-HSDPA Subtest-2	19.79	19.65	19.83	
JOFF REIO	DC-HSDPA Subtest-3	19.83	19.65	19.84	
	DC-HSDPA Subtest-4	19.84	19.72	19.81	

	Band	WCDMA V			
	TX Channel	4132	4183	4233	
Fre	equency (MHz)	826.4	836.6	846.6	
Max. Rated Avg. I	Power+Max. Tolerance (dBm)		20.50		
3GPP Rel 99	RMC 12.2Kbps	20.46	20.48	20.47	
	HSDPA Subtest-1	20.44	20.45	20.45	
3GPP Rel 5	HSDPA Subtest-2	20.42	20.41	20.29	
SGPP Rei 5	HSDPA Subtest-3	20.41	20.38	20.20	
	HSDPA Subtest-4	20.39	20.41	20.27	
	HSUPA Subtest-1	20.42	20.35	20.36	
	HSUPA Subtest-2	20.44	20.45	20.42	
3GPP Rel 6	HSUPA Subtest-3	20.39	20.40	20.40	
	HSUPA Subtest-4	20.45	20.44	20.46	
	HSUPA Subtest-5	20.40	20.41	20.27	
3GPP Rel 7	HSPA+	20.32	20.41	20.23	
	DC-HSDPA Subtest-1	20.36	20.36	20.23	
3GPP Rel 8	DC-HSDPA Subtest-2	20.34	20.34	20.24	
JOFF REIO	DC-HSDPA Subtest-3	20.38	20.40	20.23	
	DC-HSDPA Subtest-4	20.31	20.36	20.22	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 19 of 608

Sub-Test for HSDPA

SUB-TEST	β_{c}	β_{d}	β _d (SF)	β_c/β_d	β _{HS} (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)
1	2/15	15/15	64	2/15	4/15	0.0	0.0
2	12/15	15/15	64	12/15	24/15	1.0	0.0
3	15/15	8/15	64	15/8	30/15	1.5	0.5
4	15/15	4/15	64	15/4	30/15	1.5	0.5

Sub-Test for HSUPA

SUB-TEST	βς	β _d	β _d (SF)	β _c /β _d	β _{HS} (Note1)	β _{ec}	β _{ed} (Note 5) (Note 6)	β _{ed} (SF)	β _{ed} (Codes)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 6)	E-TFCI
1	11/15	15/15	64	11/15	22/15	209/225	1309/225	4	1	1.0	0.0	20	75
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67
3	15/15	9/15	64	15/9	30/15	30/15	β _{ed} 1: 47/15 β _{ed} 2: 47/15	4 4	2	2.0	1.0	15	92
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71
5	15/15	15/15	64	15/15	30/15	24/15	134/15	4	1	1.0	0.0	21	81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 20 of 608

LTE FDD Band 2 / Band 4 / Band 5 / Band 7 / Band 12 / Band 13 / Band 14 / Band 17 / Band 25 / Band 26 / Band 30 / Band 66 power table (Full power):

	/ Dallu Z			Band 2 (Full p			- (p				
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				1860	18700	23.38	24	0			
			0	1880	18900	23.69	24	1			
				1900	19100	23.60	24				
				1860	18700	23.44	24	0			
		1 RB	50	1880	18900	23.63	24	0			
				1900	19100	23.45	24	0			
				1860	18700	23.62	24	0			
			99	1880	18900	23.56	24	0			
				1900	19100	23.32	24	0			
				1860	18700	22.49	23	0-1			
	QPSK		0	1880	18900	22.86	23	0-1			
				1900	19100	22.69	23	0-1			
				1860	18700	22.54	23	0-1			
		50 RB	25	1880	18900	22.79	23	0-1			
				1900	19100	22.73	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
				1860	18700	22.62	23				
			50	1880	18900	22.81	23	0-1			
				1900	19100	22.71	23	0-1			
			•	1860	18700	22.59	23	0-1			
		100)RB	1880	18900	22.86	23	0 0 0 0 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1			
20				1900	19100	22.80	23	0-1			
20				1860	18700	22.73	23	0-1			
			0	1880	18900	22.98	23	0-1			
				1900	19100	22.82	23	0-1			
				1860	18700	22.76	23	0-1			
		1 RB	50	1880	18900	22.99	23	0-1			
				1900	19100	22.92	23	0-1			
				1860	18700	22.96	23	0-1			
			99	1880	18900	22.95	23	0-1			
				1900	19100	22.68	23	0-1			
				1860	18700	21.55	22	0-2			
	16-QAM		0	1880	18900	21.90	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
				1900	19100	21.72	22	0-2			
				1860	18700	21.57	22	0-2			
		50 RB	25	1880	18900	21.84	22	0-2			
				1900	19100	21.76	22	0-2			
				1860	18700	21.63	22	0-2			
			50	1880	18900	21.85	22				
				1900	19100	21.77	22	0-2			
				1860	18700	21.61	22	0-2			
		100RB		1880	18900	21.87	22				
				1900	19100	21.82	22	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.tw.sas.com



Page: 21 of 608

			FDD	Band 2 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1860	18700	21.68	22	0-2
			0	1880	18900	21.95	22	0-2
				1900	19100	21.74	22	0-2
				1860	18700	21.74	22	0-2
		1 RB	50	1880	18900	21.95	22	0-2
				1900	19100	21.85	22	0-2
				1860	18700	21.91	22	0-2
			99	1880	18900	21.91	22	0-2
				1900	19100	21.62	22	0-2
				1860	18700	20.48	21	0-3
20	64-QAM		0	1880	18900	20.88	21	0-3
				1900	19100	20.71	21	0-3
				1860	18700	20.57	21	0-3
		50 RB	25	1880	18900	20.78	21	0-3
				1900	19100	20.74	21	0-3
				1860	18700	20.54	21	0-3
			50	1880	18900	20.75	21	0-3
				1900	19100	20.68	21	0-3
				1860	18700	20.56	21	0-3
		100)RB	1880	18900	20.87	21	0-3
				1900	19100	20.72	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 22 of 608

	FDD Band 2 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1857.5	18675	23.34	24	0				
			0	1880	18900	23.45	24	0				
				1902.5	19125	23.43	24	0				
				1857.5	18675	23.21	24	0				
		1 RB	36	1880	18900	23.52	24	0				
				1902.5	19125	23.52	24	0				
				1857.5	18675	23.42	24	0				
			74	1880	18900	23.40	24	0				
				1902.5	19125	23.12	24	0				
				1857.5	18675	22.32	23	0-1				
Q	QPSK		0	1880	18900	22.80	23	0-1				
				1902.5	19125	22.63	23	0-1				
				1857.5	18675	22.37	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		36 RB	18	1880	18900	22.69	23					
				1902.5	19125	22.68	23	0-1				
				1857.5	18675	22.52	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
			37	1880	18900	22.78	23	0-1				
				1902.5	19125	22.67	23	0-1				
				1857.5	18675	22.47	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0-1 0-				
		75	RB	1880	18900	22.66	23	0-1				
15				1902.5	19125	22.72	23	0-1				
10				1857.5	18675	22.65	23	0-1				
			0	1880	18900	23.00	23	0-1				
				1902.5	19125	22.79	23	0-1				
				1857.5	18675	22.56	23	0-1				
		1 RB	36	1880	18900	22.87	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0-1 0-				
				1902.5	19125	22.74	23					
				1857.5	18675	22.85	23					
			74	1880	18900	22.96	23					
				1902.5	19125	22.54	23					
			_	1857.5	18675	21.48	22					
	16-QAM		0	1880	18900	21.69	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0-1 0-				
				1902.5	19125	21.66	22					
				1857.5	18675	21.47	22					
		36 RB	18	1880	18900	21.77	22					
				1902.5	19125	21.70	22					
				1857.5	18675	21.48	22					
			37	1880	18900	21.67	22					
				1902.5	19125	21.70	22					
			DD	1857.5	18675	21.58	22					
		75	RB	1880	18900	21.77	22					
				1902.5	19125	21.70	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 23 of 608

		FDD Band 2 (Full power)											
BW(Mhz) Mode	ulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)					
				1857.5	18675	21.64	22	0-2					
			0	1880	18900	21.90	22	0-2					
				1902.5	19125	21.72	22	0-2					
				1857.5	18675	21.52	22	0-2					
		1 RB	36	1880	18900	21.85	22	0-2					
				1902.5	19125	21.74	22	0-2					
				1857.5	18675	21.83	22	0-2					
			74	1880	18900	21.96	22	0-2					
				1902.5	19125	21.50	22	0-2					
				1857.5	18675	20.46	21	0-3					
15 64-	QAM		0	1880	18900	20.69	21	0-3					
				1902.5	19125	20.64	21	0-3					
				1857.5	18675	20.44	21	0-3					
		36 RB	18	1880	18900	20.70	21	0-3					
				1902.5	19125	20.66	21	0-3					
		ľ		1857.5	18675	20.42	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-					
			37	1880	18900	20.63	21	0-3					
				1902.5	19125	20.61	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-					
				1857.5	18675	20.58	21	0-3					
		75F	RB	1880	18900	20.71	21	0-3					
				1902.5	19125	20.61	21	0-3					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 24 of 608

	FDD Band 2 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1855	18650	23.31	24	0				
			0	1880	18900	23.24	24	0				
				1905	19150	23.24	24	0				
				1855	18650	23.08	24	0				
		1 RB	25	1880	18900	23.48	24	0				
				1905	19150	23.37	24	0				
				1855	18650	23.39	24	0				
			49	1880	18900	23.31	24	0				
				1905	19150	22.91	24	0				
				1855	18650	22.29	23	0-1				
	QPSK		0	1880	18900	22.71	23	0-1				
				1905	19150	22.49	23	0-1				
				1855	18650	22.28		0-1				
		25 RB	12	1880	18900	22.54	23	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O				
				1905	19150	22.49	23					
				1855	18650	22.37	23					
			25	1880	18900	22.66	23	0-1				
				1905	19150	22.49	23	0-1				
				1855	18650	22.36	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1				
		50	RB	1880	18900	22.51	23	0 0 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1				
10				1905	19150	22.61	23	0-1				
10			_	1855	18650	22.46	23	0-1				
			0	1880	18900	22.90	23	0-1				
				1905	19150	22.76	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0-1 0-				
				1855	18650	22.38	23	0-1				
		1 RB	25	1880	18900	22.71	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				1905	19150	22.70	23	0-1				
				1855	18650	22.68	23					
			49	1880	18900	22.89	23					
				1905	19150	22.40	23	-				
				1855	18650	21.39	22					
	16-QAM		0	1880	18900	21.57	22					
				1905	19150	21.51	22					
		05.55		1855	18650	21.28	22					
		25 RB	12	1880	18900	21.62	22					
				1905	19150	21.68	22					
				1855	18650	21.40	22					
			25	1880	18900	21.64	22					
				1905	19150	21.62	22					
			DD	1855	18650	21.56	22					
		50	RB	1880	18900	21.65	22					
				1905	19150	21.64	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 25 of 608

			FDD	Band 2 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1855	18650	21.46	22	0-2
			0	1880	18900	21.87	22	0-2
				1905	19150	21.74	22	0-2
				1855	18650	21.33	22	0-2
		1 RB	25	1880	18900	21.64	22	0-2
				1905	19150	21.70	22	0-2
				1855	18650	21.59	22	0-2
			49	1880	18900	21.80	22	0-2
				1905	19150	21.35	22	0-2
				1855	18650	20.32	21	0-3
10	64-QAM		0	1880	18900	20.54	21	0-3
				1905	19150	20.41	21	0-3
				1855	18650	20.23	21	0-3
		25 RB	12	1880	18900	20.59	21	0-3
				1905	19150	20.67	21	0-3
				1855	18650	20.35	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
			25	1880	18900	20.59	21	0-3
				1905	19150	20.61	21	0-3
				1855	18650	20.52	21	0-3
		50	RB	1880	18900	20.64	21	0-3
				1905	19150	20.60	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 26 of 608

			FDD	Band 2 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1852.5	18625	23.22	24	0
			0	1880	18900	23.13	24	0
				1907.5	19175	23.08	24	0
				1852.5	18625	22.87	24	0
		1 RB	12	1880	18900	23.32	24	0
				1907.5	19175	23.32	24	0
				1852.5	18625	23.30	24	0
			24	1880	18900	23.19	24	0
				1907.5	19175	22.81	24	0
				1852.5	18625	22.10	23	0-1
	QPSK		0	1880	18900	22.56	23	0-1
				1907.5	19175	22.33	23	0-1
				1852.5	18625	22.16		0-1
		12 RB	6	1880	18900	22.34	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1907.5	19175	22.42	23	0-1
				1852.5	18625	22.20	23	0-1
			13	1880	18900	22.60	23	0-1
				1907.5	19175	22.41	23	0-1
				1852.5	18625	22.22	23	0-1
		25	RB	1880	18900	22.43	23	0-1
5				1907.5	19175	22.44	23	0-1
3			0	1852.5	18625	22.38	23	0-1
				1880	18900	22.81	23	0-1
				1907.5	19175	22.68	23	0-1
				1852.5	18625	22.36	23	0-1
		1 RB	12	1880	18900	22.55	23	0-1
				1907.5	19175	22.66	23	0-1
				1852.5	18625	22.47	23	0-1
			24	1880	18900	22.74	23	0-1
				1907.5	19175	22.23	23	0-1
				1852.5	18625	21.31	22	0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1
	16-QAM		0	1880	18900	21.38	22	0-2
				1907.5	19175	21.41	22	0-2
				1852.5	18625	21.07	22	0-2
		12 RB	6	1880	18900	21.41	22	0-2
				1907.5	19175	21.58	22	0-2
				1852.5	18625	21.25	22	0-2
			13	1880	18900	21.45	22	0-2
				1907.5	19175	21.42	22	0-2
				1852.5	18625	21.50	22	0-2
		25	RB	1880	18900	21.47	22	0-2
		Zok		1907.5	19175	21.56	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 27 of 608

			FDD	Band 2 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1852.5	18625	21.36	22	0-2
			0	1880	18900	21.78	22	0-2
				1907.5	19175	21.58	22	0-2
				1852.5	18625	21.29	22	0-2
		1 RB	12	1880	18900	21.46	22	0-2
				1907.5	19175	21.62	22	0-2
				1852.5	18625	21.46	22	0-2
			24	1880	18900	21.66	22	0-2
				1907.5	19175	21.16	22	0-2
				1852.5	18625	20.27	21	0-3
5	64-QAM		0	1880	18900	20.36	21	0-3
				1907.5	19175	20.39	21	0-3
				1852.5	18625	20.02	21	0-3
		12 RB	6	1880	18900	20.31	21	0-3
				1907.5	19175	20.54	21	0-3
				1852.5	18625	20.24	21	0-3
			13	1880	18900	20.41	21	0-3
				1907.5	19175	20.36	21	0-3
			-	1852.5	18625	20.42	21	0-3
		25	RB	1880	18900	20.43	21	0-3
				1907.5	19175	20.49	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 28 of 608

	FDD Band 2 (Full power)												
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)					
				1851.5	18615	23.04	24	0					
			0	1880	18900	23.08	24	0					
				1908.5	19185	22.92	24	0					
				1851.5	18615	22.82	24	0					
		1 RB	7	1880	18900	23.14	24	0					
				1908.5	19185	23.25	24	0					
				1851.5	18615	23.21	24	0					
			14	1880	18900	23.17	24	0					
				1908.5	19185	22.68	24	0					
				1851.5	18615	21.92	23	0-1					
	QPSK		0	1880	908.5 19185 22.29 23 851.5 18615 21.96 23	23	0-1						
				1908.5		0-1							
				1851.5	18615	21.96	.92 23 0-1 .51 23 0-1 .29 23 0-1 .96 23 0-1 .26 23 0-1 .38 23 0-1 .05 23 0-1 .20 23 0-1 .05 23 0-1 .20 23 0-1						
		8 RB	4	1880	18900	22.26		er + Max. Allowed per 3GPP(dB) 24					
				1908.5	19185	22.38	_						
				1851.5	18615	22.05	_						
			7	1880	18900	22.52	-	_					
				1908.5	19185	22.20							
				1851.5	18615	22.05		Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0-1 0-					
		15	RB	1880	18900	22.24		Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0-1 0-					
3			1	1908.5	19185	22.27							
				1851.5	18615	22.24							
			0	1880	18900	22.70							
				1908.5	19185	22.62	_						
		4 DD	7	1851.5	18615	22.32							
		1 RB	7	1880	18900	22.46	-						
				1908.5	19185	22.60							
			14	1851.5	18615	22.42							
			14	1880	18900	22.63							
				1908.5	19185	22.17		-					
	16-QAM		0	1851.5 1880	18615 18900	21.23							
	10-QAIVI		J		19185	21.35 21.30							
				1908.5 1851.5	18615	21.00							
		8 RB	4	1880	18900	21.00							
		OND	7	1908.5	19185	21.42							
				1851.5	18615	21.13							
			7	1880	18900	21.13							
			,	1908.5	19185	21.30							
				1851.5	18615	21.44							
		15	RB	1880	18900	21.26							
			-	1908.5	19185	21.35	22	0-2					
				. 5 5 5 . 5				`-					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 29 of 608

			FDD	Band 2 (Full p	ower)					
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
				1851.5	18615	21.19	22	0-2		
			0	1880	18900	21.61	22	0-2		
				1908.5	19185	21.52	22	0-2		
				1851.5	18615	21.24	22	0-2		
		1 RB	7	1880	18900	21.37	22	0-2		
				1908.5	19185	21.58	22	0-2		
				1851.5	18615	21.41	22	0-2		
			14	1880	18900	21.55	22	0-2		
				1908.5	19185	21.13	22	0-2		
				1851.5	18615	20.21	21	0-3		
3	64-QAM		0	1880	18900	20.30	21	0-3		
				1908.5	19185	20.26	21	0-3		
				1851.5	18615	19.92	21	0-3		
		8 RB	4	1880	18900	20.36	21	0-3		
				1908.5	19185	20.33	21	0-3		
				1851.5	18615	20.04	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-		
			7	1880	18900	20.28	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-		
				1908.5	19185	20.30	21	0-3		
				1851.5	18615	20.35	21	0-3		
		15	RB	1880	18900	20.16	21	0-3		
				1908.5	19185	20.25	21	0-3		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 30 of 608

			FDD	Band 2 (Full p	ower)				
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				1850.7	18607	23.35	24	0	
			0	1880	18900	23.54	24	0	
				1909.3	19193	23.17	24	0	
				1850.7	18607	23.31	24	0	
		1 RB	2	1880	18900	23.41	24	0	
				1909.3	19193	23.09	24	0	
				1850.7	18607	23.37	24	0	
			5	1880	18900	23.43	24	0	
				1909.3	19193	23.05	24	0	
				1850.7	18607	22.83	24	0-1	
	QPSK		0	1880	18900	22.97	24	0-1	
				1909.3	19193	22.58	24	0-1	
				1850.7	18607	22.84	24	0-1	
		3 RB	2	1880	18900	22.89	24	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
				1909.3	19193	22.54	24	0-1	
				1850.7	18607	22.84	24	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
			3	1880	18900	22.90	24	0-1	
				1909.3	19193	22.86	24	0-1	
				1850.7	18607	22.34	23	0-1	
		6F	RB	1880	18900	22.64	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0-1 0-	
1.4				1909.3	19193	22.15	23	0-1	
				1850.7	18607	†			
			0	1880	18900				
				1909.3	19193	†			
				1850.7	18607	Conducted power (dBm) Power + Max. Tolerance (dBm) MINER Allowed per 3GPP(dB) 07 23.35 24 0 09 23.54 24 0 09 23.17 24 0 09 23.31 24 0 09 23.41 24 0 09 23.43 24 0 00 23.43 24 0 00 23.43 24 0 00 23.43 24 0 00 23.43 24 0 00 22.97 24 0-1 00 22.97 24 0-1 00 22.97 24 0-1 00 22.84 24 0-1 00 22.89 24 0-1 00 22.84 24 0-1 00 22.84 24 0-1 00 22.90 24 0-1 00 22.93 <t< td=""></t<>			
		1 RB	2	1880	18900				
				1909.3	19193			_	
			_	1850.7	18607			_	
			5	1880	18900	1			
				1909.3	19193	†		_	
	46.0414		_	1850.7	18607	1			
	16-QAM		0	1880	18900				
				1909.3	19193				
		2.00		1850.7	18607				
		3 RB	2	1880	18900				
				1909.3	19193				
			2	1850.7	18607	1			
			3	1880	18900	t			
				1909.3	19193	1			
		^-	סס	1850.7	18607	1			
		61	RB	1880	18900				
				1909.3	19193	21.42	22	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 31 of 608

	FDD Band 2 (Full power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
				1850.7	18607	21.51	22	0-2		
			0	1880	18900	21.84	22	0-2		
				1909.3	19193	21.34	22	0-2		
				1850.7	18607	21.43	22	0-2		
		1 RB	2	1880	18900	21.87	22	0-2		
				1909.3	19193	21.16	22	0-2		
			5	1850.7	18607	21.52	22	0-2		
				1880	18900	21.79	22	0-2		
				1909.3	19193	21.40	22	0-2		
		3 RB	0	1850.7	18607	21.50	22	0-3		
1.4	64-QAM			1880	18900	21.83	22	0-3		
				1909.3	19193	21.25	22	0-3		
			2	1850.7	18607	21.53	22	0-3		
				1880	18900	21.81	22	0-3		
				1909.3	19193	21.24	22	0-3		
				1850.7	18607	21.52	22	0-3		
			3	1880	18900	21.79	22	0-3		
				1909.3	19193	21.28	22	0-3		
				1850.7	18607	20.59	21	0-3		
		6F	RB	1880	18900	20.80	21	0-3		
				1909.3	19193	20.39	21	0-3		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 32 of 608

			FDD Bai	nd 2 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1860	18700	18.76	19	0
			0	1880	18900	18.99	19	0
				1900	19100	18.89	19	0
				1860	18700	18.74	19	0
		1 RB	50	1880	18900	18.97	19	0
				1900	19100	18.86	19	0
				1860	18700	18.89	19	0
			99	1880	18900	18.89	19	0
				1900	19100	18.88	19	0
				1860	18700	18.63	19	0
	QPSK		0	1880	18900	18.92	19	0
				1900	19100	18.79	19	0
		50 RB	25	1860	18700	18.69	19	0
				1880	18900	18.89	19	0
				1900	19100	18.80	19	0
			50	1860	18700	18.72	19	0
				1880	18900	18.77	19	0
				1900	19100	18.74	19	0
				1860	18700	18.73	19	0
		100	ORB	1880	18900	18.96	19	0
20				1900	19100	18.89	19	0
		1 RB	0	1860	18700	18.64	19	0
				1880	18900	18.95	19	0
				1900	19100	18.68	19	0
			50	1860	18700	18.65	19	0
				1880	18900	18.88	19	0
				1900	19100	18.64	19	0
				1860	18700	18.85	19	0
			99	1880	18900	18.78	19	0
				1900	19100	18.80	19	0
				1860	18700	18.46	19	0
	16-QAM		0	1880	18900	18.72	19	0
				1900	19100	18.62	19	0
		50 55		1860	18700	18.62	19	0
		50 RB	25	1880	18900	18.83	19	0
				1900	19100	18.69	19	0
			_	1860	18700	18.50	19	0
			50	1880	18900	18.74	19	0
				1900	19100	18.69	19	0
		4.00	NDD.	1860	18700	18.68	19	0
		100RB		1880	18900	18.86	19	0
				1900	19100	18.75	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 33 of 608

	FDD Band 2 (Reducted Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				1860	18700	18.65	19	0			
			0	1880	18900	18.82	19	0			
				1900	19100	18.76	19	0			
			50	1860	18700	18.56	19	0			
		1 RB		1880	18900	18.77	19	0			
				1900	19100	18.74	19	0			
			99	1860	18700	18.69	19	0			
				1880	18900	18.82	19	0			
				1900	19100	18.79	19	0			
		50 RB	0	1860	18700	18.60	19	0			
20	64-QAM			1880	18900	18.82	19	0			
				1900	19100	18.70	19	0			
			25	1860	18700	18.57	19	0			
				1880	18900	18.83	19	0			
				1900	19100	18.74	19	0			
				1860	18700	18.61	19	0			
			50	1880	18900	18.64	19	0			
				1900	19100	18.52	19	0			
		<u> </u>		1860	18700	18.67	19	0			
		100)RB	1880	18900	18.78	19	0			
							1900	19100	18.82	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 34 of 608

BW(Mhz)	Modulation	RB Size			· · · · · · · · · · · · · · · · · · ·			
			RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1857.5	18675	18.58	19	0
l I			0	1880	18900	18.82	19	0
4				1902.5	19125	18.75	19	0
				1857.5	18675	18.67	19	0
		1 RB	36	1880	18900	18.93	19	0
				1902.5	19125	18.83	19	0
				1857.5	18675	18.74	19	0
			74	1880	18900	18.68	19	0
	<u> </u>			1902.5	19125	18.78	19	0
				1857.5	18675	18.51	19	0
	QPSK		0	1880	18900	18.82	19	0
		36 RB		1902.5	19125	18.75	19	0
			18	1857.5	18675	18.58	19	0
				1880	18900	18.74	19	0
				1902.5	19125	18.60	19	0
			37	1857.5	18675	18.63	19	0
				1880	18900	18.73	19	0
				1902.5	19125	18.59	19	0
				1857.5	18675	18.65	19	0
		75	RB	1880	18900	18.74	19	0
15				1902.5	19125	18.73	19	0
		1 RB	0	1857.5	18675	18.52	19	0
				1880	18900	18.91	19	0
				1902.5	19125	18.62	19	0
			36	1857.5	18675	18.54	19	0
				1880	18900	18.74	19	0
				1902.5	19125	18.59	19	0
				1857.5	18675	18.63	19	0
			74	1880	18900	18.67	19	0
	-			1902.5	19125	18.77	19	0
	46 0 4 14		0	1857.5	18675	18.35	19	0
	16-QAM		0	1880	18900	18.53	19	0
				1902.5	19125	18.54	19	0
		26 DD	10	1857.5	18675	18.41	19	0
		36 RB	18	1880	18900	18.68	19	0
				1902.5	19125	18.58	19	0
			27	1857.5	18675	18.36	19	0
			37	1880	18900	18.63	19	0
	-			1902.5	19125	18.66	19	0
		75	RB	1857.5 1880	18675 18900	18.58 18.79	19 19	0
		75	מאו	1902.5	19125	18.79	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 35 of 608

	FDD Band 2 (Reducted Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				1857.5	18675	18.59	19	0			
			0	1880	18900	18.74	19	0			
				1902.5	19125	18.73	19	0			
			36	1857.5	18675	18.40	19	0			
		1 RB 64-QAM 36 RB		1880	18900	18.58	19	0			
				1902.5	19125	18.63	19	0			
			74	1857.5	18675	18.49	19	0			
				1880	18900	18.63	19	0			
				1902.5	19125	18.70	19	0			
			0	1857.5	18675	18.57	19	0			
15	64-QAM			1880	18900	18.61	19	0			
				1902.5	19125	18.50	19	0			
			18	1857.5	18675	18.46	19	0			
				1880	18900	18.74	19	0			
				1902.5	19125	18.58	19	0			
				1857.5	18675	18.45	19	0			
			37	1880	18900	18.42	19	0			
				1902.5	19125	18.48	19	0			
		1		1857.5	18675	18.57	19	0			
		75	RB	1880	18900	18.56	19	0			
						1902.5	19125	18.62	19	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 36 of 608

	FDD Band 2 (Reducted Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
				1855	18650	18.55	19	0		
			0	1880	18900	18.83	19	0		
				1905	19150	18.72	19	0		
				1855	18650	18.54	19	0		
		1 RB	25	1880	18900	18.83	19	0		
				1905	19150	18.75	19	0		
				1855	18650	18.80	19	0		
			49	1880	18900	18.86	19	0		
				1905	19150	18.69	19	0		
				1855	18650	18.42	19	0		
	QPSK		0	1880	18900	18.85	19	0		
		25 RB		1905	19150	18.62	19	0		
			12	1855	18650	18.55	19	0		
				1880	18900	18.78	19	0		
				1905	19150	18.71	19	0		
			25	1855	18650	18.50	19	0		
				1880	18900	18.72	19	0		
				1905	19150	18.63	19	0		
				1855	18650	18.57	19	0		
		501	RB	1880	18900	18.79	19	0		
10				1905	19150	18.69	19	0		
10		1 RB	0	1855	18650	18.57	19	0		
				1880	18900	18.91	19	0		
				1905	19150	18.52	19	0		
			25	1855	18650	18.51	19	0		
				1880	18900	18.77	19	0		
				1905	19150	18.59	19	0		
			49	1855	18650	18.65	19	0		
				1880	18900	18.72	19	0		
				1905	19150	18.69	19	0		
				1855	18650	18.34	19	0		
	16-QAM		0	1880	18900	18.62	19	0		
				1905	19150	18.50	19	0		
				1855	18650	18.56	19	0		
		25 RB	12	1880	18900	18.62	19	0		
				1905	19150	18.59	19	0		
				1855	18650	18.45	19	0		
			25	1880	18900	18.68	19	0		
				1905	19150	18.58	19	0		
				1855	18650	18.49	19	0		
		50RB		1880	18900	18.82	19	0		
				1905	19150	18.57	19	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 37 of 608

			FDD Bar	nd 2 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1855	18650	18.56	19	0
			0	1880	18900	18.66	19	0
				1905	19150	18.69	19	0
				1855	18650	18.37	19	0
		1 RB	25	1880	18900	18.59	19	0
				1905	19150	18.62	19	0
				1855	18650	18.57	19	0
			49	1880	18900	18.64	19	0
				1905	19150	18.69	19	0
				1855	18650	18.55	19	0
10	64-QAM		0	1880	18900	18.70	19	0
				1905	19150	18.67	19	0
				1855	18650	18.37	19	0
		25 RB	12	1880	18900	18.63	19	0
				1905	19150	18.70	19	0
				1855	18650	18.40	19	0
			25	1880	18900	18.57	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1905	19150	18.46	19	
				1855	18650	18.53	19	0
		50	RB	1880	18900	18.67	19	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O
				1905	19150	18.60	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 38 of 608

	FDD Band 2 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1852.5	18625	18.66	19	0				
			0	1880	18900	18.91	19	0				
				1907.5	19175	18.85	19	0				
				1852.5	18625	18.56	19	0				
		1 RB	12	1880	18900	18.93	19	0				
				1907.5	19175	18.82	19	0				
				1852.5	18625	18.74	19	0				
			24	1880	18900	18.78	19	0				
				1907.5	19175	18.75	19	0				
				1852.5	18625	18.48	19	0				
	QPSK		0	1880	18900	18.74	19	0				
				1907.5	19175	18.63	19	0				
				1852.5	18625	18.47	19	0				
		12 RB	6	1880	18900	18.82	19	0				
				1907.5	19175	18.62	19	0				
				1852.5	18625	18.54	19	0				
			13	1880	18900	18.70	19	0				
				1907.5	19175	18.67	19	0				
				1852.5	18625	18.55	19	0				
		25	RB	1880	18900	18.91	19	0				
5			1	1907.5	19175	18.82	19					
			0	1852.5	18625	18.45	19					
			0	1880	18900	18.85	19					
				1907.5	19175	18.46	19					
				1852.5	18625	18.45	19					
		1 RB	12	1880	18900	18.83	19					
				1907.5	19175	18.60	19					
				1852.5	18625	18.68	19					
			24	1880	18900	18.60	19	_				
				1907.5	19175	18.73	19	_				
	40.044			1852.5	18625	18.33	19					
	16-QAM		0	1880	18900	18.52	19					
				1907.5	19175	18.56	19					
		40.00		1852.5	18625	18.42	19					
		12 RB	6	1880	18900	18.70	19	0 0 0 0 0 0 0 0				
				1907.5	19175	18.59	19					
			40	1852.5	18625	18.39	19	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
			13	1880	18900	18.59	19					
				1907.5	19175	18.63	19					
		O.F.	DD	1852.5	18625	18.51	19					
		25RB		1880	18900	18.72	19					
				1907.5	19175	18.57	19	U				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 39 of 608

			FDD Bar	nd 2 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1852.5	18625	18.44	19	0
			0	1880	18900	18.61	19	0
				1907.5	19175	18.63	19	0
				1852.5	18625	18.45	19	0
		1 RB	12	1880	18900	18.69	19	0
				1907.5	19175	18.62	19	0
				1852.5	18625	18.64	19	0
			24	1880	18900	18.66	19	0
				1907.5	19175	18.65	19	0
				1852.5	18625	18.40	19	0
5	64-QAM		0	1880	18900	18.77	19	0
				1907.5	19175	18.64	19	0
				1852.5	18625	18.49	19	0
		12 RB	6	1880	18900	18.63	19	0
				1907.5	19175	18.66	19	0
				1852.5	18625	18.40	19	0
			13	1880	18900	18.45	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1907.5	19175	18.31	19	0
				1852.5	18625	18.59	19	0
		25	RB	1880	18900	18.56	19	0
				1907.5	19175	18.76	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 40 of 608

	FDD Band 2 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1851.5	18615	18.61	19	0				
			0	1880	18900	18.96	19	0				
				1908.5	19185	18.72	19	0				
				1851.5	18615	18.69	19	0				
		1 RB	7	1880	18900	18.82	19	0				
				1908.5	19185	18.69	19	0				
				1851.5	18615	18.80	19	0				
			14	1880	18900	18.81	19	0				
				1908.5	19185	18.78	19	0				
				1851.5	18615	18.49	19	0				
	QPSK		0	1880	18900	18.73	19	0				
				1908.5	19185	18.60	19	0				
				1851.5	18615	18.60	19	0				
		8 RB	4	1880	18900	18.86	19	0				
				1908.5	19185	18.71	19	0				
				1851.5	18615	18.57	19	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O				
			7	1880	18900	18.68	19	0				
				1908.5	19185	18.64	19	0				
				1851.5	18615	18.64	19	0				
		15	RB	1880	18900	18.84	19	0				
3				1908.5	19185	18.86	19	0				
Ü				1851.5	18615	18.47	19	0				
			0	1880	18900	18.73	19	0				
				1908.5	19185	18.61	19	0				
				1851.5	18615	18.45	19	0				
		1 RB	7	1880	18900	18.70	19					
				1908.5	19185	18.48	19	0				
				1851.5	18615	18.82	19					
			14	1880	18900	18.57	19					
				1908.5	19185	18.71	19	-				
			_	1851.5	18615	18.38	19	_				
	16-QAM		0	1880	18900	18.68	19					
				1908.5	19185	18.42	19					
			_	1851.5	18615	18.41	19					
		8 RB	4	1880	18900	18.79	19					
				1908.5	19185	18.51	19					
			_	1851.5	18615	18.28	19					
			7	1880	18900	18.70	19					
				1908.5	19185	18.56	19					
1				1851.5	18615	18.49	19					
	1	15	RB	1880	18900	18.67	19	0				
				1908.5	19185	18.61	19	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 41 of 608

			FDD Bar	nd 2 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1851.5	18615	18.58	19	0
			0	1880	18900	18.60	19	0
				1908.5	19185	18.67	19	0
				1851.5	18615	18.36	19	0
		1 RB	7	1880	18900	18.56	19	0
				1908.5	19185	18.59	19	0
				1851.5	18615	18.48	19	0
			14	1880	18900	18.61	19	0
				1908.5	19185	18.61	19	0
				1851.5	18615	18.57	19	0
3	64-QAM		0	1880	18900	18.75	19	0
				1908.5	19185	18.63	19	0
				1851.5	18615	18.53	19	0
		8 RB	4	1880	18900	18.68	19	0
				1908.5	19185	18.69	19	0
				1851.5	18615	18.41	19	0
			7	1880	18900	18.46	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1908.5	19185	18.39	19	0
			-	1851.5	18615	18.51	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		15	RB	1880	18900	18.68	19	0
				1908.5	19185	18.75	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 42 of 608

FDD Band 2 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				1850.7	18607	18.71	19	0			
			0	1880	18900	18.78	19	0			
				1909.3	19193	18.77	19	0			
				1850.7	18607	18.65	19	0			
		1 RB	2	1880	18900	18.79	19	0			
				1909.3	19193	18.70	19	0			
				1850.7	18607	18.72	19	0			
			5	1880	18900	18.86	19	0			
				1909.3	19193	18.66	19	0			
				1850.7	18607	18.57	19	0			
	QPSK		0	1880	18900	18.72	19	0			
				1909.3	19193	18.59	19	0			
				1850.7	18607	18.58	19	0			
		3 RB	2	1880	18900	18.71	19	0			
				1909.3	19193	18.66	19	0			
				1850.7	18607	18.58	19	0			
			3	1880	18900	18.61	19	0			
				1909.3	19193	18.70	19	0			
				1850.7	18607	18.69	19	0			
		6F	RB	1880	18900	18.81	19	0			
1.4				1909.3	19193	18.81	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
1.4				1850.7	18607	18.55	19	0			
			0	1880	18900	18.84	19	0			
				1909.3	19193	18.50	19	0			
				1850.7	18607	18.47	19	0			
		1 RB	2	1880	18900	18.72	19	0			
				1909.3	19193	18.43	19	0			
				1850.7	18607	18.63	19	0			
			5	1880	18900	18.68	19	0			
				1909.3	19193	18.64	19	0			
				1850.7	18607	18.41	19	0			
	16-QAM		0	1880	18900	18.68	19	0			
				1909.3	19193	18.46	19	0			
				1850.7	18607	18.57	19	3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
		3 RB	2	1880	18900	18.70	19	0			
				1909.3	19193	18.50	19	0			
				1850.7	18607	18.38	19	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
			3	1880	18900	18.71	19	0			
				1909.3	19193	18.63	19	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
				1850.7	18607	18.59	19				
	6RB	RB	1880	18900	18.72	19					
				1909.3	19193	18.67	19	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 43 of 608

			FDD Bar	nd 2 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1850.7	18607	18.47	19	0
			0	1880	18900	18.72	19	0
				1909.3	19193	18.59	19	0
				1850.7	18607	18.47	19	0
		1 RB	2	1880	18900	18.66	19	0
				1909.3	19193	18.52	19	0
				1850.7	18607	18.54	19	0
			5	1880	18900	18.72	19	0
				1909.3	19193	18.67	19	0
				1850.7	18607	18.52	19	0
1.4	64-QAM		0	1880	18900	18.73	19	0
				1909.3	19193	18.55	19	0
				1850.7	18607	18.41	19	0
		3 RB	2	1880	18900	18.62	19	0
				1909.3	19193	18.67	19	0
				1850.7	18607	18.57	19	0
			3	1880	18900	18.54	19	Max. Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1909.3	19193	18.39	19	
				1850.7	18607	18.62	19	0
		6RB		1880	18900	18.63	19	0
				1909.3	19193	18.72	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 44 of 608

			FDD	Band 4 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1720	20050	23.94	24	0
			0	1732.5	20175	23.96	24	0
				1745	20300	23.99	24	0
				1720	20050	23.97	24	0
		1 RB	50	1732.5	20175	23.84	24	0
				1745	20300	23.88	24	0
				1720	20050	23.90	24	0
			99	1732.5	20175	23.97	24	0
				1745	20300	23.93	24	0
				1720	20050	22.98	23	0-1
	QPSK		0	1732.5	20175	22.89	23	0-1
				1745	20300	22.96	23	0-1
				1720	20050	22.97	23	0-1
		50 RB	25	1732.5	20175	22.81	23	0-1
				1745	20300	22.89	23	0-1
				1720	20050	22.89	23	0-1
			50	1732.5	20175	22.91	23	0-1
				1745	20300	22.83	23	0-1
				1720	20050	22.99	23	0-1
		100)RB	1732.5	20175	22.87	23	0-1
20				1745	20300	22.92	23	0-1
			1720 20050	22.97	23			
			0	1732.5	20175	22.93	23	
				1745	20300	22.94	23	
				1720	20050	22.99	23	_
		1 RB	50	1732.5	20175	22.79	23	
				1745	20300	22.93	23	_
				1720	20050	23.00	23	_
			99	1732.5	20175	22.94	23	
				1745	20300	23.00	23	-
	46.0444		_	1720	20050	21.77	22	
	16-QAM		0	1732.5	20175	21.68	22	
				1745	20300	21.74	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1
		EO DD	25	1720	20050	21.74	22	
		50 RB	25	1732.5	20175	21.61	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1745	20300	21.71	22	
			E0	1720	20050	21.67	22	
			50	1732.5	20175	21.68	22	
				1745	20300	21.63	22	
		400	NDD	1720	20050	21.75	22	
		100)RB	1732.5	20175	21.66	22	
			1745	20300	21.71	22	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 45 of 608

			FDD	Band 4 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1720	20050	21.97	22	0-2
			0	1732.5	20175	21.90	22	0-2
				1745	20300	21.93	22	0-2
				1720	20050	21.96	22	0-2
		1 RB	50	1732.5	20175	21.69	22	0-2
				1745	20300	21.86	22	0-2
				1720	20050	21.96	22	0-2
			99	1732.5	20175	21.89	22	0-2
				1745	20300	21.95	22	0-2
				1720	20050	20.76	21	0-3
20	64-QAM		0	1732.5	20175	20.59	21	0-3
				1745	20300	20.66	21	0-3
				1720	20050	20.67	21	0-3
		50 RB	25	1732.5	20175	20.52	21	0-3
				1745	20300	20.70	21	0-3
				1720	20050	20.66	21	0-3
			50	1732.5	20175	20.59	21	0-3
				1745	20300	20.54	21	0-3
				1720	20050	20.65	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
		100RB		1732.5	20175	20.63	21	0-3
				1745	20300	20.64	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 46 of 608

FDD Band 4 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				1717.5	20025	23.55	24	0			
			0	1732.5	20175	23.66	24	0			
				1747.5	20325	23.72	24	0			
				1717.5	20025	23.74	24	0			
		1 RB	36	1732.5	20175	23.56	24	0			
				1747.5	20325	23.47	24	0			
				1717.5	20025	23.44	24	0			
			74	1732.5	20175	23.69	24	0			
				1747.5	20325	23.57	24	0			
				1717.5	20025	22.54	23	0-1			
	QPSK		0	1732.5	20175	22.52	23	0-1			
				1747.5	20325	22.69	23	0-1			
				1717.5	20025	22.63	23	0-1			
		36 RB	18	1732.5	20175	22.44	23	0-1			
				1747.5	20325	22.44	23	0-1			
				1717.5	20025	22.47	23	0-1			
			37	1732.5	20175	22.48	23	0-1			
				1747.5	20325	22.52	23	0-1			
				1717.5	20025	22.72	23	0-1			
		75	RB	1732.5	20175	22.47	23	0-1			
15				1747.5	20325	22.50	23	0-1			
13				1717.5	20025	22.90	23	0-1			
			0	1732.5	20175	22.91	23	0-1			
				1747.5	20325	22.77	23	0-1			
				1717.5	20025	22.92	23	0-1			
		1 RB	36	1732.5	20175	22.71	23	0-1			
				1747.5	20325	22.84	23	0-1			
				1717.5	20025	22.88	23	0-1			
			74	1732.5	20175	22.85	23	0-1			
				1747.5	20325	22.98	23	0-1			
				1717.5	20025	21.67	22	0-2			
	16-QAM		0	1732.5	20175	21.62	22	0-2			
				1747.5	20325	21.70	22	0-2			
				1717.5	20025	21.66	22	0-2			
		36 RB	18	1732.5	20175	21.51	22	0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1			
				1747.5	20325	21.61	22				
				1717.5	20025	21.63	22	0-2			
			37	1732.5	20175	21.57	22	0-2			
				1747.5	20325	21.48	22	0-2			
				1717.5	20025	21.55	22	0-2			
		75RB		1732.5	20175	21.45	22				
				1747.5	20325	21.58	22	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 47 of 608

			FDD	Band 4 (Full p	ower)				
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				1717.5	20025	21.89	22	0-2	
			0	1732.5	20175	21.88	22	0-2	
				1747.5	20325	21.73	22	0-2	
				1717.5	20025	21.91	22	0-2	
		1 RB	36	1732.5	20175	21.69	22	0-2	
				1747.5	20325	21.82	22	0-2	
				1717.5	20025	21.85	22	0-2	
			74	1732.5	20175	21.77	22	0-2	
				1747.5	20325	21.89	22	0-2	
				1717.5	20025	20.66	21	0-3	
15	64-QAM		0	1732.5	20175	20.57	21	0-3	
				1747.5	20325	20.63	21	0-3	
				1717.5	20025	20.57	21	0-3	
		36 RB	18	1732.5	20175	20.43	21	0-3	
				1747.5	20325	20.60	21	0-3	
				1717.5	20025	20.63	21	0-3	
			37	1732.5	20175	20.48	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-	
				1747.5	20325	20.39	21		
				1717.5	20025	20.52	21		
		75	RB	1732.5	20175	20.45	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3	
				1747.5	20325	20.54	21	0-3	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 48 of 608

	FDD Band 4 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1715	20000	23.42	24	0				
			0	1732.5	20175	23.63	24	0				
				1750	20350	23.51	24	0				
				1715	20000	23.66	24	0				
		1 RB	25	1732.5	20175	23.44	24	0				
				1750	20350	23.26	24	0				
				1715	20000	23.35	24	0				
			49	1732.5	20175	23.57	24	0				
				1750	20350	23.39	24	0				
				1715	20000	22.34	23	0-1				
	QPSK		0	1732.5	20175	22.40	23	0-1				
				1750	20350	22.49	23	0-1				
				1715	20000	22.49	23	0-1				
		25 RB	12	1732.5	20175	22.35	23	0-1				
				1750	20350	22.37	23	0-1				
				1715	20000	22.41	23	0-1				
			25	1732.5	20175	22.34	23	0-1				
				1750	20350	22.40	23	0-1				
				1715	20000	22.57	23	0-1				
		50	RB	1732.5	20175	22.32	23	0-1				
10			ī	1750	20350	22.37	23	0-1				
				1715	20000	22.75	23	0-1				
			0	1732.5	20175	22.80	23	0-1				
				1750	20350	22.65	23	0-1				
				1715	20000	22.79	23	0-1				
		1 RB	25	1732.5	20175	22.65	23	0-1				
				1750	20350	22.74	23	0-1				
			4.5	1715	20000	22.74	23	0-1				
			49	1732.5	20175	22.82	23	0-1				
				1750	20350	22.78	23	0-1				
	40.000			1715	20000	21.58	22	0-2				
	16-QAM		0	1732.5	20175	21.54	22	0-2				
				1750	20350	21.52	22	0-2				
		05.00	40	1715	20000	21.60	22	0-2				
		25 RB	12	1732.5	20175	21.42	22	0-2				
				1750	20350	21.41	22	0-2				
			25	1715	20000	21.47	22	0-2				
			25	1732.5	20175	21.53	22	0-2				
				1750	20350	21.30	22	0-2				
			DD	1715	20000	21.53	22	0-2				
	501		KD	1732.5	20175	21.31	22	0-2				
				1750	20350	21.39	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 49 of 608

			FDD	Band 4 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1715	20000	21.65	22	0-2
			0	1732.5	20175	21.78	22	0-2
				1750	20350	21.55	22	0-2
				1715	20000	21.73	22	0-2
		1 RB	25	1732.5	20175	21.63	22	0-2
				1750	20350	21.66	22	0-2
				1715	20000	21.70	22	0-2
			49	1732.5	20175	21.81	22	0-2
				1750	20350	21.72	22	0-2
				1715	20000	20.48	21	0-3
10	64-QAM		0	1732.5	20175	20.52	21	0-3
				1750	20350	20.46	21	0-3
				1715	20000	20.56	21	0-3
		25 RB	12	1732.5	20175	20.34	21	0-3
				1750	20350	20.39	21	0-3
				1715	20000	20.37	21	0-3
			25	1732.5	20175	20.48	21	0-3
				1750	20350	20.29	21	0-3
				1715	20000	20.46	21	0-3
		50RB		1732.5	20175	20.31	21	0-3
				1750	20350	20.38	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 50 of 608

	FDD Band 4 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1712.5	19975	23.27	24	0				
			0	1732.5	20175	23.61	24	0				
				1752.5	20375	23.31	24	0				
				1712.5	19975	23.48	24	0				
		1 RB	12	1732.5	20175	23.38	24	0				
				1752.5	20375	23.11	24	0				
				1712.5	19975	23.29	24	0				
			24	1732.5	20175	23.45	24	0				
				1752.5	20375	23.18	24	0				
				1712.5	19975	22.13	23	0-1				
	QPSK		0	1732.5	20175	22.34	23	0-1				
				1752.5	20375	22.38	23	0-1				
				1712.5	19975	22.31	23	0-1				
		12 RB	6	1732.5	20175	22.28	23	0-1				
				1752.5	20375	22.27	23	0-1				
				1712.5	19975	22.20	23	0-1				
			13	1732.5	20175	22.28	23	0-1				
				1752.5	20375	22.24	23	0-1				
				1712.5	19975	22.38	23	0-1				
		25	RB	1732.5	20175	22.21	23	0-1				
5				1752.5	20375	22.18	23	0-1				
				1712.5	19975	22.57	23	0-1				
			0	1732.5	20175	22.61	23	0-1				
				1752.5	20375	22.54	23	0-1				
				1712.5	19975	22.74	23	0-1				
		1 RB	12	1732.5	20175	22.57	23	0-1				
				1752.5	20375	22.65	23	0-1				
				1712.5	19975	22.55	23	0-1				
			24	1732.5	20175	22.78	23	0-1				
				1752.5	20375	22.76	23	0-1				
			_	1712.5	19975	21.55	22	0-2				
	16-QAM		0	1732.5	20175	21.50	22	0-2				
				1752.5	20375	21.48	22	0-2				
		40.55		1712.5	19975	21.49	22	0-2				
		12 RB	6	1732.5	20175	21.34	22	0-2				
				1752.5	20375	21.21	22	0-2				
			40	1712.5	19975	21.33	22	0-2				
			13	1732.5	20175	21.48	22	0-2				
				1752.5	20375	21.20	22	0-2				
			DD	1712.5	19975	21.40	22	0-2				
		25	RB	1732.5	20175	21.19	22	0-2				
				1752.5	20375	21.37	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 51 of 608

			FDD	Band 4 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1712.5	19975	21.50	22	0-2
			0	1732.5	20175	21.52	22	0-2
				1752.5	20375	21.44	22	0-2
				1712.5	19975	21.71	22	0-2
		1 RB	12	1732.5	20175	21.51	22	0-2
				1752.5	20375	21.63	22	0-2
				1712.5	19975	21.52	22	0-2
			24	1732.5	20175	21.68	22	0-2
				1752.5	20375	21.75	22	0-2
				1712.5	19975	20.47	21	0-3
5	64-QAM		0	1732.5	20175	20.41	21	0-3
				1752.5	20375	20.43	21	0-3
				1712.5	19975	20.44	21	0-3
		12 RB	6	1732.5	20175	20.27	21	0-3
				1752.5	20375	20.12	21	0-3
				1712.5	19975	20.32	21	0-3
			13	1732.5	20175	20.46	21	0-3
				1752.5	20375	20.18	21	0-3
				1712.5	19975	20.40	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
		25	RB	1732.5	20175	20.12	21	
				1752.5	20375	20.35	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 52 of 608

FDD Band 4 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				1711.5	19965	23.11	24	0			
			0	1732.5	20175	23.44	24	0			
				1753.5	20385	23.10	24	0			
				1711.5	19965	23.36	24	0			
		1 RB	7	1732.5	20175	23.25	24	0			
				1753.5	20385	22.90	24	0			
				1711.5	19965	23.18	24	0			
			14	1732.5	20175	23.28	24	0			
				1753.5	20385	23.08	24	0			
				1711.5	19965	22.08	23	0-1			
	QPSK		0	1732.5	20175	22.28	23	0-1			
				1753.5	20385	22.22	23	0-1			
				1711.5	19965	22.15	23	0-1			
		8 RB	4	1732.5	20175	22.10	23	0-1			
				1753.5	20385	22.08	23	0-1			
				1711.5	19965	22.08	23	0-1			
			7	1732.5	20175	22.10	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1			
				1753.5	20385	22.17	23	0-1			
			•	1711.5	19965	22.27	23	0-1			
		15	RB	1732.5	20175	22.14	23	0-1			
				1753.5	20385	21.98	23	0-1 0-1 0-1 0-1 0-1			
3				1711.5	19965	22.46	23	0-1			
			0	1732.5	20175	22.58	23	0-1			
				1753.5	20385	22.35	23	0-1			
				1711.5	19965	22.61	23	0-1			
		1 RB	7	1732.5	20175	22.51	23	0-1			
				1753.5	20385	22.49	23	0-1			
				1711.5	19965	22.51	23	0-1			
			14	1732.5	20175	22.57	23	0-1			
				1753.5	20385	22.61	23	0-1			
				1711.5	19965	21.53	22	0-2			
	16-QAM		0	1732.5	20175	21.30	22	0-2			
				1753.5	20385	21.37	22	0-2			
				1711.5	19965	21.37	22	0-2			
		8 RB	4	1732.5	20175	21.24	22	0-2			
				1753.5	20385	21.00	22	0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2			
				1711.5	19965	21.18	22	0-2			
			7	1732.5	20175	21.37	22	0-2			
				1753.5	20385	21.00	22	0-2			
				1711.5	19965	21.22	22	0-2			
		15RB		1732.5	20175	21.09	22	0-2			
				1753.5	20385	21.21	22	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 53 of 608

			FDD	Band 4 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1711.5	19965	21.36	22	0-2
			0	1732.5	20175	21.49	22	0-2
				1753.5	20385	21.34	22	0-2
				1711.5	19965	21.54	22	0-2
		1 RB	7	1732.5	20175	21.50	22	0-2
				1753.5	20385	21.45	22	0-2
				1711.5	19965	21.50	22	0-2
			14	1732.5	20175	21.47	22	0-2
				1753.5	20385	21.53	22	0-2
				1711.5	19965	20.49	21	0-3
3	64-QAM		0	1732.5	20175	20.28	21	0-3
				1753.5	20385	20.36	21	0-3
				1711.5	19965	20.36	21	0-3
		8 RB	4	1732.5	20175	20.19	21	0-3
				1753.5	20385	19.92	21	0-3
				1711.5	19965	20.11	21	0-3
			7	1732.5	20175	20.29	21	0-3
				1753.5	20385	20.00	21	0-3
				1711.5	19965	20.15	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
		15	15RB		20175	20.02	21	0-3
				1753.5	20385	20.17	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 54 of 608

FDD Band 4 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				1710.7	19957	23.54	24	0			
			0	1732.5	20175	23.59	24	0			
				1754.3	20393	23.63	24	0			
				1710.7	19957	23.54	24	0			
		1 RB	2	1732.5	20175	23.55	24	0			
				1754.3	20393	23.68	24	0			
				1710.7	19957	23.59	24	0			
			5	1732.5	20175	23.57	24	0			
				1754.3	20393	23.70	24	0			
				1710.7	19957	22.92	24	0			
	QPSK		0	1732.5	20175	22.95	24	0			
				1754.3	20393	22.87	24	0			
				1710.7	19957	22.92	24	0			
		3 RB	2	1732.5	20175	22.95	24	0			
				1754.3	20393	22.86	24	0			
				1710.7	19957	22.93	24	0			
			3	1732.5	20175	22.95	24	0			
				1754.3	20393	22.89	24	0			
			•	1710.7	19957	22.58	23	0-1			
		6F	RB	1732.5	20175	22.60	23	0-1			
4.4				1754.3	20393	22.71	23	0-1			
1.4				1710.7	19957	22.90	23	0-1			
			0	1732.5	20175	22.88	23	0-1			
				1754.3	20393	22.84	23	0-1			
				1710.7	19957	22.83	23	0-1			
		1 RB	2	1732.5	20175	22.81	23	0-1			
				1754.3	20393	22.93	23	0-1			
				1710.7	19957	22.90	23	0-1			
			5	1732.5	20175	22.88	23	0-1			
				1754.3	20393	22.82	23	0-1			
				1710.7	19957	22.70	23	0-1			
	16-QAM		0	1732.5	20175	22.69	23	0-1			
				1754.3	20393	22.79	23	0-1			
				1710.7	19957	22.67	23	0-1			
		3 RB	2	1732.5	20175	22.65	23	0-1			
				1754.3	20393	22.79	23	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
				1710.7	19957	22.69	23	0-1			
			3	1732.5	20175	22.70	23	0-1			
			<u></u>	1754.3	20393	22.83	23	0-1			
				1710.7	19957	21.69	22	0-2			
		6F	RB	1732.5	20175	21.68	22	0-2			
				1754.3	20393	21.78	22	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 55 of 608

			FDD	Band 4 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1710.7	19957	21.86	22	0-2
			0	1732.5	20175	21.88	22	0-2
				1754.3	20393	21.83	22	0-2
				1710.7	19957	21.80	22	0-2
		1 RB	2	1732.5	20175	21.76	22	0-2
				1754.3	20393	21.86	22	0-2
				1710.7	19957	21.89	22	0-2
			5	1732.5	20175	21.83	22	0-2
				1754.3	20393	21.80	22	0-2
				1710.7	19957	21.68	22	0-2
1.4	64-QAM		0	1732.5	20175	21.69	22	0-2
				1754.3	20393	21.69	22	0-2
				1710.7	19957	21.64	22	0-2
		3 RB	2	1732.5	20175	21.58	22	0-2
				1754.3	20393	21.74	22	0-2
				1710.7	19957	21.68	22	0-2
			3	1732.5	20175	21.68	22	0-2
				1754.3	20393	21.73	22	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				1710.7	19957	20.60	21	0-3
		6RB		1732.5	20175	20.60	21	0-3
				1754.3	20393	20.69	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 56 of 608

	FDD Band 4 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1720	20050	19.80	20	0				
			0	1732.5	20175	19.90	20	0				
				1745	20300	19.99	20	0				
				1720	20050	19.95	20	0				
		1 RB	50	1732.5	20175	19.78	20	0				
				1745	20300	19.87	20	0				
				1720	20050	19.86	20	0				
			99	1732.5	20175	19.92	20	0				
				1745	20300	19.95	20	0				
				1720	20050	19.85	20	0				
	QPSK		0	1732.5	20175	19.75	20	0				
				1745	20300	19.82	20	0				
				1720	20050	19.84	20	0				
		50 RB	25	1732.5	20175	19.68	20					
				1745	20300	19.77	20					
				1720	20050	19.77	20	_				
			50	1732.5	20175	19.77	20	-				
				1745	20300	19.73	20	_				
				1720	20050	19.87	20	0				
		100)RB	1732.5	20175	19.75	20	0				
20			T	1745	20300	19.81	20	0				
				1720	20050	19.72	20	0				
			0	1732.5	20175	19.77	20					
				1745	20300	19.82	20					
				1720	20050	19.83	20	_				
		1 RB	50	1732.5	20175	19.61	20					
				1745	20300	19.71	20					
				1720	20050	19.67	20	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O				
			99	1732.5	20175	19.71	20					
				1745	20300	19.73	20					
	40.000			1720	20050	19.82	20					
	16-QAM		0	1732.5	20175	19.62	20					
				1745	20300	19.73	20					
		50 DD	0.5	1720	20050	19.80	20					
		50 RB	25	1732.5	20175	19.60	20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				1745	20300	19.56	20					
			F^	1720	20050	19.62	20					
			50	1732.5	20175	19.74	20					
				1745	20300	19.62	20					
		100	חסם	1720	20050	19.68	20					
	100		מאנ	1732.5	20175	19.56	20					
				1745	20300	19.66	20	U				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 57 of 608

			FDD Bar	nd 4 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1720	20050	19.62	20	0
			0	1732.5	20175	19.73	20	0
				1745	20300	19.84	20	0
				1720	20050	19.88	20	0
		1 RB	50	1732.5	20175	19.67	20	0
				1745	20300	19.69	20	0
				1720	20050	19.76	20	0
			99	1732.5	20175	19.82	20	0
				1745	20300	19.92	20	0
				1720	20050	19.69	20	0
20	64-QAM		0	1732.5	20175	19.66	20	0
				1745	20300	19.65	20	0
				1720	20050	19.68	20	0
		50 RB	25	1732.5	20175	19.46	20	0
				1745	20300	19.56	20	0
				1720	20050	19.71	20	0
			50	1732.5	20175	19.61	20	0
				1745	20300	19.70	20	0
				1720	20050	19.73	20	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		100RB		1732.5	20175	19.55	20	0
				1745	20300	19.69	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 58 of 608

FDD Band 4 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				1717.5	20025	19.66	20	0			
			0	1732.5	20175	19.70	20	0			
				1747.5	20325	19.78	20	0			
				1717.5	20025	19.73	20	0			
		1 RB	36	1732.5	20175	19.62	20	0			
				1747.5	20325	19.74	20	0			
				1717.5	20025	19.79	20	0			
			74	1732.5	20175	19.79	20	0			
				1747.5	20325	19.85	20	0			
				1717.5	20025	19.65	20	0			
	QPSK		0	1732.5	20175	19.71	20	0			
				1747.5	20325	19.60	20	0			
				1717.5	20025	19.67	20	0			
		36 RB	18	1732.5	20175	19.49	20	0			
				1747.5	20325	19.61	20	0			
				1717.5	20025	19.67	20	_			
			37	1732.5	20175	19.63	20				
				1747.5	20325	19.57	20	_			
				1717.5	20025	19.71	20	_			
		75	RB	1732.5	20175	19.58	20				
15			T	1747.5	20325	19.66	20				
			0	1717.5	20025	19.69	20				
			0	1732.5	20175	19.74	20				
				1747.5	20325	19.79	20				
				1717.5	20025	19.80	20				
		1 RB	36	1732.5	20175	19.58	20				
				1747.5	20325	19.68	20	_			
				1717.5	20025	19.64	20				
			74	1732.5	20175	19.68	20				
				1747.5	20325	19.70	20				
	46.044		_	1717.5	20025	19.79	20				
	16-QAM		0	1732.5	20175	19.59	20				
				1747.5	20325	19.70	20	0 0 0 0 0 0 0 0 0 0 0			
		26 DD	10	1717.5	20025	19.77	20				
		36 RB	18	1732.5	20175	19.57	20				
				1747.5	20325	19.53	20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
			27	1717.5	20025	19.59	20				
			37	1732.5	20175	19.71	20				
				1747.5	20325	19.59	20				
1		75	RB	1717.5	20025	19.65	20				
		/5	KD	1732.5	20175	19.53	20				
				1747.5	20325	19.63	20	Ü			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 59 of 608

			FDD Bar	nd 4 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1717.5	20025	19.59	20	0
			0	1732.5	20175	19.70	20	0
				1747.5	20325	19.81	20	0
				1717.5	20025	19.85	20	0
		1 RB	36	1732.5	20175	19.64	20	0
				1747.5	20325	19.66	20	0
				1717.5	20025	19.73	20	0
			74	1732.5	20175	19.79	20	0
				1747.5	20325	19.89	20	0
				1717.5	20025	19.66	20	0
15	64-QAM		0	1732.5	20175	19.63	20	0
				1747.5	20325	19.62	20	0
				1717.5	20025	19.65	20	0
		36 RB	18	1732.5	20175	19.43	20	0
				1747.5	20325	19.53	20	0
				1717.5	20025	19.68	20	0
			37	1732.5	20175	19.58	20	0
				1747.5	20325	19.67	20	0
		75RB		1717.5	20025	19.70	20	0
				1732.5	20175	19.52	20	0
				1747.5	20325	19.66	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 60 of 608

	FDD Band 4 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1715	20000	19.62	20	0				
			0	1732.5	20175	19.81	20	0				
				1750	20350	19.78	20	0				
				1715	20000	19.77	20	0				
		1 RB	25	1732.5	20175	19.72	20	0				
				1750	20350	19.72	20	0				
				1715	20000	19.69	20	0				
			49	1732.5	20175	19.71	20	0				
				1750	20350	19.90	20	0				
				1715	20000	19.78	20	0				
	QPSK		0	1732.5	20175	19.67	20	0				
				1750	20350	19.70	20	0				
				1715	20000	19.65	20	0				
		25 RB	12	1732.5	20175	19.53	20	0				
				1750	20350	19.62	20	0				
				1715	20000	19.55	20	0				
			25	1732.5	20175	19.64	20	0				
				1750	20350	19.58	20	0				
				1715	20000	19.74	20	0				
		50	RB	1732.5	20175	19.54	20	0				
10				1750	20350	19.67	20					
				1715	20000	19.69	20	0				
			0	1732.5	20175	19.74	20	0				
				1750	20350	19.79	20	0				
				1715	20000	19.80	20	0				
		1 RB	25	1732.5	20175	19.58	20	0				
				1750	20350	19.68	20	0				
				1715	20000	19.64	20	0				
			49	1732.5	20175	19.68	20	0				
				1750	20350	19.70	20	_				
				1715	20000	19.79	20	0				
	16-QAM		0	1732.5	20175	19.59	20	0				
				1750	20350	19.70	20	0				
				1715	20000	19.77	20	0				
		25 RB	12	1732.5	20175	19.57	20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				1750	20350	19.53	20					
				1715	20000	19.59	20					
			25	1732.5	20175	19.71	20					
				1750	20350	19.59	20	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O				
				1715	20000	19.65	20					
	50	KB	1732.5	20175	19.53	20						
				1750	20350	19.63	20	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 61 of 608

			FDD Bar	nd 4 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1715	20000	19.59	20	0
			0	1732.5	20175	19.70	20	0
				1750	20350	19.81	20	0
				1715	20000	19.85	20	0
		1 RB	25	1732.5	20175	19.64	20	0
				1750	20350	19.66	20	0
				1715	20000	19.73	20	0
			49	1732.5	20175	19.79	20	0
				1750	20350	19.89	20	0
				1715	20000	19.66	20	0
10	64-QAM		0	1732.5	20175	19.63	20	0
				1750	20350	19.62	20	0
				1715	20000	19.65	20	0
		25 RB	12	1732.5	20175	19.43	20	0
				1750	20350	19.53	20	0
				1715	20000	19.68	20	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O
			25	1732.5	20175	19.58	20	
				1750	20350	19.67	20	
			-	1715	20000	19.70	20	
		50RB	RB	1732.5	20175	19.52	20	0
				1750	20350	19.66	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 62 of 608

	FDD Band 4 (Reducted Power)												
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)					
				1712.5	19975	19.68	20	0					
			0	1732.5	20175	19.77	20	0					
				1752.5	20375	19.88	20	0					
				1712.5	19975	19.89	20	0					
		1 RB	12	1732.5	20175	19.66	20	0					
				1752.5	20375	19.66	20	0					
				1712.5	19975	19.70	20	0					
			24	1732.5	20175	19.78	20	0					
				1752.5	20375	19.87	20	0					
				1712.5	19975	19.78	20	0					
	QPSK		0	1732.5	20175	19.58	20	0					
				1752.5	20375	19.61	20	0					
				1712.5	19975	19.70	20	0					
		12 RB	6	1732.5	20175	19.59	20	0					
				1752.5	20375	19.67	20	0					
				1712.5	19975	19.68	20	ax. Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					
			13	1732.5	20175	19.60	20						
				1752.5	20375	19.60	20	0					
				1712.5	19975	19.83	20						
		25	RB	1732.5	20175	19.64	20	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					
5			T	1752.5	20375	19.78	20						
-			1712.5 19975 19.69 20 0 1732.5 20175 19.74 20										
			0										
				1752.5	20375	19.79	20						
				1712.5	19975	19.80	20						
		1 RB	12	1732.5	20175	19.58	20						
				1752.5	20375	19.68	20						
				1712.5	19975	19.64	20	_					
			24	1732.5	20175	19.68	20	_					
				1752.5	20375	19.70	20	_					
				1712.5	19975	19.79	20						
	16-QAM		0	1732.5	20175	19.59	20						
				1752.5	20375	19.70	20						
		40.55		1712.5	19975	19.77	20						
		12 RB	6	1732.5	20175	19.57	20						
				1752.5	20375	19.53	20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					
			40	1712.5	19975	19.59	20						
			13	1732.5	20175	19.71	20						
				1752.5	20375	19.59	20						
				1712.5	19975	19.65	20						
		25RB		1732.5	20175	19.53	20						
				1752.5	20375	19.63	20	0					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 63 of 608

			FDD Bar	nd 4 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1712.5	19975	19.59	20	0
			0	1732.5	20175	19.70	20	0
				1752.5	20375	19.81	20	0
				1712.5	19975	19.85	20	0
		1 RB	12	1732.5	20175	19.64	20	0
				1752.5	20375	19.66	20	0
				1712.5	19975	19.73	20	0
			24	1732.5	20175	19.79	20	0
				1752.5	20375	19.89	20	0
				1712.5	19975	19.66	20	0
5	64-QAM		0	1732.5	20175	19.63	20	0
				1752.5	20375	19.62	20	0
				1712.5	19975	19.65	20	0
		12 RB	6	1732.5	20175	19.43	20	0
				1752.5	20375	19.53	20	0
				1712.5	19975	19.68	20	0 0 0 0 0 0 0 0 0 0
			13	1732.5	20175	19.58	20	0
				1752.5	20375	19.67	20	0
				1712.5	19975	19.70	20	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O
		25	RB	1732.5	20175	19.52	20	0
				1752.5	20375	19.66	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 64 of 608

	FDD Band 4 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1711.5	19965	19.72	20	0				
			0	1732.5	20175	19.85	20	0				
				1753.5	20385	19.90	20	0				
				1711.5	19965	19.89	20	0				
		1 RB	7	1732.5	20175	19.59	20	0				
				1753.5	20385	19.73	20	0				
				1711.5	19965	19.66	20	0				
			14	1732.5	20175	19.82	20	0				
				1753.5	20385	19.82	20	0				
				1711.5	19965	19.64	20	0				
	QPSK		0	1732.5	20175	19.65	20	0				
				1753.5	20385	19.78	20	0				
				1711.5	19965	19.80	20	0				
		8 RB	4	1732.5	20175	19.48	20	0				
				1753.5	20385	19.55	20	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				1711.5	19965	19.68	20	0				
			7	1732.5	20175	19.70	20	_				
				1753.5	20385	19.65	20	0				
				1711.5	19965	19.82	20	0				
		15	RB	1732.5	20175	19.72	20	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
3				1753.5	20385	19.59	20	0				
				1711.5	19965	19.69	20					
			0	1732.5	20175	19.74	20					
				1753.5	20385	19.79	20					
				1711.5	19965	19.80	20					
		1 RB	7	1732.5	20175	19.58	20	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O				
				1753.5	20385	19.68	20					
				1711.5	19965	19.64	20					
			14	1732.5	20175	19.68	20					
				1753.5	20385	19.70	20	_				
	40.0			1711.5	19965	19.79	20					
	16-QAM		0	1732.5	20175	19.59	20					
				1753.5	20385	19.70	20					
		0.00		1711.5	19965	19.77	20					
		8 RB	4	1732.5	20175	19.57	20	_				
				1753.5	20385	19.53	20					
			_	1711.5	19965	19.59	20					
			7	1732.5	20175	19.71	20					
				1753.5	20385	19.59	20					
			DD	1711.5	19965	19.65	20					
		15	RB	1732.5	20175	19.53	20					
			1753.5	20385	19.63	20	0					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 65 of 608

			FDD Bar	nd 4 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1711.5	19965	19.59	20	0
			0	1732.5	20175	19.70	20	0
				1753.5	20385	19.81	20	0
				1711.5	19965	19.85	20	0
		1 RB	7	1732.5	20175	19.64	20	0
				1753.5	20385	19.66	20	0
				1711.5	19965	19.73	20	0
			14	1732.5	20175	19.79	20	0
				1753.5	20385	19.89	20	0
				1711.5	19965	19.66	20	0
3	64-QAM		0	1732.5	20175	19.63	20	0
				1753.5	20385	19.62	20	0
				1711.5	19965	19.65	20	0
		8 RB	4	1732.5	20175	19.43	20	Aax. Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1753.5	20385	19.53	20	0
				1711.5	19965	19.68	20	Max. Allowed per 3GPP(dB) O
			7	1732.5	20175	19.58	20	
				1753.5	20385	19.67	20	
				1711.5	19965	19.70	20	
		15RB		1732.5	20175	19.52	20	0
				1753.5	20385	19.66	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 66 of 608

	FDD Band 4 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1710.7	19957	19.58	20	0				
			0	1732.5	20175	19.69	20	0				
				1754.3	20393	19.93	20	0				
				1710.7	19957	19.89	20	0				
		1 RB	2	1732.5	20175	19.56	20	0				
				1754.3	20393	19.82	20	0				
				1710.7	19957	19.70	20	0				
			5	1732.5	20175	19.79	20	0				
				1754.3	20393	19.88	20	0				
				1710.7	19957	19.69	20	0				
	QPSK		0	1732.5	20175	19.58	20	0				
				1754.3	20393	19.69	20	0				
				1710.7	19957	19.66	20	0				
		3 RB	2	1732.5	20175	19.62	20	0				
				1754.3	20393	19.65	20	0				
				1710.7	19957	19.55	20	0				
			3	1732.5	20175	19.70	20	0				
				1754.3	20393	19.64	20	0				
				1710.7	19957	19.69	20	0				
		6F	RB	1732.5	20175	19.58	20	0				
1.4				1754.3	20393	19.64	20	0				
				1710.7	19957	19.69	20	0				
			0	1732.5	20175	19.74	20	0				
				1754.3	20393	19.79	20	0				
				1710.7	19957	19.80	20	0				
		1 RB	2	1732.5	20175	19.58	20	0				
				1754.3	20393	19.68	20	0				
				1710.7	19957	19.64	20	0				
			5	1732.5	20175	19.68	20	0				
				1754.3	20393	19.70	20	0				
				1710.7	19957	19.79	20	0				
	16-QAM		0	1732.5	20175	19.59	20	0				
				1754.3	20393	19.70	20	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				1710.7	19957	19.77	20					
		3 RB	2	1732.5	20175	19.57	20					
				1754.3	20393	19.53	20					
				1710.7	19957	19.59	20					
			3	1732.5	20175	19.71	20					
				1754.3	20393	19.59	20					
	6RB			1710.7	19957	19.65	20					
		RB	1732.5	20175	19.53	20						
				1754.3	20393	19.63	20	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 67 of 608

			FDD Bar	nd 4 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1710.7	19957	19.59	20	0
			0	1732.5	20175	19.70	20	0
				1754.3	20393	19.81	20	0
				1710.7	19957	19.85	20	0
		1 RB	2	1732.5	20175	19.64	20	0
				1754.3	20393	19.66	20	0
				1710.7	19957	19.73	20	0
			5	1732.5	20175	19.79	20	0
				1754.3	20393	19.89	20	0
				1710.7	19957	19.66	20	0
1.4	64-QAM		0	1732.5	20175	19.63	20	0
				1754.3	20393	19.62	20	0
				1710.7	19957	19.65	20	0
		3 RB	2	1732.5	20175	19.43	20	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O
				1754.3	20393	19.53	20	0
				1710.7	19957	19.68	20	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
			3	1732.5	20175	19.58	20	
				1754.3	20393	19.67	20	
				1710.7	19957	19.70	20	
		6F	RB	1732.5	20175	19.52	20	0
				1754.3	20393	19.66	20	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 68 of 608

	FDD Band 5 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				829	20450	23.68	25	0				
			0	836.5	20525	23.62	25	0				
				844	20600	23.71	25	0				
				829	20450	23.55	25	0				
		1 RB	25	836.5	20525	23.69	25	0				
				844	20600	23.62	25	0				
				829	20450	23.59	25	0				
			49	836.5	20525	23.62	25	0				
				844	20600	23.55	25	0				
				829	20450	22.54	24	0-1				
	QPSK		0	836.5	20525	22.62	24	0-1				
				844	20600	22.65	24	0-1				
				829	20450	22.50	24	0-1				
		25 RB	12	836.5	20525	22.65	24					
				844	20600	22.66	24					
				829	20450	22.63	24	O O O O O O O O O O O O O O O O O O O				
			25	836.5	20525	22.60	24	_				
				844	20600	22.74	24					
				829	20450	22.51	24	_				
		50	RB	836.5	20525	22.64	24	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0-1 0-				
10			1	844	20600	22.65	24					
				829	20450	22.78	24					
			0	836.5	20525	22.96	24					
				844	20600	22.81	24					
		4 DD	0.5	829	20450	22.83	24					
		1 RB	25	836.5	20525	22.96	24					
				844	20600	22.88	24					
			40	829	20450	22.98	24					
			49	836.5	20525	22.89	24					
				844	20600 20450	22.90	24 23	_				
	16-QAM		0	829 826 5		21.65 21.72						
	10-QAW		U	836.5 844	20525	+	23 23					
					20600	21.74		Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-				
		25 RB	12	829 826 5	20450	21.59	23					
		20 KD	12	836.5	20525	21.76	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1				
				844	20600	21.73	23					
			25	829 836.5	20450 20525	21.74 21.68	23 23					
			25	844	20600	21.84	23					
				829	20450	21.57	23					
		500)RB	836.5	20525	21.69	23					
	500		,,,,,,	844	20600	21.67	23					
				044	20000	21.07	23	U-Z				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 69 of 608

			FDD	Band 5 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				829	20450	21.72	23	0-2
			0	836.5	20525	21.87	23	0-2
				844	20600	21.79	23	0-2
				829	20450	21.76	23	0-2
		1 RB	25	836.5	20525	21.89	23	0-2
				844	20600	21.83	23	0-2
				829	20450	21.89	23	0-2
			49	836.5	20525	21.80	23	0-2
				844	20600	21.90	23	0-2
				829	20450	20.56	22	0-3
10	64-QAM		0	836.5	20525	20.68	22	0-3
				844	20600	20.71	22	0-3
				829	20450	20.55	22	0-3
		25 RB	12	836.5	20525	20.75	22	0-3
				844	20600	20.65	22	0-3
				829	20450	20.70	22	0-3
			25	836.5	20525	20.66	22	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				844	20600	20.76	22	0-3
				829	20450	20.53	22	0-3
		500)RB	836.5	20525	20.68	22	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3
				844	20600	20.59	22	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 70 of 608

	FDD Band 5 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				826.5	20425	23.39	25	0				
			0	836.5	20525	23.43	25	0				
				846.5	20625	23.38	25	0				
				826.5	20425	23.42	25	0				
		1 RB	12	836.5	20525	23.49	25	0				
				846.5	20625	23.45	25	0				
				826.5	20425	23.48	25	0				
			24	836.5	20525	23.50	25	0				
				846.5	20625	23.61	25	0				
				826.5	20425	22.35	24	0-1				
	QPSK		0	836.5	20525	22.60	24	0-1				
				846.5	20625	22.53	24	0-1				
				826.5	20425	22.40	24	0-1				
		12 RB	6	836.5	20525	22.62	24	0-1				
				846.5	20625	22.49	24	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O				
				826.5	20425	22.61	24					
			13	836.5	20525	22.42	24					
				846.5	20625	22.57	24					
				826.5	20425	22.36	24					
		25	RB	836.5	20525	22.54	24					
5			1	846.5	20625	22.58	24	_				
-				826.5	20425	22.62	24					
			0	836.5	20525	22.84	24					
				846.5	20625	22.62	24					
				826.5	20425	22.63	24					
		1 RB	12	836.5	20525	22.93	24					
				846.5	20625	22.79	24					
				826.5	20425	22.93	24					
			24	836.5	20525	22.81	24					
				846.5	20625	22.87	24					
	16.0014			826.5	20425	21.62	23					
	16-QAM		0	836.5	20525	21.58	23					
				846.5	20625	21.68	23					
		12 DD	6	826.5	20425	21.41	23					
		12 RB	6	836.5	20525	21.72	23					
				846.5	20625	21.70	23					
			12	826.5	20425	21.70	23					
			13	836.5	20525	21.58	23					
				846.5	20625	21.65	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		25	DR	826.5 826.5	20425	21.50	23					
	25RB		ייי	836.5 846.5	20525	21.61	23					
				846.5	20625	21.49	23	U-Z				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 71 of 608

			FDD	Band 5 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				826.5	20425	21.52	23	0-2
			0	836.5	20525	21.79	23	0-2
				846.5	20625	21.62	23	0-2
				826.5	20425	21.62	23	0-2
		1 RB	12	836.5	20525	21.91	23	0-2
				846.5	20625	21.75	23	0-2
				826.5	20425	21.85	23	0-2
			24	836.5	20525	21.76	23	0-2
				846.5	20625	21.82	23	0-2
				826.5	20425	20.54	22	0-3
5	64-QAM		0	836.5	20525	20.58	22	0-3
				846.5	20625	20.59	22	0-3
				826.5	20425	20.36	22	0-3
		12 RB	6	836.5	20525	20.65	22	0-3
				846.5	20625	20.61	22	0-3
				826.5	20425	20.68	22	O-2
			13	836.5	20525	20.51	22	0-3
				846.5	20625	20.60	22	er + Max. lerance dBm) 23
				826.5	20425	20.49	22	
		25	RB	836.5	20525	20.58	22	
				846.5	20625	20.41	22	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 72 of 608

			FDD	Band 5 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				825.5	20415	23.21	25	0
			0	836.5	20525	23.27	25	0
				847.5	20635	23.19	25	0
				825.5	20415	23.37	25	0
		1 RB	7	836.5	20525	23.35	25	0
				847.5	20635	23.42	25	0
				825.5	20415	23.31	25	0
			14	836.5	20525	23.32	25	0
				847.5	20635	23.51	25	0
				825.5	20415	22.17	24	0-1
	QPSK		0	836.5	20525	22.42	24	0-1
				847.5	20635	22.51	24	0-1
				825.5	20415	22.32	24	0-1
		8 RB	4	836.5	20525	22.55	24	0-1
				847.5	20635	22.36	24	Aax. Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O O
				825.5	20415	22.49	24	
			7	836.5	20525	22.39	24	0-1
				847.5	20635	22.46	24	0-1
				825.5	20415	22.28	24	0-1
		15	RB	836.5	20525	22.38	24	0-1
3				847.5	20635	22.45	24	0-1
J				825.5	20415	22.48	24	0-1
			0	836.5	20525	22.81	24	0-1
				847.5	20635	22.51	24	0-1
				825.5	20415	22.48	24	0-1
		1 RB	7	836.5	20525	22.72	24	0-1
				847.5	20635	22.59	24	0-1
				825.5	20415	22.85	24	0-1
			14	836.5	20525	22.63	24	0-1
				847.5	20635	22.70	24	0-1
				825.5	20415	21.49	23	0-2
	16-QAM		0	836.5	20525	21.45	23	0-2
				847.5	20635	21.57	23	0-2
				825.5	20415	21.35	23	0-2
		8 RB	4	836.5	20525	21.53	23	0-2
				847.5	20635	21.64	23	0-2
				825.5	20415	21.67	23	0-2
			7	836.5	20525	21.42	23	0-2
				847.5	20635	21.55	23	
				825.5	20415	21.39	23	0-2
			RB	836.5	20525	21.57	23	
				847.5	20635	21.43	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 73 of 608

			FDD	Band 5 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				825.5	20415	21.44	23	0-2
			0	836.5	20525	21.81	23	0-2
		1 RB		847.5	20635	21.41	23	0-2
			7	825.5	20415	21.39	23	0-2
				836.5	20525	21.69	23	0-2
				847.5	20635	21.58	23	0-2
			14	825.5	20415	21.75	23	0-2
				836.5	20525	21.61	23	0-2
				847.5	20635	21.61	23	0-2
			0	825.5	20415	20.40	22	0-3
3	64-QAM			836.5	20525	20.35	22	0-3
				847.5	20635	20.55	22	0-3
				825.5	20415	20.26	22	0-3
		8 RB	4	836.5	20525	20.53	22	0-3
				847.5	20635	20.63	22	0-3
				825.5	20415	20.64	22	0-3
			7	836.5	20525	20.42	22	0-3
				847.5	20635	20.54	22	0-3
				825.5	20415	20.36	22	0-3
		15RB		836.5	20525	20.48	22	0-3
				847.5	20635	20.41	22	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 74 of 608

FDD Band 5 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				824.7	20407	23.30	25	0			
			0	836.5	20525	23.37	25	0			
				848.3	20643	23.47	25	0			
				824.7	20407	23.25	25	0			
		1 RB	2	836.5	20525	23.34	25	0			
				848.3	20643	23.40	25	0			
				824.7	20407	23.30	25	0			
			5	836.5	20525	23.38	25	0			
				848.3	20643	23.44	25	0			
				824.7	20407	23.27	25	0			
	QPSK	QPSK 3 RB	0	836.5	20525	23.34	25	0			
				848.3	20643	23.41	25	0			
				824.7	20407	23.26	25	0			
			2	836.5	20525	23.34	25	0			
				848.3	20643	23.38	25	0			
				824.7	20407	23.25	25	0			
			3	836.5	20525	23.34	25	0			
				848.3	20643	23.38	25	0			
			•	824.7	20407	22.27	24	0-1			
		6F	RB	836.5	20525	22.37	24	0-1			
1.4				848.3	20643	22.43	24	0-1			
1.4				824.7	20407	22.58	24	0-1			
			0	836.5	20525	22.64	24	0-1			
				848.3	20643	22.68	24	0-1			
				824.7	20407	22.49	24	0-1			
		1 RB	2	836.5	20525	22.60	24	0-1			
				848.3	20643	22.60	24	0-1			
				824.7	20407	22.58	24	0-1			
			5	836.5	20525	22.65	24	0-1			
				848.3	20643	22.58	24	0-1			
				824.7	20407	22.35	24	0-1			
	16-QAM		0	836.5	20525	22.43	24	0-1			
				848.3	20643	22.51	24	0-1			
				824.7	20407	22.36	24	0-1			
		3 RB	2	836.5	20525	22.40	24	0-1			
				848.3	20643	22.40	24	0-1			
				824.7	20407	22.34	24	0-1			
			3	836.5	20525	22.41	24	0-1			
				848.3	20643	22.42	24	0-1			
			•	824.7	20407	21.33	23	0-2			
		6R		836.5	20525	21.41	23	0-2			
				848.3	20643	21.40	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 75 of 608

			FDD	Band 5 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				824.7	20407	21.52	23	0-2
			0	836.5	20525	21.57	23	0-2
				848.3	20643	21.66	23	0-2
			2	824.7	20407	21.42	23	0-2
		1 RB		836.5	20525	21.58	23	0-2
				848.3	20643	21.54	23	0-2
			5	824.7	20407	21.50	23	0-2
				836.5	20525	21.64	23	0-2
				848.3	20643	21.49	23	0-2
			0	824.7	20407	21.30	23	0-2
1.4	64-QAM			836.5	20525	21.42	23	0-2
				848.3	20643	21.50	23	0-2
				824.7	20407	21.34	23	0-2
		3 RB	2	836.5	20525	21.40	23	0-2
				848.3	20643	21.34	23	0-2
				824.7	20407	21.25	23	0-2
			3	836.5	20525	21.41	23	0-2
				848.3	20643	21.34	23	0-2
				824.7	20407	20.32	22	0-3
		6F	RB	836.5	20525	20.41	22	0-3
				848.3	20643	20.31	22	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 76 of 608

	FDD Band 5 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				829	20450	20.98	21	0				
			0	836.5	20525	20.74	21	0				
				844	20600	20.99	21	0				
				829	20450	20.74	21	0				
		1 RB	25	836.5	20525	20.86	21	0				
				844	20600	20.88	21	0				
				829	20450	20.86	21	0				
			49	836.5	20525	20.84	21	0				
				844	20600	20.77	21	0				
		QPSK 25 RB		829	20450	20.73	21	0				
	QPSK		0	836.5	20525	20.79	21	0				
				844	20600	20.84	21	0				
			12	829	20450	20.70	21	0				
				836.5	20525	20.82	21	0				
				844	20600	20.84	21	0				
				829	20450	20.82	21	0				
			25	836.5	20525	20.78	21	0				
				844	20600	20.93	21	0				
				829	20450	20.70	21	0				
		50	RB	836.5	20525	20.81	21	0				
10			ī	844	20600	20.85	21	0				
				829	20450	20.80	21	0				
			0	836.5	20525	20.55	21	0				
				844	20600	20.81	21	0				
				829	20450	20.58	21	0				
		1 RB	25	836.5	20525	20.65	21	0				
				844	20600	20.70	21	0				
			40	829	20450	20.74	21	0				
			49	836.5	20525	20.80	21	0				
				844	20600	20.59	21	0				
	46.044		_	829	20450	20.65	21	0				
	16-QAM		0	836.5	20525	20.58	21	0				
				844	20600	20.80	21	0				
		OF DD	40	829	20450	20.67	21	0				
		25 RB	12	836.5	20525	20.67	21	0				
				844	20600	20.67	21	0				
			25	829	20450	20.63	21	0				
			25	836.5	20525	20.73	21	0				
				844	20600	20.89	21	0				
	50	E00	חסם	829	20450	20.50	21	0				
		מאנ	836.5	20525	20.66	21	0					
				844	20600	20.80	21	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 77 of 608

			FDD Bar	nd 5 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				829	20450	20.84	21	0
			0	836.5	20525	20.60	21	0
		1 RB		844	20600	20.82	21	0
			25	829	20450	20.58	21	0
				836.5	20525	20.65	21	0
				844	20600	20.73	21	0
			49	829	20450	20.72	21	0
				836.5	20525	20.70	21	0
				844	20600	20.57	21	0
			0	829	20450	20.62	21	0
10	64-QAM			836.5	20525	20.67	21	0
				844	20600	20.70	21	0
				829	20450	20.64	21	0
		25 RB	12	836.5	20525	20.64	21	0
				844	20600	20.67	21	0
				829	20450	20.60	21	0
			25	836.5	20525	20.71	21	0
				844	20600	20.81	21	0
				829	20450	20.60	21	0
		500)RB	836.5	20525	20.74	21	0
				844	20600	20.76	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 78 of 608

	FDD Band 5 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				826.5	20425	20.91	21	0				
			0	836.5	20525	20.59	21	0				
				846.5	20625	20.79	21	0				
				826.5	20425	20.56	21	0				
		1 RB	12	836.5	20525	20.79	21	0				
				846.5	20625	20.66	21	0				
				826.5	20425	20.75	21	0				
			24	836.5	20525	20.72	21	0				
				846.5	20625	20.64	21	0				
				826.5	20425	20.60	21	0				
	QPSK		0	836.5	20525	20.60	21	0				
				846.5	20625	20.63	21	0				
		12 RB		826.5	20425	20.59	21	0				
			6	836.5	20525	20.69	21	0				
				846.5	20625	20.75	21	0				
				826.5	20425	20.69	21	0				
			13	836.5	20525	20.56	21	0				
				846.5	20625	20.80	21	0				
				826.5	20425	20.56	21	0				
		25	RB	836.5	20525	20.68	21	0				
5				846.5	20625	20.79	21	0				
			0	826.5	20425	20.75	21	0				
				836.5	20525	20.51	21	0				
				846.5	20625	20.71	21	0				
				826.5	20425	20.39	21	0				
		1 RB	12	836.5	20525	20.53	21	0				
				846.5	20625	20.56	21	0				
				826.5	20425	20.61	21	0				
			24	836.5	20525	20.73	21	0				
				846.5	20625	20.40	21	0				
				826.5	20425	20.45	21	0				
	16-QAM		0	836.5	20525	20.49	21	0				
				846.5	20625	20.68	21	0				
		40.00		826.5	20425	20.46	21	0				
		12 RB	6	836.5	20525	20.62	21	0				
				846.5	20625	20.55	21	0				
	2500		40	826.5	20425	20.57	21	0				
			13	836.5	20525	20.58	21	0				
			846.5	20625	20.70	21	0					
		DD	826.5	20425	20.30	21	0					
		25RB		836.5	20525	20.47	21	0				
				846.5	20625	20.73	21	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 79 of 608

			FDD Bar	nd 5 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				826.5	20425	20.68	21	0
			0	836.5	20525	20.55	21	0
				846.5	20625	20.60	21	0
				826.5	20425	20.42	21	0
		1 RB	12	836.5	20525	20.46	21	0
				846.5	20625	20.65	21	0
			24	826.5	20425	20.67	21	0
				836.5	20525	20.60	21	0
				846.5	20625	20.47	21	0
			0	826.5	20425	20.43	21	0
5	64-QAM			836.5	20525	20.47	21	0
				846.5	20625	20.63	21	0
				826.5	20425	20.60	21	0
		12 RB	6	836.5	20525	20.52	21	0
				846.5	20625	20.51	21	0
				826.5	20425	20.45	21	0
			13	836.5	20525	20.68	21	0
				846.5	20625	20.62	21	0
				826.5	20425	20.54	21	0
	25R		RB	836.5	20525	20.57	21	0
				846.5	20625	20.59	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 80 of 608

I ' ' I I I I I I I I I I I I I I I I I		FDD Band 5 (Reducted Power)											
OPSK OPSK OPSK 1 RB OBSTANCE ART.5 OPSK O	BW(Mhz)	Modulation	RB Size	RB Offset		Channel		Power + Max. Tolerance	MPR Allowed per 3GPP(dB)				
APPENDIX APP					825.5	20415	20.88	21	0				
APSK OPSK 0 825.5 20415 20.56 21 0 847.5 20635 20.67 21 0 847.5 20635 20.67 21 0 847.5 20635 20.65 21 0 847.5 20635 20.65 21 0 847.5 20635 20.65 21 0 847.5 20635 20.65 21 0 847.5 20635 20.73 21 0 847.5 20635 20.73 21 0 847.5 20635 20.73 21 0 847.5 20635 20.73 21 0 847.5 20635 20.73 21 0 847.5 20635 20.74 21 0 847.5 20635 20.74 21 0 847.5 20635 20.74 21 0 847.5 20635 20.74 21 0 847.5 20635 20.74 21 0 847.5 20635 20.83 21 0 847.5 20635 20.83 21 0 847.5 20635 20.83 21 0 847.5 20635 20.83 21 0 847.5 20635 20.83 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.92 21 0 847.5 20635 20.92 21 0 847.5 20635 20.92 21 0 847.5 20635 20.92 21 0 847.5 20635 20.92 21 0 847.5 20635 20.92 21 0 847.5 20635 20.92 21 0 847.5 20635 20.92 21 0 847.5 20635 20.95 21 0 847.5 20635 20.9				0	836.5	20525	20.62	21	0				
3 1 RB					847.5	20635	20.91	21	0				
3 Second Seco					825.5	20415	20.56	21	0				
QPSK			1 RB	7	836.5	20525	20.67	21	0				
APSK QPSK QPSK 0 88.6.5 20525 20.67 21 0 825.5 20415 20.66 21 0 826.5 20415 20.67 21 0 847.5 20635 20.70 21 0 847.5 20635 20.70 21 0 847.5 20635 20.73 21 0 826.5 20415 20.67 21 0 826.5 20415 20.67 21 0 827.5 20415 20.67 21 0 827.5 20415 20.67 21 0 827.5 20415 20.74 21 0 826.5 20415 20.74 21 0 826.5 20415 20.74 21 0 826.5 20415 20.74 21 0 826.5 20415 20.60 21 0 826.5 20415 20.60 21 0 826.5 20415 20.60 21 0 826.5 20415 20.60 21 0 827.5 20415 20.60 20.70 21 0 20.70 21 0 20.70 21 0 20.70 20.70 20.70 20.70 20.70 20.70 20.70 20.70 2					847.5	20635	20.67	21	0				
QPSK QPSK 0 847.5 20635 20.65 21 0 825.5 20415 20.66 21 0 847.5 20635 20.70 21 0 847.5 20635 20.70 21 0 847.5 20635 20.70 21 0 825.5 20415 20.67 21 0 825.5 20415 20.67 21 0 825.5 20415 20.67 21 0 825.5 20415 20.67 21 0 825.5 20415 20.74 21 0 825.5 20415 20.74 21 0 836.5 20525 20.60 21 0 847.5 20635 20.88 21 0 847.5 20635 20.88 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.81 21 0 847.5 20635 20.82 20.83 21 0 847.5 20635 20.86 20.86 2					825.5	20415	20.68	21	0				
QPSK QPSK				14	836.5	20525	20.67		0				
A RB O BASE BARB A BARB A BARB A BARB					847.5	20635	20.65	21	0				
8 RB			8 RB	0			20.66	21					
8 RB		QPSK			836.5	20525	20.70	21	0				
8 RB 4													
3 Section S				4			•						
15RB													
3 1 1 1 1 1 1 1 1 1													
15RB							20.74						
15RB 825.5 20415 20.63 21 0 836.5 20525 20.74 21 0 847.5 20635 20.81 21 0 825.5 20415 20.69 21 0 836.5 20525 20.39 21 0 847.5 20635 20.67 21 0 825.5 20415 20.49 21 0 825.5 20415 20.49 21 0 825.5 20415 20.49 21 0 825.5 20415 20.66 21 0 825.5 20415 20.66 21 0 825.5 20415 20.66 21 0 825.5 20415 20.66 21 0 825.5 20415 20.66 21 0 825.5 20415 20.50 21 0 826.5 20525 20.63 21 0 827.5 20635 20.50 21 0 827.5 20635 20.50 21 0 827.5 20635 20.50 21 0 828.5 20525 20.63 21 0 828.5 20635 20.50 21 0 828.5 20635 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.56 21 0 825.5 20415 20.56 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0				7									
15RB 836.5 20525 20.74 21 0 847.5 20635 20.81 21 0 825.5 20415 20.69 21 0 836.5 20525 20.39 21 0 847.5 20635 20.67 21 0 847.5 20635 20.67 21 0 847.5 20635 20.67 21 0 847.5 20635 20.50 21 0 847.5 20635 20.50 21 0 847.5 20635 20.56 21 0 847.5 20635 20.56 21 0 847.5 20635 20.52 20.63 21 0 847.5 20635 20.52 21 0 847.5 20635 20.52 21 0 847.5 20635 20.52 21 0 847.5 20635 20.50 21 0 847.5 20635 20.50 21 0 847.5 20635 20.50 21 0 847.5 20635 20.50 21 0 847.5 20635 20.50 21 0 847.5 20635 20.50 21 0 847.5 20635 20.50 21 0 847.5 20635 20.50 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.50 21 0 847.5 20635 20.50 21 0 847.5 20635 20.50 21 0 847.5 20635 20.50 21 0 847.5 20635 20.59 21 0													
3													
1 RB			15	RB									
16-QAM 1 RB 0 836.5 20525 20.39 21 0 847.5 20635 20.67 21 0 825.5 20415 20.49 21 0 836.5 20525 20.50 21 0 847.5 20635 20.56 21 0 825.5 20415 20.66 21 0 825.5 20415 20.66 21 0 825.5 20415 20.66 21 0 825.5 20415 20.66 21 0 825.5 20415 20.66 21 0 825.5 20415 20.66 21 0 825.5 20415 20.60 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.56 21 0 825.5 20415 20.56 21 0 825.5 20415 20.56 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.39 21 0	3			1			20.81						
1 RB 7 847.5 20635 20.67 21 0 825.5 20415 20.49 21 0 836.5 20525 20.50 21 0 847.5 20635 20.56 21 0 825.5 20415 20.66 21 0 825.5 20415 20.66 21 0 825.5 20415 20.66 21 0 847.5 20635 20.52 21 0 847.5 20635 20.52 21 0 847.5 20635 20.52 21 0 847.5 20635 20.52 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 825.5 20415 20.50 21 0 847.5 20635 20.59 21 0 825.5 20415 20.56 21 0 825.5 20415 20.56 21 0 825.5 20415 20.56 21 0 825.5 20415 20.56 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 0 847.5 20635 20.59 21 0 0 847.5 20635 20.59 21 0 0 0 0 0 0 0 0 0 0 0 0 0				0									
1 RB 7 825.5 20415 20.49 21 0 836.5 20525 20.50 21 0 825.5 20415 20.66 21 0 825.5 20415 20.66 21 0 825.5 20415 20.66 21 0 825.5 20415 20.63 21 0 825.5 20415 20.63 21 0 827.5 20635 20.52 21 0 827.5 20635 20.52 21 0 827.5 20635 20.50 21 0 827.5 20635 20.50 21 0 827.5 20635 20.50 21 0 827.5 20635 20.50 21 0 827.5 20635 20.59 21 0 827.5 20635 20.59 21 0 827.5 20635 20.56 21 0 827.5 20635 20.56 21 0 827.5 20635 20.56 21 0 827.5 20635 20.56 21 0 827.5 20635 20.57 21 0 827.5 20635 20.57 21 0 827.5 20635 20.57 21 0 827.5 20635 20.57 21 0 827.5 20635 20.57 21 0 827.5 20635 20.59 21 0 827.5 20635 20.59 21 0 827.5 20635 20.59 21 0 827.5 20635 20.59 21 0 827.5 20635 20.59 21 0 827.5 20635 20.59 21 0 20.50													
16-QAM 1 RB 7 836.5 20525 20.50 21 0 847.5 20635 20.56 21 0 825.5 20415 20.66 21 0 847.5 20635 20.50 21 0 825.5 20415 20.66 21 0 847.5 20635 20.52 21 0 847.5 20635 20.52 21 0 847.5 20635 20.50 21 0 847.5 20635 20.50 21 0 825.5 20415 20.50 21 0 847.5 20635 20.50 21 0 847.5 20635 20.59 21 0 825.5 20415 20.56 21 0 825.5 20415 20.56 21 0 825.5 20415 20.56 21 0 825.5 20415 20.56 21 0 847.5 20635 20.64 21 0 847.5 20635 20.64 21 0 847.5 20635 20.64 21 0 847.5 20635 20.64 21 0 847.5 20635 20.64 21 0 847.5 20635 20.69 21 0 847.5 20635 20.69 21 0 847.5 20635 20.69 21 0 847.5 20635 20.79 21 0 847.5 20635 20.79 21 0													
847.5 20635 20.56 21 0 825.5 20415 20.66 21 0 14 836.5 20525 20.63 21 0 847.5 20635 20.52 21 0 847.5 20635 20.52 21 0 825.5 20415 20.50 21 0 847.5 20635 20.52 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 825.5 20415 20.56 21 0 825.5 20415 20.56 21 0 847.5 20635 20.56 21 0 847.5 20635 20.64 21 0 847.5 20635 20.64 21 0 847.5 20635 20.57 21 0 847.5 20635 20.58 21 0 847.5 20635 20.58 21 0 847.5 20635 20.79 21 0			4.00	_					_				
16-QAM 18 RB 14 825.5 20415 20.66 21 0 836.5 20525 20.63 21 0 847.5 20635 20.52 21 0 825.5 20415 20.50 21 0 836.5 20525 20.47 21 0 847.5 20635 20.59 21 0 825.5 20415 20.56 21 0 847.5 20635 20.56 21 0 847.5 20635 20.56 21 0 847.5 20635 20.56 21 0 847.5 20635 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.58 21 0 847.5 20635 20.58 21 0 847.5 20635 20.79 21 0			1 RB	/									
14 836.5 20525 20.63 21 0 847.5 20635 20.52 21 0 825.5 20415 20.50 21 0 847.5 20635 20.52 21 0 836.5 20525 20.47 21 0 847.5 20635 20.59 21 0 825.5 20415 20.56 21 0 847.5 20635 20.56 21 0 847.5 20635 20.64 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.58 21 0 825.5 20415 20.58 21 0 825.5 20415 20.58 21 0 825.5 20635 20.79 21 0													
847.5 20635 20.52 21 0 825.5 20415 20.50 21 0 836.5 20525 20.47 21 0 847.5 20635 20.59 21 0 847.5 20635 20.59 21 0 825.5 20415 20.56 21 0 847.5 20635 20.56 21 0 847.5 20635 20.64 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.58 21 0 825.5 20415 20.58 21 0 825.5 20635 20.69 21 0													
16-QAM 0 825.5 20415 20.50 21 0 836.5 20525 20.47 21 0 847.5 20635 20.59 21 0 825.5 20415 20.56 21 0 825.5 20415 20.56 21 0 825.5 20415 20.56 21 0 847.5 20635 20.56 21 0 847.5 20635 20.64 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 825.5 20415 20.59 21 0 0 0 0 0 0 0 0 0 0 0 0 0				14									
16-QAM 8 RB 0 8 36.5 20525 20.47 21 0 847.5 20635 20.59 21 0 825.5 20415 20.56 21 0 847.5 20635 20.56 21 0 847.5 20635 20.64 21 0 825.5 20415 20.57 21 0 825.5 20415 20.57 21 0 847.5 20635 20.58 21 0 825.5 20415 20.57 21 0 825.5 20415 20.58 21 0 825.5 20415 20.59 21 0									_				
8 RB 4 836.5 20525 20.56 21 0 8 25.5 20415 20.56 21 0 8 36.5 20525 20.56 21 0 8 47.5 20635 20.64 21 0 8 25.5 20415 20.57 21 0 7 836.5 20525 20.58 21 0 8 47.5 20635 20.79 21 0 8 25.5 20415 20.39 21 0		16 0 11											
8 RB 4 825.5 20415 20.56 21 0 8 36.5 20525 20.56 21 0 8 47.5 20635 20.64 21 0 8 25.5 20415 20.57 21 0 7 836.5 20525 20.58 21 0 8 47.5 20635 20.79 21 0 8 25.5 20415 20.39 21 0		10-QAIVI		l									
8 RB 4 836.5 20525 20.56 21 0 847.5 20635 20.64 21 0 825.5 20415 20.57 21 0 7 836.5 20525 20.58 21 0 847.5 20635 20.79 21 0 825.5 20415 20.39 21 0							•						
847.5 20635 20.64 21 0 825.5 20415 20.57 21 0 7 836.5 20525 20.58 21 0 847.5 20635 20.79 21 0 825.5 20415 20.39 21 0			0 DD	1			•						
825.5 20415 20.57 21 0 836.5 20525 20.58 21 0 847.5 20635 20.79 21 0 825.5 20415 20.39 21 0			OND	"									
7 836.5 20525 20.58 21 0 847.5 20635 20.79 21 0 825.5 20415 20.39 21 0													
847.5 20635 20.79 21 0 825.5 20415 20.39 21 0				7									
825.5 20415 20.39 21 0				'									
1910 630.3 20323 20.40 21 0			1500										
847.5 20635 20.60 21 0			15RB			•							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 81 of 608

			FDD Bar	nd 5 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				825.5	20415	20.78	21	0
			0	836.5	20525	20.47	21	0
		1 RB		847.5	20635	20.67	21	0
			7	825.5	20415	20.42	21	0
				836.5	20525	20.51	21	0
				847.5	20635	20.61	21	0
			14	825.5	20415	20.61	21	0
				836.5	20525	20.53	21	0
				847.5	20635	20.48	21	0
			0	825.5	20415	20.41	21	0
3	64-QAM			836.5	20525	20.45	21	0
				847.5	20635	20.62	21	0
				825.5	20415	20.60	21	0
		8 RB	4	836.5	20525	20.58	21	0
				847.5	20635	20.47	21	0
				825.5	20415	20.45	21	0
			7	836.5	20525	20.61	21	0
				847.5	20635	20.61	21	0
				825.5	20415	20.42	21	0
			RB	836.5	20525	20.62	21	0
			847.5	20635	20.67	21	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 82 of 608

	FDD Band 5 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				824.7	20407	20.93	21	0				
			0	836.5	20525	20.55	21	0				
				848.3	20643	20.84	21	0				
				824.7	20407	20.57	21	0				
		1 RB	2	836.5	20525	20.70	21	0				
				848.3	20643	20.66	21	0				
				824.7	20407	20.73	21	0				
			5	836.5	20525	20.79	21	0				
				848.3	20643	20.67	21	0				
			0	824.7	20407	20.55	21	0				
	QPSK			836.5	20525	20.70	21	0				
				848.3	20643	20.75	21	0				
		3 RB	2	824.7	20407	20.61	21	0				
				836.5	20525	20.78	21	0				
				848.3	20643	20.80	21	0				
				824.7	20407	20.77	21	0				
			3	836.5	20525	20.57	21	0				
				848.3	20643	20.71	21	0				
				824.7	20407	20.62	21	0				
		6F	RB	836.5	20525	20.72	21	0				
1.4				848.3	20643	20.72	21	0				
			0	824.7	20407	20.69	21	0				
				836.5	20525	20.35	21	0				
				848.3	20643	20.59	21	0				
				824.7	20407	20.50	21	0				
		1 RB	2	836.5	20525	20.50	21	0				
				848.3	20643	20.57	21	0				
				824.7	20407	20.58	21	0				
			5	836.5	20525	20.74	21	0				
				848.3	20643	20.52	21	0				
			_	824.7	20407	20.52	21	0				
	16-QAM		0	836.5	20525	20.40	21	0				
				848.3	20643	20.75	21	0				
				824.7	20407	20.63	21	0				
		3 RB	2	836.5	20525	20.55	21	0				
				848.3	20643	20.61	21	0				
				824.7	20407	20.48	21	0				
			3	836.5	20525	20.62	21	0				
				848.3	20643	20.70	21	0				
	6RB			824.7	20407	20.39	21	0				
		KR	836.5	20525	20.46	21	0					
			(1)	848.3	20643	20.69	21	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 83 of 608

			FDD Bai	nd 5 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				824.7	20407	20.65	21	0
			0	836.5	20525	20.51	21	0
				848.3	20643	20.63	21	0
			2	824.7	20407	20.53	21	0
		1 RB		836.5	20525	20.58	21	0
				848.3	20643	20.70	21	0
			5	824.7	20407	20.57	21	0
				836.5	20525	20.51	21	0
				848.3	20643	20.39	21	0
			0	824.7	20407	20.47	21	0
1.4	64-QAM			836.5	20525	20.52	21	0
				848.3	20643	20.51	21	0
				824.7	20407	20.43	21	0
		3 RB	2	836.5	20525	20.49	21	0
				848.3	20643	20.48	21	0
				824.7	20407	20.45	21	0
			3	836.5	20525	20.62	21	0
				848.3	20643	20.65	21	0
				824.7	20407	20.52	21	0
		6F	RB	836.5	20525	20.68	21	0
				848.3	20643	20.67	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 84 of 608

	FDD Band 7 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				2510	20850	23.70	24	0				
			0	2535	21100	24.00	24	0				
				2560	21350	23.88	24	0				
				2510	20850	23.40	24	0				
		1 RB	50	2535	21100	23.74	24	0				
				2560	21350	23.86	24	0				
				2510	20850	23.44	24	0				
			99	2535	21100	23.90	24	0				
				2560	21350	23.97	24	0				
			0	2510	20850	22.18	23	0-1				
	QPSK	PSK 50 RB		2535	21100	22.62	23	0-1				
				2560	21350	22.92	23	0-1				
			0.5	2510	20850	22.38	23	0-1				
			25	2535	21100	22.77	23	0-1				
				2560	21350	22.90	23	0-1				
				2510	20850	22.53	23	0-1				
			50	2535	21100	22.94	23	0-1				
				2560	21350	22.79	23	0-1				
				2510	20850	22.40	23	0-1				
		100	ORB	2535	21100	22.80	23	0-1				
20				2560	21350	22.95	23	0-1				
			0	2510	20850	22.40	23	0-1				
				2535	21100	22.88	23	0-1				
				2560	21350	22.97	23	0-1				
				2510	20850	22.71	23	0-1				
		1 RB	50	2535	21100	22.90	23	0-1				
				2560	21350	22.98	23	0-1				
				2510	20850	22.93	23	0-1				
			99	2535	21100	22.95	23	0-1				
				2560	21350	22.96	23	0-1				
	40.000			2510	20850	21.26	22	0-2				
	16-QAM		0	2535	21100	21.72	22	0-2				
				2560	21350	21.99	22	0-2				
		50 DD	0.5	2510	20850	21.49	22	0-2				
		50 RB	25	2535	21100	21.82	22	0-2				
				2560	21350	21.98	22	0-2				
			F^	2510	20850	21.62	22	0-2				
			50	2535	21100	21.98	22	0-2				
Ì				2560	21350	21.91	22	0-2				
				2510	20850	21.48	22	0-2				
	100R	אא	2535	21100	21.86	22	0-2					
				2560	21350	21.89	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 85 of 608

			FDD	Band 7 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2510	20850	21.38	22	0-2
			0	2535	21100	21.85	22	0-2
				2560	21350	21.96	22	0-2
				2510	20850	21.67	22	0-2
		1 RB	50	2535	21100	21.85	22	0-2
				2560	21350	21.93	22	0-2
				2510	20850	21.83	22	0-2
			99	2535	21100	21.86	22	0-2
				2560	21350	21.96	22	0-2
				2510	20850	20.16	21	0-3
20	64-QAM		0	2535	21100	20.69	21	0-3
				2560	21350	20.97	21	0-3
				2510	20850	20.44	21	0-3
		50 RB	25	2535	21100	20.76	21	0-3
				2560	21350	20.94	21	0-3
				2510	20850	20.59	21	0-3
			50	2535	21100	20.97	21	0-3
				2560	21350	20.87	21	0-3
				2510	20850	20.48	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
		100)RB	2535	21100	20.81	21	0-3
				2560	21350	20.84	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 86 of 608

	FDD Band 7 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				2507.5	20825	23.27	24	0				
			0	2535	21100	23.74	24	0				
				2562.5	21375	23.86	24	0				
				2507.5	20825	23.28	24	0				
		1 RB	36	2535	21100	23.62	24	0				
				2562.5	21375	23.68	24	0				
				2507.5	20825	23.53	24	0				
			74	2535	21100	23.85	24	0				
				2562.5	21375	23.68	24	0				
				2507.5	20825	22.14	23	0-1				
	QPSK		0	2535	21100	22.45	23	0-1				
				2562.5	21375	22.87	23	0-1				
				2507.5	20825	22.23	23	0-1				
		36 RB	18	2535	21100	22.58	23	0-1				
				2562.5	21375	22.88	23	0-1				
				2507.5	20825	22.44	23	0-1				
			37	2535	21100	22.87	23	0-1				
				2562.5	21375	22.71	23	0-1				
				2507.5	20825	22.24	23	0-1				
		75	RB	2535	21100	22.73	23	0-1				
15				2562.5	21375	22.77	23	0-1 0-1 0-1 0-1				
10				2507.5	20825	22.36	23	0-1				
			0	2535	21100	22.84	23	0-1				
				2562.5	21375	22.79	23	0-1				
				2507.5	20825	22.68	23	0-1				
		1 RB	36	2535	21100	22.83	23	0-1				
				2562.5	21375	22.87	23	0-1				
				2507.5	20825	22.80	23	0-1				
1			74	2535	21100	22.83	23	0-1				
				2562.5	21375	22.85	23	0-1				
			_	2507.5	20825	21.05	22					
	16-QAM		0	2535	21100	21.54	22	0-2				
				2562.5	21375	21.84	22	0-2				
				2507.5	20825	21.44	22	0-2				
		36 RB	18	2535	21100	21.77	22	0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-1 0-1 0-1				
				2562.5	21375	21.85	22					
				2507.5	20825	21.41	22	0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1				
			37	2535	21100	21.88	22					
				2562.5	21375	21.72	22					
			DD	2507.5	20825	21.41	22					
	75	KR	2535	21100	21.67	22						
				2562.5	21375	21.70	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 87 of 608

			FDD	Band 7 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2507.5	20825	21.30	22	0-2
			0	2535	21100	21.75	22	0-2
				2562.5	21375	21.76	22	0-2
			2507.5	20825	21.68	22	0-2	
		1 RB	36	2535	21100	21.77	22	0-2
				2562.5	21375	21.87	22	0-2
				2507.5	20825	21.78	22	0-2
			74	2535	21100	21.78	22	0-2
				2562.5	21375	21.77	22	0-2
				2507.5	20825	20.04	21	0-3
15	64-QAM		0	2535	21100	20.54	21	0-3
				2562.5	21375	20.74	21	0-3
				2507.5	20825	20.39	21	0-3
		36 RB	18	2535	21100	20.69	21	0-3
				2562.5	21375	20.75	21	0-3
				2507.5	20825	20.31	21	0-3
			37	2535	21100	20.85	21	0-3
				2562.5	21375	20.64	21	0-3
		•		2507.5	20825	20.39	21	0-3
		75	RB	2535	21100	20.57	21	0-3
			2562.5	21375	20.67	21	0-3	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 88 of 608

FDD Band 7 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				2505	20800	23.13	24	0			
			0	2535	21100	23.71	24	0			
				2565	21400	23.68	24	0			
				2505	20800	23.10	24	0			
		1 RB	25	2535	21100	23.51	24	0			
				2565	21400	23.64	24	0			
				2505	20800	23.44	24	0			
			49	2535	21100	23.78	24	0			
				2565	21400	23.57	24	0			
				2505	20800	22.08	23	0-1			
	QPSK		0	2535	21100	22.40	23	0-1			
				2565	21400	22.77	23	0-1			
				2505	20800	22.21	23	0-1			
		25 RB	12	2535	21100	22.53	23	0-1			
				2565	21400	22.70	23	0-1			
				2505	20800	22.42	23	0-1			
			25	2535	21100	22.83	23	0-1			
				2565	21400	22.55	23	0-1			
				2505	20800	22.19	23	0-1			
		50	RB	2535	21100	22.54	23	0-1			
10				2565	21400	22.64	23	0-1			
10				2505	20800	22.20	23	0-1			
			0	2535	21100	22.69	23	0-1			
				2565	21400	22.66	23	0-1			
				2505	20800	22.62	23	0-1			
		1 RB	25	2535	21100	22.81	23	0-1			
				2565	21400	22.66	23	0-1			
				2505	20800	22.61	23	0-1			
			49	2535	21100	22.76	23	0-1			
				2565	21400	22.67	23	0-1			
				2505	20800	20.91	22	0-2			
	16-QAM		0	2535	21100	21.37	22	0-2			
				2565	21400	21.74	22	0-2			
				2505	20800	21.24	22	0-2			
		25 RB	12	2535	21100	21.61	22	0-2			
				2565	21400	21.66	22	0-2			
				2505	20800	21.38	22	0-2			
			25	2535	21100	21.71	22	0-2			
				2565	21400	21.65	22	0-2			
				2505	20800	21.33	22	0-2			
		50RB		2535	21100	21.56	22	0-2			
				2565	21400	21.57	22	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 89 of 608

			FDD	Band 7 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2505	20800	21.19	22	0-2
			0	2535	21100	21.69	22	0-2
				2565	21400	21.62	22	0-2
				2505	20800	21.60	22	0-2
		1 RB	25	2535	21100	21.76	22	0-2
				2565	21400	21.63	22	0-2
				2505	20800	21.54	22	0-2
			49	2535	21100	21.76	22	0-2
				2565	21400	21.60	22	0-2
				2505	20800	20.55	21	0-3
10	64-QAM		0	2535	21100	20.29	21	0-3
				2565	21400	20.74	21	0-3
				2505	20800	20.24	21	0-3
		25 RB	12	2535	21100	20.59	21	0-3
				2565	21400	20.58	21	0-3
				2505	20800	20.37	21	0-3
			25	2535	21100	20.69	21	0-3
				2565	21400	20.62	21	0-3
				2505	20800	20.32	21	0-3
		50	RB	2535	21100	20.56	21	0-3
				2565	21400	20.51	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 90 of 608

	FDD Band 7 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				2502.5	20775	23.31	24	0				
			0	2535	21100	23.80	24	0				
				2567.5	21425	23.84	24	0				
				2502.5	20775	23.42	24	0				
		1 RB	12	2535	21100	23.87	24	0				
				2567.5	21425	23.91	24	0				
				2502.5	20775	23.47	24	0				
			24	2535	21100	23.90	24	0				
				2567.5	21425	23.99	24	0				
				2502.5	20775	22.19	23	0-1				
	QPSK		0	2535	21100	22.78	23	0-1				
				2567.5	21425	22.76	23	0-1				
				2502.5	20775	22.28	23	0-1				
		12 RB	6	2535	21100	22.80	23	0-1				
				2567.5	21425	22.78	23	0-1				
				2502.5	20775	22.31	23	0-1				
			13	2535	21100	22.82	23	0-1				
				2567.5	21425	22.78	23	0-1				
				2502.5	20775	22.30	23	0-1				
		25	RB	2535	21100	22.81	23	0-1				
5				2567.5	21425	22.80	23	0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-1 0-1 0-				
				2502.5	20775	22.69	23	0-1				
			0	2535	21100	22.88	23	0-1				
				2567.5	21425	22.82	23	0-1				
				2502.5	20775	22.44	23	0-1				
		1 RB	12	2535	21100	22.85	23	0-1				
				2567.5	21425	22.93	23					
				2502.5	20775	22.51	23					
			24	2535	21100	22.99	23					
				2567.5	21425	22.95	23					
				2502.5	20775	21.23	22					
	16-QAM		0	2535	21100	21.77	22					
				2567.5	21425	21.82	22					
			_	2502.5	20775	21.28	22					
		12 RB	6	2535	21100	21.80	22	0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-				
				2567.5	21425	21.84	22					
				2502.5	20775	21.29	22					
			13	2535	21100	21.82	22					
	-			2567.5	21425	21.82	22					
				2502.5	20775	21.25	22					
		25RI	KB	2535	21100	21.78	22					
				2567.5	21425	21.82	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 91 of 608

			FDD	Band 7 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2502.5	20775	21.64	22	0-2
			0	2535	21100	21.83	22	0-2
				2567.5	21425	21.79	22	0-2
				2502.5	20775	21.37	22	0-2
		1 RB	12	2535	21100	21.81	22	0-2
				2567.5	21425	21.90	22	0-2
				2502.5	20775	21.45	22	0-2
			24	2535	21100	21.93	22	0-2
				2567.5	21425	21.90	22	0-2
				2502.5	20775	20.22	21	0-3
5	64-QAM		0	2535	21100	20.69	21	0-3
				2567.5	21425	20.80	21	0-3
				2502.5	20775	20.25	21	0-3
		12 RB	6	2535	21100	20.73	21	0-3
				2567.5	21425	20.84	21	0-3
				2502.5	20775	20.26	21	0-3
			13	2535	21100	20.80	21	0-3
				2567.5	21425	20.73	21	0-3
				2502.5	20775	20.23	21	0-3
		25	RB	2535	21100	20.73	21	0-3
				2567.5	21425	20.73	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 92 of 608

	FDD Band 7 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				2510	20850	20.43	20.5	0				
			0	2535	21100	20.49	20.5	0				
				2560	21350	20.27	20.5	0				
				2510	20850	19.82	20.5	0				
		1 RB	50	2535	21100	20.11	20.5	0				
				2560	21350	20.36	20.5	0				
				2510	20850	19.98	20.5	0				
			99	2535	21100	19.97	20.5	0				
				2560	21350	20.37	20.5	0				
				2510	20850	19.53	20.5	0				
	QPSK		0	2535	21100	20.01	20.5	0				
				2560	21350	20.32	20.5	0				
				2510	20850	19.79	20.5	0				
		50 RB	25	2535	21100	20.13	20.5	0				
				2560	21350	20.30	20.5	0				
				2510	20850	19.93	20.5	0				
			50	2535	21100	20.33	20.5	0				
				2560	21350	20.22	20.5	0				
				2510	20850	19.81	20.5	0				
		100)RB	2535	21100	20.18	20.5	0				
20				2560	21350	20.36	20.5	0				
20				2510	20850	20.37	20.5	0				
			0	2535	21100	20.43	20.5	0				
				2560	21350	20.05	20.5	0				
				2510	20850	19.77	20.5	0				
		1 RB	50	2535	21100	19.93	20.5	0				
				2560	21350	20.20	20.5	0				
				2510	20850	19.91	20.5	0				
			99	2535	21100	19.86	20.5	0				
				2560	21350	20.34	20.5	0				
				2510	20850	19.33	20.5	0				
	16-QAM		0	2535	21100	19.90	20.5	0				
				2560	21350	20.10	20.5	0				
				2510	20850	19.67	20.5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		50 RB	25	2535	21100	19.92	20.5					
				2560	21350	20.12	20.5					
				2510	20850	19.77	20.5	0 0 0 0 0 0 0				
			50	2535	21100	20.11	20.5	0				
				2560	21350	20.10	20.5					
				2510	20850	19.61	20.5					
	100	100RB		2535	21100	20.12	20.5					
			2560	21350	20.26	20.5	0					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 93 of 608

			FDD Bai	nd 7 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2510	20850	20.24	20.5	0
			0	2535	21100	20.27	20.5	0
				2560	21350	20.07	20.5	0
				2510	20850	19.63	20.5	0
		1 RB	50	2535	21100	19.90	20.5	0
				2560	21350	20.23	20.5	0
				2510	20850	19.89	20.5	0
			99	2535	21100	19.86	20.5	0
				2560	21350	20.20	20.5	0
				2510	20850	19.37	20.5	0
20	64-QAM		0	2535	21100	19.95	20.5	0
				2560	21350	20.22	20.5	0
				2510	20850	19.60	20.5	0
		50 RB	25	2535	21100	19.95	20.5	0
				2560	21350	20.16	20.5	0
				2510	20850	19.74	20.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
			50	2535	21100	20.22	20.5	0
				2560	21350	20.18	20.5	0
				2510	20850	19.64	20.5	0
		100RB		2535	21100	20.03	20.5	0
				2560	21350	20.21	20.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 94 of 608

	FDD Band 7 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				2507.5	20825	20.21	20.5	0				
			0	2535	21100	20.32	20.5	0				
				2562.5	21375	20.20	20.5	0				
				2507.5	20825	19.72	20.5	0				
		1 RB	36	2535	21100	19.89	20.5	0				
				2562.5	21375	20.20	20.5	0				
				2507.5	20825	19.79	20.5	0				
			74	2535	21100	19.85	20.5	0				
				2562.5	21375	20.28	20.5	0				
				2507.5	20825	19.33	20.5	0				
	QPSK		0	2535	21100	19.79	20.5	0				
				2562.5	21375	20.29	20.5	0				
				2507.5	20825	19.69	20.5	0				
		36 RB	18	2535	21100	19.97	20.5	0				
				2562.5	21375	20.26	20.5	0				
				2507.5	20825	19.89	20.5					
			37	2535	21100	20.21	20.5					
				2562.5	21375	20.15	20.5	_				
				2507.5	20825	19.62	20.5	0				
		75	RB	2535	21100	19.96	20.5					
15			T	2562.5	21375	20.17	20.5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				2507.5	20825	20.27	20.5					
			0	2535	21100	20.28	20.5					
				2562.5	21375	19.85	20.5					
				2507.5	20825	19.73	20.5					
		1 RB	36	2535	21100	19.76	20.5					
				2562.5	21375	20.17	20.5					
				2507.5	20825	19.83	20.5					
			74	2535	21100	19.81	20.5					
				2562.5	21375	20.17	20.5					
	46.044		_	2507.5	20825	19.28	20.5					
	16-QAM		0	2535	21100	19.86	20.5					
				2562.5	21375	20.04	20.5					
		26 DD	10	2507.5	20825	19.62	20.5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		36 RB	18	2535	21100	19.87	20.5					
				2562.5	21375	20.05	20.5					
			37	2507.5	20825	19.61	20.5					
			3/	2535	21100	19.97	20.5					
				2562.5	21375	20.04	20.5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		75	RB	2507.5	20825 21100	19.47	20.5					
		/5	מאו	2535		19.95	20.5					
			2562.5	21375	20.11	20.5	Ü					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 95 of 608

			FDD Bar	nd 7 (Reducted	d Power)						
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				2507.5	20825	20.21	20.5	0			
			0	2535	21100	20.09	20.5	0			
				2562.5	21375	20.00	20.5	0			
				2507.5	20825	19.41	20.5	0			
		1 RB	36	2535	21100	19.82	20.5	0			
				2562.5	21375	20.15	20.5	0			
				2507.5	20825	19.79	20.5	0			
			74	2535	21100	19.74	20.5	0			
				2562.5	21375	20.00	20.5	0			
				2507.5	20825	19.23	20.5	0			
15	64-QAM		0	2535	21100	19.82	20.5	0			
				2562.5	21375	20.10	20.5	0			
				2507.5	20825	19.52	20.5	0			
		36 RB	18	2535	21100	19.81	Power + Max. Tolerance (dBm)	0			
				2562.5	21375	19.97	20.5	0			
				2507.5	20825	19.55	20.5	0			
			37	2535	21100	20.00	20.5	0			
				2562.5	21375	19.97	20.5	0			
				2507.5	20825	19.53	20.5	0			
		75	RB	2535	21100	19.95	20.5	0			
							2562.5	21375	20.10	20.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 96 of 608

	FDD Band 7 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				2505	20800	20.34	20.5	0				
			0	2535	21100	20.38	20.5	0				
				2565	21400	20.19	20.5	0				
				2505	20800	19.70	20.5	0				
		1 RB	25	2535	21100	20.04	20.5	0				
				2565	21400	20.30	20.5	0				
				2505	20800	19.81	20.5	0				
			49	2535	21100	19.94	20.5	0				
				2565	21400	20.32	20.5	0				
				2505	20800	19.44	20.5	0				
	QPSK		0	2535	21100	19.80	20.5	0				
				2565	21400	20.20	20.5	0				
				2505	20800	19.62	20.5	0				
		25 RB	12	2535	21100	20.09	20.5	0				
				2565	21400	20.12	20.5	0				
				2505	20800	19.72	20.5	0				
			25	2535	21100	20.24	20.5	0				
				2565	21400	20.13	20.5	0				
				2505	20800	19.65	20.5	0				
		50	RB	2535	21100	20.04	20.5	0				
10				2565	21400	20.26	20.5	0				
. •				2505	20800	20.28	20.5	0				
			0	2535	21100	20.32	20.5	0				
				2565	21400	19.87	20.5	0				
				2505	20800	19.67	20.5	0				
		1 RB	25	2535	21100	19.71	20.5	0				
				2565	21400	20.12	20.5	0				
				2505	20800	19.78	20.5					
			49	2535	21100	19.82	20.5					
				2565	21400	20.14	20.5					
			_	2505	20800	19.19	20.5	0				
	16-QAM		0	2535	21100	19.78	20.5					
				2565	21400	20.01	20.5	0				
				2505	20800	19.47	20.5	3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		25 RB	12	2535	21100	19.87	20.5					
				2565	21400	19.95	20.5					
				2505	20800	19.68	20.5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
			25	2535	21100	20.02	20.5					
				2565	21400	20.07	20.5					
				2505	20800	19.45	20.5					
		50RB	KB	2535	21100	20.07	20.5					
				2565	21400	20.08	20.5	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 97 of 608

			FDD Bar	nd 7 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2505	20800	20.18	20.5	0
			0	2535	21100	20.16	20.5	0
				2565	21400	19.95	20.5	0
				2505	20800	19.46	20.5	0
		1 RB	25	2535	21100	19.76	20.5	0
				2565	21400	20.14	20.5	0
				2505	20800	19.75	20.5	0
			49	2535	21100	19.82	20.5	0
				2565	21400	19.99	20.5	0
				2505	20800	19.24	20.5	0
10	64-QAM		0	2535	21100	19.77	20.5	0
				2565	21400	20.05	20.5	0
				2505	20800	19.53	20.5	0
		25 RB	12	2535	21100	19.75	20.5	0
				2565	21400	20.05	20.5	0
				2505	20800	19.53	20.5	0
			25	2535	21100	20.03	20.5	0
				2565	21400	20.09	20.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				2505	20800	19.60	20.5	0
		50	RB	2535	21100	19.98	20.5	0
				2565	21400	19.99	20.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 98 of 608

	FDD Band 7 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				2502.5	20775	20.31	20.5	0				
			0	2535	21100	20.35	20.5	0				
				2567.5	21425	20.13	20.5	0				
				2502.5	20775	19.77	20.5	0				
		1 RB	12	2535	21100	19.89	20.5	0				
				2567.5	21425	20.17	20.5	0				
				2502.5	20775	19.95	20.5	0				
			24	2535	21100	19.78	20.5	0				
				2567.5	21425	20.15	20.5	0				
				2502.5	20775	19.38	20.5	0				
	QPSK		0	2535	21100	19.86	20.5	0				
				2567.5	21425	20.21	20.5	0				
				2502.5	20775	19.72	20.5	0				
		12 RB	6	2535	21100	19.98	20.5	0				
				2567.5	21425	20.15	20.5	0				
				2502.5	20775	19.87	20.5	0				
			13	2535	21100	20.15	20.5	0				
				2567.5	21425	20.17	20.5	0				
				2502.5	20775	19.62	20.5	0				
		25	RB	2535	21100	20.15	20.5	0				
5				2567.5	21425	20.29	20.5	0 0 0 0 0 0 0 0 0				
3			2502.5 20775 20.32 20.5	0								
			0	2535	21100	20.23	20.5	0				
				2567.5	21425	20.01	20.5	0				
				2502.5	20775	19.57	20.5	0				
		1 RB	12	2535	21100	19.83	20.5	0				
				2567.5	21425	20.03	20.5	0				
				2502.5	20775	19.82	20.5	0				
			24	2535	21100	19.75	20.5	0				
				2567.5	21425	20.15	20.5	0				
				2502.5	20775	19.11	20.5	0				
	16-QAM		0	2535	21100	19.87	20.5	0				
				2567.5	21425	20.05	20.5	0				
				2502.5	20775	19.49	20.5	0				
		12 RB	6	2535	21100	19.83	20.5	0				
				2567.5	21425	19.91	20.5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				2502.5	20775	19.58	20.5					
			13	2535	21100	19.92	20.5	0				
				2567.5	21425	20.02	20.5					
İ				2502.5	20775	19.51	20.5	0				
	25RE		RB	2535	21100	19.91	20.5					
	1			2567.5	21425	20.07	20.5	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 99 of 608

			FDD Bar	nd 7 (Reducted	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2502.5	20775	20.06	20.5	0
			0	2535	21100	20.24	20.5	0
				2567.5	21425	19.88	20.5	0
				2502.5	20775	19.42	20.5	0
		1 RB	12	2535	21100	19.76	20.5	0
				2567.5	21425	20.06	20.5	0
				2502.5	20775	19.69	20.5	0
			24	2535	21100	19.71	20.5	0
				2567.5	21425	20.01	20.5	0
				2502.5	20775	19.16	20.5	0
5	64-QAM		0	2535	21100	19.73	20.5	0
				2567.5	21425	20.05	20.5	0
				2502.5	20775	19.41	20.5	0
		12 RB	6	2535	21100	19.87	20.5	0
				2567.5	21425	20.12	20.5	0
				2502.5	20775	19.62	20.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
			13	2535	21100	20.02	20.5	
				2567.5	21425	20.14	20.5	
				2502.5	20775	19.57	20.5	0
		25	RB	2535	21100	19.83	20.5	Max. Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O O
			2567.5	21425	20.11	20.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 100 of 608

	FDD Band 12 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				704	23060	23.22	24	0				
			0	707.5	23095	23.28	24	0				
				711	23130	23.39	24	0				
				704	23060	23.11	24	0				
		1 RB	25	707.5	23095	23.18	24	0				
				711	23130	23.20	24	0				
				704	23060	22.81	24	0				
			49	707.5	23095	23.01	24	0				
				711	23130	23.14	24	0				
				704	23060	22.00	23	0-1				
	QPSK		0	707.5	23095	21.98	23	0-1				
				711	23130	22.03	23	0-1				
				704	23060	22.10	23	0-1				
		25 RB	12	707.5	23095	22.16	23	0-1				
				711	23130	22.16	23	0-1				
				704	23060	22.24	23	0-1				
			25	707.5	23095	22.17	23	0-1				
				711	23130	22.28	23	0-1				
				704	23060	22.06	23	0-1				
		50	RB	707.5	23095	22.16	23	0-1				
10			T	711	23130	22.22	23	0-1				
				704	23060	22.05	23	_				
			0	707.5	23095	22.35	23					
				711	23130	22.39	23	_				
				704	23060	22.40	23	0-1				
		1 RB	25	707.5	23095	22.46	23	0-1				
				711	23130	22.51	23	0-1				
			4.5	704	23060	22.51	23					
			49	707.5	23095	22.59	23					
				711	23130	22.57	23					
	40.0			704	23060	21.06	22					
	16-QAM		0	707.5	23095	21.05	22					
				711	23130	21.15	22					
		05.55	40	704	23060	21.17	22	0-2				
		25 RB	12	707.5	23095	21.29	22	0 0 0 0 0 0 0-1 0-1 0-1 0-1 0-1 0-1 0-1				
				711	23130	21.28	22					
				704	23060	21.35	22					
			25	707.5	23095	21.30	22					
				711	23130	21.38	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1				
				704	23060	21.13	22					
	50F	KB	707.5	23095	21.21	22						
				711	23130	21.29	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 101 of 608

			FDD E	Band 12 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				704	23060	21.00	22	0-2
			0	707.5	23095	21.27	22	0-2
				711	23130	21.37	22	0-2
				704	23060	21.33	22	0-2
		1 RB	25	707.5	23095	21.41	22	0-2
				711	23130	21.44	22	0-2
				704	23060	21.48	22	0-2
			49	707.5	23095	21.59	22	0-2
				711	23130	21.47	22	0-2
				704	23060	19.98	21	0-3
10	64-QAM		0	707.5	23095	20.02	21	0-3
				711	23130	20.05	21	0-3
				704	23060	20.10	21	0-3
		25 RB	12	707.5	23095	20.21	21	0-3
				711	23130	20.26	21	0-3
				704	23060	20.27	21	0-3
			25	707.5	23095	20.21	21	r + Max. Prance Bm) Allowed per 3GPP(dB) 22
				711	23130	20.36	21	
				704	23060	20.04	21	
		50	RB	707.5	23095	20.17	21	0-3
				711	23130	20.28	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 102 of 608

	FDD Band 12 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				701.5	23035	22.79	24	0				
			0	707.5	23095	22.99	24	0				
				713.5	23155	23.08	24	0				
				701.5	23035	22.90	24	0				
		1 RB	12	707.5	23095	23.06	24	0				
				713.5	23155	23.06	24	0				
				701.5	23035	23.19	24	0				
			24	707.5	23095	23.11	24	0				
				713.5	23155	23.19	24	0				
				701.5	23035	21.90	23	0-1				
	QPSK		0	707.5	23095	21.95	23	0-1				
				713.5	23155	21.93	23	0-1				
				701.5	23035	22.08	23	0-1				
		12 RB	6	707.5	23095	22.08	23	Max. Allowed per 3GPP(dB) O				
				713.5	23155	22.07	23					
				701.5	23035	22.09	23					
			13	707.5	23095	22.00	23	_				
				713.5	23155	22.20	23	0-1				
				701.5	23035	21.92	23	0-1				
		25	RB	707.5	23095	21.99	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-				
5			ī	713.5	23155	22.12	23	_				
			701.5 23035 21.99 23 0 707.5 23095 22.30 23	-	_							
			0	707.5	23095	22.30	23					
				713.5	23155	22.34	23	_				
		4.00	40	701.5	23035	22.25	23					
		1 RB	12	707.5	23095	22.35	23	_				
				713.5	23155	22.39	23					
			0.4	701.5	23035	22.42	23					
			24	707.5	23095	22.38	23					
				713.5 701.5	23155	22.50	23					
	16-QAM		0		23035	21.04	22					
	10-QAW		U	707.5	23095	20.95	22					
				713.5	23155	21.08	22					
		12 RB	6	701.5	23035	21.15	22					
		IZ ND	O	707.5 713.5	23095 23155	21.13	22 22					
						21.09		0 0 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1				
			13	701.5 707.5	23035 23095	21.33	22 22					
			13			21.27 21.22						
				713.5 701.5	23155 23035	20.97	22 22					
	25R	25	RR	701.5	23095	21.13	22					
		ייי	707.5	23155	21.13	22						
			25RB		1 13.5	Z3 133	Z1.Z4	22	∪-∠			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 103 of 608

			FDD E	Band 12 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				701.5	23035	20.92	22	0-2
			0	707.5	23095	21.25	22	0-2
				713.5	23155	21.24	22	0-2
				701.5	23035	21.21	22	0-2
		1 RB	12	707.5	23095	21.30	22	0-2
				713.5	23155	21.37	22	0-2
				701.5	23035	21.42	22	0-2
			24	707.5	23095	21.37	22	0-2
				713.5	23155	21.49	22	0-2
				701.5	23035	20.00	21	0-3
5	64-QAM		0	707.5	23095	19.94	21	0-3
				713.5	23155	20.08	21	0-3
				701.5	23035	20.14	21	0-3
		12 RB	6	707.5	23095	20.06	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				713.5	23155	20.02	21	0-3
				701.5	23035	20.28	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3
			13	707.5	23095	20.23	21	0-3
				713.5	23155	20.19	21	22 0-2 22 0-2 22 0-2 22 0-2 22 0-2 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3
				701.5	23035	19.96	21	0-3
		25RB		707.5	23095	20.10	21	0-3
			713.5	23155	20.23	21	0-3	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 104 of 608

	FDD Band 12 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				700.5	23025	22.65	24	0				
			0	707.5	23095	22.87	24	0				
				714.5	23165	23.02	24	0				
				700.5	23025	22.84	24	0				
		1 RB	7	707.5	23095	22.87	24	0				
				714.5	23165	22.86	24	0				
				700.5	23025	23.10	24	0				
			14	707.5	23095	22.93	24	0				
				714.5	23165	23.04	24	0				
				700.5	23025	21.81	23	0-1				
	QPSK		0	707.5	23095	21.83	23	0-1				
				714.5	23165	21.89	23	0-1				
				700.5	23025	22.03	23					
		8 RB	4	707.5	23095	21.92	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				714.5	23165	21.93	23					
				700.5	23025	22.03	23					
			7	707.5	23095	21.92	23	_				
								_				
		15	RB			1		3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-				
3			1									
							8 23 0					
			0									
							_					
		4 DD	7									
		1 RB	7				-					
			4.4	714.5 23165 22.05 23 700.5 23025 21.86 23 707.5 23095 21.95 23 714.5 23165 21.99 23 700.5 23025 21.88 23 707.5 23095 22.23 23 714.5 23165 22.26 23 700.5 23025 22.18 23 707.5 23095 22.22 23 714.5 23165 22.26 23 700.5 23025 22.21 23 707.5 23095 22.22 23 707.5 23095 22.23 23 714.5 23165 22.34 23 700.5 23025 20.91 22 707.5 23095 20.82 22								
			14									
								_				
	16-QAM		0									
	10-QAW		U	707.5			22					
					23165	21.06 20.94						
		8 RB	4	700.5	23025		22					
		O ND	4	707.5	23095	20.92	22					
				714.5 700.5	23165	20.89	22					
			7	700.5 707.5	23025	21.14	22					
			'		23095	21.06						
				714.5 700.5	23165 23025	21.16 20.81	22 22					
		15	RR	700.5	23025	21.00	22					
	15RI		ועט				22					
				714.5	23165	21.14	22	∪-∠				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 105 of 608

			FDD E	Band 12 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				700.5	23025	20.84	22	0-2
			0	707.5	23095	21.19	22	0-2
				714.5	23165	21.19	22	0-2
				700.5	23025	21.14	22	0-2
		1 RB	7	707.5	23095	21.18	22	0-2
				714.5	23165	21.19	22	0-2
				700.5	23025	21.19	22	0-2
			14	707.5	23095	21.20	22	0-2
				714.5	23165	21.31	22	0-2
				700.5	23025	19.88	21	0-3
3	64-QAM		0	707.5	23095	19.78	21	0-3
				714.5	23165	20.06	21	0-3
				700.5	23025	19.85	21	0-3
		8 RB	4	707.5	23095	19.91	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				714.5	23165	19.85	21	0-3
				700.5	23025	20.07	21	0-3
			7	707.5	23095	19.97	21	22
				714.5	23165	20.06	21	
				700.5	23025	19.80	21	0-3
		15	RB	707.5	23095	19.92	21	0-3
				714.5	23165	20.06	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 106 of 608

	FDD Band 12 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				699.7	23017	22.56	24	0				
			0	707.5	23095	22.95	24	0				
				715.3	23173	23.07	24	0				
				699.7	23017	22.57	24	0				
		1 RB	2	707.5	23095	22.93	24	0				
				715.3	23173	23.04	24	0				
				699.7	23017	22.66	24	0				
			5	707.5	23095	22.94	24	0				
				715.3	23173	23.13	24	0				
				699.7	23017	22.56	24	0				
	QPSK		0	707.5	23095	22.92	24	0				
				715.3	23173	22.89	24	0				
				699.7	23017	22.62	24					
		3 RB	2	707.5	23095	22.90	24	Allowed per 3GPP(dB) O O O O O O O O O O O O O				
				715.3	23173	23.00	24					
				699.7	23017	22.62	24					
			3	707.5	23095	22.91	24	_				
				715.3	23173	22.92	24	_				
				699.7	23017	21.65	23	_				
		6F	RB	707.5	23095	21.93	23	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
1.4			ī	715.3	23173	22.07	23					
				699.7	23017	21.88	23					
			0	707.5	23095	22.19	23					
				715.3	23173	22.26	23					
		4.00		699.7	23017	21.88	23					
		1 RB	2	707.5	23095	22.21	23	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O				
				715.3	23173	22.34	23					
			_	699.7	23017	21.93	23					
			5	707.5	23095	22.22	23					
				715.3	23173	22.40	23	_				
	46.0414		_	699.7	23017	21.66	23					
	16-QAM		0	707.5	23095	21.97	23					
				715.3	23173	21.96	23	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		2 00	_	699.7	23017	21.74	23					
		3 RB	2	707.5	23095	21.95	23					
				715.3	23173	21.93	23					
			_	699.7	23017	21.67	23					
			3	707.5	23095	21.91	23					
				715.3	23173	21.92	23					
		61	3 D	699.7	23017	20.71	22	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
	6RB		1 D	707.5	23095	21.01	22					
				715.3	23173	21.12	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 107 of 608

			FDD E	Band 12 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				699.7	23017	20.85	22	0-2
			0	707.5	23095	21.16	22	0-2
				715.3	23173	21.20	22	0-2
				699.7	23017	20.78	22	0-2
		1 RB	2	707.5	23095	21.14	22	0-2
				715.3	23173	21.30	22	0-2
				699.7	23017	20.92	22	0-2
			5	707.5	23095	21.17	22	0-2
				715.3	23173	21.39	22	0-2
				699.7	23017	20.66	22	0-2
1.4	64-QAM		0	707.5	23095	20.90	22	0-2
				715.3	23173	20.94	22	0-2
				699.7	23017	20.72	22	0-2
		3 RB	2	707.5	23095	20.89	22	0-2
				715.3	23173	20.91	22	0-2
				699.7	23017	20.61	22	0-2
			3	707.5	23095	20.85	22	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				715.3	23173	20.91	22	0-2
				699.7	23017	19.61	21	0-3
		6F	RB	707.5	23095	19.95	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				715.3	23173	20.02	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 108 of 608

FDD Band 12 (Reducted Power)												
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				704	23060	21.47	21.5	0				
			0	707.5	23095	21.42	21.5	0				
				711	23130	21.49	21.5	0				
				704	23060	21.25	21.5	0				
		1 RB	25	707.5	23095	21.27	21.5	0				
				711	23130	21.33	21.5	0				
				704	23060	21.30	21.5	0				
			49	707.5	23095	21.35	21.5	0				
				711	23130	21.40	21.5	0				
				704	23060	21.05	21.5	0				
	QPSK		0	707.5	23095	21.05	21.5	0				
				711	23130	21.32	21.5	0				
				704	23060	21.17	21.5	0				
		25 RB	12	707.5	23095	21.22	21.5	0				
				711	23130	21.21	21.5	0				
				704	23060	21.31	21.5	X. Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
			25	707.5	23095	21.24	21.5	0				
				711	23130	21.43	21.5	0				
				704	23060	21.14	21.5	0				
		50	RB	707.5	23095	21.23	21.5	0				
10				711	23130	21.46	21.5	0 0 0 0 0 0 0				
				704	23060	21.32	21.5	0				
			0	707.5	23095	21.37	21.5	0				
				711	23130	21.30	21.5	0				
				704	23060	21.22	21.5	0				
		1 RB	25	707.5	23095	21.24	21.5					
				711	23130	21.15	21.5					
				704	23060	21.14	21.5					
			49	707.5	23095	21.22	21.5					
				711	23130	21.37	21.5	_				
				704	23060	20.88	21.5					
	16-QAM		0	707.5	23095	20.91	21.5					
				711	23130	21.28	21.5					
				704	23060	20.97	21.5					
		25 RB	12	707.5	23095	21.04	21.5					
				711	23130	21.04	21.5					
				704	23060	21.18	21.5					
			25	707.5	23095	21.03	21.5					
				711	23130	21.33	21.5					
				704	23060	20.97	21.5					
		50	RB	707.5	23095	21.07	21.5					
				711	23130	21.43	21.5	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 109 of 608

			FDD Ban	d 12 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				704	23060	21.37	21.5	0
			0	707.5	23095	21.24	21.5	0
				711	23130	21.34	21.5	0
				704	23060	21.17	21.5	0
		1 RB	25	707.5	23095	21.24	21.5	0
				711	23130	21.29	21.5	0
				704	23060	21.16	21.5	0
			49	707.5	23095	21.22	21.5	0
				711	23130	21.23	21.5	0
				704	23060	20.88	21.5	0
10	64-QAM		0	707.5	23095	20.84	21.5	0
				711	23130	21.10	21.5	0
				704	23060	21.14	21.5	0
		25 RB	12	707.5	23095	21.37 21.5 21.24 21.5 21.34 21.5 21.34 21.5 21.17 21.5 21.29 21.5 21.29 21.5 21.29 21.5 21.20 21.5 21.21 21.5 21.22 21.5 21.22 21.5 21.23 21.5 20.88 21.5 20.84 21.5 21.10 21.5 21.14 21.5 21.10 21.5 21.14 21.5 21.27 21.5 21.27 21.5 21.28 21.5 20.93 21.5 21.5 21.5 21.5 21.6 21.7 21.15 21.5 21.15 21.5 21.15 21.5 21.16 21.5	21.5	0
				711	23130	21.03	21.5	0
				704	23060	21.27	21.5	0
			25	707.5	23095	21.15	21.5	0
				711	23130	21.28	21.5	0
				704	23060	20.93	21.5	0
		50	RB	707.5	23095	21.16	21.5	0
				711	23130	21.42	21.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 110 of 608

	FDD Band 12 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				701.5	23035	21.26	21.5	0				
			0	707.5	23095	21.21	21.5	0				
				713.5	23155	21.37	21.5	0				
				701.5	23035	21.05	21.5	0				
		1 RB	12	707.5	23095	21.11	21.5	0				
				713.5	23155	21.21	21.5	0				
				701.5	23035	21.27	21.5	0				
			24	707.5	23095	21.23	21.5	0				
				713.5	23155	21.35	21.5	0				
				701.5	23035	20.96	21.5	0				
	QPSK		0	707.5	23095	20.93	21.5	0				
				713.5	23155	21.18	21.5	0				
				701.5	23035	21.02	21.5	0				
		12 RB	6	707.5	23095	21.07	21.5	0				
				713.5	23155	21.14	21.5	0				
				701.5	23035	21.25	21.5	0				
			13	707.5	23095	21.04	21.5	0				
				713.5	23155	21.35	21.5	0				
				701.5	23035	20.96	21.5	0				
		25	RB	707.5	23095	21.16	21.5	0				
5			T	713.5	23155	21.42	21.5	0				
				701.5	23035	21.22	21.5					
			0	707.5	23095	21.24	21.5					
				713.5	23155	21.26	21.5					
				701.5	23035	21.06	21.5	0				
		1 RB	12	707.5	23095	21.18	21.5	0				
				713.5	23155	20.98	21.5					
				701.5	23035	21.06	21.5					
			24	707.5	23095	21.04	21.5					
				713.5	23155	21.17	21.5					
	40.0			701.5	23035	20.85	21.5					
	16-QAM		0	707.5	23095	20.80	21.5					
				713.5	23155	21.16	21.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		40.55		701.5	23035	20.77	21.5					
		12 RB	6	707.5	23095	20.98	21.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				713.5	23155	20.83	21.5					
				701.5	23035	21.05	21.5					
			13	707.5	23095	20.95	21.5					
				713.5	23155	21.30	21.5					
	25R			701.5	23035	20.85	21.5					
		KB	707.5	23095	20.87	21.5						
			713.5	23155	21.31	21.5	0					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 111 of 608

	FDD Band 12 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				701.5	23035	21.19	21.5	0				
			0	707.5	23095	21.06	21.5	0				
				713.5	23155	21.19	21.5	0				
				701.5	23035	21.11	21.5	0				
	1 RB	12	707.5	23095	21.03	21.5	0					
				713.5	23155	21.13	21.5	0				
				701.5	23035	20.96	21.5	0				
			24	707.5	23095	21.12	21.5	0				
				713.5	23155	21.05	21.5	0				
				701.5	23035	20.73	21.5	0				
5	64-QAM		0	707.5	23095	20.73	21.5	0				
				713.5	23155	20.98	21.5	0				
				701.5	23035	20.97	21.5	0				
		12 RB	6	707.5	23095	20.94	21.5	0				
				713.5	23155	20.94	21.5	0				
				701.5	23035	21.17	21.5	0				
			13	707.5	23095	21.07	21.5	0				
				713.5	23155	21.08	21.5	0				
			•		23035	20.74	21.5	0				
		25RB		707.5	23095	20.95	21.5	0				
				713.5	23155	21.34	21.5	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 112 of 608

	FDD Band 12 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				700.5	23025	21.44	21.5	0				
			0	707.5	23095	21.38	21.5	0				
				714.5	23165	21.45	21.5	0				
				700.5	23025	21.03	21.5	0				
		1 RB	7	707.5	23095	21.17	21.5	0				
				714.5	23165	21.21	21.5	0				
				700.5	23025	21.23	21.5	0				
			14	707.5	23095	21.20	21.5	0				
				714.5	23165	21.19	21.5	0				
				700.5	23025	20.87	21.5	0				
	QPSK		0	707.5	23095	20.92	21.5	0				
				714.5	23165	21.16	21.5	0				
				700.5	23025	20.95	21.5	0				
		8 RB	4	707.5	23095	21.07	21.5	0				
				714.5	23165	21.00	21.5	0				
				700.5	23025	21.12	21.5	0				
			7	707.5	23095	21.06	21.5	0				
				714.5	23165	21.21	21.5	0				
				700.5	23025	21.01	21.5	0				
		15	RB	707.5	23095	21.13	21.5	0				
3			T	714.5	23165	21.35	21.5	0				
				700.5	23025	21.26	21.5					
			0	707.5	23095	21.25	21.5					
				714.5	23165	21.13	21.5	0				
				700.5	23025	21.19	21.5	0				
		1 RB	7	707.5	23095	21.03	21.5	0				
				714.5	23165	21.09	21.5					
				700.5	23025	20.93	21.5					
			14	707.5	23095	21.04	21.5	0				
				714.5	23165	21.23	21.5					
	40.0			700.5	23025	20.81	21.5					
	16-QAM		0	707.5	23095	20.87	21.5					
				714.5	23165	21.21	21.5					
		0.55	7 15RB 0 7 14 0 4	700.5	23025	20.83	21.5	0				
		8 RB	4	707.5	23095	20.94	21.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				714.5	23165	20.97	21.5					
			_	700.5	23025	21.02	21.5					
			7	707.5	23095	21.00	21.5	3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
	15R			714.5	23165	21.18	21.5					
				700.5	23025	20.92	21.5					
		KB	707.5	23095	20.85	21.5						
			714.5	23165	21.37	21.5	0					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 113 of 608

			FDD Ban	d 12 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				700.5	23025	21.33	21.5	0
			0	707.5	23095	21.15	21.5	0
				714.5	23165	21.31	21.5	0
				700.5	23025	21.13	21.5	0
	1 RB	7	707.5	23095	21.20	21.5	0	
				714.5	23165	21.07	21.5	0
				700.5	23025	20.99	21.5	0
			14	707.5	23095	21.02	21.5	0
				714.5	23165	21.10	21.5	0
				700.5	23025	20.72	21.5	0
3	64-QAM		0	707.5	23095	20.80	21.5	0
				714.5	23165	21.03	21.5	0
				700.5	23025	20.93	21.5	0
		8 RB	4	707.5	23095	20.98	21.5	0
				714.5	23165	20.89	21.5	0
				700.5	23025	21.19	21.5	0
			7	707.5	23095	20.95	21.5	0
				714.5	23165	21.17	21.5	0
		•		700.5	23025	20.88	21.5	0
	15F	15RB		707.5	23095	21.10	21.5	0
				714.5	23165	21.23	21.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 114 of 608

	FDD Band 12 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				699.7	23017	21.25	21.5	0				
			0	707.5	23095	21.37	21.5	0				
				715.3	23173	21.32	21.5	0				
				699.7	23017	21.16	21.5	0				
		1 RB	2	707.5	23095	21.06	21.5	0				
				715.3	23173	21.17	21.5	0				
				699.7	23017	21.18	21.5	0				
			5	707.5	23095	21.15	21.5	0				
				715.3	23173	21.28	21.5	0				
				699.7	23017	20.91	21.5	0				
	QPSK		0	707.5	23095	20.91	21.5	0				
				715.3	23173	21.28	21.5	0				
				699.7	23017	20.98	21.5	0				
		3 RB	2	707.5	23095	21.13	21.5	0				
				715.3	23173	21.14	21.5	0				
				699.7	23017	21.13	21.5	0				
			3	707.5	23095	21.19	21.5	0				
				715.3	23173	21.25	21.5	0				
				699.7	23017	21.11	21.5	0				
		6F	RB	707.5	23095	21.12	21.5	0				
1.4				715.3	23173	21.32	21.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				699.7	23017	21.16	21.5	0				
			0	707.5	23095	21.30	21.5	0				
				715.3	23173	21.15	21.5	0				
				699.7	23017	21.09	21.5	0				
		1 RB	2	707.5	23095	21.09	21.5	_				
				715.3	23173	21.06	21.5					
				699.7	23017	20.94	21.5					
			5	707.5	23095	21.12	21.5					
				715.3	23173	21.24	21.5					
				699.7	23017	20.70	21.5					
	16-QAM		0	707.5	23095	20.69	21.5					
				715.3	23173	21.06	21.5					
				699.7	23017	20.92	21.5					
		3 RB	2	707.5	23095	21.01	21.5					
				715.3	23173	20.92	21.5					
				699.7	23017	21.06	21.5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
			3	707.5	23095	20.88	21.5					
				715.3	23173	21.27	21.5					
	6R			699.7	23017	20.82	21.5					
		KR	707.5	23095	21.03	21.5						
			715.3	23173	21.29	21.5	0					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 115 of 608

			FDD Ban	d 12 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				699.7	23017	21.26	21.5	0
			0	707.5	23095	21.13	21.5	0
				715.3	23173	21.15	21.5	0
				699.7	23017	21.02	21.5	0
		1 RB	2	707.5	23095	21.11	21.5	0
			715.3	23173	21.15	21.5	0	
				699.7	23017	20.94	21.5	0
			5	707.5	23095	21.04	21.5	0
				715.3	23173	21.12	21.5	0
				699.7	23017	20.80	21.5	0
1.4	64-QAM		0	707.5	23095	20.66	21.5	0
				715.3	23173	20.98	21.5	0
				699.7	23017	20.95	21.5	0
		3 RB	2	707.5	23095	20.88	21.5	0
				715.3	23173	20.81	21.5	0
				699.7	23017	21.05	21.5	0
			3	707.5	23095	20.96	21.5	0
				715.3	23173	21.17	21.5	0
			699.7	23017	20.87	21.5	0	
		6F	RB	707.5	23095	21.02	21.5	0
				715.3	23173	21.31	21.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 116 of 608

	FDD Band 13 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
			0	782	23230	23.33	24	0				
		1 RB	25	782	23230	23.66	24	0				
			49	782	23230	23.74	24	0				
	QPSK		0	782	23230	22.54	23	0-1				
		25 RB	12	782	23230	22.62	23	0-1				
			25	782	23230	22.73	23	0-1				
		50	RB	782	23230	22.69	23	0-1				
			0	782	23230	22.65	23	0-1				
		1 RB	25	782	23230	22.93	23	0-1				
			49	782	23230	22.95	23	0-1				
10	16-QAM		0	782	23230	21.69	22	0-2				
10		25 RB	12	782	23230	21.76	22	0-2				
			25	782	23230	21.80	22	0-2				
		50	RB	782	23230	21.76	22	0-2				
			0	782	23230	21.57	22	0-2				
		1 RB	25	782	23230	21.85	22	0-2				
			49	782	23230	21.86	22	0-2				
	64-QAM		0	782	23230	20.67	21	0-3				
		25 RB	12	782	23230	20.68	21	0-3				
			25	782	23230	20.75	21	Allowed per 3GPP(dB) 4				
		50	RB	782	23230	20.71	21	0-3				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 117 of 608

	FDD Band 13 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				779.5	23205	23.22	24	0				
			0	782	23230	23.39	24	0				
				784.5	23255	23.59	24	0				
				779.5	23205	23.42	24	0				
		1 RB	12	782	23230	23.57	24	0				
				784.5	23255	23.62	24	0				
				779.5	23205	23.54	24	0				
			24	782	23230	23.67	24	0				
				784.5	23255	23.63	24	0				
				779.5	23205	22.33	23	0-1				
	QPSK		0	782	23230	22.46	23	0-1				
				784.5	23255	22.59	23	0-1				
				779.5	23205	22.36	23	0-1				
		12 RB	6	782	23230	22.45	23					
				784.5	23255	22.62	23					
				779.5	23205	22.46	23					
			13	782	23230	22.59	23	0-1				
				784.5	23255	22.60	23					
				779.5	23205	22.38	23	_				
		25	RB	782	23230	22.55	23					
5			1	784.5	23255	22.63	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
			0	779.5	23205	22.44	23					
			0	782	23230	22.77	23					
				784.5	23255	22.84	23					
		4.00	4.0	779.5	23205	22.75	23					
		1 RB	12	782	23230	22.82	23					
				784.5	23255	22.91	23					
			0.4	779.5	23205	22.80	23					
			24	782	23230	22.93	23					
				784.5	23255	22.99	23	_				
	46.0414		_	779.5	23205	21.38	22					
	16-QAM		0	782	23230	21.54	22					
				784.5	23255	21.60	22					
		40.00	_	779.5	23205	21.50	22					
		12 RB	6	782	23230	21.53	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				784.5	23255	21.60	22					
			10	779.5	23205	21.56	22					
			13	782	23230	21.61	22					
				784.5	23255	21.67	22					
	25	OF.	DD	779.5	23205	21.47	22					
		ΚĎ	782	23230	21.59	22						
				784.5	23255	21.63	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 118 of 608

			FDD E	Band 13 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				779.5	23205	21.38	22	0-2
			0	782	23230	21.76	22	0-2
				784.5	23255	21.77	22	0-2
				779.5	23205	21.72	22	0-2
	1 RB	12	782	23230	21.75	22	0-2	
				784.5	23255	21.86	22	0-2
				779.5	23205	21.70	22	0-2
			24	782	23230	21.89	22	0-2
				784.5	23255	21.99	22	0-2
				779.5	23205	20.37	21	0-3
5	64-QAM		0	782	23230	20.50	21	0-3
				784.5	23255	20.54	21	0-3
				779.5	23205	20.40	21	0-3
		12 RB	6	782	23230	20.47	21	0-3
				784.5	23255	20.60	21	0-3
				779.5	23205	20.51	21	0-3
			13	782	23230	20.60	21	0-3
				784.5	23255	20.65	21	0-3
				779.5	23205	20.39	21	0-3
	25	25RB		782	23230	20.56	21	0-3
				784.5	23255	20.63	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 119 of 608

	FDD Band 13 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
			0	782	23230	20.62	21	0				
		1 RB	25	782	23230	20.91	21	0				
			49	782	23230	20.98	21	0				
	QPSK		0	782	23230	20.31	21	0				
		25 RB	12	782	23230	20.54	21	0				
			25	782	23230	20.67	21	0				
		50	RB	782	23230	20.37	21	0				
			0	782	23230	20.41	21	0				
		1 RB	25	782	23230	20.72	21	0				
			49	782	23230	20.97	21	0				
10	16-QAM		0	782	23230	20.26	21	0				
10		25 RB	12	782	23230	20.41	21	0				
			25	782	23230	20.49	21	0				
		50	RB	782	23230	20.20	21	0				
			0	782	23230	20.42	21	0				
		1 RB	25	782	23230	20.70	21	0				
			49	782	23230	20.85	21	0				
	64-QAM		0	782	23230	20.20	21	0				
		25 RB	12	782	23230	20.38	21	0				
			25	782	23230	20.48	21	0				
		50	RB	782	23230	20.16	21	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 120 of 608

FDD Band 13 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				779.5	23205	20.42	21	0			
			0	782	23230	20.84	21	0			
				784.5	23255	20.87	21	0			
				779.5	23205	20.26	21	0			
		1 RB	12	782	23230	20.50	21	0			
				784.5	23255	20.61	21	0			
				779.5	23205	20.32	21	0			
			24	782	23230	20.27	21	0			
				784.5	23255	20.59	21	0			
				779.5	23205	20.75	21	0			
	QPSK		0	782	23230	20.15	21	0			
				784.5	23255	20.34	21	0			
				779.5	23205	20.45	21	0			
		12 RB	6	782	23230	20.08	21	0			
				784.5	23255	20.39	21	0			
				779.5	23205	20.51	21	0			
			13	782	23230	20.64	21	0			
				784.5	23255	20.10	21	0			
				779.5	23205	20.34	21	0			
		25	RB	782	23230	20.37	21	0			
5				784.5	23255	20.10	21	0			
J				779.5	23205	20.46	21	0			
			0	782	23230	20.79	21	0			
				784.5	23255	20.86	21	0			
				779.5	23205	20.17	21	0			
		1 RB	12	782	23230	20.35	21	0			
				784.5	23255	20.53	21	0			
				779.5	23205	20.15	21	0			
			24	782	23230	20.28	21	0			
				784.5	23255	20.50	21	0			
			_	779.5	23205	20.94	21	0			
	16-QAM		0	782	23230	20.13	21	0			
				784.5	23255	20.38	21	0			
			_	779.5	23205	20.31	21	0			
		12 RB	6	782	23230	20.04	21	0			
				784.5	23255	20.22	21	0			
				779.5	23205	20.58	21	0			
			13	782	23230	20.73	21	0			
				784.5	23255	20.12	21	0			
			779.5	23205	20.26	21	0				
		25RB		782	23230	20.38	21	0			
				784.5	23255	20.07	21	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 121 of 608

			FDD Ban	d 13 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				779.5	23205	20.55	21	0
			0	782	23230	20.80	21	0
				784.5	23255	20.87	21	0
				779.5	23205	20.22	21	0
		1 RB	12	782	23230	20.50	21	0
				784.5	23255	20.61	21	0
				779.5	23205	20.15	21	0
			24	782	23230	20.37	21	0
				784.5	23255	20.50	21	0
				779.5	23205	20.93	21	0
5	64-QAM		0	782	23230	20.21	21	0
				784.5	23255	20.36	21	0
				779.5	23205	20.36	21	0
		12 RB	6	782	23230	20.04	21	0
				784.5	23255	20.29	21	0
				779.5	23205	20.55	21	0
			13	782	23230	20.75	21	0
				784.5	23255	20.01	21	0
				779.5	23205	20.17	21	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		25	RB	782	23230	20.42	21	
				784.5	23255	20.06	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 122 of 608

			FDD I	Band 14 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
			0	793	23330	23.63	24	0
		1 RB	25	793	23330	23.76	24	0
			49	793	23330	23.82	24	0
	QPSK		0	793	23330	22.80	23	0-1
		25 RB	12	793	23330	22.84	23	0-1
			25	793	23330	22.90	23	0-1
		50	RB	793	23330	22.78	23	0-1
			0	793	23330	22.92	23	0-1
		1 RB	25	793	23330	22.96	23	0-1
			49	793	23330	22.94	23	0-1
10	16-QAM		0	793	23330	21.90	22	0-2
10		25 RB	12	793	23330	21.91	22	0-2
			25	793	23330	21.97	22	0-2
		50	RB	793	23330	21.88	22	0-2
			0	793	23330	21.56	22	0-2
		1 RB	25	793	23330	21.89	22	0-2
			49	793	23330	21.93	22	0-2
	64-QAM		0	793	23330	20.63	21	23
		25 RB	12	793	23330	20.67	21	0-3
			25	793	23330	20.77	21	0-3
		50	RB	793	23330	20.73	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 123 of 608

FDD Band 14 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				790.5	23305	23.57	24	0			
			0	793	23330	23.69	24	0			
				795.5	23355	23.73	24	0			
				790.5	23305	23.63	24	0			
		1 RB	12	793	23330	23.70	24	0			
				795.5	23355	23.79	24	0			
				790.5	23305	23.67	24	0			
			24	793	23330	23.78	24	0			
				795.5	23355	23.76	24	0			
				790.5	23305	22.55	23	0-1			
	QPSK		0	793	23330	22.62	23	0-1			
				795.5	23355	22.65	23	0-1			
				790.5	23305	22.63	23	0-1			
		12 RB	6	793	23330	22.71	23	0-1			
				795.5	23355	22.77	23	0-1			
				790.5	23305	22.58	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
			13	793	23330	22.66	23	0-1			
				795.5	23355	22.76	23	0-1			
				790.5	23305	22.64	23				
		25	RB	793	23330	22.72	23				
5				795.5	23355	22.79	23	0-1 0-1 0-1 0-1 0-1 0-1 0-1			
			0	790.5	23305	22.84	23				
			0	793	23330	22.91	23	_			
				795.5	23355	22.90	23	_			
				790.5	23305	22.87	23				
		1 RB	12	793	23330	22.94	23	_			
				795.5	23355	22.95	23				
				790.5	23305	22.86	23	_			
			24	793	23330	23.00	23				
				795.5	23355	22.99	23				
	40.000			790.5	23305	21.58	22				
	16-QAM		0	793	23330	21.59	22				
				795.5	23355	21.69	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0-1 0-			
		40.55		790.5	23305	21.67	22				
		12 RB	6	793	23330	21.71	22				
				795.5	23355	21.82	22				
			4.5	790.5	23305	21.57	22				
			13	793	23330	21.67	22				
	-			795.5	23355	21.78	22				
			D D	790.5	23305	21.65	22				
		25RB		793	23330	21.70	22				
				795.5	23355	21.78	22	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 124 of 608

			FDD E	Band 14 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				790.5	23305	21.84	22	0-2
			0	793	23330	21.85	22	0-2
				795.5	23355	21.90	22	0-2
				790.5	23305	21.82	22	0-2
		1 RB	12	793	23330	21.85	22	0-2
				795.5	23355	21.86	22	0-2
				790.5	23305	21.76	22	0-2
			24	793	23330	21.97	22	0-2
				795.5	23355	21.93	22	0-2
				790.5	23305	20.55	21	0-3
5	64-QAM		0	793	23330	20.54	21	0-3
				795.5	23355	20.63	21	0-3
				790.5	23305	20.67	21	0-3
		12 RB	6	793	23330	20.70	21	0-3
				795.5	23355	20.72	21	0-3
				790.5	23305	20.51	21	0-3
			13	793	23330	20.64	21	0-3
				795.5	23355	20.70	21	0-3
				790.5	23305	20.61	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3
		25RB		793	23330	20.62	21	0-3
				795.5	23355	20.68	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 125 of 608

			FDD Bar	nd 14 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
			0	793	23330	20.62	21	0
		1 RB	25	793	23330	20.91	21	0
			49	793	23330	20.99	21	0
	QPSK		0	793	23330	20.45	21	0
		25 RB	12	793	23330	20.56	21	0
			25	793	23330	20.75	21	0
		50	RB	793	23330	20.81	21	0
			0	793	23330	20.48	21	0
		1 RB	25	793	23330	20.86	21	0
			49	793	23330	20.89	21	0
10	16-QAM		0	793	23330	20.29	21	0
10		25 RB	12	793	23330	20.48	21	ax. Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
			25	793	23330	20.71	21	0
		50	RB	793	23330	20.75	21	0
			0	793	23330	20.43	21	0
		1 RB	25	793	23330	20.79	21	0
			49	793	23330	20.93	21	0
	64-QAM		0	793	23330	20.40	21 0 21 0 21 0 21 0	0
		25 RB	12	793	23330	20.53	21	0
			25	793	23330	20.72	21	0
		50	RB	793	23330	20.73	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 126 of 608

	FDD Band 14 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				790.5	23305	20.40	21	0				
			0	793	23330	20.69	21	0				
				795.5	23355	20.81	21	0				
				790.5	23305	20.37	21	0				
		1 RB	12	793	23330	20.51	21	0				
				795.5	23355	20.62	21	0				
				790.5	23305	20.63	21	0				
			24	793	23330	20.26	21	0				
				795.5	23355	20.69	21	0				
				790.5	23305	20.68	21	0				
	QPSK		0	793	23330	20.21	21	0				
				795.5	23355	20.34	21	0				
				790.5	23305	20.53	21	0				
		12 RB	6	793	23330	20.70	21	0				
				795.5	23355	20.35	21	0				
				790.5	23305	20.64	21	0				
			13	793	23330	20.73	21	0				
				795.5	23355	20.24	21	0				
				790.5	23305	20.39	21	0				
		25	RB	793	23330	20.69	21	0				
5			T	795.5	23355	20.64	21	0 0 0 0 0 0 0				
				790.5	23305	20.44	21					
			0	793	23330	20.69	21					
				795.5	23355	20.80	21	0				
				790.5	23305	20.29	21	0				
		1 RB	12	793	23330	20.53	21					
				795.5	23355	20.68	21					
				790.5	23305	20.71	21					
			24	793	23330	20.35	21					
				795.5	23355	20.74	21					
	40.0			790.5	23305	20.83	21					
	16-QAM		0	793	23330	20.09	21					
				795.5	23355	20.27	21	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		40.55		790.5	23305	20.53	21					
		12 RB	6	793	23330	20.61	21					
				795.5	23355	20.26	21					
				790.5	23305	20.68	21	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
			13	793	23330	20.76	21					
				795.5	23355	20.36	21					
	25RI			790.5	23305	20.31	21					
		KB	793	23330	20.57	21						
			795.5	23355	20.64	21	0					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 127 of 608

			FDD Ban	d 14 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				790.5	23305	20.52	21	0
			0	793	23330	20.76	21	0
				795.5	23355	20.82	21	0
				790.5	23305	20.26	21	0
		1 RB	12	793	23330	20.45	21	0
				795.5	23355	20.56	21	0
				790.5	23305	20.59	21	0
			24	793	23330	20.41	21	0
				795.5	23355	20.83	21	0
				790.5	23305	20.85	21	0
5	64-QAM		0	793	23330	20.19	21	0
				795.5	23355	20.41	21	0
				790.5	23305	20.49	21	0
		12 RB	6	793	23330	20.61	21	0
				795.5	23355	20.32	21	0
				790.5	23305	20.73	21	0
			13	793	23330	20.76	21	0
				795.5	23355	20.19	21	0
				790.5	23305	20.45	21	0
		25	RB	793	23330	20.50	21	ax. Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O
				795.5	23355	20.56	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 128 of 608

	FDD Band 17 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				709	23780	23.27	24	0				
			0	710	23790	23.30	24	0				
				711	23800	23.38	24	0				
				709	23780	23.11	24	0				
		1 RB	25	710	23790	23.16	24	0				
				711	23800	23.18	24	0				
				709	23780	23.01	24	0				
			49	710	23790	22.98	24	0				
				711	23800	23.10	24	0				
				709	23780	22.10	23	0-1				
	QPSK		0	710	23790	22.09	23	0-1				
				711	23800	22.01	23	0-1				
				709	23780	22.03	23	0-1				
		25 RB	12	710	23790	22.08	23	0-1				
				711	23800	22.13	23	0-1				
				709	23780	22.21	23	0-1				
			25	710	23790	22.23	23	0-1				
				711	23800	22.24	23	0-1				
				709	23780	22.10	23	0-1				
		50	RB	710	23790	22.15	23	0-1				
10				711	23800	22.20	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1				
				709	23780	22.30	23	_				
			0	710	23790	22.34	23	0-1				
				711	23800	22.47	23	0-1				
				709	23780	22.50	23	0-1				
		1 RB	25	710	23790	22.45	23	0-1				
				711	23800	22.44	23					
				709	23780	22.49	23					
			49	710	23790	22.51	23					
				711	23800	22.58	23					
				709	23780	21.20	22					
	16-QAM		0	710	23790	21.20	22					
				711	23800	21.13	22	0-2				
				709	23780	21.14	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		25 RB	12	710	23790	21.21	22					
				711	23800	21.25	22					
				709	23780	21.33	22					
			25	710	23790	21.34	22					
				711	23800	21.36	22					
				709	23780	21.15	22					
		50	RB	710	23790	21.22	22					
				711	23800	21.25	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 129 of 608

			FDD E	Band 17 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				709	23780	21.20	22	0-2
			0	710	23790	21.24	22	0-2
				711	23800	21.47	22	0-2
				709	23780	21.47	22	0-2
		1 RB	25	710	23790	21.35	22	0-2
				711	23800	21.40	22	0-2
				709	23780	21.49	22	0-2
			49	710	23790	21.42	22	0-2
				711	23800	21.51	22	0-2
				709	23780	20.11	21	0-3
10	64-QAM		0	710	23790	20.19	21	0-3
				711	23800	20.07	21	0-3
				709	23780	20.04	21	0-3
		25 RB	12	710	23790	20.19	21	0-3
				711	23800	20.22	21	0-3
				709	23780	20.27	21	0-3
			25	710	23790	20.26	21	0-3
				711	23800	20.36	21	0-3
				709	23780	20.11	21	Aax. Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
		50	50RB		23790	20.20	21	0-3
				711	23800	20.17	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 130 of 608

	FDD Band 17 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				706.5	23755	22.98	24	0				
			0	710	23790	23.03	24	0				
				713.5	23825	23.07	24	0				
				706.5	23755	23.12	24	0				
		1 RB	12	710	23790	23.07	24	0				
				713.5	23825	23.16	24	0				
				706.5	23755	23.02	24	0				
			24	710	23790	23.13	24	0				
				713.5	23825	23.34	24	0				
				706.5	23755	22.00	23	0-1				
	QPSK		0	710	23790	22.03	23	0-1				
				713.5	23825	22.18	23	0-1				
				706.5	23755	22.18	23	_				
		12 RB	6	710	23790	22.07	23					
				713.5	23825	22.20	23					
				706.5	23755	22.18	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
			13	710	23790	22.19	23	_				
				713.5	23825	22.25	23					
				706.5	23755	22.17	23	_				
		25	RB	710	23790	22.14	23					
5			1	713.5	23825	22.22	23					
				706.5	23755	22.26	23					
			0	710	23790	22.36	23					
				713.5	23825	22.37	23					
		4 DD	40	706.5	23755	22.43	23					
		1 RB	12	710	23790	22.33	23					
				713.5	23825	22.35	23					
			24	706.5	23755	22.37	23					
			24	710 712 F	23790	22.41	23 23					
				713.5	23825	22.60 21.07	22	_				
	16-QAM		0	706.5	23755		22					
	10-QAIVI		U	710 713.5	23790 23825	21.13 21.27	22					
						•						
		12 RB	6	706.5	23755	21.26	22					
		IZ ND	O	710 712.5	23790 23825	21.16	22					
				713.5 706.5		21.28	22	0 0 0 0 0 0 0-1 0-1 0-1 0-1 0-1 0-1 0-1				
			13	706.5 710	23755 23790	21.30 21.29	22					
			13	710	23790	21.29	22					
				713.5	23755	21.31	22					
		25	RR	700.5	23790	21.25	22					
	25R		ייי				22					
				713.5	23825	21.30	22	U - Z				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 131 of 608

			FDD E	Band 17 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				706.5	23755	21.12	22	0-2
			0	710	23790	21.24	22	0-2
				713.5	23825	21.44	22	0-2
				706.5	23755	21.39	22	0-2
		1 RB	12	710	23790	21.35	22	0-2
				713.5	23825	21.35	22	0-2
				706.5	23755	21.48	22	0-2
			24	710	23790	21.38	22	0-2
				713.5	23825	21.43	22	0-2
				706.5	23755	20.04	21	0-3
5	64-QAM		0	710	23790	20.16	21	0-3
				713.5	23825	19.97	21	0-3
				706.5	23755	19.99	21	0-3
		12 RB	6	710	23790	20.18	21	0-3
				713.5	23825	20.20	21	0-3
				706.5	23755	20.26	21	0-3
			13	710	23790	20.20	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				713.5	23825	20.30	21	0-3
				706.5	23755	20.11	21	0-3
		25	RB	710	23790	20.20	21	0-3
				713.5	23825	20.17	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 132 of 608

	FDD Band 17 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				709	23780	21.46	21.5	0				
			0	710	23790	21.47	21.5	0				
				711	23800	21.49	21.5	0				
				709	23780	21.35	21.5	0				
		1 RB	25	710	23790	21.35	21.5	0				
				711	23800	21.34	21.5	0				
				709	23780	21.16	21.5	0				
			49	710	23790	21.21	21.5	0				
				711	23800	21.31	21.5	0				
				709	23780	20.31	21.5	0				
	QPSK		0	710	23790	20.28	21.5	0				
				711	23800	20.21	21.5	0				
				709	23780	20.24	21.5					
		25 RB	12	710	23790	20.27	21.5					
				711	23800	20.33	21.5					
				709	23780	20.42	21.5	0				
			25	710	23790	20.43	21.5					
				711	23800	20.44	21.5	0				
				709	23780	20.31	21.5	0				
		50	RB	710	23790	20.36	21.5					
10			T	711	23800	20.39	21.5	0				
			_	709	23780	21.36	21.5					
			0	710	23790	21.43	21.5					
				711	23800	21.34	21.5					
				709	23780	21.30	21.5					
		1 RB	25	710	23790	21.13	21.5					
				711	23800	21.18	21.5					
			40	709	23780	21.05	21.5					
			49	710	23790	21.01	21.5					
				711	23800	21.19	21.5	_				
	46.044		_	709	23780	20.26	21.5					
	16-QAM		0	710	23790	20.20	21.5					
				711	23800	20.03	21.5					
		05.00	40	709	23780	20.02	21.5					
		25 RB	12	710	23790	20.11	21.5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				711	23800	20.16	21.5					
			25	709	23780	20.25	21.5					
			25	710	23790	20.31	21.5					
				711	23800	20.30	21.5					
		FO	DD	709	23780	†	21.5					
	50R		עט	710	23790	20.24	21.5					
				711	23800	20.27	21.5	U				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 133 of 608

			FDD Ban	d 17 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				709	23780	21.43	21.5	0
			0	710	23790	21.36	21.5	0
				711	23800	21.33	21.5	0
				709	23780	21.17	21.5	0
		1 RB	25	710	23790	21.32	21.5	0
				711	23800	21.27	21.5	0
				709	23780	20.99	21.5	0
			49	710	23790	21.01	21.5	0
				711	23800	21.18	21.5	0
				709	23780	20.28	21.5	0
10	64-QAM		0	710	23790	20.08	21.5	0
				711	23800	20.11	21.5	0
				709	23780	20.20	21.5	0
		25 RB	12	710	23790	20.16	21.5	0
				711	23800	20.24	21.5	0
				709	23780	20.27	21.5	0
			25	710	23790	20.35	21.5	0
				711	23800	20.33	21.5	0
				709	23780	20.22	21.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		50RB		710	23790	20.33	21.5	0
				711	23800	20.32	21.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 134 of 608

			FDD Ban	d 17 (Reducte	d Power)			FDD Band 17 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)											
				706.5	23755	21.33	21.5	0											
			0	710	23790	21.38	21.5	0											
				713.5	23825	21.28	21.5	0											
				706.5	23755	21.23	21.5	0											
		1 RB	12	710	23790	21.20	21.5	0											
				713.5	23825	21.21	21.5	0											
				706.5	23755	21.09	21.5	0											
			24	710	23790	21.07	21.5	0											
				713.5	23825	21.26	21.5	0											
				706.5	23755	20.13	21.5	0											
	QPSK		0	710	23790	20.19	21.5	0											
				713.5	23825	20.12	21.5	0											
				706.5	23755	20.19	21.5	0											
		12 RB	6	710	23790	20.20	21.5	0											
				713.5	23825	20.23	21.5	0											
				706.5	23755	20.28	21.5	0											
			13	710	23790	20.26	21.5	0											
				713.5	23825	20.37	21.5	0											
				706.5	23755	20.27	21.5	0											
		25	RB	710	23790	20.33	21.5	0											
5			_	713.5	23825	20.26	21.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0											
Ŭ				706.5	23755	21.27	21.5	0											
			0	710	23790	21.35	21.5	0											
				713.5	23825	21.24	21.5	0											
				706.5	23755	21.09	21.5	0											
		1 RB	12	710	23790	20.98	21.5	0											
				713.5	23825	21.12	21.5	0											
				706.5	23755	20.95	21.5												
			24	710	23790	20.80	21.5												
				713.5	23825	21.01	21.5	_											
				706.5	23755	20.06	21.5												
	16-QAM		0	710	23790	20.00	21.5												
				713.5	23825	19.93	21.5												
				706.5	23755	19.98	21.5												
		12 RB	6	710	23790	19.92	21.5												
				713.5	23825	20.08	21.5												
			4-	706.5	23755	20.03	21.5												
			13	710	23790	20.15	21.5												
				713.5	23825	20.23	21.5												
				706.5	23755	20.09	21.5												
	2		RB	710	23790	20.11	21.5												
				713.5	23825	20.18	21.5	0											

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 135 of 608

			FDD Ban	d 17 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				706.5	23755	21.36	21.5	0
			0	710	23790	21.15	21.5	0
				713.5	23825	21.28	21.5	0
				706.5	23755	21.00	21.5	0
		1 RB	12	710	23790	21.17	21.5	0
			713.5	23825	21.24	21.5	0	
				706.5	23755	20.91	21.5	0
			24	710	23790	20.82	21.5	0
				713.5	23825	21.12	21.5	0
				706.5	23755	20.23	21.5	0
5	64-QAM		0	710	23790	19.94	21.5	0
				713.5	23825	20.07	21.5	0
				706.5	23755	20.02	21.5	0
		12 RB	6	710	23790	20.03	21.5	0
				713.5	23825	20.02	21.5	0
				706.5	23755	20.22	21.5	0
			13	710	23790	20.26	21.5	3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				713.5	23825	20.30	21.5	0
				706.5	23755	20.04	21.5	0
		25	RB	710	23790	20.11	21.5	0
				713.5	23825	20.20	21.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 136 of 608

	FDD Band 25 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1860	26140	23.18	24	0				
			0	1882.5	26365	23.26	24	0				
				1905	26590	23.11	24	0				
				1860	26140	23.35	24	0				
		1 RB	50	1882.5	26365	23.57	24	0				
				1905	26590	23.32	24	0				
				1860	26140	23.26	24	0				
			99	1882.5	26365	23.20	24	0				
				1905	26590	23.29	24	0				
				1860	26140	22.41	23	0-1				
	QPSK		0	1882.5	26365	22.38	23	0-1				
				1905	26590	22.35	23	0-1				
				1860	26140	22.40	23	0-1				
		50 RB	25	1882.5	26365	22.50	23	0-1				
				1905	26590	22.39	23	0-1				
				1860	26140	22.34	23	0-1				
			50	1882.5	26365	22.48	23	0-1				
				1905	26590	22.33	23	0-1				
				1860	26140	22.41	23	0-1				
		100)RB	1882.5	26365	22.48	23	0-1				
20				1905	26590	22.41	23	0-1				
20				1860	26140	22.63	23	0-1				
			0	1882.5	26365	22.50	23	0-1				
				1905	26590	22.45	23	0-1				
				1860	26140	22.69	23	0-1				
		1 RB	50	1882.5	26365	22.76	23	0-1				
				1905	26590	22.60	23	0-1				
				1860	26140	22.56	23	0-1				
			99	1882.5	26365	22.52	23	0-1				
				1905	26590	22.60	23	0-1				
				1860	26140	21.48	22	0-2				
	16-QAM		0	1882.5	26365	21.45	22	0-2				
				1905	26590	21.44	22	0-2				
				1860	26140	21.50	22	0-2				
		50 RB	25	1882.5	26365	21.54	22	0-2				
				1905	26590	21.43	22	0-2				
				1860	26140	21.47	22	0-1 0-1 0-1 0-1 0-1 0-1 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2				
			50	1882.5	26365	21.57	22	0-2				
				1905	26590	21.42	22	0-2				
				1860	26140	21.48	22	0-2				
		100)RB	1882.5	26365	21.56	22	0-2				
				1905	26590	21.43	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 137 of 608

			FDD E	Band 25 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1860	26140	21.63	22	0-2
			0	1882.5	26365	21.43	22	0-2
				1905	26590	21.38	22	0-2
				1860	26140	21.66	22	0-2
		1 RB	50	1882.5	26365	21.72	22	0-2
				1905	26590	21.55	22	0-2
				1860	26140	21.53	22	0-2
			99	1882.5	26365	21.43	22	0-2
				1905	26590	21.55	22	0-2
				1860	26140	20.46	21	0-3
20	64-QAM		0	1882.5	26365	20.44	21	0-3
				1905	26590	20.39	21	0-3
				1860	26140	20.45	21	0-3
		50 RB	25	1882.5	26365	20.54	21	0-3
				1905	26590	20.37	21	0-3
				1860	26140	20.45	21	0-3
			50	1882.5	26365	20.47	21	0-3
				1905	26590	20.32	21	0-3
				1860	26140	20.43	21	0-3
		100)RB	1882.5	26365	20.53	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				1905	26590	20.37	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 138 of 608

			FDD E	Band 25 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1857.5	26115	23.22	24	0
			0	1882.5	26365	23.22	24	0
				1907.5	26615	23.26	24	0
				1857.5	26115	23.45	24	0
		1 RB	36	1882.5	26365	23.48	24	0
				1907.5	26615	23.25	24	0
				1857.5	26115	23.24	24	0
			74	1882.5	26365	23.33	24	0
				1907.5	26615	23.29	24	0
				1857.5	26115	22.44	23	0-1
	QPSK		0	1882.5	26365	22.46	23	0-1
				1907.5	26615	22.41	23	0-1
				1857.5	26115	22.50	23	0-1
		36 RB	18	1882.5	26365	22.57	23	0-1
				1907.5	26615	22.42	23	0-1
				1857.5	26115	22.48	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
			37	1882.5	26365	22.57	23	0-1
				1907.5	26615	22.32	23	0-1
				1857.5	26115	22.47	23	0-1
		75	RB	1882.5	26365	22.54	23	0-1
15				1907.5	26615	22.42	23	0-1
15				1857.5	26115	22.51	23	0-1
			0	1882.5	26365	22.60	23	0-1
				1907.5	26615	22.57	23	0-1
				1857.5	26115	22.66	23	0-1
		1 RB	36	1882.5	26365	22.83	23	0-1
				1907.5	26615	22.54	23	0-1
				1857.5	26115	22.64	23	0-1
İ			74	1882.5	26365	22.63	23	0-1
				1907.5	26615	22.56	23	0-1
				1857.5	26115	21.50	22	0-2
	16-QAM		0	1882.5	26365	21.52	22	0-2
				1907.5	26615	21.49	22	0-2
				1857.5	26115	21.59	22	
		36 RB	18	1882.5	26365	21.63	22	0-2
				1907.5	26615	21.47	22	3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-
				1857.5	26115	21.56	22	
			37	1882.5	26365	21.64	22	
				1907.5	26615	21.36	22	0-2
				1857.5	26115	21.54	22	
	75R		RB	1882.5	26365	21.59	22	
				1907.5	26615	21.44	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 139 of 608

			FDD E	Band 25 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1857.5	26115	21.58	22	0-2
			0	1882.5	26365	21.35	22	0-2
				1907.5	26615	21.31	22	0-2
				1857.5	26115	21.64	22	0-2
		1 RB	36	1882.5	26365	21.64	22	0-2
				1907.5	26615	21.51	22	0-2
				1857.5	26115	21.45	22	0-2
			74	1882.5	26365	21.43	22	0-2
				1907.5	26615	21.48	22	0-2
				1857.5	26115	20.46	21	0-3
15	64-QAM		0	1882.5	26365	20.42	21	0-3
				1907.5	26615	20.36	21	0-3
				1857.5	26115	20.43	21	0-3
		36 RB	18	1882.5	26365	20.54	21	0-3
				1907.5	26615	20.33	21	0-3
				1857.5	26115	20.44	21	0-3
			37	1882.5	26365	20.46	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				1907.5	26615	20.27	21	0-3
				1857.5	26115	20.35	21	0-3
		75	RB	1882.5	26365	20.46	21	0-3
				1907.5	26615	20.31	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 140 of 608

	FDD Band 25 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1855	26090	23.22	24	0				
			0	1882.5	26365	23.40	24	0				
				1910	26640	23.39	24	0				
				1855	26090	23.44	24	0				
		1 RB	25	1882.5	26365	23.53	24	0				
				1910	26640	23.10	24	0				
				1855	26090	23.44	24	0				
			49	1882.5	26365	23.55	24	0				
				1910	26640	23.30	24	0				
				1855	26090	22.45	23	0-1				
	QPSK		0	1882.5	26365	22.59	23	0-1				
				1910	26640	22.36	23	0-1				
				1855	26090	22.49	23	0-1				
		25 RB	12	1882.5	26365	22.61	23	0-1				
				1910	26640	22.30	23	0-1				
				1855	26090	22.52	23	0-1				
			25	1882.5	26365	22.62	23	0-1				
				1910	26640	22.32	23	0-1				
				1855	26090	22.46	23	0-1				
		50	RB	1882.5	26365	22.59	23	0-1				
10				1910	26640	22.36	23	0-1				
				1855	26090	22.56	23	0-1				
			0	1882.5	26365	22.76	23	0-1				
				1910	26640	22.71	23	0-1				
				1855	26090	22.74	23	0-1				
		1 RB	25	1882.5	26365	22.83	23	0-1				
				1910	26640	22.38	23	0-1				
				1855	26090	22.70	23	0-1				
			49	1882.5	26365	22.73	23	0-1				
				1910	26640	22.55	23	0-1				
				1855	26090	21.54	22	0-2				
	16-QAM		0	1882.5	26365	21.67	22					
				1910	26640	21.42	22	0-2				
				1855	26090	21.59	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1				
		25 RB	12	1882.5	26365	21.68	22					
				1910	26640	21.39	22					
				1855	26090	21.58	22					
			25	1882.5	26365	21.68	22					
				1910	26640	21.38	22					
				1855	26090	21.54	22					
		50	RB	1882.5	26365	21.63	22					
				1910	26640	21.42	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 141 of 608

			FDD E	Band 25 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1855	26090	21.59	22	0-2
			0	1882.5	26365	21.37	22	0-2
				1910	26640	21.31	22	0-2
				1855	26090	21.57	22	0-2
		1 RB	25	1882.5	26365	21.64	22	0-2
				1910	26640	21.54	22	0-2
				1855	26090	21.48	22	0-2
			49	1882.5	26365	21.35	22	0-2
				1910	26640	21.53	22	0-2
				1855	26090	20.36	21	0-3
10	64-QAM		0	1882.5	26365	20.34	21	0-3
				1910	26640	20.35	21	0-3
				1855	26090	20.44	21	0-3
		25 RB	12	1882.5	26365	20.53	21	0-3
				1910	26640	20.35	21	0-3
				1855	26090	20.45	21	0-3
			25	1882.5	26365	20.47	21	0-3
				1910	26640	20.30	21	0-3
				1855	26090	20.37	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
		50	RB	1882.5	26365	20.50	21	0-3
				1910	26640	20.35	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 142 of 608

	FDD Band 25 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1852.5	26065	23.22	24	0				
			0	1882.5	26365	23.48	24	0				
				1912.5	26665	23.08	24	0				
				1852.5	26065	23.35	24	0				
		1 RB	12	1882.5	26365	23.50	24	0				
				1912.5	26665	23.05	24	0				
				1852.5	26065	23.36	24	0				
			24	1882.5	26365	23.51	24	0				
				1912.5	26665	23.28	24	0				
				1852.5	26065	22.21	23	0-1				
	QPSK		0	1882.5	26365	22.47	23	0-1				
				1912.5	26665	22.13	23	0-1				
				1852.5	26065	22.29	23	0-1				
		12 RB	6	1882.5	26365	22.46	23	0-1				
				1912.5	26665	22.15	23	0-1				
				1852.5	26065	22.33	23	0-1				
			13	1882.5	26365	22.47	23	0-1				
				1912.5	26665	22.21	23	0-1				
				1852.5	26065	22.29	23	0-1				
		25	RB	1882.5	26365	22.46	23	0-1				
5				1912.5	26665	22.18	23	0-1				
				1852.5	26065	22.51	23	0-1				
			0	1882.5	26365	22.85	23					
				1912.5	26665	22.31	23	_				
				1852.5	26065	22.53	23	0-1				
		1 RB	12	1882.5	26365	22.75	23	0-1				
				1912.5	26665	22.38	23	0-1				
				1852.5	26065	22.66	23					
			24	1882.5	26365	22.73	23					
				1912.5	26665	22.46	23	0-1				
	40.6			1852.5	26065	21.22	22					
	16-QAM		0	1882.5	26365	21.49	22					
				1912.5	26665	21.15	22					
		40.55		1852.5	26065	21.31	22	0-2				
		12 RB	6	1882.5	26365	21.47	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-				
				1912.5	26665	21.12	22					
			4-	1852.5	26065	21.35	22					
			13	1882.5	26365	21.49	22					
				1912.5	26665	21.18	22					
				1852.5	26065	21.30	22					
	25R	KB	1882.5	26365	21.45	22						
			1912.5	26665	21.15	22	0-2					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 143 of 608

			FDD E	Band 25 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1852.5	26065	21.53	22	0-2
			0	1882.5	26365	21.40	22	0-2
				1912.5	26665	21.28	22	0-2
				1852.5	26065	21.59	22	0-2
		1 RB	12	1882.5	26365	21.70	22	0-2
			1912.5	26665	21.53	22	0-2	
				1852.5	26065	21.43	22	0-2
			24	1882.5	26365	21.34	22	0-2
				1912.5	26665	21.55	22	0-2
				1852.5	26065	20.45	21	0-3
5	64-QAM		0	1882.5	26365	20.41	21	0-3
				1912.5	26665	20.30	21	0-3
				1852.5	26065	20.44	21	0-3
		12 RB	6	1882.5	26365	20.48	21	0-3
				1912.5	26665	365 21.40 22 665 21.28 22 065 21.59 22 365 21.70 22 665 21.53 22 065 21.43 22 365 21.34 22 665 21.55 22 065 20.45 21 365 20.41 21 365 20.44 21 365 20.48 21 365 20.37 21 365 20.46 21 365 20.25 21 365 20.40 21 365 20.48 21	21	0-3
				1852.5	26065	20.37	21	0-3
			13	1882.5	26365	20.46	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				1912.5	26665	20.25	21	0-3
				1852.5	26065	20.40	21	0-3
		25RB		1882.5	26365	20.48	21	0-3
				1912.5	26665	20.37	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 144 of 608

	FDD Band 25 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1851.5	26055	23.10	24	0				
			0	1882.5	26365	23.37	24	0				
				1913.5	26675	23.04	24	0				
				1851.5	26055	23.21	24	0				
		1 RB	7	1882.5	26365	23.51	24	0				
				1913.5	26675	23.18	24	0				
				1851.5	26055	23.24	24	0				
			14	1882.5	26365	23.46	24	0				
				1913.5	26675	23.11	24	0				
				1851.5	26055	22.09	23	0-1				
	QPSK		0	1882.5	26365	22.37	23	0-1				
				1913.5	26675	22.03	23	0-1				
				1851.5	26055	22.09	23	0-1				
		8 RB	4	1882.5	26365	22.35	23	0-1				
				1913.5	26675	22.08	23	0-1				
				1851.5	26055	22.17	23	0-1				
			7	1882.5	26365	22.35	23	0-1				
				1913.5	26675	22.11	23	0-1				
				1851.5	26055	22.11	23	0-1				
		15	RB	1882.5	26365	22.36	23	0-1				
3				1913.5	26675	22.12	23	0-1				
				1851.5	26055	22.47	23	0-1				
			0	1882.5	26365	22.55	23					
				1913.5	26675	22.19	23	_				
				1851.5	26055	22.46	23	0-1				
		1 RB	7	1882.5	26365	22.75	23	0-1				
				1913.5	26675	22.41	23	0-1				
				1851.5	26055	22.52	23	0-1				
			14	1882.5	26365	22.70	23					
				1913.5	26675	22.32	23					
	40.6			1851.5	26055	21.07	22					
	16-QAM		0	1882.5	26365	21.32	22					
				1913.5	26675	21.04	22					
		0.55		1851.5	26055	21.07	22	0-2				
		8 RB	4	1882.5	26365	21.33	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1				
				1913.5	26675	21.04	22					
			_	1851.5	26055	21.16	22					
			7	1882.5	26365	21.35	22					
	15R			1913.5	26675	21.06	22					
				1851.5	26055	21.08	22					
		KB	1882.5	26365	21.27	22						
			1913.5	26675	21.03	22	0-2					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 145 of 608

			FDD E	Band 25 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1851.5	26055	21.60	22	0-2
			0	1882.5	26365	21.42	22	0-2
				1913.5	26675	21.34	22	0-2
				1851.5	26055	21.59	22	0-2
		1 RB	7	1882.5	26365	21.69	22	0-2
				1913.5	26675	21.48	22	0-2
				1851.5	26055	21.48	22	0-2
			14	1882.5	26365	21.36	22	0-2
				1913.5	26675	21.52	22	0-2
				1851.5	26055	20.41	21	0-3
3	64-QAM		0	1882.5	26365	20.44	21	0-3
				1913.5	26675	20.32	21	0-3
				1851.5	26055	20.38	21	0-3
		8 RB	4	1882.5	26365	20.51	21	0-3
				1913.5	26675	20.28	21	Max. Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				1851.5	26055	20.35	21	0-3
			7	1882.5	26365	20.39	21	X. Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				1913.5	26675	20.30	21	
				1851.5	26055	20.41	21	0-3
		15	RB	1882.5	26365	20.48	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				1913.5	26675	20.29	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 146 of 608

	FDD Band 25 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1850.7	26047	23.14	24	0				
			0	1882.5	26365	23.45	24	0				
				1914.3	26683	23.23	24	0				
				1850.7	26047	23.16	24	0				
		1 RB	2	1882.5	26365	23.44	24	0				
				1914.3	26683	23.16	24	0				
				1850.7	26047	23.21	24	0				
			5	1882.5	26365	23.47	24	0				
				1914.3	26683	23.21	24	0				
				1850.7	26047	23.10	24	0				
	QPSK		0	1882.5	26365	23.37	24	0				
				1914.3	26683	23.10	24	0				
				1850.7	26047	23.09	24	0				
		3 RB	2	1882.5	26365	23.39	24	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O				
				1914.3	26683	23.09	24					
				1850.7	26047	23.10	24					
			3	1882.5	26365	23.37	24	0				
				1914.3	26683	23.08	24	0				
				1850.7	26047	22.10	23	0-1				
		6F	RB	1882.5	26365	22.36	23	0-1				
1.4				1914.3	26683	22.10	23	0-1				
			1850.7 26047 22.45	23	_							
			0	1882.5	26365	22.75	23	0-1				
				1914.3	26683	22.44	23	0-1				
				1850.7	26047	22.37	23	0-1				
		1 RB	2	1882.5	26365	22.74	23	0-1				
				1914.3	26683	22.47	23					
				1850.7	26047	22.55	23					
			5	1882.5	26365	22.65	23					
				1914.3	26683	22.45	23					
				1850.7	26047	22.20	23					
	16-QAM		0	1882.5	26365	22.51	23					
				1914.3	26683	22.15	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				1850.7	26047	22.16	23					
		3 RB	2	1882.5	26365	22.45	23					
				1914.3	26683	22.10	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				1850.7	26047	22.13	23					
			3	1882.5	26365	22.46	23					
				1914.3	26683	22.12	23					
				1850.7	26047	21.10	22					
	6RB		KR	1882.5	26365	21.41	22					
				1914.3	26683	21.07	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 147 of 608

			FDD E	Band 25 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1850.7	26047	21.55	22	0-2
			0	1882.5	26365	21.34	22	0-2
				1914.3	26683	21.30	22	0-2
				1850.7	26047	21.56	22	0-2
		1 RB	2	1882.5	26365	21.72	22	0-2
				1914.3	26683	21.49	22	0-2
				1850.7	26047	21.51	22	0-2
			5	1882.5	26365	21.41	22	0-2
				1914.3	26683	21.51	22	0-2
				1850.7	26047	21.41	22	0-2
1.4	64-QAM		0	1882.5	26365	21.38	22	0-2
				1914.3	26683	21.39	22	0-2
				1850.7	26047	21.43	22	0-2
		3 RB	2	1882.5	26365	21.50	22	0-2
				1914.3	26683	21.31	22	0-2
				1850.7	26047	21.45	22	Power + Max. Tolerance (dBm) 22
			3	1882.5	26365	21.42	22	
				1914.3	26683	21.23	22	
				1850.7	26047	20.37	21	0-3
		6F	RB	1882.5	26365	20.48	21	0-3
				1914.3	26683	20.36	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 148 of 608

	FDD Band 25 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1860	26140	18.37	19	0				
			0	1882.5	26365	18.40	19	0				
				1905	26590	18.28	19	0				
				1860	26140	18.55	19	0				
		1 RB	50	1882.5	26365	18.74	19	0				
				1905	26590	18.53	19	0				
				1860	26140	18.45	19	0				
			99	1882.5	26365	18.42	19	0				
				1905	26590	18.51	19	0				
				1860	26140	18.23	19	0				
	QPSK		0	1882.5	26365	18.12	19	0				
				1905	26590	18.09	19	0				
				1860	26140	18.13	19					
		50 RB	25	1882.5	26365	18.25	19					
				1905	26590	18.10	19	0				
				1860	26140	18.08	19	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O				
			50	1882.5	26365	18.21	19	_				
				1905	26590	18.06	19					
				1860	26140	18.13	19					
		100)RB	1882.5	26365	18.21	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
20			1	1905	26590	18.11	19					
				1860	26140	18.24	19					
			0	1882.5	26365	18.32	19					
				1905	26590	18.15	19					
		4 DD	50	1860	26140	18.48	19					
		1 RB	50	1882.5	26365	18.61	19					
				1905	26590	18.46	19					
			00	1860	26140	18.24	19					
			99	1882.5	26365	18.40	19					
				1905	26590	18.37	19	_				
	16-QAM		0	1860 1882.5	26140 26365	18.19 17.96	19 19					
	I U-Q/AIVI		J			1						
				1905	26590	17.89	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		50 RB	25	1860 1882.5	26140	18.10	19					
		30 KB	25	1882.5	26365 26590	18.19 17.95	19 19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				1860	26140	17.95	19					
			50	1882.5	26365	18.02	19					
			30	1905	26590	18.01	19					
				1860	26140	18.09	19	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		100)RB	1882.5	26365	18.03	19					
		100	, <u>.</u>	1905	26590	18.01	19					
				1900	20030	10.01	13	U				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 149 of 608

			FDD Ban	d 25 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1860	26140	18.24	19	0
			0	1882.5	26365	18.27	19	0
				1905	26590	18.09	19	0
				1860	26140	18.48	19	0
		1 RB	50	1882.5	26365	18.46	19	0
				1905	26590	18.40	19	0
				1860	26140	18.24	19	0
			99	1882.5	26365	18.31	19	0
				1905	26590	18.40	19	0
				1860	26140	18.02	19	0
20	64-QAM		0	1882.5	26365	18.09	19	0
				1905	26590	17.95	19	0
				1860	26140	18.02	19	0
		50 RB	25	1882.5	26365	18.10	19	0
				1905	26590	18.07	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1860	26140	18.04	19	0
			50	1882.5	26365	18.10	19	0
				1905	26590	17.97	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1860	26140	18.11	19	0
		100)RB	1882.5	26365	18.02	19	0
				1905	26590	17.90	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 150 of 608

FDD Band 25 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				1857.5	26115	18.37	19	0			
			0	1882.5	26365	18.21	19	0			
				1907.5	26615	18.25	19	0			
				1857.5	26115	18.37	19	0			
		1 RB	36	1882.5	26365	18.60	19	0			
				1907.5	26615	18.34	19	0			
				1857.5	26115	18.25	19	0			
			74	1882.5	26365	18.35	19	0			
				1907.5	26615	18.43	19	0			
				1857.5	26115	18.08	19	0			
	QPSK		0	1882.5	26365	18.04	19	_			
				1907.5	26615	18.03	19				
				1857.5	26115	18.02	19				
		36 RB	18	1882.5	26365	18.04	19				
				1907.5	26615	18.01	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
				1857.5	26115	17.98	19				
			37	1882.5	26365	18.14	19				
				1907.5	26615	17.94	19				
				1857.5	26115	18.08	19				
		75	RB	1882.5	26365	18.03	19	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
15			T	1907.5	26615	18.04	19				
				1857.5	26115	18.11	19				
			0	1882.5	26365	18.25	19				
				1907.5	26615	18.06	19				
		4 DD	20	1857.5	26115	18.41	19				
		1 RB	36	1882.5	26365	18.43	19				
				1907.5	26615	18.39	19				
			74	1857.5	26115	18.16	19				
			74	1882.5	26365	18.30	19				
				1907.5	26615	18.35	19				
	16-QAM		0	1857.5	26115	17.98	19				
	10-QAIVI			1882.5 1907.5	26365 26615	17.75	19 19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
						17.75					
		36 RB	18	1857.5 1882.5	26115 26365	18.04 18.05	19 19				
		30 10	10	1907.5	26615	17.76	19				
				1857.5	26115	17.76	19				
			37	1882.5	26365	17.82	19				
			"	1907.5	26615	17.82	19				
			I	1857.5	26115	17.93	19				
		75	RB	1882.5	26365	17.83	19				
		75RB		1907.5	26615	17.86	19				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 151 of 608

			FDD Ban	d 25 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1857.5	26115	18.08	19	0
			0	1882.5	26365	18.12	19	0
				1907.5	26615	18.06	19	0
				1857.5	26115	18.32	19	0
		1 RB	36	1882.5	26365	18.39	19	0
				1907.5	26615	18.33	19	0
				1857.5	26115	18.10	19	0
			74	1882.5	26365	18.20	19	0
				1907.5	26615	18.32	19	0
				1857.5	26115	17.94	19	0
15	64-QAM		0	1882.5	26365	18.05	19	0
				1907.5	26615	17.91	19	0
				1857.5	26115	17.86	19	0
		36 RB	18	1882.5	26365	17.91	19	0
				1907.5	26615	17.97	19	Aax. Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1857.5	26115	17.95	19	0
			37	1882.5	26365	17.92	19	0
				1907.5	26615	17.77	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1857.5	26115	18.08	19	0
		75	RB	1882.5	26365	17.82	19	0
				1907.5	26615	17.73	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 152 of 608

	FDD Band 25 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1855	26090	18.34	19	0				
			0	1882.5	26365	18.29	19	0				
				1910	26640	18.24	19	0				
				1855	26090	18.34	19	0				
		1 RB	25	1882.5	26365	18.56	19	0				
				1910	26640	18.51	19	0				
				1855	26090	18.40	19	0				
			49	1882.5	26365	18.35	19	0				
				1910	26640	18.49	19	0				
				1855	26090	18.17	19	0				
	QPSK		0	1882.5	26365	17.91	19	0				
				1910	26640	17.98	19	0				
				1855	26090	18.04	19	0				
		25 RB	12	1882.5	26365	18.12	19	0				
				1910	26640	18.07	19	0				
				1855	26090	17.98	19	0				
			25	1882.5	26365	18.04	19	0				
				1910	26640	17.87	19	0				
				1855	26090	17.94	19	0				
		50	RB	1882.5	26365	18.03	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
10			T	1910	26640	18.06	19	0				
			1855 26090 18.21 19									
			0	1882.5	26365	18.25	19					
				1910	26640	17.97	19					
				1855	26090	18.32	19	0				
		1 RB	25	1882.5	26365	18.43	19					
				1910	26640	18.31	19					
			4.5	1855	26090	18.10	19					
			49	1882.5	26365	18.20	19					
				1910	26640	18.32	19	_				
	40.0			1855	26090	18.17	19					
	16-QAM		0	1882.5	26365	17.84	19					
				1910	26640	17.82	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		05.55	40	1855	26090	17.98	19					
		25 RB	12	1882.5	26365	18.11	19	3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				1910	26640	17.91	19					
				1855	26090	17.79	19					
			25	1882.5	26365	17.93	19					
				1910	26640	17.89	19					
				1855	26090	17.99	19					
	50RE		KB	1882.5	26365	17.94	19					
				1910	26640	17.81	19	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 153 of 608

			FDD Ban	d 25 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1855	26090	18.21	19	0
			0	1882.5	26365	18.18	19	0
				1910	26640	18.06	19	0
				1855	26090	18.34	19	0
		1 RB	25	1882.5	26365	18.35	19	0
				1910	26640	18.20	19	0
				1855	26090	18.10	19	0
			49	1882.5	26365	18.17	19	0
				1910	26640	18.37	19	0
				1855	26090	17.90	Power + Max. Tolerance (dBm) 19 19 19 19 19 0	0
10	64-QAM		0	1882.5	26365	17.95	19	0
				1910	26640	17.88	19	0
				1855	26090	17.93	19	0
		25 RB	12	1882.5	26365	17.92	19	0
				1910	26640	18.05	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1855	26090	17.90	19	0
			25	1882.5	26365	17.98	19	0
				1910	26640	17.93	Tolerance (dBm) 19 0 19 0 19 0 19 0 19 0 19 0 19 0 19	
				1855	26090	17.96	19	0
		50	RB	1882.5	26365	17.84	19	0
				1910	26640	17.84	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 154 of 608

	FDD Band 25 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1852.5	26065	18.27	19	0				
			0	1882.5	26365	18.24	19	0				
				1912.5	26665	18.20	19	0				
				1852.5	26065	18.53	19	0				
		1 RB	12	1882.5	26365	18.49	19	0				
				1912.5	26665	18.37	19	0				
				1852.5	26065	18.38	19	0				
			24	1882.5	26365	18.38	19	0				
				1912.5	26665	18.30	19	0				
				1852.5	26065	18.04	19	0				
	QPSK		0	1882.5	26365	18.07	19	0				
				1912.5	26665	18.07	19	0				
				1852.5	26065	17.97	19	0				
		12 RB	6	1882.5	26365	18.23	19	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O				
				1912.5	26665	17.95	19					
				1852.5	26065	18.05	19					
			13	1882.5	26365	18.08	19	0				
				1912.5	26665	17.98	19	0				
				1852.5	26065	17.93	19					
		25	RB	1882.5	26365	18.05	19	0				
5			T	1912.5	26665	18.03	19					
			1852.5 26065 18.09 19									
			0									
							_					
		. ==				ł						
		1 RB	12					_				
						1						
				1912.5 26665 18.20 19 1852.5 26065 18.53 19 1912.5 26665 18.49 19 1912.5 26665 18.37 19 1852.5 26065 18.38 19 1912.5 26665 18.38 19 1912.5 26665 18.30 19 1852.5 26065 18.04 19 1882.5 26365 18.07 19 1852.5 26665 18.07 19 1852.5 26065 18.07 19 1852.5 26065 17.97 19 1852.5 26365 18.23 19 1912.5 26665 17.95 19 1852.5 26065 18.05 19 1852.5 26365 18.08 19 1912.5 26665 17.98 19 1852.5 26065 17.93 19 1852.5 26365 18.09 19 1852.5 26365 18.09 19								
			24			1		Max. Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O O				
								_				
	16 0 4 14		_									
	16-QAM		0			1						
		10 DD				•						
		12 RB	6									
						1		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
			12			†						
			13									
						<u> </u>						
		25	RB			1						
		23	ועט			1						
				1912.5	∠0005	17.83	19	U				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 155 of 608

			FDD Ban	d 25 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1852.5	26065	18.12	19	0
			0	1882.5	26365	18.16	19	0
				1912.5	26665	17.91	19	0
				1852.5	26065	18.28	19	0
		1 RB	12	1882.5	26365	18.26	19	0
			1912.5	26665	18.27	19	0	
				1852.5	26065	18.06	19	0
			24	1882.5	26365	18.17	19	MIFR Allowed per 3GPP(dB)
				1912.5	26665	18.31	19	0
				1852.5	26065	18.00	19	0
5	64-QAM		0	1882.5	26365	18.00	19	0
				1912.5	26665	17.78	19	0
				1852.5	26065	17.91	19	0
		12 RB	6	1882.5	26365	17.89	19	0
				1912.5	26665	17.88	19	0
				1852.5	26065	Conducted power (dBm) Power + Max Tolerance (dBm) 18.12 19 18.16 19 17.91 19 18.28 19 18.26 19 18.06 19 18.17 19 18.31 19 18.00 19 17.78 19 17.89 19 17.85 19 18.03 19 17.94 19	19	0
			13	1882.5	26365	18.03	19	+ Max. Allowed per 3GPP(dB) 9
				1912.5	26665	17.95	19	
				1852.5	26065	17.94	19	0
		25	RB	1882.5	26365	17.83	19	0
				1912.5	26665	17.80	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 156 of 608

FDD Band 25 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				1851.5	26055	18.20	19	0			
			0	1882.5	26365	18.36	19	0			
				1913.5	26675	18.25	19	0			
				1851.5	26055	18.45	19	0			
		1 RB	7	1882.5	26365	18.43	19	0			
				1913.5	26675	18.41	19	0			
				1851.5	26055	18.33	19	0			
			14	1882.5	26365	18.26	19	0			
				1913.5	26675	18.44	19	0			
				1851.5	26055	18.21	19	0			
	QPSK		0	1882.5	26365	17.96	19	0			
				1913.5	26675	17.96	19	0			
				1851.5	26055	18.11	19				
		8 RB	4	1882.5	26365	18.05	19				
				1913.5	26675	18.01	19	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O			
				1851.5	26055	18.06	19				
			7	1882.5	26365	18.17	19				
				1913.5	26675	17.89	19				
				1851.5	26055	18.07	19				
		15	RB	1882.5	26365	18.01	19	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
3				1913.5	26675	18.01	19				
				1851.5	26055	18.15	19				
			0	1882.5	26365	18.13	19				
				1913.5	26675	18.09	19				
		4 DD	7	1851.5	26055	18.45	19				
		1 RB	7	1882.5	26365	18.40	19				
				1913.5	26675	18.36	19				
			1.1	1851.5	26055	18.20	19				
			14	1882.5	26365	18.30	19				
				1913.5	26675	18.29	19				
	16-QAM		0	1851.5	26055	18.05	19				
	10-QAIVI		U	1882.5	26365 26675	17.78 17.85	19 19				
				1913.5							
		8 RB	4	1851.5 1882.5	26055	17.99	19 19				
		סונס	7	1913.5	26365 26675	18.14 17.76	19				
				1851.5	26055	17.76	19				
			7	1882.5	26365	17.85	19				
			'	1913.5	26675	17.83	19				
				1851.5	26055	17.87	19				
		15	RB	1882.5	26365	17.93	19				
	15RE			1913.5	26675	17.93	19	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 157 of 608

			FDD Ban	d 25 (Reducte	ed Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1851.5	26055	18.15	19	0
			0	1882.5	26365	18.10	19	0
				1913.5	26675	18.03	19	0
				1851.5	26055	18.32	19	0
		1 RB	7	1882.5	26365	18.44	19	0
				1913.5	26675	18.24	19	0
				1851.5	26055	18.11	19	0
			14	1882.5	26365	18.26	19	0
				1913.5	26675	18.22	19	0
				1851.5	26055	17.95	19	0
3	64-QAM		0	1882.5	26365	18.01	19	0
				1913.5	26675	17.89	19	0
				1851.5	26055	17.95	19	0
		8 RB	4	1882.5	26365	17.94	19	0
				1913.5	26675	18.01	19	0
				1851.5	26055	17.83	19	0
			7	1882.5	26365	17.90	19	0
				1913.5	26675	17.88	19	0
				1851.5	26055	18.09	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		15	RB	1882.5	26365	17.93	19	0
				1913.5	26675	17.79	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 158 of 608

FDD Band 25 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)			
				1850.7	26047	18.20	19	0			
			0	1882.5	26365	18.22	19	0			
				1914.3	26683	18.13	19	0			
				1850.7	26047	18.44	19	0			
		1 RB	2	1882.5	26365	18.57	19	0			
				1914.3	26683	18.35	19	0			
				1850.7	26047	18.33	19	0			
			5	1882.5	26365	18.28	19	0			
				1914.3	26683	18.36	19	0			
				1850.7	26047	18.04	19	0			
	QPSK		0	1882.5	26365	18.10	19	0			
				1914.3	26683	17.94	19	0			
				1850.7	26047	17.92	19	0			
		3 RB	2	1882.5	26365	18.08	19	0			
				1914.3	26683	17.99	19	0			
				1850.7	26047	17.94	19	0			
			3	1882.5	26365	18.08	19	0			
				1914.3	26683	17.86	19	0			
			•	1850.7	26047	18.09	19	0			
		6F	RB	1882.5	26365	18.18	19	0			
4.4				1914.3	26683	18.08	19	0			
1.4				1850.7	26047	18.07	19	0			
			0	1882.5	26365	18.26	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
				1914.3	26683	18.07	19	0			
				1850.7	26047	18.37	19	0			
		1 RB	2	1882.5	26365	18.41	19	0			
				1914.3	26683	18.40	19	0			
				1850.7	26047	18.04	19	0			
			5	1882.5	26365	18.21	19	0			
				1914.3	26683	18.18	19	0			
				1850.7	26047	17.98	19	0			
	16-QAM		0	1882.5	26365	17.81	19	0			
				1914.3	26683	17.73	19	0			
				1850.7	26047	17.90	19	X. Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
		3 RB	2	1882.5	26365	18.14	19				
				1914.3	26683	17.90	19				
				1850.7	26047	17.82	19	0			
			3	1882.5	26365	17.82	19	0			
				1914.3	26683	17.92	19	0			
			•	1850.7	26047	18.04	19	3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
		6F	RB	1882.5	26365	17.95	19				
				1914.3	26683	17.94	19	0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 159 of 608

			FDD Ban	d 25 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1850.7	26047	18.11	19	0
			0	1882.5	26365	18.07	19	0
				1914.3	26683	17.93	19	0
				1850.7	26047	18.41	19	0
		1 RB	2	1882.5	26365	18.28	19	0
				1914.3	26683	18.24	19	0
				1850.7	26047	18.20	19	0
			5	1882.5	26365	18.25	19	0
				1914.3	26683	18.34	19	0
				1850.7	26047	17.82	19	0
1.4	64-QAM		0	1882.5	26365	18.00	19	0
				1914.3	26683	17.91	19	0
				1850.7	26047	17.96	19	0
		3 RB	2	1882.5	26365	18.01	19	0
				1914.3	26683	18.05	19	0
				1850.7	26047	17.88	19	0
			3	1882.5	26365	18.02	19	0
				1914.3	26683	17.88	19	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1850.7	26047	18.07	19	
		6RB		1882.5	26365	17.99	19	0
				1914.3	26683	17.82	19	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 160 of 608

	FDD Band 26 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				821.5	26765	23.47	25	0				
			0	831.5	26865	23.52	25	0				
				841.5	26965	23.64	25	0				
				821.5	26765	23.59	25	0				
		1 RB	36	831.5	26865	23.49	25	0				
				841.5	26965	23.49	25	0				
				821.5	26765	23.51	25	0				
			74	831.5	26865	23.43	25	0				
				841.5	26965	23.50	25	0				
				821.5	26765	22.55	24	0-1				
	QPSK		0	831.5	26865	22.35	24	0-1				
				841.5	26965	22.39	24	0-1				
				821.5	26765	22.50	24	0-1				
		36 RB	18	831.5	26865	22.47	24	0-1				
				841.5	26965	22.44	24	0-1				
				821.5	26765	22.42	24					
			37	831.5	26865	22.46	24	-				
				841.5	26965	22.49	24	0-1				
				821.5	26765	22.53	24					
		75	RB	831.5	26865	22.52	24					
15			1	841.5	26965	22.54	24					
				821.5	26765	22.88	24					
			0	831.5	26865	22.68	24					
				841.5	26965	22.77	24	•				
		4.00	00	821.5	26765	22.85	24	-				
		1 RB	36	831.5	26865	22.80	24					
				841.5	26965	22.74	24	-				
			74	821.5	26765	22.78	24	-				
			74	831.5	26865	22.80	24					
				841.5	26965	22.84	24					
	16-QAM		0	821.5	26765	21.62	23					
	10-QAW		0	831.5	26865	21.41	23	•				
				841.5	26965	21.45	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-				
		36 RB	18	821.5	26765	21.57	23					
		30 KB	۱۵	831.5	26865	21.55	23					
				841.5	26965	21.50	23	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 1 0 0 1				
			37	821.5	26765	21.46	23					
			31	831.5	26865	21.53	23	•				
				841.5	26965	21.53	23	•				
		75	DR	821.5	26765	21.56	23					
	75R		מאו	831.5	26865	21.55	23					
				841.5	26965	21.55	23	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 161 of 608

			FDD E	Band 26 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				821.5	26765	21.83	23	0-2
			0	831.5	26865	21.62	23	0-2
				841.5	26965	21.73	23	0-2
				821.5	26765	21.81	23	0-2
		1 RB	36	831.5	26865	21.74	23	0-2
				841.5	26965	21.65	23	0-2
				821.5	26765	21.71	23	0-2
			74	831.5	26865	21.78	23	0-2
				841.5	26965	21.79	23	0-2
				821.5	26765	20.55	22	0-3
15	64-QAM		0	831.5	26865	20.33	22	0-3
				841.5	26965	20.45	22	0-3
				821.5	26765	20.53	22	0-3
		36 RB	18	831.5	26865	20.46	22	0-3
				841.5	26965	20.44	22	0-3
				821.5	26765	20.44	22	0-3
			37	831.5	26865	20.45	22	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-3 0-3 0-3 0-3 0-3 0-3
				841.5	26965	20.46	22	0-3
				821.5	26765	20.48	22	3 0-2 3 0-2 3 0-2 3 0-2 3 0-2 3 0-2 3 0-2 3 0-2 3 0-2 3 0-2 2 0-3 2 0-3 2 0-3 2 0-3 2 0-3 2 0-3 2 0-3 2 0-3 2 0-3 2 0-3 2 0-3 2 0-3 2 0-3 2 0-3 2 0-3
		75	RB	831.5	26865	20.46	22	0-3
				841.5	26965	20.51	22	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 162 of 608

	FDD Band 26 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				819	26740	23.38	25	0				
			0	831.5	26865	23.32	25	0				
				844	26990	23.43	25	0				
				819	26740	23.39	25	0				
		1 RB	25	831.5	26865	23.40	25	0				
				844	26990	23.47	25	0				
				819	26740	23.39	25	0				
			49	831.5	26865	23.49	25	0				
				844	26990	23.60	25	0				
				819	26740	22.43	24	0-1				
	QPSK		0	831.5	26865	22.20	24	0-1				
				844	26990	22.34	24	0-1				
				819	26740	22.33	24	0-1				
		25 RB	12	831.5	26865	22.30	24	0-1				
				844	26990	22.28	24	0-1				
				819	26740	22.36	24	0-1				
			25	831.5	26865	22.39	24	0-1				
				844	26990	22.30	24	0-1				
				819	26740	22.44	24					
		50	RB	831.5	26865	22.34	24					
10				844	26990	22.37	24	_				
			0	819	26740	22.86	24	_				
			0	831.5	26865	22.65	24					
				844	26990	22.67	24	_				
		4 DD	0.5	819	26740	22.83	24					
		1 RB	25	831.5	26865	22.72	24	_				
				844	26990	22.53	24					
			40	819	26740	22.61	24					
			49	831.5	26865	22.77	24					
				844	26990	22.66	24					
	16-QAM		0	819	26740	21.42	23					
	10-QAW		U	831.5	26865	21.34	23					
				844	26990	21.28	23					
		25 RB	12	819	26740	21.54	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-				
		20 KD	12	831.5 844	26865 26990	21.50 21.48	23 23					
			25	819	26740	21.38	23 23	3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1				
			20	831.5	26865 26990	21.44	23					
				844 819	26990	21.47 21.44	23					
		50	RB	831.5	26865	21.44	23					
		30		844	26990	21.45	23					
				044	20990	21.30	23	∪-∠				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 163 of 608

			FDD E	Band 26 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				819	26740	21.77	23	0-2
			0	831.5	26865	21.54	23	0-2
				844	26990	21.67	23	0-2
				819	26740	21.80	23	0-2
		1 RB	25	831.5	26865	21.72	23	0-2
				844	26990	21.58	23	0-2
				819	26740	21.64	23	0-2
			49	831.5	26865	21.70	23	0-2
				844	26990	21.71	23	0-2
				819	26740	20.54	22	0-3
10	64-QAM		0	831.5	26865	20.29	22	0-3
				844	26990	20.44	22	0-3
				819	26740	20.48	22	0-3
		25 RB	12	831.5	26865	20.45	22	0-3
				844	26990	20.39	22	0-3
				819	26740	20.39	22	0-3
			25	831.5	26865	20.42	22	0-3
				844	26990	20.38	22	0-3
				819	26740	20.43	22	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
		50RB		831.5	26865	20.43	22	0-3
				844	26990	20.50	22	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 164 of 608

	FDD Band 26 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				816.5	26715	23.19	25	0				
			0	831.5	26865	23.24	25	0				
				846.5	27015	23.30	25	0				
				816.5	26715	23.20	25	0				
		1 RB	12	831.5	26865	23.35	25	0				
				846.5	27015	23.30	25	0				
				816.5	26715	23.31	25	0				
			24	831.5	26865	23.47	25	0				
				846.5	27015	23.53	25	0				
				816.5	26715	22.24	24	0-1				
	QPSK		0	831.5	26865	22.14	24	0-1				
				846.5	27015	22.18	24	0-1				
				816.5	26715	22.24	24	0-1				
		12 RB	6	831.5	26865	22.19	24	0-1				
				846.5	27015	22.09	24	0-1				
				816.5	26715	22.18	24	0-1				
			13	831.5	26865	22.21	24	0-1				
				846.5	27015	22.15	24	0-1				
				816.5	26715	22.27	24	0-1				
		25	RB	831.5	26865	22.32	24	0-1				
5				846.5	27015	22.26	24	0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1				
				816.5	26715	22.80	24					
			0	831.5	26865	22.62	24					
				846.5	27015	22.50	24					
				816.5	26715	22.71	24					
		1 RB	12	831.5	26865	22.54	24					
				846.5	27015	22.46	24					
				816.5	26715	22.48	24					
			24	831.5	26865	22.59	24					
				846.5	27015	22.62	24	_				
	40.0			816.5	26715	21.30	23					
	16-QAM		0	831.5	26865	21.19	23					
				846.5	27015	21.16	23					
		40.00		816.5	26715	21.43	23					
		12 RB	6	831.5	26865	21.39	23	0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-1 0-1 0-				
				846.5	27015	21.30	23					
			40	816.5	26715	21.33	23					
			13	831.5	26865	21.42	23					
				846.5	27015	21.26	23					
		0.5	DD	816.5	26715	21.42	23					
			RB	831.5	26865	21.38	23					
				846.5	27015	21.23	23	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 165 of 608

			FDD E	Band 26 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				816.5	26715	21.75	23	0-2
			0	831.5	26865	21.62	23	0-2
				846.5	27015	21.68	23	0-2
				816.5	26715	21.78	23	0-2
		1 RB	12	831.5	26865	21.72	23	0-2
				846.5	27015	21.60	23	0-2
				816.5	26715	21.65	23	0-2
			24	831.5	26865	21.77	23	0-2
				846.5	27015	21.76	23	0-2
				816.5	26715	20.53	22	0-3
5	64-QAM		0	831.5	26865	20.29	22	0-3
				846.5	27015	20.39	22	0-3
				816.5	26715	20.47	22	0-3
		12 RB	6	831.5	26865	20.37	22	0-3
				846.5	27015	20.35	22	0-3
				816.5	26715	20.36	22	0-3
			13	831.5	26865	20.38	22	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				846.5	27015	20.39	22	0-3
				816.5	26715	20.45	22	0-3
		25	RB	831.5	26865	20.45	22	0-3
				846.5	27015	20.49	22	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 166 of 608

			FDD E	Band 26 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				815.5	26705	23.13	25	0
			0	831.5	26865	23.14	25	0
				847.5	27025	23.20	25	0
				815.5	26705	23.15	25	0
		1 RB	7	831.5	26865	23.31	25	0
				847.5	27025	23.26	25	0
				815.5	26705	23.21	25	0
			14	831.5	26865	23.42	25	0
				847.5	27025	23.36	25	0
				815.5	26705	22.08	24	0-1
	QPSK		0	831.5	26865	22.09	24	0-1
				847.5	27025	22.09	24	0-1
				815.5	26705	22.18	24	_
		8 RB	4	831.5	26865	22.03	24	
				847.5	27025	22.07	24	
				815.5	26705	22.11	24	
			7	831.5	26865	22.18	24	_
				847.5	27025	22.13	24	
				815.5	26705	22.07	24	_
		15	RB	831.5	26865	22.26	24	
3			1	847.5	27025	22.16	24	
				815.5	26705	22.63	24	
			0	831.5	26865	22.41	24	
				847.5	27025	22.48	24	
		4 DD	7	815.5	26705	22.54	24	
		1 RB	7	831.5	26865	22.47	24	
				847.5	27025	22.43	24	
			4.4	815.5	26705	22.39	24	
			14	831.5	26865	22.54	24	
				847.5	27025	22.43	24 23	_
	16-QAM		0	815.5	26705	21.24		
	10-QAW		U	831.5	26865 27025	21.03	23 23	
				847.5		21.11		0 0 0 0 0 0 0 0 0 0 0 0 0
		8 RB	4	815.5	26705	21.31	23	
		O ND	4	831.5 847.5	26865	21.28	23	
					27025	21.27 21.25	23	0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-1 0-
			7	815.5 831.5	26705		23 23	
			'	831.5	26865	21.37		
				847.5 815.5	27025 26705	21.21 21.37	23 23	
		15	RR	831.5	26865	21.37	23	
	15R		ועט	847.5		1	23	
				ŏ47.5	27025	21.02	23	∪-∠

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 167 of 608

			FDD E	Band 26 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				815.5	26705	21.82	23	0-2
			0	831.5	26865	21.55	23	0-2
				847.5	27025	21.71	23	0-2
				815.5	26705	21.72	23	0-2
		1 RB	7	831.5	26865	21.68	23	0-2
				847.5	27025	21.58	23	0-2
				815.5	26705	21.63	23	0-2
			14	831.5	26865	21.74	23	0-2
				847.5	27025	21.72	23	0-2
				815.5	26705	20.52	22	0-3
3	64-QAM		0	831.5	26865	20.29	22	0-3
				847.5	27025	20.43	22	0-3
				815.5	26705	20.49	22	0-3
		8 RB	4	831.5	26865	20.41	22	0-3
				847.5	27025	20.37	22	0-3
				815.5	26705	20.37	22	0-3
			7	831.5	26865	20.36	22	0-3
				847.5	27025	20.44	22	0-3
		15RB		815.5	26705	20.48	22	0-3
				831.5	26865	20.46	22	0-3
				847.5	27025	20.43	22	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 168 of 608

	FDD Band 26 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				814.7	26697	23.50	25	0				
			0	831.5	26865	23.46	25	0				
				848.3	27033	23.55	25	0				
				814.7	26697	23.50	25	0				
		1 RB	2	831.5	26865	23.46	25	0				
				848.3	27033	23.55	25	0				
				814.7	26697	23.52	25	0				
			5	831.5	26865	23.47	25	0				
				848.3	27033	23.49	25	0				
				814.7	26697	23.48	25	0				
	QPSK		0	831.5	26865	23.46	25	0				
				848.3	27033	23.56	25	0				
				814.7	26697	23.47	25	0				
		3 RB	2	831.5	26865	23.45	25	0				
				848.3	27033	23.51	25	0				
				814.7	26697	23.49	25	0				
			3	831.5	26865	23.45	25	0				
				848.3	27033	23.49	25	0				
				814.7	26697	22.49	24	0-1				
		6F	RB	831.5	26865	22.48	24	0-1				
1.4				848.3	27033	22.56	24	0-1				
				814.7	26697	22.76	24	0-1				
			0	831.5	26865	22.78	24	0-1				
				848.3	27033	22.74	24	0-1				
				814.7	26697	22.81	24	0-1				
		1 RB	2	831.5	26865	22.85	24	0-1				
				848.3	27033	22.77	24	0-1				
			_	814.7	26697	22.80	24					
			5	831.5	26865	22.81	24					
				848.3	27033	22.74	24	_				
	40.6			814.7	26697	22.56	24					
	16-QAM		0	831.5	26865	22.59	24					
				848.3	27033	22.63	24	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		0.55		814.7	26697	22.56	24					
		3 RB	2	831.5	26865	22.54	24					
				848.3	27033	22.56	24	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1				
				814.7	26697	22.55	24					
			3	831.5	26865	22.60	24					
				848.3	27033	22.60	24					
				814.7 831.5	26697	21.54	23					
		6F	6RB		26865	21.57	23					
					848.3	27033	21.52	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 169 of 608

			FDD E	Band 26 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				814.7	26697	21.83	23	0-2
			0	831.5	26865	21.57	23	0-2
				848.3	27033	21.64	23	0-2
				814.7	26697	21.77	23	0-2
		1 RB	2	831.5	26865	21.70	23	0-2
				848.3	27033	21.58	23	0-2
				814.7	26697	21.71	23	0-2
			5	831.5	26865	21.75	23	0-2
				848.3	27033	21.75	23	0-2
				814.7	26697	21.52	23	0-2
1.4	64-QAM		0	831.5	26865	21.25	23	0-2
				848.3	27033	21.42	23	0-2
				814.7	26697	21.50	23	0-2
		3 RB	2	831.5	26865	21.41	23	0-2
				848.3	27033	21.39	23	0-2
				814.7	26697	21.42	23	0-2
			3	831.5	26865	21.42	23	ax. Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				848.3	27033	21.38	23	
				814.7	26697	20.45	22	
		6RB		831.5	26865	20.44	22	0-3
				848.3	27033	20.48	22	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 170 of 608

	FDD Band 26 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				821.5	26765	20.81	21	0				
			0	831.5	26865	20.92	21	0				
				841.5	26965	21.00	21	0				
				821.5	26765	20.87	21	0				
		1 RB	36	831.5	26865	20.89	21	0				
				841.5	26965	20.84	21	0				
				821.5	26765	20.84	21	0				
			74	831.5	26865	20.88	21	0				
				841.5	26965	20.99	21	0				
				821.5	26765	20.46	21	0				
	QPSK		0	831.5	26865	20.24	21					
				841.5	26965	20.28	21					
				821.5	26765	20.42	21					
		36 RB	18	831.5	26865	20.39	21	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O				
				841.5	26965	20.34	21					
				821.5	26765	20.33	21					
			37	831.5	26865	20.36	21					
				841.5	26965	20.38	21					
		7.5	DD	821.5	26765	20.43	21					
		/5	RB	831.5	26865	20.42	21	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
15			1	841.5	26965	20.45	21					
			0	821.5	26765	20.78	21					
			U	831.5	26865	20.89	21	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				841.5	26965	20.97	21					
		1 RB	36	821.5	26765	20.84	21					
		IND	30	831.5 841.5	26865 26965	20.86	21 21					
				821.5	26765	20.81	21					
			74	831.5	26865	20.85	21					
			, ,	841.5	26965	20.65	21					
				821.5	26765	20.43	21					
	16-QAM		0	831.5	26865	20.43	21					
				841.5	26965	20.25	21					
				821.5	26765	20.39	21					
		36 RB	18	831.5	26865	20.36	21					
				841.5	26965	20.31	21	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				821.5	26765	20.30	21					
			37	831.5	26865	20.33	21					
			<u> </u>	841.5	26965	20.35	21					
			1	821.5	26765	20.40	21					
		75RB		831.5	26865	20.39	21					
		751		841.5	26965	20.42	21	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 171 of 608

			FDD Ban	d 26 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				821.5	26765	20.75	21	0
			0	831.5	26865	20.86	21	0
				841.5	26965	20.94	21	0
				821.5	26765	20.81	21	0
		1 RB	36	831.5	26865	20.83	21	0
				841.5	26965	20.78	21	0
				821.5	26765	20.78	21	0
			74	831.5	26865	20.82	21	0
				841.5	26965	20.93	21	0
				821.5	26765	20.40	21	0
15	64-QAM		0	831.5	26865	20.18	21	0
				841.5	26965	20.22	21	0
				821.5	26765	20.36	21	0
		36 RB	18	831.5	26865	20.33	ted Bm) Power + Max. Tolerance (dBm) Allowed 3GPP(5 21 0 6 21 0 7 21 0 8 21 0 8 21 0 8 21 0 8 21 0 8 21 0 8 21 0 8 21 0 8 21 0 8 21 0 9 21 0	0
				841.5	26965	20.28	21	0
				821.5	26765	20.27	21	0
			37	831.5	26865	20.30	21	0
				841.5	26965	20.32	21	0
				821.5	26765	20.37	21	0
		75	RB	831.5	26865	20.36	21 0 21 0 21 0 21 0 21 0 21 0 21 0	0
				841.5	26965	20.39	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 172 of 608

	FDD Band 26 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				819	26740	20.78	21	0				
			0	831.5	26865	20.89	21	0				
				844	26990	20.87	21	0				
				819	26740	20.84	21	0				
		1 RB	25	831.5	26865	20.86	21	0				
				844	26990	20.81	21	0				
				819	26740	20.81	21	0				
			49	831.5	26865	20.85	21	0				
				844	26990	20.96	21	0				
				819	26740	20.43	21	0				
	QPSK		0	831.5	26865	20.21	21	0				
				844	26990	20.25	21	0				
				819	26740	20.39	21	0				
		25 RB	12	831.5	26865	20.36	21	0				
				844	26990	20.31	21	0				
				819	26740	20.30	21	0				
			25	831.5	26865	20.33	21	0				
				844	26990	20.35	21	0				
				819	26740	20.40	21	0				
		50	RB	831.5	26865	20.39	21	0				
10			T	844	26990	20.42	21	0 0 0 0 0 0 0				
			_	819	26740	20.75	21					
			0	831.5	26865	20.86	21					
				844	26990	20.94	21					
				819	26740	20.81	21					
		1 RB	25	831.5	26865	20.83	21					
				844	26990	20.78	21	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
			40	819	26740	20.78	21					
			49	831.5	26865	20.82	21					
				844	26990	20.93	21					
	40.0444		_	819	26740	20.40	21					
	16-QAM		0	831.5	26865	20.18	21					
				844	26990	20.22	21					
		05.00	40	819	26740	20.36	21					
		25 RB	12	831.5	26865	20.33	21	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				844	26990	20.28	21					
			0.5	819	26740	20.27	21					
			25	831.5	26865	20.30	21					
				844	26990	20.32	21					
			DD	819	26740	20.37	21					
	50R	KR	831.5	26865	20.36	21						
				844	26990	20.39	21	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 173 of 608

			FDD Ban	d 26 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				819	26740	20.72	21	0
			0	831.5	26865	20.83	21	0
				844	26990	20.91	21	0
				819	26740	20.78	21	0
		1 RB	25	831.5	26865	20.80	21	0
				844	26990	20.75	21	0
				819	26740	20.75	21	0
			49	831.5	26865	20.79	21	0
				844	26990	20.90	21	0
				819	26740	20.37	21	0
10	64-QAM		0	831.5	26865	20.15	21	0
				844	26990	20.19	21	0
				819	26740	20.33	21	0
		25 RB	12	831.5	26865	20.30	21	0
				844	26990	20.25	21	0
				819	26740	20.24	21	0
			25	831.5	26865	20.27	21	0
				844	26990	20.29	21	0
1				819	26740	20.34	21	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O
1		50	RB	831.5	26865	20.33	21	
				844	26990	20.36	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 174 of 608

	FDD Band 26 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				816.5	26715	20.78	21	0				
			0	831.5	26865	20.89	21	0				
				846.5	27015	20.97	21	0				
				816.5	26715	20.84	21	0				
		1 RB	12	831.5	26865	20.86	21	0				
				846.5	27015	20.81	21	0				
				816.5	26715	20.81	21	0				
			24	831.5	26865	20.85	21	0				
				846.5	27015	20.96	21	0				
				816.5	26715	20.43	21	0				
	QPSK		0	831.5	26865	20.21	21	0				
				846.5		20.25	21	0				
						•		0				
		12 RB	6			†						
						1						
								Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O				
			13									
								_				
		25	RB			1						
5						1						
			816.5 26715 20.75 21									
			0					_				
						+						
		4.00	40									
		1 RB	12									
			0.4	Silvarian Silv								
			24			•						
								_				
	16 0 14		0			-						
	16-QAM		U									
						•		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		12 RB	6									
		IZ ND	Ü									
			12			1						
			13									
								0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
		25	RR									
	25R		מאו									
				846.5	2/015	20.39	Z T	U				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 175 of 608

			FDD Ban	d 26 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				816.5	26715	20.72	21	0
			0	831.5	26865	20.83	21	0
				846.5	27015	20.91	21	0
				816.5	26715	20.78	21	0
		1 RB	12	831.5	26865	20.80	21	0
				846.5	27015	20.75	21	0
				816.5	26715	20.75	21	0
			24	831.5	26865	20.79	21	0
				846.5	27015	20.90	21	0
				816.5	26715	20.37	21	0
5	64-QAM		0	831.5	26865	20.15	21	0
				846.5	27015	20.19	21	0
				816.5	26715	20.33	21	0
		12 RB	6	831.5	26865	20.30	21	0
				846.5	27015	20.25	21	0
				816.5	26715	20.24	21	0
			13	831.5	26865	20.27	21	0
				846.5	27015	20.29	21	0
				816.5	26715	20.34	21	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		25RB		831.5	26865	20.33	21	0
				846.5	27015	20.36	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 176 of 608

			FDD Ban	nd 26 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				815.5	26705	20.78	21	0
			0	831.5	26865	20.89	21	0
				847.5	27025	20.97	21	0
				815.5	26705	20.84	21	0
		1 RB	7	831.5	26865	20.86	21	0
				847.5	27025	20.81	21	0
				815.5	26705	20.81	21	0
			14	831.5	26865	20.85	21	0
				847.5	27025	20.96	21	0
				815.5	26705	20.43	21	0
	QPSK		0	831.5	26865	20.21	21	0
				847.5	27025	20.25	21	0
				815.5	26705	20.39	21	0
		8 RB	4	831.5	26865	20.36	21	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O O
				847.5	27025	20.31	21	
				815.5	26705	20.30	21	
			7	831.5	26865	20.33	21	0
				847.5	27025	20.35	21	0
				815.5	26705	20.40	21	0
		15	RB	831.5	26865	20.39	21	
3			1	847.5	27025	20.42	21	
			815.5 26705 20.75 21					
			0	831.5	26865	20.86	21	
				847.5	27025	20.94	21	
		4.00	_	815.5	26705	20.81	21	
		1 RB	7	831.5	26865	20.83	21	
				847.5	27025	20.78	21	
			4.4	815.5	26705	20.78	21	
			14	831.5	26865	20.82	21	
				847.5	27025	20.93	21	
	16 0 4 14		_	815.5	26705	20.40	21	
	16-QAM		0	831.5	26865	20.18	21	
				847.5	27025	20.22	21	
		0 PP	A	815.5	26705	20.36	21	
		8 RB	4	831.5	26865	20.33	21	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				847.5	27025	20.28	21	
			7	815.5	26705	20.27	21	
			'	831.5	26865	20.30	21	
				847.5 815.5	27025	20.32	21 21	
		15	RR	831.5	26705 26865	20.37	21	
	15R	ועט	847.5			21		
				047.5	27025	20.39	۷۱	U

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 177 of 608

			FDD Ban	d 26 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				815.5	26705	20.72	21	0
			0	831.5	26865	20.83	21	0
				847.5	27025	20.91	21	0
				815.5	26705	20.78	21	0
		1 RB	7	831.5	26865	20.80	21	0
				847.5	27025	20.75	21	0
				815.5	26705	20.75	21	0
			14	831.5	26865	20.79	21	0
				847.5	27025	20.90	21	0
				815.5	26705	20.37	21	0
3	64-QAM		0	831.5	26865	20.15	21	0
				847.5	27025	20.19	21	0
				815.5	26705	20.33	21	0
		8 RB	4	831.5	26865	20.30	21	0
				847.5	27025	20.25	21	0
				815.5	26705	20.24	21 0 21 0 21 0 21 0 21 0 21 0 21 0 21 0	0
			7	831.5	26865	20.27	21	Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O
				847.5	27025	20.29	21	
				815.5	26705	20.34	21	0
		15	RB	831.5	26865	20.33	21	0
				847.5	27025	20.36	21	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 178 of 608

	FDD Band 26 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				814.7	26697	20.78	21	0				
			0	831.5	26865	20.89	21	0				
				848.3	27033	20.97	21	0				
				814.7	26697	20.84	21	0				
		1 RB	2	831.5	26865	20.86	21	0				
				848.3	27033	20.81	21	0				
				814.7	26697	20.81	21	0				
			5	831.5	26865	20.85	21	0				
				848.3	27033	20.96	21	0				
				814.7	26697	20.43	21	0				
	QPSK		0	831.5	26865	20.21	21	0				
				848.3	27033	20.25	21	0				
				814.7	26697	20.39	21	0				
		3 RB	2	831.5	26865	20.36	21	0				
				848.3	27033	20.31	21	0				
				814.7	26697	20.30	21	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
			3	831.5	26865	20.33	21	0				
				848.3	27033	20.35	21	0				
				814.7	26697	20.40	21	0				
		6F	RB	831.5	26865	20.39	21	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
1.4				848.3	27033	20.42	21	0				
				814.7	26697	20.75	21					
			0	831.5	26865	20.86	21					
				848.3	27033	20.94	21	0				
				814.7	26697	20.81	21	0				
		1 RB	2	831.5	26865	20.83	21					
				848.3	27033	20.78	21					
				814.7	26697	20.78	21					
			5	831.5	26865	20.82	21	_				
				848.3	27033	20.93	21	_				
			_	814.7	26697	20.40	21					
	16-QAM		0	831.5	26865	20.18	21					
				848.3	27033	20.22	21	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
			_	814.7	26697	20.36	21					
		3 RB	2	831.5	26865	20.33	21	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				848.3	27033	20.28	21					
				814.7	26697	20.27	21					
			3	831.5	26865	20.30	21					
				848.3	27033	20.32	21					
				814.7	26697	20.37	21					
		6RB		831.5 848.3	26865	20.36	21					
					27033	20.39	21	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 179 of 608

	FDD Band 26 (Reducted Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				814.7	26697	20.72	21	0				
			0	831.5	26865	20.83	21	0				
				848.3	27033	20.91	21	0				
				814.7	26697	20.78	21	0				
		1 RB	2	831.5	26865	20.80	21	0				
				848.3	27033	20.75	21	0				
				814.7	26697	20.75	21	0				
			5	831.5	26865	20.79	21	0				
				848.3	27033	20.90	21	0				
				814.7	26697	20.37	21	0				
1.4	64-QAM		0	831.5	26865	20.15	21	0				
				848.3	27033	20.19	21	0				
				814.7	26697	20.33	21	0				
		3 RB	2	831.5	26865	20.30	21	wer + Max. folerance (dBm) 21				
				848.3	27033	20.25	21	0				
				814.7	26697	20.24	21	0				
			3	831.5	26865	20.27	21	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
				848.3	27033	20.29	21	0				
				814.7	26697	20.34	21	0				
		6F	RB	831.5	26865	20.33	21	0				
				848.3	27033	20.36	21	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 180 of 608

	FDD Band 30 (Full Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
			0	2310	27710	19.98	20	0				
		1 RB	25	2310	27710	19.84	20	0				
			49	2310	27710	19.87	20	0				
	QPSK		0	2310	27710	18.75	19	0-1				
		25 RB	12	2310	27710	18.73	19	0-1				
			25	2310	27710	18.65	19	0-1				
		50	RB	2310	27710	18.83	19	0-1				
	4.55		0	2310	27710	18.98	19	0-1				
		1 RB	25	2310	27710	18.94	19	0-1				
			49	2310	27710	18.90	19	0-1				
10	16-QAM		0	2310	27710	17.41	18	Max. ce Allowed per 3GPP(dB) 0 0 0 0-1 0-1 0-1 0-1 0-1 0-1 0-1				
10		25 RB	12	2310	27710	17.39	18	0-2				
			25	2310	27710	17.28	18	0-2				
		50	RB	2310	27710	17.43	18	0-2				
			0	2310	27710	17.91	18	0-2				
		1 RB	25	2310	27710	17.92	18	0-2				
			49	2310	27710	17.98	18	0-2				
	64-QAM	_	0	2310	27710	16.41	17	0-1 0-1 0-1 0-1 0-1 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2				
		25 RB	12	2310	27710	16.61	17	0-3				
			25	2310	27710	16.51	17	0-3				
		50	RB	2310	27710	16.43	17	0-3				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 181 of 608

	FDD Band 30 (Full Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				2307.5	27685	19.91	20	0				
			0	2310	27710	19.87	20					
				2312.5	27735	19.90	20					
				2307.5	27685	19.85	20					
		1 RB	12	2310	27710	19.93	20	0				
				2312.5	27735	19.78	20	0				
				2307.5	27685	19.80	20	0				
			24	2310	27710	19.76	20	0				
				2312.5	27735	19.93	20	0				
				2307.5	27685	18.86	19	0-1				
	QPSK		0	2310	27710	18.66	19	0-1				
				2312.5	27735	18.71	19	0-1				
				2307.5	27685	18.57	19	0-1				
		12 RB	6	2310	27710	18.66	19	0-1				
				2312.5	27735	18.55	19	0-1				
				2307.5	27685	18.60	19	0-1				
			13	2310	27710	18.75	19	0-1				
				2312.5	27735	18.69	19	0-1				
				2307.5	27685	18.65	19	0-1				
		25	RB	2310	27710	18.73	19	0-1				
5				2312.5	27735	18.60	19	0-1				
5				2307.5	27685	18.99	19	0-1				
			0	2310	27710	18.84	19	0-1				
				2312.5	27735	18.94	19	0-1				
				2307.5	27685	18.83	19	0-1				
		1 RB	12	2310	27710	18.95	19	0-1				
				2312.5	27735	18.83	19	0-1				
				2307.5	27685	18.73	19	0-1				
			24	2310	27710	18.72	19	0-1				
				2312.5	27735	18.82	19	0-1				
				2307.5	27685	17.94	18	0-2				
	16-QAM		0	2310	27710	17.74	18	0-2				
				2312.5	27735	17.72	18	0-2				
				2307.5	27685	17.65	18	0-2				
		12 RB	6	2310	27710	17.75	18	3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1				
				2312.5	27735	17.60	18					
				2307.5	27685	17.70	18					
			13	2310	27710	17.78	18					
				2312.5	27735	17.74	18	0-2				
				2307.5	27685	17.68	18					
	25		RB	2310	27710	17.72	18					
				2312.5	27735	17.62	18	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 182 of 608

			FDD E	Band 30 (Full F	Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2307.5	27685	17.91	18	0-2
			0	2310	27710	17.83	18	0-2
				2312.5	27735	17.89	18	0-2
				2307.5	27685	17.79	18	0-2
		1 RB	12	2310	27710	17.87	18	0-2
				2312.5	27735	17.83	18	0-2
				2307.5	27685	17.64	18	0-2
			24	2310	27710	17.71	18	0-2
				2312.5	27735	17.82	18	0-2
				2307.5	27685	16.94	17	0-3
5	64-QAM		0	2310	27710	16.67	17	0-3
				2312.5	27735	16.67	17	0-3
				2307.5	27685	16.56	17	0-3
		12 RB	6	2310	27710	16.69	17	0-3
				2312.5	27735	16.54	17	0-3
				2307.5	27685	16.70	17	0-3
			13	2310	27710	16.68	17	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				2312.5	27735	16.72	17	0-3
				2307.5	27685	16.63	17	0-3
		25	RB	2310	27710	16.62	17	0-3
				2312.5	27735	16.57	17	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 183 of 608

	FDD Band 66 (Full power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				1720	132072	23.66	24	0				
			0	1745	132322	23.71	24	0				
				1770	132572	23.90	24	0				
				1720	132072	23.82	24	0				
		1 RB	50	1745	132322	23.58	24	0				
				1770	132572	23.86	24	0				
				1720	132072	23.59	24	0				
			99	1745	132322	23.74	24	0				
				1770	132572	23.88	24	0				
				1720	132072	22.74	23	0-1				
	QPSK		0	1745	132322	22.72	23	0-1				
				1770	132572	22.85	23	0-1				
				1720	132072	22.75	23	0-1				
		50 RB	25	1745	132322	22.65	23	0-1				
				1770	132572	22.86	23	0-1				
				1720	132072	22.68	23	0-1				
			50	1745	132322	22.60	23	0-1				
				1770	132572	22.96	23	0-1				
				1720	132072	22.79	23	0-1				
		100)RB	1745	132322	22.69	23					
20			ī	1770	132572	132572 22.94 23 0-1						
				1720	132072	22.92	23	_				
			0	1745	132322	22.83	23					
				1770	132572	22.99	23	_				
		4.00	50	1720	132072	22.87	23					
		1 RB	50	1745	132322	22.86	23	_				
				1770	132572	22.95	23					
			00	1720	132072	22.89	23					
			99	1745	132322	23.00	23					
				1770	132572 132072	22.88	23					
	16-QAM		0	1720 1745		21.77	22					
	10-QAW		U		132322	21.75	22					
				1770	132572	21.88	22					
		50 RB	25	1720	132072	21.76	22					
		OU KD	20	1745	132322 132572	21.71 21.92	22 22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-				
				1770 1720		21.92						
			50	1720 1745	132072	1	22 22					
			50	1745 1770	132322	21.62	22					
				1770	132572 132072	21.99 21.78	22					
		100)RB	1745	132322	21.70	22					
		100	,,,,,	1745		21.72	22					
				1770	132572	∠1.98	22	∪-∠				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 184 of 608

			FDD E	Band 66 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1720	132072	21.84	22	0-2
			0	1745	132322	21.70	22	0-2
				1770	132572	21.92	22	0-2
				1720	132072	21.73	22	0-2
		1 RB	50	1745	132322	21.77	22	0-2
				1770	132572	21.89	22	0-2
				1720	132072	21.72	22	0-2
			99	1745	132322	21.93	22	0-2
				1770	132572	21.73	22	0-2
				1720	132072	20.71	Power + Max. Tolerance (dBm)	0-3
20	64-QAM		0	1745	132322	20.59	21	0-3
				1770	132572	20.80	21	0-3
				1720	132072	20.63	21	0-3
		50 RB	25	1745	132322	20.62	21	0-3
				1770	132572	20.90	21	0-3
				1720	132072	20.55	21	0-3
			50	1745	132322	20.45	21	0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2
				1770	132572	20.86	21	0-3
				1720	132072	20.77	21	0-3
		100)RB	1745	132322	20.70	21	0-3
				1770	132572	20.89	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 185 of 608

			FDD E	Band 66 (Full p	oower)					
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
				1717.5	132047	23.55	24	0		
			0	1745	132322	23.70	24	0		
				1772.5	132597	23.77	24	0		
				1717.5	132047	23.63	24	0		
		1 RB	36	1745	132322	23.38	24	0		
				1772.5	132597	23.66	24	0		
				1717.5	132047	23.46	24	0		
			74	1745	132322	23.62	24	0		
				1772.5	132597	23.80	24	0		
				1717.5	132047	22.61	23	0-1		
	QPSK		0	1745	132322	22.55	23	0-1		
				1772.5	132597	22.82	23	0-1		
				1717.5	132047	22.67	23	0-1		
		36 RB	18	1745	132322	22.51	23	0-1		
				1772.5	132597	22.71	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
				1717.5	132047	22.62	23			
			37	1745	132322	22.45	23	0-1		
				1772.5	132597	22.86	23	0-1		
				1717.5	132047	22.65	23	_		
		75	RB	1745	132322	22.58	23	0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-1 0-1 0-1		
15			T	1772.5	132597	22.75	23	0-1		
				1717.5	132047	22.83	23			
			0	1745	132322	22.69	23	3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
				1772.5	132597	22.86	23			
				1717.5	132047	22.76	23			
		1 RB	36	1745	132322	22.69	23			
				1772.5	132597	22.89	23			
			 .	1717.5	132047	22.81	23			
			74	1745	132322	22.79	23			
				1772.5	132597	22.74	23	_		
	46.0444		_	1717.5	132047	21.62	22			
	16-QAM		0	1745	132322	21.66	22			
				1772.5	132597	21.70	22			
		26.00	40	1717.5	132047	21.60	22			
		36 RB	18	1745	132322	21.68	22			
				1772.5	132597	21.90	22			
			27	1717.5	132047	21.56	22			
			37	1745	132322	21.59	22			
				1772.5	132597	21.84	22			
		75	DD	1717.5	132047	21.65	22			
	75R		ΚĎ	1745	132322	21.62	22			
				1772.5	132597	21.85	22	0-2		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 186 of 608

			FDD E	Band 66 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1717.5	132047	21.70	22	0-2
			0	1745	132322	21.67	22	0-2
				1772.5	132597	21.70	22	0-2
				1717.5	132047	21.68	22	0-2
	1 RB	36	1745	132322	21.59	22	0-2	
				1772.5	132597	21.77	22	0-2
				1717.5	132047	21.74	22	0-2
			74	1745	132322	21.61	22	0-2
				1772.5	132597	21.63	22	0-2
				1717.5	132047	20.50	21	0-3
15	64-QAM		0	1745	132322	20.48	21	0-3
				1772.5	132597	20.65	21	0-3
				1717.5	132047	20.49	21	0-3
		36 RB	18	1745	132322	20.67	21	0-3
				1772.5	132597	20.84	21	0-3
				1717.5	132047	20.56	21	wer + Max. colerance (dBm) 22
			37	1745	132322	20.57	21	
				1772.5	132597	20.67	21	0-3
				1717.5	132047	20.56	21	0-3
		75	RB	1745	132322	20.53	21	0-3
				1772.5	132597	20.70	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 187 of 608

			FDD E	Band 66 (Full p	oower)				
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				1715	132022	23.42	24	0	
			0	1745	132322	23.62	24	0	
				1775	132622	23.71	24	0	
				1715	132022	23.58	24	0	
		1 RB	25	1745	132322	23.30	24	0	
				1775	132622	23.57	24	0	
				1715	132022	23.31	24	0	
			49	1745	132322	23.43	24	0	
				1775	132622	23.60	24	0	
				1715	132022	22.56	23	0-1	
	QPSK		0	1745	132322	22.46	23	0-1	
				1775	132622	22.75	23	0-1	
				1715	132022	22.59	23	0-1	
		25 RB	12	1745	132322	22.36	23	0-1	
				1775	132622	22.65	23	0-1	
				1715	132022	22.54	23	0-1	
			25	1745	132322	22.37	23	0-1	
				1775	132622	22.68	23	0-1	
				1715	132022	22.49	23	0-1	
		50	RB	1745	132322	22.55	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-	
10				1775	132622	22.62	23	0-1	
10				1715	132022	22.77	23	0-1	
			0	1745	132322	22.59	23	0-1	
				1775	132622	22.66	23	0-1	
				1715	132022	22.72	23	0-1	
		1 RB	25	1745	132322	22.60	23	0-1	
				1775	132622	22.83	23	0-1	
				1715	132022	22.74	23	0-1	
			49	1745	132322	22.58	23	0-1	
				1775	132622	22.58	23	0-1	
				1715	132022	21.52	22	0-2	
	16-QAM		0	1745	132322	21.59	22	0-2	
				1775	132622	21.58	22	0-2	
				1715	132022	21.53	22	0-2	
		25 RB	12	1745	132322	21.56	22	0-2	
				1775	132622	21.87	22	0-2	
				1715	132022	21.40	22		
			25	1745	132322	21.38	22	0-2	
				1775	132622	21.77	22		
				1715	132022	21.55	22	0-2	
	50		RB	1745	132322	21.55	22	0-2	
				1775	132622	21.68	22	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 188 of 608

			FDD E	Band 66 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1715	132022	21.69	22	0-2
			0	1745	132322	21.40	22	0-2
				1775	132622	21.54	22	0-2
				1715	132022	21.69	22	0-2
		1 RB	25	1745	132322	21.56	22	0-2
				1775	132622	21.66	22	0-2
				1715	132022	21.74	22	0-2
			49	1745	132322	21.42	22	0-2
				1775	132622	21.44	22	0-2
				1715	132022	20.43	21	0-3
10	64-QAM		0	1745	132322	20.42	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				1775	132622	20.41	21	0-3
				1715	132022	20.50	21	0-3
		25 RB	12	1745	132322	20.40	21	0-3
				1775	132622	20.79	21	0-3
				1715	132022	20.39	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
			25	1745	132322	20.24	21	
				1775	132622	20.72	21	
				1715	132022	20.44	21	0-3
		50	RB	1745	132322	20.51	21	0-3
				1775	132622	20.66	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 189 of 608

			FDD E	Band 66 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1712.5	131997	23.28	24	0
			0	1745	132322	23.42	24	0
				1777.5	132647	23.64	24	0
				1712.5	131997	23.38	24	0
		1 RB	12	1745	132322	23.20	24	0
				1777.5	132647	23.37	24	0
				1712.5	131997	23.24	24	0
			24	1745	132322	23.36	24	0
				1777.5	132647	23.50	24	0
				1712.5	131997	22.52	23	0-1
	QPSK		0	1745	132322	22.36	23	0-1
				1777.5	132647	22.57	23	0-1
				1712.5	131997	22.47	23	0-1
		12 RB	6	1745	132322	22.17	23	0-1
				1777.5	132647	22.44	23	0-1
				1712.5	131997	22.34	23	0-1
			13	1745	132322	22.32	23	0-1
				1777.5	132647	22.66	23	0-1
				1712.5	131997	22.44	23	0-1
		25	RB	1745	132322	22.49	23	0-1
5				1777.5	132647	22.51	23	0-1
				1712.5	131997	22.65	23	0-1
			0	1745	132322	22.45	23	0-1
				1777.5	132647	22.50	23	0-1
				1712.5	131997	22.67	23	0-1
		1 RB	12	1745	132322	22.55	23	0-1
				1777.5	132647	22.69	23	0-1
				1712.5	131997	22.53	23	0-1
			24	1745	132322	22.46	23	0-1
				1777.5	132647	22.37	23	0-1
				1712.5	131997	21.46	22	
	16-QAM		0	1745	132322	21.48	22	0-2
				1777.5	132647	21.52	22	
				1712.5	131997	21.34	22	0-2
		12 RB	6	1745	132322	21.41	22	0-2
				1777.5	132647	21.80	22	0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1
				1712.5	131997	21.38	22	
			13	1745	132322	21.34	22	
				1777.5	132647	21.72	22	
				1712.5	131997	21.43	22	
	251		KB	1745	132322	21.39	22	0-2
				1777.5	132647	21.66	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 190 of 608

			FDD E	Band 66 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1712.5	131997	21.49	22	0-2
			0	1745	132322	21.43	22	0-2
				1777.5	132647	21.42	22	0-2
				1712.5	131997	21.51	22	0-2
		1 RB	12	1745	132322	21.50	22	0-2
				1777.5	132647	21.69	22	0-2
				1712.5	131997	21.38	22	0-2
			24	1745	132322	21.35	22	0-2
				1777.5	132647	21.36	22	0-2
				1712.5	132647 21.3 131997 20.3	20.39	21	0-3
5	64-QAM		0	1745	132322	20.34	21	0-3
				1777.5	132647	20.48	21	0-3
				1712.5	131997	20.15	21	0-3
		12 RB	6	1745	132322	20.40	21	0-3
				1777.5	132647	20.69	21	0-3
				1712.5	131997	20.26	21	0-3
			13	1745	132322	20.27	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				1777.5	132647	20.61	21	0-3
				1712.5	131997	20.24	21	0-3
		25	RB	1745	132322	20.31	21	0-3
				1777.5	132647	20.63	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 191 of 608

			FDD E	Band 66 (Full p	oower)				
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				1711.5	131987	23.10	24	0	
			0	1745	132322	23.40	24	0	
				1778.5	132657	23.58	24	0	
				1711.5	131987	23.27	24	0	
		1 RB	7	1745	132322	23.05	24	0	
				1778.5	132657	23.22	24	0	
				1711.5	131987	23.13	24	0	
			14	1745	132322	23.31	24	0	
				1778.5	132657	23.36	24	0	
				1711.5	131987	22.43	23	0-1	
	QPSK		0	1745	132322	22.24	23	0-1	
				1778.5	132657	22.41	23	0-1	
				1711.5	131987	22.26	23	0-1	
		8 RB	4	1745	132322	22.02	23	AX. Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
				1778.5	132657	22.29	23		
				1711.5	131987	22.16	23		
			7	1745	132322	22.11	23	_	
				1778.5	132657	22.46	23	0-1	
				1711.5	131987	22.25	23	_	
		15	RB	1745	132322	22.44	23	3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-	
3			1	1778.5	132657	22.30	23		
				1711.5 131987 22.63 23 0 1745 132322 22.35 23					
			0						
				1778.5	132657	22.39	23		
		4.00	_	1711.5	131987	22.51	23		
		1 RB	7	1745	132322	22.44	23		
				1778.5	132657	22.48	23		
			4.4	1711.5	131987	22.51	23		
			14	1745	132322	22.40	23		
				1778.5	132657	22.18	23	_	
	46.0444		_	1711.5	131987	21.33	22		
	16-QAM		0	1745	132322	21.39	22		
				1778.5	132657	21.35	22		
		0.00		1711.5	131987	21.25	22		
		8 RB	4	1745	132322	21.21	22		
				1778.5	132657	21.64	22		
			7	1711.5	131987	21.22	22		
			7	1745	132322	21.15	22		
				1778.5	132657	21.64	22		
		A E	DD	1711.5	131987	21.33	22		
	15RE		ΚĎ	1745	132322	21.37	22		
				1778.5	132657	21.49	22	0-2	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 192 of 608

			FDD E	Band 66 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1711.5	131987	21.54	22	0-2
			0	1745	132322	21.24	22	0-2
				1778.5	132657	21.27	22	0-2
				1711.5	131987	21.39	22	0-2
	1 RB	7	1745	132322	21.44	22	0-2	
				1778.5	132657	21.30	22	0-2
				1711.5	131987	21.37	22	0-2
			14	1745	132322	21.28	22	0-2
				1778.5	132657	21.15	22	0-2
				1711.5	131987	20.14	Power + Max. Tolerance (dBm) Tolerance (dBm)	0-3
3	64-QAM		0	1745	132322	20.30	21	0-3
				1778.5	132657	20.23	21	0-3
				1711.5	131987	20.24	21	0-3
		8 RB	4	1745	132322	20.02	21	0-3
				1778.5	132657	20.58	21	0-3
				1711.5	131987	20.18	21	0-3
			7	1745	132322	20.09	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				1778.5	132657	20.59	21	0-3
				1711.5	131987	20.20	21	0-3
		15	RB	1745	132322	20.35	21	0-3
				1778.5	132657	20.48	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 193 of 608

			FDD E	Band 66 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1710.7	131979	23.50	24	0
			0	1745	132322	23.60	24	0
				1779.3	132665	23.85	24	0
				1710.7	131979	23.46	24	0
		1 RB	2	1745	132322	23.58	24	0
				1779.3	132665	23.83	24	0
				1710.7	131979	23.53	24	0
			5	1745	132322	23.62	24	0
				1779.3	132665	23.82	24	0
				1710.7	131979	22.67	24	0
	QPSK		0	1745	132322	22.79	24	0
				1779.3	132665	22.93	24	0
				1710.7	131979	22.68	24	0
		3 RB	2	1745	132322	22.78	24	0
				1779.3	132665	22.91	24	0
				1710.7	131979	22.73	24	0
			3	1745	132322	22.79	24	0
				1779.3	132665	23.00	66 23	0
				1710.7	131979	22.56	23	0-1
		6RB		1745	132322	22.66	23	0-1
1.4			T	1779.3	132665	22.89	23	0-1
				1710.7	131979	22.82	23	0-1
			0	1745	132322	22.94	23	0-1
				1779.3	132665	22.98	23	0-1
				1710.7	131979	22.77	23	0-1
		1 RB	2	1745	132322	22.86	23	0-1
				1779.3	132665	22.96	23	0-1
			_	1710.7	131979	22.81	23	0-1
			5	1745	132322	22.88	23	0-1
				1779.3	132665	22.91	23	0-1
	40.0			1710.7	131979	22.61	23	0-1
	16-QAM		0	1745	132322	22.71	23	0-1
				1779.3	132665	22.96	23	0-1
		0 DD		1710.7	131979	22.60	23	0-1
		3 RB	2	1745	132322	22.65	23	0-1
				1779.3	132665	22.91	23	0-1
			_	1710.7	131979	22.59	23	0-1
			3	1745	132322	22.73	23	0-1
				1779.3	132665	22.92	23	0-1
		er	OD.	1710.7	131979	21.62	22	0-2
		61	RB	1745	132322	21.74	22	0-2
				1779.3	132665	21.96	22	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 194 of 608

			FDD E	Band 66 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1710.7	131979	21.67	22	0-2
			0	1745	132322	21.86	22	0-2
				1779.3	132665	21.83	22	0-2
				1710.7	131979	21.64	22	0-2
		1 RB	2	1745	132322	21.84	22	0-2
				1779.3	132665	21.95	22	0-2
				1710.7	131979	21.73	22	0-2
			5	1745	132322	21.80	22	0-2
				1779.3	132665	21.89	9 22	0-2
				1710.7	131979	21.56	22	0-2
1.4	64-QAM		0	1745	132322	21.70	22	0-2
				1779.3	132665	21.80	22	0-2
				1710.7	131979	21.43	22	0-2
		3 RB	2	1745	132322	21.55	22	0-2
				1779.3	132665	21.89	22	0-2
				1710.7	131979	21.49	22	0-2
			3	1745	132322	21.57	22	0-2
				1779.3	132665	21.91	22	0-2
				1710.7	131979	20.51	21	0-3
		6F	RB	1745	132322	20.56	21	0-3
				1779.3	132665	20.83	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 195 of 608

			FDD Ban	nd 66 (Reducte	ed Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1720	132072	19.14	19.5	0
			0	1745	132322	19.20	19.5	0
				1770	132572	19.44	19.5	0
				1720	132072	19.34	19.5	0
		1 RB	50	1745	132322	19.12	19.5	0
				1770	132572	19.42	19.5	0
				1720	132072	19.23	19.5	0
			99	1745	132322	19.23	19.5	0
				1770	132572	19.40	19.5	0
				1720	132072	18.77	19.5	0
	QPSK		0	1745	132322	18.74	19.5	0
				1770	132572	18.89	19.5	0
				1720	132072	18.79	19.5	0
		50 RB	25	1745	132322	18.68	19.5	0
				1770	132572	18.91	19.5	0
				1720	132072	18.72	19.5	0
			50	1745	132322	18.63	19.5	19.5 0 19.5 0
				1770	132572	18.99		0
				1720	132072	18.80		
		100RB		1745	132322	18.70		
20			1	1770	132572	19.00		
				1720	132072	19.00		
			0	1745	132322	19.05		
				1770	132572	19.39		
		4.00	=-	1720	132072	19.24	19.5	0
		1 RB	50	1745	132322	18.93	19.5	0
				1770	132572	19.24	19.5	0
			00	1720	132072	19.20	19.5	0
			99	1745	132322	19.04	19.5	0
				1770	132572	19.22	19.5	0
	16 0 4 14		0	1720	132072	18.65	19.5	0
	16-QAM		0	1745	132322	18.65	19.5	0
				1770	132572	18.70	19.5	0
		50 RB	25	1720	132072	18.67	19.5	0
		OU KD	20	1745 1770	132322 132572	18.60 18.80	19.5 19.5	0
						1		
			50	1720 1745	132072	18.66	19.5 19.5	0
			30	1745 1770	132322	18.47 18.90		0
				1770 1720	132572 132072	18.60	19.5 19.5	0
		100)RB	1745	132322	18.49	19.5	0
		100	,,,,,	1745	132572	18.86	19.5	0
				1770	132312	10.00	19.5	U

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 196 of 608

FDD Band 66 (Reducted Power)								
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1720	132072	18.98	19.5	0
			0	1745	132322	19.01	19.5	0
				1770	132572	19.23	19.5	0
				1720	132072	19.15	19.5	0
		1 RB	50	1745	132322	18.90	19.5	0
				1770	132572	19.36	19.5	0
				1720	132072	19.09	19.5	0
			99	1745	132322	19.08	19.5	0
				1770	132572	19.30	19.5	0
				1720	132072	18.64	19.5	0
20	64-QAM		0	1745	132322	18.61	19.5	0
				1770	132572	18.83	19.5	0
				1720	132072	18.69	19.5	0
		50 RB	25	1745	132322	18.55	19.5	0
				1770	132572	18.87	19.5	0
				1720	132072	18.55	19.5	0
			50	1745	132322	18.42	19.5	0
				1770	132572	18.87	19.5	0
				1720	132072	18.58	19.5	0
		100)RB	1745	132322	18.52	19.5	0
				1770	132572	18.78	19.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 197 of 608

			FDD Ban	ıd 66 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1717.5	132047	18.96	19.5	0
			0	1745	132322	19.15	19.5	0
				1772.5	132597	19.27	19.5	0
				1717.5	132047	19.18	19.5	0
		1 RB	36	1745	132322	19.09	19.5	0
				1772.5	132597	19.31	19.5	0
				1717.5	132047	19.20	19.5	0
			74	1745	132322	19.01	19.5	0
				1772.5	132597	19.23	19.5	0
				1717.5	132047	18.59	19.5	0
	QPSK		0	1745	132322	18.59	19.5	0
				1772.5	132597	18.86	19.5	0
				1717.5	132047	18.57	19.5	0
		36 RB	18	1745	132322	18.59	19.5	0
				1772.5	132597	18.76	19.5	0
				1717.5	132047	18.56	19.5	0
			37	1745	132322	18.55	19.5	0
				1772.5	132597	18.85	19.5	0
				1717.5	132047	18.58	19.5	0
		75	RB	1745	132322	18.66	19.5	0
15				1772.5	132597	18.78	19.5	0
.0				1717.5	132047	18.95	19.5	0
			0	1745	132322	18.90	19.5	0
				1772.5	132597	19.18	19.5	0
				1717.5	132047	19.05	19.5	0
		1 RB	36	1745	132322	18.88	19.5	0
				1772.5	132597	19.19	19.5	0
				1717.5	132047	19.04	19.5	0
			74	1745	132322	18.82	19.5	0
				1772.5	132597	19.04	19.5	0
	40.000			1717.5	132047	18.61	19.5	0
	16-QAM		0	1745	132322	18.48	19.5	0
				1772.5	132597	18.49	19.5	0
		00.00	40	1717.5	132047	18.49	19.5	0
		36 RB	18	1745	132322	18.43	19.5	0
				1772.5	132597	18.71	19.5	0
			07	1717.5	132047	18.54	19.5	0
			37	1745	132322	18.42	19.5	0
				1772.5	132597	18.78	19.5	0
		75	DD	1717.5	132047	18.39	19.5	0
		/5	RB	1745	132322	18.29	19.5	0
				1772.5	132597	18.67	19.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 198 of 608

			FDD Ban	d 66 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1717.5	132047	18.76	19.5	0
			0	1745	132322	18.98	19.5	0
				1772.5	132597	19.05	19.5	0
				1717.5	132047	19.04	19.5	0
		1 RB	36	1745	132322	18.77	19.5	0
				1772.5	132597	19.19	19.5	0
				1717.5	132047	19.01	19.5	0
			74	1745	132322	18.99	19.5	0
				1772.5	132597	19.08	19.5	0
				1717.5	132047	18.53	19.5	0
15	64-QAM		0	1745	132322	18.46	19.5	0
				1772.5	132597	18.78	19.5	0
				1717.5	132047	18.50	19.5	0
		36 RB	18	1745	132322	18.33	19.5	0
				1772.5	132597	18.84	19.5	0
				1717.5	132047	18.39	19.5	0
			37	1745	132322	18.39	19.5	0
				1772.5	132597	18.71	19.5	0
			_	1717.5	132047	18.46	19.5	0
		75	RB	1745	132322	18.45	19.5	0
				1772.5	132597	18.58	19.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 199 of 608

			FDD Ban	ıd 66 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1715	132022	19.11	19.5	0
			0	1745	132322	19.09	19.5	0
				1775	132622	19.30	19.5	0
				1715	132022	19.15	19.5	0
		1 RB	25	1745	132322	18.90	19.5	0
				1775	132622	19.36	19.5	0
				1715	132022	19.13	19.5	0
			49	1745	132322	19.03	19.5	0
				1775	132622	19.37	19.5	0
				1715	132022	18.55	19.5	0
	QPSK		0	1745	132322	18.60	19.5	0
				1775	132622	18.81	19.5	0
				1715	132022	18.68	19.5	0
		25 RB	12	1745	132322	18.49	19.5	0
				1775	132622	18.82	19.5	0
				1715	132022	18.54	19.5	0
			25	1745	132322	18.53	19.5	0 0 0 0 0 0 0 0 0 0 0 0 0
				1775	132622	18.79	19.5	0
				1715	132022	18.69	19.5	0
		50RB		1745	132322	18.54	19.5	0
10				1775	132622	18.90	19.5	0
. •				1715	132022	18.96	19.5	0
			0	1745	132322	18.92	19.5	
				1775	132622	19.23	19.5	0
				1715	132022	19.17	19.5	0
		1 RB	25	1745	132322	18.89	19.5	
				1775	132622	19.10	19.5	0
				1715	132022	19.04	19.5	0
			49	1745	132322	18.83	19.5	0
				1775	132622	19.17	19.5	0
	40.0			1715	132022	18.50	19.5	0
	16-QAM		0	1745	132322	18.51	19.5	0
				1775	132622	18.51	19.5	0
		05.55	4.5	1715	132022	18.46	19.5	0
		25 RB	12	1745	132322	18.48	19.5	0
				1775	132622	18.74	19.5	0
			0.5	1715	132022	18.56	19.5	0
			25	1745	132322	18.26	19.5	0
				1775	132622	18.69	19.5	0
			DD	1715	132022	18.54	19.5	0
		50	RB	1745	132322	18.44	19.5	0
				1775	132622	18.75	19.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 200 of 608

			FDD Ban	d 66 (Reducte	d Power)				
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				1715	132022	18.80	19.5	0	
			0	1745	132322	18.84	19.5	0	
				1775	132622	19.05	19.5	0	
				1715	132022	19.10	19.5	0	
		1 RB	25	1745	132322	18.71	19.5	0	
				1775	132622	19.30	19.5	0	
				1715	132022	19.01	19.5	0	
			49	1745	132322	19.03	19.5	0	
				1775	132622	19.18	19.5	0	
					1715	132022	18.46	19.5	0
10	64-QAM		0	1745	132322	18.49	19.5	0	
				1775	132622	18.69	19.5	0	
				1715	132022	18.57	19.5	0	
		25 RB	12	1745	132322	18.41	19.5	0	
				1775	132622	18.71	19.5	0	
				1715	132022	18.38	19.5	0	
			25	1745	132322	18.39	19.5	0	
				1775	132622	18.82	19.5	0	
				1715	132022	18.42	19.5	0	
		50	RB	1745	132322	18.48	19.5	0	
				1775	132622	18.65	19.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 201 of 608

			FDD Ban	d 66 (Reducte	d Power)				
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				1712.5	131997	18.93	19.5	0	
			0	1745	132322	19.07	19.5	0	
				1777.5	132647	19.28	19.5	0	
				1712.5	131997	19.18	19.5	0	
		1 RB	12	1745	132322	18.92	19.5	0	
				1777.5	132647	19.20	19.5	0	
				1712.5	131997	19.04	19.5	0	
			24	1745	132322	19.20	19.5	0	
				1777.5	132647	19.23	19.5	0	
				1712.5	131997	18.63	19.5	0	
	QPSK		0	1745	132322	18.70	19.5	0	
				1777.5	132647	18.68	19.5	0	
				1712.5	131997	18.75	19.5	0	
		12 RB	6	1745	132322	18.54	19.5	0	
				1777.5	132647	18.73	19.5	0	
				1712.5	131997	18.68	19.5	0.5 0 0.5 0	
			13	1745	132322	18.51	19.5	0 0 0 0 0 0 0 0 0	
				1777.5	132647	18.95	19.5	0	
				1712.5 1745	131997	18.67	19.5	0	
		25	25RB		132322	18.51	19.5	0	
5				1777.5	132647	18.92	19.5	0	
			_	1712.5	131997	18.88	19.5		
			0	1745	132322	19.02	19.5		
				1777.5	132647	19.32	19.5	0	
				1712.5	131997	19.13	19.5	0	
		1 RB	12	1745	132322	18.88	19.5	0	
				1777.5	132647	19.10	19.5	0	
				1712.5	131997	19.08	19.5	0	
			24	1745	132322	18.87	19.5	0	
				1777.5	132647	19.12	19.5	0	
	40.0			1712.5	131997	18.48	19.5	0	
	16-QAM		0	1745	132322	18.43	19.5	0	
				1777.5	132647	18.61	19.5	0	
		40 DD		1712.5	131997	18.57	19.5	0	
		12 RB	6	1745	132322	18.56	19.5	0	
				1777.5	132647	18.67	19.5	0	
			40	1712.5	131997	18.53	19.5	0	
			13	1745	132322	18.30	19.5	0	
				1777.5	132647	18.84	19.5	0	
		OF.	DD	1712.5	131997	18.53	19.5	0	
		25	RB	1745	132322	18.35	19.5	0	
				1777.5	132647	18.69	19.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 202 of 608

			FDD Ban	d 66 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1712.5	131997	18.94	19.5	0
			0	1745	132322	18.95	19.5	0
				1777.5	132647	19.19	19.5	0
				1712.5	131997	19.06	19.5	0
		1 RB	12	1745	132322	18.73	19.5	0
				1777.5	132647	19.16	19.5	0
				1712.5	131997	18.94	19.5	0
			24	1745	132322	19.01	19.5	0
				1777.5	132647	19.16	19.5	0
				1712.5	131997	18.52	19.5	0
5	64-QAM		0	1745	132322	18.39	19.5	0
				1777.5	132647	18.78	19.5	0
				1712.5	131997	18.56	19.5	0
		12 RB	6	1745	132322	18.44	19.5	0
				1777.5	132647	18.65	19.5	0
				1712.5	131997	18.43	19.5	0
			13	1745	132322	18.22	19.5	0
				1777.5	132647	18.84	19.5	0
				1712.5	131997	18.50	19.5	0
		25	RB	1745	132322	18.33	19.5	0
				1777.5	132647	18.68	19.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 203 of 608

BW(Mhz) Modulation RB Size RB Offset Frequency (MHz) Channel Conducted power (dBm) Power + Max. Tolerance (dBm) 3Gl	MPR wed per PP(dB) 0 0 0 0 0 0 0 0 0
0 1745 132322 19.14 19.5 1778.5 132657 19.33 19.5 1711.5 131987 19.22 19.5 1711.5 131987 19.22 19.5 1778.5 132657 19.38 19.5 1771.5 131987 19.16 19.5 1778.5 132657 19.32 19.5 1778.5 132657 19.32 19.5 1778.5 132657 19.32 19.5 1778.5 132657 19.32 19.5 1778.5 132657 19.32 19.5 1711.5 131987 18.55 19.5 1778.5 132657 18.85 19.5 1778.5 132657 18.85 19.5 17778.5 132657 18.85 19.5 17778.5 132657 18.85 19.5 17778.5 132657 18.862 19.5 17778.5 132657 18.62 19.5 17778.5 132657 18.72 19.5	0 0 0 0 0
1 RB 7 1778.5 132657 19.33 19.5 1711.5 131987 19.22 19.5 1778.5 132657 19.38 19.5 1771.5 131987 19.16 19.5 1778.5 132657 19.32 19.5 1778.5 132657 19.32 19.5 1778.5 132657 19.32 19.5 1778.5 132657 19.32 19.5 1778.5 132657 19.32 19.5 1711.5 131987 18.55 19.5 1778.5 132657 19.32 19.5 1778.5 132657 18.85 19.5 1778.5 132657 18.85 19.5 17778.5 131987 18.62 19.5 1771.5 131987 18.62 19.5 1771.5 131987 18.62 19.5 1771.5 132322 18.46 19.5 1778.5 132657 18.72 19.5	0 0 0 0
1 RB 7 1711.5 131987 19.22 19.5 1778.5 132657 19.38 19.5 1778.5 132657 19.38 19.5 1778.5 132657 19.38 19.5 1778.5 132657 19.32 19.5 1778.5 132657 19.32 19.5 1778.5 132657 19.32 19.5 1711.5 131987 18.55 19.5 1778.5 132657 19.32 19.5 1745 132322 18.70 19.5 1778.5 132657 18.85 19.5 1778.5 132657 18.85 19.5 1778.5 132657 18.85 19.5 1771.5 131987 18.62 19.5 1771.5 131987 18.62 19.5 1771.5 132322 18.46 19.5 1778.5 132657 18.72 19.5	0 0 0 0
1 RB 7 1745 132322 19.02 19.5 1778.5 132657 19.38 19.5 1711.5 131987 19.16 19.5 1778.5 132657 19.32 19.5 1778.5 132657 19.32 19.5 1778.5 132657 19.32 19.5 1711.5 131987 18.55 19.5 1745 132322 18.70 19.5 1778.5 132657 18.85 19.5 1778.5 132657 18.85 19.5 1771.5 131987 18.62 19.5 1771.5 131987 18.62 19.5 1771.5 132322 18.46 19.5 1778.5 132657 18.72 19.5	0 0
QPSK 1778.5	0
PSK 14 1711.5 131987 19.16 19.5 1745 132322 19.15 19.5 1778.5 132657 19.32 19.5 1711.5 131987 18.55 19.5 1711.5 131987 18.55 19.5 1778.5 132657 18.85 19.5 1778.5 132657 18.85 19.5 1771.5 131987 18.62 19.5 1711.5 131987 18.62 19.5 1711.5 132322 18.46 19.5 1778.5 132657 18.72 19.5	0
QPSK 14 1745 132322 19.15 19.5 1778.5 132657 19.32 19.5 1711.5 131987 18.55 19.5 1778.5 132322 18.70 19.5 1778.5 132657 18.85 19.5 1711.5 131987 18.62 19.5 1711.5 131987 18.62 19.5 1711.5 132322 18.46 19.5 1778.5 132657 18.72 19.5	
QPSK 0 1778.5 132657 19.32 19.5 1711.5 131987 18.55 19.5 1778.5 132657 18.85 19.5 1778.5 132657 18.85 19.5 1778.5 132657 18.85 19.5 1711.5 131987 18.62 19.5 17145 132322 18.46 19.5 1778.5 132657 18.72 19.5	0
QPSK 0 1711.5 131987 18.55 19.5 1745 132322 18.70 19.5 1778.5 132657 18.85 19.5 1711.5 131987 18.62 19.5 1711.5 131987 18.62 19.5 17145 132322 18.46 19.5 1778.5 132657 18.72 19.5	
QPSK 0 1745 132322 18.70 19.5 1778.5 132657 18.85 19.5 1711.5 131987 18.62 19.5 4 1745 132322 18.46 19.5 1778.5 132657 18.72 19.5	0
8 RB 4 1745 132657 18.85 19.5 1711.5 131987 18.62 19.5 17145 132322 18.46 19.5 1778.5 132657 18.72 19.5	0
8 RB 4 1711.5 131987 18.62 19.5 1745 132322 18.46 19.5 1778.5 132657 18.72 19.5	0
8 RB 4 1745 132322 18.46 19.5 1778.5 132657 18.72 19.5	0
1778.5 132657 18.72 19.5	0
	0
	0
1711.5 131987 18.51 19.5	0
7 1745 132322 18.50 19.5	0
1778.5 132657 18.89 19.5	0
1711.5 131987 18.76 19.5	0
15RB 1745 132322 18.56 19.5	0
3 1778.5 132657 18.97 19.5	0
1711.5 131987 18.90 19.5	0
0 1745 132322 18.88 19.5	0
1778.5 132657 19.34 19.5	0
1711.5 131987 19.13 19.5 1 1 RB 7 1745 132322 18.83 19.5	0
11.10 192922 1919	0
1778.5 132657 19.08 19.5	0
1711.5 131987 19.11 19.5 14 1745 132322 19.00 19.5	0
14 1745 132322 19.00 19.5 1778.5 132657 19.14 19.5	0
1778.5 132657 19.14 19.5 17711.5 131987 18.62 19.5	0
16-QAM 0 1745 132322 18.47 19.5	0
1778.5 132657 18.66 19.5	0
1778.5 132037 18.00 19.5 1711.5 131987 18.57 19.5	0
8 RB 4 1745 132322 18.52 19.5	0
1778.5 132657 18.59 19.5	0
1711.5 131987 18.44 19.5	0
7 1745 132322 18.44 19.5	0
1778.5 132657 18.84 19.5	
1711.5 131987 18.53 19.5	0
15RB 1745 132322 18.37 19.5	0
1778.5 132657 18.65 19.5	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 204 of 608

FDD Band 66 (Reducted Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				1711.5	131987	18.91	19.5	0	
			0	1745	132322	18.87	19.5	0	
				1778.5	132657	19.14	19.5	0	
				1711.5	131987	18.97	19.5	0	
		1 RB	7	1745	132322	18.74	19.5	0	
				1778.5	132657	19.18	19.5	0	
				1711.5	131987	18.87	19.5	0	
			14	1745	132322	18.87	19.5	0	
				1778.5	132657	19.08	19.5	0	
				1711.5	131987	18.57	19.5	0	
3	64-QAM		0	1745	132322	18.53	19.5	0	
				1778.5	132657	18.73	19.5	0	
				1711.5	131987	18.52	19.5	0	
		8 RB	4	1745	132322	18.41	19.5	0	
				1778.5	132657	18.70	19.5	0	
				1711.5	131987	18.49	19.5	0	
			7	1745	132322	18.37	19.5	0	
				1778.5	132657	18.68	19.5	0	
				1711.5	131987	18.50	19.5	0	
		15	RB	1745	132322	18.31	19.5	0	
				1778.5	132657	18.61	19.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 205 of 608

			FDD Ban	d 66 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1710.7	131979	18.99	19.5	0
			0	1745	132322	19.14	19.5	0
				1779.3	132665	19.41	19.5	0
				1710.7	131979	19.14	19.5	0
		1 RB	2	1745	132322	19.07	19.5	0
				1779.3	132665	19.31	19.5	0
				1710.7	131979	19.20	19.5	0
			5	1745	132322	19.02	19.5	0
				1779.3	132665	19.23	19.5	0
				1710.7	131979	18.74	19.5	0
	QPSK		0	1745	132322	18.55	19.5	0
				1779.3	132665	18.70	19.5	0
				1710.7	131979	18.73	19.5	0
		3 RB	2	1745	132322	18.63	19.5	0
				1779.3	132665	18.79	19.5	0
				1710.7	131979	18.62	19.5	0
			3	1745	132322	18.42	19.5	0
				1779.3	132665	18.88	19.5	
				1710.7	131979	18.58	19.5	0
		6F	RB	1745	132322	18.59	19.5	
1.4			ı	1779.3	132665	18.92	19.5	
				18.82	19.5			
			0	1745	132322	19.02	19.5	3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				1779.3	132665	19.20	19.5	
		4.00		1710.7	131979	19.04	19.5	
		1 RB	2	1745	132322	18.71	19.5	
				1779.3	132665	19.16	19.5	
			_	1710.7	131979	19.14	19.5	
			5	1745	132322	18.99	19.5	
				1779.3	132665	19.02	19.5	_
	16 0 4 14		_	1710.7	131979	18.52	19.5	
	16-QAM		0	1745	132322	18.50	19.5	
				1779.3	132665	18.61	19.5	
		2 DD	_	1710.7	131979	18.48	19.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		3 RB	2	1745	132322	18.47	19.5	
				1779.3	132665	18.58	20	
			,	1710.7	131979	18.44	19.5	
			3	1745	132322	18.40	19.5	
				1779.3	132665	18.82	19.5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		er	םכ	1710.7	131979	18.41	19.5	
	6RB		1 D	1745 1779.3	132322	18.43	19.5	
					132665	18.64	19.5	U

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 206 of 608

			FDD Ban	d 66 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				1710.7	131979	18.95	19.5	0
			0	1745	132322	18.87	19.5	0
				1779.3	132665	19.20	19.5	0
				1710.7	131979	19.04	19.5	0
		1 RB	2	1745	132322	18.68	19.5	0
				1779.3	132665	19.21	19.5	0
				1710.7	131979	18.95	19.5	0
			5	1745	132322	18.90	19.5	0
				1779.3	132665	19.25	19.5	0
				1710.7	131979	18.59	19.5	0
1.4	64-QAM		0	1745	132322	18.50	19.5	0
				1779.3	132665	18.68	19.5	0
				1710.7	131979	18.62	19.5	0
		3 RB	2	1745	132322	18.52	19.5	0
				1779.3	132665	18.82	20	0
				1710.7	131979	18.41	19.5	0
			3	1745	132322	18.34	19.5	0
				1779.3	132665	18.78	19.5	0
				1710.7	131979	18.41	19.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		6F	RB	1745	132322	18.31	19.5	0
				1779.3	132665	18.73	19.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 207 of 608

LTE TDD Band 38 / Band 41 power table (Full power):

TDD Band 38 / Band 41 power table (Full power): TDD Band 38 (Full Power)												
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				2580	37850	23.77	24	0				
			0	2595	38000	23.53	24	0				
				2610	38150	23.60	24	0				
				2580	37850	23.61	24	0				
		1 RB	50	2595	38000	23.66	24	0				
				2610	38150	23.83	24	0				
				2580	37850	23.65	24	0				
			99	2595	38000	23.93	24	0				
				2610	38150	23.77	24	0				
				2580	37850	22.66	23	0-1				
	QPSK		0	2595	38000	22.60	23	0-1				
				2610	38150	22.71	23	0-1				
				2580	37850	22.63	23	0-1				
		50 RB	25	2595	38000	22.60	23	0-1				
				2610	38150	22.75	23	0-1				
				2580	37850	22.58	23	0-1				
			50	2595	38000	22.63	23	0-1				
				2610	38150	22.86	23	0-1				
				2580	37850	22.67	23	0-1				
		100	ORB	2595	38000	22.66	23	0-1				
20				2610	38150	22.76	23	0-1 0-1 0-1 0-1 0-1 0-1				
20				2580	37850	22.83	23	0-1				
			0	2595	38000	22.76	23	0-1				
				2610	38150	22.76	23	0-1				
				2580	37850	22.37	23	0-1				
		1 RB	50	2595	38000	22.81	23	0-1				
				2610	38150	22.91	23	0-1				
				2580	37850	22.83	23	0-1				
			99	2595	38000	22.98	23	0-1				
				2610	38150	22.82	23	0-1				
				2580	37850	21.71	22	0-2				
	16-QAM		0	2595	38000	21.66	22	0-2				
				2610	38150	21.73	22	0-2				
				2580	37850	21.64	22	0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-1 0-1 0-1				
		50 RB	25	2595	38000	21.63	22	0-2				
				2610	38150	21.77	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1				
				2580	37850	21.61	22	0-2				
			50	2595	38000	21.70	22	0-2				
				2610	38150	21.90	22	0 0 0 0 0 0 0 0 0 0 1 0				
				2580	37850	21.69	22					
		100	ORB	2595	38000	21.63	22	0-2				
	1	1001		2610	38150	21.74	22	0.2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 208 of 608

			TDD E	Band 38 (Full F	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2580	37850	21.23	22	0-2
			0	2595	38000	21.16	22	0-2
				2610	38150	21.16	22	0-2
				2580	37850	20.77	22	0-2
		1 RB	50	2595	38000	21.21	22	0-2
				2610	38150	21.31	22	0-2
				2580	37850	21.23	22	0-2
			99	2595	38000	21.38	22	0-2
				2610	38150	21.22	22	0-2
				2580	37850	20.11	21	0-3
20	64-QAM		0	2595	38000	20.06	21	0-3
				2610	38150	20.13	21	0-3
				2580	37850	20.04	21	0-3
		50 RB	25	2595	38000	20.03	21	0-3
				2610	38150	20.17	21	0-3
				2580	37850	20.01	7 22 0-2 1 22 0-2 2 0-2 0-2 3 22 0-2 3 22 0-2 2 22 0-3 3 21 0-3 3 21 0-3 4 21 0-3 3 21 0-3 4 21 0-3 5 21 0-3 6 21 0-3 7 21 0-3 9 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 21 0-3 22 0-2 23 0-3 24 0-3 25 0-3 26 0-3 27 0-3 28 0-3	0-3
			50	2595	38000	20.10	21	0-3
				2610	38150	20.30	21	0-3
				2580	37850	20.09	21	0-3
		100)RB	2595	38000	20.03	21	0-3
				2610	38150	20.14	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 209 of 608

	TDD Band 38 (Full Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				2577.5	37825	23.76	24	0				
			0	2595	38000	23.45	24	0				
				2612.5	38175	23.46	24	0				
				2577.5	37825	23.43	24	0				
		1 RB	36	2595	38000	23.64	24	0				
				2612.5	38175	23.72	24	0				
				2577.5	37825	23.53	24	0				
			74	2595	38000	23.78	24	0				
				2612.5	38175	23.69	24	0				
				2577.5	37825	22.55	23	0-1				
	QPSK		0	2595	38000	22.56	23	0-1				
				2612.5	38175	22.51	23	0-1				
				2577.5	37825	22.61	23	_				
		36 RB	18	2595	38000	22.41	23					
				2612.5	38175	22.61	23					
				2577.5	37825	22.49	23	0-1				
			37	2595	38000	22.46	23	0-1				
				2612.5	38175	22.85	23	0-1				
				2577.5	37825	22.60	23	0-1				
		75	RB	2595	38000	22.53	23					
15			ī	2612.5	38175	22.56	23					
				2577.5	37825	22.73	23					
			0	2595	38000	22.71	23					
				2612.5	38175	22.65	23					
				2577.5	37825	22.17	23					
		1 RB	36	2595	38000	22.68	23					
				2612.5	38175	22.72	23					
			 .	2577.5	37825	22.64	23					
			74	2595	38000	22.83	23					
				2612.5	38175	22.65	23	_				
	46.0414		_	2577.5	37825	21.52	22					
	16-QAM		0	2595	38000	21.46	22					
				2612.5	38175	21.55	22					
		26 DD	40	2577.5	37825	21.50	22	0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-1 0-1 0-				
		36 RB	18	2595	38000	21.52	22					
				2612.5	38175	21.74	22					
			27	2577.5	37825	21.55	22					
			37	2595	38000	21.51	22					
				2612.5	38175	21.80	22	0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1				
		75	DD	2577.5	37825	21.57	22					
	75R		ΚĎ	2595	38000	21.60	22					
				2612.5	38175	21.60	22	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 210 of 608

			TDD E	Band 38 (Full F	Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2577.5	37825	21.16	22	0-2
			0	2595	38000	21.01	22	0-2
				2612.5	38175	21.07	22	0-2
				2577.5	37825	20.68	22	0-2
		1 RB	36	2595	38000	21.08	22	0-2
				2612.5	38175	21.25	22	0-2
				2577.5	37825	21.20	22	0-2
			74	2595	38000	21.28	22	0-2
				2612.5	38175	21.15	22	0-2
				2577.5	37825	20.05	21	0-3
15	64-QAM		0	2595	38000	20.01	21	0-3
				2612.5	38175	20.05	21	0-3
				2577.5	37825	19.88	21	0-3
		36 RB	18	2595	38000	19.95	21	0-3
				2612.5	38175	20.14	21	0-3
				2577.5	37825	19.91	21	0-3
			37	2595	38000	19.90	21	0-3
				2612.5	38175	20.13	21	0-3
				2577.5	37825	20.01	21	x. Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
		75	RB	2595	38000	19.92	21	0-3
				2612.5	38175	20.06	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 211 of 608

	TDD Band 38 (Full Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				2575	37800	23.67	24	0				
			0	2595	38000	23.35	24	0				
				2615	38200	23.43	24	0				
				2575	37800	23.48	24	0				
		1 RB	25	2595	38000	23.61	24	0				
				2615	38200	23.81	24	0				
				2575	37800	23.60	24	0				
			49	2595	38000	23.86	24	0				
				2615	38200	23.76	24	0				
				2575	37800	22.54	23	0-1				
	QPSK		0	2595	38000	22.45	23	0-1				
				2615	38200	22.58	23	0-1				
				2575	37800	22.52	23					
		25 RB	12	2595	38000	22.40	23					
				2615	38200	22.74	23					
				2575	37800	22.42	23					
			25	2595	38000	22.49	23	0-1				
				2615	38200	22.70	23					
				2575	37800	22.48	23	_				
		50	RB	2595	38000	22.53	23					
10			1	2615	38200	22.75	23					
				2575	37800	22.75	23					
			0	2595	38000	22.64	23					
				2615	38200	22.67	23					
		4 DD	0.5	2575	37800	22.32	23					
		1 RB	25	2595	38000	22.78	23					
				2615	38200	22.84	23					
			40	2575	37800	22.76	23					
			49	2595	38000	22.82	23					
				2615	38200	22.67	23 22	_				
	16-QAM		0	2575	37800	21.58 21.58	22					
	10-QAIVI		U	2595 2615	38000	21.58	22					
					38200	•						
		25 RB	12	2575 2505	37800	21.60	22					
		20 ND	14	2595 2615	38000	21.52	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-				
				2615 2575	38200	21.59	22					
			25	2575 2595	37800 38000	21.49 21.55	22 22					
			25	2615	38200	1	22					
				2575	37800	21.76 21.56	22					
		50	RR	2575	38000	21.57	22					
	50R		ייי	2615	38200	21.57	22					
				2010	30200	21.59	22	∪-∠				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 212 of 608

			TDD E	Band 38 (Full F	Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2575	37800	21.09	22	0-2
			0	2595	38000	21.00	22	0-2
				2615	38200	21.06	22	0-2
				2575	37800	20.58	22	0-2
		1 RB	25	2595	38000	21.16	22	0-2
				2615	38200	21.24	22	0-2
				2575	37800	21.18	22	0-2
			49	2595	38000	21.21	22	0-2
				2615	38200	21.06	22	0-2
				2575	37800	20.06	21	0-3
10	64-QAM		0	2595	38000	19.88	21	0-3
				2615	38200	20.02	21	0-3
				2575	37800	19.99	21	0-3
		25 RB	12	2595	38000	19.96	21	0-3
				2615	38200	20.02	21	0-3
				2575	37800	19.83	21	0-3
			25	2595	38000	19.91	21	0-3
				2615	38200	20.21	21	0-3
				2575	37800	20.04	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3 0-3
		50RB		2595	38000	19.83	21	0-3
				2615	38200	20.02	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 213 of 608

	TDD Band 38 (Full Power)											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)				
				2572.5	37775	23.58	24	0				
			0	2595	38000	23.36	24	0				
				2617.5	38225	23.48	24	0				
				2572.5	37775	23.41	24	0				
		1 RB	12	2595	38000	23.48	24	0				
				2617.5	38225	23.76	24	0				
				2572.5	37775	23.63	24	0				
			24	2595	38000	23.74	24	0				
				2617.5	38225	23.64	24	0				
				2572.5	37775	22.65	23	0-1				
	QPSK		0	2595	38000	22.40	23	0-1				
				2617.5	38225	22.68	23	0-1				
				2572.5	37775	22.60	23	0-1				
		12 RB	6	2595	38000	22.41	23	0-1				
				2617.5	38225	22.56	23	0-1				
				2572.5	37775	22.55	23	0-1				
			13	2595	38000	22.59	23	0-1				
				2617.5	38225	22.69	23	0-1				
				2572.5	37775	22.48	23	0-1				
		25	RB	2595	38000	22.56	23	0-1				
5				2617.5	38225	22.75	23	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1				
				2572.5	37775	22.64	23	0-1				
			0	2595	38000	22.60	23	0-1				
				2617.5	38225	22.75	23	0-1				
				2572.5	37775	22.27	23	0-1				
		1 RB	12	2595	38000	22.67	23	0-1				
				2617.5	38225	22.84	23					
				2572.5	37775	22.74	23					
			24	2595	38000	22.83	23					
				2617.5	38225	22.66	23					
				2572.5	37775	21.57	22					
	16-QAM		0	2595	38000	21.53	22					
				2617.5	38225	21.69	22					
				2572.5	37775	21.62	22	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0-1 0-1 0-1 0-				
		12 RB	6	2595	38000	21.49	22					
				2617.5	38225	21.65	22					
				2572.5	37775	21.52	22					
			13	2595	38000	21.62	22	0-1 0-1 0-1 0-1 0-1 0-1 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2				
				2617.5	38225	21.85	22					
	25R			2572.5	37775	21.52	22					
		KB	2595	38000	21.58	22						
			2617.5	38225	21.70	22	0-2					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 214 of 608

			TDD E	Band 38 (Full F	Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2572.5	37775	21.03	22	0-2
			0	2595	38000	20.99	22	0-2
				2617.5	38225	21.12	22	0-2
				2572.5	37775	20.60	22	0-2
		1 RB	12	2595	38000	21.12	22	0-2
				2617.5	38225	21.12	22	0-2
				2572.5	37775	21.03	22	0-2
			24	2595	38000	21.28	22	0-2
				2617.5	38225	21.04	22	0-2
				2572.5	37775	19.96	21	0-3
5	64-QAM		0	2595	38000	19.95	21	0-3
				2617.5	38225	19.95	21	0-3
				2572.5	37775	19.85	21	0-3
		12 RB	6	2595	38000	20.01	21	0-3
				2617.5	38225	20.03	21	0-3
				2572.5	37775	19.97	21	0-3
			13	2595	38000	19.90	21	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				2617.5	38225	20.12	21	0-3
				2572.5	37775	20.03	21	0-3
		25	RB	2595	38000	19.93	21	0-3
				2617.5	38225	20.07	21	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 215 of 608

			TDD E	Band 41 (Full p	power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2506	39750	24.96	25	0
				2549.5	40185	24.99	25	0
			0	2593	40620	24.61	25	0
				2636.5	41055	24.43	25	0
				2680	41490	24.30	25	0
				2506	39750	24.98	25	0
				2549.5	40185	24.84	25	0
		1 RB	50	2593	40620	24.79	25	0
				2636.5	41055	24.43	25	0
				2680	41490	24.35	25	0
				2506	39750	24.82	25	0
				2549.5	40185	24.79	25	0
			99	2593	40620	24.42	25	0
				2636.5	41055	24.45	25	0
				2680	41490	24.29	25	0
				2506	39750	23.98	24	0-1
				2549.5	40185	23.94	24	0-1
20	QPSK		0	2593	40620	23.72	24	0-1
				2636.5	41055	23.44	24	0-1
				2680	41490	23.31	24	0-1
				2506	39750	23.95	24	0-1
				2549.5	40185	23.49	24	0-1
		50 RB	25	2593	40620	23.64	24	0-1
				2636.5	41055	23.44	24	0-1
				2680	41490	23.25	24	0-1
				2506	39750	23.82	24	0-1
				2549.5	40185	23.61	24	0-1
			50	2593	40620	23.59	24	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				2636.5	41055	23.45	24	0-1
				2680	41490	23.28	24	0-1
		_		2506	39750	23.86	24	0-1
				2549.5	40185	23.77	24	0-1
		100)RB	2593	40620	23.66	24	0-1
				2636.5	41055	23.45	24	0-1
				2680	41490	23.28	24	0-1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 216 of 608

			TDD E	Band 41 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2506	39750	22.98	24	0-1
				2549.5	40185	23.22	24	0-1
			0	2593	40620	22.44	24	0-1
				2636.5	41055	22.11	24	0-1
				2680	41490	22.20	24	0-1
				2506	39750	22.81	24	0-1
				2549.5	40185	23.19	24	0-1
		1 RB	50	2593	40620	22.41	24	0-1
				2636.5	41055	22.34	24	0-1
				2680	41490	22.09	24	0-1
				2506	39750	23.02	24	0-1
				2549.5	40185	23.24	24	0-1
			99	2593	40620	22.24	24	0-1
				2636.5	41055	22.35	24	0-1
				2680	41490	22.18	24	0-1
				2506	39750	21.97	23	0-2
				2549.5	40185	22.30	23	0-2
20	16-QAM		0	2593	40620	21.67	23	0-2
				2636.5	41055	21.33	23	0-2
				2680	41490	21.21	23	0-2
				2506	39750	22.03	23	0-2
				2549.5	40185	22.43	23	0-2
		50 RB	25	2593	40620	21.57	23	0-2
				2636.5	41055	21.45	23	0-2
				2680	41490	21.13	23	0-2
				2506	39750	21.92	23	0-2
				2549.5	40185	22.38	23	0-2
			50	2593	40620	21.56	23	Allowed per 3GPP(dB) 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-
				2636.5	41055	21.48	23	0-2
				2680	41490	21.17	23	0-2
				2506	39750	21.97	23	0-2
				2549.5	40185	22.41	23	0-2
		100)RB	2593	40620	21.48	23	0-2
				2636.5	41055	21.26	23	0-2
				2680	41490	21.25	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 217 of 608

			TDD E	Band 41 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2506	39750	22.07	23	0-2
				2549.5	40185	22.33	23	0-2
			0	2593	40620	21.48	23	0-2
				2636.5	41055	22.17	23	0-2
				2680	41490	21.33	23	0-2
				2506	39750	21.86	23	0-2
				2549.5	40185	22.34	23	0-2
		1 RB	50	2593	40620	21.53	23	0-2
				2636.5	41055	21.44	23	0-2
				2680	41490	22.15	23	0-2
				2506	39750	22.06	23	0-2
				2549.5	40185	22.44	23	0-2
			99	2593	40620	21.33	23	0-2
				2636.5	41055	21.47	23	0-2
				2680	41490	21.38	23	0-2
				2506	39750	20.99	22	0-3
				2549.5	40185	21.43	22	0-3
20	64-QAM		0	2593	40620	20.82	22	0-3
				2636.5	41055	20.47	22	0-3
				2680	41490	20.29	22	0-3
				2506	39750	21.15	22	0-3
				2549.5	40185	21.50	22	0-3
		50 RB	25	2593	40620	20.63	22	0-3
				2636.5	41055	20.65	22	0-3
				2680	41490	20.20	22	0-3
				2506	39750	21.03	22	0-3
				2549.5	40185	21.57	22	0-3
			50	2593	40620	20.75	22	0-3
				2636.5	41055	20.49	22	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				2680	41490	20.21	22	0-3
				2506	39750	21.00	22	0-3
				2549.5	40185	21.50	22	0-3
		100)RB	2593	40620	20.62	22	0-3
				2636.5	41055	20.27	22	0-3
				2680	41490	20.30	22	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 218 of 608

			TDD E	Band 41 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2503.5	39725	24.89	25	0
				2548.3	40173	24.98	25	0
			0	2593	40620	24.57	25	0
				2637.8	41068	24.40	25	0
				2682.5	41515	24.25	25	0
				2503.5	39725	24.92	25	0
				2548.3	40173	24.77	25	0
		1 RB	36	2593	40620	24.70	25	0
				2637.8	41068	24.42	25	0
				2682.5	41515	24.28	25	0
				2503.5	39725	24.72	25	0
				2548.3	40173	24.69	25	0
			74	2593	40620	24.38	25	0
				2637.8	41068	24.43	25	0
				2682.5	41515	24.23	25	0
				2503.5	39725	23.89	24	0-1
				2548.3	40173	23.84	24	0-1
15	QPSK		0	2593	40620	23.62	24	0-1
				2637.8	41068	23.38	24	0-1
				2682.5	41515	23.29	24	0-1
				2503.5	39725	23.94	24	0-1
				2548.3	40173	23.44	24	0-1
		36 RB	18	2593	40620	23.62	24	0-1
				2637.8	41068	23.39	24	0-1
				2682.5	41515	23.19	24	0-1
				2503.5	39725	23.78	24	0-1
				2548.3	40173	23.56	24	0-1
			37	2593	40620	23.55	24	0-1
				2637.8	41068	23.36	24	0-1
				2682.5	41515	23.23	24	0-1
				2503.5	39725	23.77	24	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				2548.3	40173	23.75	24	0-1
		75	RB	2593	40620	23.64	24	0-1
				2637.8	41068	23.44	24	0-1
				2682.5	41515	23.19	24	0-1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 219 of 608

			TDD E	Band 41 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2503.5	39725	22.96	24	0-1
				2548.3	40173	23.12	24	0-1
			0	2593	40620	22.40	24	0-1
				2637.8	41068	22.01	24	0-1
				2682.5	41515	22.12	24	0-1
				2503.5	39725	22.76	24	0-1
				2548.3	40173	23.15	24	0-1
		1 RB	36	2593	40620	22.34	24	0-1
				2637.8	41068	22.33	24	0-1
				2682.5	41515	22.69	24	0-1
				2503.5	39725	23.00	24	0-1
				2548.3	40173	23.15	24	0-1
			74	2593	40620	22.22	24	0-1
				2637.8	41068	22.27	24	0-1
				2682.5	41515	22.08	24	0-1
				2503.5	39725	21.89	23	0-2
				2548.3	40173	22.28	23	0-2
15	16-QAM		0	2593	40620	21.65	23	0-2
				2637.8	41068	21.27	23	0-2
				2682.5	41515	21.15	23	0-2
				2503.5	39725	21.95	23	0-2
				2548.3	40173	22.35	23	0-2
		36 RB	18	2593	40620	21.49	23	0-2
				2637.8	41068	21.42	23	0-2
				2682.5	41515	21.09	23	0-2
				2503.5	39725	21.84	23	0-2
				2548.3	40173	22.32	23	0-2
			37	2593	40620	21.54	23	0-2
				2637.8	41068	21.45	23	0-2
				2682.5	41515	21.12	23	Allowed per 3GPP(dB) 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-
				2503.5	39725	21.90	23	
				2548.3	40173	22.34	23	0-2
		75	RB	2593	40620	21.43	23	0-2
				2637.8	41068	21.18	23	0-2
				2682.5	41515	21.23	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 220 of 608

			TDD E	Band 41 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2503.5	39725	22.00	23	0-2
				2548.3	40173	22.28	23	0-2
			0	2593	40620	21.41	23	0-2
				2637.8	41068	22.09	23	0-2
				2682.5	41515	21.32	23	0-2
				2503.5	39725	21.77	23	0-2
				2548.3	40173	22.29	23	0-2
		1 RB	36	2593	40620	21.43	23	0-2
				2637.8	41068	21.35	23	0-2
				2682.5	41515	22.07	23	0-2
				2503.5	39725	22.01	23	0-2
				2548.3	40173	22.39	23	0-2
			74	2593	40620	21.27	23	0-2
				2637.8	41068	21.38	23	0-2
				2682.5	41515	21.37	23	0-2
				2503.5	39725	20.93	22	0-3
				2548.3	40173	21.40	22	0-3
15	64-QAM		0	2593	40620	20.76	22	0-3
				2637.8	41068	20.37	22	0-3
				2682.5	41515	20.23	22	0-3
				2503.5	39725	21.13	22	0-3
				2548.3	40173	21.40	22	0-3
		36 RB	18	2593	40620	20.58	22	0-3
				2637.8	41068	20.57	22	0-3
				2682.5	41515	20.10	22	0-3
				2503.5	39725	21.01	22	0-3
				2548.3	40173	21.55	22	0-3
			37	2593	40620	20.74	22	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				2637.8	41068	20.45	22	
				2682.5	41515	20.11	22	0-3
				2503.5	39725	20.97	22	0-3
				2548.3	40173	21.41	22	0-3
		75	RB	2593	40620	20.55	22	0-3
				2637.8	41068	20.17	22	0-3
				2682.5	41515	20.23	22	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 221 of 608

			TDD I	Band 41 (Full p	ower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2501	39700	24.87	25	0
				2547	40160	24.95	25	0
			0	2593	40620	24.57	25	0
				2639	41080	24.40	25	0
				2685	41540	24.22	25	0
				2501	39700	24.88	25	0
				2547	40160	24.77	25	0
		1 RB	25	2593	40620	24.78	25	0
				2639	41080	24.35	25	0
				2685	41540	24.28	25	0
				2501	39700	24.78	25	0
				2547	40160	24.77	25	0
			49	2593	40620	24.36	25	0
				2639	41080	24.43	25	0
				2685	41540	24.27	25	0
				2501	39700	23.88	24	0-1
				2547	40160	23.87	24	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
10	QPSK		0	2593	40620	23.70	24	0-1
				2639	41080	23.35	24	0-1
				2685	41540	23.23	24	0-1
				2501	39700	23.87	24	0-1
				2547	40160	23.44	24	0-1
		25 RB	12	2593	40620	23.63	24	0-1
				2639	41080	23.43	24	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				2685	41540	23.16	24	0-1
				2501	39700	23.74	24	0-1
				2547	40160	23.54	24	0-1
			25	2593	40620	23.57	24	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				2639	41080	23.42	24	
				2685	41540	23.24	24	0-1
				2501	39700	23.81	24	0-1
				2547	40160	23.72	24	0-1
		50	RB	2593	40620	23.56	24	0-1
				2639	41080	23.37	24	0-1
				2685	41540	23.23	24	0-1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 222 of 608

			TDD E	Band 41 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2501	39700	22.92	24	0-1
				2547	40160	23.19	24	0-1
			0	2593	40620	22.35	24	0-1
				2639	41080	22.09	24	0-1
				2685	41540	22.10	24	0-1
				2501	39700	22.73	24	0-1
				2547	40160	23.14	24	0-1
		1 RB	25	2593	40620	22.36	24	0-1
				2639	41080	22.31	24	0-1
				2685	41540	22.08	24	0-1
				2501	39700	23.01	24	0-1
				2547	40160	23.21	24	0-1
			49	2593	40620	22.19	24	0-1
				2639	41080	22.34	24	0-1
				2685	41540	22.11	24	0-1
				2501	39700	21.89	23	0-2
				2547	40160	22.23	23	0-2
10	16-QAM		0	2593	40620	21.66	23	0-2
				2639	41080	21.28	23	0-2
				2685	41540	21.20	23	0-2
				2501	39700	22.01	23	0-2
				2547	40160	22.42	23	0-2
		25 RB	12	2593	40620	21.51	23	0-2
				2639	41080	21.37	23	0-2
				2685	41540	21.10	23	0-2
				2501	39700	21.87	23	0-2
				2547	40160	22.36	23	0-2
			25	2593	40620	21.46	23	0-2
				2639	41080	21.40	23	Allowed per 3GPP(dB) 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-
				2685	41540	21.07	23	0-2
			-	2501	39700	21.88	23	0-2
				2547	40160	22.37	23	0-2
		50	RB	2593	40620	21.47	23	0-2
				2639	41080	21.23	23	0-2
				2685	41540	21.17	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 223 of 608

			TDD E	Band 41 (Full p	power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2501	39700	22.06	23	0-2
				2547	40160	22.24	23	0-2
			0	2593	40620	21.42	23	0-2
				2639	41080	22.08	23	0-2
				2685	41540	21.26	23	0-2
				2501	39700	21.77	23	0-2
				2547	40160	22.27	23	0-2
		1 RB	25	2593	40620	21.43	23	0-2
				2639	41080	21.41	23	0-2
				2685	41540	22.11	23	0-2
				2501	39700	22.02	23	0-2
				2547	40160	22.43	23	0-2
			49	2593	40620	21.24	23	0-2
				2639	41080	21.42	23	0-2
				2685	41540	21.29	23	0-2
				2501	39700	20.93	22	0-3
				2547	40160	21.36	22	0-3
10	64-QAM		0	2593	40620	20.73	22	0-3
				2639	41080	20.41	22	0-3
				2685	41540	20.21	22	0-3
				2501	39700	21.10	22	0-3
				2547	40160	21.40	22	0-3
		25 RB	12	2593	40620	20.56	22	0-3
				2639	41080	20.59	22	0-3
				2685	41540	20.13	22	0-3
				2501	39700	21.01	22	0-3
				2547	40160	21.47	22	0-3
			25	2593	40620	20.72	22	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				2639	41080	20.45	22	
				2685	41540	20.17	22	0-3
				2501	39700	20.90	22	0-3
				2547	40160	21.46	22	0-3
		50	RB	2593	40620	20.55	22	0-3
				2639	41080	20.19	22	0-3
				2685	41540	20.27	22	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 224 of 608

			TDD E	Band 41 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2498.5	39675	24.93	25	0
				2547.8	40148	24.90	25	0
			0	2593	40620	24.56	25	0
				2640.3	41093	24.37	25	0
				2687.5	41565	24.26	25	0
				2498.5	39675	24.94	25	0
				2547.8	40148	24.83	25	0
		1 RB	12	2593	40620	24.69	25	0
				2640.3	41093	24.42	25	0
				2687.5	41565	24.25	25	0
				2498.5	39675	24.75	25	0
				2547.8	40148	24.75	25	0
			24	2593	40620	24.40	25	0
				2640.3	41093	24.35	25	0
				2687.5	41565	24.27	25	0
				2498.5	39675	23.96	24	0-1
				2547.8	40148	23.91	24	0-1
5	QPSK		0	2593	40620	23.65	24	0-1
				2640.3	41093	23.40	24	0-1
				2687.5	41565	23.22	24	0-1
				2498.5	39675	23.87	24	0-1
				2547.8	40148	23.44	24	0-1
		12 RB	6	2593	40620	23.57	24	0-1
				2640.3	41093	23.37	24	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				2687.5	41565	23.19	24	0-1
				2498.5	39675	23.74	24	0-1
				2547.8	40148	23.55	24	0-1
			13	2593	40620	23.51	24	Max. Allowed per 3GPP(dB) O O O O O O O O O O O O O O O O O O
				2640.3	41093	23.41	24	
				2687.5	41565	23.25	24	
				2498.5	39675	23.79	24	0-1
				2547.8	40148	23.69	24	0-1
		25	RB	2593	40620	23.60	24	0-1
				2640.3	41093	23.37	24	0-1
				2687.5	41565	23.24	24	0-1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 225 of 608

			TDD E	Band 41 (Full p	oower)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2498.5	39675	22.89	24	0-1
				2547.8	40148	23.20	24	0-1
			0	2593	40620	22.40	24	0-1
				2640.3	41093	22.06	24	0-1
				2687.5	41565	22.16	24	0-1
				2498.5	39675	22.80	24	0-1
				2547.8	40148	23.17	24	0-1
		1 RB	12	2593	40620	22.36	24	0-1
				2640.3	41093	22.26	24	0-1
				2687.5	41565	22.08	24	0-1
				2498.5	39675	23.01	24	0-1
				2547.8	40148	23.17	24	0-1
			24	2593	40620	22.16	24	0-1
				2640.3	41093	22.34	24	0-1
				2687.5	41565	22.09	24	0-1
				2498.5	39675	21.88	23	0-2
				2547.8	40148	22.22	23	0-2
5	16-QAM		0	2593	40620	21.59	23	0-2
				2640.3	41093	21.31	23	0-2
				2687.5	41565	21.16	23	0-2
				2498.5	39675	21.96	23	0-2
				2547.8	40148	22.33	23	0-2
		12 RB	6	2593	40620	21.53	23	0-2
				2640.3	41093	21.44	23	0-2
				2687.5	41565	21.05	23	0-2
				2498.5	39675	21.82	23	0-2
				2547.8	40148	22.34	23	0-2
			13	2593	40620	21.55	23	0-2
				2640.3	41093	21.47	23	Allowed per 3GPP(dB) 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-
				2687.5	41565	21.11	23	0-2
				2498.5	39675	21.95	23	0-2
				2547.8	40148	22.38	23	0-2
		25	RB	2593	40620	21.46	23	0-2
				2640.3	41093	21.25	23	0-2
				2687.5	41565	21.24	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 226 of 608

			TDD E	Band 41 (Full p	power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2498.5	39675	22.04	23	0-2
				2547.8	40148	22.28	23	0-2
			0	2593	40620	21.42	23	0-2
				2640.3	41093	22.14	23	0-2
				2687.5	41565	21.23	23	0-2
				2498.5	39675	21.85	23	0-2
				2547.8	40148	22.26	23	0-2
		1 RB	12	2593	40620	21.49	23	0-2
				2640.3	41093	21.35	23	0-2
				2687.5	41565	22.07	23	0-2
				2498.5	39675	21.99	23	0-2
				2547.8	40148	22.41	23	0-2
			24	2593	40620	21.29	23	0-2
				2640.3	41093	21.45	23	0-2
				2687.5	41565	21.30	23	0-2
				2498.5	39675	20.95	22	0-3
				2547.8	40148	21.40	22	0-3
5	64-QAM		0	2593	40620	20.74	22	0-3
				2640.3	41093	20.42	22	0-3
				2687.5	41565	20.22	22	0-3
				2498.5	39675	21.11	22	0-3
				2547.8	40148	21.42	22	0-3
		12 RB	6	2593	40620	20.61	22	0-3
				2640.3	41093	20.58	22	0-3
				2687.5	41565	20.14	22	0-3
				2498.5	39675	21.00	22	0-3
				2547.8	40148	21.52	22	0-3
			13	2593	40620	20.70	22	Allowed per 3GPP(dB) 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-2 0-
				2640.3	41093	20.48	22	
				2687.5	41565	20.16	22	0-3
				2498.5	39675	20.90	22	0-3
				2547.8	40148	21.44	22	0-3
		25	RB	2593	40620	20.57	22	0-3
				2640.3	41093	20.23	22	0-3
				2687.5	41565	20.23	22	0-3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 227 of 608

			TDD Ban	d 41 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2506	39750	22.01	22.5	0
				2549.5	40185	22.50	22.5	0
			0	2593	40620	21.66	22.5	0
				2636.5	41055	21.37	22.5	0
				2680	41490	21.39	22.5	0
				2506	39750	22.01	22.5	0
				2549.5	40185	22.43	22.5	0
		1 RB	50	2593	40620	21.87	22.5	0
				2636.5	41055	21.54	22.5	0
				2680	41490	22.13	22.5	0
				2506	39750	22.34	22.5	0
				2549.5	40185	22.35	22.5	0
			99	2593	40620	21.51	22.5	0
				2636.5	41055	22.33	22.5	0
				2680	41490	21.38	22.5	0
				2506	39750	21.03	22.5	0
				2549.5	40185	21.45	22.5	0
20	QPSK		0	2593	40620	21.48	22.5	0
				2636.5	41055	20.53	22.5	0
				2680	41490	21.43	22.5	0
				2506	39750	21.46	22.5	0
				2549.5	40185	21.52	22.5	0
		50 RB	25	2593	40620	20.71	22.5	0
				2636.5	41055	20.54	22.5	0
				2680	41490	20.52	22.5	0
				2506	39750	21.06	22.5	0
				2549.5	40185	21.07	22.5	0
			50	2593	40620	20.67	22.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				2636.5	41055	21.41	22.5	
				2680	41490	20.54	22.5	0
				2506	39750	21.38	22.5	0
				2549.5	40185	21.53	22.5	0
		100)RB	2593	40620	21.35	22.5	0
				2636.5	41055	21.36	22.5	0
				2680	41490	21.33	22.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 228 of 608

			TDD Ban	d 41 (Reducte	d Power)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
				2506	39750	21.94	22.5	0
				2549.5	40185	22.29	22.5	0
			0	2593	40620	21.49	22.5	0
				2636.5	41055	21.29	22.5	0
				2680	41490	21.19	22.5	0
				2506	39750	21.99	22.5	0
				2549.5	40185	22.33	22.5	0
		1 RB	50	2593	40620	21.83	22.5	0
				2636.5	41055	21.47	22.5	0
				2680	41490	21.49	22.5	0
				2506	39750	22.01	22.5	0
				2549.5	40185	22.33	22.5	0
			99	2593	40620	21.41	22.5	0
				2636.5	41055	21.50	22.5	0
				2680	41490	21.31	22.5	0
				2506	39750	21.89	22.5	0
				2549.5	40185	22.30	22.5	0
20	16-QAM		0	2593	40620	21.36	22.5	0
				2636.5	41055	21.21	22.5	0
				2680	41490	21.07	22.5	0
				2506	39750	21.67	22.5	0
				2549.5	40185	22.34	22.5	0
		50 RB	25	2593	40620	21.67	22.5	0
				2636.5	41055	21.29	22.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				2680	41490	21.26	22.5	0
				2506	39750	21.82	22.5	0
				2549.5	40185	22.16	22.5	0
			50	2593	40620	21.40	22.5	Allowed per 3GPP(dB) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
				2636.5	41055	21.44	22.5	
				2680	41490	21.30	22.5	0
				2506	39750	21.16	22.5	0
				2549.5	40185	21.81	22.5	0
		100)RB	2593	40620	21.87	22.5	0
				2636.5	41055	21.35	22.5	0
				2680	41490	21.24	22.5	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 229 of 608

TDD Band 41 (Reducted Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				2506	39750	21.89	22.5	0	
				2549.5	40185	22.33	22.5	0	
			0	2593	40620	21.62	22.5	0	
				2636.5	41055	21.33	22.5	0	
				2680	41490	21.23	22.5	0	
				2506	39750	21.80	22.5	0	
				2549.5	40185	22.22	22.5	0	
		1 RB	50	2593	40620	21.66	22.5	0	
				2636.5	41055	21.48	Anducted ver (dBm) 21.89 22.5 22.33 22.5 21.62 22.33 22.5 21.80 22.5 21.80 22.5 21.80 22.5 21.80 22.5 21.80 22.5 21.80 22.5 21.48 22.5 21.47 22.5 22.32 22.5 21.47 22.5 21.35 22.5 21.45 22.5 21.45 22.5 21.45 22.5 21.45 22.5 21.76 22.5 21.22 22.5 21.80 22.5 21.31 22.5 21.45 22.5 21.45 22.5 21.45 22.5 21.45 22.5 21.66 22.5 21.45 22.5 21.31 22.5 21.67 22.5 21.67 22.5 21.88 22.5 21.31 22.5 21.31 22.5 21.32 22.5 21.34 22.5 21.21 22.5 21.21 22.5 21.21 22.5		
				2680	41490	21.47	cted dBm) Power + Max. Tolerance (dBm) Allow 3GPI 99 22.5 0 33 22.5 0 22 22.5 0 33 22.5 0 40 22.5 0 22 22.5 0 22 22.5 0 22 22.5 0 22 22.5 0 22 22.5 0 33 22.5 0 42 22.5 0 22 22.5 0 22 22.5 0 22 22.5 0 22 22.5 0 22 22.5 0 22 22.5 0 22 22.5 0 22 22.5 0 22 22.5 0 22 22.5 0 22 22.5 0 22.5 0 0 <		
			99	2506	39750	22.03	22.5	0	
				2549.5	40185	22.32	22.5	0	
				2593	40620	21.35	22.5	0	
				2636.5	41055	21.45	1.47 22.5 0 2.03 22.5 0 2.32 22.5 0 1.35 22.5 0 1.45 22.5 0 1.31 22.5 0 1.76 22.5 0		
				2680	41490	21.31	22.5	0	
			0	2506	39750	21.76	22.5	0	
				2549.5	40185	22.27	22.5	0	
20	64-QAM			2593	40620	21.52	22.5	0	
				2636.5	41055	21.22	22.5	0	
				2680	41490	21.08	22.5	0	
				2506	39750	21.72	22.5	0	
				2549.5	40185	22.30	22.5	0	
		50 RB	25	2593	40620	21.67	22.5	0	
				2636.5	41055	21.31	22.5	0	
				2680	41490	21.34	22.5	0	
				2506	39750	21.88	22.5	0	
				2549.5	40185	21.98	22.5	0	
			50	2593	40620	21.36	22.5	0	
				2636.5	41055	21.34	22.5	0	
				2680	41490	21.21	22.5	0	
				2506	39750	21.12	22.5	0	
				2549.5	40185	21.71	22.5	0	
		100)RB	2593	40620	21.94	22.5	0	
				2636.5	41055	21.25	22.5	0	
				2680	41490	21.29	22.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 230 of 608

TDD Band 41 (Reducted Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				2503.5	39725	21.89	22.5	0	
				2548.3	40173	22.34	22.5	0	
			0	2593	40620	21.57	22.5	0	
				2637.8	41068	21.29	22.5	0	
				2682.5	41515	21.28	22.5	0	
				2503.5	39725	21.80	22.5	0	
				2548.3	40173	22.33	22.5	0	
		1 RB	36	2593	40620	21.83	22.5	0	
				2637.8	41068	21.41	22.5	0	
				2682.5	41515	21.45	22.5	0	
				2503.5	39725	22.06	22.5	0	
				2548.3	40173	22.25	22.5	0	
			74	2593	40620	21.49	22.5	0	
				2637.8	41068	21.43	22.25 22.5 0 21.49 22.5 0 21.43 22.5 0 21.29 22.5 0		
				2682.5	41515	21.29	22.5	0	
			0	2503.5	39725	21.84	22.5	0	
				2548.3	40173	22.27	22.5	0	
15	QPSK			2593	40620	21.39	22.5	0	
				2637.8	41068	21.15	22.5	0	
				2682.5	41515	21.16	22.5	0	
				2503.5	39725	21.81	22.5	0	
				2548.3	40173	22.28	22.5	0	
		36 RB	18	2593	40620	21.66	22.5	0	
				2637.8	41068	21.21	22.5	0	
				2682.5	41515	21.37	22.5	0	
				2503.5	39725	21.95	22.5	0	
				2548.3	40173	22.12	22.5	0	
			37	2593	40620	21.37	22.5	0	
				2637.8	41068	21.36	22.5	0	
				2682.5	41515	21.13	22.5	0	
				2503.5	39725	21.15	22.5	0	
				2548.3	40173	21.80	22.5	0	
		75	RB	2593	40620	22.05	22.5	0	
				2637.8	41068	21.35	22.5	0	
				2682.5	41515	21.31	22.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 231 of 608

TDD Band 41 (Reducted Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				2503.5	39725	21.85	22.5	0	
				2548.3	40173	22.17	22.5	0	
			0	2593	40620	21.35	22.5	0	
				2637.8	41068	21.08	22.5	0	
				2682.5	41515	21.05	22.5	0	
				2503.5	39725	21.84	22.5	0	
				2548.3	40173	22.28	22.5	0	
		1 RB	36	2593	40620	21.79	22.5	0	
				2637.8	41068	21.36	Conducted power (dBm) Power + Max. Tolerance (dBm) Allo 36 21.85 22.5 22.5 22.17 22.5 22.5 21.08 22.5 22.5 21.05 22.5 22.5 21.84 22.5 22.5 21.79 22.5 22.5		
				2682.5	41515	21.45	Power + Max. Tolerance (dBm)	0	
				2503.5	39725	0 21.79 22.5 8 21.36 22.5 5 21.45 22.5 5 21.99 22.5 3 22.28 22.5 0 21.37 22.5 8 21.38 22.5 5 21.21 22.5 5 21.81 22.5	0		
				2548.3	40173	22.28	22.5	0	
			74	2593	40620	21.37	22.5	0	
				2637.8	41068	21.38	22.5	0	
				2682.5	41515	21.21	22.5	0	
		1	0	2503.5	39725	21.81	22.5	0	
				2548.3	40173	22.20	22.5	0	
15	16-QAM			2593	40620	21.32	22.5	0	
				2637.8	41068	21.19	22.5	0	
				2682.5	41515	20.95	22.5	0	
				2503.5	39725	21.52	22.5	0	
				2548.3	40173	22.19	22.5	0	
		36 RB	18	2593	40620	21.54	22.5	0	
				2637.8	41068	21.11	22.5	0	
				2682.5	41515	21.14	22.5	0	
				2503.5	39725	21.72	22.5	0	
				2548.3	40173	22.05	22.5	0	
			37	2593	40620	21.27	22.5	0	
				2637.8	41068	21.25	22.5	0	
				2682.5	41515	21.13	22.5	0	
				2503.5	39725	21.07	22.5	0	
				2548.3	40173	21.72	22.5	0	
		75	RB	2593	40620	21.73	22.5	0	
				2637.8	41068	21.23	22.5	0	
				2682.5	41515	21.15	22.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 232 of 608

TDD Band 41 (Full power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				2503.5	39725	21.75	22.5	0	
				2548.3	40173	22.25	22.5	0	
			0	2593	40620	21.42	22.5	0	
				2637.8	41068	21.12	22.5	0	
				2682.5	41515	21.17	22.5	0	
				2503.5	39725	21.69	22.5	0	
				2548.3	40173	22.16	22.5	0	
		1 RB	36	2593	40620	21.60	22.5	0	
				2637.8	41068	21.46	22.5	0	
				2682.5	41515	21.40	22.5	0	
				2503.5	39725	5 21.85 22.5 3 22.24 22.5	0		
			74	2548.3	40173	22.24	22.5	0	
				2593	40620	21.19	22.5	0	
				2637.8	41068	21.41	22.5	0	
				2682.5	41515	21.10	22.5	0	
			0	2503.5	39725	21.68	22.5	0	
				2548.3	40173	22.11	22.5	0	
15	64-QAM			2593	40620	21.39	22.5	0	
				2637.8	41068	21.17	22.5	0	
				2682.5	41515	21.04	22.5	0	
				2503.5	39725	21.55	22.5	0	
				2548.3	40173	22.19	22.5	0	
		36 RB	18	2593	40620	21.64	22.5	0	
				2637.8	41068	21.11	22.5	0	
				2682.5	41515	21.18	22.5	0	
				2503.5	39725	21.84	22.5	0	
				2548.3	40173	21.81	22.5	0	
			37	2593	40620	21.33	22.5	0	
				2637.8	41068	21.18	22.5	0	
				2682.5	41515	21.10	22.5	0	
				2503.5	39725	21.10	22.5	0	
				2548.3	40173	21.66	22.5	0	
		75	RB	2593	40620	21.90	22.5	0	
				2637.8	41068	21.12	22.5	0	
				2682.5	41515	21.27	22.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 233 of 608

TDD Band 41 (Reducted Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				2501	39700	21.87	22.5	0	
				2547	40160	22.30	22.5	0	
			0	2593	40620	21.62	22.5	0	
				2639	41080	21.31	22.5	0	
				2685	41540	21.19	22.5	0	
				2501	39700	21.90	22.5	0	
				2547	40160	22.35	22.5	0	
		1 RB	25	2593	40620	40160 22.35 40620 21.81 41080 21.38 41540 21.33 39700 21.95 40160 22.25 40620 21.30 41080 21.54	22.5	0	
				2639	41080	21.38	ted Bm) Power + Max. Tolerance (dBm) Allowed 3GPP(dBm) 7		
				2685	41540	21.33	Inducted ver (dBm) Power + Max. Tolerance (dBm) Improvement of the provided per department of the		
				2501		21.95	22.5	0	
				2547	40160	22.25	22.5	0	
			49	2593	40620	21.30	22.5	0	
				2639	41080	22.25 22.5 0 21.30 22.5 0 21.54 22.5 0 21.25 22.5 0	0		
				2685	41540	21.25	22.5	0	
			0	2501	39700	21.82	22.5	0	
				2547	40160	22.24	22.5	0	
10	QPSK			2593	40620	21.51	22.5	0	
				2639	41080	21.16	22.5	0	
				2685	41540	21.22	22.5	0	
				2501	39700	21.73	22.5	0	
				2547	40160	22.36	22.5	0	
		25 RB	12	2593	40620	21.66	22.5	0	
				2639	41080	21.40	22.5	0	
				2685	41540	21.30	22.5	0	
				2501	39700	21.88	22.5	0	
				2547	40160	22.15	22.5	0	
			25	2593	40620	21.45	22.5	0	
				2639	41080	21.33	22.5	0	
				2685	41540	21.29	22.5	0	
				2501	39700	21.06	22.5	0	
				2547	40160	21.77	22.5	0	
		50	RB	2593	40620	21.93	22.5	0	
				2639	41080	21.37		0	
				2685	41540	21.31	22.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 234 of 608

TDD Band 41 (Reducted Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
				2501	39700	21.76	22.5	0		
				2547	40160	22.21	22.5	0		
			0	2593	40620	21.28	22.5	0		
				2639	41080	21.09	22.5	0		
				2685	41540	21.04	22.5	0		
				2501	39700	21.93	22.5	0		
				2547	40160	22.19	22.5	0		
		1 RB	25	2593	40620	21.71	22.5	0		
				2639	41080	21.29	22.5	0		
				2685	41540	21.40	22.5	0		
				2501	Frequency (MHz) 2501 39700 2547 40160 2593 40620 2639 41080 2547 40160 2593 40620 2639 41080 2685 41540 2501 39700 2547 40160 2593 40620 2639 41080 2685 41540 2501 39700 2547 40160 2593 40620 2639 41080 2685 41540 2501 39700 2547 40160 2593 40620 2639 41080 2685 41540 2501 39700 2547 40160 2593 40620 2639 41080 2685 41540 2501 39700 2547 40160 2593 40620 2639 41080 2685 41540 2501 39700 2547 40160 2593 40620 2639 41080 2685 41540 2501 39700 2547 40160 2593 40620 2639 41080 2685 41540 2501 39700 2547 40160 2593 40620 2639 41080 2685 41540 2501 39700 2547 40160 2593 40620 2639 41080 2685 41540 2501 39700 2547 40160 2593 40620 2639 41080 2685 41540 2501 39700	21.99	22.5	0		
				2547	40160	22.12	22.5	0		
			49	2593	40620	21.32	19 22.5 0 71 22.5 0 29 22.5 0 40 22.5 0 99 22.5 0 12 22.5 0 32 22.5 0 46 22.5 0 24 22.5 0 84 22.5 0 15 22.5 0			
				2639	41080	21.46	22.5	22.5 0 22.5 0		
				2685	9 41080 21.46 22. 5 41540 21.24 22.	22.5	0			
		6-QAM	0	2501	39700	21.84	22.5	0		
				2547	40160	22.25	22.5	0		
10	16-QAM			2593	40620	21.15	22.5	0		
				2639	41080	21.12	22.5	0		
				2685	41540	21.00	22.5	0		
				2501	39700	21.53	22.5	0		
				2547	40160	22.13	22.5	0		
		25 RB	12	2593	40620	21.47	22.5	0		
				2639	41080	21.18	22.5	0		
				2685	41540	21.19	22.5	0		
				2501	39700	21.73	22.5	0		
				2547	40160	22.06	22.5	0		
			25	2593	40620	21.23	22.5	0		
				2639	41080	21.36	22.5	0		
				2685	41540	21.15	22.5	0		
				2501	39700	21.02	22.5	0		
				2547	40160	21.70	22.5	0		
		50	RB	2593	40620	21.75	22.5	0		
				2639	41080	21.33	22.5	0		
				2685	41540	21.07	22.5	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 235 of 608

TDD Band 41 (Reducted Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				2501	39700	21.77	22.5	0	
				2547	40160	22.18	22.5	0	
			0	2593	40620	21.58	22.5	0	
				2639	41080	21.22	22.5	0	
				2685	41540	21.09	22.5	0	
				2501	39700	21.69	22.5	0	
				2547	40160	22.18	22.5	0	
		1 RB	25	2547 2593 2639 2685 2501 2547	40620	21.60	22.5	0	
				2639	41080	21.33	Inducted Per (dBm) Power + Max. Tolerance (dBm) Allower Allower SGPP 21.77 22.5 0 22.18 22.5 0 21.58 22.5 0 21.22 22.5 0 21.09 22.5 0 21.69 22.5 0 21.33 22.5 0 21.35 22.5 0 21.35 22.5 0 21.35 22.5 0 21.35 22.5 0 21.35 22.5 0 21.35 22.5 0 21.35 22.5 0 21.192 22.5 0 21.15 22.5 0 21.11 22.5 0 21.13 22.5 0 21.14 22.5 0 21.13 22.5 0 21.14 22.5 0 21.12 22.5 0 21.12 22.5 0 <		
				2685	41540	21.35	5 22.5 2 22.5	0	
				2501	39700	9700 21.92 0160 22.11	22.5	0	
				2547	40160	22.11	22.5	0	
			49	2593	40620	21.15	22.5	0	
				2639	41080	21.40	22.5	0	
				2685	41540	21.13	22.5	0	
			0	2501	39700	21.63	22.5	0	
				2547	40160	22.07	22.5	0	
10	64-QAM			2593	40620	21.45	22.5	0	
				2639	41080	21.12	22.5	0	
				2685	41540	21.04	22.5	0	
				2501	39700	21.63	22.5	0	
				2547	40160	22.27	22.5	0	
		25 RB	12	2593	40620	21.63	22.5	0	
				2639	41080	21.22	22.5	0	
				2685	41540	21.26	22.5	0	
				2501	39700	21.76	22.5	0	
				2547	40160	21.96	22.5	0	
			25	2593	40620	21.21	22.5	0	
				2639	41080	21.23	22.5	0	
	_			2685	41540	21.10	22.5	0	
				2501	39700	21.04	22.5	0	
				2547	40160	21.54	22.5	0	
		50	RB	2593	40620	21.79	22.5	0	
				2639	41080	21.20	22.5	0	
				2685	41540	21.09	22.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 236 of 608

TDD Band 41 (Reducted Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				2498.5	39675	21.93	22.5	0	
				2547.8	40148	22.46	22.5	0	
			0	2593	40620	21.48	22.5	0	
				2640.3	41093	21.27	22.5	0	
				2687.5	41565	21.32	22.5	0	
				2498.5	39675	21.96	22.5	0	
				2547.8	40148	22.35	22.5	0	
		1 RB	12	2593	40620	21.79	22.5	0	
				2640.3	41093	21.43	22.5	0	
				2687.5	41565	21.39	22.5	0	
				2498.5	39675	Tolerance (dBm) Power + Max. Tolerance (dBm) Repower (dBm) Tolerance (dBm) Repower (dBm) Repower + Max. Tolerance (dBm) Repo	0		
			24	2547.8	40148	22.21	22.5	0	
				2593	40620	21.44	22.5	0	
				2640.3	41093	21.54	22.5	0	
				2687.5	41565	21.32	22.5	0	
		sk	0	2498.5	39675	21.79	22.5	0	
				2547.8	40148	22.34	22.5	0	
5	QPSK			2593	40620	21.46	22.5	0	
				2640.3	41093	21.27	22.5	0	
				2687.5	41565	21.17	22.5	0	
				2498.5	39675	21.78	22.5	0	
				2547.8	40148	22.28	22.5	0	
		12 RB	6	2593	40620	21.61	22.5	0	
				2640.3	41093	21.35	22.5	0	
				2687.5	41565	21.39	22.5	0	
				2498.5	39675	21.82	22.5	0	
				2547.8	40148	22.04	22.5	0	
			13	2593	40620	21.42	22.5	0	
				2640.3	41093	21.29	22.5	0	
				2687.5	41565	21.25	22.5	0	
				2498.5	39675	21.05	22.5	0	
				2547.8	40148	21.73	22.5	0	
		25	RB	2593	40620	22.06	22.5	0	
				2640.3	41093	21.28	22.5	0	
				2687.5	41565	21.26	22.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 237 of 608

TDD Band 41 (Reducted Power)										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
				2498.5	39675	21.74	22.5	0		
				2547.8	40148	22.21	22.5	0		
			0	2593	40620	21.33	22.5	0		
				2640.3	41093	21.20	22.5	0		
				2687.5	41565	20.98	22.5	0		
				2498.5	39675	21.82	22.5	0		
				2547.8	40148	22.18	22.5	0		
		1 RB	12	2593	40620	21.63	22.5	0		
				2640.3	41093	21.40	22.5	0		
				2687.5	41565	21.42	22.5	0		
				2498.5	39675	22.18 22.5 0 21.63 22.5 0 21.40 22.5 0	0			
			24	2547.8	40148	22.15	22.5	0		
				2593	40620	21.32	22.5	0		
				2640.3	41093	21.46	22.5	0		
				2687.5	41565	21.20	22.5	0		
		6-QAM	0	2498.5	39675	21.87	22.5	0		
				2547.8	40148	22.19	22.5	0		
5	16-QAM			2593	40620	21.31	22.5	0		
				2640.3	41093	21.10	22.5	0		
				2687.5	41565	20.92	22.5	0		
				2498.5	39675	21.59	22.5	0		
				2547.8	40148	22.31	22.5	0		
		12 RB	6	2593	40620	21.46	22.5	0		
				2640.3	41093	21.16	22.5	0		
				2687.5	41565	21.12	22.5	0		
				2498.5	39675	21.72	22.5	0		
				2547.8	40148	21.99	22.5	0		
			13	2593	40620	21.30	22.5	0		
				2640.3	41093	21.41	22.5	0		
				2687.5	41565	21.22	22.5	0		
				2498.5	39675	21.01	22.5	0		
				2547.8	40148	21.68	22.5	0		
		25	RB	2593	40620	21.72	22.5	0		
				2640.3	41093	21.31	22.5	0		
				2687.5	41565	21.07	22.5	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 238 of 608

TDD Band 41 (Reducted Power)									
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted power (dBm)	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)	
				2498.5	39675	21.84	22.5	0	
				2547.8	40148	22.13	22.5	0	
			0	2593	40620	21.50	22.5	0	
				2640.3	41093	21.14	22.5	0	
				2687.5	41565	21.09	22.5	0	
				2498.5	39675	21.69	22.5	0	
				2547.8	40148	22.09	22.5	0	
		1 RB	12	2593	40620	21.45	22.5	0	
				2640.3	41093	21.36	22.5	0	
				2687.5	41565	21.39	22.5	0	
				2498.5	41565 21.39 39675 21.84 40148 22.24	22.5	0		
			24	2547.8	40148	22.24	22.5	0	
				2593	40620	21.19	22.5	0	
				2640.3	41093	21.43	22.5	0	
				2687.5	41565	21.20	22.5	0	
			0	2498.5	39675	21.60	22.5	0	
				2547.8	40148	22.15	22.5	0	
5	64-QAM			2593	40620	21.46	22.5	0	
				2640.3	41093	21.01	22.5	0	
				2687.5	41565	20.91	22.5	0	
				2498.5	39675	21.68	22.5	0	
				2547.8	40148	22.21	22.5	0	
		12 RB	6	2593	40620	21.51	22.5	0	
				2640.3	41093	21.17	22.5	0	
				2687.5	41565	21.31	22.5	0	
				2498.5	39675	21.78	22.5	0	
				2547.8	40148	21.92	22.5	0	
			13	2593	40620	21.31	22.5	0	
		13 2593 40620	41093	21.14	22.5	0			
				2687.5	41565	21.08	22.5	0	
				2498.5	39675	20.91	22.5	0	
				2547.8	40148	21.65	22.5	0	
		25	RB	2593	40620	21.91	22.5	0	
				2640.3	41093	21.05	22.5	0	
				2687.5	41565	21.15	22.5	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 239 of 608

WLAN802.11 a/b/g/n(20M/40M)/ac(20M/40M/80M) conducted power table:

Antonno	, CI	, ,	NAINAO
Antenna	518	SO	MIMO
Band	Chain 0	Chain 1	Chain0+1
WLAN802.11b	V	V	-
WLAN802.11g	V	V	-
WLAN802.11n(20M)	V	V	V
WLAN802.11n(40M)	V	V	V
WLAN802.11a	V	V	-
WLAN802.11n(20M) 5G	V	V	V
WLAN802.11n(40M) 5G	V	V	V
WLAN802.11ac(20M) 5G	V	V	V
WLAN802.11ac(40M) 5G	V	V	V
WLAN802.11ac(80M) 5G	V	V	V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 240 of 608

Tablet mode (Reduced power)

		Mair	n Antenna			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		1	2412		17.50	17.49
		6	2437		17.50	17.43
	802.11b	11	2462	1Mbps	17.50	17.41
		12	2467		14.00	13.90
		13	2472		8.00	7.92
		1	2412		16.00	15.80
		2	2417		17.50	17.26
		6	2437	2437 2457 2462 2462 2467 17.50 16.00 12.00	17.50	17.44
	802.11g	13 1 2 6 10 11 12 13	2457		17.50	17.29
		11	2462		15.79	
		12	2467		12.00	11.88
		13	2472		-3.00	-3.10
2450 MHz		1	2412		16.00	15.86
2430 1011 12		2	2417		17.50	17.34
		6	2437		17.50	17.32
	802.11n20-HT0	10	2457	MCS0	17.50	17.38
		11	2462		16.00	15.93
		12	2467		12.00	11.95
		13	2472		-3.00	-3.10
		3	2422		13.00	12.88
		4	2427		16.00	15.94
		6	2437		16.50	16.31
	802.11n40-HT0	8	2447	MCS0	15.50	15.45
		9	2452		15.00	14.86
		10	2457		12.00	11.99
		11	2462		-4.00	-4.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 241 of 608

		Main A	Antenna			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		36	5180		15.50	15.35
	802.11a	40	5200	6Mbps	15.50	15.32
	002.11a	44	5220	Glylibbs	15.50	15.31
		48	5240		15.50	15.43
		36	5180	MCS0	15.50	15.45
	802.11n20-HT0	40	5200		15.50	15.43
	602.111120-H10	44	5220		15.50	15.38
		48	5240		15.50	15.33
5.15-5.25 GHz		36	5180		15.50	15.38
	802.11ac20-VHT0	40	5200	MCS0	15.50	15.35
	002.11ac20-VH10	44	5220	MCSU	15.50	15.45
		48	5240		15.50	15.32
	802.11n40-HT0	38	5190	MCS0	15.50	15.46
	ου2.1111 4 υ-Π10	46	5230	IVICOU	15.50	15.47
	802.11ac40-VHT0	38	5190	MCS0	15.50	15.43
	002.11a040-VIII0	46	5230	IVICOU	15.50	15.42
	802.11ac80-VHT0	42	5210	MCS0	13.00	12.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 242 of 608

		Main A	Antenna			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		52	5260		15.50	15.41
	802.11a	56	5280	6Mbpc	15.50	15.44
	802.11a	60	5300	6Mbps	15.50	15.49
		64	5320		15.50	15.45
	802.11n20-HT0	52	5260		15.50	15.31
		56	5280	MCS0	15.50	15.37
		60	5300	IVICOU	15.50	15.41
		64	5320		15.50	15.36
5.25-5.35 GHz		52	5260		15.50	15.34
	802.11ac20-VHT0	56	5280	MCS0	15.50	15.39
	002.11ac20-VI110	60	5300	IVICSU	15.50	15.32
		64	5320		15.50	15.44
	802.11n40-HT0	54	5270	MCS0	15.50	15.49
	ου2.1111 4 υ-Π10	62	5310	IVICOU	13.00	12.87
	802.11ac40-VHT0	54	5270	MCS0	15.50	15.41
	002.11a040-VH10	62	5310	IVICOU	13.00	12.93
	802.11ac80-VHT0	58	5290	MCS0	11.00	10.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 243 of 608

		Main <i>i</i>	Antenna			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		100	5500		15.50	15.38
		104	5520		15.50	15.42
	000 446	116	5580	CMbaa	15.50	15.44
	802.11a	120	5600	6Mbps	15.50	15.40
		136	5700		15.50	15.32
		140	5700		15.50	15.43
		100	5500		15.50	15.39
		104	5520		15.50	15.45
	802.11n20-HT0	116	5580	MCS0	15.50	15.31
	002.111120-11110	120	5600	IVICSO	15.50	15.42
		136	5680		15.50	15.43
		140	5700		15.50	15.41
		100	5500		15.50	15.39
		104	5520		15.50	15.33
		116	5580		15.50	15.34
5600 MHz	802.11ac20-VHT0	120	5600	MCS0	15.50	15.35
		136	5680		15.50	15.28
		140	5700		15.50	15.30
		144	5720		15.50	15.29
		102	5510		15.50	15.49
	802.11n40-HT0	110	5550	MCS0	15.50	15.45
	002.111140-010	118	5590	IVICSU	15.50	15.43
		134	5670		15.50	15.48
		102	5510		15.50	15.31
		110	5550		15.50	15.39
	802.11ac40-VHT0	118	5590	MCS0	15.50	15.34
		134	5670		15.50	15.40
-		142	5710	1	15.50	15.35
		106	5530		13.00	12.98
	802.11ac80-VHT0	122	5610	MCS0	15.50	15.45
		138	5690		15.50	15.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 244 of 608

		Main A	Antenna			
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		149	5745		15.50	15.43
	802.11a	157	5785	6Mbps	15.50	15.42
		165	5825		15.50	15.34
	802.11n20-HT0	149	5745	MCS0	15.50	15.41
		157	5785		15.50	15.42
		165	5825		15.50	15.32
5800 MHz		149	5745		15.50	15.45
3600 WII 12	802.11ac20-VHT0	157	5785	MCS0	15.50	15.31
		165	5825		15.50	15.26
	802.11n40-HT0	151	5755	MCS0	15.50	15.39
	002.111140-1110	159	5795	IVICOU	15.50	15.34
	902 11ac/0 \/⊔T0	151	5755	MCS0	15.50	15.29
	802.11ac40-VHT0	159	5795		15.50	15.28
	802.11ac80-VHT0	155	5775	MCS0	15.50	15.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 245 of 608

		Aux	Antenna			
		, (3)				
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		1	2412		17.50	17.49
		6	2437		17.50	17.47
	802.11b	11	2462	1Mbps	17.50	17.46
		12	2467		15.00	14.84
		13	2472		8.00	7.92
		1	2412		17.00	16.83
		2	2417		17.50	17.43
		6	2437		17.50	17.33
	802.11g	10	2457	6Mbps	17.50	17.26
		11	2462		17.00	16.88
		12	2467	_	13.00	11.90
		13	2472		-3.00	-3.23
2450 MHz		1	2412		17.00	16.84
2430 1011 12		2	2417		17.50	17.37
		6	2437		17.50	17.39
	802.11n20-HT0	10	2457	MCS0	17.50	17.28
		11	2462		17.00	16.92
		12	2467		13.00	12.87
		13	2472		-3.00	-3.11
		3	2422		16.00	15.83
		4	2427		16.00	15.93
		6	2437		16.50	16.32
	802.11n40-HT0	8	2447	MCS0	15.50	15.41
		9	2452]	15.00	14.84
		10	2457		12.00	11.98
		11	2462		-4.00	-4.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1 台灣檢驗科技股份有限公司



Page: 246 of 608

		Aux A	ntenna			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		36	5180		15.50	15.36
	802.11a	40	5200	6Mbps	15.50	15.26
	602.11a	44	5220	GIVIDPS	15.50	15.44
		48	5240		15.50	15.38
	802.11n20-HT0	36	5180		15.50	15.36
		40	5200	MCS0	15.50	15.44
		44	5220	IVICOU	15.50	15.42
		48	5240		15.50	15.38
5.15-5.25 GHz		36	5180		15.50	15.40
	802.11ac20-VHT0	40	5200	MCS0	15.50	15.39
	602.11ac20-VH10	44	5220	IVICSU	15.50	15.43
		48	5240		15.50	15.41
	802.11n40-HT0	38	5190	MCS0	15.50	15.47
	ου ∠. Ι ΙΙΙ 4 υ-Π Ι υ	46	5230	IVICSU	15.50	15.41
	802.11ac40-VHT0	38	5190	MCS0	15.50	15.45
	002.11a040-VH10	46	5230		15.50	15.35
	802.11ac80-VHT0	42	5210	MCS0	13.00	12.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 247 of 608

		Aux A	ntenna			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		52	5260		15.50	15.44
	802.11a	56	5280	6Mbps	15.50	15.40
	602.11a	60	5300	GIVIDPS	15.50	15.47
		64	5320		15.50	15.43
	802.11n20-HT0	52	5260	MCS0	15.50	15.39
		56	5280		15.50	15.31
		60	5300		15.50	15.26
		64	5320		15.50	15.30
5.25-5.35 GHz		52	5260		15.50	15.26
	802.11ac20-VHT0	56	5280	MCS0	15.50	15.31
	602.11ac20-VH10	60	5300	IVICSU	15.50	15.27
		64	5320		15.50	15.33
	802.11n40-HT0	54	5270	MCS0	15.50	15.49
	002.111140-1110	62	5310	IVICOU	13.00	13.00
	802.11ac40-VHT0	54	5270	MCS0	15.50	15.42
	802.11ac40-VH10	62	5310	MCSU	14.00	13.93
	802.11ac80-VHT0	58	5290	MCS0	12.00	11.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 248 of 608

		Aux A	Antenna			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		100	5500		15.50	15.44
		104	5520		15.50	15.46
	000 44 -	116	5580	ON Albara a	15.50	15.39
	802.11a	120	5600	6Mbps	15.50	15.45
		136	5700		15.50	15.40
		140	5700		15.50	15.43
		100	5500		15.50	15.39
		104	5520		15.50	15.27
	802.11n20-HT0	116	5580	MCS0	15.50	15.35
	002.111120-11110	120	5600	IVICSO	15.50	15.33
		136	5680		15.50	15.42
		140	5700		15.50	15.45
		100	5500		15.50	15.32
		104	5520		15.50	15.34
		116	5580		15.50	15.39
5600 MHz	802.11ac20-VHT0	120	5600	MCS0	15.50	15.36
		136	5680		15.50	15.44
		140	5700		15.50	15.30
		144	5720		15.50	15.28
		102	5510		15.50	15.43
	802.11n40-HT0	110	5550	MCS0	15.50	15.41
	002.1111401110	118	5590	IVICCO	15.50	15.30
		134	5670		15.50	15.35
		102	5510		15.50	15.43
		110	5550		15.50	15.31
	802.11ac40-VHT0	118	5590	MCS0	15.50	15.41
-		134	5670		15.50	15.35
		142	5710		15.50	15.27
		106	5530		15.50	15.47
	802.11ac80-VHT0	122	5610	MCS0	15.50	15.45
		138	5690		15.50	15.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 249 of 608

	Aux Antenna								
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)			
		149	5745		15.50	15.41			
	802.11a	157	5785	6Mbps	15.50	15.36			
		165	5825		15.50	15.37			
	802.11n20-HT0	149	5745	MCS0	15.50	15.44			
		157	5785		15.50	15.47			
		165	5825		15.50	15.43			
5800 MHz		149	5745		15.50	15.29			
3000 1011 12	802.11n40-VHT0	157	5785	MCS0	15.50	15.46			
		165	5825		15.50	15.42			
	802.11n40-HT0	151	5755	MCS0	15.50	15.31			
	002.111140-1110	159	5795	IVICOU	15.50	15.28			
	802.11ac40-VHT0	151	5755	MCS0	15.50	15.38			
	002.11d040-VH10	159	5795		15.50	15.32			
	802.11ac80-VHT0	155	5775	MCS0	15.50	15.49			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 250 of 608

Notebook mode (Full power)

Main Antenna									
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)			
		1	2412		18.00	17.95			
		2	2417		20.00	19.92			
		6	2437	1	20.00	19.99			
	802.11b	10	2457	1Mbps	20.00	19.95			
		11	2462		19.00	18.92			
		12	2467		14.00	13.87			
		13	2472		8.00	7.94			
		1	2412		16.00	15.80			
		2	2417		19.00	18.84			
		6	2437		20.00	19.82			
	802.11g	10	2457	6Mbps	19.00	18.85			
		11	2462]	16.00	15.95			
		12	2467		12.00	11.88			
0.450 MILL		13	2472		-3.00	-3.18			
2450 MHz		1	2412		16.00	15.78			
		2	2417		19.00	18.80			
		6	2437		20.00	19.92			
	802.11n20-HT0	10	2457	MCS0	19.00	18.85			
		11	2462		16.00	15.86			
		12	2467		12.00	11.91			
		13	2472		-3.00	-3.21			
		3	2422		13.00	12.77			
		4	2427		16.00	15.91			
		6	2437		16.50	16.39			
	802.11n40-HT0		2447	MCS0	15.50	15.38			
		9	2452	- 111000	15.00	14.87			
		10	2457		12.00	11.98			
		11	2462		-4.00	-4.02			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1 台灣檢驗科技股份有限公司



Page: 251 of 608

		Main A	Antenna			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		36	5180		18.00	17.99
	802.11a	40	5200	6Mbpc	20.00	19.96
	602.11a	44	5220	6Mbps	20.00	19.99
		48	5240		20.00	19.95
	802.11n20-HT0	36	5180	MCS0	18.00	17.94
		40	5200		20.00	19.87
		44	5220		20.00	19.76
		48	5240		20.00	19.94
5.15-5.25 GHz		36	5180		18.00	17.77
	802.11ac20-VHT0	40	5200	MCS0	20.00	19.86
	002.11ac20-VH10	44	5220	IVICSU	20.00	19.82
		48	5240		20.00	19.94
	802.11n40-HT0	38	5190	MCS0	17.00	16.99
	ου2.1111 4 υ-Π10	46	5230	IVICOU	20.00	19.93
	802.11ac40-VHT0	38	5190	MCS0	17.00	16.86
	802.11ac40-VH10	46	5230	IVICOU	20.00	19.90
	802.11ac80-VHT0	42	5210	MCS0	13.00	12.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 252 of 608

		Main A	Antenna			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		52	5260		20.00	19.97
	802.11a	56	5280	6Mbpc	20.00	19.95
	802.11a	60	5300	6Mbps	20.00	19.99
		64	5320		17.00	16.95
		52	5260	MCS0	20.00	19.88
	802.11n20-HT0	56	5280		20.00	19.82
	802.111120-1110	60	5300		20.00	19.86
		64	5320		17.00	16.87
5.25-5.35 GHz		52	5260		20.00	19.95
	802.11ac20-VHT0	56	5280	MCS0	20.00	19.77
	002.11ac20-V1110	60	5300	IVICOU	20.00	19.90
		64	5320		17.00	16.84
	802.11n40-HT0	54	5270	MCS0	20.00	19.96
	002.111140-F110	62	5310	IVICOU	13.00	12.92
	802.11ac40-VHT0	54	5270	MCS0	20.00	19.91
	602.11ac40-VH10	62	5310	IVICSU	13.00	12.88
	802.11ac80-VHT0	58	5290	MCS0	11.00	10.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 253 of 608

Main Antenna													
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)							
		100	5500		18.00	17.92							
		104	5520		20.00	19.97							
	802.11a	116	5580	6Mbpc	20.00	19.99							
	002.11a	120	5600	bivibps	20.00	19.91							
		136	5700		20.00	19.92							
		140	5700		17.00	16.95							
		100	5500		18.00	17.85							
		104	5520		20.00	19.95							
	802.11n20-HT0	11a	20.00	19.76									
	802.111120-1110		MCSU	20.00	19.82								
		136	5680		20.00	19.79							
		140	5700		17.00	16.78							
		100	5500		18.00	17.85							
		104	5520		20.00	19.89							
		116	5580		20.00	19.76							
5600 MHz	802.11ac20-VHT0	120	5600	MCS0	20.00	19.88							
		136	5680		20.00	19.77							
		140	5700		17.00	16.80							
		144	5720		19.00	18.84							
		102	5510		18.00	18.00							
	802.11n40-HT0	110	5550	MCS0	20.00	19.95							
	002.111140-1110	118	5590	IVICOU	20.00	19.94							
		134	5670		19.00	18.98							
		102	5510		18.00	17.95							
		110	5550		20.00	19.83							
	802.11ac40-VHT0	118	5590	MCS0	20.00	19.91							
		134	5670		19.00	18.78							
		142	5710		20.00	19.80							
		106	5530		16.00	15.88							
	802.11ac80-VHT0	122	5610	MCS0	18.00	17.87							
		138	5690		20.00	19.76							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 254 of 608

	Main Antenna													
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)								
		149	5745		20.00	19.92								
	802.11a	157	5785	6Mbps	20.00	19.79								
		165	5825		Avg. Power + Max. Tolerance (dBm) 20.00 19	19.77								
		149	5745		20.00	19.81								
	802.11n20-HT0	157	5785	MCS0	20.00	19.86								
		165	5825		20.00	19.84								
5800 MHz		149	5745		20.00	19.89								
3600 WII 12	802.11ac20-VHT0	157	5785	MCS0	20.00	19.85								
		165	5825		20.00	19.83								
	802.11n40-HT0	151	5755	MCSO	20.00	19.94								
	002.111140-1110	159	5795	IVICOU	20.00	19.99								
	802.11ac40-VHT0	151	5755	MCS0 20.00 19.85 20.00 19.86 20.00 19.86 20.00 19.86 20.00 19.85 20.00 19.85 20.00 19.85 20.00 19.85 20.00 19.95 MCS0 20.00 19.96 ACS0 20.00 19.97 20.00 19.97 20.00 19.97	19.91									
	002.11d040-VH10	159	5795	IVICOU	20.00	19.93								
	802.11ac80-VHT0	155	5775	MCS0	18.00	17.87								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 255 of 608

Aux Antenna													
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)							
		1	2412		18.00	17.98							
		2	2417		20.00	19.99							
		6	2437		20.00	19.94							
	802.11b	10	2457	1Mbps	20.00	19.93							
		11 2462	2462		19.00	18.76							
		12	2467		15.00	14.89							
		13	2472		8.00	7.92							
		1	2412		17.00	16.89							
		2	2417		19.00	18.80							
		6	2437		20.00	19.85							
	802.11g	10	2457	6Mbps	19.00	18.88							
		Channel Frequency (MHz) Data Rate (dBm) Avg. Power (dBm)	16.89										
		12	2467		13.00	12.89							
2450 MHz		13	2472		-3.00	-3.07							
2430 10172		1	2412		17.00	16.84							
		2	2417		19.00	18.85							
		6	2437		20.00	19.82							
	802.11n20-HT0	802.11g 6 2437 6Mbps 19.00 17.	19.00	18.78									
		11	2462		17.00	16.93							
		12	2467		13.00	12.92							
		13	2472		-3.00	-3.16							
		3	2422		16.00	15.86							
		4	2427		16.00	15.91							
		6	2437		16.50	16.30							
	802.11n40-HT0	8	2447	MCS0	15.50	15.43							
				1	15.00	14.90							
		10	2457		12.00	11.99							
		11	2462		-4.00	-4.01							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 256 of 608

	Aux Antenna													
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)								
		36	5180		18.00	17.97								
	802.11a	40	5200	6Mbps	20.00	19.93								
	002.11a	44	5220	Olvibps	20.00	19.98								
		48	5240		20.00	19.93								
		36	5180		18.00	17.87								
	802.11n20-HT0	40	5200	MCS0	20.00	19.95								
	002.111120-1110	44	5220	IVICOU	20.00	19.91								
		48	5240		20.00	19.78								
5.15-5.25 GHz		36	5180		18.00	17.93								
	802.11ac20-VHT0	40	5200	MCS0	20.00	19.78								
	602.11ac20-VH10	44	5220	IVICSU	20.00	19.87								
		48	5240		20.00	19.86								
	802.11n40-HT0	38	5190	MCS0	17.00	16.99								
	ουΖ. I III 4 U-Π I U	46	5230	IVICSU	20.00	19.95								
	802.11ac40-VHT0	38	5190	MCS0	17.00	16.80								
	002.11a040-VH10	46	5230	MCSU	20.00	19.87								
	802.11ac80-VHT0	42	5210	MCS0	13.00	12.86								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 257 of 608

	Aux Antenna													
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)								
		52	5260		20.00	19.99								
	802.11a	56	5280	6Mhns	20.00	19.96								
	002.11a	60	5300	Olvibps	20.00	19.91								
		64	5320		17.00	16.98								
		52	5260		20.00	19.76								
	802.11n20-HT0	56	5280	MCSO	20.00	19.85								
	002.111120-1110	60	5300	MCSU	Avg. Power + Max. Tolerance (dBm) 20.00 19.9 20.00 19.9 20.00 19.9 20.00 19.7 20.00 19.7 20.00 19.7 20.00 19.8 20.00 19.7 17.00 16.8 20.00 19.7 17.00 16.8 20.00 19.7 17.00 16.8 20.00 19.7 17.00 16.8 40CS0 20.00 19.7 17.00 16.8 40CS0 19.7 41.00 13.9 40CS0 19.7 41.00 13.8	19.79								
		64	5320		Avg. Power + Max. Tolerance (dBm) 20.00 19.99 20.00 19.91 17.00 16.98 20.00 19.76 20.00 19.76 20.00 19.76 20.00 19.79 17.00 16.89 20.00 19.77 20.00 19.77 20.00 19.77 20.00 19.78 17.00 16.87 20.00 19.78 20.00 19.78 20.00 19.78 20.00 19.79 20.00 19.79 20.00 19.79 20.00 19.79 20.00 19.79 20.00 19.99 20.00 19.99 20.00 19.79 14.00 13.89	16.89								
5.25-5.35 GHz		52	5300 6Mbps 20.00 19 5320 17.00 16 5260 20.00 19 5280 20.00 19 5320 20.00 19 5320 17.00 16 5260 20.00 19 5280 20.00 19 5280 20.00 19 5280 20.00 19	19.82										
	802.11ac20-VHT0	56	5280	MCSO	20.00	19.77								
	002.11ac20-V1110	60	5300	MCSU	20.00	19.78								
		64	5320		17.00	16.87								
	802.11n40-HT0	54	5270	MCSO	20.00	19.99								
	602.1111 4 0-1110	62	5310	IVICSU	14.00	13.99								
	802.11ac40-VHT0	54	5270	MCSO	20.00	19.79								
	002.11a040-VH10	62	5310	IVICOU	14.00	13.82								
	802.11ac80-VHT0	58	5290	MCS0	12.00	11.89								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 258 of 608

	Aux Antenna													
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)								
		100	5500		18.00	17.93								
		104	5520		20.00	19.81								
	000 446	116	5580	CMbaa	20.00	19.99								
	802.11a	120	5600	6Mbps	20.00	19.94								
		136	5700		20.00	19.97								
		140	5700		17.00	16.92								
		100	5500		18.00	17.94								
		104	5520		20.00	19.90								
		116	5580		20.00	19.82								
	802.11n20-HT0	120	5600	MCS0	20.00	19.91								
		136	5680		20.00	19.80								
		140	5700		20.00 19.8 17.00 16.7 19.00 18.8	16.77								
		144	5720		19.00	18.85								
		100	5500		18.00	17.78								
		104	5520		20.00	19.78								
5600 MHz		116	5580		20.00	19.88								
3000 1011 12	802.11ac20-VHT0	120	5600	MCS0	20.00	19.80								
		136	5680		20.00	19.76								
		140	5700		17.00	16.85								
		144	5720		19.00	18.90								
		102	5510		16.00	15.98								
	802.11n40-HT0	110	5550	MCS0	20.00	19.99								
	002.111140-1110	118	5590	IVICOU	20.00	19.96								
		134	5670		19.00	18.98								
		102	5510		18.00	17.77								
		110	5550		20.00	19.84								
	802.11ac40-VHT0	118	5590	MCS0	20.00	19.79								
		134	5670		19.00	18.95								
		142	5710		20.00	19.81								
		106	5530		16.00	15.92								
	802.11ac80-VHT0	122	5610	MCS0	18.00	17.87								
		138	5690		20.00	19.93								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 259 of 608

Aux Antenna													
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)							
		149	5745		20.00	19.77							
	802.11a	157	5785	6Mbps	20.00	19.92							
		165	5825	6785 6Mbps 20.00 1 5825 20.00 1 5745 20.00 1 5785 MCS0 20.00 1 5825 20.00 1	19.95								
		149	5745		19.89								
	802.11n20-HT0	157	5785	MCS0	20.00	19.82							
		165	5825		20.00	19.79							
5800 MHz		149	5745		20.00	19.87							
3000 1011 12	802.11n40-VHT0	157	5785	MCS0	20.00	19.88							
		165	5825		20.00	19.94							
	802.11n40-HT0	151	5755	MCS0	20.00	19.99							
	002.111140-1110	159	5795	IVICOU	20.00	19.91							
	802.11ac40-VHT0	151	5755	MCS0	20.00	19.81							
	002.11ac40-VIII0	159	5795	MCSU	20.00	19.93							
	802.11ac80-VHT0	155	5775	MCS0	18.00	17.91							

Bluetooth conducted power table:

Biaotoot	detooth conducted power table:														
			1MI	bps	2MI	bps	3Mbps								
Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	_	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)							
	CH 00	2402	11.50	11.45	8.00	7.88	7.00	6.94							
BR/EDR	EDR CH 39 2441		11.50	11.48	8.00 7.85		7.00	6.99							
	CH 78	2480	11.50	11.30	8.00	8.00	7.00	6.79							

	Mode	Channel	Frequency	GF	SK
		Channel	(MHz)	Max. Rated Avg.Power + Max. Tolerance (dBm)	Average Output Power (dBm)
		CH 00	2402		6.96
	LE	CH 19	2440	7	6.73
L		CH 39	2480		6.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 260 of 608

1.3.1 LTE Downlink CA specification

LTE Downlink 2CA conducted power table

						Two Com	ponent Car	rier Maxim	ım Conduc	ted Power					
				PCC							c		Full I	Power	
PCC Band	PCC Bandwidth [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offset	PCC (UL) Channel	PCC (UL) Frequency [MHz]	PCC (DL) Channel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	LTE Tx.Power with DL CA active (dBm)	LTE Tx.Power with DL CA inactive (dBm)	Configurations
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B17	10	5790	740	23.31	23.45	CA_2A-17A
LTE B17	10	QPSK	1	0	23800	711	5800	741	LTE B2	20	900	1960	23.34	23.38	CA_2A-17A
LTE B4	20	QPSK	1	99	20175	1732.5	2175	2132.5	LTE B17	10	5790	740	23.83	23.97	CA_4A-17A
LTE B17	10	QPSK	1	0	23800	711	5800	741	LTE B4	20	2175	2132.5	23.28	23.38	CA_4A-17A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B7	20	3100	2655	23.67	23.69	CA_5A-7A
LTE B7	20	QPSK	1	0	21350	2560	3350	2680	LTE B5	10	2525	881.5	23.77	23.88	CA_5A-7A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B66	20	66786	2145	23.65	23.69	CA_5A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B5	10	2525	881.5	23.80	23.90	CA_5A-66A
LTE B7	20	QPSK	1	0	21350	2560	3350	2680	LTE B7	20	3100	2655	23.81	23.88	CA_7A-7A
LTE B7	20	QPSK	1	0	21350	2560	3350	2680	LTE B7	20	3100	2655	23.74	23.88	CA_7B
LTE B7	20	QPSK	1	0	21350	2560	3350	2680	LTE B7	20	3100	2655	23.86	23.88	CA_7C
LTE B25	20	QPSK	1	50	26140	1860	8140	1940	LTE B26	15	8865	876.5	23.33	23.35	CA_25A-26A
LTE B26	15	QPSK	1	0	26965	841.5	8965	886.5	LTE B25	20	8365	1962.5	23.60	23.64	CA_25A-26A
LTE B25	20	QPSK	1	50	26140	1860	8140	1940	LTE B41	20	40620	2593	23.23	23.35	CA_25A-41A
LTE B41	20	QPSK	1	0	41055	2636.5	41005	2636.5	LTE B25	20	8365	1962.5	24.39	24.43	CA_25A-41A
LTE B25	20	QPSK	1	99	26140	1860	8140	1940	LTE B25	20	8590	1985	23.14	23.26	CA_25A-25A
LTE B26	15	QPSK	1	0	26965	841.5	8965	886.5	LTE B41	20	40620	2593	23.61	23.64	CA_26A-41A
LTE B41	20	QPSK	1	0	41055	2636.5	41005	2636.5	LTE B26	15	8865	876.5	24.33	24.43	CA_26A-41A
LTE B41	20	QPSK	1	0	39750	2506	39750	2506	LTE B41	20	41490	2680	24.89	24.96	CA_41A-41A

						Two Com	ponent Car	rier Maximu	ım Conduc	ted Power					
				PCC						SC	C		Reduce	d Power	
PCC Band	PCC Bandwidth [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offset	PCC (UL) Channel	PCC (UL) Frequency [MHz]	PCC (DL) Channel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	LTE Tx.Power with DL CA active (dBm)	LTE Tx.Power with DL CA inactive (dBm)	Configurations
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B17	10	5790	740	18.71	18.86	CA_2A-17A
LTE B17	10	QPSK	1	0	23800	711	5800	741	LTE B2	20	900	1960	21.35	21.49	CA_2A-17A
LTE B4	20	QPSK	1	50	20050	1720	2050	2120	LTE B17	10	5790	740	19.92	19.95	CA_4A-17A
LTE B17	10	QPSK	1	0	23800	711	5800	741	LTE B4	20	2175	2132.5	21.43	21.49	CA_4A-17A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B7	20	3100	2655	20.72	20.86	CA_5A-7A
LTE B7	20	QPSK	1	50	20850	2510	2850	2630	LTE B5	10	2525	881.5	19.67	19.82	CA_5A-7A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B66	20	66786	2145	20.71	20.86	CA_5A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B5	10	2525	881.5	19.29	19.44	CA_5A-66A
LTE B7	20	QPSK	1	50	20850	2510	2850	2630	LTE B7	20	3100	2655	19.69	19.82	CA_7A-7A
LTE B7	20	QPSK	1	50	20850	2510	2850	2630	LTE B7	20	3100	2655	19.69	19.82	CA_7B
LTE B7	20	QPSK	1	50	20850	2510	2850	2630	LTE B7	20	3100	2655	19.71	19.82	CA_7C
LTE B25	20	QPSK	1	0	26365	1882.5	8365	1962.5	LTE B26	15	8865	876.5	18.35	18.40	CA_25A-26A
LTE B26	15	QPSK	1	0	26965	841.5	8965	886.5	LTE B25	20	8365	1962.5	20.96	21.00	CA_25A-26A
LTE B25	20	QPSK	1	0	26365	1882.5	8365	1962.5	LTE B41	20	40620	2593	18.36	18.40	CA_25A-41A
LTE B25	20	QPSK	1	99	26140	1860	8140	1940	LTE B25	20	8590	1985	18.31	18.45	CA_25A-25A
LTE B26	15	QPSK	1	0	26965	841.5	8965	886.5	LTE B41	20	40620	2593	20.85	21.00	CA_26A-41A
LTE B41	20	QPSK	1	0	41055	2636.5	41005	2636.5	LTE B26	15	8865	876.5	21.31	21.37	CA_26A-41A
LTE B41	20	QPSK	1	0	39750	2506	39750	2506	LTE B41	20	41490	2680	21.93	22.01	CA_41A-41A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 261 of 608

LTE Downlink 3CA conducted power table

								Three Com	ponent Ca	rrier Maxin	num Cond	ucted Power							
				PCC							CC 1			so	C 2		Full	Power	
PCC Band	PCC Bandwidth [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offset	PCC (UL) Channel	PCC (UL) Frequency [MHz]	PCC (DL) Channel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	LTE Tx.Power with DL CA active (dBm)	LTE Tx.Power with DL CA inactive (dBm)	Configurations
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B4	20	2175	2132.5	LTE B13	10	5230	751	23.42	23.45	CA_2A-4A-13A
LTE B4	20	QPSK	1	99	20175	1732.5	2175	2132.5	LTE B2	20	900	1960	LTE B13	10	5230	751	23.94	23.97	CA_2A-4A-13A
LTE B13	10	QPSK	1	25	23230	782	5230	751	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	23.54	23.66	CA_2A-4A-13A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B29	10	9715	722.5	LTE B30	10	9820	2355	23.43	23.45	CA_2A-29A-30A
LTE B30	10	QPSK	1	49	27710	2310	9820	2355	LTE B2	20	900	1960	LTE B29	10	9715	722.5	19.77	19.87	CA_2A-29A-30A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B5	10	2525	881.5	LTE B66	20	66786	2145	23.31	23.45	CA_2A-5A-66A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B2	20	900	1960	LTE B66	20	66786	2145	23.67	23.69	CA_2A-5A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B2	20	900	1960	LTE B5	10	2525	881.5	23.82	23.90	CA_2A-5A-66A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B13	10	5230	751	LTE B66	20	66786	2145	23.37	23.45	CA_2A-13A-66A
LTE B13	10	QPSK	1	25	23230	782	5230	751	LTE B2	20	900	1960	LTE B66	20	66786	2145	23.55	23.66	CA_2A-13A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B2	20	900	1960	LTE B13	10	5230	751	23.82	23.90	CA_2A-13A-66A
LTE B2	20	QPSK	1	0	18700	1860	700	1940	LTE B2	20	898	1959.8	LTE B29	10	9715	722.5	23.27	23.38	CA_2C-29A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B66	20	66536	2120	LTE B66	20	66734	2139.8	23.35	23.45	CA_2A-66B
LTE B66	10	QPSK	1	49	132622	1775	67086	2175	LTE B66	10	66987	2165.1	LTE B2	20	900	1960	23.49	23.60	CA_2A-66B
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B66	20	66536	2120	LTE B66	20	66734	2139.8	23.39	23.45	CA_2A-66C
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B66	20	66734	2139.8	LTE B2	20	900	1960	23.81	23.90	CA_2A-66C
LTE B2	20	QPSK	1	0	18700	1860	700	1940	LTE B2	20	1100	1980	LTE B5	10	2525	881.5	23.35	23.38	CA_2A-2A-5A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B2	20	700	1940	LTE B2	20	1100	1980	23.68	23.69	CA_2A-2A-5A
LTE B2	20	QPSK	1	0	18700	1860	700	1940	LTE B2	20	1100	1980	LTE B13	10	5230	751	23.32	23.38	CA_2A-2A-13A
LTE B13	10	QPSK	1	25	23230	782	5230	751	LTE B2	20	700	1940	LTE B2	20	1100	1980	23.58	23.66	CA_2A-2A-13A
LTE B2	20	QPSK	1	0	18700	1860	700	1940	LTE B2	20	1100	1980	LTE B66	20	66734	2139.8	23.37	23.38	CA_2A-2A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B2	20	700	1940	LTE B2	20	1100	1980	23.75	23.90	CA_2A-2A-66A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B66	20	66536	2120	LTE B66	20	67036	2170	23.39	23.45	CA_2A-66A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B66	20	66536	2120	LTE B2	20	900	1960	23.81	23.90	CA_2A-66A-66A
LTE B4	20	QPSK	1	99	20175	1732.5	2175	2132.5	LTE B29	10	9715	722.5	LTE B30	10	9820	2355	23.87	23.97	CA_4A-29A-30A
LTE B30	10	QPSK	1	49	27710	2310	9820	2355	LTE B4	20	2175	2132.5	LTE B29	10	9715	722.5	19.85	19.87	CA_4A-29A-30A
LTE B4	20	QPSK	1	0	20050	1720	2050	2120	LTE B4	20	2300	2145	LTE B5	10	2525	881.5	23.91	23.94	CA_4A-4A-5A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B4	20	2050	2120	LTE B4	20	2300	2145	23.68	23.69	CA_4A-4A-5A
LTE B4	20	QPSK	1	0	20050	1720	2050	2120	LTE B4	20	2300	2145	LTE B13	10	5230	751	23.81	23.94	CA_4A-4A-13A
LTE B13	10	QPSK	1	25	23230	782	5230	751	LTE B4	20	2050	2120	LTE B4	20	2300	2145	23.65	23.66	CA_4A-4A-13A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B66	20	66536	2120	LTE B66	20	67036	2170	23.68	23.69	CA_5A-66A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B66	20	66536	2120	LTE B5	10	2525	881.5	23.80	23.90	CA_5A-66A-66A
LTE B13	10	QPSK	1	25	23230	782	5230	751	LTE B66	20	66536	2120	LTE B66	20	67036	2170	23.63	23.66	CA_13A-66A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B66	20	66536	2120	LTE B13	10	5230	751	23.81	23.90	CA_13A-66A-66A
LTE B41	20	QPSK	1	0	41005	2636.5	41005	2636.5	LTE B41	20	39750	2506	LTE B41	20	39948	2525.8	24.40	24.43	CA_41A-41C
LTE B41	20	QPSK	1	0	39750	2506	39750	2506	LTE B41	20	39948	2525.8	LTE B41	20	41490	2680	24.81	24.96	CA_41A-41C
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B66	15	67213	2187.7	LTE B66	5	67306	2197	23.88	23.90	CA_66A-66B
LTE B66	20	QPSK	1	99	132072	1720	66536	2120	LTE B66	20	67038	2170.2	LTE B66	20	67236	2190	23.58	23.59	CA_66A-66C
LTE B66	20	QPSK	1	99	132072	1720	66536	2120	LTE B66	20	66734	2139.8	LTE B66	20	66932	2159.6	23.53	23.59	CA_66D

								Three Com	ponent Ca	rrier Maxin	num Cond	ucted Power	ī						
				PCC						S	CC 1			S	CC 2		Reduce	ed Power	
PCC Band	PCC Bandwidth [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offset	PCC (UL) Channel	PCC (UL) Frequency [MHz]	PCC (DL) Channel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bendwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	LTE Tx.Power with DL CA active (dBm)	LTE Tx.Power with DL CA inactive (dBm)	Configurations
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B4	20	2175	2132.5	LTE B13	10	5230	751	18.76	18.86	CA_2A-4A-13A
LTE B4	20	QPSK	1	50	20050	1720	2050	2120	LTE B2	20	900	1960	LTE B13	10	5230	751	19.91	19.95	CA_2A-4A-13A
LTE B13	10	QPSK	1	25	23230	782	5230	751	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	20.86	20.91	CA_2A-4A-13A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B29	10	9715	722.5	LTE B30	10	9820	2355	18.82	18.86	CA_2A-29A-30A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B5	10	2525	881.5	LTE B66	20	66786	2145	18.83	18.86	CA_2A-5A-66A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B2	20	900	1960	LTE B66	20	66786	2145	20.85	20.86	CA_2A-5A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B2	20	900	1960	LTE B5	10	2525	881.5	19.40	19.44	CA_2A-5A-66A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B13	10	5230	751	LTE B66	20	66786	2145	18.83	18.86	CA_2A-13A-66A
LTE B13	10	QPSK	1	25	23230	782	5230	751	LTE B2	20	900	1960	LTE B66	20	66786	2145	20.85	20.91	CA_2A-13A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B2	20	900	1960	LTE B13	10	5230	751	19.37	19.44	CA_2A-13A-66A
LTE B2	20	QPSK	1	0	18700	1860	700	1940	LTE B2	20	898	1959.8	LTE B29	10	9715	722.5	18.73	18.76	CA_2C-29A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B66	20	66536	2120	LTE B66	20	66734	2139.8	18.84	18.86	CA_2A-66B
LTE B66	10	QPSK	1	49	132622	1775	67086	2175	LTE B66	10	66987	2165.1	LTE B2	20	900	1960	19.35	19.37	CA_2A-66B
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B66	20	66536	2120	LTE B66	20	66734	2139.8	18.75	18.86	CA_2A-66C
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B66	20	66734	2139.8	LTE B2	20	900	1960	19.32	19.44	CA_2A-66C
LTE B2	20	QPSK	1	0	18700	1860	700	1940	LTE B2	20	1100	1980	LTE B5	10	2525	881.5	18.73	18.76	CA_2A-2A-5A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B2	20	700	1940	LTE B2	20	1100	1980	20.78	20.86	CA_2A-2A-5A
LTE B2	20	QPSK	1	0	18700	1860	700	1940	LTE B2	20	1100	1980	LTE B13	10	5230	751	18.71	18.76	CA_2A-2A-13A
LTE B13	10	QPSK	1	25	23230	782	5230	751	LTE B2	20	700	1940	LTE B2	20	1100	1980	20.85	20.91	CA_2A-2A-13A
LTE B2	20	QPSK	1	0	18700	1860	700	1940	LTE B2	20	1100	1980	LTE B66	20	66734	2139.8	18.65	18.76	CA_2A-2A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B2	20	700	1940	LTE B2	20	1100	1980	19.32	19.44	CA_2A-2A-66A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B66	20	66536	2120	LTE B66	20	67036	2170	18.83	18.86	CA_2A-66A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B66	20	66536	2120	LTE B2	20	900	1960	19.32	19.44	CA_2A-66A-66A
LTE B4	20	QPSK	1	50	20050	1720	2050	2120	LTE B29	10	9715	722.5	LTE B30	10	9820	2355	19.87	19.95	CA_4A-29A-30A
LTE B4	20	QPSK	1	0	20050	1720	2050	2120	LTE B4	20	2300	2145	LTE B5	10	2525	881.5	19.65	19.80	CA_4A-4A-5A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B4	20	2050	2120	LTE B4	20	2300	2145	20.85	20.86	CA_4A-4A-5A
LTE B4	20	QPSK	1	0	20050	1720	2050	2120	LTE B4	20	2300	2145	LTE B13	10	5230	751	19.87	19.95	CA_4A-4A-13A
LTE B13	10	QPSK	1	25	23230	782	5230	751	LTE B4	20	2050	2120	LTE B4	20	2300	2145	20.78	20.91	CA_4A-4A-13A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B66	20	66536	2120	LTE B66	20	67036	2170	20.75	20.86	CA_5A-66A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B66	20	66536	2120	LTE B5	10	2525	881.5	19.30	19.44	CA_5A-66A-66A
LTE B13	10	QPSK	1	25	23230	782	5230	751	LTE B66	20	66536	2120	LTE B66	20	67036	2170	20.83	20.91	CA_13A-66A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B66	20	66536	2120	LTE B13	10	5230	751	19.39	19.44	CA_13A-66A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B66	15	67213	2187.7	LTE B66	5	67306	2197	19.36	19.44	CA_66A-66B
LTE B66	20	QPSK	1	99	132072	1720	66536	2120	LTE B66	20	67038	2170.2	LTE B66	20	67236	2190	19.17	19.23	CA_66A-66C
LTE B66	20	QPSK	1	99	132072	1720	66536	2120	LTE B66	20	66734	2139.8	LTE B66	20	66932	2159.6	19.13	19.23	CA_66D

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 262 of 608

LTE Downlink 4CA conducted power table

										Four Co	mponent (Carrier Maxi	mum Cond	ucted Pow	90								
				PCC						8	CC 1			8	OC 2			80	C 3		Full	Power	
PCC Band	PCC Bendwidth [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offset	PCC (UL) Channel	PCC (UL) Frequency [MHz]	PCC (DL) Channel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bendwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	SCC Band	SCC Bendwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	SCC Band	SCC Bendwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	LTE Tx.Power with DL CA active (dBm)	LTE Tx.Power with DL CA inactive (dBm)	Configurations
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B4	20	2175	2132.5	LTE B5	10	2525	881.5	LTE B30	10	9820	2355	23.41	23.45	CA_2A-4A-5A-30A
LTE B4	20	QPSK	- 1	99	20175	1732.5	2175	2132.5	LTE B2	20	900	1960	LTE B5	10	2525	881.5	LTE B30	10	9820	2355	23.33	23.45	CA_2A-4A-5A-30A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	LTE B30	10	9820	2355	23.62	23.69	CA_2A-4A-5A-30A
LTE B30	10	QPSK	- 1	49	27710	2310	9820	2355	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	LTE B5	10	2525	881.5	19.83	19.87	CA_2A-4A-5A-30A
LTE B2	20	QPSK	- 1	50	19100	1900	1100	1980	LTE B4	20	2175	2132.5	LTE B12	10	5095	737.5	LTE B30	10	9820	2355	23.44	23.45	CA_2A-4A-12A-30A
LTE B4	20	QPSK	- 1	99	20175	1732.5	2175	2132.5	LTE B2	20	900	1960	LTE B12	10	5095	737.5	LTE B30	10	9820	2355	23.41	23.45	CA_2A-4A-12A-30A
LTE B12	10	QPSK	1	25	23095	707.5	5095	737.5	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	LTE B30	10	9820	2355	23.09	23.18	CA_2A-4A-12A-30A
LTE B30	10	QPSK	- 1	49	27710	2310	9820	2355	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	LTE B12	10	5095	737.5	19.80	19.87	CA_2A-4A-12A-30A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B14	10	5330	763	LTE B30	10	9820	2355	LTE B66	20	66734	2139.8	23.31	23.45	CA_2A-14A-30A-66A
LTE B14	10	QPSK	1	0	23330	793	5330	763	LTE B2	20	900	1960	LTE B30	10	9820	2355	LTE B66	20	66734	2139.8	23.53	23.63	CA_2A-14A-30A-66A
LTE B30	10	QPSK	1	49	27710	2310	9820	2355	LTE B2	20	900	1960	LTE B14	10	5330	763	LTE B66	20	66734	2139.8	19.78	19.87	CA_2A-14A-30A-66/
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B2	20	900	1960	LTE B14	10	5330	763	LTE B30	10	9820	2355	23.77	23.90	CA_2A-14A-30A-66A
LTE B2	20	QPSK	1	0	18700	1860	700	1940	LTE B2	20	1100	1980	LTE B12	10	5095	737.5	LTE B30	10	9820	2355	23.29	23.38	CA_2A-2A-12A-30A
LTE B12	10	QPSK	- 1	25	23095	707.5	5095	737.5	LTE B2	20	700	1940	LTE B2	20	1100	1980	LTE B30	10	9820	2355	23.16	23.18	CA_2A-2A-12A-30A
LTE B30	10	QPSK	- 1	49	27710	2310	9820	2355	LTE B2	20	700	1940	LTE B2	20	1100	1980	LTE B12	10	5095	737.5	19.86	19.87	CA_2A-2A-12A-30A
LTE B5	10	QPSK	- 1	49	20450	829	2450	874	LTE B5	10	2600	889	LTE B66	15	67213	2187.7	LTE B66	5	67306	2197	23.50	23.59	CA_5A-5A-66B
LTE B66	20	QPSK	- 1	0	132572	1770	67036	2170	LTE B66	10	66987	2165.1	LTE B5	10	2450	874	LTE B5	10	2600	889	23.82	23.90	CA_5A-5A-66B
LTE B5	10	QPSK	- 1	49	20450	829	2450	874	LTE B5	10	2600	889	LTE B66	20	66536	2120	LTE B66	20	66734	2139.8	23.46	23.59	CA_5A-5A-66C
LTE B66	20	QPSK	1	99	132072	1720	66536	2120	LTE B66	20	66734	2139.8	LTE B5	10	2450	874	LTE B5	10	2600	889	23.55	23.59	CA_5A-5A-66C
LTE B5	10	QPSK	1	49	20450	829	2450	874	LTE B5	10	2549	883.9	LTE B66	20	66536	2120	LTE B66	20	67036	2170	23.51	23.59	CA 5B-66A-66A
LTE B66	20	QPSK	- 1	0	132572	1770	67036	2170	LTE B66	20	66536	2120	LTE B5	10	2450	874	LTE B5	10	2549	883.9	23.77	23.90	CA 5B-66A-66A
LTE B25	20	QPSK	- 1	50	26140	1860	8140	1940	LTE B41	20	39750	2506	LTE B41	20	39948	2525.8	LTE B41	20	40146	2545.6	23.27	23.35	CA 25A-41D
LTE B41	20	QPSK	1	0	39750	2506	39750	2506	LTE B41	20	39948	2525.8	LTE B41	20	40146	2545.6	LTE B25	20	8365	1962.5	24.90	24.96	CA 25A-41D
LTE B41	20	QPSK	1	0	39750	2506	39750	2506	LTE B41	20	41094	2640.4	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	24.89	24.96	CA 41A-41D
LTE B41	20	QPSK	- 1	0	39750	2506	39750	2506	LTE B41	20	39948	2525.8	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	24.90	24.96	CA 41C-41C

										Four Co	mponent (Carrier Maxi	mum Cond	ucted Pow	/er								
				PCC						S	001			8	OC 2			80	C 3		Reduce	d Power	
PCC Band	PCC Bendwidth [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offset	PCC (UL) Channel	PCC (UL) Frequency [MHz]	PCC (DL) Channel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	SCC Band	SCC Bendwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	SCC Band	SCC Bendwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	LTE Tx.Power with DL CA active (dBm)	LTE Tx.Power with DL CA inactive (dBm)	Configurations
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B4	20	2175	2132.5	LTE B5	10	2525	881.5	LTE B30	10	9820	2355	18.74	18.86	CA_2A-4A-5A-30A
LTE B4	20	QPSK	1	50	20050	1720	2050	2120	LTE B2	20	900	1960	LTE B5	10	2525	881.5	LTE B30	10	9820	2355	19.86	19.95	CA_2A-4A-5A-30A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	LTE B30	10	9820	2355	20.74	20.86	CA_2A-4A-5A-30A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B4	20	2175	2132.5	LTE B12	10	5095	737.5	LTE B30	10	9820	2355	18.83	18.86	CA_2A-4A-12A-30A
LTE B4	20	QPSK	1	50	20050	1720	2050	2120	LTE B2	20	900	1960	LTE B12	10	5095	737.5	LTE B30	10	9820	2355	19.85	19.95	CA_2A-4A-12A-30A
LTE B12	10	QPSK	1	25	23095	707.5	5095	737.5	LTE B2	20	900	1960	LTE B4	20	2175	2132.5	LTE B30	10	9820	2355	21.19	21.27	CA_2A-4A-12A-30A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B14	10	5330	763	LTE B30	10	9820	2355	LTE B66	20	66734	2139.8	18.80	18.86	CA_2A-14A-30A-66A
LTE B14	10	QPSK	- 1	0	23330	793	5330	763	LTE B2	20	900	1960	LTE B30	10	9820	2355	LTE B66	20	66734	2139.8	20.53	20.62	CA_2A-14A-30A-66A
LTE B66	20	QPSK	- 1	0	132572	1770	67036	2170	LTE B2	20	900	1960	LTE B14	10	5330	763	LTE B30	10	9820	2355	19.31	19.44	CA_2A-14A-30A-66A
LTE B2	20	QPSK	- 1	0	18700	1860	700	1940	LTE B2	20	1100	1980	LTE B12	10	5095	737.5	LTE B30	10	9820	2355	18.65	18.76	CA_2A-2A-12A-30A
LTE B12	10	QPSK	- 1	25	23095	707.5	5095	737.5	LTE B2	20	700	1940	LTE B2	20	1100	1980	LTE B30	10	9820	2355	21.25	21.27	CA_2A-2A-12A-30A
LTE B5	10	QPSK	- 1	25	20450	829	2450	874	LTE B5	10	2600	889	LTE B66	15	67213	2187.7	LTE B66	5	67306	2197	20.62	20.74	CA_5A-5A-66B
LTE B66	20	QPSK	- 1	0	132572	1770	67036	2170	LTE B66	10	66987	2165.1	LTE B5	10	2450	874	LTE B5	10	2600	889	19.34	19.44	CA_5A-5A-66B
LTE B5	10	QPSK	- 1	49	20450	829	2450	874	LTE B5	10	2600	889	LTE B66	20	66536	2120	LTE B66	20	66734	2139.8	20.76	20.86	CA_5A-5A-66C
LTE B66	20	QPSK	- 1	99	132072	1720	66536	2120	LTE B66	20	66734	2139.8	LTE B5	10	2450	874	LTE B5	10	2600	889	19.14	19.23	CA_5A-5A-66C
LTE B5	10	QPSK	- 1	49	20450	829	2450	874	LTE B5	10	2549	883.9	LTE B66	20	66536	2120	LTE B66	20	67036	2170	20.72	20.86	CA 5B-66A-66A
LTE B66	20	QPSK	- 1	0	132572	1770	67036	2170	LTE B66	20	66536	2120	LTE B5	10	2450	874	LTE B5	10	2549	883.9	19.40	19.44	CA 5B-66A-66A
LTE B25	20	QPSK	1	0	26365	1882.5	8140	1940	LTE B41	20	39750	2506	LTE B41	20	39948	2525.8	LTE B41	20	40146	2545.6	18.38	18.40	CA 25A-41D

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 263 of 608

LTE Downlink 5CA conducted power table

												Five Com	ponent Ca	rier Maxin	num Condi	icted Power	1										
				PCC						8	001			8	002			84	204			80	C3		Full	Power	
PCC Bend	PCC Bendwidth [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offset	PCC (UL) Chennel	PCC (UL) Frequency [MHz]	PCC (DL) Chennel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bendwidth [MHz]	SCC (DL) Chennel	SCC (DL) Frequency [MHz]	SCC Band	SCC Bendwidth (MHz)	SCC (DL) Channel	SCC (DL) Frequency [MHz]	SCC Band	SCC Bendwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	SCC Band	SCC Bendwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency (MHz)	LTE Tx.Power with DL CA active (dBm)	LTE Tx.Power with DL CA Inactive (dBm)	Configurations
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B5	10	2450	874	LTE B5	10	2549	883.9	LTE B30	10	9820	2355	LTE B66	20	66734	2139.8	23.37	23.45	CA 2A-5B-30A-66A
LTE B5	10	QPSK	- 1	25	20525	836.5	2525	881.5	LTE B5	10	2549	883.9	LTE B2	20	900	1960	LTE B30	10	9820	2355	LTE B66	20	66734	2139.8	23.56	23.69	CA 2A-5B-30A-66A
LTE B30	10	QPSK	1	49	27710	2310	9820	2355	LTE B2	20	900	1960	LTE B5	10	2450	874	LTE B5	10	2549	883.9	LTE B66	20	66734	2139.8	19.75	19.87	CA 2A-5B-30A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B2	20	900	1960	LTE B5	10	2450	874	LTE B5	10	2549	883.9	LTE B30	10	9820	2355	23.83	23.90	CA 2A-5B-30A-66A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B5	10	2450	874	LTE B5	10	2549	883.9	LTE B66	20	67036	2170	LTE B66	20	66536	2120	23.40	23.45	CA 2A-5B-66A-66A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B5	10	2450	874	LTE B66	20	67036	2170	LTE B66	20	66536	2120	LTE B2	20	900	1960	23.66	23.69	CA 2A-5B-66A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B66	20	66536	2120	LTE B5	10	2450	874	LTE B5	10	2549	883.9	LTE B2	20	900	1960	23.82	23.90	CA 2A-5B-66A-66A
LTE B41	20	QPSK	1	0	39750	2506	39750	2506	LTE B41	20	39948	2525.8	LTE B41	20	41094	2640.4	LTE B41	20	41292	2660.2	LTE B41	20	41490	2680	24.95	24.96	CA 41C-41D
LTE B41	20	QPSK	1	0	39750	2506	39750	2506	LTE B41	20	39948	2525.8	LTE B41	20	40146	2545.6	LTE B41	20	39750	2506	LTE B41	20	39948	2525.8	24.91	24.96	CA 41C-41D

												Five Corr	ponent Ca	rrier Mexin	num Cond	ucted Power											
				PCC						8	001				CC 2			8	84				CC 3		Reduce	d Power	
PCC Bend	PCC Bendwidth [MHz]	Modulation	PCC (UL) RB	PCC (UL) RB Offeet		PCC (UL) Frequency IMHz1	PCC (DL) Chennel	PCC (DL) Frequency IMHzl	SCC Bend	SCC Bendwidth IMHz)	SCC (DL) Chennel	SCC (DL) Frequency (MHz)	SCC Band	SCC Bendwidth (MHz)	SCC (DL) Channel	SCC (DL) Frequency IMHz)	SCC Band	SCC Bendwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency IMHz)	SCC Band	SCC Bendwidth BMHz1	SCC (DL) Channel	SCC (DL) Frequency BMHz)	LTE Tx.Power with DL CA active (dBm)	LTE Tx.Power with DL CA inactive (dBm)	Configurations
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B5	10	2450	874	LTE B5	10	2549	883.9	LTE B30	10	9820	2355	LTE B66	20	66734	2139.8	18.80	18.86	CA 2A-5B-30A-66A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B5	10	2549	883.9	LTE B2	20	900	1960	LTE B30	10	9820	2355	LTE B66	20	66734	2139.8	20.75	20.86	CA 2A-5B-30A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B2	20	900	1960	LTE B5	10	2450	874	LTE B5	10	2549	883.9	LTE B30	10	9820	2355	19.34	19.44	CA 2A-5B-30A-66A
LTE B2	20	QPSK	1	50	19100	1900	1100	1980	LTE B5	10	2450	874	LTE B5	10	2549	883.9	LTE B66	20	67036	2170	LTE B66	20	66536	2120	18.72	18.86	CA 2A-5B-66A-66A
LTE B5	10	QPSK	1	25	20525	836.5	2525	881.5	LTE B5	10	2450	874	LTE B66	20	67036	2170	LTE B66	20	66536	2120	LTE B2	20	900	1960	20.83	20.86	CA 2A-5B-66A-66A
LTE B66	20	QPSK	1	0	132572	1770	67036	2170	LTE B66	20	66536	2120	LTE B5	10	2450	874	LTE B5	10	2549	883.9	LTE B2	20	900	1960	19.34	19.44	CA 2A-5B-66A-66A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 264 of 608

LTE CA information

A)

The device supports downlink LTE Carrier Aggregation (CA) only. It supports a maximum of 5 carriers in the downlink. Other Release 10 features or higher features are not supported, including Uplink Carrier Aggregation, Enhanced SC-FDMA and Uplink MIMO or other antenna diversity configurations etc. All uplink communications are identical to the Release 8 Specifications.

The possible downlink LTE CA combinations supported by this device are as below tables per 3GPP TS 36.521-1 V14.3.0. The conducted power measurement results of downlink LTE CA are provided as above per 3GPP TS 36.521-1 V14.3.0. According to KDB 941225 D05A and RF exposure procedures in TCB workshop April 2018, the downlink LTE CA SAR test is not required.

B)

CA combination table

			Completely Covered				Completely Covered				Completely Covered				Completely Covered
Index	2CC	Restriction	by Measurement	Index	3CC	Restriction	by Measurement	Index	4CC	Restriction	by Measurement	Index	5CC	Restriction	by Measurement
2CC #1	CA 2A-4A		3CC #1	3CC #1	CA 2A-4A-5A		4CC #1	4CC #1	CA 2A-4A-5A-30A		No	5CC #1	CA 2A-5B-30A-66A		No
2CC #2	CA 2A-5A		3CC #3	3CC #2	CA 2A-4A-13A		No	4CC #2	CA 2A-4A-12A-30A		No	5CC #2	CA 2A-5B-66A-66A		No
2CC #3	CA 2A-12A		3CC #4	3CC #3	CA 2A-5A-30A		4CC #1	4CC #3	CA 2A-14A-30A-66A		No	5CC #3	CA 41C-41D		No
2CC #4	CA 2A-13A		3CC #7	3CC #4	CA 2A-12A-30A		4CC #2	4CC #4	CA 2A-2A-12A-30A		No				
2CC #5	CA 2A-14A		3CC #5	3CC #5	CA 2A-14A-30A		4CC #3	4CC #5	CA 2A-5B-30A		5CC #1				
2CC #6	CA 2A-17A		No	3CC #6	CA 2A-14A-66A		4CC #3	4CC #6	CA 2A-5B-66A		5CC #1				
2CC #7	CA 2A-29A	B29 SCC only	3CC #7	3CC #7	CA 2A-29A-30A	B29 SCC only	No	4CC #7	CA 5B-30A-66A		5CC #1				
2CC #8	CA 2A-30A		3CC #7	3CC #8	CA 2A-5A-66A		No	4CC #8	CA 5A-5A-66B		No				
2CC #9	CA 2A-66A		3CC #6	3CC #9	CA 2A-13A-66A		No	4CC #9	CA 5A-5A-66C		No				
2CC #10	CA 2C		3CC #11	3CC #10	CA 2A-30A-66A		5CC #1	4CC #10	CA 5B-66A-66A		5CC #2				
2CC #11	CA 2A-2A		3CC #15	3CC #11	CA 2C-29A	B29 SCC only	No	4CC #11	CA 25A-41D		No				
2CC #12	CA 4A-5A		3CC #21	3CC #12	CA 2A-5B		4CC #5	4CC #12	CA 41A-41D		No				
2CC #13	CA 4A-12A		3CC #22	3CC #13	CA 2A-66B		No	4CC #13	CA 41C-41C		No				
2CC #14	CA 4A-13A		3CC #2	3CC #14	CA 2A-66C		No								
2CC #15	CA 4A-17A		No	3CC #15	CA 2A-2A-5A		No								
2CC #16	CA 4A-29A		3CC #23	3CC #16	CA 2A-2A-12A		4CC #4								
2CC #17	CA 4A-30A		3CC #21	3CC #17	CA 2A-2A-13A		No								
2CC #18	CA 4A-4A		3CC #24	3CC #18	CA 2A-2A-30A		4CC #4								
2CC #19	CA 5A-7A		No	3CC #19	CA 2A-2A-66A		No								
2CC #20	CA 5A-30A		4CC #1	3CC #20	CA 2A-66A-66A		No								
2CC #21	CA 5A-66A		No	3CC #21	CA 4A-5A-30A		4CC #1								
2CC #22	CA 5A-5A		4CC #8	3CC #22	CA 4A-12A-30A		4CC #2								
2CC #23	CA 5B		3CC #27	3CC #23	CA 4A-29A-30A	B29 SCC only	No								
2CC #24	CA 7A-7A		No	3CC #24	CA 4A-4A-5A		No								
2CC #25	CA 7B		No	3CC #25	CA 4A-4A-13A		No								
2CC #26	CA 7C		No	3CC #26	CA 5A-66A-66A		No								
2CC #27	CA 12A-30A		3CC #4	3CC #27	CA 5B-30A		4CC #5								
	CA 13A-66A		3CC #9	3CC #28	CA 5B-66A		4CC #6								
2CC #29	CA 14A-30A		3CC #5	3CC #29	CA 5A-66B		4CC #8								
2CC #30	CA 14A-66A		3CC #6	3CC #30	CA 5A-66C		4CC #9								
2CC #31	CA 25A-26A		No	3CC #31	CA 13A-66A-66A	١	No								
2CC #32	CA 25A-41A		No		CA 14A-30A-66A		4CC #3								
	CA 25A-25A		No	3CC #33	CA 41A-41C		No								
	CA 26A-41A		No	3CC #34	CA 41D		4CC #11								
		B29 SCC only	3CC #7	3CC #35	CA 66A-66B		No								
2CC #35			3CC #10	3CC #36	CA 66A-66C		No								
2CC #36	CA 41C		3CC #33	3CC #37	CA 66D		No								
	CA 41A-41A		No												
2CC #38	CA 66A-66A		3CC #20												
2CC #39	CA 66B		3CC #29												
2CC #40	CA 66C		3CC #30												

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報生结果僅對測試之樣具色書,同時什樣具僅保留的主。大報生主經太公司書面許可,不可無份複制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 265 of 608

Note:

- 1) For the inter-band CA combinations, except B29 can't be PCC, all the listed bands above can be used as PCC or SCC.
- 2) The channel spacing and aggregated channel bandwidth for CA are identical to the associated specification in 3GPP TS 36.521-1 V14.3.0.
- 3) The reference test frequencies for CA refers to 3GPP TS 36.508 V14.2.0
- 4) Testing is not required in bands or modes not intended/allowed for US operation
- 5) Based on TCB workshop April 2018, only indicate "No" in CA combination table need power measurement

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此都坐结果僅對測試之樣是負責,同時此樣是僅保留的子。太報坐去經太公司事而許可,不可執於複制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 266 of 608

1.4 Test Environment

Ambient Temperature: 22±2° C Tissue Simulating Liquid: 22±2° C

1.5 Operation Description

For WWAN, the EUT is controlled by using a Radio Communication Tester, and the communication between the EUT and the tester is established by air link.

For WLAN, using chipset specific software to control the EUT, and makes it transmit in maximum power. The EUT is set to maximum power level during all tests, and at the beginning of each test the battery is fully charged.

There are two antenna vendors for this device, one is AWAN, and another is HONG-BO. Both of them were tested fully and respectively.

EUT was tested as below based on KDB inquiry.

WWAN / WLAN

Tablet mode

Back/top/bottom/right/left sides_0mm with reduced power

SAR measurement for laptop mode is not required since the distance between antennas and keyboard bottom is larger than 20cm.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com

SGS Taiwan Ltd.



Page: 267 of 608

Note:

1. During the SAR testing, the DASY 5 system checks power drift by comparing the e-field strength of one specific location measured at the beginning with that measured at the end of the SAR testing.

2. The 3G SAR test reduction procedure is applied to HSDPA with 12.2 kbps RMC as the primary mode. Since the maximum output power in a secondary mode (HSDPA) is ≤ ¼ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (HSDPA). The following 4 sub-tests were completed according to Release 5 procedures in section 5.2 of 3GPP TS 34.121. A summary of these setting are illustrated below:

Sub-test	βε	βα	βα (SF)	βο/βα	β _{HS} ⁽¹⁾⁽²⁾	CM ⁽³⁾ (dB)	MPR (3) (dB)
1	2/15	15/15	64	2/15	4/15	0.0	0.0
2	12/15 ⁽⁴⁾	15/15 ⁽⁴⁾	64	12/15 ⁽⁴⁾	24/15	1.0	0.0
3	15/15	8/15	64	15/8	30/15	1.5	0.5
4	15/15	4/15	64	15/4	30/15	1.5	0.5

Note 1: Δ_{ACK} , Δ_{NACK} and $\Delta_{CQI} = 30/15$ with $\beta_{HS} = 30/15 * \beta_{C}$

Note 2: For the HS-DPCCH power mask requirement test in clause 5.2C, 5.7A, and the Error Vector Magnitude (EVM) with HS-DPCCH test in clause 5.13.1A, and HSDPA EVM with phase discontinuity in clause 5.13.1AA, Δ_{ACK} and Δ_{NACK} = 30/15 with β_{HS} = 30/15 * β_c, and Δ_{CGI} = 24/15 with $\beta_{HS} = 24/15 * \beta_c$.

Note 3: CM = 1 for $\beta_0/\beta_0 = 12/15$, $\beta_{HS}/\beta_0 = 24/15$. For all other combinations of DPDCH, DPCCH and HS-DPCCH the MPR is based on the relative CM difference. This is applicable for only UEs that support HSDPA in release 6 and later releases

4: For subtest 2 the β₂/β_d ratio of 12/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to β_c = 11/15 and β_d = 15/15.

3. The 3G SAR test reduction procedure is applied to HSPA (HSUPA/HSDPA with RMC) with 12.2 kbps RMC as the primary mode. Since the maximum output power in a secondary mode (HSPA) is $\leq 1/4$ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (HSPA). The following 5 sub-tests were completed according to Release 6 procedures in section 5.2 of 3GPP TS 34.121. A summary of these setting are illustrated below:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 268 of 608

Sub-test	βο	βd	β _d (SF)	β _c /β _d	β _{HS} (1)	βες	β _{ed} (4)(5)	β _{ed} (SF)	β _{ed} (Codes)	CM (2) (dB)	MPR (2)(6) (dB)	AG (5) Index	E-TFCI
1	11/15 (3)	15/15 ⁽³⁾	64	11/15 (3)	22/15	209/225	1309/225	4	1	1.0	0.0	20	75
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67
3	15/15	9/15	64	15/9	30/15	30/15	βed1: 47/15 βed2: 47/15	4 4	2	2.0	1.0	15	92
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71
5	15/15	0	-	-	5/15	5/15	47/15	4	1	1.0	0.0	12	67

The 3G SAR test reduction procedure is applied to HSPA+ with 12.2 kbps RMC as the primary mode. Since the maximum output power in a secondary mode (HSPA+) is ≤ ¼ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (HSPA+). The following 1 sub-test was completed according to Release 7 procedures in section 5.2 of 3GPP TS34.121. A summary of these settings are illustrated below:

Table C.11.1.4: β values for transmitter characteristics tests with HS-DPCCH and E-DCH with 16QAM

Sub- test	β _c (Note3)	βa	β _{HS} (Note1)	βec	β _{ed} (2xSF2) (Note 4)	β _{ed} (2xSF4) (Note 4)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 4)	E-TFCI (Note 5)	E-TFCI (boost)
1	1	0	30/15	30/15	β _{ed} 1: 30/15 β _{ed} 2: 30/15	β _{ed} 3: 24/15 β _{ed} 4: 24/15	3.5	2.5	14	105	105
Note 1 Note 2 Note 3 Note 4 Note 5	CM = DPD β: βed C All th DPD	= 3.5 a CH is an no ie sub CH ca	and the Mi not config t be set di tests requategory 7.	PR is bas jured, the rectly; it is uire the U E-DCH T	with $\beta_{hz} = 30/15$ ed on the relative refore the β_c is some set by Absolute E to transmit 25 TI is set to 2ms allocated. The U	e CM difference et to 1 and β _d = e Grant Value. F2+2SF4 16QA TTI and E-DCH	0 by defau M EDCH a table inde	ult. and they a x = 2. To	apply for t	nese E-Do	

5. The 3G SAR test reduction procedure is applied to DC-HSDPA with 12.2 kbps RMC as the primary mode. Power is measured for DC-HSDPA according to the H-Set 12, FRC configuration in Table C.8.1.12 of 3GPP TS 34.121-1 to determine SAR test reduction. A primary and a secondary serving HS-DSCH Cell are required to perform the power measurement and for the results to be acceptable. Since the maximum output power in a secondary mode (DC-HSDPA) is ≤ ¼ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (DC-HSDPA). The following tests were

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

Note 1: For sub-test 1 to 4, Δαρχ, Δμάρχ and Δροι = 30/15 with β_{HS} = 30/15 * β_e. For sub-test 5, Δαρχ, Δμάρχ and Δροι = 5/15 with β_{HS} = 5/15 * β_e.

Note 2: CM = 1 for β_θβ_d = 12/15, β_{HS}β_e = 24/15. For all other combinations of DPDCH, DPCCH, HS-DPCCH, E-DPDCH and E-DPCCH the MPR is based on the relative CM.

Note 3: For subtest 1 the βJ/βd ratio of 11/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_e = 10/15$ and $\beta_d = 15/15$.

lote 4: In case of testing by UE using E-DPDCH Physical Layer category 1, Sub-test 3 is omitted according to TS25.306 Table 5.1g.

Note 5: (i) each not be set directly; it is set by Absolute Grant Value.

Note 6: For subtests 2, 3 and 4, UE may perform E-DPDCH power scaling at max power which could results in slightly smaller MPR values.



Page: 269 of 608

completed according to procedures in section 7.3.13 of 3GPP TS 34.108 v9.5.0. A summary of these setting are illustrated below:

The configurations of the fixed reference channels for HSDPA RF tests are described in 3GPP TS 34.121, annex C for FDD and 3GPP TS 34.122

Table C.8.1.12: Fixed Reference Channel H-Set 12

	Parameter	Unit	Value
Nominal	Avg. Inf. Bit Rate	kbps	60
Inter-TTI	Distance	TTI's	1
Number	of HARQ Processes	Proces	6
		ses	0
Informati	on Bit Payload ($N_{ m \it INF}$)	Bits	120
Number	Code Blocks	Blocks	1
Binary C	hannel Bits Per TTI	Bits	960
Total Ava	ailable SML's in UE	SML's	19200
Number	of SML's per HARQ Proc.	SML's	3200
Coding F	Rate		0.15
Number	of Physical Channel Codes	Codes	1
Modulation	on		QPSK
Note 1:	The RMC is intended to be used for	or DC-HSD	PA
	mode and both cells shall transmit	with identi	cal
	parameters as listed in the table.		
Note 2:	Maximum number of transmission	is limited t	o 1, i.e.,
	retransmission is not allowed. The	e redundan	cy and
	constellation version 0 shall be use	ed.	

Inf. Bit Payload	120			
CRC Addition	120	24 CRC		
Code Block Segmentation	144			
Turbo-Encoding (R=1/3)			432	 12 Tail Bits
1st Rate Matching			432	
RV Selection		960		
Physical Channel Segmentation	960			

Figure C.8.19: Coding rate for Fixed reference Channel H-Set 12 (QPSK)

The following 4 sub-tests for HSDPA were completed according to Release 8 procedures in section 5.2 of 3GPP TS34.121. A summary of subtest settings are illustrated below:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1 台灣檢驗科技股份有限公司



Page: 270 of 608

Sub-test	βε	βα	βd (SF)	βο/βα	β _{HS} ⁽¹⁾⁽²⁾	CM ⁽³⁾	MPR ⁽³⁾ (dB)
1	2/15	15/15	64	2/15	4/15	0.0	0.0
2	12/15 ⁽⁴⁾	15/15 ⁽⁴⁾	64	12/15 ⁽⁴⁾	24/15	1.0	0.0
3	15/15	8/15	64	15/8	30/15	1.5	0.5
4	15/15	4/15	64	15/4	30/15	1.5	0.5

Note 1: Δ_{ACK} , Δ_{NACK} and $\Delta_{CQI} = 30/15$ with $\beta_{HS} = 30/15 * \beta_{C}$

- LTE modes test according to KDB 941225D05v02r05.
 - a. Per Section 5.2.1, the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation.
 - Using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel.
 - When the reported SAR is ≤ 0.8 W/kg, testing of the remaining RB offset configurations and required test channels is not required for 1 RB allocation; otherwise, SAR is required for the remaining required test channels and only for the RB offset configuration with the highest output power for that channel.
 - When the reported SAR of a required test channel is > 1.45 W/kg, SAR is required for all three RB offset configurations for that required test channel.
 - b. Per Section 5.2.2, the largest channel bandwidth and measure SAR for QPSK with 50% RB allocation
 - The procedures required for 1 RB allocation in 5.2.1 are applied to measure the SAR for QPSK with 50% RB allocation.
 - c. Per Section 5.2.3, the largest channel bandwidth and measure SAR for QPSK with 100% RB allocation
 - For QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation in 5.2.1 and 5.2.2 are \leq 0.8 W/kg.
 - Otherwise, SAR is measured for the highest output power channel and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

Note 2: For the HS-DPCCH power mask requirement test in clause 5.2C, 5.7A, and the Error Vector Magnitude (EVM) with HS-DPCCH test in clause 5.13.1A, and HSDPA EVM with phase discontinuity in clause 5.13.1AA, Δ_{ACK} and Δ_{NACK} = 30/15 with β_{HS} = 30/15 * β_c, and Δ_{CGI} = 24/15 with $\beta_{HS} = 24/15 * \beta_c$.

Note 3: CM = 1 for β_θβ_d = 12/15, β_{HS}/β_c = 24/15. For all other combinations of DPDCH, DPCCH and HS-DPCCH the MPR is based on the relative CM difference. This is applicable for only UEs that support HSDPA in release 6 and later releases

Note 4: For subtest 2 the β₂/β_d ratio of 12/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to β_c = 11/15 and β_d = 15/15



Page: 271 of 608

tested.

- d. Per Section 5.2.4, Higher order modulations
- For each modulation besides QPSK; e.g., 16-QAM, 64-QAM, apply the QPSK procedures in sections 5.2.1, 5.2.2 and 5.2.3 to determine the QAM configurations that may need SAR measurement. For each configuration identified as required for testing, SAR is required only when the highest maximum output power for the configuration in the higher order modulation is $> \frac{1}{2}$ dB higher than the same configuration in QPSK or when the reported SAR for the QPSK configuration is > 1.45 W/kg.
- e. Per Section 5.3, other channel bandwidth standalone SAR test requirements
- For the other channel bandwidths used by the device in a frequency band, apply all the procedures required for the largest channel bandwidth in section 5.2 to determine the channels and RB configurations that need SAR testing and only measure SAR when the highest maximum output power of a configuration requiring testing in the smaller channel bandwidth is > 1/2 dB higher than the equivalent channel configurations in the largest channel bandwidth configuration or the reported SAR of a configuration for the largest channel bandwidth is > 1.45 W/kg. The equivalent channel configuration for the RB allocation, RB offset and modulation etc. is determined for the smaller channel bandwidth according to the same number of RB allocated in the largest channel bandwidth.
- TDD LTE was tested at highest duty factor using UL-DL configuration 0 with 6 UL subframes and 2 S subframes using extended cyclic prefix only and special subframe configuration 7. SAR tests were performed at maximum output power and worst-case transmission duty factor in extended cyclic prefix. Per 3GPP 36.211 Section 4, the duty factor for special subframe configuration 6 using extended cyclic prefix is 0.633.

According to KDB 941225 D05, SAR testing for TDD LTE must be tested using a fixed periodic duty factor according to the highest transmission duty factor implemented for the device and supported by the defined 3GPP TDD LTE configurations. The TDD-LTE of this device supports frame structure type 2 defined in 3GPP TS 36.211 section 4.2, and the frame structure configuration can be tabulated as below.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 272 of 608



3GPP TS 36.211 Figure 4.2-1: Frame Structure Type 2

	No	rmal Cyclic Prefix in	Downlink	Exter	Extended Cyclic Prefix in Downlink			
Special Subframe		Upl	PTS		UpPTS			
Configuration	DwPTS	Normal Cyclic	Extended Cyclic	DwPTS	Normal Cyclic	Extended Cyclic		
		Prefix in Uplink	Prefix in Uplink		Prefix in Uplink	Prefix in Uplink		
0	6592 • Ts		2560 • Ts	7680 • Ts				
1	19760 • Ts			20480 • Ts	2192 • Ts	2560 • Ts		
2	21952 • Ts	2192 • Ts		23040 • Ts				
3	24144 • Ts			25600 • Ts				
4	26336 • Ts			7680 • Ts				
5	6592 • Ts			20480 • Ts	4384 • Ts	5120 · Ts		
6	19760 • Ts			23040 • Ts	4384 • 18	5120 • 18		
7	21952 · Ts	4384 • Ts	5120 • Ts	12800 • Ts				
8	24144 • Ts			-	-	-		
9	13168 • Ts			-	-	-		

3GPP TS 36.211 Table 4.2-1: Configuration of Special Subframe

Uplink-Downlink	Downlink-to-Uplink	Subframe Number									
Configuration	Switch-Point Periodicity	0	1	2	3	4	5	6	7	8	9
0	5 ms	D	S	U	U	U	D	S	U	U	U
1	5 ms	D	S	U	U	D	D	S	U	U	D
2	5 ms	D	S	U	D	D	D	S	U	D	D
3	10 ms	D	S	U	U	U	D	D	D	D	D
4	10 ms	D	S	U	U	D	D	D	D	D	D
5	10 ms	D	S	U	D	D	D	D	D	D	D
6	5 ms	D	S	U	U	U	D	S	U	U	D

3GPP TS 36.211 Table 4.2-2: Uplink-Downlink Configurations

The uplink duty cycle of these seven configurations can be computed as below.

	, -, -, -			3			
UL-DL Configuration	0	1	2	3	4	5	6
Highest Duty-Cycle	63.33%	43.33%	23.33%	31.67%	21.67%	11.67%	53.33%

Considering the highest transmission duty cycle, TDD LTE was tested using Uplink-Downlink configuration 0 with 6 uplink subframe and 2 special subframe. The special subframe was set to special subframe configuration 7 using extended cyclic prefix uplink. Therefore, SAR testing for TDD LTE was measured at the maximum output power with highest transmission duty cycle of 63.33%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 273 of 608

LTE downlink CA (KDB942225 D05A)

- 7. The device supports a maximum of 5 carriers in the downlink. All uplink communications are identical to the Release 8 specifications. Uplink maximum output power is measured with downlink carrier aggregation active, only for the channel with highest measured maximum output power when downlink carrier aggregation is inactive, to confirm that when downlink carrier aggregation is active uplink maximum output power remains within the specified tune-up tolerance limits and not more than ¼ dB higher than the maximum output power measured when downlink carrier aggregation inactive.
- 8. The downlink channels selected to perform the uplink power measurement must satisfy 3GPP channel spacing (5.4.1A of 3GPP TS 36.521 or equivalent) and channel bandwidth (5.4.2A) requirements. The nominal channel spacing is determined by [BW1 + BW2 - 0.1*|BW1 - BW2|]/2 MHz, where BW1 and BW2 are the channel bandwidths of the CC in a 2-CC aggregation configuration.
- 9. The downlink PCC channel should be paired with the uplink channel according to normal configurations, as if there is no carrier aggregation. The downlink SCC should be adjacent to the PCC and remain within the downlink transmission band for contiguous intra-band CA. For non-contiguous intra-band CA, the SCC should be selected to provide maximum separation from the PCC and must remain fully within the downlink transmission band. For inter-band CA, the SCC should be near the middle of its transmission band.
- 10. When downlink carrier aggregation is active uplink maximum output power remains within the specified tune-up tolerance limits and not more than 1/4 dB higher than the maximum output power measured when downlink carrier aggregation inactive, so SAR evaluation is not required for downlink carrier aggregation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Page: 274 of 608

- 11. According to KDB447498D01v06, SAR test exclusion evaluation surfaces/edges of tablet mode is not required since SAR measurements for all the surfaces/edges were performed.
- 12. According to KDB447498D01v06, testing of other required channels is not required when the reported 1-g SAR for the highest output channel is \leq 0.8 W/kg, when the transmission band is \leq 100 MHz.
- 13. According to KDB865664D01v01r04, SAR measurement variability must be assessed for each frequency band. When the original highest measured SAR is ≥ 0.8 W/kg, repeated that measurement once. Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is ≥ 1.45 W/kg (~ 10% from the 1-g SAR limit)



Page: 275 of 608

1.6 The SAR Measurement System

A block diagram of the SAR measurement System is given in Fig. a. This SAR Measurement System uses a Computer-controlled 3-D stepper motor system (SPEAG DASY 5 professional system). The model EX3DV4 field probe is used to determine the internal electric fields. The SAR can be obtained from the equation SAR= σ (|Ei|²)/ ρ where σ and ρ are the conductivity and mass density of the tissue-simulant.

The DASY 5 system for performing compliance tests consists of the following items:

- 1. A standard high precision 6-axis robot (Staubli RX family) with controller, teach pendant and software. An arm extension is for accommodating the data acquisition electronics (DAE).
- 2. A dosimetric probe, i.e., an isotropic E-field probe optimized and calibrated for usage intissue simulating liquid. The probe is equipped with an optical surface detector system.
- 3. A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.




Fig. a The block diagram of SAR system

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Page: 276 of 608

- 4. The Electro-optical converter (EOC) performs the conversion between optical and electrical of the signals for the digital communication to the DAE and for the analog signal from the optical surface detection. The EOC is connected to the measurement server.
- 5. The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- 6. A probe alignment unit which improves the (absolute) accuracy of the probe positioning.
- 7. A computer operating Windows 7.
- 8. DASY 5 software.
- 9. Remote control with teach pendant and additional circuitry for robot safety such as warning lamps, etc.
- Tissue simulating liquid mixed according to the given recipes.
- 11. Validation dipole kits allowing to validate the proper functioning of the system.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 277 of 608

1.7 System Components

EX3DV4 E-Field Probe

Construction	Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)						
Calibration	Basic Broad Band Calibration in air Conversion Factors (CF) for HSL 750/835/1750/1900/2300/2450/2600/ 5200/5300/5600/5800MHz Additional CF for other liquids and frequencies upon request						
Frequency	10 MHz to > 6 GHz						
Directivity	± 0.3 dB in HSL (rotation around probe axis)						
	± 0.5 dB in tissue material (rotation normal to probe axis)						
Dynamic	10 μ W/g to > 100 mW/g						
Range	Linearity: ± 0.2 dB (noise: typically < 1 μW/g)						
Dimensions	Tip diameter: 2.5 mm						
Application	High precision dosimetric measurements in any exposure scenario						
	(e.g., very strong gradient fields). Only probe which enables						
	compliance testing for frequencies up to 6 GHz with precision of						
	better 30%.						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 278 of 608

PHANTOM

PHANTOW	
Model	ELI
Construction	The ELI phantom is used for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI is fully compatible with the IEC 62209-2 standard and all known tissue simulating liquids. ELI has been optimized regarding its performance and can be integrated into our standard phantom tables. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points. The phantom is compatible with all SPEAG dosimetric probes and dipoles.
Shell Thickness	2 ± 0.2 mm
Filling Volume	Approx. 30 liters
Dimensions	Major axis: 600 mm Minor axis: 400 mm

DEVICE HOLDER

Construction	The device holder (Supporter) for Notebook is made by POM (polyoxymethylene resin) , which is non-metal and non-conductive. The height can be adjusted to fit varies kind of notebooks.	TO TO
		Device Holder

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 279 of 608

1.8 SAR System Verification

The microwave circuit arrangement for system verification is sketched in Fig. b. The daily system accuracy verification occurs within the flat section of the SAM phantom. A SAR measurement was performed to see if the measured SAR was within +/- 10% from the target SAR values. These tests were done at 750/835/1750/1900/2300/2450/ 2600/5200/5300/5600/5800MHz. The tests were conducted on the same days as the measurement of the DUT. The obtained results from the system accuracy verification are displayed in the table 1 (SAR values are normalized to 1W forward power delivered to the dipole). During the tests, the liquid depth above the ear reference points was ≥ 15 cm \pm 5 mm (frequency \leq 3 GHz) or \geq 10 cm \pm 5 mm (frequency > 3 G Hz) in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.




Fig. b The block diagram of system verification

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 280 of 608

Validation Kit	S/N	Frequency (MHz)		1W Target SAR-1g (mW/g)	Measured SAR-1g (mW/g)	Measured SAR-1g normalized to 1W (mW/g)	Deviation (%)	Measured Date
D750V3	1015	750	Body	8.62	2.25	9.00	4.41%	Dec. 10, 2018
D730V3	1013	730	Dody	8.62	2.09	8.36	-3.02%	Dec. 14, 2018
D835V2	4d063	835	Body	9.56	2.45	9.80	2.51%	Dec. 11, 2018
D033 V2	2 4000 000	000		9.56	2.43	9.72	1.67%	Dec. 17, 2018
D1750\/2	1750V2 1008	1750	Body	37	9.23	36.92	-0.22%	Dec. 12, 2018
D1730V2				37	9.27	37.08	0.22%	Dec. 18, 2018
D1900V2	5d173	1900	Body	40.9	10.2	40.80	-0.24%	Dec. 12, 2018
D1900 V2	50175	1300	Dody	40.9	10.4	41.60	1.71%	Dec. 18, 2018
D2300V2	1023	2300	Body	47.7	12.7	50.80	6.50%	Dec. 13, 2018
D2300 V2	1023	2300	Dody	47.7	12.2	48.80	2.31%	Dec. 19, 2018
D2450V2	727	2450	Rody	50.8	12.8	51.20	0.79%	Dec. 01, 2018
DZ430 VZ	121	2 1 30	Body	50.8	13.4	53.60	5.51%	Dec. 07, 2018
D2600V2	1005	2600	Body	54.4	14.3	57.20	5.15%	Dec. 13, 2018
D2000V2	1005	2600		54.4	13.7	54.80	0.74%	Dec. 19, 2018

Validation Kit	S/N	Frequency (MHz)		1W Target SAR-1g (mW/g)	Pin=100mW Measured SAR-1g (mW/g)	Measured SAR-1g normalized to 1W (mW/g)	Deviation (%)	Measured Date
	5200	Body	72.8	7.09	70.9	-2.61%	Dec. 03, 2018	
		3200	Бойу	72.8	7.07	70.7	-2.88%	Dec. 07, 2018
		5300	Body	76.1	7.39	73.9	-2.89%	Dec. 04, 2018
D5GHzV2	1023			76.1	7.52	75.2	-1.18%	Dec. 08, 2018
D3G112V2	1023	5600	Body	79.6	7.88	78.8	-1.01%	Dec. 05, 2018
				79.6	7.82	78.2	-1.76%	Dec. 09, 2018
		5800	Body	75.9	7.32	73.2	-3.56%	Dec. 06, 2018
				75.9	7.43	74.3	-2.11%	Dec. 10, 2018

Table 1. Results of system verification

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full-like extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 281 of 608

1.9 Tissue Simulant Fluid for the Frequency Band

The dielectric properties for this Head-simulant fluid were measured by using the Agilent Model 85070E Dielectric Probe (rates frequency band 200 MHz to 20 GHz) in conjunction with Network Analyzer.

All dielectric parameters of tissue simulates were measured within 24 hours of SAR measurements. The measured conductivity and permittivity are all within \pm 5% of the target values.

The depth of the tissue simulant in the flat section of the phantom was ≥ 15 cm ± 5 mm (Frequency $\leq 3G$) or ≥ 10 cm ± 5 mm (Frequency $\geq 3G$) during all tests. (Fig. 2)

Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant,	Target Conductivity, σ (S/m)	Measured Dielectric Constant, Er	Measured Conductivity, σ (S/m)	% dev ɛr	% dev σ
		704.00	55.710	0.960	53.992	0.967	3.08%	-0.75%
		707.50	55.697	0.960	53.950	0.971	3.14%	-1.14%
		709.00	55.691	0.960	53.923	0.972	3.17%	-1.23%
	Dec, 10. 2018	710.00	55.687	0.960	53.910	0.973	3.19%	-1.33%
	Dec, 10. 2018	711.00	55.683	0.960	53.898	0.974	3.21%	-1.42%
		750.00	55.531	0.963	53.492	0.979	3.67%	-1.62%
		782.00	55.406	0.966	53.478	0.985	3.48%	-1.98%
		793.00	55.364	0.967	53.209	0.983	3.89%	-1.68%
		821.50	55.242	0.953	57.444	0.982	-3.99%	-3.00%
		826.40	55.226	0.959	57.343	0.986	-3.83%	-2.77%
		829.00	55.218	0.963	57.321	0.989	-3.81%	-2.74%
	Dec, 11. 2018	831.50	55.211	0.966	57.249	0.992	-3.69%	-2.72%
		835.00	55.200	0.970	57.237	0.996	-3.69%	-2.68%
	Dec, 11. 2016	836.50	55.195	0.972	57.236	0.998	-3.70%	-2.69%
		836.60	55.195	0.972	57.230	0.996	-3.69%	-2.49%
Body		841.50	55.180	0.978	57.165	1.001	-3.60%	-2.35%
Бойу		844.00	55.172	0.981	57.160	1.005	-3.60%	-2.44%
		846.60	55.164	0.984	57.157	1.006	-3.61%	-2.21%
		1712.40	53.531	1.465	51.506	1.426	3.78%	2.64%
		1720.00	53.511	1.469	51.468	1.439	3.82%	2.07%
		1732.40	53.478	1.477	51.465	1.447	3.76%	2.05%
		1732.50	53.478	1.477	51.465	1.447	3.76%	2.06%
		1745.00	53.445	1.485	51.433	1.459	3.76%	1.77%
		1750.00	53.432	1.488	51.392	1.468	3.82%	1.37%
	Dec, 12. 2018	1752.60	53.425	1.490	51.386	1.471	3.82%	1.28%
	Dec, 12. 2016	1770.00	53.379	1.501	51.370	1.492	3.76%	0.60%
		1852.40	53.162	1.553	51.069	1.578	3.94%	-1.60%
		1860.00	53.142	1.558	51.038	1.586	3.96%	-1.80%
		1880.00	53.089	1.571	50.905	1.609	4.11%	-2.45%
		1882.50	53.083	1.572	50.904	1.609	4.10%	-2.35%
		1900.00	53.037	1.583	50.897	1.630	4.03%	-2.97%
		1907.60	53.017	1.588	50.871	1.633	4.05%	-2.83%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做影测过之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份複测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 282 of 608

Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, εr	Target Conductivity, σ (S/m)	Measured Dielectric Constant, £r	Measured Conductivity, σ (S/m)	% dev εr	% dev σ
		2300.00	52.900	1.807	54.055	1.844	-2.18%	-2.07%
		2310.00	52.887	1.816	54.043	1.853	-2.19%	-2.02%
		2506.00	52.629	2.029	52.854	2.089	-0.43%	-2.94%
		2510.00	52.624	2.035	52.821	2.097	-0.38%	-3.04%
		2535.00	52.592	2.071	52.806	2.129	-0.41%	-2.82%
		2549.50	52.573	2.091	52.748	2.147	-0.33%	-2.67%
Body	Dec, 13. 2018	2560.00	52.560	2.106	52.700	2.165	-0.27%	-2.80%
		2593.00	52.518	2.153	52.621	2.210	-0.20%	-2.66%
		2595.00	52.515	2.156	52.608	2.214	-0.18%	-2.71%
		2580.00	52.511	2.134	52.645	2.215	-0.26%	-3.78%
		2600.00	52.509	2.163	52.576	2.216	-0.13%	-2.46%
		2636.50	52.463	2.214	52.466	2.276	-0.01%	-2.78%
		2680.00	52.407	2.276	52.371	2.336	0.07%	-2.63%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 283 of 608

Tioque	Magauramant	Measured	Target	Target	Measured	Measured		
Tissue	Measurement Date	Frequency	Dielectric Constant,	Conductivity,	Dielectric	Conductivity,	% dev ɛr	% dev σ
Туре	Date	(MHz)	er	σ (S/m)	Constant, εr	σ (S/m)		
		704.00	55.710	0.960	57.837	0.924	-3.82%	3.71%
		707.50	55.697	0.960	57.831	0.926	-3.83%	3.55%
		709.00	55.691	0.960	57.813	0.926	-3.81%	3.56%
	D 44 0040	710.00	55.687	0.960	57.809	0.930	-3.81%	3.15%
	Dec, 14. 2018	711.00	55.683	0.960	57.679	0.930	-3.58%	3.16%
		750.00	55.531	0.963	57.483	0.969	-3.51%	-0.58%
		782.00	55.406	0.966	57.114	0.984	-3.08%	-1.88%
		793.00	55.364	0.967	57.044	0.993	-3.04%	-2.72%
		821.50	55.242	0.953	57.441	0.982	-3.98%	-3.00%
		826.40	55.226	0.959	57.344	0.986	-3.83%	-2.77%
		829.00	55.218	0.963	57.351	0.989	-3.86%	-2.74%
		831.50	55.211	0.966	57.253	0.992	-3.70%	-2.72%
	D - 47 0040	835.00	55.200	0.970	57.261	0.996	-3.73%	-2.68%
	Dec, 17. 2018	836.50	55.195	0.972	57.275	0.998	-3.77%	-2.69%
		836.60	55.195	0.972	57.275	0.998	-3.77%	-2.69%
		841.50	55.180	0.978	57.261	1.001	-3.77%	-2.35%
		844.00	55.172	0.981	57.255	1.006	-3.77%	-2.54%
		846.60	55.164	0.984	57.249	1.011	-3.78%	-2.71%
		1712.40	53.531	1.465	52.091	1.432	2.69%	2.23%
		1720.00	53.511	1.469	52.060	1.449	2.71%	1.39%
		1732.40	53.478	1.477	52.013	1.456	2.74%	1.44%
		1732.50	53.478	1.477	52.044	1.456	2.68%	1.45%
Body		1745.00	53.445	1.485	52.004	1.469	2.70%	1.09%
		1750.00	53.432	1.488	51.974	1.474	2.73%	0.97%
	D 40 2040	1752.60	53.425	1.490	51.990	1.478	2.69%	0.81%
	Dec, 18. 2018	1770.00	53.379	1.501	51.921	1.491	2.73%	0.67%
		1852.40	53.162	1.553	51.620	1.588	2.90%	-2.25%
		1860.00	53.142	1.558	51.603	1.594	2.90%	-2.32%
		1880.00	53.089	1.571	51.541	1.616	2.92%	-2.90%
		1882.50	53.083	1.572	51.522	1.617	2.94%	-2.86%
		1900.00	53.037	1.583	51.461	1.642	2.97%	-3.73%
		1907.60	53.017	1.588	51.464	1.647	2.93%	-3.72%
		2300.00	52.900	1.807	54.063	1.835	-2.20%	-1.57%
		2310.00	52.887	1.816	54.074	1.839	-2.25%	-1.25%
		2506.00	52.629	2.029	51.404	2.083	2.33%	-2.64%
		2510.00	52.624	2.035	51.423	2.091	2.28%	-2.75%
		2535.00	52.592	2.071	51.344	2.124	2.37%	-2.58%
		2549.50	52.573	2.091	51.314	2.145	2.40%	-2.58%
	Dec, 19. 2018	2560.00	52.560	2.106	51.231	2.166	2.53%	-2.85%
		2580.00	52.535	2.134	51.198	2.194	2.54%	-2.79%
		2593.00	52.518	2.153	51.174	2.202	2.56%	-2.29%
		2595.00	52.515	2.156	51.123	2.209	2.65%	-2.48%
		2600.00	52.509	2.163	51.104	2.224	2.68%	-2.83%
		2636.50	52.463	2.214	50.981	2.265	2.82%	-2.28%
		2680.00	52.407	2.276	50.843	2.328	2.98%	-2.28%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 284 of 608

Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, εr	Target Conductivity, σ (S/m)	Measured Dielectric Constant, Er	Measured Conductivity, σ (S/m)	% dev εr	% dev σ
		2402.00	52.764	1.904	53.735	1.903	-1.84%	0.05%
		2412.00	52.751	1.914	53.706	1.920	-1.81%	-0.31%
		2417.00	52.744	1.918	53.677	1.928	-1.77%	-0.52%
		2437.00	52.717	1.938	53.609	1.951	-1.69%	-0.67%
	Dec, 04. 2018	2441.00	52.712	1.941	53.591	1.952	-1.67%	-0.57%
		2450.00	52.700	1.950	53.577	1.974	-1.66%	-1.23%
		2457.00	52.691	1.960	53.551	1.981	-1.63%	-1.07%
		2462.00	52.685	1.967	53.546	1.985	-1.63%	-0.92%
		2480.00	52.662	1.993	53.479	2.006	-1.55%	-0.65%
		5180.00	49.041	5.276	49.459	5.141	-0.85%	2.56%
		5190.00	49.028	5.288	49.419	5.153	-0.80%	2.55%
	Dec. 04, 2040	5200.00	49.014	5.299	49.348	5.158	-0.68%	2.66%
	Dec, 04. 2018	5220.00	48.987	5.323	49.299	5.176	-0.64%	2.76%
		5230.00	48.974	5.334	49.212	5.209	-0.49%	2.34%
		5240.00	48.960	5.346	49.208	5.218	-0.51%	2.39%
		5260.00	48.933	5.369	49.122	5.260	-0.39%	2.03%
Body		5270.00	48.919	5.381	49.093	5.283	-0.36%	1.82%
	Dec, 05. 2018	5280.00	48.906	5.393	49.071	5.293	-0.34%	1.85%
	Dec, 05. 2016	5300.00	48.879	5.416	49.055	5.323	-0.36%	1.72%
		5310.00	48.865	5.428	48.968	5.335	-0.21%	1.71%
		5320.00	48.851	5.439	48.938	5.353	-0.18%	1.58%
		5510.00	48.594	5.661	48.301	5.656	0.60%	0.09%
		5530.00	48.566	5.685	48.260	5.692	0.63%	-0.12%
		5550.00	48.539	5.708	48.160	5.720	0.78%	-0.21%
	Doc 05 2019	5590.00	48.485	5.755	48.084	5.806	0.83%	-0.89%
	Dec, 05. 2018	5600.00	48.471	5.766	48.082	5.808	0.80%	-0.73%
		5610.00	48.458	5.778	48.036	5.820	0.87%	-0.73%
		5670.00	48.376	5.848	47.860	5.925	1.07%	-1.32%
		5690.00	48.349	5.872	47.784	5.978	1.17%	-1.81%
		5755.00	48.261	5.947	47.580	6.049	1.41%	-1.72%
	Dag 05 0040	5775.00	48.234	5.971	47.507	6.095	1.51%	-2.08%
	Dec, 05. 2018	5795.00	48.207	5.994	47.455	6.137	1.56%	-2.39%
		5800.00	48.200	6.000	47.441	6.143	1.57%	-2.38%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 285 of 608

Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, εr	Target Conductivity, σ (S/m)	Measured Dielectric Constant, εr	Measured Conductivity, σ (S/m)	% dev εr	% dev σ
	Dec, 04. 2018	2402.00	52.764	1.904	53.793	1.916	-1.95%	-0.63%
		2412.00	52.751	1.914	53.779	1.928	-1.95%	-0.73%
		2417.00	52.744	1.918	53.779	1.941	-1.96%	-1.20%
		2437.00	52.717	1.938	53.738	1.964	-1.94%	-1.34%
		2441.00	52.712	1.941	53.692	1.969	-1.86%	-1.44%
		2450.00	52.700	1.950	53.722	1.986	-1.94%	-1.85%
		2457.00	52.691	1.960	53.681	1.988	-1.88%	-1.43%
		2462.00	52.685	1.967	53.639	1.993	-1.81%	-1.32%
		2480.00	52.662	1.993	53.588	2.018	-1.76%	-1.25%
•		5180.00	49.041	5.276	49.567	5.147	-1.07%	2.45%
		5190.00	49.028	5.288	49.533	5.156	-1.03%	2.50%
	Dec, 04. 2018	5200.00	49.014	5.299	49.473	5.165	-0.94%	2.53%
		5220.00	48.987	5.323	49.449	5.196	-0.94%	2.39%
		5230.00	48.974	5.334	49.346	5.219	-0.76%	2.16%
		5240.00	48.960	5.346	49.339	5.225	-0.77%	2.26%
ľ	Dec, 05. 2018	5260.00	48.933	5.369	49.222	5.276	-0.59%	1.73%
Body		5270.00	48.919	5.381	49.214	5.293	-0.60%	1.64%
		5280.00	48.906	5.393	49.193	5.302	-0.59%	1.69%
		5300.00	48.879	5.416	49.159	5.338	-0.57%	1.44%
		5310.00	48.865	5.428	49.119	5.341	-0.52%	1.60%
		5320.00	48.851	5.439	49.079	5.355	-0.47%	1.54%
•	Dec, 05. 2018	5510.00	48.594	5.661	48.441	5.678	0.31%	-0.30%
		5530.00	48.566	5.685	48.401	5.701	0.34%	-0.28%
		5550.00	48.539	5.708	48.320	5.731	0.45%	-0.40%
		5590.00	48.485	5.755	48.208	5.817	0.57%	-1.08%
		5600.00	48.471	5.766	48.200	5.820	0.56%	-0.94%
		5610.00	48.458	5.778	48.173	5.830	0.59%	-0.90%
		5670.00	48.376	5.848	47.960	5.944	0.86%	-1.64%
		5690.00	48.349	5.872	47.872	5.984	0.99%	-1.91%
	Dec, 05. 2018	5755.00	48.261	5.947	47.713	6.049	1.14%	-1.72%
		5775.00	48.234	5.971	47.592	6.124	1.33%	-2.56%
		5795.00	48.207	5.994	47.589	6.150	1.28%	-2.60%
		5800.00	48.200	6.000	47.587	6.158	1.27%	-2.63%

Table 2. Dielectric Parameters of Tissue Simulant Fluid

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 286 of 608

The composition of the body tissue simulating liquid:

The composition of the body ticode cirridiating liquid.								
F	Mode		T-1-1					
Frequency (MHz)		DGMBE	Water	Salt	Preventol D-7	Cellulose	Sugar	Total amount
750	Body	_	631.68 g	11.72 g	1.2 g	_	600 g	1.0L(Kg)
850	Body	_	631.68 g	11.72 g	1.2 g	_	600 g	1.0L(Kg)
1750	Body	300.67 g	716.56 g	4.0 g	_	-	-	1.0L(Kg)
1900	Body	300.67 g	716.56 g	4.0 g	_	-	-	1.0L(Kg)
2300	Body	301.7ml	698.3ml	_	_	-	_	1.0L(Kg)
2450	Body	301.7ml	698.3ml	_	_	_	1	1.0L(Kg)
2600	Body	301.7ml	698.3ml	_	_		_	1.0L(Kg)

Body Simulating Liquids for 5 GHz, Manufactured by SPEAG:

Ingredients	Water	Esters, Emulsifiers, Inhibitors	Sodium and Salt
(% by weight)	60-80	20-40	0-1.5

Table 3. Recipes for Tissue Simulating Liquid

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,什報告結果僅與個別天。木報告未經木公司書面許可,不可無份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sas.com



Page: 287 of 608

1.10 Evaluation Procedures

The entire evaluation of the spatial peak values is performed within the Post-processing engine (SEMCAD). The system always gives the maximum values for the 1 g and 10 g cubes. The algorithm to find the cube with highest averaged SAR is divided into the following stages:

- 1. The extraction of the measured data (grid and values) from the Zoom Scan.
- 2. The calculation of the SAR value at every measurement point based on all stored data (A/D values and measurement parameters)
- 3. The generation of a high-resolution mesh within the measured volume
- 4. The interpolation of all measured values from the measurement grid to the high-resolution grid
- 5. The extrapolation of the entire 3-D field distribution to the phantom surface over the distance from sensor to surface
- 6. The calculation of the averaged SAR within masses of 1g and 10g.

The probe is calibrated at the center of the dipole sensors that is located 1 to 2.7mm away from the probe tip. During measurements, the probe stops shortly above the phantom surface, depending on the probe and the surface detecting system. Both distances are included as parameters in the probe configuration file. The software always knows exactly how far away the measured point is from the surface. As the probe cannot directly measure at the surface, the values between the deepest measured point and the surface must be extrapolated. The angle between the probe axis and the surface normal line is less than 30 degree.

In the Area Scan, the gradient of the interpolation function is evaluated to find all the extreme of the SAR distribution. The uncertainty on the locations of the extreme is less than 1/20 of the grid size. Only local maximum within –2 dB of the global maximum are searched and passed for the Cube Scan measurement. In the Cube Scan, the interpolation function is used to extrapolate the Peak SAR from the lowest measurement points to the inner phantom surface (the extrapolation distance). The uncertainty increases with the extrapolation distance. To keep the uncertainty within 1% for the 1 g and 10 g cubes, the extrapolation distance should not be larger than 5mm.

The maximum search is automatically performed after each area scan measurement. It is based on splines in two or three dimensions. The procedure can find the maximum for most SAR distributions even with relatively large grid spacing. After the area scanning measurement, the probe is automatically moved to a position at the interpolated maximum. The following scan can directly use this position for reference, e.g., for a finer resolution grid or the cube evaluations. The 1g and 10g peak evaluations are only available for the predefined cube 7x7x7 scans. The routines are verified and optimized for the grid dimensions used in

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此都坐结果僅對測試之樣是負責,同時此樣是僅保留的子。太報坐去經太公司事而許可,不可執於複制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 288 of 608

these cube measurements.

The measured volume of 30x30x30mm contains about 30g of tissue.

The first procedure is an extrapolation (incl. Boundary correction) to get the points between the lowest measured plane and the surface. The next step uses 3D interpolation to get all points within the measured volume. In the last step, a 1g cube is placed numerically into the volume and its averaged SAR is calculated. This cube is the moved around until the highest averaged SAR is found. If the highest SAR is found at the edge of the measured volume, the system will issue a warning: higher SAR values might be found outside of the measured volume. In that case the cube measurement can be repeated, using the new interpolated maximum as the center.

1.11 Probe Calibration Procedures

For the calibration of E-field probes in lossy liquids, an electric field with an accurately known field strength must be produced within the measured liquid. For standardization purposes it would be desirable if all measurements which are necessary to assess the correct field strength would be traceable to standardized measurement procedures. In the following two different calibration techniques are summarized:

1.11.1 Transfer Calibration with Temperature Probes

In lossy liquids the specific absorption rate (SAR) is related both to the electric field (E) and the temperature gradient ($\delta T / \delta t$) in the liquid.

$$SAR = \frac{\sigma}{\rho} |E|^2 = c \frac{\delta T}{\delta t}$$

whereby σ is the conductivity, ρ the density and c the heat capacity of the liquid.

Hence, the electric field in lossy liquid can be measured indirectly by measuring the temperature gradient in the liquid. Non-disturbing temperature probes (optical probes or thermistor probes with resistive lines) with high spatial resolution (<1-2 mm) and fast reaction time (<1 s) are available and can be easily calibrated with high precision [1]. The setup and the exciting source have no influence on the calibration; only the relative positioning uncertainties of the standard temperature probe and the E-field probe to be calibrated must be considered. However, several problems limit the available accuracy of probe calibrations with temperature probes:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做影测过之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份複测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sas.com



Page: 289 of 608

- 1.The temperature gradient is not directly measurable but must be evaluated from temperature measurements at different time steps. Special precaution is necessary to avoid measurement errors caused by temperature gradients due to energy equalizing effects or convection currents in the liquid. Such effects cannot be completely avoided, as the measured field itself destroys the thermal equilibrium in the liquid. With a careful setup these errors can be kept small.
- 2. The measured volume around the temperature probe is not well defined. It is difficult to calculate the energy transfer from a surrounding gradient temperature field into the probe. These effects must be considered, since temperature probes are calibrated in liquid with homogeneous temperatures. There is no traceable standard for temperature rise measurements.
- 3. The calibration depends on the assessment of the specific density, the heat capacity and the conductivity of the medium. While the specific density and heat capacity can be measured accurately with standardized procedures (~ 2% for c; much better for ρ), there is no standard for the measurement of the conductivity. Depending on the method and liquid, the error can well exceed $\pm 5\%$.
- 4. Temperature rise measurements are not very sensitive and therefore are often performed at a higher power level than the E-field measurements. The nonlinearities in the system (e.g., power measurements, different components, etc.) must be considered.

Considering these problems, the possible accuracy of the calibration of E-field probes with temperature gradient measurements in a carefully designed setup is about $\pm 10\%$ (RSS) [2]. Recently, a setup which is a combination of the waveguide techniques and the thermal measurements was presented in [3]. The estimated uncertainty of the setup is $\pm 5\%$ (RSS) when the same liquid is used for the calibration and for actual measurements and ± 7 -9% (RSS) when not, which is in good agreement with the estimates given in [2].

1.11.2 Calibration with Analytical Fields

In this method a technical setup is used in which the field can be calculated analytically from measurements of other physical magnitudes (e.g., input power). This corresponds to the standard field method for probe calibration in air; however, there is no standard defined for fields in lossy liquids.

When using calculated fields in lossy liquids for probe calibration, several points must be considered in the assessment of the uncertainty:

1. The setup must enable accurate determination of the incident power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的阻,此想些结果做到测量之间,因此此样是虚保例的主。本想些主领大人司事而统可,不可能以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sg.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sg.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 290 of 608

2. The accuracy of the calculated field strength will depend on the assessment of the dielectric parameters of the liquid.

3. Due to the small wavelength in liquids with high permittivity, even small setups might be above the resonant cutoff frequencies. The field distribution in the setup must be carefully checked for conformity with the theoretical field distribution.

References

- N. Kuster, Q. Balzano, and J.C. Lin, Eds., Mobile Communications Safety, Chapman & Hall, London, 1997.
- K. Meier, M. Burkhardt, T. Schmid, and N. Kuster, \Broadband calibration of E-field probes in lossy media", IEEE Transactions on Microwave Theory and Techniques, vol. 44, no. 10, pp. 1954{1962, Oct. 1996.
- K. Jokela, P. Hyysalo, and L. Puranen, \Calibration of specific absorption rate (SAR) probes in waveguide at 900 MHz", IEEE Transactions on Instrumentation and Measurements, vol. 47, no. 2, pp. 432{438, Apr. 1998.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1

www.tw.sas.com



Page: 291 of 608

1.12 Test Standards and Limits

According to FCC 47CFR §2.1093(d) The limits to be used for evaluation are based generally on criteria published by the American National Standards Institute (ANSI) for localized specific absorption rate ("SAR") in Section 4.2 of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE C95.1, By the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017. These criteria for SAR evaluation are similar to those recommended by the National Council on Radiation Protection and Measurements (NCRP) in "Biological Effects and Exposure Criteria for Radio frequency Electromagnetic Fields," NCRP Report No. 86, Section 17.4.5. Copyright NCRP, 1986, Bethesda, Maryland 20814. SAR is a measure of the rate of energy absorption due to exposure to an RF transmitting source. SAR values have been related to threshold levels for potential biological hazards. The criteria to be used are specified in paragraphs (d)(1) and (d)(2) of this section and shall apply for portable devices transmitting in the frequency range from 100 kHz to 6 GHz. Portable devices that transmit at frequencies above 6 GHz are to be evaluated in terms of the MPE limits specified in § 1.1310 of this chapter. Measurements and calculations to demonstrate compliance with MPE field strength or power density limits for devices operating above 6 GHz should be made at a minimum distance of 5 cm from the radiating source.

- 1. Limits for Occupational/Controlled exposure: 0.4 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 8 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 20 W/kg, as averaged over an 10 grams of tissue (defined as a tissue volume in the shape of a cube).
- 2. Occupational/Controlled limits apply when persons are exposed as a consequence of their employment provided these persons are fully aware of and exercise control over their exposure. Awareness of exposure can be accomplished by use of warning labels or by specific training or education through appropriate means, such as an RF safety program in a work environment.
- 3. Limits for General Population/Uncontrolled exposure: 0.08 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 1.6 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報生结果僅對測試之樣具色書,同時什樣具僅保留的主。大報生主經太公司書面許可,不可無份複制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sg.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sg.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 292 of 608

of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 4 W/kg, as averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). General Population/Uncontrolled limits apply when the general public may be exposed, or when persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or do not exercise control over their exposure. Warning labels placed on consumer devices such as cellular telephones will not be sufficient reason to allow these devices to be evaluated subject to limits for occupational/controlled exposure in paragraph (d)(1) of this section. (Table 4.)

Human Exposure	Uncontrolled Environment General Population	Controlled Environment Occupational
Spatial Peak SAR (Brain)	1.60 W/Kg	8.00 W/Kg
Spatial Average SAR (Whole Body)	0.08 W/Kg	0.40 W/Kg
Spatial Peak SAR (Hands/Feet/Ankle/Wrist)	4.00 W/Kg	20.00 W/Kg

Table 4. RF exposure limits

Notes:

- 1. Uncontrolled environments are defined as locations where there is potential exposure of individuals who have no knowledge or control of their potential exposure.
- Controlled environments are defined as locations where there is potential exposure of individuals who have knowledge of their potential exposure and can exercise control over their exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報生结果僅對測試之樣具色書,同時什樣具僅保留的主。大報生主經太公司書面許可,不可無份複制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Page: 293 of 608

2. Summary of Results

AWAN

WCDMA Band II

Mode	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged 1 (W/ Measured	g kg)	Plot page
	Back side	0	9400	1880	19.00	18.95	1.16%	0.281	0.284	-
	Top side	0	9262	1852.4	19.00	18.91	2.09%	1.380	1.409	435
	Top side*	0	9262	1852.4	19.00	18.91	2.09%	1.340	1.368	-
MODIA	Top side**	0	9262	1852.4	19.00	18.91	2.09%	1.310	1.337	-
WCDMA Band II	Top side	0	9400	1880	19.00	18.95	1.16%	1.268	1.283	-
Banan	Top side	0	9538	1907.6	19.00	18.86	3.28%	1.174	1.212	-
	Bottom side	0	9400	1880	19.00	18.95	1.16%	0.040	0.040	-
	Right side	0	9400	1880	19.00	18.95	1.16%	0.315	0.319	-
	Left side	0	9400	1880	19.00	18.95	1.16%	0.079	0.080	-

 $^{^{\}ast}$ - repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2^{nd} battery

WCDMA Band IV

Mode	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power	Scaling	Averaged 1 (W/	g	Plot page
					Tolerance (dbin)	(dBm)		Measured	Reported	
	Back side	0	1312	1712.4	20	19.98	0.46%	0.313	0.314	-
	Top side	0	1312	1712.4	20	19.98	0.46%	1.274	1.280	
	Top side	0	1412	1732.4	20	19.96	0.93%	1.110	1.120	-
MODMA	Top side	0	1513	1752.6	20	19.93	1.62%	1.350	1.372	436
WCDMA Band IV	Top side*	0	1513	1752.6	20	19.93	1.62%	1.280	1.301	-
Bana IV	Top side**	0	1312	1712.4	20	19.93	1.62%	1.190	1.209	-
	Bottom side	0	1412	1732.4	20	19.98	0.46%	0.036	0.036	-
	Right side	0	1513	1752.6	20	19.98	0.46%	0.471	0.473	-
	Left side	0	1513	1752.6	20	19.98	0.46%	0.057	0.057	-

 $^{^{\}ast}$ - repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2^{nd} battery

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 294 of 608

WCDMA Band V

Mode	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Avg. Power	Scaling	Averaged 1 (W/	g	Plot page
					Toloranco (aBin)	(dBm)		Measured	Reported	
	Back side	0	4183	836.6	20.5	20.48	0.46%	0.254	0.255	-
	Top side	0	4132	826.4	20.5	20.46	0.93%	1.400	1.413	437
	Top side*	0	4132	826.4	20.5	20.46	0.93%	1.330	1.342	-
MODMA	Top side**	0	4132	826.4	20.5	20.46	0.93%	1.250	1.262	-
WCDMA Band V	Top side	0	4183	836.6	20.5	20.48	0.46%	1.230	1.236	-
Bana v	Top side	0	4233	846.6	20.5	20.47	0.69%	1.080	1.087	-
	Bottom side	0	4183	836.6	20.5	20.48	0.46%	0.038	0.038	-
	Right side	0	4183	836.6	20.5	20.48	0.46%	0.357	0.359	-
	Left side	0	4183	836.6	20.5	20.48	0.46%	0.068	0.068	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

LTE FDD Band 2

Mode	Bandwidth	Modulation	RB	RB	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg.	Cooling		SAR over V/kg)	Plot
Wode	(MHz)	Modulation	Size	start	Position	(mm)	5	(MHz)	Tolerance (dBm)	Power (dBm)	Scaling	Measured	Reported	page
					Back side	0	18900	1880	19	19.00	0.00%	0.109	0.109	-
					Top side	0	18900	1880	19	19.00	0.00%	1.360	1.360	438
					Top side*	0	18900	1880	19	19.00	0.00%	1.270	1.270	-
				0	Top side**	0	18900	1880	19	19.00	0.00%	1.220	1.220	-
			1 RB	Ů	Top side	0	19100	1900	19	18.89	2.57%	1.210	1.241	-
				Bottom side	0	18900	1880	19	19.00	0.00%	0.027	0.027	-	
				Right side	0	18900	1880	19	19.00	0.00%	0.211	0.211	-	
					Left side	0	18900	1880	19	19.00	0.00%	0.058	0.058	-
				99	Top side	0	18700	1860	19	18.89	2.57%	1.079	1.107	-
					Back side	0	18900	1880	19	18.92	1.86%	0.098	0.100	-
LTE					Top side	0	18900	1880	19	18.92	1.86%	1.080	1.100	-
Band 2	20MHz	QPSK		0	Bottom side	0	18900	1880	19	18.92	1.86%	0.025	0.025	-
Dana 2			50 RB		Right side	0	18900	1880	19	18.92	1.86%	0.208	0.212	-
					Left side	0	18900	1880	19	18.92	1.86%	0.046	0.047	-
				25	Top side	0	19100	1900	19	18.80	4.71%	1.030	1.079	-
				20	Top side	0	18700	1860	19	18.72	6.66%	1.010	1.077	-
					Back side	0	18900	1880	19	18.96	0.93%	0.099	0.100	-
					Top side	0	18700	1860	19	18.73	6.41%	0.963	1.025	-
					Top side	0	18900	1880	19	18.96	0.93%	1.012	1.021	-
l			100	RB	Top side	0	19100	1900	19	18.89	2.57%	0.987	1.012	-
l					Bottom side	0	18900	1880	19	18.96	0.93%	0.025	0.025	-
					Right side	0	18900	1880	19	18.96	0.93%	0.197	0.199	-
					Left side	0	18900	1880	19	18.96	0.93%	0.045	0.046	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

^{** - 2&}lt;sup>nd</sup> battery

^{** - 2&}lt;sup>nd</sup> battery



Page: 295 of 608

LTE FDD Band 4

Mode	Bandwidth	Modulation	DR Sizo	DR start	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
Wode	(MHz)	Wodulation	ND SIZE	ND start	i osition	(mm)	5	(MHz)	Tolerance (dBm)	(dBm)	3	Measured	Reported	page
					Back side	0	20300	1745	20	19.99	0.23%	0.127	0.127	-
					Top side	0	20300	1745	20	19.99	0.23%	1.330	1.333	439
					Top side*	0	20300	1745	20	19.99	0.23%	1.210	1.213	-
				0	Top side**	0	20300	1745	20	19.99	0.23%	1.260	1.263	-
			1 RB		Bottom side	0	20300	1745	20	19.99	0.23%	0.031	0.031	-
					Right side	0	20300	1745	20	19.99	0.23%	0.258	0.259	-
					Left side	0	20300	1745	20	19.99	0.23%	0.064	0.064	-
				50	Top side	0	20050	1720	20	19.95	1.16%	1.180	1.194	-
				99	Top side	0	20175	1732.5	20	19.92	1.86%	1.170	1.192	-
					Back side	0	20050	1720	20	19.85	3.51%	0.101	0.105	-
LTE					Top side	0	20050	1720	20	19.85	3.51%	1.140	1.180	-
Band 4	20MHz	QPSK		0	Top side	0	20300	1745	20	19.82	4.23%	1.110	1.157	-
Dana 4			50 RB	0	Bottom side	0	20050	1720	20	19.85	3.51%	0.027	0.028	-
					Right side	0	20050	1720	20	19.85	3.51%	0.242	0.251	-
					Left side	0	20050	1720	20	19.85	3.51%	0.062	0.064	-
				50	Top side	0	20175	1732.5	20	19.77	5.44%	1.060	1.118	-
					Back side	0	20050	1720	20	19.87	3.04%	0.099	0.102	
					Top side	0	20050	1720	20	19.87	3.04%	1.096	1.129	-
			l		Top side	0	20175	1732.5	20	19.75	5.93%	0.991	1.050	-
			100	RB	Top side	0	20030	1745	20	19.81	4.47%	0.996	1.041	-
					Bottom side	0	20050	1720	20	19.87	3.04%	0.026	0.027	-
					Right side	0	20050	1720	20	19.87	3.04%	0.239	0.246	-
	1				Left side	0	20050	1720	20	19.87	3.04%	0.062	0.064	-

 $^{^{\}ast}$ - repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2^{nd} battery

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 296 of 608

LTE FDD Band 5

Mode	Bandwidth	Modulation	DR Sizo	DR start	Position	Distance	СН	Freq.	Max. Rated Avg.	Measured Avg. Power	Scaling	Averaged 1g (V	SAR over V/kg)	Plot
Wode	(MHz)	Wodulation	ND SIZE	ND start	rosidori	(mm)	OH .	(MHz)	Tolerance (dBm)	(dBm)	Scaling	Measured	Reported	page
					Back side	0	20525	836.5	21	20.99	0.23%	0.117	0.117	
					Top side	0	20450	829	21	20.98	0.46%	1.430	1.437	440
					Top side*	0	20450	829	21	20.98	0.46%	1.360	1.366	-
				0	Top side**	0	20450	829	21	20.98	0.46%	1.340	1.346	-
			1 RB	ı o	Top side	0	20525	836.5	21	20.99	0.23%	1.330	1.333	-
					Bottom side	0	20525	836.5	21	20.99	0.23%	0.022	0.022	-
					Right side	0	20525	836.5	21	20.99	0.23%	0.267	0.268	-
					Left side	0	20525	836.5	21	20.99	0.23%	0.054	0.054	-
				25	Top side	0	20525	836.5	21	20.86	3.28%	1.210	1.250	-
				12	Top side	0	20525	836.5	21	20.82	4.23%	1.070	1.115	-
LTE					Back side	0	20600	844	21	20.93	1.62%	0.097	0.099	-
Band 5	10MHz	QPSK			Top side	0	20450	829	21	20.82	4.23%	1.020	1.063	-
			25 RB	25	Top side	0	20600	844	21	20.93	1.62%	1.150	1.169	-
				20	Bottom side	0	20600	844	21	20.93	1.62%	0.020	0.021	-
					Right side	0	20600	844	21	20.93	1.62%	0.253	0.257	-
					Left side	0	20600	844	21	20.93	1.62%	0.035	0.036	-
					Back side	0	20600	844	21	20.85	3.51%	0.095	0.098	
					Top side	0	20450	829	21	20.70	7.15%	0.993	1.064	-
					Top side	0	20525	836.5	21	20.81	4.47%	1.040	1.087	-
			50	RB	Top side	0	20600	844	21	20.85	3.51%	1.060	1.097	-
					Bottom side	0	20600	844	21	20.85	3.51%	0.020	0.021	-
					Right side	0	20600	844	21	20.85	3.51%	0.238	0.246	-
					Left side	0	20600	844	21	20.85	3.51%	0.032	0.034	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2nd battery

LTE FDD Band 7

Mode	Bandwidth	Modulation	DR Size	DR etart	Position	Distance	CH	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling	Averaged 1g (V		Plot
Wode	(MHz)	Woddiadon	NB GIZE	ND start	1 Coluen	(mm)	511	(MHz)	Tolerance (dBm)	(dBm)	_	Measured	Reported	page
					Back side	0	21100	2535	20.5	20.49	0.23%	0.103	0.103	-
					Top side	0	20850	2510	20.5	20.43	1.62%	1.370	1.392	441
					Top side*	0	20850	2510	20.5	20.43	1.62%	1.310	1.331	-
				0	Top side**	0	20850	2510	20.5	20.43	1.62%	1.330	1.352	-
			1 RB	Ů	Top side	0	21100	2535	20.5	20.49	0.23%	1.210	1.213	-
					Bottom side	0	21100	2535	20.5	20.49	0.23%	0.019	0.019	-
					Right side	0	21100	2535	20.5	20.49	0.23%	0.231	0.232	-
					Left side	0	21100	2535	20.5	20.49	0.23%	0.031	0.031	-
				99	Top side	0	21350	2560	20.5	20.37	3.04%	1.170	1.206	-
				0	Top side	0	21350	2560	20.5	20.32	4.23%	1.070	1.115	-
LTE					Back side	0	21100	2535	20.5	20.33	3.99%	0.095	0.099	-
Band 7	20MHz	QPSK			Top side	0	20850	2510	20.5	19.93	14.02%	0.963	1.098	-
Bana i			25 RB	25	Top side	0	21100	2535	20.5	20.33	3.99%	1.120	1.165	-
				20	Bottom side	0	21100	2535	20.5	20.33	3.99%	0.018	0.019	-
					Right side	0	21100	2535	20.5	20.33	3.99%	0.212	0.220	-
					Left side	0	21100	2535	20.5	20.33	3.99%	0.020	0.021	-
					Back side	0	21350	2560	20.5	20.36	3.28%	0.094	0.097	-
					Top side	0	20850	2510	20.5	19.81	17.22%	1.120	1.313	-
					Top side	0	21100	2535	20.5	20.18	7.65%	1.110	1.195	-
			50	RB	Top side	0	21350	2560	20.5	20.36	3.28%	1.200	1.239	-
					Bottom side	0	21350	2560	20.5	20.36	3.28%	0.017	0.018	-
					Right side	0	21350	2560	20.5	20.36	3.28%	0.208	0.215	-
					Left side	0	21350	2560	20.5	20.36	3.28%	0.019	0.019	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2nd battery

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 297 of 608

LTE FDD Band 12

Mode	Bandwidth (MHz)	Modulation	DR Sizo	DR start	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling	Averaged 1g (V		Plot
Wode	(MHz)	viodulatioi	ND Size	ND start	1 Osition	(mm)	CIT	(MHz)	Tolerance (dBm)	(dBm)	Scaling	Measured	Reported	page
					Back side	0	23130	711	21.5	21.50	0.00%	0.112	0.112	-
					Top side	0	23060	704	21.5	21.47	0.69%	1.140	1.148	-
					Top side	0	23095	707.5	21.5	21.42	1.86%	1.340	1.365	442
					Top side*	0	23095	707.5	21.5	21.42	1.86%	1.290	1.314	-
			1 RB	0	Top side**	0	23095	707.5	21.5	21.42	1.86%	1.230	1.253	-
					Top side	0	23130	711	21.5	21.50	0.00%	1.220	1.220	-
					Bottom side	0	23130	711	21.5	21.50	0.00%	0.022	0.022	-
					Right side	0	23130	711	21.5	21.50	0.00%	0.239	0.239	-
					Left side	0	23130	711	21.5	21.50	0.00%	0.040	0.040	-
					Back side	0	23130	711	21.5	21.43	1.62%	0.105	0.107	-
LTE					Top side	0	23060	704	21.5	21.31	4.47%	0.991	1.035	-
Band 12	10MHz	QPSK			Top side	0	23095	707.5	21.5	21.24	6.17%	0.986	1.047	-
Dana 12			25 RB	25	Top side	0	23130	711	21.5	21.43	1.62%	1.060	1.077	-
					Bottom side	0	23130	711	21.5	21.43	1.62%	0.021	0.021	-
					Right side	0	23130	711	21.5	21.43	1.62%	0.213	0.216	-
					Left side	0	23130	711	21.5	21.43	1.62%	0.033	0.034	-
					Back side	0	23130	711	21.5	21.46	0.93%	0.100	0.101	-
					Top side	0	23060	704	21.5	21.14	8.64%	1.020	1.108	-
					Top side	0	23095	707.5	21.5	21.23	6.41%	1.100	1.171	-
			50	RB	Top side	0	23130	711	21.5	21.46	0.93%	1.010	1.019	-
					Bottom side	0	23130	711	21.5	21.46	0.93%	0.020	0.020	-
					Right side	0	23130	711	21.5	21.46	0.93%	0.206	0.208	-
					Left side	0	23130	711	21.5	21.46	0.93%	0.032	0.032	-

 $^{^{\}ast}$ - repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2^{nd} battery

LTE FDD Band 13

Mode	Bandwidth	Modulation	DR Sizo	DR etart	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
Wood	(MHz)	viodulatio	ND GIZE	ND start	1 Coldon	(mm)	011	(MHz)	Tolerance (dBm)	(dBm)	J J	Measured	Reported	page
				0	Top side	0	23230	782	21	20.62	9.14%	1.100	1.201	-
				25	Top side	0	23230	782	21	20.91	2.09%	1.290	1.317	443
					Back side	0	23230	782	21	20.98	0.46%	0.107	0.107	-
					Top side	0	23230	782	21	20.98	0.46%	1.210	1.216	-
			1 RB		Top side*	0	23230	782	21	20.98	0.46%	1.250	1.256	-
				49	Top side**	0	23230	782	21	20.98	0.46%	1.270	1.276	-
					Bottom side	0	23230	782	21	20.98	0.46%	0.019	0.019	-
					Right side	0	23230	782	21	20.98	0.46%	0.216	0.217	-
					Left side	0	23230	782	21	20.98	0.46%	0.036	0.036	-
LTE				0	Top side	0	23230	782	21	20.31	17.22%	0.969	1.136	-
Band 13	10MHz	QPSK		12	Top side	0	23230	782	21	20.54	11.17%	0.975	1.084	-
Bana 10					Back side	0	23230	782	21	20.67	7.89%	0.097	0.104	-
			25 RB		Top side	0	23230	782	21	20.67	7.89%	0.984	1.062	-
				25	Bottom side	0	23230	782	21	20.67	7.89%	0.019	0.020	-
					Right side	0	23230	782	21	20.67	7.89%	0.205	0.221	-
					Left side	0	23230	782	21	20.67	7.89%	0.032	0.034	-
					Back side	0	23230	782	21	20.37	15.61%	0.096	0.111	-
					Top side	0	23230	782	21	20.37	15.61%	0.973	1.125	-
			50	RB	Bottom side	0	23230	782	21	20.37	15.61%	0.018	0.021	-
					Right side	0	23230	782	21	20.37	15.61%	0.201	0.232	-
					Left side	0	23230	782	21	20.37	15.61%	0.027	0.032	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2nd battery

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1



Page: 298 of 608

LTE FDD Band 14

Mode	Bandwidth	Modulation	DD Sizo	BB start	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
Wode	(MHz)	viodulatioi	ND SIZE	ND start	1 Ushion	(mm)	CH	(MHz)	Tolerance (dBm)	(dBm)	Scaling	Measured	Reported	page
				0	Top side	0	23330	793	21	20.62	9.14%	1.170	1.277	•
				25	Top side	0	23330	793	21	20.91	2.09%	1.220	1.246	
					Back side	0	23330	793	21	20.99	0.23%	0.124	0.124	-
					Top side	0	23330	793	21	20.99	0.23%	1.310	1.313	444
			1 RB		Top side*	0	23330	793	21	20.99	0.23%	1.250	1.253	1
				49	Top side**	0	23330	793	21	20.99	0.23%	1.230	1.233	-
					Bottom side	0	23330	793	21	20.99	0.23%	0.024	0.024	
					Right side	0	23330	793	21	20.99	0.23%	0.286	0.287	-
					Left side	0	23330	793	21	20.99	0.23%	0.048	0.048	·
LTE				0	Top side	0	23330	793	21	20.45	13.50%	0.936	1.062	-
Band 14	10MHz	QPSK		12	Top side	0	23330	793	21	20.56	10.66%	0.964	1.067	·
Dana 14					Back side	0	23330	793	21	20.75	5.93%	0.112	0.119	ı
			25 RB		Top side	0	23330	793	21	20.75	5.93%	1.010	1.070	·
				25	Bottom side	0	23330	793	21	20.75	5.93%	0.023	0.024	ı
					Right side	0	23330	793	21	20.75	5.93%	0.276	0.292	
					Left side	0	23330	793	21	20.75	5.93%	0.047	0.050	·
					Back side	0	23330	793	21	20.81	4.47%	0.103	0.108	-
		1			Top side	0	23330	793	21	20.81	4.47%	0.964	1.007	
		1	50	RB	Bottom side	0	23330	793	21	20.81	4.47%	0.022	0.023	ı
					Right side	0	23330	793	21	20.81	4.47%	0.273	0.285	
		1			Left side	0	23330	793	21	20.81	4.47%	0.045	0.047	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488

^{** - 2&}lt;sup>nd</sup> battery



Page: 299 of 608

LTE FDD Band 17

Mode	Bandwidth	Modulation	DD Sizo	BB start	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
Wode	(MHz)	viodulatioi	NB Size	ND Start	Position	(mm)	G	(MHz)	Tolerance (dBm)		Scaling	Measured	Reported	page
					Back side	0	23800	711	21.5	21.49	0.23%	0.119	0.119	-
					Top side	0	23780	709	21.5	21.46	0.93%	1.260	1.272	-
					Top side	0	23790	710	21.5	21.47	0.69%	1.290	1.299	-
					Top side	0	23800	711	21.5	21.49	0.23%	1.350	1.353	445
			1 RB	0	Top side*	0	23800	711	21.5	21.49	0.23%	1.280	1.283	-
					Top side**	0	23800	711	21.5	21.49	0.23%	1.240	1.243	-
					Bottom side	0	23800	711	21.5	21.49	0.23%	0.035	0.035	-
					Right side	0	23800	711	21.5	21.49	0.23%	0.268	0.269	-
					Left side	0	23800	711	21.5	21.49	0.23%	0.042	0.042	-
					Back side	0	23800	711	21.5	20.44	27.64%	0.103	0.131	-
LTE					Top side	0	23780	709	21.5	20.42	28.23%	0.934	1.198	-
Band 17	10MHz	QPSK			Top side	0	23790	710	21.5	20.43	27.94%	0.974	1.246	-
Dana 17			25 RB	25	Top side	0	23800	711	21.5	20.44	27.64%	1.030	1.315	-
					Bottom side	0	23800	711	21.5	20.44	27.64%	0.031	0.040	-
					Right side	0	23800	711	21.5	20.44	27.64%	0.241	0.308	-
					Left side	0	23800	711	21.5	20.44	27.64%	0.041	0.052	-
					Back side	0	23800	711	21.5	20.39	29.12%	0.099	0.128	-
					Top side	0	23780	709	21.5	20.31	31.52%	0.989	1.301	-
					Top side	0	23790	710	21.5	20.36	30.02%	0.994	1.292	
		1	50	RB	Top side	0	23800	711	21.5	20.39	29.12%	0.988	1.276	
		1			Bottom side	0	23800	711	21.5	20.39	29.12%	0.030	0.039	-
					Right side	0	23800	711	21.5	20.39	29.12%	0.235	0.303	-
					Left side	0	23800	711	21.5	20.39	29.12%	0.040	0.051	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2nd battery

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sas.com



Page: 300 of 608

LTE FDD Band 25

Mode	Bandwidth	Modulation	DD Cine	DD start	Position	Distance	СН	Freq.	Max. Rated Avg.	Measured Avg.	Scaling	Averaged 1g (V	SAR over V/kg)	Plot
Wode	(MHz)	viodulatioi	KB SIZE	ND Start	Position	(mm)	СП	(MHz)	Tolerance (dBm)	Power (dBm)	· ·	Measured	Reported	page
					Back side	0	26365	1882.5	19	18.74	6.17%	0.102	0.108	
					Top side	0	26140	1860	19	18.55	10.92%	1.030	1.142	1
					Top side	0	26365	1882.5	19	18.74	6.17%	1.300	1.380	446
					Top side*	0	26365	1882.5	19	18.74	6.17%	1.210	1.285	-
			1 RB	50	Top side**	0	26365	1882.5	19	18.74	6.17%	1.220	1.295	-
					Top side	0	26590	1905	19	18.53	11.43%	0.996	1.110	-
					Bottom side	0	26365	1882.5	19	18.74	6.17%	0.023	0.025	-
					Right side	0	26365	1882.5	19	18.74	6.17%	0.201	0.213	
					Left side	0	26365	1882.5	19	18.74	6.17%	0.052	0.056	1
				0	Top side	0	26140	1860	19	18.23	19.40%	1.120	1.337	1
LTE					Back side	0	26365	1882.5	19	18.25	18.85%	0.096	0.114	1
Band 25	20MHz	QPSK			Top side	0	26590	1905	19	18.25	18.85%	1.020	1.212	1
Dana 20			50 RB	25	Top side	0	26365	1882.5	19	18.10	23.03%	1.010	1.243	·
				25	Bottom side	0	26365	1882.5	19	18.25	18.85%	0.023	0.027	
					Right side	0	26365	1882.5	19	18.25	18.85%	0.192	0.228	·
					Left side	0	26365	1882.5	19	18.25	18.85%	0.052	0.061	·
					Back side	0	26365	1882.5	19	18.21	19.95%	0.095	0.114	1
					Top side	0	26140	1860	19	18.13	22.18%	0.943	1.152	-
					Top side	0	26365	1882.5	19	18.21	19.95%	0.977	1.172	-
			100	RB	Top side	0	26590	1905	19	18.11	22.74%	0.963	1.182	-
					Bottom side	0	26365	1882.5	19	18.21	19.95%	0.022	0.026	-
					Right side	0	26365	1882.5	19	18.21	19.95%	0.187	0.224	-
					Left side	0	26365	1882.5	19	18.21	19.95%	0.050	0.060	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

^{** - 2&}lt;sup>nd</sup> battery



Page: 301 of 608

LTE FDD Band 26

Mode	Bandwidth	Modulation	DD Ciro	DP start	Position	Distance	СН	Freq.	Max. Rated Avg.	Measured Avg.	Scaling	Averaged 1g (V		Plot
Wiode	(MHz)	viodulatio	ND SIZE	ND start	i osidori	(mm)	CIT	(MHz)	Tolerance (dBm)	Power (dBm)	ŭ	Measured	Reported	page
					Back side	0	26965	841.5	21	21.00	0.00%	0.248	0.248	-
					Top side	0	26865	831.5	21	20.92	1.86%	1.170	1.192	-
					Top side	0	26965	841.5	21	21.00	0.00%	1.320	1.320	447
				0	Top side*	0	26965	841.5	21	21.00	0.00%	1.230	1.230	-
			1 RB	·	Top side**	0	26965	841.5	21	21.00	0.00%	1.220	1.220	-
					Bottom side	0	26965	841.5	21	21.00	0.00%	1.190	1.190	-
					Right side	0	26965	841.5	21	21.00	0.00%	0.036	0.036	-
					Left side	0	26965	841.5	21	21.00	0.00%	0.347	0.347	-
				36	Top side	0	26765	821.5	21	20.87	3.04%	0.064	0.066	-
LTE					Back side	0	26825	822.5	21	20.46	13.24%	0.245	0.277	-
Band 26	15MHz	QPSK			Top side	0	26865	831.5	21	20.46	13.24%	1.030	1.166	-
Bana 20				0	Bottom side	0	26825	822.5	21	20.46	13.24%	0.024	0.027	-
			36 RB		Right side	0	26865	831.5	21	20.46	13.24%	0.321	0.364	-
					Left side	0	26965	841.5	21	20.46	13.24%	0.063	0.071	-
				18	Top side	0	26965	841.5	21	20.39	15.08%	0.984	1.132	-
				37	Top side	0	26965	841.5	21	20.38	15.35%	0.986	1.137	-
					Back side	0	26965	841.5	21	20.45	13.50%	0.231	0.262	-
					Top side	0	26825	822.5	21	20.45	13.50%	0.993	1.127	-
			75	RB	Bottom side	0	26865	831.5	21	20.45	13.50%	0.023	0.026	-
					Right side	0	26965	841.5	21	20.45	13.50%	0.316	0.359	-
					Left side	0	26965	841.5	21	20.45	13.50%	0.062	0.070	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

LTE FDD Band 30

Mode	Bandwidth (MHz)	Madulation	DD Cine	BP stort	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling	Averaged 1g (V		Plot
Wode	(MHz)	viodulatioi	NB Size	ND start	Position	(mm)	СП	(MHz)	Tolerance (dBm)	(dBm)	Scaling	Measured	Reported	page
					Back side	0	27710	2310	20	19.98	0.46%	0.119	0.120	-
					Top side	0	27710	2310	20	19.98	0.46%	1.370	1.376	448
					Top side*	0	27710	2310	20	19.98	0.46%	1.310	1.316	-
				0	Top side**	0	27710	2310	20	19.98	0.46%	1.330	1.336	-
			1 RB		Bottom side	0	27710	2310	20	19.98	0.46%	0.018	0.018	-
					Right side	0	27710	2310	20	19.98	0.46%	0.224	0.225	-
					Left side	0	27710	2310	20	19.98	0.46%	0.028	0.028	-
				25	Top side	0	27710	2310	20	19.84	3.75%	1.210	1.255	-
				49	Top side	0	27710	2310	20	19.87	3.04%	1.240	1.278	-
LTE					Back side	0	27710	2310	19	18.75	5.93%	0.095	0.101	-
Band 30	10MHz	QPSK			Top side	0	27710	2310	19	18.75	5.93%	0.963	1.020	-
Bana oo				0	Bottom side	0	27710	2310	19	18.75	5.93%	0.014	0.015	-
			25 RB		Right side	0	27710	2310	19	18.75	5.93%	0.207	0.219	-
					Left side	0	27710	2310	19	18.75	5.93%	0.024	0.025	-
				12	Top side	0	27710	2310	19	18.73	6.41%	0.961	1.023	-
				25	Top side	0	27710	2310	19	18.65	8.39%	0.952	1.032	-
				·	Back side	0	27710	2310	19	18.83	3.99%	0.097	0.101	-
					Top side	0	27710	2310	19	18.83	3.99%	0.974	1.013	-
			50	RB	Bottom side	0	27710	2310	19	18.83	3.99%	0.015	0.016	-
					Right side	0	27710	2310	19	18.83	3.99%	0.201	0.209	-
					Left side	0	27710	2310	19	18.83	3.99%	0.025	0.026	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 www.tw.sas.com

^{** - 2&}lt;sup>nd</sup> battery

^{** - 2&}lt;sup>nd</sup> battery



Page: 302 of 608

LTE TDD Band 38

Mode	Bandwidth	Modulation	DD Sizo	BB start	Position	Distance	СН	Freq.	Max. Rated Avg.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
Wode	(MHz)	viodulatioi	ND SIZE	ND start	i osition	(mm)	G	(MHz)	Tolerance (dBm)		Scaling	Measured	Reported	page
					Top side	0	37850	2580	24	23.77	5.44%	1.150	1.213	449
				0	Top side*	0	37850	2580	24	23.77	5.44%	1.110	1.170	-
					Top side**	0	37850	2580	24	23.77	5.44%	1.120	1.181	-
				50	Top side	0	38150	2610	24	23.83	3.99%	1.040	1.082	-
			1 RB		Back side	0	38000	2595	24	23.93	1.62%	0.159	0.162	-
					Top side	0	38000	2595	24	23.93	1.62%	1.060	1.077	-
				99	Bottom side	0	38000	2595	24	23.93	1.62%	0.024	0.025	-
					Right side	0	38000	2595	24	23.93	1.62%	0.284	0.289	-
					Left side	0	38000	2595	24	23.93	1.62%	0.485	0.493	-
				0	Top side	0	37850	2580	23	22.66	8.14%	0.864	0.934	-
LTE					Back side	0	38150	2610	23	22.86	3.28%	0.131	0.135	-
Band 38	20MHz	QPSK			Top side	0	38000	2595	23	22.63	8.89%	0.822	0.895	-
Dana 50			50 RB	50	Top side	0	38150	2610	23	22.86	3.28%	0.777	0.802	-
				30	Bottom side	0	38150	2610	23	22.86	3.28%	0.023	0.024	-
					Right side	0	38150	2610	23	22.86	3.28%	0.275	0.284	-
					Left side	0	38150	2610	23	22.86	3.28%	0.047	0.048	-
					Back side	0	38150	2610	23	22.76	5.68%	0.126	0.133	-
					Top side	0	37850	2580	23	22.67	7.89%	0.821	0.886	-
					Top side	0	38150	2610	23	22.66	8.14%	0.811	0.877	-
		1	100	RB	Top side	0	38150	2610	23	22.76	5.68%	0.823	0.870	-
		1			Bottom side	0	38150	2610	23	22.76	5.68%	0.021	0.023	-
					Right side	0	38150	2610	23	22.76	5.68%	0.264	0.279	-
					Left side	0	38150	2610	23	22.76	5.68%	0.046	0.049	-

 $^{^{\}ast}$ - repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2^{nd} battery

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 303 of 608

LTE TDD Band 41

Mode	Bandwidth	Modulation	DD Sizo	BB start	Position	Distance	СН	Freq.	Max. Rated Avg.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
Wode	(MHz)	viodulatioi	KB Size	ND Start	Position	(mm)	CF	(MHz)	Tolerance (dBm)	(dBm)	Scaling	Measured	Reported	page
					Back side	0	40185	2549.5	22.5	22.50	0.00%	0.231	0.231	-
					Top side	0	40185	2549.5	22.5	22.50	0.00%	1.340	1.340	450
					Top side*	0	40185	2549.5	22.5	22.50	0.00%	1.280	1.280	-
				0	Top side**	0	40185	2549.5	22.5	22.50	0.00%	1.210	1.210	-
					Bottom side	0	40185	2549.5	22.5	22.50	0.00%	0.048	0.048	-
			1 RB		Right side	0	40185	2549.5	22.5	22.50	0.00%	0.418	0.418	-
					Left side	0	40185	2549.5	22.5	22.50	0.00%	0.068	0.068	-
				50	Top side	0	40620	2593	22.5	21.87	15.61%	1.120	1.295	-
				- 50	Top side	0	41490	2680	22.5	22.13	8.89%	1.020	1.111	-
				99	Top side	0	39750	2506	22.5	22.34	3.75%	1.230	1.276	-
				33	Top side	0	41055	2636.5	22.5	22.33	3.99%	1.130	1.175	-
				0	Top side	0	40620	2593	22.5	21.48	26.47%	0.965	1.220	-
				Ů	Top side	0	41490	2680	22.5	21.43	27.94%	0.931	1.191	-
LTE					Back side	0	40185	2549.5	22.5	21.52	25.31%	0.203	0.254	-
Band 41	20MHz	QPSK			Top side	0	39750	2506	22.5	21.52	25.31%	0.976	1.223	-
			50 RB	25	Top side	0	40185	2549.5	22.5	21.52	25.31%	1.060	1.328	-
				23	Bottom side	0	40185	2549.5	22.5	21.52	25.31%	0.038	0.047	-
					Right side	0	40185	2549.5	22.5	21.52	25.31%	0.342	0.429	-
					Left side	0	40185	2549.5	22.5	21.52	25.31%	0.057	0.071	-
				50	Top side	0	40185	2549.5	22.5	21.41	28.53%	0.943	1.212	-
					Back side	0	40185	2549.5	22.5	21.53	25.03%	0.205	0.256	-
					Top side	0	39750	2506	22.5	21.38	29.42%	0.983	1.272	-
					Top side	0	40185	2549.5	22.5	21.53	25.03%	1.040	1.300	-
					Top side	0	40620	2593	22.5	21.35	30.32%	0.946	1.233	-
			100	RB	Top side	0	41055	2636.5	22.5	21.36	30.02%	0.942	1.225	-
					Top side	0	41490	2680	22.5	21.33	30.92%	0.897	1.174	
					Bottom side	0	40185	2549.5	22.5	21.53	25.03%	0.040	0.050	-
		1			Right side	0	40185	2549.5	22.5	21.53	25.03%	0.348	0.435	-
Í	1				Left side	0	40185	2549.5	22.5	21.53	25.03%	0.057	0.071	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

^{** - 2&}lt;sup>nd</sup> battery



Page: 304 of 608

LTE FDD Band 66

Mode	Bandwidth	Modulation	DD Sizo	BB start	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
Wode	(MHz)	viodulatioi	NB Size	ND Start	Fosition	(mm)	GH	(MHz)	Tolerance (dBm)	(dBm)	Scaling	Measured	Reported	page
					Back side	0	132572	1770	19.5	19.44	1.39%	0.116	0.118	
					Top side	0	132572	1770	19.5	19.44	1.39%	1.210	1.227	·
					Top side*	0	132572	1770	19.5	19.44	1.39%	1.130	1.146	-
				0	Top side**	0	132572	1770	19.5	19.44	1.39%	1.350	1.369	451
			1 RB		Bottom side	0	132572	1770	19.5	19.44	1.39%	0.029	0.029	
					Right side	0	132572	1770	19.5	19.44	1.39%	0.246	0.249	-
					Left side	0	132572	1770	19.5	19.44	1.39%	0.058	0.059	-
				50	Top side	0	132072	1720	19.5	19.34	3.75%	1.280	1.328	-
				99	Top side	0	132322	1745	19.5	19.23	6.41%	1.170	1.245	-
				0	Top side	0	132322	1745	19.5	18.74	19.12%	0.973	1.159	-
LTE				25	Top side	0	132072	1720	19.5	18.79	17.76%	0.976	1.149	-
Band 66	20MHz	QPSK			Back side	0	132572	1770	19.5	18.99	12.46%	0.099	0.111	-
Bana oo			50 RB		Top side	0	132572	1770	19.5	18.99	12.46%	1.060	1.192	-
				50	Bottom side	0	132572	1770	19.5	18.99	12.46%	0.027	0.030	-
					Right side	0	132572	1770	19.5	18.99	12.46%	0.233	0.262	-
					Left side	0	132572	1770	19.5	18.99	12.46%	0.057	0.064	-
					Back side	0	132572	1770	19.5	19.00	12.20%	0.098	0.110	-
					Top side	0	132072	1720	19.5	18.80	17.49%	0.996	1.170	-
					Top side	0	132322	1745	19.5	18.70	20.23%	0.993	1.194	-
			100	RB	Top side	0	132572	1770	19.5	19.00	12.20%	1.040	1.167	-
					Bottom side	0	132572	1770	19.5	19.00	12.20%	0.027	0.030	-
					Right side	0	132572	1770	19.5	19.00	12.20%	0.229	0.257	-
					Left side	0	132572	1770	19.5	19.00	12.20%	0.055	0.061	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2nd battery

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 305 of 608

HONG-BO

WCDMA Band II

Mode	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged 19 (W/ Measured	g kg)	Plot page
	Back side	0	9400	1880	19.00	18.95	1.16%	0.287	0.290	-
	Top side	0	9262	1852.4	19.00	18.91	2.09%	1.270	1.297	452
	Top side*	0	9262	1852.4	19.00	18.91	2.09%	1.230	1.256	-
MODMA	Top side**	0	9262	1852.4	19.00	18.91	2.09%	1.170	1.194	
WCDMA Band II	Top side	0	9400	1880	19.00	18.95	1.16%	1.130	1.143	-
Dana II	Top side	0	9538	1907.6	19.00	18.86	3.28%	1.180	1.219	-
	Bottom side	0	9400	1880	19.00	18.95	1.16%	0.035	0.035	-
	Right side	0	9400	1880	19.00	18.95	1.16%	0.486	0.492	-
	Left side	0	9400	1880	19.00	18.95	1.16%	0.054	0.055	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

WCDMA Band IV

Mode	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power	Scaling	Averaged 1, (W/	g	Plot page
					Tolerance (dbin)	(dBm)		Measured	Reported	
	Back side	0	1312	1712.4	20	19.98	0.46%	0.293	0.294	-
	Top side	0	1312	1712.4	20	19.98	0.46%	1.290	1.296	-
	Top side	0	1412	1732.4	20	19.96	0.93%	1.190	1.201	-
MODIMA	Top side	0	1513	1752.6	20	19.93	1.62%	1.370	1.392	453
WCDMA Band IV	Top side*	0	1513	1752.6	20	19.93	1.62%	1.260	1.280	-
Dana IV	Top side**	0	1312	1712.4	20	19.93	1.62%	1.240	1.260	-
	Bottom side	0	1412	1732.4	20	19.98	0.46%	0.041	0.041	
	Right side	0	1513	1752.6	20	19.98	0.46%	0.473	0.475	-
	Left side	0	1513	1752.6	20	19.98	0.46%	0.052	0.052	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

^{** - 2&}lt;sup>nd</sup> battery

^{** - 2&}lt;sup>nd</sup> battery



Page: 306 of 608

WCDMA Band V

Mode	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Avg. Power	Scaling	Averaged 1 (W/	g	Plot page
					Toloranco (aBin)	(dBm)		Measured	Reported	
	Back side	0	4183	836.6	20.5	20.48	0.46%	0.275	0.276	-
	Top side	0	4132	826.4	20.5	20.46	0.93%	1.300	1.312	454
	Top side*	0	4132	826.4	20.5	20.46	0.93%	1.150	1.161	-
MODMA	Top side**	0	4132	826.4	20.5	20.46	0.93%	1.120	1.130	-
WCDMA Band V	Top side	0	4183	836.6	20.5	20.48	0.46%	1.180	1.185	-
Bana v	Top side	0	4233	846.6	20.5	20.47	0.69%	1.130	1.138	-
	Bottom side	0	4183	836.6	20.5	20.48	0.46%	0.039	0.039	-
	Right side	0	4183	836.6	20.5	20.48	0.46%	0.477	0.479	-
	Left side	0	4183	836.6	20.5	20.48	0.46%	0.050	0.050	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

LTE FDD Band 2

Mode	Bandwidth	Modulation	RB	RB	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg.	Scaling		SAR over V/kg)	Plot
Wode	(MHz)	Wodulation	Size	start	1 Ushion	(mm)	GII	(MHz)	Tolerance (dBm)	Power (dBm)	Scaling	Measured	Reported	page
					Back side	0	18900	1880	19	19.00	0.00%	0.241	0.241	-
					Top side	0	18900	1880	19	19.00	0.00%	1.250	1.250	455
					Top side*	0	18900	1880	19	19.00	0.00%	1.120	1.120	-
				0	Top side**	0	18900	1880	19	19.00	0.00%	1.090	1.090	-
		1 RB	ŭ	Top side	0	19100	1900	19	18.89	2.57%	0.029	0.030	-	
				Bottom side	0	18900	1880	19	19.00	0.00%	0.436	0.436	-	
				Right side	0	18900	1880	19	19.00	0.00%	0.047	0.047	-	
				Left side	0	18900	1880	19	19.00	0.00%	1.120	1.120	-	
				99	Top side	0	18700	1860	19	18.89	2.57%	1.140	1.169	-
					Back side	0	18900	1880	19	18.92	1.86%	0.219	0.223	-
LTE					Top side	0	18900	1880	19	18.92	1.86%	0.979	0.997	-
Band 2	20MHz	QPSK		0	Bottom side	0	18900	1880	19	18.92	1.86%	0.011	0.011	-
			50 RB		Right side	0	18900	1880	19	18.92	1.86%	0.397	0.404	-
					Left side	0	18900	1880	19	18.92	1.86%	0.043	0.044	-
				25	Top side	0	19100	1900	19	18.80	4.71%	0.964	1.009	-
					Top side	0	18700	1860	19	18.72	6.66%	0.942	1.005	-
					Back side	0	18900	1880	19	18.96	0.93%	0.221	0.223	-
					Top side	0	18700	1860	19	18.73	6.41%	0.933	0.993	-
					Top side	0	18900	1880	19	18.96	0.93%	0.981	0.990	-
		100	RB	Top side	0	19100	1900	19	18.89	2.57%	0.969	0.994	-	
				Bottom side	0	18900	1880	19	18.96	0.93%	0.011	0.011	-	
					Right side	0	18900	1880	19	18.96	0.93%	0.393	0.397	-
					Left side	0	18900	1880	19	18.96	0.93%	0.043	0.043	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

^{** - 2&}lt;sup>nd</sup> battery

^{** - 2&}lt;sup>nd</sup> battery



Page: 307 of 608

LTE FDD Band 4

Mode	Bandwidth	Modulation	RR Size	RR start	Position	Distance	СН	Freq.	Max. Rated Avg.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
mede	(MHz)		113 0120	rto otari	, comen	(mm)	5.:	(MHz)	Tolerance (dBm)			Measured	Reported	page
					Back side	0	20300	1745	20	19.99	0.23%	0.278	0.279	-
					Top side	0	20300	1745	20	19.99	0.23%	1.360	1.363	456
					Top side*	0	20300	1745	20	19.99	0.23%	1.170	1.173	-
				0	Top side**	0	20300	1745	20	19.99	0.23%	1.140	1.143	-
			1 RB		Bottom side	0	20300	1745	20	19.99	0.23%	0.039	0.039	-
					Right side	0	20300	1745	20	19.99	0.23%	0.412	0.413	-
					Left side	0	20300	1745	20	19.99	0.23%	0.048	0.048	-
				50	Top side	0	20050	1720	20	19.95	1.16%	1.290	1.305	-
				99	Top side	0	20175	1732.5	20	19.92	1.86%	1.320	1.345	-
					Back side	0	20050	1720	20	19.85	3.51%	0.264	0.273	-
LTE					Top side	0	20050	1720	20	19.85	3.51%	0.992	1.027	-
Band 4	20MHz	QPSK		0	Top side	0	20300	1745	20	19.82	4.23%	0.983	1.025	-
Bana i			50 RB	Ů	Bottom side	0	20050	1720	20	19.85	3.51%	0.037	0.038	-
					Right side	0	20050	1720	20	19.85	3.51%	0.395	0.409	-
					Left side	0	20050	1720	20	19.85	3.51%	0.046	0.047	-
				50	Top side	0	20175	1732.5	20	19.77	5.44%	0.962	1.014	-
					Back side	0	20050	1720	20	19.87	3.04%	0.266	0.274	-
					Top side	0	20050	1720	20	19.87	3.04%	1.180	1.216	-
					Top side	0	20175	1732.5	20	19.75	5.93%	1.020	1.080	-
			100	RB	Top side	0	20030	1745	20	19.81	4.47%	1.110	1.160	-
					Bottom side	0	20050	1720	20	19.87	3.04%	0.039	0.040	-
					Right side	0	20050	1720	20	19.87	3.04%	0.399	0.411	-
					Left side	0	20050	1720	20	19.87	3.04%	0.051	0.053	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

LTE FDD Band 5

Mode	Bandwidth	Modulation	DR Sizo	DR start	Position	Distance	СН	Freq.	Max. Rated Avg.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
Wiede	(MHz)	Wodulation	NB 0i20	ND start	1 Collien	(mm)	611	(MHz)	Tolerance (dBm)		County	Measured	Reported	page
					Back side	0	20525	836.5	21	20.99	0.23%	0.267	0.268	-
					Top side	0	20450	829	21	20.98	0.46%	1.340	1.346	457
					Top side*	0	20450	829	21	20.98	0.46%	1.310	1.316	-
				0	Top side**	0	20450	829	21	20.98	0.46%	1.320	1.326	-
			1 RB	U	Top side	0	20525	836.5	21	20.99	0.23%	1.320	1.323	-
					Bottom side	0	20525	836.5	21	20.99	0.23%	0.040	0.040	-
					Right side	0	20525	836.5	21	20.99	0.23%	0.402	0.403	-
					Left side	0	20525	836.5	21	20.99	0.23%	0.053	0.053	-
				25	Top side	0	20525	836.5	21	20.86	3.28%	1.330	1.374	-
LTE				12	Top side	0	20525	836.5	21	20.82	4.23%	1.280	1.334	-
Band 5	10MHz	QPSK			Back side	0	20600	844	21	20.93	1.62%	0.261	0.265	-
					Top side	0	20450	829	21	20.82	4.23%	1.260	1.313	-
			25 RB	25	Top side	0	20600	844	21	20.93	1.62%	1.290	1.311	-
				20	Bottom side	0	20600	844	21	20.93	1.62%	0.034	0.035	-
					Right side	0	20600	844	21	20.93	1.62%	0.388	0.394	-
					Left side	0	20600	844	21	20.93	1.62%	0.049	0.050	-
					Back side	0	20600	844	21	20.85	3.51%	0.257	0.266	-
					Top side	0	20600	844	21	20.85	3.51%	1.280	1.325	-
			50	RB	Bottom side	0	20600	844	21	20.85	3.51%	0.031	0.032	-
					Right side	0	20600	844	21	20.85	3.51%	0.383	0.396	-
					Left side	0	20600	844	21	20.85	3.51%	0.045	0.047	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1

^{** - 2&}lt;sup>nd</sup> battery

^{** - 2&}lt;sup>nd</sup> battery



Page: 308 of 608

LTE FDD Band 7

Mode	Bandwidth	Modulation	DP Sizo	BB start	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling	Averaged 1g (V	SAR over V/kg)	Plot
wode	(MHz)	Wodulation	NB Size	ND Start	FUSITION	(mm)	СП	(MHz)	Tolerance (dBm)	(dBm)	Scaling	Measured	Reported	page
					Back side	0	21100	2535	20.5	20.49	0.23%	0.312	0.313	-
					Top side	0	20850	2510	20.5	20.43	1.62%	1.330	1.352	458
					Top side*	0	20850	2510	20.5	20.43	1.62%	1.290	1.311	-
				0	Top side**	0	20850	2510	20.5	20.43	1.62%	1.250	1.270	-
			1 RB	U	Top side	0	21100	2535	20.5	20.49	0.23%	1.230	1.233	-
					Bottom side	0	21100	2535	20.5	20.49	0.23%	0.045	0.045	-
					Right side	0	21100	2535	20.5	20.49	0.23%	0.527	0.528	-
					Left side	0	21100	2535	20.5	20.49	0.23%	0.057	0.057	-
				99	Top side	0	21350	2560	20.5	20.37	3.04%	1.190	1.226	-
				0	Top side	0	21350	2560	20.5	20.32	4.23%	1.070	1.115	-
LTE					Back side	0	21100	2535	20.5	20.33	3.99%	0.263	0.273	-
Band 7	20MHz	QPSK			Top side	0	20850	2510	20.5	19.93	14.02%	0.986	1.124	-
Dana /			25 RB	25	Top side	0	21100	2535	20.5	20.33	3.99%	1.130	1.175	-
				20	Bottom side	0	21100	2535	20.5	20.33	3.99%	0.043	0.045	-
					Right side	0	21100	2535	20.5	20.33	3.99%	0.488	0.507	-
					Left side	0	21100	2535	20.5	20.33	3.99%	0.047	0.049	-
					Back side	0	21350	2560	20.5	20.36	3.28%	0.269	0.278	-
					Top side	0	20850	2510	20.5	19.81	17.22%	0.973	1.141	-
					Top side	0	21100	2535	20.5	20.18	7.65%	1.040	1.120	-
			50	RB	Top side	0	21350	2560	20.5	20.36	3.28%	1.150	1.188	-
					Bottom side	0	21350	2560	20.5	20.36	3.28%	0.043	0.045	-
					Right side	0	21350	2560	20.5	20.36	3.28%	0.491	0.507	-
					Left side	0	21350	2560	20.5	20.36	3.28%	0.479	0.495	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1

^{** - 2}nd battery



Page: 309 of 608

LTE FDD Band 12

Mode	Bandwidth (MHz)	Modulation	RR Size	RR start	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling	Averaged 1g (V	SAR over V/kg)	Plot
Wood	(MHz)	viodulation	ND GIZE	ND start	1 osidon	(mm)	5	(MHz)	Tolerance (dBm)	(dBm)	Coding	Measured	Reported	page
					Back side	0	23130	711	21.5	21.50	0.00%	0.196	0.196	-
					Top side	0	23060	704	21.5	21.47	0.69%	1.360	1.369	459
					Top side	0	23095	707.5	21.5	21.42	1.86%	1.320	1.345	-
					Top side*	0	23095	707.5	21.5	21.42	1.86%	1.280	1.304	-
			1 RB	0	Top side**	0	23095	707.5	21.5	21.42	1.86%	1.260	1.283	-
					Top side	0	23130	711	21.5	21.50	0.00%	1.270	1.270	-
					Bottom side	0	23130	711	21.5	21.50	0.00%	0.038	0.038	-
					Right side	0	23130	711	21.5	21.50	0.00%	0.385	0.385	-
					Left side	0	23130	711	21.5	21.50	0.00%	0.052	0.052	-
					Back side	0	23130	711	21.5	21.43	1.62%	0.168	0.171	-
LTE					Top side	0	23060	704	21.5	21.31	4.47%	1.210	1.264	-
Band 12	10MHz	QPSK			Top side	0	23095	707.5	21.5	21.24	6.17%	1.160	1.232	-
Dana 12			25 RB	25	Top side	0	23130	711	21.5	21.43	1.62%	1.260	1.280	-
					Bottom side	0	23130	711	21.5	21.43	1.62%	0.029	0.029	-
					Right side	0	23130	711	21.5	21.43	1.62%	0.361	0.367	-
					Left side	0	23130	711	21.5	21.43	1.62%	0.050	0.051	-
					Back side	0	23130	711	21.5	21.46	0.93%	0.152	0.153	-
					Top side	0	23060	704	21.5	21.14	8.64%	0.986	1.071	-
					Top side	0	23095	707.5	21.5	21.23	6.41%	1.060	1.128	-
			50	RB	Top side	0	23130	711	21.5	21.46	0.93%	1.180	1.191	-
			l		Bottom side	0	23130	711	21.5	21.46	0.93%	0.028	0.028	-
					Right side	0	23130	711	21.5	21.46	0.93%	0.030	0.030	-
		l	l		Left side	0	23130	711	21.5	21.46	0.93%	0.049	0.049	-

 $^{^{\}ast}$ - repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2^{nd} battery

LTE FDD Band 13

Mode	Bandwidth	Modulation	DR Sizo	DR etart	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling	Averaged 1g (V		Plot
Mode	(MHz)	viodulatio	ND GIZE	ND start	1 Coldon	(mm)	CH	(MHz)	Tolerance (dBm)	(dBm)		Measured	Reported	page
				0	Top side	0	23230	782	21	20.62	9.14%	0.215	0.235	-
				25	Top side	0	23230	782	21	20.91	2.09%	1.300	1.327	460
					Back side	0	23230	782	21	20.98	0.46%	1.230	1.236	-
					Top side	0	23230	782	21	20.98	0.46%	1.190	1.195	-
			1 RB		Top side*	0	23230	782	21	20.98	0.46%	0.045	0.045	-
				49	Top side**	0	23230	782	21	20.98	0.46%	0.412	0.414	-
					Bottom side	0	23230	782	21	20.98	0.46%	0.055	0.055	-
					Right side	0	23230	782	21	20.98	0.46%	1.210	1.216	-
					Left side	0	23230	782	21	20.98	0.46%	1.220	1.226	-
LTE				0	Top side	0	23230	782	21	20.31	17.22%	1.040	1.219	-
Band 13	10MHz	QPSK		12	Top side	0	23230	782	21	20.54	11.17%	1.080	1.201	-
Bana 10					Back side	0	23230	782	21	20.67	7.89%	0.187	0.202	-
			25 RB		Top side	0	23230	782	21	20.67	7.89%	1.160	1.252	-
				25	Bottom side	0	23230	782	21	20.67	7.89%	0.041	0.044	-
					Right side	0	23230	782	21	20.67	7.89%	0.394	0.425	-
					Left side	0	23230	782	21	20.67	7.89%	0.052	0.056	-
					Back side	0	23230	782	21	20.37	15.61%	0.164	0.190	-
					Top side	0	23230	782	21	20.37	15.61%	1.130	1.306	-
			50	RB	Bottom side	0	23230	782	21	20.37	15.61%	0.039	0.045	-
					Right side	0	23230	782	21	20.37	15.61%	0.386	0.446	-
					Left side	0	23230	782	21	20.37	15.61%	0.051	0.059	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sas.com

^{** - 2&}lt;sup>nd</sup> battery



Page: 310 of 608

LTE FDD Band 14

Mode	Bandwidth	Modulation	DD Sizo	BB start	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
Wode	(MHz)	viodulatioi	NB Size	ND Start	FOSITION	(mm)	СП	(MHz)	Tolerance (dBm)	(dBm)	Scalling	Measured	Reported	page
				0	Top side	0	23330	793	21	20.62	9.14%	1.270	1.386	461
				25	Top side	0	23330	793	21	20.91	2.09%	1.210	1.235	-
					Back side	0	23330	793	21	20.99	0.23%	0.238	0.239	
					Top side	0	23330	793	21	20.99	0.23%	1.230	1.233	-
			1 RB		Top side*	0	23330	793	21	20.99	0.23%	1.130	1.133	-
				49	Top side**	0	23330	793	21	20.99	0.23%	1.090	1.093	-
					Bottom side	0	23330	793	21	20.99	0.23%	0.051	0.051	1
					Right side	0	23330	793	21	20.99	0.23%	0.425	0.426	
					Left side	0	23330	793	21	20.99	0.23%	0.057	0.057	-
LTE				0	Top side	0	23330	793	21	20.45	13.50%	1.060	1.203	-
Band 14	10MHz	QPSK		12	Top side	0	23330	793	21	20.56	10.66%	1.120	1.239	
Dana 14					Back side	0	23330	793	21	20.75	5.93%	0.196	0.208	1
			25 RB		Top side	0	23330	793	21	20.75	5.93%	1.180	1.250	•
				25	Bottom side	0	23330	793	21	20.75	5.93%	0.049	0.051	
					Right side	0	23330	793	21	20.75	5.93%	0.418	0.443	-
					Left side	0	23330	793	21	20.75	5.93%	0.056	0.060	-
					Back side	0	23330	793	21	20.81	4.47%	0.182	0.190	-
		1			Top side	0	23330	793	21	20.81	4.47%	1.020	1.066	-
		1	50	RB	Bottom side	0	23330	793	21	20.81	4.47%	0.047	0.049	1
					Right side	0	23330	793	21	20.81	4.47%	0.411	0.429	-
					Left side	0	23330	793	21	20.81	4.47%	0.055	0.057	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2nd battery

LTE FDD Band 17

Mode	Bandwidth	Modulation	DR Sizo	BB start	Position	Distance	СН	Freq.	Max. Rated Avg.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
Wode	(MHz)	viodulatioi	ND SIZE	ND start	i osition	(mm)	CH	(MHz)	Tolerance (dBm)	(dBm)	Scaling	Measured	Reported	page
					Back side	0	23800	711	21.5	21.49	0.23%	0.194	0.194	ı
					Top side	0	23780	709	21.5	21.46	0.93%	1.330	1.342	462
					Top side*	0	23780	709	21.5	21.46	0.93%	1.290	1.302	·
					Top side**	0	23780	709	21.5	21.46	0.93%	1.240	1.251	·
			1 RB	0	Top side	0	23790	710	21.5	21.47	0.69%	1.210	1.218	-
					Top side	0	23800	711	21.5	21.49	0.23%	1.240	1.243	·
					Bottom side	0	23800	711	21.5	21.49	0.23%	0.038	0.038	ı
					Right side	0	23800	711	21.5	21.49	0.23%	0.384	0.385	·
					Left side	0	23800	711	21.5	21.49	0.23%	0.052	0.052	-
					Back side	0	23800	711	21.5	20.44	27.64%	0.183	0.234	·
LTE					Top side	0	23780	709	21.5	20.42	28.23%	1.110	1.423	-
Band 17	10MHz	QPSK			Top side	0	23790	710	21.5	20.43	27.94%	1.150	1.471	-
Bana II			25 RB	25	Top side	0	23800	711	21.5	20.44	27.64%	1.170	1.493	-
					Bottom side	0	23800	711	21.5	20.44	27.64%	0.036	0.046	-
					Right side	0	23800	711	21.5	20.44	27.64%	0.365	0.466	-
					Left side	0	23800	711	21.5	20.44	27.64%	0.049	0.063	-
					Back side	0	23800	711	21.5	20.39	29.12%	0.179	0.231	-
					Top side	0	23780	709	21.5	20.31	31.52%	0.994	1.307	-
					Top side	0	23790	710	21.5	20.36	30.02%	1.040	1.352	
		1	50	RB	Top side	0	23800	711	21.5	20.39	29.12%	1.090	1.407	
					Bottom side	0	23800	711	21.5	20.39	29.12%	0.031	0.040	-
		1			Right side	0	23800	711	21.5	20.39	29.12%	0.354	0.457	-
					Left side	0	23800	711	21.5	20.39	29.12%	0.048	0.062	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2nd battery

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 311 of 608

LTE FDD Band 25

Mode	Bandwidth	Modulation	DD Ciro	BB start	Position	Distance	СН	Freq.	Max. Rated Avg.	Measured Avg.	Scaling	Averaged 1g (V		Plot
Wode	(MHz)	viodulatioi	ND SIZE	ND start	i osidori	(mm)	CIT	(MHz)	Tolerance (dBm)	Power (dBm)	· ·	Measured	Reported	page
					Back side	0	26365	1882.5	19	18.74	6.17%	0.245	0.260	-
					Top side	0	26140	1860	19	18.55	10.92%	1.280	1.420	-
					Top side	0	26365	1882.5	19	18.74	6.17%	1.350	1.433	463
					Top side*	0	26365	1882.5	19	18.74	6.17%	1.340	1.423	-
			1 RB	50	Top side**	0	26365	1882.5	19	18.74	6.17%	1.270	1.348	-
					Top side	0	26590	1905	19	18.53	11.43%	1.260	1.404	-
					Bottom side	0	26365	1882.5	19	18.74	6.17%	0.030	0.032	-
					Right side	0	26365	1882.5	19	18.74	6.17%	0.456	0.484	-
					Left side	0	26365	1882.5	19	18.74	6.17%	0.052	0.055	-
				0	Top side	0	26140	1860	19	18.23	19.40%	1.060	1.266	-
LTE					Back side	0	26365	1882.5	19	18.25	18.85%	0.241	0.286	-
Band 25	20MHz	QPSK			Top side	0	26590	1905	19	18.25	18.85%	1.090	1.295	-
Dana 20			50 RB	25	Top side	0	26365	1882.5	19	18.10	23.03%	1.020	1.255	-
				23	Bottom side	0	26365	1882.5	19	18.25	18.85%	0.029	0.034	-
					Right side	0	26365	1882.5	19	18.25	18.85%	0.452	0.537	-
					Left side	0	26365	1882.5	19	18.25	18.85%	0.045	0.054	-
					Back side	0	26365	1882.5	19	18.21	19.95%	0.238	0.285	-
					Top side	0	26140	1860	19	18.13	22.18%	1.050	1.283	-
					Top side	0	26365	1882.5	19	18.21	19.95%	1.070	1.283	-
			100	RB	Top side	0	26590	1905	19	18.11	22.74%	1.040	1.277	-
					Bottom side	0	26365	1882.5	19	18.21	19.95%	0.029	0.034	-
					Right side	0	26365	1882.5	19	18.21	19.95%	0.449	0.539	-
					Left side	0	26365	1882.5	19	18.21	19.95%	0.043	0.052	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

^{** - 2&}lt;sup>nd</sup> battery



Page: 312 of 608

LTE FDD Band 26

Mode	Bandwidth	Modulation	DD Sizo	DR stort	Position	Distance	СН	Freq.	Max. Rated Avg.	Measured Avg.	Scaling	Averaged 1g (V		Plot
Wode	(MHz)	viodulatioi	KB Size	ND Start	Position	(mm)	CH	(MHz)	Tolerance (dBm)	Power (dBm)	Scaling	Measured	Reported	page
					Back side	0	26965	841.5	21	21.00	0.00%	0.249	0.249	-
					Top side	0	26865	831.5	21	20.92	1.86%	1.360	1.385	464
					Top side*	0	26865	831.5	21	20.92	1.86%	1.330	1.355	
				0	Top side**	0	26865	831.5	21	20.92	1.86%	1.260	1.283	
			1 RB	U	Top side	0	26965	841.5	21	21.00	0.00%	1.280	1.280	·
					Bottom side	0	26965	841.5	21	21.00	0.00%	0.038	0.038	·
					Right side	0	26965	841.5	21	21.00	0.00%	0.396	0.396	
					Left side	0	26965	841.5	21	21.00	0.00%	0.049	0.049	
				36	Top side	0	26765	821.5	21	20.87	3.04%	1.220	1.257	-
					Back side	0	26825	822.5	21	20.46	13.24%	1.310	1.483	
LTE					Top side	0	26865	831.5	21	20.46	13.24%	0.221	0.250	-
Band 26	15MHz	QPSK		0	Bottom side	0	26825	822.5	21	20.46	13.24%	1.310	1.483	-
Bana 20			36 RB		Right side	0	26865	831.5	21	20.46	13.24%	0.037	0.042	-
					Left side	0	26965	841.5	21	20.46	13.24%	0.375	0.425	-
				18	Top side	0	26965	841.5	21	20.39	15.08%	0.045	0.052	-
				37	Top side	0	26965	841.5	21	20.38	15.35%	1.130	1.303	٠
					Back side	0	26965	841.5	21	20.45	13.50%	0.219	0.249	·
					Top side	0	26765	821.5	21	20.43	14.02%	1.170	1.334	-
					Top side	0	26865	831.5	21	20.42	14.29%	1.150	1.314	
			75	RB	Top side	0	26965	841.5	21	20.45	13.50%	1.180	1.339	
					Bottom side	0	26965	841.5	21	20.45	13.50%	0.036	0.041	
					Right side	0	26965	841.5	21	20.45	13.50%	0.372	0.422	-
1					Left side	0	26965	841.5	21	20.45	13.50%	0.045	0.051	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

LTE FDD Band 30

Mode	Bandwidth (MHz)	Modulation	DR Sizo	DR start	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling	Averaged 1g (V		Plot
Wode	(MHz)	viodulation	ND GIZE	ND start		(mm)		(MHz)	Tolerance (dBm)	(dBm)	ĵ	Measured	·	page
					Back side	0	27710	2310	20	19.98	0.46%	0.301	0.302	-
					Top side	0	27710	2310	20	19.98	0.46%	1.300	1.306	465
					Top side*	0	27710	2310	20	19.98	0.46%	1.260	1.266	-
				0	Top side**	0	27710	2310	20	19.98	0.46%	1.240	1.246	-
			1 RB		Bottom side	0	27710	2310	20	19.98	0.46%	0.043	0.043	-
					Right side	0	27710	2310	20	19.98	0.46%	0.517	0.519	-
					Left side	0	27710	2310	20	19.98	0.46%	0.052	0.053	-
				25	Top side	0	27710	2310	20	19.84	3.75%	1.230	1.276	-
				49	Top side	0	27710	2310	20	19.87	3.04%	1.260	1.298	-
LTE					Back side	0	27710	2310	19	18.75	5.93%	0.278	0.294	-
Band 30	10MHz	QPSK			Top side	0	27710	2310	19	18.75	5.93%	1.180	1.250	-
				0	Bottom side	0	27710	2310	19	18.75	5.93%	0.039	0.041	-
			25 RB		Right side	0	27710	2310	19	18.75	5.93%	0.485	0.514	-
					Left side	0	27710	2310	19	18.75	5.93%	0.050	0.053	-
				12	Top side	0	27710	2310	19	18.73	6.41%	1.160	1.234	-
				25	Top side	0	27710	2310	19	18.65	8.39%	1.120	1.214	-
					Back side	0	27710	2310	19	18.83	3.99%	0.286	0.297	-
					Top side	0	27710	2310	19	18.83	3.99%	1.200	1.248	-
			50	RB	Bottom side	0	27710	2310	19	18.83	3.99%	0.040	0.042	-
					Right side	0	27710	2310	19	18.83	3.99%	0.493	0.513	-
					Left side	0	27710	2310	19	18.83	3.99%	0.051	0.053	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2nd battery

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

^{** - 2&}lt;sup>nd</sup> battery



Page: 313 of 608

LTE TDD Band 38

Mode	Bandwidth	Modulation	DR Sizo	BB start	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
wode	(MHz)	viodulatioi	NB Size	ND Start	Position	(mm)	СП	(MHz)	Tolerance (dBm)	(dBm)	Scaling	Measured	Reported	page
					Top side	0	37850	2580	24	23.77	5.44%	1.070	1.128	466
				0	Top side*	0	37850	2580	24	23.77	5.44%	1.020	1.075	-
					Top side**	0	37850	2580	24	23.77	5.44%	1.030	1.086	-
				50	Top side	0	38150	2610	24	23.83	3.99%	1.010	1.050	-
			1 RB		Back side	0	38000	2595	24	23.93	1.62%	0.284	0.289	-
					Top side	0	38000	2595	24	23.93	1.62%	1.040	1.057	-
				99	Bottom side	0	38000	2595	24	23.93	1.62%	0.043	0.044	-
					Right side	0	38000	2595	24	23.93	1.62%	0.496	0.504	-
					Left side	0	38000	2595	24	23.93	1.62%	0.054	0.055	-
				0	Top side	0	37850	2580	23	22.66	8.14%	0.872	0.943	-
LTE					Back side	0	38150	2610	23	22.86	3.28%	0.245	0.253	-
Band 38	20MHz	QPSK			Top side	0	38000	2595	23	22.63	8.89%	0.853	0.929	-
Dana 50			50 RB	50	Top side	0	38150	2610	23	22.86	3.28%	0.871	0.900	-
				30	Bottom side	0	38150	2610	23	22.86	3.28%	0.042	0.043	-
					Right side	0	38150	2610	23	22.86	3.28%	0.477	0.493	-
					Left side	0	38150	2610	23	22.86	3.28%	0.052	0.054	-
					Back side	0	38150	2610	23	22.76	5.68%	0.238	0.252	-
					Top side	0	37850	2580	23	22.67	7.89%	0.863	0.931	-
		1			Top side	0	38150	2610	23	22.66	8.14%	0.867	0.938	-
		1	100	RB	Top side	0	38150	2610	23	22.76	5.68%	0.891	0.942	-
		1			Bottom side	0	38150	2610	23	22.76	5.68%	0.040	0.042	-
ii					Right side	0	38150	2610	23	22.76	5.68%	0.459	0.485	-
İ	1	1			Left side	0	38150	2610	23	22.76	5.68%	0.051	0.054	-

 $^{^{\}star}$ - repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2^{nd} battery

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 314 of 608

LTE TDD Band 41

Mode	Bandwidth	Modulation	DD Sizo	BB start	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
Wiode	(MHz)	viodulatioi	ND SIZE	ND start	i osition	(mm)	Ö i	(MHz)	Tolerance (dBm)	(dBm)	Scaling	Measured	Reported	page
					Back side	0	39750	2506	22.5	22.50	0.00%	0.347	0.347	-
					Top side	0	39750	2506	22.5	22.50	0.00%	1.230	1.230	-
				0	Bottom side	0	39750	2506	22.5	22.50	0.00%	0.047	0.047	-
					Right side	0	39750	2506	22.5	22.50	0.00%	0.543	0.543	-
					Left side	0	39750	2506	22.5	22.50	0.00%	0.063	0.063	-
			1 RB		Top side	0	40620	2593	22.5	21.87	15.61%	1.170	1.353	-
				50	Top side	0	41490	2680	22.5	22.13	8.89%	1.270	1.383	467
				50	Top side*	0	41490	2680	22.5	22.13	8.89%	1.210	1.318	-
					Top side**	0	41490	2680	22.5	22.13	8.89%	1.180	1.285	-
				99	Top side	0	39750	2506	22.5	22.34	3.75%	1.190	1.235	-
				55	Top side	0	41055	2636.5	22.5	22.33	3.99%	1.030	1.071	-
				0	Top side	0	40620	2593	22.5	21.48	26.47%	0.986	1.247	-
				Ů	Top side	0	41490	2680	22.5	21.43	27.94%	0.945	1.209	-
LTE	20MHz	QPSK			Back side	0	40185	2549.5	22.5	21.52	25.31%	0.312	0.391	-
Band 41	ZOWINIZ	Qi Oit			Top side	0	39750	2506	22.5	21.52	25.31%	0.922	1.155	-
			50 RB	25	Top side	0	40185	2549.5	22.5	21.52	25.31%	1.050	1.316	-
				25	Bottom side	0	40185	2549.5	22.5	21.52	25.31%	0.042	0.053	-
					Right side	0	40185	2549.5	22.5	21.52	25.31%	0.529	0.663	-
					Left side	0	40185	2549.5	22.5	21.52	25.31%	0.059	0.073	-
				50	Top side	0	40185	2549.5	22.5	21.41	28.53%	0.957	1.230	-
					Back side	0	40185	2549.5	22.5	21.53	25.03%	0.308	0.385	-
					Top side	0	39750	2506	22.5	21.38	29.42%	0.995	1.288	-
					Top side	0	40185	2549.5	22.5	21.53	25.03%	1.040	1.300	-
			100	RB	Top side	0	40620	2593	22.5	21.35	30.32%	0.976	1.272	-
			100	T.D	Top side	0	41055	2636.5	22.5	21.36	30.02%	0.959	1.247	-
					Bottom side	0	40185	2549.5	22.5	21.53	25.03%	0.042	0.053	-
					Right side	0	40185	2549.5	22.5	21.53	25.03%	0.523	0.654	-
					Left side	0	40185	2549.5	22.5	21.53	25.03%	0.058	0.073	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2nd battery

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 315 of 608

LTE FDD Band 66

Mode	Bandwidth	Modulation	DR Siza	DR start	Position	Distance	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling		SAR over V/kg)	Plot
Wiode	(MHz)	viodulatioi	ND GIZE	ND Start	1 osidon	(mm)	611	(MHz)	Tolerance (dBm)	(dBm)	· ·	Measured	Reported	page
					Back side	0	132572	1770	19.5	19.44	1.39%	0.258	0.262	-
					Top side	0	132572	1770	19.5	19.44	1.39%	1.350	1.369	468
					Top side*	0	132572	1770	19.5	19.44	1.39%	1.310	1.328	-
				0	Top side**	0	132572	1770	19.5	19.44	1.39%	1.250	1.267	
			1 RB		Bottom side	0	132572	1770	19.5	19.44	1.39%	0.038	0.038	-
					Right side	0	132572	1770	19.5	19.44	1.39%	0.441	0.447	-
					Left side	0	132572	1770	19.5	19.44	1.39%	0.047	0.047	-
				50	Top side	0	132072	1720	19.5	19.34	3.75%	1.260	1.307	-
				99	Top side	0	132322	1745	19.5	19.23	6.41%	1.240	1.320	-
				0	Top side	0	132322	1745	19.5	18.74	19.12%	1.140	1.358	-
LTE				25	Top side	0	132072	1720	19.5	18.79	17.76%	1.160	1.366	-
Band 66	20MHz	QPSK			Back side	0	132572	1770	19.5	18.99	12.46%	0.247	0.278	-
Dana oo			50 RB		Top side	0	132572	1770	19.5	18.99	12.46%	1.210	1.361	
				50	Bottom side	0	132572	1770	19.5	18.99	12.46%	0.036	0.040	-
					Right side	0	132572	1770	19.5	18.99	12.46%	0.424	0.477	-
					Left side	0	132572	1770	19.5	18.99	12.46%	0.045	0.051	-
					Back side	0	132572	1770	19.5	19.00	12.20%	0.249	0.279	-
					Top side	0	132072	1720	19.5	18.80	17.49%	1.170	1.375	-
					Top side	0	132322	1745	19.5	18.70	20.23%	1.110	1.335	-
			100	RB	Top side	0	132572	1770	19.5	19.00	12.20%	1.190	1.335	-
					Bottom side	0	132572	1770	19.5	19.00	12.20%	0.032	0.036	-
					Right side	0	132572	1770	19.5	19.00	12.20%	0.417	0.468	-
1	1		l		Left side	0	132572	1770	19.5	19.00	12.20%	0.044	0.049	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01 ** - 2nd battery

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 316 of 608

AWAN

WLAN Antenna

Antenna	Mode	Position	Distance (mm)	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling	Averaged S (W/	AR over 1g /kg)	Plot page
			()		(1411 12)	Tolerance (dBm)	(dBm)		Measured	Reported	pago
		Back side	0	1	2412	17.50	17.49	100.23%	0.146	0.146	•
		Top side	0	1	2412	17.50	17.49	100.23%	0.455	0.456	469
	WLAN 802.11b	Top side**	0	1	2412	17.50	17.49	100.23%	0.438	0.439	
	WLAN 602.11b	Bottom side	0	1	2412	17.50	17.49	100.23%	0.025	0.025	-
		Right side	0	1	2412	17.50	17.49	100.23%	0.042	0.042	-
		Left side	0	1	2412	17.50	17.49	100.23%	0.042	0.042	-
		Back side	0	46	5230	15.50	15.47	100.69%	0.073	0.074	-
		Top side	0	46	5230	15.50	15.47	100.69%	0.465	0.468	470
	WI AN 000 44=(40M) F 2C	Top side**	0	46	5230	15.50	15.47	100.69%	0.456	0.459	-
	WLAN 802.11n(40M) 5.2G	Bottom side	0	46	5230	15.50	15.47	100.69%	0.079	0.080	-
		Right side	0	46	5230	15.50	15.47	100.69%	0.012	0.012	-
		Left side	0	46	5230	15.50	15.47	100.69%	0.042	0.043	-
		Back side	0	60	5300	15.50	15.49	100.23%	0.058	0.058	-
		Top side	0	60	5300	15.50	15.49	100.23%	0.372	0.373	471
	WLAN 802.11a 5.3G	Bottom side	0	60	5300	15.50	15.49	100.23%	0.067	0.067	-
		Right side	0	60	5300	15.50	15.49	100.23%	0.008	0.008	-
		Left side	0	60	5300	15.50	15.49	100.23%	0.031	0.031	-
		Back side	0	54	5270	15.50	15.50	100.00%	0.068	0.068	-
		Top side	0	54	5270	15.50	15.50	100.00%	0.405	0.405	472
		Top side**	0	54	5270	15.50	15.50	100.00%	0.399	0.399	-
	WLAN 802.11n(40M) 5.3G	Bottom side	0	54	5270	15.50	15.50	100.00%	0.073	0.073	-
Main		Right side	0	54	5270	15.50	15.50	100.00%	0.010	0.010	-
		Left side	0	54	5270	15.50	15.50	100.00%	0.034	0.034	-
		Back side	0	102	5510	15.50	15.49	100.23%	0.083	0.083	-
		Top side	0	102	5510	15.50	15.49	100.23%	0.565	0.566	473
	WLAN 802.11n(40M) 5.6G	Bottom side	0	102	5510	15.50	15.49	100.23%	0.082	0.082	-
	, ,	Right side	0	102	5510	15.50	15.49	100.23%	0.013	0.013	-
		Left side	0	102	5510	15.50	15.49	100.23%	0.046	0.046	-
		Back side	0	138	5690	15.50	15.49	100.23%	0.131	0.131	-
		Top side	0	122	5610	15.50	15.45	101.16%	0.730	0.738	-
		Top side	0	138	5690	15.50	15.49	100.23%	0.850	0.852	474
		Top side*	0	138	5690	15.50	15.49	100.23%	0.831	0.833	-
	WLAN 802.11ac(80M) 5.6G	Top side**	0	138	5690	15.50	15.49	100.23%	0.838	0.840	-
		Bottom side	0	138	5690	15.50	15.49	100.23%	0.127	0.127	-
		Right side	0	138	5690	15.50	15.49	100.23%	0.022	0.022	-
		Left side	0	138	5690	15.50	15.49	100.23%	0.064	0.064	-
		Back side	0	155	5775	15.50	15.49	100.23%	0.144	0.144	-
		Top side	0	155	5775	15.50	15.49	100.23%	0.895	0.897	475
		Top side*	0	155	5775	15.50	15.49	100.23%	0.881	0.883	-
	WLAN 802.11ac(80M) 5.8G	Top side**	0	155	5775	15.50	15.49	100.23%	0.876	0.878	-
		Bottom side	0	155	5775	15.50	15.49	100.23%	0.132	0.132	
		Right side	0	155	5775	15.50	15.49	100.23%	0.026	0.026	
		Left side	0	155	5775	15.50	15.49	100.23%	0.020	0.020	

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1

^{** - 2}nd Battery spotcheck



Page: 317 of 608

WLAN Aux Antenna

Antenna	Mode	Position	Distance (mm)	СН	Freq.	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		Plot page
			()		(IVII IZ)				Measured	Reported	page
		Back side	0	1	2412	17.50	17.49	100.23%	0.088	0.088	-
		Top side	0	1	2412	17.50	17.49	100.23%	0.747	0.749	476
	WLAN 802.11b	Top side**	0	1	2412	17.50	17.49	100.23%	0.738	0.740	-
	WLAN 602.11D	Bottom side	0	1	2412	17.50	17.49	100.23%	0.055	0.055	-
		Right side	0	1	2412	17.50	17.49	100.23%	0.028	0.028	
		Left side	0	1	2412	17.50	17.49	100.23%	0.479	0.480	
		Back side	0	39	2441	11.50	11.50	100.00%	0.016	0.016	-
		Top side	0	39	2441	11.50	11.50	100.00%	0.153	0.153	477
	Bluetooth (GFSK)	Bottom side	0	39	2441	11.50	11.50	100.00%	0.011	0.011	
		Right side	0	39	2441	11.50	11.50	100.00%	0.010	0.010	
		Left side	0	39	2441	11.50	11.50	100.00%	0.107	0.107	-
		Back side	0	38	5190	15.50	15.47	100.69%	0.037	0.038	-
		Top side	0	38	5190	15.50	15.47	100.69%	0.375	0.378	478
	WLAN 802.11n(40M) 5.2G	Top side**	0	38	5190	15.50	15.47	100.69%	0.366	0.369	-
	WLAN 602.1111(40W) 5.2G	Bottom side	0	38	5190	15.50	15.47	100.69%	0.016	0.016	-
		Right side	0	38	5190	15.50	15.47	100.69%	0.013	0.013	-
		Left side	0	38	5190	15.50	15.47	100.69%	0.216	0.217	-
	WLAN 802.11a 5.3G	Back side	0	60	5300	15.50	15.47	100.69%	0.042	0.043	-
		Top side	0	60	5300	15.50	15.47	100.69%	0.469	0.472	479
		Top side**	0	60	5300	15.50	15.47	100.69%	0.457	0.460	-
		Bottom side	0	60	5300	15.50	15.47	100.69%	0.020	0.020	-
Aux		Right side	0	60	5300	15.50	15.47	100.69%	0.017	0.018	-
		Left side	0	60	5300	15.50	15.47	100.69%	0.311	0.313	-
		Back side	0	54	5270	15.50	15.49	100.23%	0.039	0.039	-
	WLAN 802.11n(40M) 5.3G	Top side	0	54	5270	15.50	15.49	100.23%	0.410	0.411	480
		Bottom side	0	54	5270	15.50	15.49	100.23%	0.018	0.018	-
		Right side	0	54	5270	15.50	15.49	100.23%	0.014	0.014	-
		Left side	0	54	5270	15.50	15.49	100.23%	0.243	0.244	-
		Back side	0	138	5690	15.50	15.49	100.23%	0.082	0.082	-
		Top side	0	106	5530	15.50	15.47	100.69%	0.448	0.451	-
		Top side	0	138	5690	15.50	15.49	100.23%	0.895	0.897	481
		Top side*	0	138	5690	15.50	15.49	100.23%	0.871	0.873	-
	WLAN 802.11ac(80M) 5.6G	Top side**	0	138	5690	15.50	15.49	100.23%	0.887	0.889	
		Bottom side	0	138	5690	15.50	15.49	100.23%	0.038	0.038	
		Right side	0	138	5690	15.50	15.49	100.23%	0.033	0.033	-
		Left side	0	138	5690	15.50	15.49	100.23%	0.552	0.553	-
		Back side	0	155	5775	15.50	15.49	100.23%	0.073	0.074	-
		Top side	0	155	5775	15.50	15.49	100.23%	0.780	0.782	482
	MILANI 000 44 (00MF = 00	Top side**	0	155	5775	15.50	15.49	100.23%	0.774	0.776	-
	WLAN 802.11ac(80M) 5.8G	Bottom side	0	155	5775	15.50	15.49	100.23%	0.037	0.037	-
		Right side	0	155	5775	15.50	15.49	100.23%	0.032	0.032	-
		Left side	0	155	5775	15.50	15.49	100.23%	0.511	0.512	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

^{** - 2}nd Battery spotcheck



Page: 318 of 608

HONG-BO

WLAN Antenna

Antenna	Mode	Position	Distance (mm)	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling	Averaged S (W/	Plot page	
			()		(Tolerance (dBm)	(dBm)		Measured	Reported	1 - 3 -
		Back side	0	1	2412	17.50	17.49	100.23%	0.143	0.143	-
		Top side	0	1	2412	17.50	17.49	100.23%	0.630	0.631	483
	WLAN 802.11b	Top side**	0	1	2412	17.50	17.49	100.23%	0.623	0.624	-
	WE 114 002.1115	Bottom side	0	1	2412	17.50	17.49	100.23%	0.005	0.005	-
		Right side	0	1	2412	17.50	17.49	100.23%	0.004	0.004	-
		Left side	0	1	2412	17.50	17.49	100.23%	0.125	0.125	-
		Back side	0	46	5230	15.50	15.47	100.69%	0.195	0.196	-
		Top side	0	38	5190	15.50	15.46	100.93%	0.846	0.854	484
		Top side**	0	38	5190	15.50	15.46	100.93%	0.841	0.849	-
	WLAN 802.11n(40M) 5.2G	Top side	0	46	5230	15.50	15.47	100.69%	0.803	0.809	-
		Bottom side	0	46	5230	15.50	15.47	100.69%	0.006	0.006	-
		Right side	0	46	5230	15.50	15.47	100.69%	0.007	0.008	-
		Left side	0	46	5230	15.50	15.47	100.69%	0.177	0.178	-
		Back side	0	60	5300	15.50	15.49	100.23%	0.274	0.275	-
		Top side	0	60	5300	15.50	15.49	100.23%	0.945	0.947	-
		Top side	0	64	5320	15.50	15.45	101.16%	0.957	0.968	485
	WLAN 802.11a 5.3G	Top side**	0	64	5320	15.50	15.45	101.16%	0.945	0.956	-
		Bottom side	0	60	5300	15.50	15.49	100.23%	0.010	0.010	
		Right side	0	60	5300	15.50	15.49	100.23%	0.011	0.011	-
		Left side	0	60	5300	15.50	15.49	100.23%	0.185	0.185	-
		Back side	0	54	5270	15.50	15.50	100.00%	0.217	0.217	-
	WLAN 802.11n(40M) 5.3G	Top side	0	54	5270	15.50	15.50	100.00%	0.877	0.877	486
Main		Top side	0	62	5310	13.00	12.98	100.46%	0.492	0.494	-
		Bottom side	0	54	5270	15.50	15.50	100.00%	0.008	0.008	-
		Right side	0	54	5270	15.50	15.50	100.00%	0.008	0.008	-
		Left side	0	54	5270	15.50	15.50	100.00%	0.179	0.179	-
		Back side	0	102	5510	15.50	15.49	100.23%	0.255	0.256	-
		Top side	0	102	5510	15.50	15.49	100.23%	0.926	0.928	-
		Top side	0	134	5670	15.50	15.48	100.46%	1.030	1.035	487
	WLAN 802.11n(40M) 5.6G	Top side**	0	134	5670	15.50	15.48	100.46%	0.995	1.000	-
		Bottom side	0	102	5510	15.50	15.49	100.23%	0.010	0.010	-
		Right side	0	102	5510	15.50	15.49	100.23%	0.009	0.009	-
		Left side	0	102	5510	15.50	15.49	100.23%	0.184	0.184	-
		Back side	0	138	5690	15.50	15.49	100.23%	0.243	0.244	-
		Top side	0	122	5610	15.50	15.45	101.16%	0.902	0.912	-
		Top side	0	138	5690	15.50	15.49	100.23%	0.918	0.920	488
	WLAN 802.11ac(80M) 5.6G	Bottom side	0	138	5690	15.50	15.49	100.23%	0.009	0.009	-
		Right side	0	138	5690	15.50	15.49	100.23%	0.008	0.008	-
		Left side	0	138	5690	15.50	15.49	100.23%	0.182	0.182	-
		Back side	0	155	5775	15.50	15.49	100.23%	0.288	0.289	-
		Top side	0	155	5775	15.50	15.49	100.23%	0.959	0.961	489
		Top side**	0	155	5775	15.50	15.49	100.23%	0.951	0.953	-
	WLAN 802.11ac(80M) 5.8G	Bottom side	0	155	5775	15.50	15.49	100.23%	0.011	0.011	-
		Right side	0	155	5775	15.50	15.49	100.23%	0.010	0.010	-
		Left side	0	155	5775	15.50	15.49	100.23%	0.186	0.186	-
		2011 0100	Ŭ	.00	33	.0.00	.00	.00.2070	000	000	

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488

^{** - 2}nd Battery spotcheck



Page: 319 of 608

WLAN Aux Antenna

Antenna	Mode	Position	Distance (mm)	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling	Averaged S (W/		Plot page
			()		(1411 12)	Tolerance (dBm)	(dBm)		Measured	Reported	
		Back side	0	1	2412	17.50	17.49	100.23%	0.413	0.414	
		Top side	0	1	2412	17.50	17.49	100.23%	1.190	1.193	490
		Top side**	0	1	2412	17.50	17.49	100.23%	1.100	1.103	-
	WLAN 802.11b	Top side	0	6	2437	17.50	17.47	100.69%	1.170	1.178	-
		Bottom side	0	1	2412	17.50	17.49	100.23%	0.022	0.022	-
		Right side	0	1	2412	17.50	17.49	100.23%	0.021	0.021	-
		Left side	0	1	2412	17.50	17.49	100.23%	0.394	0.395	-
		Back side	0	39	2441	11.50	11.50	100.00%	0.088	0.088	-
		Top side	0	39	2441	11.50	11.50	100.00%	0.270	0.270	491
	Bluetooth (GFSK)	Bottom side	0	39	2441	11.50	11.50	100.00%	0.005	0.005	-
		Right side	0	39	2441	11.50	11.50	100.00%	0.003	0.003	-
		Left side	0	39	2441	11.50	11.50	100.00%	0.077	0.077	-
		Back side	0	38	5190	15.50	15.47	100.69%	0.226	0.228	
		Top side	0	38	5190	15.50	15.47	100.69%	0.901	0.907	-
		Top side	0	46	5230	15.50	15.41	102.09%	0.923	0.942	492
	WLAN 802.11n(40M) 5.2G	Top side**	0	46	5230	15.50	15.41	102.09%	0.910	0.929	•
		Bottom side	0	38	5190	15.50	15.47	100.69%	0.019	0.019	
		Right side	0	38	5190	15.50	15.47	100.69%	0.016	0.016	
		Left side	0	38	5190	15.50	15.47	100.69%	0.179	0.180	-
		Back side	0	60	5300	15.50	15.47	100.69%	0.253	0.255	•
	WLAN 802.11a 5.3G	Top side	0	52	5260	15.50	15.44	101.39%	1.000	1.014	493
		Top side**	0	52	5260	15.50	15.44	101.39%	0.975	0.989	-
Aux		Top side	0	60	5300	15.50	15.47	100.69%	0.933	0.939	-
		Bottom side	0	60	5300	15.50	15.47	100.69%	0.020	0.020	-
		Right side	0	60	5300	15.50	15.47	100.69%	0.017	0.017	-
		Left side	0	60	5300	15.50	15.47	100.69%	0.182	0.183	-
		Back side	0	54	5270	15.50	15.49	100.23%	0.261	0.262	-
		Top side	0	54	5270	15.50	15.49	100.23%	0.987	0.989	494
	WLAN 802.11n(40M) 5.3G	Top side	0	62	5310	13.00	13.00	100.00%	0.571	0.571	-
	WLAN 602.1111(40W) 5.3G	Bottom side	0	54	5270	15.50	15.49	100.23%	0.021	0.021	-
		Right side	0	54	5270	15.50	15.49	100.23%	0.018	0.018	-
		Left side	0	54	5270	15.50	15.49	100.23%	0.187	0.187	-
		Back side	0	138	5690	15.50	15.49	100.23%	0.221	0.222	-
		Top side	0	106	5530	15.50	15.47	100.69%	0.910	0.916	495
		Top side**	0	106	5530	15.50	15.47	100.69%	0.905	0.911	-
	WLAN 802.11ac(80M) 5.6G	Top side	0	138	5690	15.50	15.49	100.23%	0.817	0.819	-
		Bottom side	0	138	5690	15.50	15.49	100.23%	0.018	0.018	-
		Right side	0	138	5690	15.50	15.49	100.23%	0.015	0.015	-
		Left side	0	138	5690	15.50	15.49	100.23%	0.156	0.156	-
		Back side	0	155	5775	15.50	15.49	100.23%	0.204	0.204	-
		Top side	0	155	5775	15.50	15.49	100.23%	0.770	0.772	496
	WI AN 000 44 (00M) 5 00	Top side**	0	155	5775	15.50	15.49	100.23%	0.766	0.768	-
	WLAN 802.11ac(80M) 5.8G	Bottom side	0	155	5775	15.50	15.49	100.23%	0.016	0.016	-
		Right side	0	155	5775	15.50	15.49	100.23%	0.013	0.013	-
		Left side	0	155	5775	15.50	15.49	100.23%	0.158	0.158	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Note:

Scaling =
$$\frac{\text{reported SAR}}{\text{measured SAR}} = \frac{\text{P2(mW)}}{\text{P1(mW)}} = 10^{\left(\frac{\text{Pa-Pc}}{\text{co}}\right)(\text{dBm})}$$

Reported SAR = measured SAR * (scaling)

Where P2 is maximum specified power, P1 is measured conducted power

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.tw.sas.com

^{** - 2}nd Battery spotcheck



Page: 320 of 608

3. Simultaneous Transmission Analysis

Simultaneous Transmission Scenarios:

NO.	Simultaneous Transmit Configurations	Body
1	UMTS + 2.4GHz WLAN Main / 2.4GHz WLAN Aux / 2.4GHz MIMO	YES
2	UMTS + 5GHz WLAN Main / 5GHz WLAN Aux / 5GHz MIMO	YES
3	UMTS + BT	YES
4	UMTS + 2.4/5GHz WLAN Maiin + BT	YES
5	LTE + 2.4GHz WLAN Main / 2.4GHz WLAN Aux / 2.4GHz MIMO	YES
6	LTE + 5GHz WLAN Main / 5GHz WLAN Aux / 5GHz MIMO	YES
7	LTE + BT	YES
8	LTE + 2.4/5GHz WLAN Main + BT	YES

Note

- 1) WWAN and WLAN may transmit simultaneously.
- 2) Bluetooth and WLAN Aux share the same antenna path.
- 3) Bluetooth can transmit with WLAN Main simultaneously.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅阻,此報华结里僅對測試之樣是負責,同時此樣是僅保留的子。太報华去標太公司惠面許可,不可當份複制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 321 of 608

3.1 Estimated SAR calculation

According to KDB447498 D01v06 – When standalone SAR test exclusion applies to an antenna that transmits simultaneously with other antennas, the standalone SAR must be estimated according to following to determine simultaneous transmission SAR test exclusion:

Estimated SAR =
$$\frac{\text{Max.tune up power (mW)}}{\text{Min.test separation distance(mm)}} \times \frac{\sqrt{f(\text{GHz})}}{7.5}$$

If the minimum test separation distance is < 5mm, a distance of 5mm is used for estimated SAR calculation. When the test separation distance is >50mm, the 0.4W/kg is used for SAR-1g.

3.2 SPLSR evaluation and analysis

Per KDB447498D01, when the sum of SAR is larger than the limit, SAR test exclusion is determined by the SAR sum to peak location separation ratio(SPLSR).

The simultaneous transmitting antennas in each operating mode and exposure condition combination must be considered one pair at a time to determine the SAR to peak location separation ratio to qualify for test exclusion.

The ratio is determined by (SAR1 + SAR2)^1.5/Ri, rounded to two decimal digits, and must be ≤ 0.04 for all antenna pairs in the configuration to qualify for 1-g SAR test exclusion.

SAR1 and SAR2 are the highest reported or estimated SAR for each antenna in the pair, and Ri is the separation distance between the peak SAR locations for the antenna pair in mm.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sas.com



Page: 322 of 608

When standalone test exclusion applies, SAR is estimated; the peak location is assumed to be at the feed-point or geometric center of the antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. 1

www.tw.sas.com



Page: 323 of 608

AWAN

Back side WWAN + 2.4G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.284	0.146	0.088	0.518	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		WCDMA Band 4	0	0.314	0.146	0.088	0.548	Not required
		WCDMA Band 5	0	0.255	0.146	0.088	0.489	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 2	0	0.109	0.146	0.088	0.343	Not required
		LTE Band 4	0	0.127	0.146	0.088	0.361	ΣSAR<1.6,
			,	••••				Not required ΣSAR<1.6,
		LTE Band 5	0	0.117	0.146	0.088	0.351	Not required
	Back side	LTC Dand 7	0	0 0402 0446 000	0.000	0.227	ΣSAR<1.6,	
		LTE Band 7	U	0.103	0.146	0.088	088 0.337	Not required
		LTE Band 12	0	0.112	0.146	0.088	0.346	ΣSAR<1.6, Not required
١.								ΣSAR<1.6,
1		LTE Band 13	0	0.111	0.146	0.088	0.345	Not required
		LTE Band 14	0	0.124	0.146	0.088	0.358	ΣSAR<1.6,
			,					Not required ΣSAR<1.6,
		LTE Band 17	0	0.131	0.146	0.088	0.365	Not required
		LTE Band 25	0	0.114	0.146	0.088	0.348	ΣSAR<1.6,
		ETE Dana 25	U	0.114	0.140	0.000	0.040	Not required
		LTE Band 26	0	0.277	0.146	0.088	0.511	ΣSAR<1.6, Not required
		1.TE D. 100		0.400	0.440	0.000	0.054	ΣSAR<1.6,
		LTE Band 30	0	0.120	0.146	0.088	0.354	Not required
		LTE Band 38	0	0.162	0.146	0.088	0.396	ΣSAR<1.6,
			0			0.088		Not required ΣSAR<1.6,
		LTE Band 41		0.256	0.146		0.490	Not required
		LTE Band 66	0	0.110	0.146	0.000	0.252	ΣSAR<1.6,
		LIE Dallu 00	U	0.118	0.146	0.088	0.352	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 324 of 608

Back side WWAN + 5G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.284	0.144	0.082	0.510	ΣSAR<1.6,
		W OB WIN Y Barra E	Ŭ	0.20	0.111	0.002	0.010	Not required
		WCDMA Band 4	0	0.314	0.144	0.082	0.540	ΣSAR<1.6, Not required
								ΣSAR<1.6,
		WCDMA Band 5	0	0.255	0.144	0.082	0.481	Not required
		LTE Band 2	0	0.109	0.144	0.082	0.335	ΣSAR<1.6,
		LTE Danu Z	U	0.109	0.144	0.062	0.335	Not required
		LTE Band 4	0	0.127	0.144	0.082	0.353	ΣSAR<1.6,
			, i	0	••••	0.002	0.555	Not required
		LTE Band 5	0	0.117	0.144	0.082	0.343	ΣSAR<1.6,
								Not required ΣSAR<1.6,
	Back side	LTE Band 7	0	0.103	0.144	0.082	0.329	Not required
		LTE Band 12	_	0.440	0.144	0.000	0.000	ΣSAR<1.6,
		LIE Band 12	0	0.112	0.144	0.082	0.338	Not required
2		LTE Band 13	0	0.111	0.144	0.082	0.337	ΣSAR<1.6,
-			Ŭ	0.111	0.111			Not required
		LTE Band 14	0	0.124	0.144	0.082	0.350	ΣSAR<1.6,
				0.131	0.144	0.082	0.357	Not required ΣSAR<1.6,
		LTE Band 17	0					Not required
		LTE D	_	0.444	0.4.44	0.000	0.040	ΣSAR<1.6,
		LTE Band 25	0	0.114	0.144	0.082	0.340	Not required
		LTE Band 26	0	0.131	0.144	0.082	0.357	ΣSAR<1.6,
		ETE Bana 20	0	0.131	0.144	0.002	0.557	Not required
		LTE Band 30	0	0.114	0.144	0.082	0.340	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 38	0	0.277	0.144	0.082	0.503	Not required
		LTC Dand 44	0	0.400	0.444	0.000	0.240	ΣSAR<1.6,
		LTE Band 41	0	0.120	0.144	0.082	0.346	Not required
		LTE Band 66	0	0.162	0.144	0.082	0.388	ΣSAR<1.6,
				0.102	0	0.002	0.000	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 1 台灣檢驗科技股份有限公司



Page: 325 of 608

Back side WWAN + 2.4G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR			
		WCDMA Band 2	0	0.284	0.146	0.016	0.446	ΣSAR<1.6, Not required			
		WCDMA Band 4	0	0.314	0.146	0.016	0.476	ΣSAR<1.6, Not required			
		WCDMA Band 5	0	0.255	0.146	0.016	0.417	ΣSAR<1.6, Not required			
		LTE Band 2	0	0.109	0.146	0.016	0.271	ΣSAR<1.6, Not required			
		LTE Band 4	0	0.127	0.146	0.016	0.289	ΣSAR<1.6, Not required			
		LTE Band 5	0	0.117	0.146	0.016	0.279	ΣSAR<1.6, Not required			
		LTE Band 7	0	0.103	0.146	0.016	0.265	ΣSAR<1.6, Not required			
		LTE Band 12	0	0.112	0.146	0.016	0.274	ΣSAR<1.6, Not required			
3	Back side	ck side LTE Band 13	0	0.111	0.146	0.016	0.273	ΣSAR<1.6, Not required			
		LTE Band 14	0	0.124	0.146	0.016	0.286	ΣSAR<1.6, Not required			
		LTE Band 17	0	0.131	0.146	0.016	0.293	ΣSAR<1.6, Not required			
					LTE Band 25	0	0.114	0.146	0.016	0.276	ΣSAR<1.6, Not required
		LTE Band 26	0	0.131	0.146	0.016	0.293	ΣSAR<1.6, Not required			
		LTE Band 30	0	0.114	0.146	0.016	0.276	ΣSAR<1.6, Not required			
		LTE Band 38	0	0.277	0.146	0.016	0.439	ΣSAR<1.6, Not required			
		LTE Band 41	0	0.120	0.146	0.016	0.282	ΣSAR<1.6, Not required			
		LTE Band 66	0	0.162	0.146	0.016	0.324	ΣSAR<1.6, Not required			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 326 of 608

Back side WWAN + 5G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.284	0.144	0.016	0.444	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		WCDMA Band 4	0	0.314	0.144	0.016	0.474	Not required
		WCDMA Band 5	0	0.255	0.144	0.016	0.415	ΣSAR<1.6,
			·					Not required
		LTE Band 2	0	0.109	0.144	0.016	0.269	ΣSAR<1.6, Not required
				0.407	0.444	0.040	2 227	ΣSAR<1.6,
		LTE Band 4	0	0.127	0.144	0.016	0.287	Not required
		LTE Band 5	0	0.117	0.144	0.016	0.277	ΣSAR<1.6,
		ETE Bana o		0.117	0.144	0.010	0.277	Not required
		LTE Band 7	0	0.103	0.144	0.016	0.263	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 12	0	0.112	0.144	0.016	0.272	Not required
4	Back side	LTE Band 13	0	0.111	0.144	0.016	0.271	ΣSAR<1.6,
"	Dack Side		U	0.111	0.144	0.016	0.271	Not required
			0	0.124	0.144	0.016	0.284	ΣSAR<1.6,
			_	_				Not required
		LTE Band 17	0	0.131	0.144	0.016	0.291	ΣSAR<1.6, Not required
								ΣSAR<1.6,
		LTE Band 25	0	0.114	0.144	0.016	0.274	Not required
		LTE Band 26	0	0.131	0.144	0.016	0.291	ΣSAR<1.6,
		ETE Dana 20	U	0.131	0.144	0.010	0.291	Not required
		LTE Band 30	0	0.114	0.144	0.016	0.274	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 38	0	0.277	0.144	0.016	0.437	Not required
		LTE David 44	0	0.400	0.444	0.040	0.000	ΣSAR<1.6,
		LTE Band 41	0	0.120	0.144	0.016	0.280	Not required
		LTE Band 66	0	0.162	0.144	0.016	0.322	ΣSAR<1.6,
			Ĭ	0.102	0.144	1 0.0.0	0.022	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 327 of 608

Top side WWAN + 2.4G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR	
		WCDMA Band 2	0	1.409	0.456	0.749	2.614	Analyzed	
			·					as below	
		WCDMA Band 4	0	1.372	0.456	0.749	2.577	Analyzed	
								as below Analyzed	
		WCDMA Band 5	0	1.413	0.456	0.749	2.618	as below	
								Analyzed	
		LTE Band 2	0	1.360	0.456	0.749	2.565	as below	
								Analyzed	
		LTE Band 4	0	1.333	0.456	0.749	2.538	as below	
								Analyzed	
		LTE Band 5	0	1.437	0.456	0.749	2.642	as below	
		LTE Dand 7		_					Analyzed
		LTE Band 7	0	1.392	0.456	0.749	2.597	as below	
	Top side		_					Analyzed	
		LTE Band 12	0	1.365	0.456	0.749	2.570	as below	
_		LTE Band 13	0	4.047	0.450	0.740	0.500	Analyzed	
5		LIE Band 13	0	1.317	0.456	0.749	2.522	as below	
		LTE Band 14	0	1.313	0.456	0.749	2.518	Analyzed	
		LIE Dallu 14	U	1.313	0.456	0.749	2.310	as below	
		LTE Band 17	0	1.353	0.456	0.749	2.558	Analyzed	
		LIE Dallu I <i>I</i>	U	1.333	0.450	0.749	2.556	as below	
		LTE Band 25	0	1.380	0.456	0.749	2.585	Analyzed	
		LTL Danu 25	U	1.500	0.430	0.749	2.303	as below	
		LTE Band 26	0	1.320	0.456	0.749	2.525	Analyzed	
		ETE Bana 20	Ŭ	1.020	0.400	0.7 40	2.020	as below	
		LTE Band 30	0	1.376	0.456	0.749	2.581	Analyzed	
					000	00		as below	
		LTE Band 38	0	1.213	0.456	0.749	2.418	Analyzed	
			-					as below	
		LTE Band 41	0	1.340	0.456	0.749	2.545	Analyzed	
			0	1.340	- 0.700	0.773		as below	
		LTE Band 66	0	1.369	0.456	0.749	2.574	Analyzed	
								as below	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 328 of 608

Top side WWAN + 5G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	1.409	0.897	0.897	3.203	Analyzed
			,					as below
		WCDMA Band 4	0	1.372	0.897	0.897	3.166	Analyzed as below
								Analyzed
		WCDMA Band 5	0	1.413	0.897	0.897	3.207	as below
		LTE Davido	0	4.000	0.007	0.007	0.454	Analyzed
		LTE Band 2	0	1.360	0.897	0.897	3.154	as below
		LTE Band 4	0	1.333	0.897	0.897	3.127	Analyzed
		LTL Danu 4	U	1.555	0.037	0.097	3.127	as below
		LTE Band 5	0	1.437	0.897	0.897	3.231	Analyzed
					0.00.	0.001	0.201	as below
		LTE Band 7	0	1.392	0.897	0.897	3.186	Analyzed
								as below Analyzed
		LTE Band 12	0	1.365	0.897	0.897	3.159	as below
_		LTC Donal 40						Analyzed
6	Top side	LTE Band 13	0	1.317	0.897	0.897	3.111	as below
		LTE David 144	0	4.040	0.007	0.007	2.407	Analyzed
		LTE Band 14	0	1.313	0.897	97 0.897	3.107	as below
		LTE Band 17	0	1.353	0.897	0.897	3.147	Analyzed
		LIL Dallu II	U	1.555	0.097	0.097	3.147	as below
		LTE Band 25	0	1.380	0.897	0.897	3.174	Analyzed
					0.001	0.001		as below
		LTE Band 26	0	1.320	0.897	0.897	3.114	Analyzed
								as below
		LTE Band 30	0	1.376	0.897	0.897	3.170	Analyzed as below
			_					Analyzed
		LTE Band 38	0	1.213	0.897	0.897	3.007	as below
		LTE D 1.44	0	4.040	0.007	0.007	0.404	Analyzed
		LTE Band 41	0	1.340	0.897	0.897	3.134	as below
		LTE Band 66	0	1.369	0.897	0.897	3.163	Analyzed
		LIL Danu 00	Ü	1.509	0.031	0.031	3.103	as below

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 329 of 608

Top side WWAN + 2.4G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	1.409	0.456	0.153	2.018	Analyzed as below
		WCDMA Band 4	0	1.372	0.456	0.153	1.981	Analyzed as below
		WCDMA Band 5	0	1.413	0.456	0.153	2.022	Analyzed as below
		LTE Band 2	0	1.360	0.456	0.153	1.969	Analyzed as below
		LTE Band 4	0	1.333	0.456	0.153	1.942	Analyzed as below
		LTE Band 5	0	1.437	0.456	0.153	2.046	Analyzed as below
		LTE Band 7	0	1.392	0.456	0.153	2.001	Analyzed as below
		LTE Band 12	0	1.365	0.456	0.153	1.974	Analyzed as below
7	Top side	LTE Band 13	0	1.317	0.456	0.153	1.926	Analyzed as below
		LTE Band 14	0	1.313	0.456	0.153	1.922	Analyzed as below
		LTE Band 17	0	1.353	0.456	0.153	1.962	Analyzed as below
		LTE Band 25	0	1.380	0.456	0.153	1.989	Analyzed as below
		LTE Band 26	0	1.320	0.456	0.153	1.929	Analyzed as below
		LTE Band 30	0	1.376	0.456	0.153	1.985	Analyzed as below
		LTE Band 38	0	1.213	0.456	0.153	1.822	Analyzed as below
		LTE Band 41	0	1.340	0.456	0.153	1.949	Analyzed as below
		LTE Band 66	0	1.369	0.456	0.153	1.978	Analyzed as below

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sgs.com



Page: 330 of 608

Top side WWAN + 5G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR									
		WCDMA Band 2	0	1.409	0.897	0.153	2.459	Analyzed as below									
		WCDMA Band 4	0	1.372	0.897	0.153	2.422	Analyzed as below									
		WCDMA Band 5	0	1.413	0.897	0.153	2.463	Analyzed as below									
		LTE Band 2	0	1.360	0.897	0.153	2.410	Analyzed as below									
		LTE Band 4	0	1.333	0.897	0.153	2.383	Analyzed as below									
		LTE Band 5	0	1.437	0.897	0.153	2.487	Analyzed as below									
		LTE Band 7	0	1.392	0.897	0.153	2.442	Analyzed as below									
		LTE Band 12	0	1.365	0.897	0.153	2.415	Analyzed as below									
8	Top side	LTE Band 13	0	1.317	0.897	0.153	2.367	Analyzed as below									
		LTE Band 14	0	1.313	0.897	0.153	2.363	Analyzed as below									
		LTE Band 17	0	1.353	0.897	0.153	2.403	Analyzed as below									
										_	LTE Band 25	0	1.380	0.897	0.153	2.430	Analyzed as below
		LTE Band 26	0	1.320	0.897	0.153	2.370	Analyzed as below									
		LTE Band 30	0	1.376	0.897	0.153	2.426	Analyzed as below									
		LTE Band 38	0	1.213	0.897	0.153	2.263	Analyzed as below									
		LTE Band 41	0	1.340	0.897	0.153	2.390	Analyzed as below									
		LTE Band 66	0	1.369	0.897	0.153	2.419	Analyzed as below									

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 331 of 608

Top side WWAN + 2.4G WLAN Main

Position	Conditions	SAR Value	Coo	rdinates	(cm)	ΣSAR	Peak Location	SPLSR	Simultaneous Transmission
1 OSITION	Conditions	(W/kg)	х	у	Z	(W/kg)	Separation Distance (mm)	OI LOIK	SAR Test
	WLAN Main	0.456	-0.64	-5.18	-0.22	1	-	-	-
	WCDMA Band 2	1.409	-0.95	8.00	-0.68	1.865	131.92	0.019	SPLSR ≤ 0.04, Not required
	WCDMA Band 4	1.372	-0.80	8.00	-0.68	1.828	131.89	0.019	SPLSR ≤ 0.04, Not required
	WCDMA Band 5	1.413	-0.81	9.69	-0.70	1.869	148.79	0.017	SPLSR ≤ 0.04, Not required
	LTE Band 2	1.360	-0.95	8.00	-0.69	1.816	131.92	0.019	SPLSR ≤ 0.04, Not required
	LTE Band 4	1.333	-0.95	8.04	-0.67	1.789	132.31	0.018	SPLSR ≤ 0.04, Not required
	LTE Band 5	1.437	-0.66	9.84	-0.70	1.893	150.28	0.017	SPLSR ≤ 0.04, Not required
	LTE Band 7	1.392	-0.94	7.94	-0.63	1.848	131.30	0.019	SPLSR ≤ 0.04, Not required
Ton oide	LTE Band 12	1.365	-0.66	10.24	-0.70	1.821	154.28	0.016	SPLSR ≤ 0.04, Not required
Top side	LTE Band 13	1.317	-0.19	9.50	-0.44	1.773	146.89	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 14	1.313	-0.19	9.50	-0.44	1.769	146.89	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 17	1.353	-0.80	9.85	-6.89	1.809	164.46	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 25	1.380	-0.17	7.90	-0.54	1.836	130.93	0.019	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.320	-0.81	9.69	-0.70	1.776	148.79	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 30	LTE Band 30 1.376 -0.72 7.98 -0.55 1.832	131.64	0.019	SPLSR ≤ 0.04, Not required				
	LTE Band 38	1.213	-0.74	7.98	-0.47	1.669	131.63	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 41	1.340	-0.84	7.96	-0.48	1.796	131.44	0.018	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.369	-0.95	8.04	-0.67	1.825	132.31	0.019	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 332 of 608

Top side WWAN + 2.4G WLAN Aux

Position	Conditions	SAR Value	Coo	ordinates	(cm)	ΣSAR	Peak Location	SPLSR	Simultaneous Transmission
FOSITION	Conditions	(W/kg)	х	у	Z	(W/kg)	Separation Distance (mm)	SFLSK	SAR Test
	WLAN Aux	0.749	-0.34	-14.14	-0.22	-	-	-	-
	WCDMA Band 2	1.409	-0.95	8.00	-0.68	2.158	221.53	0.014	SPLSR ≤ 0.04, Not required
	WCDMA Band 4	1.372	-0.80	8.00	-0.68	2.121	221.49	0.014	SPLSR ≤ 0.04, Not required
	WCDMA Band 5	1.413	-0.81	9.69	-0.70	2.162	238.39	0.013	SPLSR ≤ 0.04, Not required
	LTE Band 2	1.360	-0.95	8.00	-0.69	2.109	221.53	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 4	1.333	-0.95	8.04	-0.67	2.082	221.93	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 5	1.437	-0.66	9.84	-0.70	2.186	239.87	0.013	SPLSR ≤ 0.04, Not required
	LTE Band 7	1.392	-0.94	7.94	-0.63	2.141	220.92	0.014	SPLSR ≤ 0.04, Not required
To all de	LTE Band 12	1.365	-0.66	10.24	-0.70	2.114	243.87	0.013	SPLSR ≤ 0.04, Not required
Top side	LTE Band 13	1.317	-0.19	9.50	-0.44	2.066	236.41	0.013	SPLSR ≤ 0.04, Not required
	LTE Band 14	1.313	-0.19	9.50	-0.44	2.062	236.41	0.013	SPLSR ≤ 0.04, Not required
	LTE Band 17	1.353	-0.80	9.85	-6.89	2.102	249.03	0.012	SPLSR ≤ 0.04, Not required
	LTE Band 25	1.380	-0.17	7.90	-0.54	2.129	220.43	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.320	-0.81	9.69	-0.70	2.069	238.39	0.012	SPLSR ≤ 0.04, Not required
	LTE Band 30	1.376	-0.72	7.98	-0.55	2.125	221.26	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 38	1.213	-0.74	7.98	-0.47	1.962	221.25	0.012	SPLSR ≤ 0.04, Not required
	LTE Band 41	1.340	-0.84	7.96	-0.48	2.089	221.07	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.369	-0.95	8.04	-0.67	2.118	221.93	0.014	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 333 of 608

Top side WWAN + 5G WLAN Main

Position	Conditions	SAR Value	Coo	rdinates	(cm)	ΣSAR	Peak Location	SPLSR	Simultaneous Transmission
1 OSILIOI1	Conditions	(W/kg)	х	у	Z	(W/kg)	Separation Distance (mm)		SAR Test
	WLAN Main	0.897	-0.36	-5.88	-0.21	-	-	-	-
	WCDMA Band 2	1.409	-0.95	8.00	-0.68	2.306	139.01	0.025	SPLSR ≤ 0.04, Not required
	WCDMA Band 4	1.372	-0.80	8.00	-0.68	2.269	138.95	0.025	SPLSR ≤ 0.04, Not required
	WCDMA Band 5	1.413	-0.81	9.69	-0.70	2.310	155.84	0.023	SPLSR ≤ 0.04, Not required
	LTE Band 2	1.360	-0.95	8.00	-0.69	2.257	139.01	0.024	SPLSR ≤ 0.04, Not required
	LTE Band 4	1.333	-0.95	8.04	-0.67	2.230	139.40	0.024	SPLSR ≤ 0.04, Not required
	LTE Band 5	1.437	-0.66	9.84	-0.70	2.334	157.31	0.023	SPLSR ≤ 0.04, Not required
	LTE Band 7	1.392	-0.94	7.94	-0.63	2.289	138.39	0.025	SPLSR ≤ 0.04, Not required
T	LTE Band 12	1.365	-0.66	10.24	-0.70	2.262	161.30	0.021	SPLSR ≤ 0.04, Not required
Top side	LTE Band 13	1.317	-0.19	9.50	-0.44	2.214	153.83	0.021	SPLSR ≤ 0.04, Not required
	LTE Band 14	1.313	-0.19	9.50	-0.44	2.210	153.83	0.021	SPLSR ≤ 0.04, Not required
	LTE Band 17	1.353	-0.80	9.85	-6.89	2.250	170.96	0.020	SPLSR ≤ 0.04, Not required
	LTE Band 25	1.380	-0.17	7.90	-0.54	2.277	137.85	0.025	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.320	-0.81	9.69	-0.70	2.217	155.84	0.021	SPLSR ≤ 0.04, Not required
	LTE Band 30	1.376	-0.72	7.98	-0.55	2.273	138.69	0.025	SPLSR ≤ 0.04, Not required
	LTE Band 38	1.213	-0.74	7.98	-0.47	2.110	138.68	0.022	SPLSR ≤ 0.04, Not required
-	LTE Band 41	1.340	-0.84	7.96	-0.48	2.237	138.51	0.024	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.369	-0.95	8.04	-0.67	2.266	139.40	0.024	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 334 of 608

Top side WWAN + 5G WLAN Aux

Position	Conditions	SAR Value	Coc	ordinates	(cm)	ΣSAR	Peak Location	SPLSR	Simultaneous Transmission
FOSITION	Conditions	(W/kg)	х	у	Z	(W/kg)	Separation Distance (mm)	SFLSK	SAR Test
	WLAN Aux	0.897	-0.26	-13.94	-0.24	-	-	-	-
	WCDMA Band 2	1.409	-0.95	8.00	-0.68	2.306	219.55	0.016	SPLSR ≤ 0.04, Not required
	WCDMA Band 4	1.372	-0.80	8.00	-0.68	2.269	219.51	0.016	SPLSR ≤ 0.04, Not required
	WCDMA Band 5	1.413	-0.81	9.69	-0.70	2.310	236.41	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 2	1.360	-0.95	8.00	-0.69	2.257	219.56	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 4	1.333	-0.95	8.04	-0.67	2.230	219.95	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 5	1.437	-0.66	9.84	-0.70	2.334	237.88	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 7	1.392	-0.94	7.94	-0.63	2.289	218.94	0.016	SPLSR ≤ 0.04, Not required
T	LTE Band 12	1.365	-0.66	10.24	-0.70	2.262	241.88	0.014	SPLSR ≤ 0.04, Not required
Top side	LTE Band 13	1.317	-0.19	9.50	-0.44	2.214	234.41	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 14	1.313	-0.19	9.50	-0.44	2.210	234.41	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 17	1.353	-0.80	9.85	-6.89	2.250	247.09	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 25	1.380	-0.17	7.90	-0.54	2.277	218.42	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.320	-0.81	9.69	-0.70	2.217	236.41	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 30	1.376	-0.72	7.98	-0.55	2.273	219.27	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 38	1.213	-0.74	7.98	-0.47	2.110	219.27	0.014	SPLSR ≤ 0.04, Not required
-	LTE Band 41	1.340	-0.84	7.96	-0.48	2.237	219.09	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.369	-0.95	8.04	-0.67	2.266	219.95	0.016	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 335 of 608

Top side WWAN + BT

Position	Conditions	SAR Value	Coo	ordinates	(cm)	ΣSAR	Peak Location	SPLSR	Simultaneous Transmission
1 OSILIOI1	Conditions	(W/kg)	х	у	Z	(W/kg)	Separation Distance (mm)	0. 20.1	SAR Test
	Bluetooth	0.153	-0.32	-14.06	-0.23	-	-	-	-
	WCDMA Band 2	1.409	-0.95	8.00	-0.68	1.562	220.74	0.009	SPLSR ≤ 0.04, Not required
	WCDMA Band 4	1.372	-0.80	8.00	-0.68	1.525	220.70	0.009	SPLSR ≤ 0.04, Not required
	WCDMA Band 5	1.413	-0.81	9.69	-0.70	1.566	237.60	0.008	SPLSR ≤ 0.04, Not required
	LTE Band 2	1.360	-0.95	8.00	-0.69	1.513	220.74	0.008	SPLSR ≤ 0.04, Not required
	LTE Band 4	1.333	-0.95	8.04	-0.67	1.486	221.13	0.008	SPLSR ≤ 0.04, Not required
	LTE Band 5	1.437	-0.66	9.84	-0.70	1.590	239.07	0.008	SPLSR ≤ 0.04, Not required SPLSR ≤ 0.04, Not required SPLSR ≤ 0.04, Not required SPLSR ≤ 0.04, Not required
	LTE Band 7	1.392	-0.94	7.94	-0.63	1.545	220.12	0.009	
Ta. aida	LTE Band 12	1.365	-0.66	10.24	-0.70	1.518	243.07	0.008	
Top side	LTE Band 13	1.317	-0.19	9.50	-0.44	1.470	235.61	0.008	
	LTE Band 14	1.313	-0.19	9.50	-0.44	1.466	235.61	0.008	SPLSR ≤ 0.04, Not required
	LTE Band 17	1.353	-0.80	9.85	-6.89	1.506	248.26	0.007	SPLSR ≤ 0.04, Not required
	LTE Band 25	1.380	-0.17	7.90	-0.54	1.533	219.63	0.009	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.320	-0.81	9.69	-0.70	1.473	237.60	0.008	SPLSR ≤ 0.04, Not required
	LTE Band 30	1.376	-0.72	7.98	-0.55	1.529	220.46	0.009	SPLSR ≤ 0.04, Not required
<u>-</u>	LTE Band 38	1.213	-0.74	7.98	-0.47	1.366	220.45	0.007	SPLSR ≤ 0.04, Not required
	LTE Band 41	1.340	-0.84	7.96	-0.48	1.493	220.28	0.008	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.369	-0.95	8.04	-0.67	1.522	221.13	0.008	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 336 of 608

Top_2.4G_Main→WWAN


WCDMA Band 2



WCDMA Band 4



WCDMA Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 337 of 608


LTE Band 2



LTE Band 4



LTE Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 338 of 608


LTE Band 7



LTE Band 12



LTE Band 13



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 339 of 608


LTE Band 14



LTE Band 17



LTE Band 25



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 340 of 608


LTE Band 26



LTE Band 30



LTE Band 38



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 341 of 608

LTE Band 41



LTE Band 66



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 342 of 608

Top_2.4G_Aux→WWAN


WCDMA Band 2



WCDMA Band 4



WCDMA Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 343 of 608


LTE Band 2



LTE Band 4



LTE Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 344 of 608


LTE Band 7



LTE Band 12



LTE Band 13



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 345 of 608


LTE Band 14



LTE Band 17



LTE Band 25



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 346 of 608

LTE Band 26



LTE Band 30



LTE Band 38



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 347 of 608

LTE Band 41



LTE Band 66



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 348 of 608

Top_5G_Main→WWAN


WCDMA Band 2



WCDMA Band 4



WCDMA Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 349 of 608


LTE Band 2



LTE Band 4



LTE Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 350 of 608


LTE Band 7



LTE Band 12



LTE Band 13



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 351 of 608


LTE Band 14



LTE Band 17



LTE Band 25



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 352 of 608


LTE Band 26



LTE Band 30



LTE Band 38



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 353 of 608

LTE Band 41



LTE Band 66



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 354 of 608

Top_5G_Aux→WWAN


WCDMA Band 2



WCDMA Band 4



WCDMA Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 355 of 608


LTE Band 2



LTE Band 4



LTE Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 356 of 608


LTE Band 7



LTE Band 12



LTE Band 13



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 357 of 608


LTE Band 14



LTE Band 17



LTE Band 25



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Page: 358 of 608


LTE Band 26



LTE Band 30



LTE Band 38



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 359 of 608

LTE Band 41



LTE Band 66



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 360 of 608

Top_BT→WWAN

WCDMA Band 2



WCDMA Band 4



WCDMA Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 361 of 608

LTE Band 2



LTE Band 4



LTE Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 362 of 608


LTE Band 7



LTE Band 12



LTE Band 13



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 363 of 608

LTE Band 14



LTE Band 17



LTE Band 25



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 364 of 608


LTE Band 26



LTE Band 30



LTE Band 38



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 365 of 608

LTE Band 41



LTE Band 66



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 366 of 608

Bottom side WWAN + 2.4G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.040	0.025	0.055	0.120	ΣSAR<1.6,
				0.0.0	0.020	0.000	01120	Not required
		WCDMA Band 4	0	0.036	0.025	0.055	0.116	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		WCDMA Band 5	0	0.038	0.025	0.055	0.118	Not required
		LTE David O	_	0.007	0.005	0.055	0.407	ΣSAR<1.6,
		LTE Band 2	0	0.027	0.025	0.055	0.107	Not required
		LTE Band 4	0	0.031	0.025	0.055	0.111	ΣSAR<1.6,
		ETE Dana 4	· ·	0.001	0.020	0.000	0.111	Not required
		LTE Band 5	0	0.022	0.025	0.055	0.102	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 7	0	0.019	0.025	0.055	0.099	Not required
			_					ΣSAR<1.6,
		LTE Band 12	0	0.022	0.025	0.055	0.102	Not required
9	Bottom	LTE Band 13	0	0.021	0.025	0.055	0.101	ΣSAR<1.6,
9	side	LTL Dallu 13	U	0.021	0.023	0.055	0.101	Not required
		LTE Band 14	0	0.024	0.025	0.055	0.104	ΣSAR<1.6,
			·		****			Not required
		LTE Band 17	0	0.040	0.025	0.055	0.120	ΣSAR<1.6, Not required
								ΣSAR<1.6,
		LTE Band 25	0	0.027	0.025	0.055	0.107	Not required
		LTE Band 26	_	0.020	0.005	0.055	0.446	ΣSAR<1.6,
		LTE Band 26	0	0.036	0.025	0.055	0.116	Not required
		LTE Band 30	0	0.018	0.025	0.055	0.098	ΣSAR<1.6,
		ETE Balla 00	Ů	0.010	0.020	0.000	0.000	Not required
		LTE Band 38	0	0.025	0.025	0.055	0.105	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 41	0	0.050	0.025	0.055	0.130	Not required
								ΣSAR<1.6,
		LTE Band 66	0	0.031	0.025	0.055	0.111	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 367 of 608

Bottom side WWAN + 5G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.040	0.132	0.038	0.210	ΣSAR<1.6,
		TTODINITEDATICE	Ŭ	0.010	0.102	0.000	0.210	Not required
		WCDMA Band 4	0	0.036	0.132	0.038	0.206	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		WCDMA Band 5	0	0.038	0.132	0.038	0.208	Not required
		1.TE D 1.0		0.007	0.400	0.000	0.407	ΣSAR<1.6,
		LTE Band 2	0	0.027	0.132	0.038	0.197	Not required
		LTE Band 4	0	0.031	0.132	0.038	0.201	ΣSAR<1.6,
		LTE Dallu 4	U	0.031	0.132	0.036	0.201	Not required
		LTE Band 5	0	0.022	0.132	0.038	0.192	ΣSAR<1.6,
			, i		002	0.000	01.02	Not required
		LTE Band 7	0	0.019	0.132	0.038	0.189	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 12	0	0.022	0.132	0.038	0.192	Not required
40	Bottom	1.TE D. 140		0.004	0.400	0.000	0.191	ΣSAR<1.6,
10	side	LTE Band 13	0	0.021	0.132	0.038		Not required
		LTE Band 14	0	0.024	0.132	0.038	0.194	ΣSAR<1.6,
		ETE Dana 14	U	0.024	0.132	0.030	0.194	Not required
		LTE Band 17	0	0.040	0.132	0.038	0.210	ΣSAR<1.6,
								Not required
		LTE Band 25	0	0.027	0.132	0.038	0.197	ΣSAR<1.6, Not required
								ΣSAR<1.6,
		LTE Band 26	0	0.036	0.132	0.038	0.206	Not required
		LTE D	_	0.040	0.400	0.000	0.400	ΣSAR<1.6,
		LTE Band 30	0	0.018	0.132	0.038	0.188	Not required
		LTE Band 38	0	0.025	0.132	0.038	0.195	ΣSAR<1.6,
		LTL Danu 30	, , , , , , , , , , , , , , , , , , ,	0.025	0.102	0.000	0.130	Not required
		LTE Band 41	0	0.050	0.132	0.038	0.220	ΣSAR<1.6,
			512 Balla 41 0 0.000 0.102 0.000 0.220	Not required				
		LTE Band 66	0	0.031	0.132	0.038	0.201	ΣSAR<1.6,
								Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 368 of 608

Bottom side WWAN + 2.4G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR							
		WCDMA Band 2	0	0.040	0.025	0.011	0.076	ΣSAR<1.6,							
								Not required ΣSAR<1.6,							
		WCDMA Band 4	0	0.036	0.025	0.011	0.072	Not required							
		WCDMA Band 5	0	0.038	0.025	0.011	0.074	ΣSAR<1.6,							
		WCDIVIA Ballu 5	U	0.036	0.025	0.011	0.074	Not required							
		LTE Band 2	0	0.027	0.025	0.011	0.063	ΣSAR<1.6,							
								Not required							
		LTE Band 4	0	0.031	0.025	0.011	0.067	ΣSAR<1.6, Not required							
								ΣSAR<1.6,							
		LTE Band 5	0	0.022	0.025	0.011	0.058	Not required							
		LTE Band 7	0	0.019	0.025	0.011	0.055	ΣSAR<1.6,							
		LTL Dand 7	U	0.019	0.025	0.011	0.000	Not required							
		LTE Band 12	0	0.022	0.025	0.011	0.058	ΣSAR<1.6,							
	Bottom							Not required ΣSAR<1.6,							
11	side	LTE Band 13	0	0.021	0.025	0.011	0.057	Not required							
	oldo	1.75.5		0.004	0.005	0.044	0.000	ΣSAR<1.6,							
		LTE Band 14	0	0.024	0.025	0.011	0.060	Not required							
		LTE Band 17	0	0.040	0.025	0.011	0.076	ΣSAR<1.6,							
		ETE Balla 17	0	0.040	0.020	0.011	0.070	Not required							
		LTE Band 25	0	0.027	0.025	0.011	0.063	ΣSAR<1.6,							
	ŀ		-	_		-	-	-							Not required ΣSAR<1.6,
		LTE Band 26	0	0.036	0.025	0.011	0.072	Not required							
		LTE D = = 4.00	_	0.040	0.005	0.044	0.054	ΣSAR<1.6,							
		LTE Band 30	0	0.018	0.025	0.011	0.054	Not required							
		LTE Band 38	0	0.025	0.025	0.011	0.061	ΣSAR<1.6,							
		ETE Bana 00		0.020	0.020	0.011	0.001	Not required							
		LTE Band 41	0	0.050	0.025	0.011	0.086	ΣSAR<1.6,							
		LIL Balla 41			0.023	-		Not required ΣSAR<1.6,							
		LTE Band 66	0	0.031	0.025	0.011	0.067	Not required							
								inot required							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 369 of 608

Bottom side WWAN + 5G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.040	0.132	0.011	0.183	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		WCDMA Band 4	0	0.036	0.132	0.011	0.179	Not required
								ΣSAR<1.6,
		WCDMA Band 5	0	0.038	0.132	0.011	0.181	Not required
		LTE Band 2	0	0.027	0.132	0.011	0.170	ΣSAR<1.6,
		LTE Danu Z	U	0.027	0.132	0.011	0.170	Not required
		LTE Band 4	0	0.031	0.132	0.011	0.174	ΣSAR<1.6,
				0.00	002	0.0	0	Not required
		LTE Band 5	0	0.022	0.132	0.011	0.165	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 7	0	0.019	0.132	0.011	0.162	Not required
								ΣSAR<1.6,
		LTE Band 12	0	0.022	0.132	0.011	0.165	Not required
12	Bottom	Sottom Side LTE Band 13	0	0.021	0.132	0.011	0.164	ΣSAR<1.6,
12	side		U	0.021	0.132	0.011	0.104	Not required
		LTE Band 14	0	0.024	0.132	0.011	0.167	ΣSAR<1.6,
			·				01101	Not required
		LTE Band 17	0	0.040	0.132	0.011	0.183	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 25	0	0.027	0.132	0.011	0.170	Not required
		1750 100		0.000	0.400	0.044	0.470	ΣSAR<1.6,
		LTE Band 26	0	0.036	0.132	0.011	0.179	Not required
		LTE Band 30	0	0.018	0.132	0.011	0.161	ΣSAR<1.6,
		LTL Dand 30	U	0.010	0.132	0.011	0.101	Not required
		LTE Band 38	0	0.025	0.132	0.011	0.168	ΣSAR<1.6,
				*	*****			Not required
		LTE Band 41	0	0.050	0.132	0.011	0.193	ΣSAR<1.6,
			"	0.030	0.132	0.011	0.100	Not required ΣSAR<1.6,
		LTE Band 66	0	0.031	0.132	0.011	0.174	Not required
								ivot required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 370 of 608

Right side WWAN + 2.4G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.319	0.042	0.028	0.389	ΣSAR<1.6,
	-	W OBINI, C Bana E	Ů	0.010	0.0.2	0.020	0.000	Not required
		WCDMA Band 4	0	0.473	0.042	0.028	0.543	ΣSAR<1.6,
	-							Not required ΣSAR<1.6,
		WCDMA Band 5	0	0.359	0.042	0.028	0.429	Not required
	•	LTE David O	0	0.040	0.040	0.000	0.000	ΣSAR<1.6,
		LTE Band 2	0	0.212	0.042	0.028	0.282	Not required
		LTE Band 4	0	0.259	0.042	0.028	0.329	ΣSAR<1.6,
		LTL Danu 4	U	0.239	0.042	0.020	0.529	Not required
		LTE Band 5	0	0.680	0.042	0.028	0.750	ΣSAR<1.6,
			·					Not required
		LTE Band 7	0	0.232	0.042	0.028	0.302	ΣSAR<1.6,
	-							Not required ΣSAR<1.6,
		LTE Band 12	0	0.239	0.042	0.028	0.309	Not required
13	Dialet side	LTE David 40	0	0.000	0.040	0.000	0.000	ΣSAR<1.6,
13	Right side	LTE Band 13	0	0.232	0.042	0.028	0.302	Not required
		LTE Band 14	0	0.292	0.042	0.028	0.362	ΣSAR<1.6,
		LTL Danu 14	U	0.292	0.042	0.020	0.302	Not required
		LTE Band 17	0	0.308	0.042	0.028	0.378	ΣSAR<1.6,
			·					Not required
		LTE Band 25	0	0.228	0.042	0.028	0.298	ΣSAR<1.6, Not required
								ΣSAR<1.6,
		LTE Band 26	0	0.364	0.042	0.028	0.434	Not required
	•	LTE Dand 20	0	0.005	0.040	0.000	0.205	ΣSAR<1.6,
		LTE Band 30	0	0.225	0.042	0.028	0.295	Not required
		LTE Band 38	0	0.289	0.042	0.028	0.359	ΣSAR<1.6,
		ETE Band 50	U	0.200	0.042	0.020	0.000	Not required
		LTE Band 41	0	0.435	0.042	0.028	0.505	ΣSAR<1.6,
				*****				Not required
		LTE Band 66	0	0.262	0.042	0.028	0.332	ΣSAR<1.6,
								Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 371 of 608

Right side WWAN + 5G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR	
		WCDMA Band 2	0	0.319	0.026	0.033	0.378	ΣSAR<1.6,	
	-							Not required ΣSAR<1.6,	
		WCDMA Band 4	0	0.473	0.026	0.033	0.532	Not required	
		WCDMA Band 5	0	0.359	0.026	0.033	0.418	ΣSAR<1.6,	
				0.000	0.020	0.000	00	Not required ΣSAR<1.6,	
		LTE Band 2	0	0.212	0.026	0.033	0.271	Not required	
	-	LTE Dand 4	0	0.050	0.000	0.000	0.240	ΣSAR<1.6,	
		LTE Band 4	0	0.259	0.026	0.033	0.318	Not required	
		LTE Band 5	0	0.680	0.026	0.033	0.739	ΣSAR<1.6,	
								Not required ΣSAR<1.6,	
		LTE Band 7	0	0.232	0.026	0.033	0.291	Not required	
	•	LTE D140	0	0.000	0.000	0.000	0.000	ΣSAR<1.6,	
		LTE Band 12	0	0.239	0.026	0.033	0.298	Not required	
14	Right side	LTE Band 13	0	0.232	0.026	0.033	0.291	ΣSAR<1.6,	
				•				Not required ΣSAR<1.6,	
		LTE Band 14	0	0.292	0.026	0.033	0.351	Not required	
	•	1.75.5		2 2 2 2	0.000	0.000	0.007	ΣSAR<1.6,	
		LTE Band 17	0	0.308	0.026	0.033	0.367	Not required	
		LTE Band 25	0	0.228	0.026	0.033	0.287	ΣSAR<1.6,	
				0.220	0.020	0.000	0.20.	Not required	
		LTE Band 26	0	0.364	0.026	0.033	0.423	ΣSAR<1.6, Not required	
		1.TE D. 100	0	0.005	0.000	0.000	0.004	ΣSAR<1.6,	
		LTE Band 30	0	0.225	0.026	0.033	0.284	Not required	
		LTE Band 38	0	0.289	0.026	0.033	0.348	ΣSAR<1.6,	
	-	ETE Bana 00	Ŭ	0.200	0.020	0.000	0.010	Not required	
		LTE Band 41	0	0.435	0.026	0.033	0.494	ΣSAR<1.6, Not required	
				+ - +					ΣSAR<1.6,
		LTE Band 66	0	0.262	0.026	0.033	0.321	Not required	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 372 of 608

Right side WWAN + 2.4G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.319	0.042	0.010	0.371	ΣSAR<1.6, Not required
		WCDMA Band 4	0	0.473	0.042	0.010	0.525	ΣSAR<1.6,
		WODINIA Dana 4	Ů	0.473	0.042	0.010	0.020	Not required
		WCDMA Band 5	0	0.359	0.042	0.010	0.411	ΣSAR<1.6, Not required
	-	LTE Band 2	0	0.212	0.042	0.010	0.264	ΣSAR<1.6,
	-		, and the second	0.2.2	0.0.2	0.0.0	0.20	Not required
		LTE Band 4	0	0.259	0.042	0.010	0.311	ΣSAR<1.6, Not required
	-	LTE D I E	0	0.000	0.040	0.040	0.700	ΣSAR<1.6,
		LTE Band 5	0	0.680	0.042	0.010	0.732	Not required
	•	LTE Band 7	0	0.232	0.042	0.010	0.284	ΣSAR<1.6,
		LTL Danu 1	U	0.232	0.042	0.010	0.204	Not required
		LTE Band 12	0	0.239	0.042	0.010	0.291	ΣSAR<1.6,
	-							Not required
15	Right side	LTE Band 13	0	0.232	0.042	0.010	0.284	ΣSAR<1.6, Not required
								ΣSAR<1.6,
		LTE Band 14	0	0.292	0.042	0.010	0.344	Not required
	•	LTE D 1.47	0	0.000	0.040	0.040	0.000	ΣSAR<1.6,
		LTE Band 17	0	0.308	0.042	0.010	0.360	Not required
		LTE Band 25	0	0.228	0.042	0.010	0.280	ΣSAR<1.6,
	-	LTE Band 20	· ·	0.220	0.042	0.010	0.200	Not required
		LTE Band 26	0	0.364	0.042	0.010	0.416	ΣSAR<1.6,
	-							Not required ΣSAR<1.6,
		LTE Band 30	0	0.225	0.042	0.010	0.277	Not required
		LTE Band 38	0	0.289	0.042	0.010	0.341	ΣSAR<1.6,
		LIE Band 38	U	0.289	0.042	0.010	0.341	Not required
		LTE Band 41	0	0.435	0.042	0.010	0.487	ΣSAR<1.6,
		ETE Band 41		0.400	0.042	0.010	0.401	Not required
		LTE Band 66	0	0.262	0.042	0.010	0.314	ΣSAR<1.6,
								Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 373 of 608

Right side WWAN + 5G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.319	0.026	0.010	0.355	ΣSAR<1.6, Not required
		WCDMA Band 4	0	0.473	0.026	0.010	0.509	ΣSAR<1.6, Not required
		WCDMA Band 5	0	0.359	0.026	0.010	0.395	ΣSAR<1.6, Not required
		LTE Band 2	0	0.212	0.026	0.010	0.248	ΣSAR<1.6, Not required
		LTE Band 4	0	0.259	0.026	0.010	0.295	ΣSAR<1.6, Not required
		LTE Band 5	0	0.680	0.026	0.010	0.716	ΣSAR<1.6, Not required
		LTE Band 7	0	0.232	0.026	0.010	0.268	ΣSAR<1.6, Not required
		LTE Band 12	0	0.239	0.026	0.010	0.275	ΣSAR<1.6, Not required
16	Right side	LTE Band 13	0	0.232	0.026	0.010	0.268	ΣSAR<1.6, Not required
		LTE Band 14	0	0.292	0.026	0.010	0.328	ΣSAR<1.6, Not required
		LTE Band 17	0	0.308	0.026	0.010	0.344	ΣSAR<1.6, Not required
		LTE Band 25	0	0.228	0.026	0.010	0.264	ΣSAR<1.6, Not required
		LTE Band 26	0	0.364	0.026	0.010	0.400	ΣSAR<1.6, Not required
		LTE Band 30	0	0.225	0.026	0.010	0.261	ΣSAR<1.6, Not required
		LTE Band 38	0	0.289	0.026	0.010	0.325	ΣSAR<1.6, Not required
		LTE Band 41	0	0.435	0.026	0.010	0.471	ΣSAR<1.6, Not required
		LTE Band 66	0	0.262	0.026	0.010	0.298	ΣSAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 374 of 608

Left side WWAN + 2.4G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.080	0.042	0.480	0.602	ΣSAR<1.6,
		TV OBINIT Balla E	Ŭ	0.000	0.0 12	0.100	0.002	Not required
		WCDMA Band 4	0	0.057	0.042	0.480	0.579	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		WCDMA Band 5	0	0.068	0.042	0.480	0.590	Not required
		LTE Davido	_	0.050	0.040	0.400	0.500	ΣSAR<1.6,
		LTE Band 2	0	0.058	0.042	0.480	0.580	Not required
		LTE Band 4	0	0.064	0.042	0.480	0.586	ΣSAR<1.6,
		LTL Danu 4	U	0.004	0.042	0.400	0.500	Not required
		LTE Band 5	0	0.054	0.042	0.480	0.576	ΣSAR<1.6,
			·			-		Not required
		LTE Band 7	0	0.031	0.042	0.480	0.553	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 12	0	0.040	0.042	0.480	0.562	Not required
47	1 -44 -1-1-	1.TE D 1.40	_	0.000	0.040	0.400	0.550	ΣSAR<1.6,
17	Left side	LTE Band 13	0	0.036	0.042	0.480	0.558	Not required
		LTE Band 14	0	0.050	0.042	0.480	0.572	ΣSAR<1.6,
		LTL Danu 14	U	0.000	0.042	0.400	0.572	Not required
		LTE Band 17	0	0.052	0.042	0.480	0.574	ΣSAR<1.6,
			·			-		Not required
		LTE Band 25	0	0.061	0.042	0.480	0.583	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 26	0	0.071	0.042	0.480	0.593	Not required
		LTE D	_	0.000	0.040	0.400	0.550	ΣSAR<1.6,
		LTE Band 30	0	0.028	0.042	0.480	0.550	Not required
		LTE Band 38	0	0.049	0.042	0.480	0.571	ΣSAR<1.6,
		LTL Dand 30	U	0.049	0.042	0.400	0.57 1	Not required
		LTE Band 41	0	0.071	0.042	0.480	0.593	ΣSAR<1.6,
		LIE Band 41 0		0.071	0.042	0.400	0.593	Not required
		LTE Band 66	0	0.064	0.042	0.480	0.586	ΣSAR<1.6,
								Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 375 of 608

Left side WWAN + 5G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.080	0.069	0.553	0.702	ΣSAR<1.6,
				0.000	0.000	0.000	002	Not required
		WCDMA Band 4	0	0.057	0.069	0.553	0.679	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		WCDMA Band 5	0	0.068	0.069	0.553	0.690	Not required
			_					ΣSAR<1.6,
		LTE Band 2	0	0.058	0.069	0.553	0.680	Not required
		LTE Dand 4	0	0.004	0.000	0.550	0.000	ΣSAR<1.6,
		LTE Band 4	0	0.064	0.069	0.553	0.686	Not required
		LTE Band 5	0	0.054	0.069	0.553	0.676	ΣSAR<1.6,
			U	0.054	0.009	0.555	0.070	Not required
		LTE Band 7	0	0.031	0.069	0.553	0.653	ΣSAR<1.6,
			, and the second	0.00	0.000	0.000	0.000	Not required
		LTE Band 12	0	0.040	0.069	0.553	0.662	ΣSAR<1.6,
								Not required ΣSAR<1.6,
18	Left side	LTE Band 13	0	0.036	0.069	0.553	0.658	Not required
			_					ΣSAR<1.6,
		LTE Band 14	0	0.050	0.069	0.553	0.672	Not required
		LTE Band 17	0	0.052	0.069	0.550	0.674	ΣSAR<1.6,
		LIE Band 17	U	0.052	0.069	0.553	0.674	Not required
		LTE Band 25	0	0.061	0.069	0.553	0.683	ΣSAR<1.6,
		LTE Bana 20	· ·	0.001	0.005	0.000	0.000	Not required
		LTE Band 26	0	0.071	0.069	0.553	0.693	ΣSAR<1.6,
								Not required
		LTE Band 30	0	0.028	0.069	0.553	0.650	ΣSAR<1.6, Not required
								ΣSAR<1.6,
		LTE Band 38	0	0.049	0.069	0.553	0.671	Not required
		LTE D L44		0.074	0.000	0.550	0.000	ΣSAR<1.6,
		LTE Band 41 0	0	0.071	0.069	0.553	0.693	Not required
		LTE Band 66	0	0.064	0.069	0.553	0.686	ΣSAR<1.6,
		LIL Danu 00	U	0.004	0.009	0.555	0.000	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 376 of 608

Left side WWAN + 2.4G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.080	0.042	0.107	0.229	ΣSAR<1.6, Not required
		WCDMA Band 4	0	0.057	0.042	0.107	0.206	ΣSAR<1.6,
		WODIVI/ CBana 4	Ŭ	0.007	0.042	0.107	0.200	Not required
		WCDMA Band 5	0	0.068	0.042	0.107	0.217	ΣSAR<1.6, Not required
		LTE Band 2	0	0.058	0.042	0.107	0.207	ΣSAR<1.6,
				0.000	0.0.2	01.01	0.20.	Not required
		LTE Band 4	0	0.064	0.042	0.107	0.213	ΣSAR<1.6, Not required
		LTE Daniel E	0	0.054	0.040	0.407	0.000	ΣSAR<1.6,
		LTE Band 5	0	0.054	0.042	0.107	0.203	Not required
		LTE Band 7	0	0.031	0.042	0.107	0.180	ΣSAR<1.6,
		LTE Danu 1	U	0.031	0.042	0.107	0.160	Not required
		LTE Band 12	0	0.040	0.042	0.107	0.189	ΣSAR<1.6,
		ETE Bana TE	Ů	0.010	0.0.2	0.107	0.100	Not required
19	Left side	LTE Band 13	0	0.036	0.042	0.107	0.185	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 14	0	0.050	0.042	0.107	0.199	Not required
								ΣSAR<1.6,
		LTE Band 17	0	0.052	0.042	0.107	0.201	Not required
		LTE Band 25	0	0.061	0.042	0.107	0.210	ΣSAR<1.6,
		LTE Danu 25	U	0.061	0.042	0.107	0.210	Not required
		LTE Band 26	0	0.071	0.042	0.107	0.220	ΣSAR<1.6,
		LTE Dana 20	· ·	0.07 1	0.042	0.107	0.220	Not required
		LTE Band 30	0	0.028	0.042	0.107	0.177	ΣSAR<1.6,
								Not required
		LTE Band 38	0	0.049	0.042	0.107	0.198	ΣSAR<1.6, Not required
			_					ΣSAR<1.6,
		LTE Band 41	0	0.071	0.042	0.107	0.220	Not required
		LTE Band 66	0	0.064	0.042	0.107	0.213	ΣSAR<1.6,
		LTL Dana 00	U	0.004	0.042	0.107	0.210	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 377 of 608

Left side WWAN + 5G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.080	0.069	0.107	0.256	ΣSAR<1.6, Not required
		WCDMA Band 4	0	0.057	0.069	0.107	0.233	ΣSAR<1.6, Not required
		WCDMA Band 5	0	0.068	0.069	0.107	0.244	ΣSAR<1.6, Not required
		LTE Band 2	0	0.058	0.069	0.107	0.234	ΣSAR<1.6, Not required
		LTE Band 4	0	0.064	0.069	0.107	0.240	ΣSAR<1.6,
		LTE Band 5	0	0.054	0.069	0.107	0.230	ΣSAR<1.6, Not required
		LTE Band 7	0	0.031	0.069	0.107	0.207	ΣSAR<1.6, Not required
		LTE Band 12	0	0.040	0.069	0.107	0.216	ΣSAR<1.6, Not required
20	Left side	LTE Band 13	0	0.036	0.069	0.107	0.212	ΣSAR<1.6, Not required
		LTE Band 14	0	0.050	0.069	0.107	0.226	ΣSAR<1.6, Not required
		LTE Band 17	0	0.052	0.069	0.107	0.228	ΣSAR<1.6, Not required
		LTE Band 25	0	0.061	0.069	0.107	0.237	ΣSAR<1.6, Not required
		LTE Band 26	0	0.071	0.069	0.107	0.247	ΣSAR<1.6, Not required
		LTE Band 30	0	0.028	0.069	0.107	0.204	ΣSAR<1.6, Not required
		LTE Band 38	0	0.049	0.069	0.107	0.225	ΣSAR<1.6, Not required
		LTE Band 41	0	0.071	0.069	0.107	0.247	ΣSAR<1.6, Not required
		LTE Band 66	0	0.064	0.069	0.107	0.240	ΣSAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 378 of 608

Hong-Bo

Back side WWAN + 2.4G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.290	0.143	0.414	0.847	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		WCDMA Band 4	0	0.294	0.143	0.414	0.851	Not required
		WCDMA Band 5	0	0.276	0.143	0.414	0.833	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 2	0	0.241	0.143	0.414	0.798	Not required
		LTE Band 4	0	0.279	0.143	0.414	0.836	ΣSAR<1.6,
		ETE Bana 4	Ů	0.270	0.140	0.717	0.000	Not required
		LTE Band 5	0	0.268	0.143	0.414	0.825	ΣSAR<1.6, Not required
				0.040	0.440	0.444	0.070	ΣSAR<1.6,
		LTE Band 7	0	0.313	0.143	0.414	0.870	Not required
		LTE Band 12	0	0.196	0.143	0.414	0.753	ΣSAR<1.6,
				0.100	011.10	0	000	Not required
21	Back side	LTE Band 13	0	0.216	0.143	0.414	0.773	ΣSAR<1.6, Not required
		LTE D LAA		0.000	0.440	0.444	0.700	ΣSAR<1.6,
		LTE Band 14	0	0.239	0.143	0.414	0.796	Not required
		LTE Band 17	0	0.234	0.143	0.414	0.791	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 25	0	0.286	0.143	0.414	0.843	Not required
		LTE Band 26	0	0.250	0.143	0.414	0.807	ΣSAR<1.6,
		LIE Danu 20	U	0.250	0.143	0.414	0.607	Not required
		LTE Band 30	0	0.302	0.143	0.414	0.859	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 38	0	0.289	0.143	0.414	0.846	Not required
		LTE Band 41	0	0.301	0.143	0.414	0.048	ΣSAR<1.6,
		LIE Dallu 41	0	0.391	0.143	0.414	0.948	Not required
		LTE Band 66	0	0.279	0.143	0.414	0.836	ΣSAR<1.6,
			_					Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 379 of 608

Back side WWAN + 5G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.290	0.289	0.262	0.841	ΣSAR<1.6,
		WODIVIA Dalid 2	U	0.290	0.209	0.202	0.041	Not required
		WCDMA Band 4	0	0.294	0.289	0.262	0.845	ΣSAR<1.6,
			_					Not required
		WCDMA Band 5	0	0.276	0.289	0.262	0.827	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 2	0	0.241	0.289	0.262	0.792	Not required
			_					ΣSAR<1.6,
		LTE Band 4	0	0.279	0.289	0.262	0.830	Not required
		LTE Band 5	0	0.268	0.289	0.262	0.819	ΣSAR<1.6,
		LIE Banu 5	U	0.200	0.269	0.262	0.619	Not required
		LTE Band 7	0	0.313	0.289	0.262	0.864	ΣSAR<1.6,
		ETE Bana 7	•	0.010	0.200	0.202	0.004	Not required
		LTE Band 12	0	0.196	0.289	0.262	0.747	ΣSAR<1.6,
								Not required ΣSAR<1.6,
22	Back side		0	0.216	0.289	0.262	0.767	Not required
								ΣSAR<1.6,
		LTE Band 14	0	0.239	0.289	0.262	0.790	Not required
		LTE D 147	0	0.004	0.000	0.000	0.705	ΣSAR<1.6,
		LTE Band 17	0	0.234	0.289	0.262	0.785	Not required
		LTE Band 25	0	0.286	0.289	0.262	0.837	ΣSAR<1.6,
		LTL Danu 25	U	0.200	0.209	0.202	0.037	Not required
		LTE Band 26	0	0.250	0.289	0.262	0.801	ΣSAR<1.6,
				0.250	0.200	0.202	0.00.	Not required
		LTE Band 30	0	0.302	0.289	0.262	0.853	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 38	0	0.289	0.289	0.262	0.840	Not required
			_					ΣSAR<1.6,
		LTE Band 41	0	0.391	0.289	0.262	0.942	Not required
		LTE Dand CC	0	0.070	0.000	0.000	0.000	ΣSAR<1.6,
		LTE Band 66	0	0.279	0.289	0.262	0.830	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 380 of 608

Back side WWAN + 2.4G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.290	0.143	0.088	0.521	ΣSAR<1.6, Not required
		WCDMA Band 4	0	0.294	0.143	0.088	0.525	ΣSAR<1.6, Not required
		WCDMA Band 5	0	0.276	0.143	0.088	0.507	ΣSAR<1.6, Not required
		LTE Band 2	0	0.241	0.143	0.088	0.472	ΣSAR<1.6, Not required
		LTE Band 4	0	0.279	0.143	0.088	0.510	ΣSAR<1.6, Not required
		LTE Band 5	0	0.268	0.143	0.088	0.499	ΣSAR<1.6, Not required
		LTE Band 7	0	0.313	0.143	0.088	0.544	ΣSAR<1.6, Not required
		LTE Band 12	0	0.196	0.143	0.088	0.427	ΣSAR<1.6, Not required
23	Back side	LTE Band 13	0	0.216	0.143	0.088	0.447	ΣSAR<1.6, Not required
		LTE Band 14		0.239	0.143	0.088	0.470	ΣSAR<1.6, Not required
		LTE Band 17	0	0.234	0.143	0.088	0.465	ΣSAR<1.6, Not required
		LTE Band 25	0	0.286	0.143	0.088	0.517	ΣSAR<1.6, Not required
		LTE Band 26	0	0.250	0.143	0.088	0.481	ΣSAR<1.6, Not required
		LTE Band 30	0	0.302	0.143	0.088	0.533	ΣSAR<1.6, Not required
		LTE Band 38	0	0.289	0.143	0.088	0.520	ΣSAR<1.6, Not required
		LTE Band 41	0	0.391	0.143	0.088	0.622	ΣSAR<1.6, Not required
		LTE Band 66	0	0.279	0.143	0.088	0.510	ΣSAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 381 of 608

Back side WWAN + 5G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.290	0.289	0.088	0.667	ΣSAR<1.6, Not required
		WCDMA Band 4	0	0.294	0.289	0.088	0.671	ΣSAR<1.6, Not required
		WCDMA Band 5	0	0.276	0.289	0.088	0.653	ΣSAR<1.6, Not required
		LTE Band 2	0	0.241	0.289	0.088	0.618	ΣSAR<1.6, Not required
		LTE Band 4	0	0.279	0.289	0.088	0.656	ΣSAR<1.6, Not required
		LTE Band 5	0	0.268	0.289	0.088	0.645	ΣSAR<1.6, Not required
		LTE Band 7	0	0.313	0.289	0.088	0.690	ΣSAR<1.6, Not required
		LTE Band 12	0	0.196	0.289	0.088	0.573	ΣSAR<1.6, Not required
24	Back side	LTE Band 13	0	0.216	0.289	0.088	0.593	ΣSAR<1.6, Not required
		LTE Band 14	0	0.239	0.289	0.088	0.616	ΣSAR<1.6, Not required
		LTE Band 17	0	0.234	0.289	0.088	0.611	ΣSAR<1.6, Not required
		LTE Band 25	0	0.286	0.289	0.088	0.663	ΣSAR<1.6, Not required
		LTE Band 26	0	0.250	0.289	0.088	0.627	ΣSAR<1.6, Not required
		LTE Band 30	0	0.302	0.289	0.088	0.679	ΣSAR<1.6, Not required
		LTE Band 38	0	0.289	0.289	0.088	0.666	ΣSAR<1.6, Not required
		LTE Band 41	0	0.391	0.289	0.088	0.768	ΣSAR<1.6, Not required
		LTE Band 66	0	0.279	0.289	0.088	0.656	ΣSAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 382 of 608

Top side WWAN + 2.4G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	1.297	0.631	1.193	3.121	Analyzed
		TV OD IVII Y DAIRG E	Ŭ	1.207	0.001	11100	0	as below
		WCDMA Band 4	0	1.392	0.631	1.193	3.216	Analyzed
			_					as below
		WCDMA Band 5	0	1.312	0.631	1.193	3.136	Analyzed
								as below Analyzed
		LTE Band 2	0	1.250	0.631	1.193	3.074	as below
								Analyzed
		LTE Band 4	0	1.363	0.631	1.193	3.187	as below
								Analyzed
		LTE Band 5	0	1.346	0.631	1.193	3.170	as below
		LTC Dand 7	0	4.050	0.004	4.400	2.476	Analyzed
		LTE Band 7	0	1.352	0.631	1.193	3.176	as below
		LTE Band 12	0	1.369	0.631	1.193	3.193	Analyzed
		LTL Danu 12	U	1.509	0.031	1.193	3.193	as below
25	Top side	LTE Band 13	0	1.419	0.631	1.193	3.243	Analyzed
	. 00 0.00	ETE Bana 10	ŭ	11110	0.001	11100	0.2.0	as below
		LTE Band 14	0	1.386	0.631	1.193	3.210	Analyzed
								as below
		LTE Band 17	0	1.342	0.631	1.193	3.166	Analyzed
								as below Analyzed
		LTE Band 25	0	1.433	0.631	1.193	3.257	as below
								Analyzed
		LTE Band 26	0	1.385	0.631	1.193	3.209	as below
		1.TE D 1.0.2	0	4.000	0.004	4.400	2.422	Analyzed
		LTE Band 30	0	1.306	0.631	1.193	3.130	as below
		LTE Band 38	0	1.128	0.631	1.193	2.952	Analyzed
		LIE Dallu 38	U	1.120	0.031	1.193	2.952	as below
		LTE Band 41	0	1 202	0.631	1 102	3.207	Analyzed
		LTE Band 41	0	1.383	0.631	1.193	3.201	as below
		LTE Band 66	0	1.369	0.631	1.193	3.193	Analyzed
			Ŭ	1.000	0.001	100	0.100	as below

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 383 of 608

Top side WWAN + 5G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	1.297	1.035	1.014	3.346	Analyzed as below
		WODMA David 4	0	4.000	4.005	4.04.4	2.444	Analyzed
		WCDMA Band 4	0	1.392	1.035	1.014	3.441	as below
		WCDMA Band 5	0	1.312	1.035	1.014	3.361	Analyzed as below
			_					Analyzed
		LTE Band 2	0	1.250	1.035	1.014	3.299	as below
		LTE Band 4	0	1.363	1.035	1.014	3.412	Analyzed
							••••	as below
		LTE Band 5	0	1.346	1.035	1.014	3.395	Analyzed as below
								Analyzed
		LTE Band 7	0	1.352	1.035	1.014	3.401	as below
		LTE Band 12	0	1.369	1.035	1.014	3.418	Analyzed
		ETE Band 12	· ·	1.505	1.000	1.014	3.410	as below
26	Top side	LTE Band 13	0	1.419	1.035	1.014	3.468	Analyzed
								as below Analyzed
		LTE Band 14	0	1.386	1.035	1.014	3.435	as below
		LTC Dand 47	_	4.040	4.005	4.044	2 204	Analyzed
		LTE Band 17	0	1.342	1.035	1.014	3.391	as below
		LTE Band 25	0	1.433	1.035	1.014	3.482	Analyzed
								as below
		LTE Band 26	0	1.385	1.035	1.014	3.434	Analyzed as below
			_					Analyzed
		LTE Band 30	0	1.306	1.035	1.014	3.355	as below
		LTE Band 38	0	1.128	1.035	1.014	3.177	Analyzed
		LIL Dallu 30	U	1.120	1.000	1.014	3.177	as below
		LTE Band 41	0	1.383	1.035	1.014	3.432	Analyzed
								as below
		LTE Band 66	0	1.369	1.035	1.014	3.418	Analyzed
								as below

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 384 of 608

Top side WWAN + 2.4G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	1.297	0.631	0.270	2.198	Analyzed as below
		WCDMA Band 4	0	1.392	0.631	0.270	2.293	Analyzed as below
		WCDMA Band 5	0	1.312	0.631	0.270	2.213	Analyzed as below
		LTE Band 2	0	1.250	0.631	0.270	2.151	Analyzed as below
		LTE Band 4	0	1.363	0.631	0.270	2.264	Analyzed as below
		LTE Band 5	0	1.346	0.631	0.270	2.247	Analyzed as below
		LTE Band 7	0	1.352	0.631	0.270	2.253	Analyzed as below
		LTE Band 12	0	1.369	0.631	0.270	2.270	Analyzed as below
27	Top side	LTE Band 13	0	1.419	0.631	0.270	2.320	Analyzed as below
		LTE Band 14	0	1.386	0.631	0.270	2.287	Analyzed as below
		LTE Band 17	0	1.342	0.631	0.270	2.243	Analyzed as below
		LTE Band 25	0	1.433	0.631	0.270	2.334	Analyzed as below
		LTE Band 26	0	1.385	0.631	0.270	2.286	Analyzed as below
		LTE Band 30	0	1.306	0.631	0.270	2.207	Analyzed as below
		LTE Band 38	0	1.128	0.631	0.270	2.029	Analyzed as below
		LTE Band 41	0	1.383	0.631	0.270	2.284	Analyzed as below
		LTE Band 66	0	1.369	0.631	0.270	2.270	Analyzed as below

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 385 of 608

Top side WWAN + 5G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	1.297	1.035	0.270	2.602	Analyzed
			,					as below
		WCDMA Band 4	0	1.392	1.035	0.270	2.697	Analyzed
								as below Analyzed
		WCDMA Band 5	0	1.312	1.035	0.270	2.617	as below
			_					Analyzed
		LTE Band 2	0	1.250	1.035	0.270	2.555	as below
		LTE Band 4	0	1.363	1.035	0.270	2.668	Analyzed
		LTE Danu 4	U	1.303	1.035	0.270	2.008	as below
		LTE Band 5	0	1.346	1.035	0.270	2.651	Analyzed
		LTE Dana 5	U	1.540	1.000	0.270	2.031	as below
		LTE Band 7	0	1.352	1.035	0.270	2.657	Analyzed
			·					as below
		LTE Band 12	0	1.369	1.035	0.270	2.674	Analyzed
								as below Analyzed
28	Top side	LTE Band 13	0	1.419	1.035	0.270	2.724	as below
								Analyzed
		LTE Band 14	0	1.386	1.035	0.270	2.691	as below
		LTE Band 17	0	1.342	1.035	0.270	2.647	Analyzed
		LIE Danu 17	U	1.342	1.035	0.270	2.047	as below
		LTE Band 25	0	1.433	1.035	0.270	2.738	Analyzed
		LTE Dana 20	U	1.400	1.000	0.270	2.750	as below
		LTE Band 26	0	1.385	1.035	0.270	2.690	Analyzed
								as below
		LTE Band 30	0	1.306	1.035	0.270	2.611	Analyzed as below
								Analyzed
		LTE Band 38	0	1.128	1.035	0.270	2.433	as below
		LTE D L44		4.000	4.005	0.070		Analyzed
		LTE Band 41	0	1.383	1.035	0.270	2.688	as below
		LTE Band 66	0	1.369	1.035	0.270	2.674	Analyzed
		LIE Dallu 00	U	1.309	1.033	0.270	2.074	as below

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 386 of 608

Top side WWAN + 2.4G WLAN Main

Position	Conditions	SAR Value	Coo	ordinates	(cm)	ΣSAR	Peak Location	SPLSR	Simultaneous Transmission
FOSITION	Conditions	(W/kg)	х	у	Z	(W/kg)	Separation Distance (mm)	SFLSK	SAR Test
	WLAN Main	0.631	-0.64	-5.18	-0.22	-	-	-	-
	WCDMA Band 2	1.297	-0.95	12.90	-0.30	1.928	180.83	0.015	SPLSR ≤ 0.04, Not required
	WCDMA Band 4	1.392	-0.80	12.89	-0.30	2.023	180.71	0.016	SPLSR ≤ 0.04, Not required
	WCDMA Band 5	1.312	-0.36	9.31	-0.38	1.943	144.94	0.019	SPLSR ≤ 0.04, Not required
	LTE Band 2	1.250	-0.95	12.90	-0.53	1.881	180.85	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 4	1.363	-0.80	12.89	-0.53	1.994	180.73	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 5	1.346	-0.36	9.19	-0.38	1.977	143.74	0.019	SPLSR ≤ 0.04, Not required
	LTE Band 7	1.352	-0.54	13.24	-0.39	1.983	184.21	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 12	1.369	-0.35	9.20	-0.38	2.000	143.84	0.020	SPLSR ≤ 0.04, Not required
Top side	LTE Band 13	1.419	-0.35	9.35	-0.39	2.050	145.34	0.020	SPLSR ≤ 0.04, Not required
	LTE Band 14	1.386	-0.65	9.50	-0.27	2.017	146.80	0.020	SPLSR ≤ 0.04, Not required
	LTE Band 17	1.342	-0.35	9.20	-0.38	1.973	143.84	0.019	SPLSR ≤ 0.04, Not required
	LTE Band 25	1.433	-0.80	13.05	-0.32	2.064	182.31	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.385	-0.36	9.34	-0.38	2.016	145.24	0.020	SPLSR ≤ 0.04, Not required
	LTE Band 30	1.306	-0.54	12.88	-0.44	1.937	180.62	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 38	1.128	-0.70	13.26	-0.36	1.759	184.41	0.013	SPLSR ≤ 0.04, Not required
	LTE Band 41	1.383	-0.68	13.14	-0.36	2.014	183.21	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.369	-0.80	12.90	-0.53	2.000	180.83	0.016	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 387 of 608

Top side WWAN + 2.4G WLAN + Aux

Position	Conditions	SAR Value	Coo	ordinates	(cm)	ΣSAR	Peak Location	SPLSR	Simultaneous Transmission
Position	Conditions	(W/kg)	x	у	Z	(W/kg)	Separation Distance (mm)	SFLSK	SAR Test
	WLAN Aux	1.193	-0.42	-13.66	-0.21	-	-	-	-
	WCDMA Band 2	1.297	-0.95	12.90	-0.30	2.490	265.65	0.015	SPLSR ≤ 0.04, Not required
	WCDMA Band 4	1.392	-0.80	12.89	-0.30	2.585	265.53	0.016	SPLSR ≤ 0.04, Not required
	WCDMA Band 5	1.312	-0.36	9.31	-0.38	2.505	229.71	0.017	SPLSR ≤ 0.04, Not required
	LTE Band 2	1.250	-0.95	12.90	-0.53	2.443	265.67	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 4	1.363	-0.80	12.89	-0.53	2.556	265.55	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 5	1.346	-0.36	9.19	-0.38	2.539	228.51	0.018	SPLSR ≤ 0.04, Not required
	LTE Band 7	1.352	-0.54	13.24	-0.39	2.545	269.01	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 12	1.369	-0.35	9.20	-0.38	2.562	228.61	0.018	SPLSR ≤ 0.04, Not required
Top side	LTE Band 13	1.419	-0.35	9.35	-0.39	2.612	230.11	0.018	SPLSR ≤ 0.04, Not required
	LTE Band 14	1.386	-0.65	9.50	-0.27	2.579	231.61	0.018	SPLSR ≤ 0.04, Not required
	LTE Band 17	1.342	-0.35	9.20	-0.38	2.535	228.61	0.018	SPLSR ≤ 0.04, Not required
	LTE Band 25	1.433	-0.80	13.05	-0.32	2.626	267.13	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.385	-0.36	9.34	-0.38	2.578	230.01	0.018	SPLSR ≤ 0.04, Not required
-	LTE Band 30	1.306	-0.54	12.88	-0.44	2.499	265.41	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 38	1.128	-0.70	13.26	-0.36	2.321	269.22	0.013	SPLSR ≤ 0.04, Not required
	LTE Band 41	1.383	-0.68	13.14	-0.36	2.576	268.02	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.369	-0.80	12.90	-0.53	2.562	265.65	0.015	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 388 of 608

Top side WWAN + 5G WLAN + Main

Position	Conditions	SAR Value	Coo	ordinates	(cm)	ΣSAR	Peak Location	SPLSR	Simultaneous Transmission
FOSITION	Conditions	(W/kg)	х	у	Z	(W/kg)	Separation Distance (mm)	SFLSK	SAR Test
	WLAN Main	1.035	-0.50	-5.68	-0.21	-	-	-	-
	WCDMA Band 2	1.297	-0.95	12.90	-0.30	2.332	185.86	0.019	SPLSR ≤ 0.04, Not required
	WCDMA Band 4	1.392	-0.80	12.89	-0.30	2.427	185.73	0.020	SPLSR ≤ 0.04, Not required
	WCDMA Band 5	1.312	-0.36	9.31	-0.38	2.347	149.92	0.024	SPLSR ≤ 0.04, Not required
	LTE Band 2	1.250	-0.95	12.90	-0.53	2.285	185.88	0.019	SPLSR ≤ 0.04, Not required
	LTE Band 4	1.363	-0.80	12.89	-0.53	2.398	185.75	0.020	SPLSR ≤ 0.04, Not required
	LTE Band 5	1.346	-0.36	9.19	-0.38	2.381	148.72	0.025	SPLSR ≤ 0.04, Not required
	LTE Band 7	1.352	-0.54	13.24	-0.39	2.387	189.21	0.019	SPLSR ≤ 0.04, Not required
Tan aida	LTE Band 12	1.369	-0.35	9.20	-0.38	2.404	148.82	0.025	SPLSR ≤ 0.04, Not required
Top side	LTE Band 13	1.419	-0.35	9.35	-0.39	2.454	150.32	0.026	SPLSR ≤ 0.04, Not required
	LTE Band 14	1.386	-0.65	9.50	-0.27	2.421	151.81	0.025	SPLSR ≤ 0.04, Not required
	LTE Band 17	1.342	-0.35	9.20	-0.38	2.377	148.82	0.025	SPLSR ≤ 0.04, Not required
	LTE Band 25	1.433	-0.80	13.05	-0.32	2.468	187.33	0.021	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.385	-0.36	9.34	-0.38	2.420	150.22	0.025	SPLSR ≤ 0.04, Not required
-	LTE Band 30	1.306	-0.54	12.88	-0.44	2.341	185.61	0.019	SPLSR ≤ 0.04, Not required
	LTE Band 38	1.128	-0.70	13.26	-0.36	2.163	189.42	0.017	SPLSR ≤ 0.04, Not required
	LTE Band 41	1.383	-0.68	13.14	-0.36	2.418	188.21	0.020	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.369	-0.80	12.90	-0.53	2.404	185.85	0.020	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 389 of 608

Top side WWAN + 5G WLAN + Aux

Position	Conditions	SAR Value	Coc	rdinates	(cm)	ΣSAR	Peak Location	SPLSR	Simultaneous Transmission
Position	Conditions	(W/kg)	х	у	Z	(W/kg)	Separation Distance (mm)	SPLSK	SAR Test
	WLAN Aux	1.014	-0.40	-14.10	-0.21	-	-	-	-
	WCDMA Band 2	1.297	-0.95	12.90	-0.30	2.311	270.06	0.013	SPLSR ≤ 0.04, Not required
	WCDMA Band 4	1.392	-0.80	12.89	-0.30	2.406	269.93	0.014	SPLSR ≤ 0.04, Not required
	WCDMA Band 5	1.312	-0.36	9.31	-0.38	2.326	234.11	0.015	SPLSR ≤ 0.04, Not required
	LTE Band 2	1.250	-0.95	12.90	-0.53	2.264	270.07	0.013	SPLSR ≤ 0.04, Not required
	LTE Band 4	1.363	-0.80	12.89	-0.53	2.377	269.95	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 5	1.346	-0.36	9.19	-0.38	2.360	232.91	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 7	1.352	-0.54	13.24	-0.39	2.366	273.41	0.013	SPLSR ≤ 0.04, Not required
Top side	LTE Band 12	1.369	-0.35	9.20	-0.38	2.383	233.01	0.016	SPLSR ≤ 0.04, Not required
Top side	LTE Band 13	1.419	-0.35	9.35	-0.39	2.433	234.51	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 14	1.386	-0.65	9.50	-0.27	2.400	236.01	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 17	1.342	-0.35	9.20	-0.38	2.356	233.01	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 25	1.433	-0.80	13.05	-0.32	2.447	271.53	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.385	-0.36	9.34	-0.38	2.399	234.41	0.016	SPLSR ≤ 0.04, Not required
	LTE Band 30	1.306	-0.54	12.88	-0.44	2.320	269.81	0.013	SPLSR ≤ 0.04, Not required
t	LTE Band 38	1.128	-0.70	13.26	-0.36	2.142	273.62	0.011	SPLSR ≤ 0.04, Not required
	LTE Band 41	1.383	-0.68	13.14	-0.36	2.397	272.42	0.014	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.369	-0.80	12.90	-0.53	2.383	270.05	0.014	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 390 of 608

Top side WWAN + BT

Position	Conditions	SAR Value (W/kg)	Coordinates (cm)			ΣSAR	Peak Location	SPLSR	Simultaneous Transmission
			х	у	Z	(W/kg)	Separation Distance (mm)	SPLOK	SAR Test
Top side	Bluetooth	0.270	-0.52	-13.68	-0.21	-	-	-	-
	WCDMA Band 2	1.297	-0.95	12.90	-0.30	1.567	265.84	0.007	SPLSR ≤ 0.04, Not required
	WCDMA Band 4	1.392	-0.80	12.89	-0.30	1.662	265.72	0.008	SPLSR ≤ 0.04, Not required
	WCDMA Band 5	1.312	-0.36	9.31	-0.38	1.582	229.91	0.009	SPLSR ≤ 0.04, Not required
	LTE Band 2	1.250	-0.95	12.90	-0.53	1.520	265.85	0.007	SPLSR ≤ 0.04, Not required
	LTE Band 4	1.363	-0.80	12.89	-0.53	1.633	265.73	0.008	SPLSR ≤ 0.04, Not required
	LTE Band 5	1.346	-0.36	9.19	-0.38	1.616	228.71	0.009	SPLSR ≤ 0.04, Not required
	LTE Band 7	1.352	-0.54	13.24	-0.39	1.622	269.21	0.008	SPLSR ≤ 0.04, Not required
	LTE Band 12	1.369	-0.35	9.20	-0.38	1.639	228.81	0.009	SPLSR ≤ 0.04, Not required
	LTE Band 13	1.419	-0.35	9.35	-0.39	1.689	230.31	0.010	SPLSR ≤ 0.04, Not required
	LTE Band 14	1.386	-0.65	9.50	-0.27	1.656	231.80	0.009	SPLSR ≤ 0.04, Not required
	LTE Band 17	1.342	-0.35	9.20	-0.38	1.612	228.81	0.009	SPLSR ≤ 0.04, Not required
	LTE Band 25	1.433	-0.80	13.05	-0.32	1.703	267.32	0.008	SPLSR ≤ 0.04, Not required
	LTE Band 26	1.385	-0.36	9.34	-0.38	1.655	230.21	0.009	SPLSR ≤ 0.04, Not required
	LTE Band 30	1.306	-0.54	12.88	-0.44	1.576	265.61	0.007	SPLSR ≤ 0.04, Not required
	LTE Band 38	1.128	-0.70	13.26	-0.36	1.398	269.41	0.006	SPLSR ≤ 0.04, Not required
	LTE Band 41	1.383	-0.68	13.14	-0.36	1.653	268.21	0.008	SPLSR ≤ 0.04, Not required
	LTE Band 66	1.369	-0.80	12.90	-0.53	1.639	265.83	0.008	SPLSR ≤ 0.04, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions for Electronic Documents at www.sgs.com/terms and <a href="https://www.sgs.com/terms and <a href="https://wwww.sgs.com/terms and <a href="https://www.sgs.com/ter Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. 1 台灣檢驗科技股份有限公司




Page: 391 of 608

Top_2.4G_Main→WWAN


WCDMA Band 2



WCDMA Band 4



WCDMA Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 392 of 608


LTE Band 2



LTE Band 4



LTE Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 393 of 608


LTE Band 7



LTE Band 12



LTE Band 13



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 394 of 608


LTE Band 14



LTE Band 17



LTE Band 25



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 395 of 608


LTE Band 26



LTE Band 30



LTE Band 38



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 396 of 608

LTE Band 41



LTE Band 66



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 397 of 608

Top_2.4G_Aux→WWAN


WCDMA Band 2



WCDMA Band 4



WCDMA Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 398 of 608


LTE Band 2



LTE Band 4



LTE Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 399 of 608


LTE Band 7



LTE Band 12



LTE Band 13



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 400 of 608


LTE Band 14



LTE Band 17



LTE Band 25



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 401 of 608


LTE Band 26



LTE Band 30



LTE Band 38



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 402 of 608

LTE Band 41



LTE Band 66



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 403 of 608

Top_5G_Main→WWAN


WCDMA Band 2



WCDMA Band 4



WCDMA Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 404 of 608


LTE Band 2



LTE Band 4



LTE Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 405 of 608


LTE Band 7



LTE Band 12



LTE Band 13



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 406 of 608


LTE Band 14



LTE Band 17



LTE Band 25



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 407 of 608


LTE Band 26



LTE Band 30



LTE Band 38



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 408 of 608

LTE Band 41



LTE Band 66



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 409 of 608

Top_5G_Aux→WWAN


WCDMA Band 2



WCDMA Band 4



WCDMA Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 410 of 608


LTE Band 2



LTE Band 4



LTE Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 411 of 608


LTE Band 7



LTE Band 12



LTE Band 13



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 412 of 608


LTE Band 14



LTE Band 17



LTE Band 25



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 413 of 608


LTE Band 26



LTE Band 30



LTE Band 38



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 414 of 608

LTE Band 41



LTE Band 66



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 415 of 608

Top_BT→WWAN


WCDMA Band 2



WCDMA Band 4



WCDMA Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 416 of 608


LTE Band 2



LTE Band 4



LTE Band 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 417 of 608


LTE Band 7



LTE Band 12



LTE Band 13



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 418 of 608


LTE Band 14



LTE Band 17



LTE Band 25



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 419 of 608


LTE Band 26



LTE Band 30



LTE Band 38



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 420 of 608

LTE Band 41



LTE Band 66



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 421 of 608

Bottom side WWAN + 2.4G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.035	0.005	0.022	0.062	ΣSAR<1.6,
								Not required
		WCDMA Band 4	0	0.041	0.005	0.022	0.068	ΣSAR<1.6, Not required
			_					ΣSAR<1.6,
		WCDMA Band 5	0	0.039	0.005	0.022	0.066	Not required
		LTE Band 2	0	0.029	0.005	0.022	0.056	ΣSAR<1.6,
		LTL Danu 2	U	0.029	0.003	0.022	0.030	Not required
		LTE Band 4	0	0.040	0.005	0.022	0.067	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 5	0	0.040	0.005	0.022	0.067	Not required
								ΣSAR<1.6,
		LTE Band 7	0	0.045	0.005	0.022	0.072	Not required
		LTE Band 12	0	0.038	0.005	0.022	0.065	ΣSAR<1.6,
	_	LTL Dallu 12	U	0.036	0.003	0.022	0.005	Not required
29	Bottom	LTE Band 13	0	0.045	0.005	0.022	0.072	ΣSAR<1.6,
	side							Not required ΣSAR<1.6,
		LTE Band 14	0	0.051	0.005	0.022	0.078	Not required
								ΣSAR<1.6,
		LTE Band 17	0	0.046	0.005	0.022	0.073	Not required
		LTE Band 25	0	0.035	0.005	0.022	0.062	ΣSAR<1.6,
		LTL Dallu 25	U	0.033	0.003	0.022	0.002	Not required
		LTE Band 26	0	0.041	0.005	0.022	0.068	ΣSAR<1.6,
			,					Not required
		LTE Band 30	0	0.043	0.005	0.022	0.070	ΣSAR<1.6, Not required
								ΣSAR<1.6,
		LTE Band 38	0	0.043	0.005	0.022	0.070	Not required
		LTE Bond 44	_	0.052	0.005	0.022	0.000	ΣSAR<1.6,
		LTE Band 41	0	0.053	0.005	0.022	0.080	Not required
		LTE Band 66	0	0.041	0.005	0.022	0.068	ΣSAR<1.6,
		ETE Dana 00		0.0-1	0.000	0.022	0.000	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 422 of 608

Bottom side WWAN + 5G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.035	0.011	0.021	0.067	ΣSAR<1.6,
		TTODITITE BATTA E	Ů	0.000	0.011	0.021	0.007	Not required
		WCDMA Band 4	0	0.041	0.011	0.021	0.073	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		WCDMA Band 5	0	0.039	0.011	0.021	0.071	Not required
			_					ΣSAR<1.6,
		LTE Band 2	0	0.029	0.011	0.021	0.061	Not required
		LTE Band 4	0	0.040	0.011	0.021	0.072	ΣSAR<1.6,
		LTE Dallu 4	U	0.040	0.011	0.021	0.072	Not required
		LTE Band 5	0	0.040	0.011	0.021	0.072	ΣSAR<1.6,
			, i	0.0.0	0.0	0.02.	0.0.2	Not required
		LTE Band 7	0	0.045	0.011	0.021	0.077	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 12	0	0.038	0.011	0.021	0.070	Not required
20	Bottom	1.TE D. 140	_	0.045	0.044	0.004	0.077	ΣSAR<1.6,
30	side	LTE Band 13	0	0.045	0.011	0.021	0.077	Not required
		LTE Band 14	0	0.051	0.011	0.021	0.083	ΣSAR<1.6,
		LTL Dalla 14	U	0.001	0.011	0.021	0.003	Not required
		LTE Band 17	0	0.046	0.011	0.021	0.078	ΣSAR<1.6,
			·					Not required
		LTE Band 25	0	0.035	0.011	0.021	0.067	ΣSAR<1.6, Not required
								ΣSAR<1.6,
		LTE Band 26	0	0.041	0.011	0.021	0.073	Not required
		LTC D	_	0.040	0.044	0.004	0.075	ΣSAR<1.6,
		LTE Band 30	0	0.043	0.011	0.021	0.075	Not required
		LTE Band 38	0	0.043	0.011	0.021	0.075	ΣSAR<1.6,
		ETE Dana 30	· ·	0.040	0.011	0.021	0.073	Not required
		LTE Band 41	0	0.053	0.011	0.021	0.085	ΣSAR<1.6,
		LIE Band 41 0			0.011	0.021	0.003	Not required
		LTE Band 66	0	0.041	0.011	0.021	0.073	ΣSAR<1.6,
								Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 423 of 608

Bottom side WWAN + 2.4G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.035	0.005	0.005	0.045	ΣSAR<1.6, Not required
		WCDMA Band 4	0	0.041	0.005	0.005	0.051	ΣSAR<1.6, Not required
		WCDMA Band 5	0	0.039	0.005	0.005	0.049	ΣSAR<1.6, Not required
		LTE Band 2	0	0.029	0.005	0.005	0.039	ΣSAR<1.6, Not required
		LTE Band 4	0	0.040	0.005	0.005	0.050	ΣSAR<1.6, Not required
		LTE Band 5	0	0.040	0.005	0.005	0.050	ΣSAR<1.6, Not required
		LTE Band 7	0	0.045	0.005	0.005	0.055	ΣSAR<1.6, Not required
		LTE Band 12	0	0.038	0.005	0.005	0.048	ΣSAR<1.6, Not required
31	Bottom side	LTE Band 13	0	0.045	0.005	0.005	0.055	ΣSAR<1.6, Not required
		LTE Band 14	0	0.051	0.005	0.005	0.061	ΣSAR<1.6, Not required
		LTE Band 17	0	0.046	0.005	0.005	0.056	ΣSAR<1.6, Not required
		LTE Band 25	0	0.035	0.005	0.005	0.045	ΣSAR<1.6, Not required
		LTE Band 26	0	0.041	0.005	0.005	0.051	ΣSAR<1.6, Not required
		LTE Band 30	0	0.043	0.005	0.005	0.053	ΣSAR<1.6, Not required
		LTE Band 38	0	0.043	0.005	0.005	0.053	ΣSAR<1.6, Not required
		LTE Band 41	0	0.053	0.005	0.005	0.063	ΣSAR<1.6, Not required
		LTE Band 66	0	0.041	0.005	0.005	0.051	ΣSAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 424 of 608

Bottom side WWAN + 5G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.035	0.011	0.005	0.051	ΣSAR<1.6, Not required
		WCDMA Band 4	0	0.041	0.011	0.005	0.057	ΣSAR<1.6, Not required
		WCDMA Band 5	0	0.039	0.011	0.005	0.055	ΣSAR<1.6, Not required
		LTE Band 2	0	0.029	0.011	0.005	0.045	ΣSAR<1.6, Not required
		LTE Band 4	0	0.040	0.011	0.005	0.056	ΣSAR<1.6, Not required
		LTE Band 5	0	0.040	0.011	0.005	0.056	ΣSAR<1.6, Not required
		LTE Band 7	0	0.045	0.011	0.005	0.061	ΣSAR<1.6, Not required
		LTE Band 12	0	0.038	0.011	0.005	0.054	ΣSAR<1.6, Not required
32	Bottom side	LTE Band 13	0	0.045	0.011	0.005	0.061	ΣSAR<1.6, Not required
		LTE Band 14	0	0.051	0.011	0.005	0.067	ΣSAR<1.6, Not required
		LTE Band 17	0	0.046	0.011	0.005	0.062	ΣSAR<1.6, Not required
		LTE Band 25	0	0.035	0.011	0.005	0.051	ΣSAR<1.6, Not required
		LTE Band 26	0	0.041	0.011	0.005	0.057	ΣSAR<1.6, Not required
		LTE Band 30	0	0.043	0.011	0.005	0.059	ΣSAR<1.6, Not required
		LTE Band 38	0	0.043	0.011	0.005	0.059	ΣSAR<1.6, Not required
		LTE Band 41	0	0.053	0.011	0.005	0.069	ΣSAR<1.6, Not required
		LTE Band 66	0	0.041	0.011	0.005	0.057	ΣSAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 425 of 608

Right side WWAN + 2.4G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.492	0.004	0.021	0.517	ΣSAR<1.6,
		WODINI, CDANG 2	Ů	0.102	0.001	0.021	0.017	Not required
		WCDMA Band 4	0	0.475	0.004	0.021	0.500	ΣSAR<1.6,
	-							Not required ΣSAR<1.6,
		WCDMA Band 5	0	0.479	0.004	0.021	0.504	Not required
	-	LTED. 10	0	0.400	0.004	0.004	0.404	ΣSAR<1.6,
		LTE Band 2	0	0.436	0.004	0.021	0.461	Not required
		LTE Band 4	0	0.413	0.004	0.021	0.438	ΣSAR<1.6,
	_	LTL Danu 4	U	0.413	0.004	0.021	0.436	Not required
		LTE Band 5	0	0.403	0.004	0.021	0.428	ΣSAR<1.6,
								Not required
		LTE Band 7	0	0.528	0.004	0.021	0.553	ΣSAR<1.6, Not required
								ΣSAR<1.6,
		LTE Band 12	0	0.385	0.004	0.021	0.410	Not required
33	Diaht aida	LTE Dand 40	0	0.446	0.004	0.004	0.471	ΣSAR<1.6,
33	Right side	LTE Band 13	U	0.446	0.004	0.021	0.471	Not required
		LTE Band 14	0	0.443	0.004	0.021	0.468	ΣSAR<1.6,
		ETE Bana 14	·	0.140	0.004	0.021	0.400	Not required
		LTE Band 17	0	0.466	0.004	0.021	0.491	ΣSAR<1.6,
	-					<u> </u>		Not required ΣSAR<1.6,
		LTE Band 25	0	0.539	0.004	0.021	0.564	Not required
	-	LTE D LOO	0	0.405	0.004	0.004	0.450	ΣSAR<1.6,
		LTE Band 26	0	0.425	0.004	0.021	0.450	Not required
		LTE Band 30	0	0.519	0.004	0.021	0.544	ΣSAR<1.6,
		LTL Dana 30	U	0.519	0.004	0.021	0.544	Not required
		LTE Band 38	0	0.504	0.004	0.021	0.529	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 41	0	0.663	0.004	0.021	0.688	Not required
								ΣSAR<1.6,
		LTE Band 66	0	0.477	0.004	0.021	0.502	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 426 of 608

Right side WWAN + 5G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.492	0.011	0.018	0.521	ΣSAR<1.6,
		WODAWA BANA E	Ů	0.102	0.011	0.010	0.021	Not required
		WCDMA Band 4	0	0.475	0.011	0.018	0.504	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		WCDMA Band 5	0	0.479	0.011	0.018	0.508	Not required
		LTED. 10	0	0.400	0.044	0.040	0.405	ΣSAR<1.6,
		LTE Band 2	0	0.436	0.011	0.018	0.465	Not required
		LTE Band 4	0	0.413	0.011	0.018	0.442	ΣSAR<1.6,
		LTL Danu 4	U	0.413	0.011	0.018	0.442	Not required
		LTE Band 5	0	0.403	0.011	0.018	0.432	ΣSAR<1.6,
			·					Not required
		LTE Band 7	0	0.528	0.011	0.018	0.557	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 12	0	0.385	0.011	0.018	0.414	Not required
24	Diabt side	LTE D	0	0.440	0.044	0.040	0.475	ΣSAR<1.6,
34	Right side	LTE Band 13	0	0.446	0.011	0.018	0.475	Not required
		LTE Band 14	0	0.443	0.011	0.018	0.472	ΣSAR<1.6,
		LTL Danu 14	U	0.443	0.011	0.010	0.472	Not required
		LTE Band 17	0	0.466	0.011	0.018	0.495	ΣSAR<1.6,
								Not required
		LTE Band 25	0	0.539	0.011	0.018	0.568	ΣSAR<1.6, Not required
								ΣSAR<1.6,
		LTE Band 26	0	0.425	0.011	0.018	0.454	Not required
		LTE D	0	0.540	0.044	0.040	0.540	ΣSAR<1.6,
		LTE Band 30	0	0.519	0.011	0.018	0.548	Not required
		LTE Band 38	0	0.504	0.011	0.018	0.533	ΣSAR<1.6,
		ETE Band 50	U	0.504	0.011	0.010	0.000	Not required
		LTE Band 41	0	0.663	0.011	0.018	0.692	ΣSAR<1.6,
	-	LIE Band 41		0.003	0.011	0.010	0.032	Not required
		LTE Band 66	0	0.477	0.011	0.018	0.506	ΣSAR<1.6,
								Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 427 of 608

Right side WWAN + 2.4G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.492	0.004	0.003	0.499	ΣSAR<1.6, Not required
		WCDMA Band 4	0	0.475	0.004	0.003	0.482	ΣSAR<1.6,
		WODINA Dand 4	U	0.473	0.004	0.003	0.402	Not required
		WCDMA Band 5	0	0.479	0.004	0.003	0.486	ΣSAR<1.6, Not required
	ŀ		_					ΣSAR<1.6,
		LTE Band 2	0	0.436	0.004	0.003	0.443	Not required
		LTE D LA	_	0.440	0.004	0.000	0.400	ΣSAR<1.6,
		LTE Band 4	0	0.413	0.004	0.003	0.420	Not required
		LTE Band 5	0	0.403	0.004	0.003	0.410	ΣSAR<1.6,
		LTE Ballu 3	U	0.403	0.004	0.003	0.410	Not required
		LTE Band 7	0	0.528	0.004	0.003	0.535	ΣSAR<1.6,
		LTL Danu 1	U	0.520	0.004	0.003	0.555	Not required
		LTE Band 12	0	0.385	0.004	0.003	0.392	ΣSAR<1.6,
		ETE Bana TE	ŭ	0.000	0.001	0.000	0.002	Not required
35	Right side	LTE Band 13	0	0.446	0.004	0.003	0.453	ΣSAR<1.6,
			_					Not required
		LTE Band 14	0	0.443	0.004	0.003	0.450	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 17	0	0.466	0.004	0.003	0.473	Not required
								ΣSAR<1.6,
		LTE Band 25	0	0.539	0.004	0.003	0.546	Not required
		.===						ΣSAR<1.6,
		LTE Band 26	0	0.425	0.004	0.003	0.432	Not required
		LTE D	0	0.540	0.004	0.000	0.500	ΣSAR<1.6,
		LTE Band 30	0	0.519	0.004	0.003	0.526	Not required
		LTE Band 38	0	0.504	0.004	0.003	0.511	ΣSAR<1.6,
		LTE Ballu 30	U	0.504	0.004	0.003	0.511	Not required
		LTE Band 41	0	0.663	0.004	0.003	0.670	ΣSAR<1.6,
		ETE Dana TI	Ŭ	0.000	0.004	0.000	0.070	Not required
		LTE Band 66	0	0.477	0.004	0.003	0.484	ΣSAR<1.6,
			Ĭ	U	0.00	0.000	J. 15 .	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 428 of 608

Right side WWAN + 5G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.492	0.011	0.003	0.506	ΣSAR<1.6, Not required
	-	MODMA Decida	0	0.475	0.044	0.000	0.400	ΣSAR<1.6,
		WCDMA Band 4	0	0.475	0.011	0.003	0.489	Not required
		WCDMA Band 5	0	0.479	0.011	0.003	0.493	ΣSAR<1.6,
	•							Not required ΣSAR<1.6,
		LTE Band 2	0	0.436	0.011	0.003	0.450	Not required
		LTE Band 4	0	0.413	0.011	0.003	0.427	ΣSAR<1.6,
				00		0.000	0	Not required ΣSAR<1.6,
		LTE Band 5	0	0.403	0.011	0.003	0.417	Not required
	•	LTC Dand 7	0	0.500	0.044	0.000	0.540	ΣSAR<1.6,
		LTE Band 7	U	0.528	0.011	0.003	0.542	Not required
		LTE Band 12	0	0.385	0.011	0.003	0.399	ΣSAR<1.6,
								Not required ΣSAR<1.6,
36	Right side	LTE Band 13	0	0.446	0.011	0.003	0.460	Not required
		LTE Band 14	0	0.443	0.011	0.003	0.457	ΣSAR<1.6,
	-	ETE Band 14	0	0.440	0.011	0.000	0.407	Not required
		LTE Band 17	0	0.466	0.011	0.003	0.480	ΣSAR<1.6, Not required
		LTE D105	0	0.500	0.044	0.000	0.550	ΣSAR<1.6,
		LTE Band 25	0	0.539	0.011	0.003	0.553	Not required
		LTE Band 26	0	0.425	0.011	0.003	0.439	ΣSAR<1.6,
	-							Not required ΣSAR<1.6,
		LTE Band 30	0	0.519	0.011	0.003	0.533	Not required
		LTE Band 38	0	0.504	0.011	0.003	0.518	ΣSAR<1.6,
		LTL Dand 30	U	0.304	0.011	0.003	0.510	Not required
		LTE Band 41	0	0.663	0.011	0.003	0.677	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 66	0	0.477	0.011	0.003	0.491	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 429 of 608

Left side WWAN + 2.4G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.055	0.125	0.395	0.575	ΣSAR<1.6,
			, i	0.000	020	0.000		Not required
		WCDMA Band 4	0	0.052	0.125	0.395	0.572	ΣSAR<1.6,
						1		Not required ΣSAR<1.6,
		WCDMA Band 5	0	0.050	0.125	0.395	0.570	Not required
		LTE Davido	_	0.047	0.405	0.005	0.507	ΣSAR<1.6,
		LTE Band 2	0	0.047	0.125	0.395	0.567	Not required
		LTE Band 4	0	0.053	0.125	0.395	0.573	ΣSAR<1.6,
		ETE Band 4	0	0.000	0.120	0.000	0.575	Not required
		LTE Band 5	0	0.053	0.125	0.395	0.573	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 7	0	0.057	0.125	0.395	0.577	Not required
								ΣSAR<1.6,
		LTE Band 12	0	0.052	0.125	0.395	0.572	Not required
37	Left side	LTE Band 13	0	0.059	0.125	0.395	0.579	ΣSAR<1.6,
"	Lort Side	LTL Danu 15	U	0.009	0.123	0.595	0.57 9	Not required
		LTE Band 14	0	0.060	0.125	0.395	0.580	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 17	0	0.063	0.125	0.395	0.583	Not required
			_					ΣSAR<1.6,
		LTE Band 25	0	0.055	0.125	0.395	0.575	Not required
		LTE Band 26	0	0.051	0.125	0.395	0.571	ΣSAR<1.6,
		LTL Danu 20	U	0.031	0.123	0.595	0.57 1	Not required
		LTE Band 30	0	0.053	0.125	0.395	0.573	ΣSAR<1.6,
								Not required
		LTE Band 38	0	0.055	0.125	0.395	0.575	ΣSAR<1.6, Not required
								ΣSAR<1.6,
		LTE Band 41	0	0.073	0.125	0.395	0.593	Not required
		LTE Band 66	0	0.051	0.125	0.395	0.571	ΣSAR<1.6,
		LIE Daniu 00	U	0.051	0.123	0.395	0.571	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 430 of 608

Left side WWAN + 5G WLAN

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Max. WLAN Aux	SAR Sum	SPLSR
		WCDMA Band 2	0	0.055	0.186	0.187	0.428	ΣSAR<1.6,
		WODWN Bana 2	Ů	0.000	0.100	0.107	0.420	Not required
		WCDMA Band 4	0	0.052	0.186	0.187	0.425	ΣSAR<1.6,
								Not required
		WCDMA Band 5	0	0.050	0.186	0.187	0.423	ΣSAR<1.6, Not required
								ΣSAR<1.6,
		LTE Band 2	0	0.047	0.186	0.187	0.420	Not required
		LTE David 4	0	0.050	0.400	0.407	0.400	ΣSAR<1.6,
		LTE Band 4	0	0.053	0.186	0.187	0.426	Not required
		LTE Band 5	0	0.053	0.186	0.187	0.426	ΣSAR<1.6,
		LTE Danu 5	U	0.000	0.100	0.107	0.420	Not required
		LTE Band 7	0	0.057	0.186	0.187	0.430	ΣSAR<1.6,
			·					Not required
		LTE Band 12	0	0.052	0.186	0.187	0.425	ΣSAR<1.6,
								Not required ΣSAR<1.6,
38	Left side	LTE Band 13	0	0.059	0.186	0.187	0.432	Not required
								ΣSAR<1.6,
		LTE Band 14	0	0.060	0.186	0.187	0.433	Not required
		LTE Band 17	0	0.063	0.186	0.187	0.436	ΣSAR<1.6,
		LTE Danu T	U	0.003	0.160	0.107	0.430	Not required
		LTE Band 25	0	0.055	0.186	0.187	0.428	ΣSAR<1.6,
				0.000	000	0	01.120	Not required
		LTE Band 26	0	0.051	0.186	0.187	0.424	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 30	0	0.053	0.186	0.187	0.426	Not required
								ΣSAR<1.6,
		LTE Band 38	0	0.055	0.186	0.187	0.428	Not required
		LTC Dand 44	0	0.070	0.400	0.407	0.440	ΣSAR<1.6,
		LTE Band 41 0	0	0.073	0.186	0.187	0.446	Not required
		LTE Band 66	0	0.051	0.186	0.187	0.424	ΣSAR<1.6,
		LIL Danu 00	U	0.001	0.100	0.107	0.424	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 431 of 608

Left side WWAN + 2.4G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.055	0.125	0.077	0.257	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		WCDMA Band 4	0	0.052	0.125	0.077	0.254	Not required
		\\(\(\O\D\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0	0.050	0.405	0.077	0.050	ΣSAR<1.6,
		WCDMA Band 5	0	0.050	0.125	0.077	0.252	Not required
		LTE Band 2	0	0.047	0.125	0.077	0.249	ΣSAR<1.6,
		LTE Danu Z	U	0.047	0.123	0.077	0.249	Not required
		LTE Band 4	0	0.053	0.125	0.077	0.255	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 5	0	0.053	0.125	0.077	0.255	Not required
								ΣSAR<1.6,
		LTE Band 7	0	0.057	0.125	0.077	0.259	Not required
		LTE D	0	0.050	0.405	0.077	0.054	ΣSAR<1.6,
		LTE Band 12	0	0.052	0.125	0.077	0.254	Not required
39	Left side	LTE Band 13	0	0.059	0.125	0.077	0.261	ΣSAR<1.6,
	Lon oldo	ETE Bana 10		0.000	0.120	0.077	0.201	Not required
		LTE Band 14	0	0.060	0.125	0.077	0.262	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 17	0	0.063	0.125	0.077	0.265	Not required
			_					ΣSAR<1.6,
		LTE Band 25	0	0.055	0.125	0.077	0.257	Not required
		LTE Band 26	0	0.051	0.125	0.077	0.253	ΣSAR<1.6,
		LTE Danu 20	U	0.051	0.125	0.077	0.255	Not required
		LTE Band 30	0	0.053	0.125	0.077	0.255	ΣSAR<1.6,
			Ů	0.000	0.120	0.077	0.200	Not required
		LTE Band 38	0	0.055	0.125	0.077	0.257	ΣSAR<1.6,
								Not required ΣSAR<1.6,
		LTE Band 41	0	0.073	0.125	0.077	0.275	Not required
		LTE D. LOC		0.054	0.405		2.050	ΣSAR<1.6,
		LTE Band 66	0	0.051	0.125	0.077	0.253	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 432 of 608

Left side WWAN + 5G WLAN Main + BT

No.	Position	Conditions	Distance (mm)	Max. WWAN	Max. WLAN	Bluetooth	SAR Sum	SPLSR
		WCDMA Band 2	0	0.055	0.186	0.077	0.318	ΣSAR<1.6, Not required
		WCDMA Band 4	0	0.052	0.186	0.077	0.315	ΣSAR<1.6, Not required
		WCDMA Band 5	0	0.050	0.186	0.077	0.313	ΣSAR<1.6, Not required
		LTE Band 2	0	0.047	0.186	0.077	0.310	ΣSAR<1.6, Not required
		LTE Band 4	0	0.053	0.186	0.077	0.316	ΣSAR<1.6, Not required
		LTE Band 5	0	0.053	0.186	0.077	0.316	ΣSAR<1.6, Not required
		LTE Band 7	0	0.057	0.186	0.077	0.320	ΣSAR<1.6, Not required
		LTE Band 12	0	0.052	0.186	0.077	0.315	ΣSAR<1.6, Not required
40	Left side	LTE Band 13	0	0.059	0.186	0.077	0.322	ΣSAR<1.6, Not required
		LTE Band 14	0	0.060	0.186	0.077	0.323	ΣSAR<1.6, Not required
		LTE Band 17	0	0.063	0.186	0.077	0.326	ΣSAR<1.6, Not required
		LTE Band 25	0	0.055	0.186	0.077	0.318	ΣSAR<1.6, Not required
		LTE Band 26	0	0.051	0.186	0.077	0.314	ΣSAR<1.6, Not required
		LTE Band 30	0	0.053	0.186	0.077	0.316	ΣSAR<1.6, Not required
		LTE Band 38	0	0.055	0.186	0.077	0.318	ΣSAR<1.6, Not required
		LTE Band 41	0	0.073	0.186	0.077 0.316 0.077 0.316 0.077 0.320 0.077 0.315 0.077 0.322 0.077 0.323 0.077 0.326 0.077 0.318 0.077 0.314 0.077 0.316	0.336	ΣSAR<1.6, Not required
		LTE Band 66	0	0.051	0.186	0.077	0.314	ΣSAR<1.6, Not required

Conclusion:

Simultaneous transmission SAR measurement (Volume Scan) is not required because either the sum of the 1-g SAR is < 1.6 W/kg or the SPLSR is \leq 0.04 for all circumstances that require SPLSR calculation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 433 of 608

4. Instruments List

Manufacturar		Typo	Serial	Date of last	Date of next
Manufacturer	Device	Type	number	calibration	calibration
SPEAG	Dosimetric E-Field Probe	EX3DV4	3770	Apr.25,2018	Apr.24,2019
SPEAG	System Validation Dipole	D750V3	1015	Aug.23,2018	Aug.22,2019
		D835V2	4d063	Aug.23,2018	Aug.22,2019
		D1750V2	1008	Aug.30,2018	Aug.29,2019
		D1900V2	5d173	Apr.25,2018	Apr.24,2019
		D2300V2	1023	Aug.24,2018	Aug.23,2019
		D2450V2	727	Apr.24,2018	Apr.23,2019
		D2600V2	1005	Jan.17,2018	Jan.16,2019
		D5GHzV2	1023	Jan.25,2018	Jan.24,2019
SPEAG	Data acquisition Electronics	DAE4	856	Apr.21,2018	Apr.20,2019
SPEAG	Software	DASY 52 V52.10.1	N/A	Calibration not required	Calibration not required
SPEAG	Phantom	ELI	N/A	Calibration not required	Calibration not required
Agilent	Network Analyzer	E5071C	MY46107530	Feb.26,2018	Feb.25,2019
Agilent	Dielectric Probe Kit	85070E	MY44300677	Calibration not required	Calibration not required
Agilent	Dual-directional coupler	772D	MY52180142	Jul.04,2018	Jul.03,2019
		778D	MY52180302	Jul.05,2018	Jul.04,2019
Agilent	RF Signal Generator	N5181A	MY50144143	Mar.15,2018	Mar.14,2019
Agilent	Power Meter	E4417A	MY52240003	Feb.01,2018	Jan.31,2019

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 434 of 608

Manufacturer	Device	Туре	Serial number	Date of last calibration	Date of next calibration
Agilent	Power Sensor	E9301H	MY52200003	Feb.01,2018	Jan.31,2019
			MY52200004	Feb.01,2018	Jan.31,2019
TECPEL	Digital thermometer	DTM-303A	TP130075	Mar.09,2018	Mar.08,2019
Anritsu	Radio Communication	MT8820C	6201061014	Mar.14,2018	Mar.13,2019
	Test				
R&S	Radio				
	Communication	CMW 500	143913	Apr.29.2018	Apr.28.2019
	Test				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 435 of 608

5. Measurements

Date: 2018/12/12

WCDMA Band II_Body_Top side_CH 9262_0mm

Communication System: WCDMA; Frequency: 1852.4 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1852.4 MHz; $\sigma = 1.577 \text{ S/m}$; $\varepsilon_r = 51.049$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(8, 8, 8); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 2.47 W/kg


Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 7.931 V/m; Power Drift = 0.14 dB

Peak SAR (extrapolated) = 2.80 W/kg

SAR(1 g) = 1.38 W/kg; SAR(10 g) = 0.625 W/kg

Maximum value of SAR (measured) = 2.14 W/kg



0 dB = 2.14 W/kg = 3.30 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 436 of 608

Date: 2018/12/12

WCDMA Band IV_Body_Top side_CH 1513_0mm

Communication System: WCDMA; Frequency: 1752.6 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1753 MHz; $\sigma = 1.469$ S/m; $\varepsilon_r = 51.419$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(8.26, 8.26, 8.26); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 2.32 W/kg


Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 7.460 V/m; Power Drift = 0.15 dB

Peak SAR (extrapolated) = 2.84 W/kg

SAR(1 g) = 1.35 W/kg; SAR(10 g) = 0.627 W/kg

Maximum value of SAR (measured) = 2.19 W/kg



0 dB = 2.19 W/kg = 3.40 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,件報告結果僅享到關於了樣品負責,同時什樣品僅是留何天。木報告未經木公司惠面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 437 of 608

Date: 2018/12/11

WCDMA Band V_Body_Top side_CH 4132_0mm

Communication System: WCDMA; Frequency: 826.4 MHz; Duty Cycle: 1:1

Medium parameters used: f = 826.4 MHz; $\sigma = 0.986$ S/m; $\varepsilon_r = 57.312$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 22.1°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(9.72, 9.72, 9.72); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.03 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.83 V/m; Power Drift = 0.14 dB

Peak SAR (extrapolated) = 3.17 W/kg

SAR(1 g) = 1.4 W/kg; SAR(10 g) = 0.680 W/kg Maximum value of SAR (measured) = 2.26 W/kg



0 dB = 2.26 W/kg = 3.54 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 438 of 608

Date: 2018/12/12

LTE Band 2 (20MHz)_Body_Top side_CH 18900_QPSK_1-0_0mm

Communication System: LTE; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1880 MHz; $\sigma = 1.61 \text{ S/m}$; $\epsilon_r = 50.905$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(8, 8, 8); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.31 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 7.244 V/m; Power Drift = 0.05 dB

Peak SAR (extrapolated) = 2.88 W/kg

SAR(1 g) = 1.36 W/kg; SAR(10 g) = 0.609 W/kg Maximum value of SAR (measured) = 2.21 W/kg



0 dB = 2.21 W/kg = 3.44 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms_and_conditions.htm and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indebility, indebility, indebility, indebility, indebility indebility, indebility indebility, indebility indebility, indebility indebility, ind

SGS Taiwan Ltd.



Page: 439 of 608

Date: 2018/12/12

LTE Band 4 (20MHz)_Body_Top side_CH 20300_QPSK_1-0_0mm

Communication System: LTE; Frequency: 1745 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1745 MHz; $\sigma = 1.459 \text{ S/m}$; $\varepsilon_r = 51.433$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(8.26, 8.26, 8.26); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

• DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x91x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.14 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.279 V/m; Power Drift = 0.11 dB

Peak SAR (extrapolated) = 2.73 W/kg

SAR(1 g) = 1.33 W/kg; SAR(10 g) = 0.621 W/kg Maximum value of SAR (measured) = 2.08 W/kg



0 dB = 2.08 W/kg = 3.18 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 440 of 608

Date: 2018/12/11

LTE Band 5 (10MHz)_Body_Top side_CH 20450_QPSK_1-0_0mm

Communication System: LTE; Frequency: 829 MHz; Duty Cycle: 1:1

Medium parameters used: f = 829 MHz; $\sigma = 0.989$ S/m; $\varepsilon_r = 57.321$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 22.1°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(9.72, 9.72, 9.72); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 2.31 W/kg


Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 11.81 V/m; Power Drift = 0.18 dB

Peak SAR (extrapolated) = 3.17 W/kg

SAR(1 g) = 1.43 W/kg; SAR(10 g) = 0.695 W/kg

Maximum value of SAR (measured) = 2.31 W/kg



0 dB = 2.31 W/kg = 3.64 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 441 of 608

Date: 2018/12/13

LTE Band 7 (20MHz)_Body_Top side_CH 20850_QPSK_1-0_0mm

Communication System: LTE; Frequency: 2510 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2510 MHz; $\sigma = 2.097 \text{ S/m}$; $\varepsilon_r = 52.821$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 22.2°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.37, 7.37, 7.37); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x121x1): Interpolated grid: dx=12 mm, dy=12 mm


Maximum value of SAR (interpolated) = 2.36 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 3.636 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 3.40 W/kg

SAR(1 g) = 1.37 W/kg; SAR(10 g) = 0.569 W/kg Maximum value of SAR (measured) = 2.43 W/kg



0 dB = 2.43 W/kg = 3.86 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format formation or fails filling at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 442 of 608

Date: 2018/12/10

LTE Band 12 (10MHz)_Body_Top side_CH 23095_QPSK_1-0_0mm

Communication System: LTE; Frequency: 707.5 MHz; Duty Cycle: 1:1

Medium parameters used: f = 707.5 MHz; $\sigma = 0.971 \text{ S/m}$; $\epsilon_r = 53.950$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(9.97, 9.97, 9.97); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.10 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 11.92 V/m; Power Drift = 0.13 dB

Peak SAR (extrapolated) = 3.06 W/kg

SAR(1 g) = 1.34 W/kg; SAR(10 g) = 0.654 W/kg Maximum value of SAR (measured) = 2.14 W/kg



0 dB = 2.14 W/kg = 3.30 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 443 of 608

Date: 2018/12/10

LTE Band 13 (10MHz)_Body_Top side_CH 23230_QPSK_1-25_0mm

Communication System: LTE; Frequency: 782 MHz; Duty Cycle: 1:1

Medium parameters used: f = 782 MHz; $\sigma = 0.985$ S/m; $\varepsilon_r = 53.478$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(9.97, 9.97, 9.97); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.98 W/kg


Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 11.33 V/m; Power Drift = 0.07 dB

Peak SAR (extrapolated) = 3.03 W/kg

SAR(1 g) = 1.29 W/kg; SAR(10 g) = 0.621 W/kg

Maximum value of SAR (measured) = 2.14 W/kg



0 dB = 2.14 W/kg = 3.30 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 444 of 608

Date: 2018/12/10

LTE Band 14 (10MHz)_Body_Top side_CH 23330_QPSK_1-49_0mm

Communication System: LTE; Frequency: 793 MHz; Duty Cycle: 1:1

Medium parameters used: f = 793 MHz; $\sigma = 0.983$ S/m; $\varepsilon_r = 53.209$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.5°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(9.97, 9.97, 9.97); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 2.00 W/kg


Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 11.40 V/m; Power Drift = 0.10 dB

Peak SAR (extrapolated) = 3.06 W/kg

SAR(1 g) = 1.31 W/kg; SAR(10 g) = 0.627 W/kg

Maximum value of SAR (measured) = 2.17 W/kg



0 dB = 2.17 W/kg = 3.36 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 445 of 608

Date: 2018/12/10

LTE Band 17 (10MHz)_Body_Top side_CH 23800_QPSK_1-0_0mm

Communication System: LTE; Frequency: 711 MHz; Duty Cycle: 1:1

Medium parameters used: f = 711 MHz; $\sigma = 0.974$ S/m; $\varepsilon_r = 52.898$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(9.97, 9.97, 9.97); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.92 W/kg


Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 11.16 V/m; Power Drift = 0.12 dB

Peak SAR (extrapolated) = 3.13 W/kg

SAR(1 g) = 1.35 W/kg; SAR(10 g) = 0.666 W/kg

Maximum value of SAR (measured) = 2.26 W/kg



0 dB = 2.26 W/kg = 3.54 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Member of SGS Group



Page: 446 of 608

Date: 2018/12/12

LTE Band 25 (20MHz)_Body_Top side_CH 26365_QPSK_1-50_0mm

Communication System: LTE; Frequency: 1882.5 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1882.5 MHz; $\sigma = 1.609 \text{ S/m}$; $\epsilon_r = 50.904$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(8, 8, 8); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x91x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 1.89 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 9.065 V/m; Power Drift = 0.07 dB

Peak SAR (extrapolated) = 2.66 W/kg

SAR(1 g) = 1.3 W/kg; SAR(10 g) = 0.589 W/kgMaximum value of SAR (measured) = 1.67 W/kg



0 dB = 1.67 W/kg = 2.23 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 447 of 608

Date: 2018/12/11

LTE Band 26 (15MHz)_Body_Top side_CH 26965_QPSK_1-0_0mm

Communication System: LTE; Frequency: 841.5 MHz; Duty Cycle: 1:1

Medium parameters used: f = 841.5 MHz; $\sigma = 1.001 \text{ S/m}$; $\varepsilon_f = 57.165$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 22.1°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(9.72, 9.72, 9.72); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.91 W/kg


Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.40 V/m; Power Drift = 0.11 dB

Peak SAR (extrapolated) = 2.97 W/kg

SAR(1 g) = 1.32 W/kg; SAR(10 g) = 0.643 W/kg

Maximum value of SAR (measured) = 2.11 W/kg



0 dB = 2.11 W/kg = 3.24 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 448 of 608

Date: 2018/12/13

LTE Band 30 (10MHz)_Body_Top side_CH 27710_QPSK_1-0_0mm

Communication System: LTE; Frequency: 2310 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2310 MHz; $\sigma = 1.853 \text{ S/m}$; $\varepsilon_r = 54.043$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.68, 7.68, 7.68); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x121x1): Interpolated grid: dx=12 mm, dy=12 mm


Maximum value of SAR (interpolated) = 1.95 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 5.090 V/m; Power Drift = 0.06 dB

Peak SAR (extrapolated) = 3.29 W/kg

SAR(1 g) = 1.37 W/kg; SAR(10 g) = 0.577 W/kgMaximum value of SAR (measured) = 2.37 W/kg



0 dB = 2.37 W/kg = 3.75 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 449 of 608

Date: 2018/12/13

LTE Band 38 (20MHz)_Body_Top side_CH 37850_QPSK_1-0_0mm

Communication System: LTE; Frequency: 2580 MHz; Duty Cycle: 1: 1:1.59956 Medium parameters used: f = 2580 MHz; $\sigma = 2.325 \text{ S/m}$; $\varepsilon_r = 52.645$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 22.2°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.37, 7.37, 7.37); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 1.74 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 4.281 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 3.04 W/kg

SAR(1 g) = 1.15 W/kg; SAR(10 g) = 0.466 W/kg

Maximum value of SAR (measured) = 2.10 W/kg



0 dB = 2.10 W/kg = 3.22 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 450 of 608

Date: 2018/12/13

LTE Band 41 (20MHz)_Body_Top side_CH 40185_QPSK_1-0_0mm

Communication System: LTE; Frequency: 2549.5 MHz; Duty Cycle: 1:1.59956

Medium parameters used: f = 2549.5 MHz; $\sigma = 2.147$ S/m; $\epsilon_r = 52.758$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 22.2°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.37, 7.37, 7.37); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 2.00 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 4.635 V/m; Power Drift = -0.10 dB

Peak SAR (extrapolated) = 3.31 W/kg

SAR(1 g) = 1.34 W/kg; SAR(10 g) = 0.558 W/kg

Maximum value of SAR (measured) = 2.36 W/kg



0 dB = 2.36 W/kg = 3.73 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 451 of 608

Date: 2018/12/12

LTE Band 66 (20MHz)_Body_Top side_CH 132572_QPSK_1-0_0mm

Communication System: LTE; Frequency: 1770 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1770 MHz; $\sigma = 1.492 \text{ S/m}$; $\epsilon_r = 51.37$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(8.26, 8.26, 8.26); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x91x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.19 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.107 V/m; Power Drift = 0.05 dB

Peak SAR (extrapolated) = 2.78 W/kg

SAR(1 g) = 1.35 W/kg; SAR(10 g) = 0.616 W/kg Maximum value of SAR (measured) = 2.11 W/kg



0 dB = 2.11 W/kg = 3.24 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅累到關訊之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 452 of 608

Date: 2018/12/18

WCDMA Band II_Body_Top side_CH 9262_0mm

Communication System: WCDMA; Frequency: 1852.4 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1852.4 MHz; $\sigma = 1.588$ S/m; $\epsilon_r = 51.620$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(8, 8, 8);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x111x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 2.06 W/kg


Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.619 V/m; Power Drift = 0.14 dB

Peak SAR (extrapolated) = 2.87 W/kg

SAR(1 g) = 1.27 W/kg; SAR(10 g) = 0.544 W/kg

Maximum value of SAR (measured) = 2.18 W/kg



0 dB = 2.18 W/kg = 3.38 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做影测过之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份複测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits in Structions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

prosecuted to the fullest extent of the law.



Page: 453 of 608

Date: 2018/12/18

WCDMA Band IV_Body_Top side_CH 1513_0mm

Communication System: WCDMA; Frequency: 1752.6 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1753 MHz; $\sigma = 1.478$ S/m; $\varepsilon_r = 51.990$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(8.26, 8.26, 8.26);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x111x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 2.17 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.867 V/m; Power Drift = 0.02 dB

Peak SAR (extrapolated) = 3.06 W/kg

SAR(1 g) = 1.37 W/kg; SAR(10 g) = 0.592 W/kg

Maximum value of SAR (measured) = 2.44 W/kg


Zoom Scan (5x5x7)/Cube 1: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.867 V/m; Power Drift = 0.02 dB

Peak SAR (extrapolated) = 2.34 W/kg

SAR(1 g) = 1.09 W/kg; SAR(10 g) = 0.542 W/kg

Maximum value of SAR (measured) = 1.81 W/kg



0 dB = 1.81 W/kg = 2.58 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 454 of 608

Date: 2018/12/17

WCDMA Band V_Body_Top side_CH 4132_0mm

Communication System: WCDMA; Frequency: 826.4 MHz; Duty Cycle: 1:1

Medium parameters used: f = 826.4 MHz; $\sigma = 0.986$ S/m; $\varepsilon_r = 57.344$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.5°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(9.72, 9.72, 9.72);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x111x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.14 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.09 V/m; Power Drift = 0.11 dB

Peak SAR (extrapolated) = 2.81 W/kg

SAR(1 g) = 1.3 W/kg; SAR(10 g) = 0.628 W/kgMaximum value of SAR (measured) = 2.04 W/kg



0 dB = 2.04 W/kg = 3.10 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The

Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

> t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com



Page: 455 of 608

Date: 2018/12/18

LTE Band 2 (20MHz)_Body_Top side_CH 18900_QPSK_1-0_0mm

Communication System: LTE; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1880 MHz; $\sigma = 1.616 \text{ S/m}$; $\varepsilon_r = 51.541$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(8, 8, 8);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x111x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.08 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.798 V/m; Power Drift = 0.04 dB

Peak SAR (extrapolated) = 2.82 W/kg

SAR(1 g) = 1.25 W/kg; SAR(10 g) = 0.535 W/kgMaximum value of SAR (measured) = 2.13 W/kg



0 dB = 2.13 W/kg = 3.28 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 456 of 608

Date: 2018/12/18

LTE Band 4 (20MHz)_Body_Top side_CH 20300_QPSK_1-0_0mm

Communication System: LTE; Frequency: 1745 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1745 MHz; $\sigma = 1.469 \text{ S/m}$; $\varepsilon_r = 52.004$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(8.26, 8.26, 8.26);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x111x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 2.20 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.923 V/m; Power Drift = 0.04 dB

Peak SAR (extrapolated) = 2.99 W/kg

SAR(1 g) = 1.36 W/kg; SAR(10 g) = 0.592 W/kg

Maximum value of SAR (measured) = 2.38 W/kg


Zoom Scan (5x5x7)/Cube 1: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.923 V/m; Power Drift = 0.04 dB

Peak SAR (extrapolated) = 2.27 W/kg

SAR(1 g) = 1.1 W/kg; SAR(10 g) = 0.549 W/kg

Maximum value of SAR (measured) = 1.75 W/kg



0 dB = 1.75 W/kg = 2.43 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 457 of 608

Date: 2018/12/17

LTE Band 5 (10MHz)_Body_Top side_CH 20450_QPSK_1-0_0mm

Communication System: LTE; Frequency: 829 MHz; Duty Cycle: 1:1

Medium parameters used: f = 829 MHz; $\sigma = 0.989$ S/m; $\varepsilon_r = 57.351$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.5°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(9.72, 9.72, 9.72);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 2.22 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.22 V/m; Power Drift = 0.12 dB


Peak SAR (extrapolated) = 2.89 W/kg

SAR(1 g) = 1.34 W/kg; SAR(10 g) = 0.653 W/kg

Maximum value of SAR (measured) = 2.12 W/kg

dB

0



0 dB = 2.12 W/kg = 3.26 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做影测过之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份複测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 458 of 608

Date: 2018/12/19

LTE Band 7 (20MHz)_Body_Top side_CH 20850_QPSK_1-0_0mm

Communication System: LTE; Frequency: 2510 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2510 MHz; $\sigma = 2.091 \text{ S/m}$; $\varepsilon_r = 51.423$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.37, 7.37, 7.37); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 1.35 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 6.052 V/m; Power Drift = 0.07 dB

Peak SAR (extrapolated) = 3.48 W/kg

SAR(1 g) = 1.33 W/kg; SAR(10 g) = 0.480 W/kg

Maximum value of SAR (measured) = 2.16 W/kg


Zoom Scan (7x7x7)/Cube 1: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 6.052 V/m; Power Drift = 0.07 dB

Peak SAR (extrapolated) = 1.68 W/kg

SAR(1 g) = 0.831 W/kg; SAR(10 g) = 0.391 W/kg

Maximum value of SAR (measured) = 1.28 W/kg



0 dB = 1.28 W/kg = 1.07 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 459 of 608

Date: 2018/12/14

LTE Band 12 (10MHz)_Body_Top side_CH 23060_QPSK_1-0_0mm

Communication System: LTE; Frequency: 704 MHz; Duty Cycle: 1:1

Medium parameters used: f = 704 MHz; $\sigma = 0.924$ S/m; $\varepsilon_r = 57.837$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.2°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(9.97, 9.97, 9.97);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.16 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.67 V/m; Power Drift = 0.06 dB

Peak SAR (extrapolated) = 3.11 W/kg

SAR(1 g) = 1.36 W/kg; SAR(10 g) = 0.679 W/kg Maximum value of SAR (measured) = 2.26 W/kg



0 dB = 2.26 W/kg = 3.54 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 460 of 608

Date: 2018/12/14

LTE Band 13 (10MHz)_Body_Top side_CH 23230_QPSK_1-0_0mm

Communication System: LTE; Frequency: 782 MHz; Duty Cycle: 1:1

Medium parameters used: f = 782 MHz; $\sigma = 0.984$ S/m; $\varepsilon_r = 57.114$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.2°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(9.97, 9.97, 9.97);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.07 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 7.980 V/m; Power Drift = 0.11 dB

Peak SAR (extrapolated) = 2.92 W/kg

SAR(1 g) = 1.3 W/kg; SAR(10 g) = 0.637 W/kgMaximum value of SAR (measured) = 2.13 W/kg



0 dB = 2.13 W/kg = 3.28 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 461 of 608

Date: 2018/12/14

LTE Band 14 (10MHz)_Body_Top side_CH 23330_QPSK_1-0_0mm

Communication System: LTE; Frequency: 793 MHz; Duty Cycle: 1:1

Medium parameters used: f = 793 MHz; $\sigma = 0.993$ S/m; $\varepsilon_r = 57.044$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.2°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(9.97, 9.97, 9.97);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 1.89 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.701 V/m; Power Drift = 0.16 dB

Peak SAR (extrapolated) = 2.75 W/kg

SAR(1 g) = 1.27 W/kg; SAR(10 g) = 0.630 W/kg Maximum value of SAR (measured) = 2.02 W/kg



0 dB = 2.02 W/kg = 3.05 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format formation or fails filling at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 462 of 608

Date: 2018/12/14

LTE Band 17 (10MHz)_Body_Top side_CH 23780_QPSK_1-0_0mm

Communication System: LTE; Frequency: 709 MHz; Duty Cycle: 1:1

Medium parameters used: f = 709 MHz; $\sigma = 0.926$ S/m; $\varepsilon_r = 57.813$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.2°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(9.97, 9.97, 9.97);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.11 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.74 V/m; Power Drift = 0.03 dB

Peak SAR (extrapolated) = 3.03 W/kg

SAR(1 g) = 1.33 W/kg; SAR(10 g) = 0.663 W/kg Maximum value of SAR (measured) = 2.19 W/kg



0 dB = 2.19 W/kg = 3.40 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此都华结里做影响就之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份海喇。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 463 of 608

Date: 2018/12/18

LTE Band 25 (20MHz)_Body_Top side_CH 26365_QPSK_1-50_0mm

Communication System: LTE; Frequency: 1882.5 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1882.5 MHz; $\sigma = 1.617 \text{ S/m}$; $\epsilon_r = 51.522$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(8, 8, 8);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x111x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 2.17 W/kg


Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.118 V/m; Power Drift = 0.12 dB

Peak SAR (extrapolated) = 3.04 W/kg

SAR(1 g) = 1.35 W/kg; SAR(10 g) = 0.583 W/kg

Maximum value of SAR (measured) = 2.44 W/kg



0 dB = 2.44 W/kg = 3.87 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此都华结里做影响就之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份海喇。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 464 of 608

Date: 2018/12/17

LTE Band 26 (15MHz)_Body_Top side_CH 26865_QPSK_1-0_0mm

Communication System: LTE; Frequency: 831.5 MHz; Duty Cycle: 1:1

Medium parameters used: f = 831.5 MHz; $\sigma = 0.992$ S/m; $\varepsilon_r = 57.253$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.5°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(9.72, 9.72, 9.72);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.27 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.14 V/m; Power Drift = 0.08 dB

Peak SAR (extrapolated) = 2.97 W/kg

SAR(1 g) = 1.36 W/kg; SAR(10 g) = 0.658 W/kg Maximum value of SAR (measured) = 2.17 W/kg



0 dB = 2.17 W/kg = 3.36 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此都华结里做影响就之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份海喇。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 465 of 608

Date: 2018/12/19

LTE Band 30 (10MHz)_Body_Top side_CH 27710_QPSK_1-0_0mm

Communication System: LTE; Frequency: 2310 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2310 MHz; $\sigma = 1.839 \text{ S/m}$; $\varepsilon_r = 54.074$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.68, 7.68, 7.68); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=12 mm, dy=12 mm


Maximum value of SAR (interpolated) = 1.53 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 3.368 V/m; Power Drift = 0.13 dB

Peak SAR (extrapolated) = 3.13 W/kg

SAR(1 g) = 1.3 W/kg; SAR(10 g) = 0.528 W/kgMaximum value of SAR (measured) = 2.13 W/kg



0 dB = 2.13 W/kg = 3.28 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 466 of 608

Date: 2018/12/19

LTE Band 38 (20MHz)_Body_Top side_CH 37850_QPSK_1-0_0mm

Communication System: LTE; Frequency: 2580 MHz; Duty Cycle: 1:1.59956

Medium parameters used: f = 2580 MHz; $\sigma = 2.194 \text{ S/m}$; $\varepsilon_r = 51.198$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.37, 7.37, 7.37); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 1.35 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 5.050 V/m; Power Drift = -0.10 dB

Peak SAR (extrapolated) = 2.82 W/kg

SAR(1 g) = 1.07 W/kg; SAR(10 g) = 0.380 W/kg

Maximum value of SAR (measured) = 1.96 W/kg



0 dB = 1.96 W/kg = 2.92 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 467 of 608

Date: 2018/12/19

LTE Band 41 (20MHz)_Body_Top side_CH 41490_QPSK_1-50_0mm

Communication System: LTE; Frequency: 2680 MHz; Duty Cycle: 1:1.59956

Medium parameters used: f = 2680 MHz; $\sigma = 2.328 \text{ S/m}$; $\varepsilon_r = 50.843$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(7.37, 7.37, 7.37);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 1.60 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 5.089 V/m; Power Drift = 0.17 dB

Peak SAR (extrapolated) = 3.50 W/kg

SAR(1 g) = 1.27 W/kg; SAR(10 g) = 0.425 W/kg

Maximum value of SAR (measured) = 2.15 W/kg



0 dB = 2.15 W/kg = 3.32 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 468 of 608

Date: 2018/12/18

LTE Band 66 (20MHz)_Body_Top side_CH 132572_QPSK_1-0_0mm

Communication System: LTE; Frequency: 1770 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1770 MHz; $\sigma = 1.491 \text{ S/m}$; $\varepsilon_r = 51.921$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(8.26, 8.26, 8.26);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x111x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.23 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.668 V/m; Power Drift = 0.06 dB

Peak SAR (extrapolated) = 3.05 W/kg

SAR(1 g) = 1.35 W/kg; SAR(10 g) = 0.590 W/kgMaximum value of SAR (measured) = 2.42 W/kg



0 dB = 2.42 W/kg = 3.84 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 469 of 608

Date: 2018/12/1

WLAN 802.11b_Body_Top side_CH 1_Main_0mm

Communication System: WLAN 2.45G; Frequency: 2412 MHz; Duty Cycle: 1:1 Medium parameters used: f = 2412 MHz; $\sigma = 1.92 \text{ S/m}$; $\varepsilon_r = 53.706$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 21.7°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.59, 7.59, 7.59); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.862 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 2.422 V/m; Power Drift = 0.16 dB

Peak SAR (extrapolated) = 1.20 W/kg

SAR(1 g) = 0.455 W/kg; SAR(10 g) = 0.212 W/kg

Maximum value of SAR (measured) = 0.799 W/kg



0 dB = 0.799 W/kg = -0.97 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 470 of 608

Date: 2018/12/3

WLAN 802.11n(40M) 5.2G_Body_Top side_CH 46_Main_0mm

Communication System: WLAN 5G; Frequency: 5230 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5230 MHz; $\sigma = 5.209 \text{ S/m}$; $\varepsilon_r = 49.212$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.830 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.271 V/m; Power Drift = 0.11 dB

Peak SAR (extrapolated) = 1.97 W/kg

SAR(1 g) = 0.465 W/kg; SAR(10 g) = 0.146 W/kg

Maximum value of SAR (measured) = 0.945 W/kg


Zoom Scan (7x7x12)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.271 V/m; Power Drift = 0.11 dB

Peak SAR (extrapolated) = 1.57 W/kg

SAR(1 g) = 0.358 W/kg; SAR(10 g) = 0.102 W/kg

Maximum value of SAR (measured) = 0.777 W/kg



0 dB = 0.777 W/kg = -1.10 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 471 of 608

Date: 2018/12/4

WLAN 802.11a 5.3G_Body_Top side_CH 60_Main_0mm

Communication System: WLAN 5G; Frequency: 5300 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5300 MHz; $\sigma = 5.323 \text{ S/m}$; $\epsilon_r = 49.056$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.664 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.599 V/m; Power Drift = -0.14 dB

Peak SAR (extrapolated) = 1.59 W/kg

SAR(1 g) = 0.372 W/kg; SAR(10 g) = 0.128 W/kg

Maximum value of SAR (measured) = 0.736 W/kg

Zoom Scan (7x7x12)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Peak SAR (extrapolated) = 1.48 W/kg

SAR(1 g) = 0.320 W/kg; SAR(10 g) = 0.090 W/kg

Maximum value of SAR (measured) = 0.701 W/kg


Zoom Scan (7x7x12)/Cube 2: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.599 V/m: Power Drift = -0.14 dB

Peak SAR (extrapolated) = 1.58 W/kg

SAR(1 g) = 0.297 W/kg; SAR(10 g) = 0.124 W/kg

Maximum value of SAR (measured) = 0.733 W/kg



0 dB = 0.733 W/kg = -1.35 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 472 of 608

Date: 2018/12/4

WLAN 802.11n(40M) 5.3G_Body_Top side_CH 54_Main_0mm

Communication System: WLAN 5G; Frequency: 5270 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5270 MHz; $\sigma = 5.283 \text{ S/m}$; $\epsilon_r = 49.093$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.736 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.021 V/m; Power Drift = 0.14 dB

Peak SAR (extrapolated) = 1.77 W/kg

SAR(1 g) = 0.405 W/kg; SAR(10 g) = 0.133 W/kg

Maximum value of SAR (measured) = 0.792 W/kg


Zoom Scan (7x7x12)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.021 V/m; Power Drift = 0.14 dB

Peak SAR (extrapolated) = 1.43 W/kg

SAR(1 g) = 0.327 W/kg; SAR(10 g) = 0.093 W/kg

Maximum value of SAR (measured) = 0.690 W/kg



0 dB = 0.690 W/kg = -1.61 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 473 of 608

Date: 2018/12/5

WLAN 802.11n(40M) 5.6G_Body_Top side_CH 102_Main_0mm

Communication System: WLAN 5G; Frequency: 5510 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5510 MHz; $\sigma = 5.656 \text{ S/m}$; $\epsilon_r = 48.301$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.06, 4.06, 4.06); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=10 mm, dy=10 mm


Maximum value of SAR (interpolated) = 1.04 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.581 V/m; Power Drift = 0.12 dB

Peak SAR (extrapolated) = 2.22 W/kg

SAR(1 g) = 0.565 W/kg; SAR(10 g) = 0.215 W/kgMaximum value of SAR (measured) = 1.07 W/kg



0 dB = 1.07 W/kg = 0.29 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The

Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com



Page: 474 of 608

Date: 2018/12/5

WLAN 802.11ac(80M) 5.6G_Body_Top side_CH 138_Main_0mm

Communication System: WLAN 5G; Frequency: 5690 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5690 MHz; $\sigma = 5.978 \text{ S/m}$; $\varepsilon_r = 47.784$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.38, 4.38, 4.38); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=10 mm, dy=10 mm


Maximum value of SAR (interpolated) = 1.71 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.958 V/m; Power Drift = 0.13 dB

Peak SAR (extrapolated) = 3.69 W/kg

SAR(1 g) = 0.850 W/kg; SAR(10 g) = 0.282 W/kg Maximum value of SAR (measured) = 1.76 W/kg



0 dB = 1.76 W/kg = 2.46 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 475 of 608

Date: 2018/12/6

WLAN 802.11ac(80M) 5.8G_Body_Top side_CH 155_Main_0mm

Communication System: WLAN 5G; Frequency: 5775 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5775 MHz; $\sigma = 6.095$ S/m; $\epsilon_r = 47.507$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.38, 4.38, 4.38); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.86 W/kg


Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.076 V/m; Power Drift = 0.11 dB

Peak SAR (extrapolated) = 4.11 W/kg

SAR(1 g) = 0.895 W/kg; SAR(10 g) = 0.285 W/kg

Maximum value of SAR (measured) = 1.87 W/kg



0 dB = 1.87 W/kg = 2.72 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms_and_conditions.htm and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indebility, indebility, indebility, indebility, indebility indebility, indebility indebility, indebility indebility, indebility indebility, ind

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 476 of 608

Date: 2018/12/1

WLAN 802.11b_Body_Top side_CH 1_Aux_0mm

Communication System: WLAN 2.45G; Frequency: 2412 MHz; Duty Cycle: 1:1 Medium parameters used: f = 2412 MHz; $\sigma = 1.92$ S/m; $\epsilon_r = 53.706$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 21.7°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.59, 7.59, 7.59); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=12 mm, dy=12 mm


Maximum value of SAR (interpolated) = 1.33 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 1.869 V/m; Power Drift = 0.05 dB

Peak SAR (extrapolated) = 1.64 W/kg

SAR(1 g) = 0.747 W/kg; SAR(10 g) = 0.314 W/kg Maximum value of SAR (measured) = 1.10 W/kg



0 dB = 1.10 W/kg = 0.41 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做影测过之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 477 of 608

Date: 2018/12/1

Bluetooth(GFSK)_Body_Top side_CH 39_Aux_0mm

Communication System: Bluetooth; Frequency: 2441 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2441 MHz; $\sigma = 1.952$ S/m; $\varepsilon_r = 53.591$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 21.7°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.59, 7.59, 7.59); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x91x1): Interpolated grid: dx=12 mm, dy=12 mm


Maximum value of SAR (interpolated) = 0.278 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 1.514 V/m; Power Drift = 0.13 dB

Peak SAR (extrapolated) = 0.343 W/kg

SAR(1 g) = 0.153 W/kg; SAR(10 g) = 0.065 W/kg Maximum value of SAR (measured) = 0.243 W/kg



0 dB = 0.243 W/kg = -6.14 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 478 of 608

Date: 2018/12/3

WLAN 802.11n(40M) 5.2G_Body_Top side_CH 38_Aux_0mm

Communication System: WLAN 5G; Frequency: 5190 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5190 MHz; σ = 5.153 S/m; ϵ_r = 49.419; ρ = 1000 kg/m³

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x111x1): Interpolated grid: dx=10 mm, dy=10 mm


Maximum value of SAR (interpolated) = 0.698 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.109 V/m; Power Drift = 0.06 dB

Peak SAR (extrapolated) = 1.63 W/kg

SAR(1 g) = 0.375 W/kg; SAR(10 g) = 0.120 W/kg Maximum value of SAR (measured) = 0.752 W/kg



0 dB = 0.752 W/kg = -1.24 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 479 of 608

Date: 2018/12/4

WLAN 802.11a 5.3G_Body_Top side_CH 60_Aux_0mm

Communication System: WLAN 5G; Frequency: 5300 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5300 MHz; $\sigma = 5.323$ S/m; $\varepsilon_r = 49.056$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x111x1): Interpolated grid: dx=10 mm, dy=10 mm


Maximum value of SAR (interpolated) = 0.846 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.994 V/m; Power Drift = 0.03 dB

Peak SAR (extrapolated) = 2.18 W/kg

SAR(1 g) = 0.469 W/kg; SAR(10 g) = 0.144 W/kg Maximum value of SAR (measured) = 0.959 W/kg



0 dB = 0.959 W/kg = -0.18 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 480 of 608

Date: 2018/12/4

WLAN 802.11n(40M) 5.3G_Body_Top side_CH 54_Aux_0mm

Communication System: WLAN 5G; Frequency: 5270 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5270 MHz; $\sigma = 5.283 \text{ S/m}$; $\varepsilon_r = 49.093$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x111x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.751 W/kg


Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.092 V/m; Power Drift = 0.11 dB

Peak SAR (extrapolated) = 1.84 W/kg

SAR(1 g) = 0.410 W/kg; SAR(10 g) = 0.134 W/kg

Maximum value of SAR (measured) = 0.825 W/kg



0 dB = 0.825 W/kq = -0.84 dBW/kq

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報生结果僅對測試之樣具負責,同時什樣具僅保留的子。太報生去經太公司惠面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 481 of 608

Date: 2018/12/5

WLAN 802.11ac(80M) 5.6G_Body_Top side_CH 138_Aux_0mm

Communication System: WLAN 5G; Frequency: 5690 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5690 MHz; σ = 5.978 S/m; ϵ_r = 47.784; ρ = 1000 kg/m³

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.38, 4.38, 4.38); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x111x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.66 W/kg


Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.131 V/m; Power Drift = 0.07 dB

Peak SAR (extrapolated) = 4.75 W/kg

SAR(1 g) = 0.895 W/kg; SAR(10 g) = 0.236 W/kg

Maximum value of SAR (measured) = 1.95 W/kg



0 dB = 1.95 W/kg = 2.90 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 482 of 608

Date: 2018/12/6

WLAN 802.11ac(80M) 5.8G_Body_Top side_CH 155_Aux_0mm

Communication System: WLAN 5G; Frequency: 5775 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5775 MHz; $\sigma = 6.095$ S/m; $\epsilon_r = 47.507$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.38, 4.38, 4.38); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x111x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.56 W/kg


Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.016 V/m; Power Drift = 0.02 dB

Peak SAR (extrapolated) = 4.09 W/kg

SAR(1 g) = 0.780 W/kg; SAR(10 g) = 0.212 W/kg

Maximum value of SAR (measured) = 1.68 W/kg



0 dB = 1.68 W/kg = 2.25 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms_and_conditions.htm and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

prosecuted to the fullest extent of the law.



Page: 483 of 608

Date: 2018/12/7

WLAN 802.11b_Body_Top side_CH 1_Main_0mm

Communication System: WLAN 2.45G; Frequency: 2412 MHz

Medium parameters used: f = 2412 MHz; $\sigma = 1.928 \text{ S/m}$; $\epsilon_r = 53.779$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.59, 7.59, 7.59); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 1.21 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 2.415 V/m; Power Drift = 0.17 dB

Peak SAR (extrapolated) = 1.92 W/kg

SAR(1 g) = 0.630 W/kg; SAR(10 g) = 0.264 W/kg

Maximum value of SAR (measured) = 1.18 W/kg



0 dB = 1.18 W/kg = 0.72 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 484 of 608

Date: 2018/12/7

WLAN 802.11n(40M) 5.2G_Body_Top side_CH 38 _Main_0mm

Communication System: WLAN 5G; Frequency: 5190 MHz

Medium parameters used: f = 5190 MHz; $\sigma = 5.156 \text{ S/m}$; $\varepsilon_r = 49.533$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=10 mm, dy=10 mm


Maximum value of SAR (interpolated) = 1.58 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.338 V/m; Power Drift = -0.09 dB

Peak SAR (extrapolated) = 3.99 W/kg

SAR(1 g) = 0.846 W/kg; SAR(10 g) = 0.271 W/kg Maximum value of SAR (measured) = 1.83 W/kg



0 dB = 1.83 W/kg = 2.62 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms_and_conditions.htm and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd. No.1 台灣檢驗科技股份有限公司 t (886

prosecuted to the fullest extent of the law.



Page: 485 of 608

Date: 2018/12/8

WLAN 802.11a 5.3G_Body_Top side_CH 64_Main_0mm

Communication System: WLAN 5G; Frequency: 5320 MHz

Medium parameters used: f = 5320 MHz; σ = 5.355 S/m; ϵ_r = 49.079; ρ = 1000 kg/m³

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

• DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=10 mm, dy=10 mm


Maximum value of SAR (interpolated) = 1.63 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.968 V/m; Power Drift = 0.13 dB

Peak SAR (extrapolated) = 5.02 W/kg

SAR(1 g) = 0.957 W/kg; SAR(10 g) = 0.284 W/kg Maximum value of SAR (measured) = 2.25 W/kg



0 dB = 2.25 W/kg = 3.52 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms_and_conditions.htm and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd. No.134,Wu Kung Ro 台灣檢驗科技股份有限公司 t (886-2) 2299-3279

prosecuted to the fullest extent of the law.



Page: 486 of 608

Date: 2018/12/8

WLAN 802.11n(40M) 5.3G_Body_Top side_CH 54_Main_0mm

Communication System: WLAN 5G; Frequency: 5270 MHz

Medium parameters used: f = 5270 MHz; $\sigma = 5.293$ S/m; $\epsilon_r = 49.214$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

• DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=10 mm, dy=10 mm


Maximum value of SAR (interpolated) = 1.58 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.157 V/m; Power Drift = -0.12 dB

Peak SAR (extrapolated) = 4.40 W/kg

SAR(1 g) = 0.877 W/kg; SAR(10 g) = 0.273 W/kg Maximum value of SAR (measured) = 1.98 W/kg



0 dB = 1.98 W/kg = 2.97 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms_and_conditions.htm and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 487 of 608

Date: 2018/12/9

WLAN 802.11n(40M) 5.6G_Body_Top side_CH 134_Main_0mm

Communication System: WLAN 5G; Frequency: 5670 MHz

Medium parameters used: f = 5670 MHz; $\sigma = 5.944 \text{ S/m}$; $\epsilon_r = 47.96$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.2°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.06, 4.06, 4.06); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 2.03 W/kg


Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.340 V/m; Power Drift = 0.02 dB

Peak SAR (extrapolated) = 5.14 W/kg

SAR(1 g) = 1.03 W/kg; SAR(10 g) = 0.319 W/kg

Maximum value of SAR (measured) = 2.19 W/kg



0 dB = 2.19 W/kg = 3.40 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 488 of 608

Date: 2018/12/9

WLAN 802.11ac(80M) 5.6G_Body_Top side_CH 138_Main_0mm

Communication System: WLAN 5G; Frequency: 5690 MHz

Medium parameters used: f = 5690 MHz; $\sigma = 5.984 \text{ S/m}$; $\epsilon_r = 47.872$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.2°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.38, 4.38, 4.38); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=10 mm, dy=10 mm


Maximum value of SAR (interpolated) = 1.84 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.894 V/m; Power Drift = 0.16 dB

Peak SAR (extrapolated) = 4.54 W/kg

SAR(1 g) = 0.918 W/kg; SAR(10 g) = 0.288 W/kgMaximum value of SAR (measured) = 1.97 W/kg



0 dB = 1.97 W/kg = 2.94 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 489 of 608

Date: 2018/12/10

WLAN 802.11ac(80M) 5.8G_Body_Top side_CH 155_Main_0mm

Communication System: WLAN 5G; Frequency: 5775 MHz

Medium parameters used: f = 5775 MHz; $\sigma = 6.124$ S/m; $\varepsilon_r = 47.592$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.38, 4.38, 4.38); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x141x1): Interpolated grid: dx=10 mm, dy=10 mm


Maximum value of SAR (interpolated) = 1.88 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.721 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 4.93 W/kg

SAR(1 g) = 0.959 W/kg; SAR(10 g) = 0.312 W/kg Maximum value of SAR (measured) = 2.03 W/kg



0 dB = 2.03 W/kg = 3.07 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms_and_conditions.htm and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indebility, indebility, indebility, indebility, indebility indebility, indebility indebility, indebility indebility, indebility indebility, ind

SGS Taiwan Ltd.



Page: 490 of 608

Date: 2018/12/7

WLAN 802.11b_Body_Top side_CH 1_Aux_0mm

Communication System: WLAN 2.45G; Frequency: 2412 MHz

Medium parameters used: f = 2412 MHz; $\sigma = 1.928 \text{ S/m}$; $\epsilon_r = 53.779$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.59, 7.59, 7.59); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 2.19 W/kg


Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 1.305 V/m; Power Drift = 0.06 dB

Peak SAR (extrapolated) = 3.52 W/kg

SAR(1 g) = 1.19 W/kg; SAR(10 g) = 0.425 W/kg

Maximum value of SAR (measured) = 2.46 W/kg



0 dB = 2.46 W/kg = 3.91 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd. t (886-2) 2299-3279 台灣檢驗科技股份有限公司

prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 491 of 608

Date: 2018/12/7

Bluetooth(GFSK)_Body_Top side_CH 39_Aux_0mm

Communication System: Bluetooth; Frequency: 2441 MHz

Medium parameters used: f = 2441 MHz; $\sigma = 1.969$ S/m; $\varepsilon_r = 53.692$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.59, 7.59, 7.59); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (51x101x1): Interpolated grid: dx=12 mm, dy=12 mm


Maximum value of SAR (interpolated) = 0.504 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 1.410 V/m; Power Drift = 0.07 dB

Peak SAR (extrapolated) = 0.798 W/kg

SAR(1 g) = 0.270 W/kg; SAR(10 g) = 0.098 W/kg Maximum value of SAR (measured) = 0.557 W/kg



0 dB = 0.557 W/kg = -2.54 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format formation or fails filling at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 492 of 608

Date: 2018/12/7

WLAN 802.11n(40M) 5.2G_Body_Top side_CH 46_Aux_0mm

Communication System: WLAN 5G; Frequency: 5230 MHz

Medium parameters used: f = 5230 MHz; $\sigma = 5.219 \text{ S/m}$; $\epsilon_r = 49.346$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

• DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x91x1): Interpolated grid: dx=10 mm, dy=10 mm


Maximum value of SAR (interpolated) = 1.74 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.934 V/m; Power Drift = 0.03 dB

Peak SAR (extrapolated) = 5.16 W/kg

SAR(1 g) = 0.923 W/kg; SAR(10 g) = 0.252 W/kg Maximum value of SAR (measured) = 2.10 W/kg



0 dB = 2.10 W/kg = 3.22 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做影测过之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 493 of 608

Date: 2018/12/8

WLAN 802.11a 5.3G_Body_Top side_CH 52_Aux_0mm

Communication System: WLAN 5G; Frequency: 5260 MHz

Medium parameters used: f = 5260 MHz; $\sigma = 5.276 \text{ S/m}$; $\epsilon_r = 49.214$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

• DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x111x1): Interpolated grid: dx=10 mm, dy=10 mm


Maximum value of SAR (interpolated) = 1.88 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.951 V/m; Power Drift = 0.08 dB

Peak SAR (extrapolated) = 5.61 W/kg

SAR(1 g) = 1 W/kg; SAR(10 g) = 0.263 W/kgMaximum value of SAR (measured) = 2.48 W/kg



0 dB = 2.48 W/kg = 3.94 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,件報告結果僅與10天。木報告表經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 494 of 608

Date: 2018/12/8

WLAN 802.11n(40M) 5.3G_Body_Top side_CH 54_Aux_0mm

Communication System: WLAN 5G; Frequency: 5270 MHz

Medium parameters used: f = 5270 MHz; $\sigma = 5.293 \text{ S/m}$; $\varepsilon_r = 49.222$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x101x1): Interpolated grid: dx=10 mm, dy=10 mm


Maximum value of SAR (interpolated) = 1.87 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.838 V/m; Power Drift = 0.13 dB

Peak SAR (extrapolated) = 5.56 W/kg

SAR(1 g) = 0.987 W/kg; SAR(10 g) = 0.260 W/kgMaximum value of SAR (measured) = 2.43 W/kg



0 dB = 2.43 W/kg = 3.86 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 495 of 608

Date: 2018/12/9

WLAN 802.11ac(80M) 5.6G_Body_Top side_CH 106_Aux_0mm

Communication System: WLAN 5G; Frequency: 5530 MHz

Medium parameters used: f = 5530 MHz; σ = 5.701 S/m; ϵ_r = 48.401; ρ = 1000 kg/m³

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.2°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.06, 4.06, 4.06); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

• DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x81x1): Interpolated grid: dx=10 mm, dy=10 mm


Maximum value of SAR (interpolated) = 1.85 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.116 V/m; Power Drift = 0.12 dB

Peak SAR (extrapolated) = 5.10 W/kg

SAR(1 g) = 0.910 W/kg; SAR(10 g) = 0.275 W/kg Maximum value of SAR (measured) = 2.06 W/kg



0 dB = 2.06 W/kg = 3.14 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms_and_conditions.htm and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indebility, indebility, indebility, indebility, indebility indebility, indebility indebility, indebility indebility, indebility indebility, ind

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 496 of 608

Date: 2018/12/10

WLAN 802.11ac(80M) 5.8G_Body_Top side_CH 155_Aux_0mm

Communication System: WLAN 5G; Frequency: 5775 MHz

Medium parameters used: f = 5775 MHz; $\sigma = 6.124$ S/m; $\epsilon_r = 47.592$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.38, 4.38, 4.38); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Area Scan (61x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.63 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.950 V/m; Power Drift = 0.06 dB

Peak SAR (extrapolated) = 4.61 W/kg

SAR(1 g) = 0.770 W/kg; SAR(10 g) = 0.256 W/kg

Maximum value of SAR (measured) = 1.81 W/kg


Zoom Scan (7x7x12)/Cube 1: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.950 V/m; Power Drift = 0.06 dB

Peak SAR (extrapolated) = 2.58 W/kg

SAR(1 g) = 0.586 W/kg; SAR(10 g) = 0.231 W/kg

Maximum value of SAR (measured) = 1.15 W/kg



0 dB = 1.15 W/kg = 0.61 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 497 of 608

6. SAR System Performance Verification

Date: 2018/12/10

Dipole 750 MHz_SN:1015

Communication System: CW; Frequency: 750 MHz; Duty Cycle: 1:1

Medium parameters used: f = 750 MHz; $\sigma = 0.979 \text{ S/m}$; $\varepsilon_r = 53.492$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(9.97, 9.97, 9.97); Calibrated: 2018/4/25;

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Pin=250mW/Area Scan (41x141x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.82 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 54.21 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 3.29 W/kg

SAR(1 g) = 2.25 W/kg; SAR(10 g) = 1.51 W/kgMaximum value of SAR (measured) = 2.83 W/kg



0 dB = 2.83 W/kg = 4.52 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 498 of 608

Date: 2018/12/14

Dipole 750 MHz_SN:1015

Communication System: CW; Frequency: 750 MHz; Duty Cycle: 1:1

Medium parameters used: f = 750 MHz; $\sigma = 0.969 \text{ S/m}$; $\varepsilon_r = 57.114$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.2°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(9.97, 9.97, 9.97);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Pin=250mW/Area Scan (41x141x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 2.63 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 53.30 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 3.11 W/kg

SAR(1 g) = 2.09 W/kg; SAR(10 g) = 1.4 W/kg Maximum value of SAR (measured) = 2.65 W/kg



0 dB = 2.65 W/kg = 4.23 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做影测过之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

prosecuted to the fullest extent of the law.



Page: 499 of 608

Date: 2018/12/11

Dipole 835 MHz_SN:4d063

Communication System: CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium parameters used: f = 835 MHz; $\sigma = 0.996$ S/m; $\varepsilon_r = 57.237$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 22.1°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(9.72, 9.72, 9.72); Calibrated: 2018/4/25;

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Pin=250mW/Area Scan (41x121x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 3.09 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 56.66 V/m; Power Drift = -0.01 dB Peak SAR (extrapolated) = 3.64 W/kg

SAR(1 g) = 2.45 W/kg; SAR(10 g) = 1.59 W/kg

Maximum value of SAR (measured) = 3.10 W/kg



0 dB = 3.10 W/kg = 4.91 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 500 of 608

Date: 2018/12/17

Dipole 835 MHz_SN:4d063

Communication System: CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium parameters used: f = 835 MHz; $\sigma = 0.996$ S/m; $\varepsilon_r = 57.261$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.5°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(9.72, 9.72, 9.72);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Pin=250mW/Area Scan (41x121x1): Interpolated grid: dx=15 mm, dy=15 mm


Maximum value of SAR (interpolated) = 3.07 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 56.64 V/m; Power Drift = -0.02 dB Peak SAR (extrapolated) = 3.58 W/kg

SAR(1 g) = 2.43 W/kg; SAR(10 g) = 1.6 W/kg

Maximum value of SAR (measured) = 3.06 W/kg



0 dB = 3.06 W/kg = 4.86 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sas.com



Page: 501 of 608

Date: 2018/12/12

Dipole 1750 MHz_SN:1008

Communication System: CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1750 MHz; $\sigma = 1.468 \text{ S/m}$; $\epsilon_r = 51.392$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(8.26, 8.26, 8.26); Calibrated: 2018/4/25;

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Pin=250mW/Area Scan (61x61x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 13.1 W/kg


Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 92.28 V/m; Power Drift = 0.08 dB

Peak SAR (extrapolated) = 17.1 W/kg

SAR(1 g) = 9.23 W/kg; SAR(10 g) = 4.83 W/kg

Maximum value of SAR (measured) = 13.3 W/kg



0 dB = 13.3 W/kg = 11.24 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,件報告結果僅與10天。木報告表經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 502 of 608

Date: 2018/12/18

Dipole 1750 MHz SN:1008

Communication System: CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1750 MHz; $\sigma = 1.474 \text{ S/m}$; $\varepsilon_r = 51.974$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(8.26, 8.26, 8.26); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)


Pin=250mW/Area Scan (61x61x1): Interpolated grid: dx=15 mm, dy=15 mm Maximum value of SAR (interpolated) = 13.1 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 92.28 V/m; Power Drift = 0.08 dB Peak SAR (extrapolated) = 17.1 W/kg

SAR(1 g) = 9.27 W/kg; SAR(10 g) = 4.85 W/kg

Maximum value of SAR (measured) = 13.4 W/kg



0 dB = 13.4 W/kg = 11.27 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 503 of 608

Date: 2018/12/12

Dipole 1900 MHz SN:5d173

Communication System: CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1900 MHz; $\sigma = 1.63 \text{ S/m}$; $\epsilon_r = 50.897$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(8, 8, 8); Calibrated: 2018/4/25;

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Pin=250mW/Area Scan (61x61x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 14.7 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,


dz=5mm

Reference Value = 95.70 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 18.8 W/kg

SAR(1 g) = 10.2 W/kg; SAR(10 g) = 5.25 W/kg

Maximum value of SAR (measured) = 14.7 W/kg



0 dB = 14.7 W/kg = 11.67 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

prosecuted to the fullest extent of the law.



Page: 504 of 608

Date: 2018/12/18

Dipole 1900 MHz_SN: 5d173

Communication System: CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium parameters used: f = 1900 MHz; $\sigma = 1.642 \text{ S/m}$; $\epsilon_r = 51.461$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(8, 8, 8); Calibrated: 2018/4/25;

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Pin=250mW/Area Scan (61x61x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 15.2 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,


dz=5mm

Reference Value = 97.27 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 19.5 W/kg

SAR(1 g) = 10.4 W/kg; SAR(10 g) = 5.38 W/kg

Maximum value of SAR (measured) = 15.2 W/kg



0 dB = 15.2 W/kg = 11.82 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做影测过之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

prosecuted to the fullest extent of the law.



Page: 505 of 608

Date: 2018/12/13

Dipole 2300 MHz_SN:1023

Communication System: CW; Frequency: 2300 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2300 MHz; $\sigma = 1.844 \text{ S/m}$; $\epsilon_r = 54.055$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.68, 7.68, 7.68); Calibrated: 2018/4/25;

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)


Pin=250mW/Area Scan (51x51x1): Interpolated grid: dx=12 mm, dy=12 mm Maximum value of SAR (interpolated) = 20.2 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 98.73 V/m; Power Drift = 0.05 dB Peak SAR (extrapolated) = 25.4 W/kg

SAR(1 g) = 12.7 W/kg; SAR(10 g) = 6.02 W/kg

Maximum value of SAR (measured) = 19.2 W/kg



0 dB = 19.2 W/kg = 12.83 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此都华结里做影响就之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份海喇。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd. No 台灣檢驗科技股份有限公司 t (

prosecuted to the fullest extent of the law.



Page: 506 of 608

Date: 2018/12/19

Dipole 2300 MHz_SN:1023

Communication System: CW; Frequency: 2300 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2300 MHz; $\sigma = 1.835$ S/m; $\epsilon_r = 54.063$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(7.68, 7.68, 7.68);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)


Pin=250mW/Area Scan (51x51x1): Interpolated grid: dx=12 mm, dy=12 mm Maximum value of SAR (interpolated) = 19.5 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 97.05 V/m; Power Drift = 0.06 dB

Peak SAR (extrapolated) = 24.3 W/kg

SAR(1 g) = 12.2 W/kg; SAR(10 g) = 5.77 W/kg Maximum value of SAR (measured) = 18.4 W/kg



0 dB = 18.4 W/kg = 12.65 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此都华结里做影响就之缘是台書,同時什樣是做保留00千。木都华未领太公司事而纯可,不可部份海喇。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 507 of 608

Date: 2018/12/1

Dipole 2450 MHz SN:727

Communication System: CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2450 MHz; $\sigma = 1.974 \text{ S/m}$; $\varepsilon_r = 53.577$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 21.7°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.59, 7.59, 7.59); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Pin=250mW/Area Scan (51x51x1): Interpolated grid: dx=12 mm, dy=12 mm Maximum value of SAR (interpolated) = 20.4 W/kg


Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 100.2 V/m; Power Drift = 0.04 dB

Peak SAR (extrapolated) = 24.9 W/kg

SAR(1 g) = 12.8 W/kg; SAR(10 g) = 6.14 W/kg

Maximum value of SAR (measured) = 19.1 W/kg



0 dB = 19.1 W/kg = 12.81 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 508 of 608

Date: 2018/12/7

Dipole 2450 MHz_SN:727

Communication System: CW; Frequency: 2450 MHz

Medium parameters used: f = 2450 MHz; $\sigma = 1.986 \text{ S/m}$; $\varepsilon_r = 53.722$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.59, 7.59, 7.59); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)


Pin=250mW/Area Scan (51x51x1): Interpolated grid: dx=12 mm, dy=12 mm Maximum value of SAR (interpolated) = 21.4 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 100.6 V/m; Power Drift = 0.02 dB

Peak SAR (extrapolated) = 26.0 W/kg

SAR(1 g) = 13.4 W/kg; SAR(10 g) = 6.38 W/kg Maximum value of SAR (measured) = 19.9 W/kg



0 dB = 19.9 W/kg = 12.99 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 509 of 608

Date: 2018/12/13

Dipole 2600 MHz SN:1005

Communication System: CW; Frequency: 2600 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2600 MHz; $\sigma = 2.216 \text{ S/m}$; $\varepsilon_r = 52.576$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 22.2°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(7.37, 7.37, 7.37); Calibrated: 2018/4/25;

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)


Pin=250mW/Area Scan (61x61x1): Interpolated grid: dx=12 mm, dy=12 mm Maximum value of SAR (interpolated) = 22.6 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 99.22 V/m; Power Drift = -0.03 dB Peak SAR (extrapolated) = 31.4 W/kg

SAR(1 g) = 14.3 W/kg; SAR(10 g) = 6.27 W/kg

Maximum value of SAR (measured) = 22.7 W/kg



0 dB = 22.7 W/kg = 13.56 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 510 of 608

Date: 2018/12/19

Dipole 2600 MHz SN:1005

Communication System: CW; Frequency: 2600 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2600 MHz; $\sigma = 2.224 \text{ S/m}$; $\varepsilon_r = 51.104$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770;ConvF(7.37, 7.37, 7.37);Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)


Pin=250mW/Area Scan (61x61x1): Interpolated grid: dx=12 mm, dy=12 mm Maximum value of SAR (interpolated) = 21.4 W/kg

Pin=250mW/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 97.06 V/m; Power Drift = 0.12 dB Peak SAR (extrapolated) = 29.7 W/kg

SAR(1 g) = 13.7 W/kg; SAR(10 g) = 6.09 W/kg

Maximum value of SAR (measured) = 21.5 W/kg



0 dB = 21.5 W/kg = 13.32 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 511 of 608

Date: 2018/12/3

Dipole 5200 MHz SN:1023

Communication System: CW; Frequency: 5200 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5200 MHz; $\sigma = 5.158 \text{ S/m}$; $\varepsilon_r = 49.348$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.8°C; Liquid temperature: 22.0°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Pin=100mW/Area Scan (51x51x1): Interpolated grid: dx=10 mm, dy=10 mm Maximum value of SAR (interpolated) = 14.6 W/kg


Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 54.81 V/m; Power Drift = 0.15 dB

Peak SAR (extrapolated) = 34.3 W/kg

SAR(1 g) = 7.09 W/kg; SAR(10 g) = 1.97 W/kg

Maximum value of SAR (measured) = 15.2 W/kg



0 dB = 15.2 W/kg = 11.82 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 512 of 608

Date: 2018/12/7

Dipole 5200 MHz_SN:1023

Communication System: CW; Frequency: 5200 MHz

Medium parameters used: f = 5200 MHz; $\sigma = 5.165 \text{ S/m}$; $\epsilon_r = 49.473$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)


Pin=100mW/Area Scan (71x71x1): Interpolated grid: dx=10 mm, dy=10 mm Maximum value of SAR (interpolated) = 14.6 W/kg

Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 54.88 V/m; Power Drift = 0.11 dB

Peak SAR (extrapolated) = 30.1 W/kg

SAR(1 g) = 7.07 W/kg; SAR(10 g) = 1.99 W/kg Maximum value of SAR (measured) = 15.1 W/kg



0 dB = 15.1 W/kg = 11.79 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format

t (886-2) 2299-3279

documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sas.com

prosecuted to the fullest extent of the law.



Page: 513 of 608

Date: 2018/12/4

Dipole 5300 MHz SN:1023

Communication System: CW; Frequency: 5300 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5300 MHz; $\sigma = 5.323 \text{ S/m}$; $\varepsilon_r = 49.055$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.8.8(1258); SEMCAD X 14.6.11(7439)

Pin=100mW/Area Scan (71x71x1): Interpolated grid: dx=10 mm, dy=10 mm Maximum value of SAR (interpolated) = 15.3 W/kg


Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 55.07 V/m; Power Drift = 0.07 dB

Peak SAR (extrapolated) = 31.9 W/kg

SAR(1 g) = 7.39 W/kg; SAR(10 g) = 2.07 W/kg

Maximum value of SAR (measured) = 15.9 W/kg



0 dB = 15.9 W/kg = 12.01 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 514 of 608

Date: 2018/12/8

Dipole 5300 MHz SN:1023

Communication System: CW; Frequency: 5300 MHz

Medium parameters used: f = 5300 MHz; $\sigma = 5.338 \text{ S/m}$; $\varepsilon_r = 49.159$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.65, 4.65, 4.65); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Pin=100mW/Area Scan (71x71x1): Interpolated grid: dx=10 mm, dy=10 mm Maximum value of SAR (interpolated) = 15.7 W/kg


Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 55.21 V/m; Power Drift = 0.06 dB

Peak SAR (extrapolated) = 32.6 W/kg

SAR(1 g) = 7.52 W/kg; SAR(10 g) = 2.11 W/kg

Maximum value of SAR (measured) = 16.1 W/kg



0 dB = 16.1 W/kg = 12.07 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 515 of 608

Date: 2018/12/5

Dipole 5600 MHz SN:1023

Communication System: CW; Frequency: 5600 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5600 MHz; $\sigma = 5.808 \text{ S/m}$; $\varepsilon_r = 48.082$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.0°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.06, 4.06, 4.06); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.8.8(1258); SEMCAD X 14.6.11(7439)

Pin=100mW/Area Scan (81x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 15.7 W/kg


Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 54.01 V/m; Power Drift = 0.03 dB

Peak SAR (extrapolated) = 36.1 W/kg

SAR(1 g) = 7.88 W/kg; SAR(10 g) = 2.18 W/kg

Maximum value of SAR (measured) = 17.0 W/kg



0 dB = 17.0 W/kg = 12.30 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 516 of 608

Date: 2018/12/9

Dipole 5600 MHz_SN:1023

Communication System: CW; Frequency: 5600 MHz

Medium parameters used: f = 5600 MHz; $\sigma = 5.82 \text{ S/m}$; $\epsilon_r = 48.2$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.2°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.06, 4.06, 4.06); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Pin=100mW/Area Scan (81x81x1): Interpolated grid: dx=10 mm, dy=10 mm Maximum value of SAR (interpolated) = 15.9 W/kg


Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 54.83 V/m; Power Drift = 0.17 dB

Peak SAR (extrapolated) = 36.2 W/kg

SAR(1 g) = 7.82 W/kg; SAR(10 g) = 2.15 W/kg

Maximum value of SAR (measured) = 17.1 W/kg



0 dB = 17.1 W/kg = 12.33 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品負責,同時此樣品僅保留00天。木報告表經太公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 517 of 608

Date: 2018/12/6

Dipole 5800 MHz_SN:1023

Communication System: CW; Frequency: 5800 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5800 MHz; $\sigma = 6.143 \text{ S/m}$; $\epsilon_r = 47.441$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.7°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.38, 4.38, 4.38); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.8.8(1258); SEMCAD X 14.6.11(7439)

Pin=100mW/Area Scan (81x81x1): Interpolated grid: dx=10 mm, dy=10 mm Maximum value of SAR (interpolated) = 14.7 W/kg


Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm,

dz=2mm

Reference Value = 51.70 V/m; Power Drift = 0.08 dB

Peak SAR (extrapolated) = 35.6 W/kg

SAR(1 g) = 7.32 W/kg; SAR(10 g) = 2.03 W/kg Maximum value of SAR (measured) = 16.0 W/kg



0 dB = 16.0 W/kg = 12.04 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報先結果所對謝之樣具負責,同時什樣具僅保留的子。太報先去經太公司惠面許可,不可部份複制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 518 of 608

Date: 2018/12/10

Dipole 5800 MHz SN:1023

Communication System: CW; Frequency: 5800 MHz

Medium parameters used: f = 5800 MHz; $\sigma = 6.158 \text{ S/m}$; $\varepsilon_r = 47.587$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(4.38, 4.38, 4.38); Calibrated: 2018/4/25

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2018/4/21

Phantom: ELI

DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Pin=100mW/Area Scan (81x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 15.0 W/kg


Pin=100mW/Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm,

dz=2mm

Reference Value = 51.77 V/m; Power Drift = 0.08 dB

Peak SAR (extrapolated) = 36.0 W/kg

SAR(1 g) = 7.43 W/kg; SAR(10 g) = 2.07 W/kgMaximum value of SAR (measured) = 16.2 W/kg



dB = 16.2 W/kg = 12.10 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 519 of 608

7. DAE & Probe Calibration Certificate

Calibration Laboratory of Schweizerischer Kalibrierdienst S Schmid & Partner Service suisse d'étaionnage C Engineering AG Servizio svizzero di taratura sstrasse 43, 8004 Zurich, Switzerland Swiss Calibration Service Accredited by the Swiss Accreditation Service (SAS). Accreditation No.: SCS 0108 The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates SGS-TW (Auden) Certificate No: DAE4-856 Apr18 CALIBRATION CERTIFICATE Object DAE4 - SD 000 D04 BM - SN: 856 Calibration procedure(s) QA CAL-06.v29 Calibration procedure for the data acquisition electronics (DAE) Calibration deter April 21, 2018 This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (St). ments and the uncortainties with confidence probability are given on the following pages and are part of the certificate. All calibrations have been conducted in the closed isconting facility: environment temperature $(22 \pm 3)^{\circ}$ C and humidity < 70%. Calibration Equipment used (M&TE critical for calibration) Primary Standards DW Cal Date (Certificate No.) Scheduled Calibration Kaithlay Multimeter Type 2001 SN: 0810278 31-Aug-17 (No:21092) Aug-18 Secondary Standards Check Date (In house) Scheduled Chack Auto DAE Calibration Unit SE UWS 053 AA 1001 04-Jan-18 (in house check in house check: Jan-19 Californice Box V2.1 SE UMS 006 AA 1002 04-Jan-18 (in house check) In house check: Jan-19 Adnas Gohring Laboratory Techniques Calibrated by: Approved by: Sven Kühn Deputy Manager This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Certificate No: DAE4-856_Apr18

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page 1 of 5

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 520 of 608

Calibration Laboratory of Schmid & Partner Engineering AG reghausstrasse 43, 8004 Zurich, Switzerland





S Service suisse d'étaion Servizio sviggiro di taratura Swiss Calibration Service

Accredited by the Bess Accentilation Service (SAS) The Swiss Accreditation Service is one of the signaturies to the EA Multitateral Agramment for the recognition of calibration certificates

Accreemation No.: SCS 0108

Glossarv

DAE Connector angle data acquisition electronics

Information used in DASY system to align probe sensor X to the robot

coordinate system.

Methods Applied and Interpretation of Parameters

- DC Voltage Measurement: Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- Connector angle: The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The following parameters as documented in the Appendix contain technical information as a result from the performance test and require no uncertainty.
 - DC Voltage Measurement Linearity: Verification of the Linearity at +10% and -10% of the nominal calibration voltage. Influence of offset voltage is included in this
 - Common mode sensitivity: Influence of a positive or negative common mode voltage on the differential measurement.
 - Channel separation: Influence of a voltage on the neighbor channels not subject to an
 - AD Converter Values with Inputs shorted: Values on the internal AD converter corresponding to zero input voltage
 - Input Offset Measurement: Output voltage and statistical results over a large number of zero voltage measurements.
 - Input Offset Current: Typical value for information; Maximum channel Input offset current, not considering the input resistance.
 - Input resistance: Typical value for information: DAE input resistance at the connector. during internal auto-zeroing and during measurement.
 - Low Battery Alarm Voltage: Typical value for information. Below this voltage, a battery alarm signal is generated,
 - Power consumption: Typical value for information. Supply currents in various operating modes.

Certificate No: DAE4-886, April 6

Page 2 of 6

B.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 521 of 608

DC Voltage Measurement

A/D - Converter Resolution nominal

High Range: 1LSB = full range = -100...+300 mV full range = -1......+3mV 6.1µV, Low Range: 1LSB = 61nV. DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

Calibration Factors	х	Y	z
High Range	403.380 ± 0.02% (k=2)	404.500 ± 0.02% (k=2)	403.824 ± 0.02% (k=2)
			3.94148 ± 1.50% (k=2)

Connector Angle

Connector Angle to be used in DASY system	264.5°±1°

Certificate No: DAE4-856_Apr18

Page 3 of 5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 522 of 608

Appendix (Additional assessments outside the scope of SCS0108)

1. DC Voltage Linearit

High Range	Reading (µV)	Difference (µV)	Error (%)
Channel X + Input	199991.32	-3.93	-0.00
Channel X + Input	20000.89	-0.73	-0.00
Channel X - Input	-19999.72	1.38	-0.01
Channel Y + Input	199995.30	0.19	0.00
Channel Y + Input	19999.58	-1.96	-0.01
Channel Y - Input	-20002.18	-0.91	0.00
Channel Z + Input	199995.15	0.22	0.00
Channel Z + Input	19998.23	-3.34	-0.02
Channel Z - Input	-20002.45	-1,22	0.01

Low Range	Reading (µV)	Difference (µV)	Error (%)
Channel X + Input	2001.18	-0.15	-0.01
Channel X + Input	202.02	0.40	0.20
Channel X - Input	-197.78	0.37	-0.19
Channel Y + Input	1999.81	-1.28	-0.06
Channel Y + Input	201.37	-0.27	-0.13
Channel Y - Input	-199.29	-0.94	0.47
Channel Z + Input	2000.80	-0.29	-0.01
Channel Z + Input	201.21	-0.19	-0.10
Channel Z - Input	-199.51	-1.18	0.60

2. Common mode sensitivity

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Common mode Input Voltage (mV)	High Range Average Reading (µV)	Low Range Average Reading (μV)
Channel X	200	-13.71	-15.90
	- 200	17.59	16.11
Channel Y	200	-2.20	-2.52
	- 200	0.55	-0.02
Channel Z	200	11.04	10.58
	- 200	-12.61	-12.99

3. Channel separation

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Input Voltage (mV)	Channel X (μV)	Channel Y (µV)	Channel Z (μV)
Channel X	200	-	2.30	-2.46
Channel Y	200	7.31	-	3.25
Channel Z	200	8.90	4.49	-

Certificate No: DAE4-856 Apr18

Page 4 of 5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 523 of 608

4. AD-Converter Values with inputs shorted

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

_	High Range (LSB)	Low Range (LSB)
Channel X	16218	15730
Channel Y	15957	16114
Channel Z	15879	16093

5. Input Offset Measurement

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

Input 10MO

	Average (μV)	min. Offset (μV)	max. Offset (μV)	Std. Deviation (µV)
Channel X	-0.35	-1.46	1.21	0.40
Channel Y	-0.34	-1.68	0.58	0.46
Channel Z	-0.03	-1.43	1.45	0.57

6. Input Offset Current

Nominal Input circuitry offset current on all channels: <25fA

Input Resistance (Typical values for information)

	Zeroing (kOhm)	Measuring (MOhm)
Channel X	200	200
Channel Y	200	200
Channel Z	200	200

8. Low Battery Alarm Voltage (Typical values for information)

Typical values	Alarm Level (VDC)	
Supply (+ Vcc)	+7.9	
Supply (- Vcc)	-7.8	

9. Power Consumption (Typical values for information)

Typical values	Switched off (mA)	Stand by (mA)	Transmitting (mA)
Supply (+ Vcc)	+0.01	+6	+14
Supply (- Vcc)	-0.01	-8	-9

Certificate No: DAE4-856_Apr18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 524 of 608



Primary Standards	ID	Cal Oale (Certificate No.)	Scheduled Calibration
Power malor NRP	SM: 104778	04-Apr-19 (No. 217-02672/02673)	Apr.19
Power sensor NRP-731	SN: 103244	94-Aprill (No. 217-02672)	Apr-19
Power sensor NRP Z91	5N: 108245	04-Apr 18 (No. 217-02573)	Aprila
Halarance 20 dB Attanuator	BN: 55277 (20v)	04-Apr-19 (No. 217-02682)	Apr-19
Reinneus Protei ES3DV2	BN: 3013	30-Dec-17 (No. ES3-3013 Dec17)	Dec-18
DAE	SN 960	21-Dec 17 (No. DAE4-860_Dec17)	Dec-16
Secondary Standards	ib	Check Date (in hisse)	Scheduled Chieco
Power motor E4410B	SN: GBA1293874	D6-Apr. 16 (in house check Jun- 16)	in home check: Jun 19
Power sensor E4412A	SN: MY41498087	36-Apr-16 (in house check Jun-15)	In house check, dan-12
Power seriou E4412A	BN: 000111/210	56 Apr.15 (in house check Jun-15)	In house check: Junit8
RF generator HP 86480	SN: US3642U01700	tis Aug-19 (in fallse check Jun-16)	In house check: _im-18
Network Amelyani HP 8753E	SN 1/837306565	18-Oct-01 (in house check Oct-17)	in house check, Oct-18

All collarations trave been conducted in the desed laboratory facility: environment temperature (22 ± 3)°C and framility = 76%.

Child a Laufter Californiad by: Technical Manage Approved by Issued April 24, 2015 This calification certificate shall not be reproduced except in full without written approval of the luburatory

Certificate No. EX3-3770, April8

Calibration Equipment used (M&TE critical for calibration)

Page 1.of 11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 525 of 608

Calibration Laboratory of Schmid & Partner

Engineering AG





5 Service waters d'étalonnens C Servizio svizzero di tannura. **Bwiss Calibration Service**

Ascreditation No.: SCS 0108

Ascressment by the Sweet Accressoration Sweeter (SAU)

The Swits Actividitation Bervice is one of the signaturies to the IIA Millitatural Agreement for the moog at on of authorition cartificates

Glossary

tesue simulating liquid NORMX.V.Z sensibility in free space sensitivity in Tist. / NORMX,y,z DCP

diode compression point crest factor (1/duty, cycle) of the RF signer ABCO modulation dependent linearization persmeters

Polarization o n rotation around probe role

Polarization 3 3 rotation around an axis that is in the plane normal to probe axis (at measurement corner),

i.e., $h = 0 \approx$ normal to probe axis

Connector Anale information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, TEEE Recommended Practice for Determining the Peak Spatial Averaged Specific Absorption Rate (SAR) in the Human Heart from Windows Communications Devices: Measure
- Accorption rose (2014) in the numer from winners communications brivious Measurement Techniques', June 2013

 EC 52:09-1, " "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from handheld and body-mounted devices used next to the east (frequency range of 300 MHz to 6 GHz)" July 2016

 EC 52:09-2, "Procedure to determine the Specific Absorption Rate (SAR) for wreless communication devices until in object proximity to the human body (frequency range of 30 MHz to 6 GHz)" March 2010 b)
- d) KDB 865664, SAR Measurement Requirements for 100 MHz to 6 GHz

Methods Applied and Interpretation of Parameters:

- MORMs, y.z. Assessed for E-field polarization 5 = 0 (f s 900 MHz in TEM-cell, f > 1600 MHz; R22 waveguide). NDRMs, y.z. are only intermediate values, i.e., the uncontainties of NDRMs, y.z. does not affect the E-field. uncertainty inside TSL (see briow ConVF).

 NORM(f)x,y,z = NORMx,y,z * Sequency response (see Frequency Response Chart). This includation is
- nalemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included it the stated uncertainty of ConvF.
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW
- signal (no uncertainty required). DCP does not depend on traguency nor media. PAR: PAR is the Paak to Average Ratio that is not calculated but determined based on the signal.
- AV.Y.Z. BX.Y.Z. Cx.Y.Z. Dx.Y.Z. VRX,Y.Z. A. B. C. D are numerical linearization parameters ass the data of power sweets for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diods.
- ConvP and Boundary Effect Parameters: Assessed in Ital phanton using E-field (or Temperature Transfer Standard for t < 900 MHz) and inside waveguide using analytical field distributions based on power measurements for t > 800 MHz. The same setups are used for assessment of the parameters applied for boundary compensation (white rine same setups are used for appearance or the parameters are boundary compensation (white parameters are used in DASY a software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORAIX, y, x * ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent. CovvF is used in DASY version 4-4 and higher which allows extending the validity from a 50 MHz to x 100. MHZ
- Spherical Botropy (30 deviation from (solicoy): In a field of low gradients realized using a flat phantom
- exposed by a patch antenna.

 Sensor Offset: The sensur offset corresponds to the offset of virtual measurement center from the probe tip. (on proce axis). No tolerance moulred.
- Connector Angle: The angle is assessed using the information gained by determining the NORMs (but uncertainty required).

Certificate No. EX3-9770_April 8

Page 2 of 11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 526 of 608

EX3DV4 - SN:3770

April 25, 2018

Probe EX3DV4

SN:3770

Manufactured: Calibrated:

July 6, 2010 April 25, 2018

Calibrated for DASY/EASY Systems

(Note: non-compatible with DASY2 system!)

Certificate No: EX3-3770_Apr18

Page 3 of 11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 527 of 608

EX3DV4- SN:3770

April 25, 2018

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3770

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm (µV/(V/m) ²) ^A	0.30	0.60	0.38	± 10.1 %
DCP (mV) ⁸	101.9	101.9	101.5	

Modulation Calibration Parameters

UID	Communication System Name		A dB	B dB√μV	С	D dB	VR mV	Unc ^L (k=2)
0	CW	X	0.0	0.0	1.0	0.00	138.1	±3.5 %
		Y	0.0	0.0	1.0		134.7	
		Z	0.0	0.0	1.0		135.6	

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: EX3-3770_Apr18

Page 4 of 11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

A The uncertainties of Norm X,Y,Z do not affect the E²-field uncertainty inside TSL (see Pages 5 and 6).

A Numerical Insertation parameter uncertainty not required.

Uncertainty is determined using the max, deviation from linear response applying ractangular distribution and is expressed for the square of the field value.



Page: 528 of 608

EX3DV4-SN:3770

April 25, 2018

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3770

Calibration Parameter Determined in Head Tissue Simulating Media

	and all of Parameter Determined in riead 1188ue Simulating Media							
f (MHz) ^c	Relative Permittivity [®]	Conductivity (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha ⁶	Depth ⁰ (mm)	Unc (k=2)
450	43.5	0.87	11.20	11.20	11.20	0.13	1.25	± 13.3 %
750	41.9	0.89	10.05	10.05	10.05	0.43	0.80	± 12.0 %
835	41.5	0.90	9.55	9.55	9.55	0.35	0.97	± 12.0 %
900	41.5	0.97	9.36	9.36	9.36	0.27	1.10	± 12.0 %
1750	40.1	1.37	8.48	8.48	8.48	0.35	0.80	± 12.0 %
1900	40.0	1.40	8.22	8.22	8.22	0.32	0.80	± 12.0 %
2000	40.0	1.40	8.15	8.15	8.15	0.38	0.80	± 12.0 %
2300	39.5	1.67	7.78	7.78	7.78	0.33	0.84	± 12.0 %
2450	39.2	1.80	7.43	7.43	7.43	0.38	0.80	± 12.0 %
2600	39.0	1.96	7.20	7.20	7.20	0.35	0.84	± 12.0 %
5250	35.9	4.71	5.25	5.25	5.25	0.40	1.80	± 13.1 %
5600	35.5	5.07	4.92	4.92	4.92	0.40	1.80	± 13.1 %
5750	35.4	5.22	5.21	5.21	5.21	0.40	1.80	± 13.1 %

^c Frequency validity above 300 MHz of ± 100 MHz only applies for DASY vt.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency bend. Frequency validity below 300 MHz is ± 10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 64, 128, 150 and 220 MHz respectively. Above 5 GHz frequency validity can be extended to ± 100 MHz.

*At frequencies below 3 GHz, the validity of tissue parameters (a and a) can be relaxed to ± 10% if figuid comprehension formula is applied to measured SAR values. Af frequencies above 3 GHz, the validity of tissue parameters (a and a) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

*AphalDepth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ± 1% for frequencies below 3 GHz and below ± 2% for frequencies between 3-6 GHz at any distance target than half the probe tip diameter from the boundary.

Certificate No: EX3-3770 Apr18

Page 5 of 11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 529 of 608

EX3DV4-- SN:3770

April 25, 2018

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3770

Calibration Parameter Determined in Body Tissue Simulating Media

f (MHz) ^e	Relative Permittivity [®]	Conductivity (S/m) ^F	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ⁰ (mm)	Unc (k=2)
450	56.7	0.94	10.68	10.68	10.68	0.08	1.25	± 13.3 %
750	55.5	0.96	9.97	9.97	9.97	0.39	0.95	± 12.0 %
835	55.2	0.97	9.72	9.72	9.72	0.45	0.88	± 12.0 %
900	55.0	1.05	9.64	9.64	9.64	0.44	0.85	± 12.0 %
1750	53.4	1.49	8.26	8.26	8.26	0.43	0.80	± 12.0 %
1900	53.3	1.52	8.00	8.00	8.00	0.37	0.87	± 12.0 %
2000	53.3	1.52	7.97	7.97	7.97	0.29	1.00	± 12.0 %
2300	52.9	1.81	7.68	7.68	7.68	0.42	0.84	± 12.0 %
2450	52.7	1.95	7.59	7.59	7.59	0.41	0.84	± 12.0 %
2600	52.5	2.16	7.37	7.37	7.37	0.15	0.98	± 12.0 %
5250	48.9	5.36	4.65	4.65	4.65	0.50	1.90	± 13.1 %
5600	48.5	5.77	4.06	4.06	4.06	0.50	1.90	± 13.1 %
5750	48.3	5.94	4.38	4.38	4.38	0.50	1.90	± 13.1 %

⁶ Frequency validity above 300 MHz of ± 100 MHz only applies for DASY vi.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty of calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 59 and 70 MHz for ConvF assessments at 30, 64, 128, 150 and 220 MHz respectively. Above 5 GHz frequency validity can be extended to ± 110 MHz.

F.All frequencies below 3 GHz, the validity of tissue parameters (x and x) can be released to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (x and x) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

AppliaDepth are determined during calibration. SPEAC wereants that the remaining deviation due to the boundary effect after compensation is always lass than ± 1% for frequencies below 3 GHz and below ± 2% for frequencies between 3-6 GHz at any distance larger than half the probe tip diameter from the boundary.

Certificate No: EX3-3770_Apr18

Page 6 of 11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 530 of 608

EX30V4- SN:3770

April 25, 2018

Frequency Response of E-Field (TEM-Cell:ifi110 EXX, Waveguide: R22)



Uncertainty of Frequency Response of E-field: ± 6.3% (k=2)

Gertificate No; EX3-3770_Apr18

Page 7 of 11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 531 of 608

EX3DV4-SN:3770 April 25, 2018

Receiving Pattern (6), 9 = 0°





Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)

Certificate No: EX3-3770_April 8

Page 8 of 11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.





Page: 532 of 608

EX3DV4-- SN:3770

April 25, 2018

Dynamic Range f(SAR_{head}) (TEM cell , f_{oval}= 1900 MHz)





Uncertainty of Linearity Assessment: ± 0.6% (k=2)

Certificate No: EX3-3770_Apr18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 533 of 608



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做新闻建立线是各者,同时此揆是做是2000子。木都华丰德太公司聿简纯可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 534 of 608

EX3DV4- SN:3770

April 25, 2018

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3770

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (*)	-32.8
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1.4 mm

Certificate No: EX3-3770 Apr18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

Page 11 of 11

SGS Taiwan Ltd.



Page: 535 of 608

8. Uncertainty Budget

Measurement Uncertainty evaluation template for DUT SAR test (3-6G)

A	С	D	е		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probabilit y	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.55%	N	1	1	1	1	6.55%	6.55%	œ
Isotropy , Axial	3.50%	R	√3	1.732	1	1	2.02%	2.02%	œ
Isotropy, Hemispherical	9.60%	R	√3	1.732	1	1	5.54%	5.54%	œ
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	√3	1.732	1	1	0.58%	0.58%	œ
Linearity	4.70%	R	√3	1.732	1	1	2.71%	2.71%	œ
Detection Limits	1.00%	R	√3	1.732	1	1	0.58%	0.58%	œ
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	00
Response time	0.80%	R	√3	1.732	1	1	0.46%	0.46%	œ
Integration Time	2.60%	R	√3	1.732	1	1	1.50%	1.50%	œ
Measurement drift (class A evaluation)	1.75%	R	√3	1.732	1	1	1.01%	1.01%	œ
RF ambient condition - noise	3.00%	R	√3	1.732	1	1	1.73%	1.73%	œ
RF ambient conditions - reflections	3.00%	R	√3	1.732	1	1	1.73%	1.73%	œ
Probe positioner Mechanical restrictions	0.40%	R	√3	1.732	1	1	0.23%	0.23%	œ
Probe Positioning with respect to phantom	2.90%	R	√3	1.732	1	1	1.67%	1.67%	œ
Post-processing	1.00%	R	√3	1.732	1	1	0.58%	0.58%	œ
Max SAR Eval	1.00%	R	√3	1.732	1	1	0.58%	0.58%	œ
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√3	1.732	1	1	2.89%	2.89%	œ
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√3	1.732	1	1	2.31%	2.31%	œ
Liquid permittivity (mea.)	1.57%	N	1	1	0.64	0.43	1.00%	0.68%	М
Liquid Conductivity (mea.)	2.76%	N	1	1	0.6	0.49	1.66%	1.35%	М
Combined standard uncertainty		RSS					11.88%	11.80%	
Expant uncertainty (95% confidence							23.75%	23.61%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 536 of 608

Measurement Uncertainty evaluation template for DUT SAR test (0.3-3G)

A	С	D	е		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probabilit y	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.00%	N	1	1	1	1	6.00%	6.00%	∞
Isotropy , Axial	3.50%	R	√3	1.732	1	1	2.02%	2.02%	∞
Isotropy, Hemispherical	9.60%	R	√3	1.732	1	1	5.54%	5.54%	∞
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	8
Boundary Effect	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	√3	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	√3	1.732	1	1	0.58%	0.58%	8
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	∞
Response time	0.80%	R	√3	1.732	1	1	0.46%	0.46%	∞
Integration Time	2.60%	R	√3	1.732	1	1	1.50%	1.50%	∞
Measurement drift (class A evaluation)	1.75%	R	√3	1.732	1	1	1.01%	1.01%	∞
RF ambient condition - noise	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
RF ambient conditions - reflections	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
Probe positioner Mechanical restrictions	0.40%	R	√3	1.732	1	1	0.23%	0.23%	∞
Probe Positioning with respect to phantom	2.90%	R	√3	1.732	1	1	1.67%	1.67%	∞
Post-processing	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√3	1.732	1	1	2.89%	2.89%	∞
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√3	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	4.11%	N	1	1	0.64	0.43	2.63%	1.77%	М
Liquid Conductivity (mea.)	3.78%	N	1	1	0.6	0.49	2.27%	1.85%	М
Combined standard uncertainty		RSS					11.93%	11.69%	
Expant uncertainty (95% confidence							23.87%	23.38%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 537 of 608

9. Phantom Description

Schmid & Partner Engineering AG

е a

Zeughausstrasse 43, 8004 Zurich, Switzerland Phone +41 44 245 9700, Fax +41 44 245 9779 info@speag.com, http://www.speag.com

Certificate of Conformity / First Article Inspection

Item	Oval Flat Phantom ELI 5.0	
Type No	QD OVA 002 A	
Series No	1108 and higher	
Manufacturer	Untersee Composites Knebelstrasse 8, CH-8268 Mannenbach, Switzerland	

Complete tests were made on the prototype units QD OVA 001 A, pre-series units QD OVA 001 B as well as on some series units QD OVA 001 B. Some tests are made on all series units QD OVA 002 A.

Test	Requirement	Details	Units tested	
Shape	Internal dimensions, depth and sagging are compatible with standards	Bottom elliptical 600 x 400 mm, Depth 190 mm, dimension compliant with [1] for f > 375 MHz	Prototypes	
Material thickness	Bottom: 2.0mm +/- 0.2mm	dimension compliant with [3] for f > 800 MHz	all	
Material parameters	rel. permittivity 2 – 5, loss tangent ≤ 0.05, at f ≤ 6 GHz	rel. permittivity 3.5 +/- 0.5 loss tangent ≤ 0.05	Material samples	
Material Compatibility with tissue resistivity simulating liquids .		Compatible with SPEAG liquids. **	Phantoms, Material sample	
Sagging	Sagging of the flat section in tolerance when filled with tissue simulating liquid.	within tolerance for filling height up to 155 mm	Prototypes, samples	

Note: Compatibility restrictions apply certain liquid components mentioned in the standard, containing e.g. DGBE, DGMHE or Triton X-100. Observe technical note on material compatibility.

- OET Bulletin 65, Supplement C, "Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields", Edition 01-01
 IEEE 1528-2003, "Recommended Practice for Determining the Peak Spatial-Average Specific
- Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement
- Techniques, December 2003

 [3] IEC 62209–1 ed1.0, "Human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices - Human models, instrumentation, and procedures - Part 1 Procedure to determine the specific absorption rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)*, 2005-02-18
- IEC 62209–2 ed1.0, "Human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices Human models, instrumentation, and procedures Part 2: Procedure to determine the specific absorption rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", 2010-03-30

Based on the sample tests above, we certify that this item is in compliance with the uncertainty requirements of body-worn SAR measurements and system performance checks as specified in [1 - 4] and further standards

25.7.2011

Signature / Stamp

Doc No 881 - QD OVA 002 A - A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 538 of 608

10. System Validation from Original Equipment Supplier



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 539 of 608

Calibration Laboratory of Schmid & Partner Engineering AG rasse 43, 8004 Zurich, Switzerland





Schweizerischer Kallbrickbienst Service suisse d'étationnage C Servizio svizzero di teratura Suiss Calibration Service

Accredited by the Swiss Accreditation Senior (SAS) reditation No.: SCS 0108

The Swiss Accreditation Service is one of the signaturies to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

TSL tissue simulating liquid sensitivity in TSL / NORM x, y, z ConvF not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques*, June 2013
- b) IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated,
- Antenna Parameters with TSL-The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss; These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement. multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%

Centilicate No: D780V3 1016 Aug 18

Page 2 of III

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 540 of 608

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10,1
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Pheniom	
Distance Dipole Center - TSL	15 mm	with Spager
Zoom Scan Resolution	dx, dy, d2. = 5 mm	
Frequency	750 MHz ± 1 MHz	

Head TSL parameters

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	41.9	0.89 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	40.9 ± 6 %	0.89 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C		_

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.07 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	8.23 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ¹ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.34 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	5.34 W/kg ± 16.5 % (k=2)

Body TSL parameters

ders and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	55,5	0,98 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	55.0 ± 6 %	0.96 mho/m ± 8 %
Body TSL temperature change during lest	< 0.5 °C	-	-

SAR result with Body TSL

SAR averaged over 1 cm2 (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	2.16 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	8.62 W/kg = 17.0 % (k=2)

SAR averaged over 10 cm3 (10 g) of Body TSL.	condition	
SAR measured	250 mW input power	1.43 W/kg
SAFI for nominal Body TSL parameters	normalized to 1W	5.71 W/kg ± 16.5 % (k=2)

Certificate No. D750V3-1015_Aug16

Page 3 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 541 of 608

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Imperdance, transformed in land point	53.4 (7 + 0.0)(2
Fleturn Loss	- 29.6 dB.

Antenna Parameters with Body TSL

Impedance, transformed to feed point	48.2 (2 + 3.6)(2	
Fleturn Loss	= 27.8 dB	

General Antenna Parameters and Design

Electrical Delay (one direction)	1.037 ns

After long term use with HXXW radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the accord arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the 'Measurement Conditions' paragraph. The SAFI data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	March 22, 2010

Certificate No: D750V3-1015_Aug16

Page 4 of 8

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits in Structions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 542 of 608

DASY5 Validation Report for Head TSL

Date: 22.08.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 750 MHz; Type: D750V3; Serial: D750V3 - SN:1015

Communication System: UID 0 - CW; Frequency: 750 MHz.

Medium parameters used: f = 750 MHz; $\sigma = 0.89 \text{ S/m}$; $\epsilon_r = 40.9$; $p = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)


DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(10.22, 10.22, 10.22) @ 750 MHz; Calibrated: 30.12.2017
- · Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 26.10.2017
- Phantom: Flat Phantom 4.9 (front); Type: QD 00L P49 AA; Serial: 1001
- DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Dipole Calibration for Head Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 59.12 V/m; Power Drift = -0.04 dB Peak SAR (extrapolated) = 3.11 W/kg SAR(1 g) = 2.07 W/kg; SAR(10 g) = 1.34 W/kg

Maximum value of SAR (measured) = 2.77 W/kg



0 dB = 2.77 W/kg = 4.42 dBW/kg

Certificate No: D750V3-1015_Aug18

Page 5 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 543 of 608

Impedance Measurement Plot for Head TSL



Certificate No: D750V3-1015_Aug18

Page 6 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 544 of 608

DASY5 Validation Report for Body TSL

Date: 23.08.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 750 MHz; Type: D750V3; Serial: D750V3 - SN:1015

Communication System: UID 0 - CW; Frequency: 750 MHz

Medium parameters used: f = 750 MHz; $\sigma = 0.96 \text{ S/m}$; $\epsilon_r = 55$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(10.19, 10.19, 10.19) @ 750 MHz; Calibrated: 30.12.2017
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 26.10.2017
- Phantom: Flat Phantom 4.9 (Back): Type: QD 00R P49 AA; Serial: 1005
- DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Dipole Calibration for Body Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 57.93 V/m; Power Drift = -0.02 dB Peak SAR (extrapolated) = 3.17 W/kg

SAR(1 g) = 2.16 W/kg; SAR(10 g) = 1.43 W/kg Maximum value of SAR (measured) = 2.85 W/kg



0 dB = 2.85 W/kg = 4.55 dBW/kg

Certificate No: D750V3-1015_Aug18

Page 7 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 545 of 608

Impedance Measurement Plot for Body TSL



Certificate No: D750V3-1015_Aug18

Page 8 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 546 of 608

Calibration Laboratory of Schmid & Partner Engineering AG sughausstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst Service suisse d'étalonnage C Servizio svizzero di tareture Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swise Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

SGS-TW (Auden)

Certificate No: D835V2-4d063 Aug 18

ALIDRATION C	ERTIFICATE		
Doject	D835V2 - SN:4d	063	
Calibration procedure(s)	QA CAL-05.v10 Cal bration proce	dure for dipole validation kits abo	ovs 700 MHz
Calibration date:	August 23, 2018		
The measurements and the uncort	ainties with confidence p	ional standards, which realize the physical un robability are given on the following pages ar- ry facility: environment temperature (22 ± 3)*1	ict are part of the certificate.
Calibration Equipment used (M&TE Primary Standards	critical for celibration)	Cal Date (Carthoute No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-15 (No. 217-02672/02673)	April 9
Power sensor NRP (291	SN: 103244	04-Apr-18 (No. 217-02672)	Apr-10
Power sensor NRP-Z81	SN: 103245	04-Apr-18 (No. 217-02673)	Apr-19
Reference 20 dB Attenuator	SN: 5058 (20k)	04-Apr-16 (No. 217-02682)	Apr-18
rate and 20 an unantiment	SN: 5047.2 / 06327	04-Apr.18 (No. 217-02683)	Apr.19
Tune-M mineralely combination		details to her six occord	PAPE 13
ANT LOSS AND THE PARTY OF THE PARTY OF	SN: 7349	90-Doc-17 (No. EVS-7949 Exc.) 7)	Dan 18
Retaience Probe EX3DV4	SN: 7349 SN: 601	30-Dec-17 (No. EX3-7349_Bec17) 26-Oct-17 (No. DAE4-601_Oct17)	Dec-18 Oct-18
Retelence Probe EX3DV4 DAE4			
Reteience Probe EX3DV4 DAE4 Secundary Standards	BN: 601	26-Gct-17 (No. DAE4-601_Oct17)	Oct-18
Tetalance Probe EX3DV4 DAE4 Secundary Standards Power mater EPM-442A	3N: 601	28-Gol-17 (No. DAE4-601_Oct17) Check Date (in house)	Oct-16 Scheduled Check
Tetaionce Probe EX3DV4 DAE4 Secundary Standards Power mater EPM-442A Power sensor HP 8481A	3N: 601 ID # 3N: GB37480704	26-Oct-17 (No. DAE4-601_Oct17) Check Date (in house) 07-Oct-15 (in house phack Oct-16)	Oct-18 Scheduled Check In house check: Oct-18
Retaining Probe EX3DV4 DAE4 Secundary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A	BN: 601 ID # BN: GB37450704 SN: US37290783	26-Och17 (No. DAE4-601_Och17) Check Date (in house) 07-Och15 (in house check Och16) 07-Och15 (in house check Och16)	Oct-18 Scheduled Check In house check: Oct-18 In house check: Oct-18
Retainince Probe EX3DV4 DAE4 Secundary Standards Power mater EPM-442A Power sensor HP 8481A Power sensor HP 8481A RF generator R&B SMT-06	ID # SN: GB37490704 SN: US37290783 SN: MY41082317	26-Doh 17 (No. DAE4-601_Oct17) Check Date (in house) 07-Oct 15 (in house phack Oct-16) 07-Oct 15 (in house check Oct-16) 07-Oct 16 (in house check Oct-16)	Oct-16 Scheduled Check In house check: Oct-18 In house check: Oct-18 In house check: Oct-18
Type-N mismatch combination Retainince Probe EX3DV4 DAE4 Secundary Standards Power mater EPM-442A Power sensor HP 8481A Power sensor HP 8481A RF generator R&B SMT-06 Network Analyzai Aglant ER3S84	SN: 601 ID # SN: GB37450704 SN: US37290783 SN: MY41082317 SN: 100872	26-Doh 17 (No. DAE4-601_Oct17) Check Cate (in house) 07-Oct 15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 07-Oct-16 (in house check Oct-16) 15-Jun-15 (in house check Oct-16)	Oct-16 Scheduled Check In house check: Oct-18 In house check: Oct-18 In house check: Oct-18 In house check: Oct-18
Retainince Probe EX3DV4 DAE4 Secundary Standards Power meter EPf4-442A Power sensor HP 8481A Power sensor HP 8481A RF generator R&B SMT-06	SN: 601 SN: GB37490704 SN: US37290783 SN: MY41082317 SN: 106972 SN: US41080477	26-Och 17 (No. DAE4-601_Och 17) Check Date (in house) 07-Och 15 (in house check Och 16) 07-Och 15 (in house check Och 16) 07-Och 16 (in house check Och 16) 15-Jun 15 (in house check Och 16) 31-Mar-14 (in house check Och 17)	Oct-18 Scheduled Check In house check: Oct-18 In house check: Oct-18 In house check: Oct-18 In house check: Oct-18 In house check: Oct-18
Retaining Probe EX3DV4 DAE4 Secundary Standards Power mater EPN4-442A Power sensor HP 8481A Power sensor HP 8481A RF generator R&B SMT-06 Network Analyzer Agilent ER3584	SN: 601 ID # SN: GB37450704 SN: US37250763 SN: MY41082317 SN: 106972 SN: US41080477 Name	26-Och 17 (No. DAE4-601_Och 17) Check Date (in house) 07-Och 15 (in house check Och 16) 07-Och 15 (in house check Och 16) 07-Och 16 (in house check Och 16) 15-Jun 15 (in house check Och 16) 31-Mai-14 (in house check Och 17) Function	Oct-16 Scheduled Check In house check: Oct-16 In house check: Oct-16 In house check: Oct-18 In house check: Oct-18 In house check: Oct-18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Certificate No. D835V2-4d063_Aug18

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page I of B

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 547 of 608

Calibration Laboratory of Schmid & Partner Engineering AG Zeoglasusstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalthrierdienel
C Service suisse d'Melonnage
Servizio svizzero di lorobira
S Swies Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

TSL fissue simulating liquid
ConvF sensitivity in TSL / NORM x,y,z
N/A not applicable or not measured

Calibration is Performed According to the Following Standards:

- EEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- EC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions; Further details are available from the Validation Report at the end
 of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed
 point exactly below the center marking of the flat phantom section, with the arms oriented
 parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole
 positioned under the liquid filled phantom. The impedance stated is transformed from the
 measurement at the SMA connector to the feed point. The Return Loss ensures fow
 reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point.
 No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No. D635V2-4d063, Aug16

Page 2 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結單儀對測試之樣品負責,同時此樣品僅保留仍天。木報告去經太公司惠面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 548 of 608

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10.1
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	15 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz, = 5 mm	
Frequency	835 MHz = 1 MHz	

Head TSL parameters

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 ℃	41.5	0.90 inhorm
Measured Head TSL parameters	(22.0 ± 0.2) °C	40.7 ± fi %	0.92 mho/m ± 8 %
Head TSL temperature change during test	< 0.5 °C	_	-

SAR result with Head TSL

SAR averaged over 1 cm ¹ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.42 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	9.48 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm² (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.55 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	6,10 W/kg ± 16.5 % (k=2)

Body TSL parameters

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	55.2	0.97 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	54.9±6%	0.99 mha/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	200-	

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input pawer	2.43 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	9.56 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	1.59 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	6.28 W/kg ± 16.5 % (k=2)

Certificate No. DB35V2-4d063 Aug 18

Page 3 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 549 of 608

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Projectance, transformed to feed point	51.3 Ω - 1.8 jΩ	
Relum Loss	- 33.3 dB	

Antenna Parameters with Body TSL

impedance, transformed to feed point	47.7 Ω - 4.4 jΩ
Return Loss	-25,8 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.393 ns

After long term use with 100W radiated power, only a sight warming of the dipole near the leedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG	
Manufactured on	November 27, 2006	

Certificate No: D895V2-4d063_Aup (6)

Page 4 of 6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 550 of 608

DASY5 Validation Report for Head TSL

Date: 22.08.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN:4d063

Communication System: UID 0 - CW; Frequency: 835 MHz

Medium parameters used: f = 835 MHz; $\sigma = 0.92 \text{ S/m}$; $\epsilon_c = 40.7$; $\rho = 1000 \text{ kg/m}^5$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe; EX3DV4 SN7349; ConvF(9.9, 9.9, 9.9) @ 835 MHz; Calibrated: 30.12.2017
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 26.10,2017
- Phantom: Flat Phantom 4.9 (front); Type: QD 00L P49 AA; Serial: 1001
- DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)


Dipole Calibration for Head Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 62.96 V/m; Power Drift = -0.03 dB

Peak SAR (extrapolated) = 3.70 W/kg

SAR(1 g) = 2.42 W/kg; SAR(10 g) = 1.55 W/kg

Maximum value of SAR (measured) = 3.25 W/kg



0 dB = 3.25 W/kg = 5.12 dBW/kg

Certificate No: D835V2-4d063_Aug18

Page 5 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 551 of 608

Impedance Measurement Plot for Head TSL



Certificate No: D635V2-4d063_Aug18

Page 6 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件据华廷国佛教训献之样具色者,同时件撰具届保留的子。大器华主领太公司事而许可,不可部份推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⁹⁰天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sas.com



Page: 552 of 608

DASY5 Validation Report for Body TSL

Date: 23.08.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN:4d063

Communication System: UID 0 - CW; Frequency: 835 MHz

Medium parameters used: f = 835 MHz; $\sigma = 0.99 \text{ S/m}$; $\epsilon_c = 54.9$; $\rho = 1000 \text{ kg/m}^4$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)


DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(10.05, 10.05, 10.05) @ 835 MHz; Calibrated: 30.12.2017
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 26.10.2017
- Phantom: Flat Phantom 4.9 (Back); Type: QD 00R P49 AA; Serial: 1005
- DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Dipole Calibration for Body Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 60.67 V/m; Power Drift = -0.02 dB Peak SAR (extrapolated) = 3.61 W/kg SAR(1 g) = 2.43 W/kg; SAR(10 g) = 1.59 W/kg

Maximum value of SAR (measured) = 3.23 W/kg



0 dB = 3.23 W/kg = 5.09 dBW/kg

Certificate No: D635V2-4d063_Aug18

Page 7 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 553 of 608

Impedance Measurement Plot for Body TSL



Certificate No: D835V2-4d063_Aug18

Page 8 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 554 of 608



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sg.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sg.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 555 of 608

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdiens
C Service suissa d'étalomage
Servizie svuzzero di taratura
S Swiss Calibration Service

Accreditation No.: SCS 0108

According by the Swiss According on Service (SAS)

The Swiss Accreditation Service is one of the signaturies to the EA Multilisteral Agreement for the recognition of calibration certificates

Glossary:

TSL ConvF

N/A

tissue simulating liquid

sensitivity in TSL / NORM x,y,z not applicable or not measured

Calibration is Performed According to the Following Standards:

- EEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- EC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions; Further details are available from the Validation Report at the end
 of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed
 point exactly below the center marking of the flat phantom section, with the arms oriented
 parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole
 positioned under the liquid filled phantom. The impedance stated is transformed from the
 measurement at the SMA connector to the feed point. The Return Loss ensures low
 reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point.
 No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: D1750V2-1008_Aug18

Page 2 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結單儀對測試之樣品負責,同時此樣品僅保留仍天。木報告去經太公司惠面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 556 of 608

Measurement Conditions

DASY Version	DASYS	V52.10.1
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Pharmon	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz; = 5 mm	
Frequency	1750 MHz ± 1 MHz	

Head TSL parameters

eters and calculations were another.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	40.1	1.37 mholm
Measured Head TSL parameters	(22.0 ± 0.2) °C	38.9 ± 6 %	1.34 mha/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	-10-	

SAR result with Head TSL

SAR averaged over 1 cm ¹ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	9.07 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	35,5 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm3 (10 g) of Head TSL	condition	
SAR measured	250 mW input power	4.B1 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	19.3 W/kg ± 16.5 % (k=2)

Body TSL parameters

ing parameters and calculations were applied

	Temperatura	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	53.4	1.49 mino/m
Messured Body TSL parameters	(22.0 ± 0.2) °C	53.4 = 6 %	1.47 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	_	

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	9.16 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	37.0 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm2 (10 g) of Body TSL	condition	
SAR measured	250 mW input power	4.93 W/kg
SAR for nominal Body TSL parameters	normalized to TW	19.8 W/kg ± 16.5 % (k=2)

Certificate No: D1750V2-1006_Aug/fill

Page 3 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 557 of 608

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	52.0 \(\Omega + 1.6 \)\(\Omega\)		
Ratum Loss	+32.2 dB		

Antenna Parameters with Body TSL

Impedance, transformed to feed point	#6.3 Ω + 0.6 jΩ	
Ristum Loss	- 34.7 dB	

General Antenna Parameters and Design

Electrical Delay (one direction)	1:207 ns

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured:

The dipole is made of standard semirigid cosxist cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The enterna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the cipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	Fabruary 11, 2009

Certificate No. D1750V2-1008_Aug18

Page 4 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件据华廷国佛教训献之样具色者,同时件撰具届保留的子。大器华主领太公司事而许可,不可部份推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms.and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 558 of 608

DASY5 Validation Report for Head TSL

Date: 30.08.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT; Dipole 1750 MHz; Type: D1750V2; Serial: D1750V2 - SN:1008

Communication System: UID 0 - CW; Frequency: 1750 MHz.

Medium parameters used: f = 1750 MHz; $\sigma = 1.34 \text{ S/m}$; $\varepsilon_r = 38.9$; $p = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(8.5, 8.5, 8.5) @ 1750 MHz; Calibrated: 30.12.2017
- Sensor-Surface: 1.4mm (Mechanical Surface Detection).
- Electronics: DAE4 Sn601; Calibrated: 26.10.2017
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm


Reference Value = 107.6 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 16.3 W/kg

dB

SAR(1 g) = 9.07 W/kg; SAR(10 g) = 4.81 W/kg

Maximum value of SAR (measured) = 13.9 W/kg



0 dB = 13.9 W/kg = 11.43 dBW/kg

Certificate No: D1750V2-1008_Aug18

Page 5 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 559 of 608

Impedance Measurement Plot for Head TSL



Certificate No; D1750V2-1008_Aug18

Page 6 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 560 of 608

DASY5 Validation Report for Body TSL

Date: 30.08.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: D1750V2 - SN:1008

Communication System; UID 0 - CW; Frequency: 1750 MHz

Medium parameters used: f = 1750 MHz; $\sigma = 1.47 \text{ S/m}$; $\epsilon_c = 53.4$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(8.35, 8.35, 8.35) @ 1750 MHz; Calibrated: 30.12.2017
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 26.10.2017
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 101.7 V/m; Power Drift = -0.07 dB

Peak SAR (extrapolated) = 15.9 W/kg

SAR(1 g) = 9.16 W/kg; SAR(10 g) = 4.93 W/kgMaximum value of SAR (measured) = 13.7 W/kg



0 dB = 13.7 W/kg = 11.37 dBW/kg

Certificate No: D1750V2-1008_Aug18

Page 7 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 561 of 608

Impedance Measurement Plot for Body TSL



Certificate No: D1750V2-1008_Aug18

Page B of B

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件据华廷国佛教训献之样具色者,同时件撰具届保留的子。大器华主领太公司事而许可,不可部份推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⁹⁰天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format

Inis document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format occuments, subject to Terms and Conditions of Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 562 of 608



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報生结果僅對測試之樣品負責,同時什樣品僅保留的子。太報生去經太公司事而許可,不可執份複制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sas.com



Page: 563 of 608

Calibration Laboratory of Schmid & Panner Engineering AG Zeughausstrane 43, 8004 Zurich, Switzerland





S Schweizerischer Kallbriediens
C Service suitse d'étalionnage
Servizée svitzere di teretura
S Seiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatorins to the EA

Multilitational Agreement for the recognition of calibration certificates

Glossary:

TSL ConvF

N/A

tissue simulating liquid

sensitivity in TSL / NORM x,y,z not applicable or not measured

Calibration is Performed According to the Following Standards:

 IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013

 EC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016

c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010

d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end
 of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed
 point exactly below the center marking of the flat phantom section, with the arms oriented
 parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole
 positioned under the liquid filled phantom. The impedance stated is transformed from the
 measurement at the SMA connector to the feed point. The Return Loss ensures low
 reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point.
 No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Cumicate No D1900V2-5d173 Aprill

Page 2 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅享了的。木報告表標本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 564 of 608

Measurement Conditions

DASY system configuration, as far as not given on page to

DASY Version	DASY5	V52:10.0
Extrapolation	Advanced Extrapolation	
Phantom	Modular Fiat Phantom	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	1900 MHz ± T MHz	

Head TSL parameters

The following parameters and calculations were applied

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	40.0	1.40 mhp/m
Messured Head TSL parameters	(22.0 ± 0.2) °C	41 1 ± 8 %	1,35 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	1994	-

SAR result with Head TSL

SAR averaged over 1 cm ² (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	9.89 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	40.7 W/kg = 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	5.21 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	21.2 W/kg ± 16.5 % (k=2)

Body TSL parameters

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	53.3	1.52 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	55.3 ± 6 %	1.47 mho/m ± 6 %
Body TSL temperature change during test	€ 0.5 °C		

SAR result with Body TSL

SAR averaged over 1 cm ² (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	9.93 W/kg
SAR for nominal Body TSL parameters	Wr of Desilermon	40.9 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ² (10 g) of Body TSL	condition	
SAR measured	250 mW input power	5.30 W/kg
SAR for nominal Body TSL parameters	normalized to TW	21.6 W/kg ± 16.5 % (k=2)

Certificate No: D1900V2-5d173_April 8

Page 3 of 6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 565 of 608

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	51.4.Q + 5.1 JQ	
Return Loss	- 25,8 dB	

Antenna Parameters with Body TSL

Impedance, transformed to feed point	47.3 (1 + 7.2)(2
Return Loss	- 22 f dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1,195 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenne is therefore short-circuited for DC-signals, On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might band or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG	
Manufactured on	June 08, 2012	

Certificate No. D1900V2-5d173_Apr1ff

Page 4 of B

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 566 of 608

DASY5 Validation Report for Head TSL

Date: 25.04.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN:5d173

Communication System: UID 0 - CW; Frequency: 1900 MHz

Medium parameters used: f = 1900 MHz; $\sigma = 1.35 \text{ S/m}$; $\varepsilon_c = 41.1$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)


DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(8.18, 8.18, 8.18); Calibrated: 30.12.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 26,10.2017
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 110.9 V/m; Power Drift = -0.01 dB Peak SAR (extrapolated) = 18.3 W/kg SAR(1 g) = 9.89 W/kg; SAR(10 g) = 5.21 W/kg

Maximum value of SAR (measured) = 15.2 W/kg



Certificate No: D1900V2-5d173_Apr18

Page 5 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 567 of 608

Impedance Measurement Plot for Head TSL



Certificate No: D1900V2-5d173_Apr18

Page 6 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 568 of 608

DASY5 Validation Report for Body TSL

Date: 25.04.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN:5d173

Communication System: UID 0 - CW; Frequency: 1900 MHz

Medium parameters used: f = 1900 MHz; $\sigma = 1.47 \text{ S/m}$; $\epsilon_f = 55.3$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section


Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(8.15, 8.15, 8.15); Calibrated: 30.12.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 26.10.2017
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52,10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 104.6 V/m; Power Drift = -0.09 dB Peak SAR (extrapolated) = 17.7 W/kg SAR(1 g) = 9.93 W/kg; SAR(10 g) = 5.3 W/kg Maximum value of SAR (measured) = 14.7 W/kg



0 dB = 14.7 W/kg = 11.67 dBW/kg

Certificate No: D1900V2-5d173_Apr18

Page 7 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報告結果僅聚的計畫,同時什樣品僅保留的天。木報告未經木公司書面許可,不可部份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 569 of 608

Impedance Measurement Plot for Body TSL



Certificate No: D1900V2-5d173_Apr18

Page 8 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 570 of 608

Calibration Laboratory of Schmid & Partner Engineering AG aughausstrasse 43, 8004 Zurich, Switzeriani





Schweizerischer Kalibrierdienst Service suisse d'étalonnage C Servizio svizzero di taretura Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

SGS-TW (Auden)

Certificate No: D2300V2-1023 Aug 18

Object	D2300V2 - SN:1	023	
Calibration procedure(s)	QA CAL-05.v10 Calibration proce	edure for dipole validation kits abo	ova 700 MHz
Calibration date:	August 24, 2018		
This calibration certificate docume	rots the traceability to nat	ional standards, which realize the physical or	nits of measurements (Sf):
he measurements and the uncar	tainties with confidence of	elobability are given on the following pages ar	d are part of the certificate.
all calibrations have been conduc-	ted in the closed laborate	ry fixality: environment temperature (22 \pm 3)°	C and humidity < 70%.
Calibration Equipment used (M&T	E critical for calibration)		
rimsry Standards	ID #	Cai Date (Certificate No.)	Scheduled Californian
	ID # SN: 104776	Cal Date (Certificate No.) 04-Apr-18 (No. 217-02672/02673)	Scheduled Celibration Apr.18
ower meter NRP			
ower meter NRP ower sensor NRP-291	SN: 104778	04-Apr-18 (No. 217-02672/02673)	Apr-19
Power meter NRP Power sensor NRP-ZBT Power sensor NRP-ZBT	SN: 104776 SN: 103244	04-Apr-18 (No. 217-02672/02673) 04-Apr-18 (No. 217-02672)	Apr-19 Apr-19
Power mater NRP Ower sensor NRP-291 Ower sensor NRP-291 Peterence 20 dB Attenuator Type-N mismatch combination	SN: 104778 SN: 103244 SN: 103245	04-Apr-18 (No. 217-02672/02673) 04-Apr-18 (No. 217-02672) 94-Apr-18 (No. 217-02673) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02683)	Apr-19 Apr-19 Apr-19
Power meter NRP-Z91 Cower sensor NRP-Z91 Cower sensor NRP-Z91 Cower sensor NRP-Z91 Cower sensor NRP-Z91 Cower sensor NRP-Z91 Cower sensor NRP-Z91 Cower sensor NRP-Z91 Cower NRP-Z91 Cower NRP-Z91 Cower NRP-Z91 Cower NRP-	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k)	04-Apr-16 (No. 217-02672/02673) 04-Apr-16 (No. 217-02672) 04-Apr-16 (No. 217-02673) 04-Apr-16 (No. 217-02682)	Apr-19 Apr-19 Apr-19 Apr-19
Ower meter NRP Cower sensor NRP-291 Cower sensor NRP-291 Veterence 20 dB Attenuator Vypo-N mismatch combination teterence Probe EX3DV4	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327	04-Apr-18 (No. 217-02672/02673) 04-Apr-18 (No. 217-02672) 94-Apr-18 (No. 217-02673) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02683)	Apr-19 Apr-19 Apr-19 Apr-19 Apr-18
Printery Standards Power motor NRP Power sensor NRP-291 Power sensor NRP-291 Peterence 20 dB Attenuator Type-N mismatch combination Ratarance Probe EX3DV4 DAE4 Secondary Standards	SN: 104776 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349	04-Apr-18 (No. 217-02672/02673) 04-Apr-18 (No. 217-02672) 04-Apr-18 (No. 217-02673) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02682) 05-Apr-18 (No. 217-02683) 30-Doc-17 (No. EXS-7349_Doc-17)	Apr-19 Apr-19 Apr-19 Apr-19 Apr-18 Dec-18
Power meter NRP Power sensor NRP-291 Power sensor NRP-291 Power sensor NRP-291 Peterence 20 GB Attenuator Type-N mismatch combination Retarence Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A	SN: 104776 SN: 106244 SN: 106345 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601	04-Apr-18 (No. 217-02672/02673) 04-Apr-18 (No. 217-02672) 04-Apr-18 (No. 217-02673) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02683) 30-Doc-17 (No. EXX-7349, Dec17) 26-0ct-17 (No. DAE4-601_Oct17)	Apr-19 Apr-19 Apr-19 Apr-19 Apr-19 Apr-18 Dec-18 Oct-18 Scheduled Check
Power meter NRP Power sensor NRP-291 Power sensor NRP-291 Power sensor NRP-291 Power sensor NRP-291 Power sensor NRP-291 Power sensor NRP-291 Power meter EPM-442A Power sensor HP 8481A	SN: 104776 SN: 103244 SN: 103345 SN: 5058 (200) SN: 5057 27 06327 SN: 7349 SN: 601	04-Apr-18 (No. 217-02672/02673) 04-Apr-18 (No. 217-02672) 04-Apr-18 (No. 217-02673) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02683) 30-Doc-17 (No. EXS-7349, Dec17) 26-Oct-17 (No. DAE4-601_Oct17) Check Date (in house)	Apr-19 Apr-19 Apr-19 Apr-19 Apr-18 Dec-18 Oct-18 Scheduled Check In house check-Oct-16
Power mater NRP Power sensor NRP-291 Power sensor NRP-291 Power sensor NRP-291 Power sensor NRP-291 Power materials of mitination Paterence Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A	SN: 104776 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.27 (6327 SN: 7349 SN: 601 ID # SN: GB37480704 SN: US37292763 SN: MY41092317	04-Apr-18 (No. 217-02672/02673) 04-Apr-18 (No. 217-02672) 04-Apr-18 (No. 217-02673) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02682) 30-Dac-17 (No. EXS-7349, Dec17) 26-0ct-17 (No. DAE4-601_Oct17) Check Date (in house) 07-0ct-15 (in house check Oct-16) 07-0ct-15 (in house check Oct-16)	Apr-19 Apr-19 Apr-19 Apr-19 Apr-19 Dec-18 Oct-18 Scheduled Check In house check: Oct-16 In house check: Oct-16
Power sensor NRP-Z91 Power sensor NRP-Z91 Peterence 20 dB Attenuator Pype-N mismatch combination Paterance Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A Propersion HP 8481A	SN: 104776 SN: 103244 SN: 103245 SN: 5058 (20K) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GBS7480704 SN: US37292763 SN: MY41092317 SN: 10472	04-Apr-18 (No. 217-02672/02673) 04-Apr-18 (No. 217-02672) 04-Apr-18 (No. 217-02672) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02683) 30-Doc-17 (No. EXS-7349, Dec17) 26-0c-17 (No. DAE-4-601_Oct17) Check Date (in house) 07-0c-15 (in house check Oct-16) 07-0c-15 (in house check Oct-16) 15-Jun-15 (in house check Oct-16)	Apr-19 Apr-19 Apr-19 Apr-19 Apr-19 Apr-19 Dec-18 Oct-18 Scheduled Check In house check: Oct-16 In house check: Oct-16 In house check: Oct-16
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Power sensor NRP-Z91 Power sensor NRP-Z91 Power meter ED de Attenuator Type-N mismatch combination Retarence Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A	SN: 104776 SN: 103244 SN: 103245 SN: 5058 (20K) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GBS7480704 SN: US37292763 SN: MY41092317 SN: 10472	04-Apr-18 (No. 217-02672/02673) 04-Apr-18 (No. 217-02672) 04-Apr-18 (No. 217-02673) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02682) 30-Dac-17 (No. EXS-7349, Dec17) 26-0ct-17 (No. DAE4-601_Oct17) Check Date (in house) 07-0ct-15 (in house check Oct-16) 07-0ct-15 (in house check Oct-16)	Apr-19 Apr-19 Apr-19 Apr-19 Apr-18 Dec-18 Oct-18 Scheduled Check In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16
Power mater NRP- Power sensor NRP-291 Power sensor NRP-291 Peterence 20 dB Attenuator Pype-N mismatch combination Ratarance Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A RF generator R&S SMT-06	SN: 104776 SN: 103244 SN: 103245 SN: 5058 (20K) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GBS7480704 SN: US37292763 SN: MY41092317 SN: 10472	04-Apr-18 (No. 217-02672/02673) 04-Apr-18 (No. 217-02672) 04-Apr-18 (No. 217-02672) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02683) 30-Doc-17 (No. EXS-7349, Dec17) 26-0c-17 (No. DAE-4-601_Oct17) Check Date (in house) 07-0c-15 (in house check Oct-16) 07-0c-15 (in house check Oct-16) 15-Jun-15 (in house check Oct-16)	Apr-19 Apr-19 Apr-19 Apr-19 Apr-18 Dec-18 Oct-18 Scheduled Check In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16
Power mater NRP- Power sensor NRP-291 Power sensor NRP-291 Peterence 20 dB Attenuator Pype-N mismatch combination Ratarance Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A RF generator R&S SMT-06	SN: 104776 SN: 103244 SN: 103245 SN: 5058 (200) SN: 5057 2 / 00327 SN: 7349 SN: 601 ID # SN: GBS7480704 SN: US\$7292783 SN: MY41092317 SN: 100972 SN: US\$1060477	04-Apr-18 (No. 217-02672/02673) 04-Apr-18 (No. 217-02672) 04-Apr-18 (No. 217-02673) 04-Apr-18 (No. 217-02673) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02683) 30-Dac-17 (No. EXS-7349, Dec17) 28-Oct-17 (No. DAE4-601_Oct17) Check Date (in house) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 15-Jun-15 (in house check Oct-16) 21-Mar-14 (in house check Oct-17)	Apr-19 Apr-19 Apr-19 Apr-19 Apr-19 Dec-18 Oct-18 Scheduled Check In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16
Power mater NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Power sensor NRP-Z91 Power sensor NRP-Z91 Power sensor NRP-Z91 Power sensor NRP-Z91 Power meter EPM-442A Power meter EPM-442A Power sensor HP 8481A	SN: 104776 SN: 103244 SN: 103345 SN: 5058 (200) SN: 5057 27 06327 SN: 7349 SN: 601 ID # SN: GB37480704 SN: US37292780 SN: MY41082317 SN: 100972 SN: US41060477 Name	04-Apr-18 (No. 217-02672/02673) 04-Apr-18 (No. 217-02672) 04-Apr-18 (No. 217-02673) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02682) 04-Apr-18 (No. 217-02682) 30-Dac-17 (No. EX3-7349_Dec17) 28-0ct-17 (No. DAE4-601_Oct17) Check Date (in house) 07-0ct-15 (in house check Oct-16) 07-0ct-15 (in house check Oct-16) 15-Jun-15 (in house check Oct-16) 21-Mar-14 (in house check Oct-17) Function	Apr-19 Apr-19 Apr-19 Apr-19 Apr-18 Dec-18 Oct-18 Scheduled Check In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16

Certificate No: D2300V2-1023_Aug18

Page 1 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 571 of 608

Calibration Laboratory of Schmid & Partner

Engineering AG sughausstresse 43, 1604 Zurich, Switzerland





S Service suisse d'étalonnage C Servizio avazzero di taratura

Accreditation No.: SCS 0108

Accredited by the Swise Accreditation Senice (SAS)

The Swiss Accreditation Service is one of the algoritories to the EA Multilateral Agreement for the recognition of calibration certificate

Glossary:

TSL tissue simulating liquid sensitivity in TSL / NORM x,y,z ConvF NVA not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)*, March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms priented parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: D2300V2-1023_Aug18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

www.tw.sas.com



Page: 572 of 608

Measurement Conditions

DASY system configuration, as far as not given on page 1

DASY Version	DASY5	V52.10.1
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantem	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz =5 mm	
Frequency	2300 MHz ± 1 MHz	

Head TSL parameters

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	39.5	1.67 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	38.2 ± 6 %	1.70 mho/m ± 6 %
Head TSL temperature change during test	× 0.5 °C	-	

SAR result with Head TSL

SAR averaged over 1 cm3 (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	12.3 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	48.4 W/kg a 17.0 % (k=2)

SAR averaged over 10 cm2 (10 g) of Head TSL	condition	
SAR measured	250 mW input power	5.93 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	23.5 W/kg ± 16.5 % (k=2)

Body TSL parameters

ng parameters and calculations w

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	52.9	1.81 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	52.2 ± 6 %	1.85 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C		-

SAR result with Body TSL

SAR averaged over 1 cm3 (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	12.1 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	47.7 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ² (10 g) of Body TSL	condition	
SAR measured	250 mW input power	5.86 W/kg
SAR for nominal Body TSL parameters	normalized to TW	23.2 W/kg ± 15.5 % (k=2)

Certificate No: D2300V2-1023_Aug18

Page 3 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 573 of 608

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	49.6 Ω - 2.1 jΩ
Return Loss	-33.5 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point.	45.4 Ω = 0.9 Ω
Return Loss	: 26,1 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.171 ns

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semittyd coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antanne is therefore shon-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive lonce must be applied to the dipole arms, because they might band or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	March 30, 2009

Certificate No: D2300V2-1023_Aug18

Page 4 at E

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件据华廷国佛教训献之样具色者,同时件撰具届保留的子。大器华主领太公司事而许可,不可部份推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 574 of 608

DASY5 Validation Report for Head TSL

Date: 23.08.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2300 MHz; Type: D2300V2; Serial: D2300V2 - SN:1023

Communication System: UID 0 - CW; Frequency: 2300 MHz

Medium parameters used: f = 2300 MHz; $\sigma = 1.7 \text{ S/m}$; $\varepsilon_r = 38.2$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(8.08, 8.08, 8.08) @ 2300 MHz; Calibrated: 30.12.2017
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 26.10.2017
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)


Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 114.4 V/m; Power Drift = -0.06 dB

Peak SAR (extrapolated) = 23.7 W/kg

SAR(1 g) = 12.3 W/kg; SAR(10 g) = 5.93 W/kg

Maximum value of SAR (measured) = 19.8 W/kg



0 dB = 19.8 W/kg = 12.97 dBW/kg

Certificate No: D2300V2-1023_Aug18

Page 5 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅享了的。木報告表標本公司書面許可,不可部份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 575 of 608

Impedance Measurement Plot for Head TSL



Certificate No: D2300V2-1023_Aug18

Page 6 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 576 of 608

DASY5 Validation Report for Body TSL

Date: 24.08.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2300 MHz; Type: D2300V2; Serial: D2300V2 - SN:1023

Communication System: UID 0 - CW; Frequency: 2300 MHz

Medium parameters used: f = 2300 MHz; $\sigma = 1.85 \text{ S/m}$; $\varepsilon_r = 52.2$; $p = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)


DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(8.08, 8.08, 8.08) @ 2300 MHz; Calibrated: 30.12.2017
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 26.10.2017
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA: Serial: 1002
- DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 108.1 V/m; Power Drift = -0.07 dB Peak SAR (extrapolated) = 22.8 W/kg

SAR(1 g) = 12.1 W/kg; SAR(10 g) = 5.86 W/kg Maximum value of SAR (measured) = 19.1 W/kg



0 dB = 19.1 W/kg = 12.81 dBW/kg

Certificate No: D2300V2-1023_Aug18

Page 7 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format


documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 577 of 608

Impedance Measurement Plot for Body TSL



Certificate No: D2300V2-1023 Aug18

Page 8 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 578 of 608



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報生结果僅對測試之樣品負責,同時什樣品僅保留的子。太報生去經太公司事而許可,不可執份複制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 579 of 608

Calibration Laboratory of

Schmid & Partner Engineering AG asse 43, 8004 Zurtch, Switzerland





Banweizerischer Kallbrierdie Service suisse d'étalonnage C Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration commissive

Glossary:

tissue simulating liquid TSL ConvF

sensitivity in TSL / NORM x,y,z N/A not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques*, June 2013
- b) IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30) MHz to 6 GHz)", March 2010.
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated,
- Antenna Parameters with TSL: The dipole is incunted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Conflicate No: D2450V2-727_Apr 18

Page 2 of 6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 580 of 608

Measurement Conditions

DASY Version	DASY5	V52.10.0
		FAC-10.0
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz. = 5 mm	
Frequency	2450 MHz = 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22,0 °C	39.2	1.80 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	38.3 ± 6 %	1.86 mha/m ± 6 %
Head TSL temperature change during test	< 0.5 °C		

SAR result with Head TSL

SAR averaged over 1 cm ⁵ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	13,3 W/kg
SAR for nominal Head TSL parameters	hormalized to 1W	52.1 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm3 (10 g) of Head TSL	condition	
SAR measured	250 mW Input power	8.16 W/kg
SAR for nominal Head TSL parameters	normalized to TW	24.3 W/kg ± 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	52.7	1.95 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	52.5 ± 6 %	2.01 mha/m = 6 %.
Body TSL temperature change during test	< 0,5 °C		

SAR result with Body TSL

SAR sveraged over 1 cm ² (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	12.9 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	50.8 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	6.00 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	23.8 W/kg ± 16.5 % (k=2)

Certificate No: D2450V2-727_Apr18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 581 of 608

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	55.2 Ω + 2.7 JΩ	
Fletum Loss	= 25.1 dB	

Antenna Parameters with Body TSL

Impledance, transformed to feed point	51.2 \O + 5.8 \O	
Return Loss	- 25.0 dB	

General Antenna Parameters and Design

Electrical Delay (one direction)	1.149 ns

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semingld coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end capeare added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAFI data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole emis, because they might bend or the soldered connections near the feedpoint may be damaged,

Additional EUT Data

Manufactured by	SPEAG	
Manufactured on	January 09, 2003	

Dertificate No: D2450V2-727_Aprile

Page 4 of 6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 582 of 608

DASY5 Validation Report for Head TSL

Date: 24.04.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: D2450V2 - SN:727

Communication System: UID 0 - CW; Frequency: 2450 MHz

Medium parameters used: f = 2450 MHz; $\sigma = 1.86 \text{ S/m}$; $\epsilon_t = 38.3$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(7.88, 7.88, 7.88); Calibrated: 30.12.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 26.10.2017
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)


Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid; dx=5mm, dy=5mm, dz=5mm Reference Value = 116.0 V/m; Power Drift = -0.06 dB

Peak SAR (extrapolated) = 26.7 W/kg

dB

SAR(1 g) = 13.3 W/kg; SAR(10 g) = 6.16 W/kgMaximum value of SAR (measured) = 22.0 W/kg



Certificate No: D2450V2-727_April8

Page 5 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 583 of 608

Impedance Measurement Plot for Head TSL



Certificate No: D2450V2-727_Apr18

Page 6 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论明,此据华结里做新闻建立线是各者,同时此接是做保留的子。木都华丰德木公司聿简纯可,不可驾份推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 584 of 608

DASY5 Validation Report for Body TSL

Date: 24.04.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: D2450V2 - SN:727

Communication System: UID 0 - CW; Frequency: 2450 MHz.

Medium parameters used: f = 2450 MHz; $\sigma = 2.01 \text{ S/m}$; $\varepsilon_r = 52.5$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard; DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

dB

-5.00

- Probe: EX3DV4 SN7349; ConvF(8.01, 8.01, 8.01); Calibrated: 30.12.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 26.10.2017
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 108.4 V/m; Power Drift = -0.07 dB Peak SAR (extrapolated) = 25.5 W/kg SAR(1 g) = 12.9 W/kg; SAR(10 g) = 6 W/kg

Maximum value of SAR (measured) = 21.1 W/kg



0 dB = 21.1 W/kg = 13,24 dBW/kg

Certificate No: D2450V2-727, April 8

Page 7 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 585 of 608

Impedance Measurement Plot for Body TSL



Certificate No: D2450V2-727_Apr18

Page 8 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件据华廷国佛教训献之样具色者,同时件撰具届保留的子。大器华主领太公司事而许可,不可部份推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留%天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and Conditions.htm and for electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

prosecuted to the fullest extent of the law.



Page: 586 of 608

Calibration Laboratory of Schmid & Partner Engineering AG strasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Certificate No: D2600V2-1005_Jan18

SGS-TW (Auden) CALIBRATION CERTIFICATE D2600V2 - SN:1005 Object QA CAL-05.v9 Calibration procedure(s) Calibration procedure for dipole validation kits above 700 MHz January 17, 2018 Calibration date: This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the curtificate. All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%. Calibration Equipment used (M&TE critical for calibration) (D.) Cal Date (Certificate No.) Primary Standards Scheduled Calibration Power meter NRP SN: 104778 04-Apr-17 (No. 217-02521/02522) Apr-18 Power sensor NRP-Z91 SN: 103244 04-Apr-17 (No. 217 02521) Apr-18 Power sensor NAP-Z91 SN: 103245 04-Apr-17 (No. 217-02522) Apr-18 Reference 20 dB Attenuator SN: 5058 (20k) 07-Apr-17 (No. 217-02528) Apr-18 Type-N mismatch combination SN: 5047.2 / 06327 07-Apr-17 [No. 217-02529] Apr-18 30-Dec-17 (No. EX3-7349 Dec17) Reference Probe EX3DV4 SN: 7349 Dec-18 DAE4 SN: 601 26-Oct-17 (No. DAE4-801 Oct17) Oct-18 10 4 Scheduled Check Secondary Standards Check Date (in house) In house check: Oct-18 Power meter EPM-442A SN: GB37480704 07-Oct-15 (in house check Oct-16) SN: US37292783 07-Oct-15 (in house check Oct-16) In house check: Oct-18 Power sensor HP 8481A SN: MY41092317 Power sensor HP 8481A 07-Oct-15 (in house check Oct-16) In house check: Oct-18 RF generator R&S SMT-06 SN: 100972 15-Jun-15 (in house check Oct-16) In house check: Oct-18 Network Analyzer HP 8753E SN: US37390585 18-Oct-01 (in house check Oct-17) In house check: Oct-18 Function Signature Joton Kastrati Calibrated by: Laboratory Technician Katia Pokovic Technical Manager Approved by: Issued: January 17, 2018 This calibration cartificate shall not be reproduced except in full without written approval of the laboratory

Certificate No: D2600V2-1005_Jan18

Page 1 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 587 of 608

Calibration Laboratory of Schmid & Partner Engineering AG satragge 43, 8004 Zurich, Switzerland





Schweizerischer Kallbrierdienet Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

TSL tissue simulating liquid ConvF sensitivity in TSL / NORM x,y,z N/A not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques*, June 2013
- b) IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- i) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)*, March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement. multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: D2600V2-1005 Jan18

Page 2 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 588 of 608

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10.0
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz =5 mm	
Frequency	2600 MHz ± 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	39.0	1.96 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	37.2±6%	2.04 mho/m ± 6 %
Head TSL temperature change during test	<0.5°C	(****)	****

SAR result with Head TSL

SAR averaged over 1 cm ² (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	14.6 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	56.8 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW Input power	6.49 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	25.5 W/kg ± 16.5 % (k=2)

Body TSL parameters

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	52.5	2.16 mha/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	51.1±6%	2.20 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	3480A	>

SAR result with Body TSL

SAR averaged over 1 cm3 (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	13.8 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	54.4 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	6.13 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	24.3 W/kg ± 16.5 % (k=2)

Certificate No: D2600V2-1005 Jan18

Page 3 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 589 of 608

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	48.4 Ω - 4.7 jΩ	
Return Loss	- 26.0 dB	

Antenna Parameters with Body TSL

Impedance, transformed to feed point	46.2 Ω - 3.0 jΩ
Return Loss	- 25.9 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.155 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semingid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG	
Manufactured on	December 23, 2006	

Certificate No: D2600V2-1005_Jan18

Page 4 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報生结果僅對測試之樣品負責,同時什樣品僅保留的子。太報生去經太公司事而許可,不可執份複制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and for electronic format documents, or fall findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 590 of 608

DASY5 Validation Report for Head TSL

Date: 17.01.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2600 MHz; Type: D2600V2; Serial: D2600V2 - SN:1005

Communication System: UID 0 - CW; Frequency: 2600 MHz

Medium parameters used: f = 2600 MHz; $\sigma = 2.04 \text{ S/m}$; $\varepsilon_t = 37.2$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(7.7, 7.7, 7.7); Calibrated: 30.12.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 26.10,2017
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Secial: 1001
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 118.8 V/m; Power Drift = -0.08 dB

Peak SAR (extrapolated) = 29.8 W/kg

SAR(1 g) = 14.6 W/kg; SAR(10 g) = 6.49 W/kg Maximum value of SAR (measured) = 24.1 W/kg



Certificate No: D2600V2-1005_Jan18

Page 5 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 591 of 608

Impedance Measurement Plot for Head TSL



Certificate No: D2600V2-1005_Jan18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

Page 6 of 8

SGS Taiwan Ltd.



Page: 592 of 608

DASY5 Validation Report for Body TSL

Date: 17.01.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2600 MHz; Type: D2600V2; Serial: D2600V2 - SN:1005

Communication System: UID 0 - CW; Frequency: 2600 MHz

Medium parameters used: f = 2600 MHz; $\sigma = 2.2 \text{ S/m}$; $\varepsilon_r = 51.1$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

Probe: EX3DV4 - SN7349; ConvF(7.81, 7.81, 7.81); Calibrated: 30.12.2017;

· Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn601; Calibrated: 26.10.2017

Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002


DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 108.0 V/m; Power Drift = -0.06 dB

Peak SAR (extrapolated) = 28.6 W/kg

SAR(1 g) = 13.8 W/kg; SAR(10 g) = 6.13 W/kgMaximum value of SAR (measured) = 22.6 W/kg



0 dB = 22.6 W/kg = 13.54 dBW/kg

Certificate No: D2600V2-1005_Jan18

Page 7 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此數告結果僅累的計可,不可部份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 593 of 608

Impedance Measurement Plot for Body TSL



Certificate No: D2600V2-1005_Jan18

Page 8 of 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 594 of 608



Gertificate No: D5GHzV2-1023_Jan18

Page 1 of 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,併報告結果僅聚的計畫,同時什樣品僅保留的天。木報告未經木公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 595 of 608

Calibration Laboratory of Schmid & Partner

Engineering AG Zeughausetrasse 43, 8004 Zurich. Switzerland





Schweizerischer Kalibriertianst S Service suisse d'étalonnage C Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS).

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

TSL tissue simulating liquid ConvF sensitivity in TSL / NORM x.y.z not applicable or not measured N/A

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless. Communications Devices: Measurement Techniques", June 2013.
- b) IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- i) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30. MHz to 6 GHz)". March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%

Certificate No: D5GHzV2-1023 Jan18

Page 2 of 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 596 of 608

Measurement Conditions

tem configuration, as far as not given on page 1

DASY Version	DASY5	V52,10.0
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom V5.0	
Distance Dipole Center - TSL	10 mm	With Spacer
Zoom Scan Resolution	dx, dy = 4.0 mm, dz = 1,4 mm	Graded Ratio = 1.4 (Z direction)
Frequency	5200 MHz ± 1 MHz 5300 MHz ± 1 MHz 5600 MHz ± 1 MHz 5800 MHz ± 1 MHz	

Head TSL parameters at 5200 MHz

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22,0 °C	38.0	4.66 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	36.3 ± 6 %	4.50 mha/m ± 8 %
Head TSL temperature change during lest	€0.5 °C	per-	per .

SAR result with Head TSL at 5200 MHz

SAR averaged over 1 cm2 (1 g) of Head TSL	Condition	
SAR measured	100 mW input power	7:72 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	77.3 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	100 mW input power	2.22 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	22.2 W/kg ± 19.5 % (k=2)

Certificate No: D5GHzV2-1023_Jan18

Page 3 of 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 597 of 608

Head TSL parameters at 5300 MHz

ving parameters and calculations were applied

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	35.9	4.76 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	35.2 ± 6 %	4.60 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	100	-

SAR result with Head TSL at 5300 MHz

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	100 mW input power	8.09 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	80.9 W / kg ± 19.9 % (k=2)

SAR averaged over 10 cm3 (10 g) of Head TSL	condition	
SAR measured	100 mW input power	2.32 W/kg
SARI for nominal Head TSL parameters	normalized to 1W	23.2 W/kg ± 19.5 % (k=2)

Head TSL parameters at 5600 MHz

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22,0 ℃	35.5	5.07 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	35.8 ± 6 %	4.90 mha/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	-	+

SAR result with Head TSL at 5600 MHz

SAR averaged over 1 cm3 (1 g) of Head TSL	Condition	
SAR measured	100 mW input power	B.19 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	81.9 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ² (10 g) of Head TSL	condition	
SAR measured	100 mW input power	2.34 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	23.4 W/kg ± 19.5 % (k=2)

Certificate No: D5GHzV2-1023_Jan 18

Page 4 of 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 598 of 608

Head TSL parameters at 5800 MHz

The following parameters and calculations were applied

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	35.3	5.27 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	35.5 ± 6 %	5.11 mho/m ± 8 %
Head TSL temperature change during test	< 0.5 °C	(ten)	-

SAR result with Head TSL at 5800 MHz

SAR averaged over 1 cm2 (1 g) of Head TSL	Condition	
SAR measured	100 mW Input power	7.90 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	79.0 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm3 (10 g) of Head TSL	condition	
SAR measured	100 mW input power	2,25 W/kg
SAR for nominal Head TSL parameters	nomalized to 1W	22.5 W/kg ± 19.5 % (k=2)

Certificate No: D5GHzV2-1023_Jan18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 599 of 608

Body TSL parameters at 5200 MHz

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	49.0	5.30 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	47.3±6%	5,41 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	-	-

SAR result with Body TSL at 5200 MHz

SAR averaged over 1 cm3 (1 g) of Body TSL	Condition	
SAR measured	100 mW input power	7.14 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	70.9 W/kg = 19.9 % (k=2)

SAR averaged over 10 cm² (10 g) of Body TSL	condition	
SAR measured	100 mW input power	2.00 W/kg
SAFI for nominal Body TSL parameters	normalized to fW	19.8 W/kg ± 19.5 % (k=2)

Body TSL parameters at 5300 MHz

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	48.9	5.42 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	47 1 ± 6 %	5.54 mho/m = 6 %
Body TSL lemperature change during test	< 0,5 °C	-	0-0

SAR result with Body TSL at 5300 MHz

SAR averaged over 1 cm3 (1 g) of Body TSL	Condition	
SAR measured	100 mW Input power	7.34 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	72.9 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	100 mW input power	2.06 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	20.4 W/kg ± 19.5 % (k=2)

Certificate No. D5GHzV2-1023_Jan18

Page 6 of 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 600 of 608

Body TSL parameters at 5600 MHz

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	48.5	5.77 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	46.6 ± 6 %	5.94 mha/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	-rive-	-

SAR result with Body TSL at 5600 MHz

SAR averaged over 1 cm3 (1 g) of Body TSL	Condition	
SAR measured	100 mW input power	7.81 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	77.6 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	100 mW input power	2.19 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	21.7 W/kg ± 19.5 % (k=2)

Body TSL parameters at 5800 MHz

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	48.2	6.00 mholm
Measured Body TSL parameters	(22.0 ± 0.2) °C	48.2 ± 6 %	6.22 mha/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	_	-

SAR result with Body TSL at 5800 MHz

SAR averaged over 1 cm3 (1 g) of Body TSL	Condition	
SAR measured	100 mW input power	7.46 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	74.1 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm2 (10 g) of Body TSL	condition	
SAR measured	100 mW input power	2.07 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	20.5 W/kg ± 19.5 % (k=2)

Certificate No: D5GHzV2-1023, Jan18

Page 7 of 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 601 of 608

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL at 5200 MHz

Impedance, transformed to feed point	50.1 Ω - 8.1 jΩ
Return Loss	- 21.9 dB

Antenna Parameters with Head TSL at 5300 MHz

Impedance, transformed to feed point	50.5 Ω - 2.3 β3
Return Loss	- 32.7 dB

Antenna Parameters with Head TSL at 5600 MHz

Impedance, transformed to feed point	53.9 Ω - 0.7 jΩ	
Return Loss	- 28.4 dB	

Antenna Parameters with Head TSL at 5800 MHz

Impedance, transformed to feed point	55.3 Ω + 2.6 jΩ
Return Loss	- 25.1 dB

Antenna Parameters with Body TSL at 5200 MHz

Impedance, transformed to feed point	49.8 Ω - 6.9 jΩ.
Return Loss	- 23.2 dB

Antenna Parameters with Body TSL at 5300 MHz

Impedance, transformed to leed point	50.9 Ω - 0.9 μΩ	
Return Loss	- 37.9 dB	

Antenna Parameters with Body TSL at 5600 MHz

Impedance, transformed to feed point	58.0 Ω + 0.5 JΩ	
Return Loss	- 24.9 dB	

Antenna Parameters with Body TSL at 5800 MHz

Impedance, transformed to lead point	56.6 Ω + 2.3 Ω
Return Loss	→ 23.7 dB

Certificate No: D5GHzV2-1023_Jan18

Page 8 of 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 602 of 608

General Antenna Parameters and Design

Electrical Delay (one direction)	1:199 ns

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard,

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG	
Manufactured on	February 05, 2004	

Certificate No: D5GHzV2-1023_Jan18

Page 9 of 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sas.com



Page: 603 of 608

DASY5 Validation Report for Head TSL

Date: 25.01.2018

Test Laboratory; SPEAG, Zurich, Switzerland

DUT: Dipole D5GHzV2; Type; D5GHzV2; Serial: D5GHzV2 - SN:1023

Communication System: UID 0 - CW/ Frequency: 5200 MHz, Frequency: 5300 MHz, Frequency: 5600 MHz, Frequency: 5800 MHz

Medium parameters used: f = 5200 MHz; $\sigma = 4.5 \text{ S/m}$; $\epsilon_c = 36.3$; $\rho = 1000 \text{ kg/m}^3$.

Medium parameters used: f = 5300 MHz; $\sigma = 4.6 \text{ S/m}$; $\epsilon_c = 36.2$; $\rho = 1000 \text{ kg/m}^3$.

Medium parameters used: i = 5600 MHz; $\sigma = 4.9$ S/m; $\epsilon_r = 35.8$; $\rho = 1000$ kg/m Medium parameters used: f = 5800 MHz; $\sigma = 5.11 \text{ S/m}$; $\epsilon_r = 35.5$; $\rho = 1000 \text{ kg/m}^2$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 SN3503; ConvF(5.75, 5.75, 5.75); Calibrated: 30.12,2017. ConvF(5.5, 5.5, 5.5); Calibrared: 30.12.2017, ConvF(5.05, 5.05, 5.05); Calibrared: 30.12.2017. ConvF(4.96, 4.96, 4.96); Calibrated: 30.12.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electromics: DAE4 Sn601; Calibrated: 26.10.2017.
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Head Tissue/Pin=100mW, dist=10mm, f=5200 MHz/Zoom Scan, dist=1.4mm

(8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 70.47 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 27.5 W/kg

SAR(1 g) = 7.72 W/kg; SAR(10 g) = 2.22 W/kg

Maximum value of SAR (measured) = 17.7 W/kg.

Dipole Calibration for Head Tissue/Pin=100mW, dist=10mm, f=5300 MHz/Zoom Scan, dist=1.4mm

(8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm_dz=1.4mm

Reference Value = 74.63 V/m; Power Drift = -0.06 dB

Peak SAR (extrapolated) = 29.6 W/kg

SAR(1 g) = 8.09 W/kg; SAR(10 g) = 2.32 W/kg

Maximum value of SAR (measured) = 18.6 W/kg

Dipole Calibration for Head Tissue/Pin=100mW, dist=10mm, I=5600 MHz/Zoom Scan, dist=1.4mm

(8x8x7)/Cube 0: Measurement grid; dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 70.79 V/m; Power Drift = -0.05 dB

Peak SAR (extrapolated) = 31,5 W/kg

SAR(1 g) = 8.19 W/kg; SAR(10 g) = 2.34 W/kg

Maximum value of SAR (measured) = 19.6 W/kg

Certificate No: 05GHzV2-1023 Jan 8

Page 10 of 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 604 of 608

Dipole Calibration for Head Tissue/Pin=100mW, dist=10mm, f=5800 MHz/Zoom Scan, dist=1.4mm

(8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 69.22 V/m; Power Drift = -0.05 dB

Peak SAR (extrapolated) = 31.2 W/kg

SAR(1 g) = 7.9 W/kg; SAR(10 g) = 2.25 W/kg Maximum value of SAR (measured) = 19.0 W/kg



0 dB = 17.7 W/kg = 12.48 dBW/kg

Certificate No: D5GHzV2-1023_Jan18

Page 11 of 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 605 of 608

Impedance Measurement Plot for Head TSL



Certificate No: D5GHzV2-1023_Jan18

Page 12 of 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sas.com



Page: 606 of 608

DASY5 Validation Report for Body TSL

Date: 23.01.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole D5GHzV2; Type: D5GHzV2; Serial: D5GHzV2 - SN:1023

Communication System: UID 0 - CW; Frequency: 5200 MHz, Frequency: 5300 MHz, Frequency: 5600 MHz, Frequency: 5800 MHz

Medium parameters used: f = 5200 MHz; $\sigma = 5.41 \text{ S/m}$; $\epsilon_c = 47.3$; $\rho = 1000 \text{ kg/m}^3$. Medium parameters used: f = 5300 MHz; $\sigma = 5.54$ S/m; $\varepsilon_r = 47.1$; p = 1000 kg/m² Medium parameters used: f = 5600 MHz; $\sigma = 5.94$ S/m; $\varepsilon_r = 46.6$; $\rho = 1000$ kg/m².

Medium parameters used: f = 5800 MHz; $\sigma = 6.22 \text{ S/m}$; $\epsilon_r = 46.2$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 SN3503; ConvF(5,35, 5,35, 5,35); Calibrated: 30.12.2017. ConvF(5.15, 5.15, 5.15); Calibrated: 30.12.2017, ConvF(4.65, 4.65, 4.65); Calibrated: 30.12.2017, ConvF(4.53, 4.53, 4.53); Calibrated: 30.12.2017;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAPA Sn601; Calibrated: 26.10.2017
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52, 10.0(1446); SEMCAD X 14.6.10(7417)

Dipole Calibration for Body Tissue/Pin=100mW, dist=10mm, f=5200 MHz/Zoom Scan, dist=1.4mm

(8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 66.00 V/m; Power Drift = -0.05 dB

Peak SAR (extrapolated) = 26.4 W/kg

SAR(1 g) = 7.14 W/kg; SAR(10 g) = 2 W/kg

Maximum value of SAR (measured) = 16.8 W/kg

Dipole Calibration for Body Tissue/Pin=100mW, dist=10mm, f=5300 MHz/Zoom Scan, dist=1.4mm

(8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1,4mm

Reference Value = 65.19 V/m; Power Drift = -0.06 dB

Peak SAR (extrapolated) = 28.4 W/kg

SAR(1g) - 7.34 W/kg; SAR(10g) = 2.06 W/kg

Maximum value of SAR (measured) = 17.6 W/kg

Dipole Calibration for Body Tissue/Pin=100mW, dist=10mm, f=5600 MHz/Zoom Scan, dist=1.4mm

(8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 66.21 V/m; Power Drift = -0.09 dB

Peak SAR (extrapolated) = 32.8 W/kg

SAR(1 g) = 7.81 W/kg; SAR(10 g) = 2.19 W/kg

Maximum value of SAR (measured) = 19.1 W/kg

Certificate No: D5GHzV2-1023_Jan15

Page 13 dl 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 607 of 608

Dipole Calibration for Body Tissue/Pin=100mW, dist=10mm, f=5800 MHz/Zoom Scan, dist=1.4mm

(8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 64.05 V/m; Power Drift = -0.05 dB

Peak SAR (extrapolated) = 32.3 W/kg

SAR(1 g) = 7.46 W/kg; SAR(10 g) = 2.07 W/kg

Maximum value of SAR (measured) = 18.8 W/kg



0 dB = 18.8 W/kg = 12.74 dBW/kg

Certificate No: D5GHzV2-1023_Jan18

Page 14 of 15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sas.com



Page: 608 of 608

Impedance Measurement Plot for Body TSL



Certificate No: D5GHzV2-1023_Jan18

Page 15 of 15

- End of report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司